



Open Source Used In Firepower- CSM-RM 10.0.0

Cisco Systems, Inc.

www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-2516063479

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-2516063479

Contents

1.1 xerces-c 1.5.1

1.1.1 Available under license

1.2 libjpeg 6b

1.2.1 Notifications

1.2.2 Available under license

1.3 xerces-c 2.8.0

1.3.1 Available under license

1.4 giflib 5.2.1

1.4.1 Available under license

1.5 flexnet-publisher 10.8.0.1

1.5.1 Available under license

1.6 openssl 1.1.1e

1.6.1 Available under license

1.7 free-type 2.13.0

1.7.1 Available under license

1.8 libpng 1.6.39

1.8.1 Available under license

1.9 perl 5.8.9

1.9.1 Available under license

1.10 sqlite 3.46.0

1.10.1 Available under license

1.11 openjdk-jre 11.0.21u9

1.11.1 Available under license

1.12 java™ native access 5

1.12.1 Available under license

1.13 commons-validator 1.5.0

- 1.13.1 Available under license
- 1.14 xstream 1.4.16**
 - 1.14.1 Available under license
- 1.15 activemq-jdbc-store 5.15.11**
 - 1.15.1 Available under license
- 1.16 log4j-slf4j-impl 2.20.0**
 - 1.16.1 Available under license
- 1.17 tomcat-storeconfig 9.0.83**
 - 1.17.1 Available under license
- 1.18 mina 2.1.5**
 - 1.18.1 Available under license
- 1.19 jffi 1.2.7**
 - 1.19.1 Available under license
- 1.20 tomcat-jni 9.0.83**
 - 1.20.1 Available under license
- 1.21 lucene-misc 6.5.1**
 - 1.21.1 Available under license
- 1.22 velocity 1.3.1**
 - 1.22.1 Available under license
- 1.23 kms 2.20.128**
 - 1.23.1 Available under license
- 1.24 amazon-sqs-java-extended-client-lib 2.0.2**
 - 1.24.1 Available under license
- 1.25 hibernate-oscache 3.3.1.GA**
 - 1.25.1 Available under license
- 1.26 oro 2.0.6**
 - 1.26.1 Available under license
- 1.27 aws-core 2.20.128**
 - 1.27.1 Available under license
- 1.28 oro 2.0.8**
 - 1.28.1 Available under license
- 1.29 commons-fileupload 1.5**
 - 1.29.1 Available under license
- 1.30 tomcat-juli 9.0.83**
 - 1.30.1 Available under license
- 1.31 third-party-jackson-core 2.20.128**
 - 1.31.1 Available under license
- 1.32 activemq-camel 5.15.11**
 - 1.32.1 Available under license

1.33 asm-analysis 4.0

1.33.1 Available under license

1.34 hibernate 3.3.1.GA

1.34.1 Available under license

1.35 profiles 2.20.128

1.35.1 Available under license

1.36 fontbox 2.0.25

1.36.1 Available under license

1.37 jnr-constants 0.8.6

1.37.1 Available under license

1.38 netty-buffer 4.1.89.Final

1.38.1 Available under license

1.39 geronimoj2eemanagement 1.0.1

1.39.1 Available under license

1.40 hibernate-c3p0 3.3.1.GA

1.40.1 Available under license

1.41 metrics-spi 2.20.128

1.41.1 Available under license

1.42 netty-handler 4.1.89.Final

1.42.1 Available under license

1.43 jdk-zulu 11.68+17

1.43.1 Available under license

1.44 jasper-reports 1.2.6

1.44.1 Available under license

1.45 jaxb-core 2.3.0.1

1.45.1 Available under license

1.46 xerces-j 2.9.1

1.46.1 Available under license

1.47 aws-java-sdk-s3 1.12.105

1.47.1 Available under license

1.48 json-simple-ordered 2.24.1

1.48.1 Available under license

1.49 jibx 1.4.2

1.49.1 Available under license

1.50 activemq-spring 5.15.11

1.50.1 Available under license

1.51 activemq-jaas 5.15.11

1.51.1 Available under license

1.52 endpoints-spi 2.20.128

- 1.52.1 Available under license
- 1.53 tomcat-jsp-api 9.0.83**
 - 1.53.1 Available under license
- 1.54 lucene-analyzers-common 6.5.1**
 - 1.54.1 Available under license
- 1.55 geronimo-jta 1.1.1**
 - 1.55.1 Available under license
- 1.56 tomcat-catalina-ha 9.0.83**
 - 1.56.1 Available under license
- 1.57 netty-nio-client 2.20.128**
 - 1.57.1 Available under license
- 1.58 spring-tx 5.3.39**
 - 1.58.1 Available under license
- 1.59 tomcat-tribes 9.0.83**
 - 1.59.1 Available under license
- 1.60 commons-collections 3.2.2**
 - 1.60.1 Available under license
- 1.61 objenesis 3.2**
 - 1.61.1 Available under license
- 1.62 ecs 2.20.128**
 - 1.62.1 Available under license
- 1.63 jackson-dataformat-cbor 2.12.3**
 - 1.63.1 Available under license
- 1.64 slf4j-log4j 1.7.25**
 - 1.64.1 Available under license
- 1.65 axis-saaj 1.4**
 - 1.65.1 Available under license
- 1.66 castor 0.9.5.4**
 - 1.66.1 Available under license
- 1.67 servlet-api 9.0.83**
 - 1.67.1 Available under license
- 1.68 jaxb-core 2.3.0**
 - 1.68.1 Available under license
- 1.69 javassist 3.18.0-GA**
 - 1.69.1 Available under license
- 1.70 gson 2.9.0**
 - 1.70.1 Available under license
- 1.71 ecj 4.20**
 - 1.71.1 Available under license

1.72 s3 2.20.128

1.72.1 Available under license

1.73 pdfbox-tools 2.0.25

1.73.1 Available under license

1.74 netty-transport-native-unix-common 4.1.86.Final

1.74.1 Available under license

1.75 spring-beans 5.3.39

1.75.1 Available under license

1.76 commons-discovery 0.2

1.76.1 Notifications

1.76.2 Available under license

1.77 aws-query-protocol 2.20.128

1.77.1 Available under license

1.78 tomcat-jasper 9.0.83

1.78.1 Available under license

1.79 c3p0 0.9.0

1.79.1 Available under license

1.80 netty 4.1.89.Final

1.80.1 Available under license

1.81 bouncy-castle 1.47

1.81.1 Available under license

1.82 asm-util 4.0

1.82.1 Available under license

1.83 commons-daemon 1.3.4

1.83.1 Available under license

1.84 commons-beanutils 1.9.4

1.84.1 Available under license

1.85 mail 1.5.2

1.85.1 Available under license

1.86 jna 5.8.0

1.86.1 Available under license

1.87 camel-spring 2.24.1

1.87.1 Available under license

1.88 jcl-over-slf4j 1.7.25

1.88.1 Available under license

1.89 geronimojmspec 1.1.1

1.89.1 Available under license

1.90 tomcat-websocket-api 9.0.83

1.90.1 Available under license

1.91 tomcat-jasper-el 9.0.83

1.91.1 Available under license

1.92 asm 6.0

1.92.1 Available under license

1.93 client-spi 2.20.128

1.93.1 Available under license

1.94 jnr-x86asm 1.0.2

1.95 spring-expression 5.3.39

1.95.1 Available under license

1.96 sqs 2.20.128

1.96.1 Available under license

1.97 jdom 1.1.3

1.97.1 Notifications

1.97.2 Available under license

1.98 hibernate-jboss-cache 3.3.1.GA

1.98.1 Available under license

1.99 reactor-core 3.4.27

1.99.1 Available under license

1.100 s3-transfer-manager 2.20.128

1.100.1 Available under license

1.101 activemq-run 5.15.11

1.101.1 Available under license

1.102 jsp 2.3

1.102.1 Available under license

1.103 tomcat-jaspic-api 9.0.83

1.103.1 Available under license

1.104 hibernate-jboss-cache2 3.3.1.GA

1.104.1 Available under license

1.105 netty-resolver 4.1.89.Final

1.105.1 Available under license

1.106 ehcache 1.7.1

1.106.1 Available under license

1.107 openapi-parser 1.0.6

1.107.1 Available under license

1.108 apache-client 2.20.128

1.108.1 Available under license

1.109 quartz 2.3.2

1.109.1 Available under license

1.110 jasypt 1.9.2

1.110.1 Available under license

1.111 sts 2.20.128

1.111.1 Available under license

1.112 syslog-java-client 1.1.7

1.112.1 Available under license

1.113 hibernate-swarmcache 3.3.1.GA

1.113.1 Available under license

1.114 tomcat-jdbc 9.0.83

1.114.1 Available under license

1.115 commons-compress 1.5

1.115.1 Available under license

1.116 backport-util-concurrent 2.3.0

1.116.1 Available under license

1.117 activemq-mqtt 5.15.11

1.117.1 Available under license

1.118 commons-dbutils 1.0

1.118.1 Notifications

1.118.2 Available under license

1.119 activemq-client 5.15.11

1.119.1 Available under license

1.120 json-utils 2.20.128

1.120.1 Available under license

1.121 snake-yaml 1.33

1.121.1 Available under license

1.122 activemq-http 5.15.11

1.122.1 Available under license

1.123 activemq-kahadb-store 5.15.11

1.123.1 Available under license

1.124 ion-java 1.0.2

1.124.1 Available under license

1.125 swarmcache 1.0RC2

1.125.1 Available under license

1.126 jackson-databind 2.14.0

1.126.1 Available under license

1.127 log4j-api 2.20.0

1.127.1 Available under license

1.128 shiro 1.10.1

1.128.1 Available under license

1.129 tomcat-coyote 9.0.83

1.129.1 Available under license

1.130 boxable 1.6

1.130.1 Available under license

1.131 spring-framework 5.3.39

1.131.1 Available under license

1.132 reactive-streams 1.0.4

1.132.1 Available under license

1.133 httpcomponents-core 4.4.14

1.133.1 Available under license

1.134 tomcat-ssi 9.0.83

1.134.1 Available under license

1.135 mariadb-java-client 2.7.3

1.135.1 Available under license

1.136 aws-xml-protocol 2.20.128

1.136.1 Available under license

1.137 commons-csv 1.8

1.137.1 Available under license

1.138 netty-transport-classes-epoll 4.1.86.Final

1.138.1 Available under license

1.139 activemq-stomp 5.15.11

1.139.1 Available under license

1.140 openapi-schema-validator 1.0.6

1.140.1 Available under license

1.141 protocol-core 2.20.128

1.141.1 Available under license

1.142 shiro-ehcache 1.10.1

1.142.1 Available under license

1.143 asm 4.0

1.143.1 Available under license

1.144 hawtbuf 1.11

1.144.1 Available under license

1.145 annotations 2.20.128

1.145.1 Available under license

1.146 jackson-dataformat-yaml 2.14.0

1.146.1 Available under license

1.147 activemq-jms-pool 5.15.11

1.147.1 Available under license

1.148 asm-commons 4.0

1.148.1 Available under license

1.149 utils 2.20.128

1.149.1 Available under license

1.150 activemq-console 5.15.11

1.150.1 Available under license

1.151 aws-java-sdk-core 1.12.105

1.151.1 Available under license

1.152 spring-jdbc 5.3.39

1.152.1 Available under license

1.153 woodstox 4.3.0

1.153.1 Available under license

1.154 jackson 2.14.0

1.154.1 Available under license

1.155 activemq-broker 5.15.11

1.155.1 Available under license

1.156 lucene 6.5.1

1.156.1 Available under license

1.157 antlr 4.11.1

1.157.1 Available under license

1.158 commons-lang3 2.1

1.158.1 Available under license

1.159 cglib 2.1_3

1.159.1 Available under license

1.160 ecj 3.26.0

1.160.1 Available under license

1.161 protobuf-java 3.21.12

1.161.1 Available under license

1.162 jnr-enxio 0.5

1.162.1 Available under license

1.163 activemq-pool 5.15.11

1.163.1 Available under license

1.164 camel-core 2.24.1

1.164.1 Available under license

1.165 regions 2.20.128

1.165.1 Available under license

1.166 arns 2.20.128

1.166.1 Available under license

1.167 antlr 2.7.6

1.167.1 Available under license

1.168 apache-log4j 2.20.0

1.168.1 Available under license
1.169 slf4j 1.7.5
1.169.1 Available under license
1.170 hibernate-ehcache 3.3.1.GA
1.170.1 Available under license
1.171 castor 0.9.5
1.171.1 Available under license
1.172 tomcat-annotations-api 9.0.83
1.172.1 Available under license
1.173 sqlite-jdbc 3.46.0.0
1.173.1 Available under license
1.174 spi-annotations 2.24.1
1.174.1 Available under license
1.175 jul-to-slf4j 2.0.16
1.175.1 Available under license
1.176 tomcat 9.0.83
1.176.1 Available under license
1.177 protobuf-java 2.5.0
1.177.1 Available under license
1.178 snmp-4j 2.2.5
1.178.1 Available under license
1.179 tomcat-api 9.0.83
1.179.1 Available under license
1.180 avalon-framework 4.1.5
1.180.1 Notifications
1.180.2 Available under license
1.181 jctools-core 3.1.0
1.181.1 Available under license
1.182 jackson-xc 2.14.0
1.182.1 Available under license
1.183 failureaccess 1.0.1
1.183.1 Available under license
1.184 xerces-j 2.12.2
1.184.1 Available under license
1.185 spring-context 5.3.39
1.185.1 Available under license
1.186 activemq 5.15.11
1.186.1 Available under license
1.187 hibernate-jmx 3.3.1.GA

1.187.1 Available under license

1.188 istack-commons 3.0.5

1.188.1 Available under license

1.189 tomcat-util-scan 9.0.83

1.189.1 Available under license

1.190 openapi-core 1.0.6

1.190.1 Available under license

1.191 gxt 3.0.1

1.191.1 Available under license

1.192 ssm 2.20.128

1.192.1 Available under license

1.193 spring-aop 5.3.39

1.193.1 Available under license

1.194 netty-codec 4.1.89.Final

1.194.1 Available under license

1.195 camel-jms 2.24.1

1.195.1 Available under license

1.196 netty-transport 4.1.89.Final

1.196.1 Available under license

1.197 aws-json-protocol 2.20.128

1.197.1 Available under license

1.198 aws-java-sdk-sqs 1.12.105

1.198.1 Available under license

1.199 asm-tree 4.0

1.199.1 Available under license

1.200 jmespath-java 1.12.105

1.200.1 Available under license

1.201 tomcat-el-api 9.0.83

1.201.1 Available under license

1.202 tomcat-catalina 9.0.83

1.202.1 Available under license

1.203 stax 3.1.4

1.203.1 Available under license

1.204 secretsmanager 2.20.128

1.204.1 Available under license

1.205 activemq-leveldb-store 5.15.11

1.205.1 Available under license

1.206 commons-codec 1.10

1.206.1 Available under license

1.207 jnr-ffi 2.0.0

1.207.1 Available under license

1.208 auth 2.20.128

1.208.1 Available under license

1.209 txw2 2.3.0

1.209.1 Available under license

1.210 ec2 2.20.128

1.210.1 Available under license

1.211 jnr-unixsocket 0.4

1.211.1 Available under license

1.212 netty-transport-native-unix-common 4.1.89.Final

1.212.1 Available under license

1.213 aws-java-sdk-kms 1.12.105

1.213.1 Available under license

1.214 jaxb-api 2.3.1

1.214.1 Available under license

1.215 openorb-notification-service 2.3

1.215.1 Available under license

1.216 commons-io 2.18.0

1.216.1 Available under license

1.217 commons-cli 1.0

1.217.1 Available under license

1.218 jackson-annotations 2.14.0

1.218.1 Available under license

1.219 amqp-client 5.14.1

1.219.1 Available under license

1.220 gxt 3.1.0

1.220.1 Available under license

1.221 restlet 2.4.3

1.221.1 Available under license

1.222 jackson-module-jjsonschema 2.14.0

1.222.1 Available under license

1.223 httpcomponents-client 4.5.13

1.223.1 Available under license

1.224 aws-java-sdk-sns 1.12.105

1.224.1 Available under license

1.225 activemq-shiro 5.15.11

1.225.1 Available under license

1.226 junit 3.8.1

1.226.1 Available under license
1.227 xml-beans 2.3.0-r540734
1.227.1 Available under license
1.228 awsjavasdk 1.12.105
1.228.1 Available under license
1.229 geronimo-annotation-spec 1.1.1
1.229.1 Available under license
1.230 rabbitmq-jms 2.4.0
1.230.1 Available under license
1.231 lettuce-core 6.2.3.RELEASE
1.231.1 Available under license
1.232 commons-net 1.2.2
1.232.1 Available under license
1.233 pdfbox 2.0.25
1.233.1 Available under license
1.234 apache-log4j 1.2.17
1.234.1 Available under license
1.235 lucene-queryparser 6.5.1
1.235.1 Available under license
1.236 tomcat-catalina-ant 9.0.83
1.236.1 Available under license
1.237 jaxb-core 2.3.2
1.237.1 Available under license
1.238 slf4j 1.7.25
1.238.1 Available under license
1.239 hibernate-proxool 3.3.1.GA
1.239.1 Available under license
1.240 itext-pdf 1.3.1
1.240.1 Available under license
1.241 xbean-spring 4.14
1.241.1 Available under license
1.242 xalan 2.4.1
1.242.1 Available under license
1.243 sns 2.20.128
1.243.1 Available under license
1.244 activemq-amqp 5.15.11
1.244.1 Available under license
1.245 bcel 6.7.0
1.245.1 Available under license

1.246 sdk-core 2.20.128

1.246.1 Available under license

1.247 javax-activation 1.2.0

1.247.1 Available under license

1.248 jline 3.22.0

1.248.1 Available under license

1.249 event-stream 1.0.1

1.249.1 Available under license

1.250 aws-crt 0.30.0

1.250.1 Available under license

1.251 guava 30.1-jre

1.251.1 Available under license

1.252 jnr-posix 3.0.8

1.252.1 Available under license

1.253 slf4j-jcl 1.7.5

1.253.1 Available under license

1.254 tomcat-dbcp 9.0.83

1.254.1 Available under license

1.255 tomcat-websocket 9.0.83

1.255.1 Available under license

1.256 dom4j 1.6.1

1.256.1 Available under license

1.257 txw2 2.3.0.1

1.257.1 Available under license

1.258 log4j-appserver 2.20.0

1.258.1 Available under license

1.259 commons-digester 1.7

1.259.1 Available under license

1.260 crt-core 2.20.128

1.260.1 Available under license

1.261 activemq-protobuf 1.1

1.261.1 Available under license

1.262 activemq-openwire-legacy 5.15.11

1.262.1 Available under license

1.263 payloadoffloading-common 2.1.2

1.263.1 Available under license

1.264 commons-logging 1.2

1.264.1 Available under license

1.265 lcms 2.15

1.1 xerces-c 1.5.1

1.1.1 Available under license :

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces distribution.    ==
=====
```

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
Apache License

Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such
entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications

and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as

required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License,
Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.2 libjpeg 6b

1.2.1 Notifications :

This software is based in part on the work of the Independent JPEG Group.

1.2.2 Available under license :

The Independent JPEG Group's JPEG software

=====

README for release 6b of 27-Mar-1998

=====

This distribution contains the sixth public release of the Independent JPEG Group's free JPEG software. You are welcome to redistribute this software and

to use it for any purpose, subject to the conditions under LEGAL ISSUES, below.

Serious users of this software (particularly those incorporating it into larger programs) should contact IJG at jpeg-info@uunet.uu.net to be added to our electronic mailing list. Mailing list members are notified of updates and have a chance to participate in technical discussions, etc.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

DOCUMENTATION

ROADMAP

=====

This file contains the following sections:

OVERVIEW	General description of JPEG and the IJG software.
LEGAL ISSUES	Copyright, lack of warranty, terms of distribution.
REFERENCES	Where to learn more about JPEG.
ARCHIVE LOCATIONS	Where to find newer versions of this software.
RELATED SOFTWARE	Other stuff you should get.
FILE FORMAT WARS	Software *not* to get.
TO DO	Plans for future IJG releases.

Other documentation files in the distribution are:

User documentation:

install.doc	How to configure and install the IJG software.
usage.doc	Usage instructions for cjpeg, djpeg, jpegtran, rdjpgcom, and wrjpgcom.
*.1	Unix-style man pages for programs (same info as usage.doc).
wizard.doc	Advanced usage instructions for JPEG wizards only.
change.log	Version-to-version change highlights.

Programmer and internal documentation:

libjpeg.doc	How to use the JPEG library in your own programs.
example.c	Sample code for calling the JPEG library.
structure.doc	Overview of the JPEG library's internal structure.
filelist.doc	Road map of IJG files.
coderrules.doc	Coding style rules --- please read if you contribute code.

Please read at least the files install.doc and usage.doc. Useful information can also be found in the JPEG FAQ (Frequently Asked Questions) article. See

ARCHIVE LOCATIONS below to find out where to obtain the FAQ article.

If you want to understand how the JPEG code works, we suggest reading one or more of the REFERENCES, then looking at the documentation files (in roughly the order listed) before diving into the code.

OVERVIEW

=====

This package contains C software to implement JPEG image compression and decompression. JPEG (pronounced "jay-peg") is a standardized compression method for full-color and gray-scale images.

JPEG is intended for compressing "real-world" scenes; line drawings, cartoons and other non-realistic images are not its strong suit. JPEG is lossy, meaning that the output image is not exactly identical to the input image. Hence you must not use JPEG if you have to have identical output bits. However, on typical photographic images, very good compression levels can be obtained with no visible change, and remarkably high compression levels are possible if you can tolerate a low-quality image. For more details, see the references, or just experiment with various compression settings.

This software implements JPEG baseline, extended-sequential, and progressive compression processes. Provision is made for supporting all variants of these processes, although some uncommon parameter settings aren't implemented yet. For legal reasons, we are not distributing code for the arithmetic-coding variants of JPEG; see LEGAL ISSUES. We have made no provision for supporting the hierarchical or lossless processes defined in the standard.

We provide a set of library routines for reading and writing JPEG image files, plus two sample applications "cjpeg" and "djpeg", which use the library to perform conversion between JPEG and some other popular image file formats. The library is intended to be reused in other applications.

In order to support file conversion and viewing software, we have included considerable functionality beyond the bare JPEG coding/decoding capability; for example, the color quantization modules are not strictly part of JPEG decoding, but they are essential for output to colormapped file formats or colormapped displays. These extra functions can be compiled out of the library if not required for a particular application. We have also included "jpegtran", a utility for lossless transcoding between different JPEG processes, and "rdjpgcom" and "wrjpgcom", two simple applications for inserting and extracting textual comments in JFIF files.

The emphasis in designing this software has been on achieving portability and

flexibility, while also making it fast enough to be useful. In particular, the software is not intended to be read as a tutorial on JPEG. (See the REFERENCES section for introductory material.) Rather, it is intended to be reliable, portable, industrial-strength code. We do not claim to have achieved that goal in every aspect of the software, but we strive for it.

We welcome the use of this software as a component of commercial products. No royalty is required, but we do ask for an acknowledgement in product documentation, as described under LEGAL ISSUES.

LEGAL ISSUES

=====

In plain English:

1. We don't promise that this software works. (But if you find any bugs, please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a program, you must acknowledge somewhere in your documentation that you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA. ansi2knr.c is NOT covered by the above copyright and conditions, but instead by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that

"The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

REFERENCES

=====

We

highly recommend reading one or more of these references before trying to understand the innards of the JPEG software.

The best short technical introduction to the JPEG compression algorithm is Wallace, Gregory K. "The JPEG Still Picture Compression Standard", Communications of the ACM, April 1991 (vol. 34 no. 4), pp. 30-44. (Adjacent articles in that issue discuss MPEG motion picture compression, applications of JPEG, and related topics.) If you don't have the CACM issue handy, a PostScript file containing a revised version of Wallace's article is available at <ftp://ftp.uu.net/graphics/jpeg/wallace.ps.gz>. The file (actually a preprint for an article that appeared in IEEE Trans. Consumer Electronics) omits the sample images that appeared in CACM, but it includes corrections and some added material. Note: the Wallace article is copyright ACM and IEEE, and it may not be used for commercial purposes.

A somewhat less technical, more leisurely introduction to JPEG can be found in "The Data Compression Book" by Mark Nelson and Jean-loup Gailly, published by M&T Books (New York), 2nd ed. 1996, ISBN 1-55851-434-1. This book provides good explanations and example C code for a multitude of compression methods including JPEG. It is an excellent source if you are comfortable reading C code but don't know much about data compression in general. The book's JPEG sample code is far from industrial-strength, but when you are ready to look at a full implementation, you've got one here...

The best full description of JPEG is the textbook "JPEG Still Image Data Compression Standard" by William B. Pennebaker and Joan L. Mitchell, published by Van Nostrand Reinhold, 1993, ISBN 0-442-01272-1. Price US\$59.95, 638 pp. The book includes the complete text of the ISO JPEG standards (DIS 10918-1 and draft DIS 10918-2). This is by far the most complete exposition of JPEG in existence, and we highly recommend it.

The

JPEG standard itself is not available electronically; you must order a paper copy through ISO or ITU. (Unless you feel a need to own a certified official copy, we recommend buying the Pennebaker and Mitchell book instead; it's much cheaper and includes a great deal of useful explanatory material.) In the USA, copies of the standard may be ordered from ANSI Sales at (212)

642-4900, or from Global Engineering Documents at (800) 854-7179. (ANSI doesn't take credit card orders, but Global does.) It's not cheap: as of 1992, ANSI was charging \$95 for Part 1 and \$47 for Part 2, plus 7% shipping/handling. The standard is divided into two parts, Part 1 being the actual specification, while Part 2 covers compliance testing methods. Part 1 is titled "Digital Compression and Coding of Continuous-tone Still Images, Part 1: Requirements and guidelines" and has document numbers ISO/IEC IS 10918-1, ITU-T T.81. Part 2 is titled "Digital Compression and Coding of Continuous-tone Still Images, Part 2: Compliance testing" and has document numbers ISO/IEC IS 10918-2, ITU-T T.83.

Some extensions to the original JPEG standard are defined in JPEG Part 3, a newer ISO standard numbered ISO/IEC IS 10918-3 and ITU-T T.84. IJG currently does not support any Part 3 extensions.

The JPEG standard does not specify all details of an interchangeable file format. For the omitted details we follow the "JFIF" conventions, revision 1.02. A copy of the JFIF spec is available from:

Literature Department
C-Cube Microsystems, Inc.
1778 McCarthy Blvd.
Milpitas, CA 95035
phone (408) 944-6300, fax (408) 944-6314

A PostScript version of this document is available by FTP at <ftp://ftp.uu.net/graphics/jpeg/jfif.ps.gz>. There is also a plain text version at <ftp://ftp.uu.net/graphics/jpeg/jfif.txt.gz>, but it is missing the figures.

The TIFF 6.0 file format specification can be obtained by FTP from <ftp://ftp.sgi.com/graphics/tiff/TIFF6.ps.gz>. The JPEG incorporation scheme found in the TIFF 6.0 spec of 3-June-92 has a number of serious problems. IJG does not recommend use of the TIFF 6.0 design (TIFF Compression tag 6). Instead, we recommend the JPEG design proposed by TIFF Technical Note #2 (Compression tag 7). Copies of this Note can be obtained from [ftp.sgi.com](ftp://ftp.sgi.com) or from <ftp://ftp.uu.net/graphics/jpeg/>. It is expected that the next revision of the TIFF spec will replace the 6.0 JPEG design with the Note's design. Although IJG's own code does not support TIFF/JPEG, the free libtiff library uses our library to implement TIFF/JPEG per the Note. libtiff is available from <ftp://ftp.sgi.com/graphics/tiff/>.

ARCHIVE LOCATIONS

=====

The "official" archive site for this software is [ftp.uu.net](ftp://ftp.uu.net) (Internet address 192.48.96.9). The most recent released version can always be found

there in directory graphics/jpeg. This particular version will be archived as <ftp://ftp.uu.net/graphics/jpeg/jpegsrc.v6b.tar.gz>. If you don't have direct Internet access, UUNET's archives are also available via UUCP; contact help@uunet.uu.net for information on retrieving files that way.

Numerous Internet sites maintain copies of the UUNET files. However, only [ftp.uu.net](ftp://ftp.uu.net) is guaranteed to have the latest official version.

You can also obtain this software in DOS-compatible "zip" archive format from the SimTel archives (<ftp://ftp.simtel.net/pub/simtelnet/msdos/graphics/>), or on CompuServe in the Graphics Support forum (GO CIS:GRAPHSUP), library 12 "JPEG Tools". Again, these versions may sometimes lag behind the [ftp.uu.net](ftp://ftp.uu.net) release.

The JPEG FAQ (Frequently Asked Questions) article is a useful source of general information about JPEG. It is updated constantly and therefore is not included in this distribution. The FAQ is posted every two weeks to Usenet newsgroups comp.graphics.misc, news.answers, and other groups. It is available on the World Wide Web at <http://www.faqs.org/faqs/jpeg-faq/> and other news.answers archive sites, including the official news.answers archive at [rtfm.mit.edu](http://rtfm.mit.edu/pub/usenet/news.answers/jpeg-faq/): <ftp://rtfm.mit.edu/pub/usenet/news.answers/jpeg-faq/>. If you don't have Web or FTP access, send e-mail to mail-server@rtfm.mit.edu with body
send usenet/news.answers/jpeg-faq/part1
send usenet/news.answers/jpeg-faq/part2

RELATED SOFTWARE

=====

Numerous viewing and image manipulation programs now support JPEG. (Quite a few of them use this library to do so.) The JPEG FAQ described above lists some of the more popular free and shareware viewers, and tells where to obtain them on Internet.

If you are on a Unix machine, we highly recommend Jef Poskanzer's free PBPLUS software, which provides many useful operations on PPM-format image files. In particular, it can convert PPM images to and from a wide range of other formats, thus making cjpeg/djpeg considerably more useful. The latest version is distributed by the NetPBM group, and is available from numerous sites,
notably <ftp://wuarchive.wustl.edu/graphics/graphics/packages/NetPBM/>. Unfortunately PBPLUS/NETPBM is not nearly as portable as the IJG software is; you are likely to have difficulty making it work on any non-Unix machine.

A different free JPEG implementation, written by the PVRG group at Stanford,

is available from <ftp://havefun.stanford.edu/pub/jpeg/>. This program is designed for research and experimentation rather than production use; it is slower, harder to use, and less portable than the IJG code, but it is easier to read and modify. Also, the PVRG code supports lossless JPEG, which we do not. (On the other hand, it doesn't do progressive JPEG.)

FILE FORMAT WARS

=====

Some JPEG programs produce files that are not compatible with our library. The root of the problem is that the ISO JPEG committee failed to specify a concrete file format. Some vendors "filled in the blanks" on their own, creating proprietary formats that no one else could read.

(For example, none of the early commercial JPEG implementations for the Macintosh were able to exchange compressed files.)

The file format we have adopted is called JFIF (see REFERENCES). This format has been agreed to by a number of major commercial JPEG vendors, and it has become the de facto standard. JFIF is a minimal or "low end" representation. We recommend the use of TIFF/JPEG (TIFF revision 6.0 as modified by TIFF Technical Note #2) for "high end" applications that need to record a lot of additional data about an image. TIFF/JPEG is fairly new and not yet widely supported, unfortunately.

The upcoming JPEG Part 3 standard defines a file format called SPIFF. SPIFF is interoperable with JFIF, in the sense that most JFIF decoders should be able to read the most common variant of SPIFF. SPIFF has some technical advantages over JFIF, but its major claim to fame is simply that it is an official standard rather than an informal one. At this point it is unclear whether

SPIFF will supersede JFIF or whether JFIF will remain the de-facto standard. IJG intends to support SPIFF once the standard is frozen, but we have not decided whether it should become our default output format or not. (In any case, our decoder will remain capable of reading JFIF indefinitely.)

Various proprietary file formats incorporating JPEG compression also exist. We have little or no sympathy for the existence of these formats. Indeed, one of the original reasons for developing this free software was to help force convergence on common, open format standards for JPEG files. Don't use a proprietary file format!

TO DO

=====

The major thrust for v7 will probably be improvement of visual quality.

The current method for scaling the quantization tables is known not to be very good at low Q values. We also intend to investigate block boundary smoothing, "poor man's variable quantization", and other means of improving quality-vs-file-size performance without sacrificing compatibility.

In future versions, we are considering supporting some of the upcoming JPEG Part 3 extensions --- principally, variable quantization and the SPIFF file format.

As always, speeding things up is of great interest.

Please send bug reports, offers of help, etc. to jpeg-info@uunet.uu.net.

1.3 xerces-c 2.8.0

1.3.1 Available under license :

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces distribution.    ==
=====
```

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more

- * contributor license agreements. See the NOTICE file distributed with
- * this work for additional information regarding copyright ownership.
- * The ASF licenses this file to You under the Apache License, Version 2.0
- * (the "License"); you may not use this file except in compliance with
- * the License. You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

1.4 giflib 5.2.1

1.4.1 Available under license :

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.5 flexnet-publisher 10.8.0.1

1.5.1 Available under license :

```
[core]
repositoryformatversion = 0
filemode = true
bare = false
```

```

logallrefupdates = true
[remote "origin"]
url = https://dscm.esl.cisco.com/git/153/comp-15304913.git
fetch = +refs/heads/*:refs/remotes/origin/*
[branch "skywalker_com"]
remote = origin
merge = refs/heads/skywalker_com
333f8b22c5dad178e0e0fc0db61cc88b252a5a4c
[core]
repositoryformatversion = 0
filemode = true
bare = false
logallrefupdates = true
[remote "origin"]
url = https://dscm.esl.cisco.com/git/153/comp-15301477.git
fetch = +refs/heads/*:refs/remotes/origin/*
[branch "h_cn12k"]
remote = origin
merge = refs/heads/h_cn12k
ref: refs/remotes/origin/skywalker_com
00000000000000000000000000000000 18b34bd8ae4af33255a6f417361e11786b620994 nxblid
<nxblid@cisco.com> 1571052915 -0700 fetch origin +refs/notes/*:refs/notes/* +refs/heads/*:refs/remotes/origin/*:
storing ref
6317bf6b870ced4150254b3da3f7958fa95f2ae2
DIRC~]]g+T]]g+T:6uAkx&g~.gitattributes]]g,I]]g,I:6JDHF7=7eV
.lfsconfig]]g-[ ]g-[ :6g=D:aRh
cli/lic_cli.c]]g.P([]g.P(:6c-N;~S

cli/lic_cli.h]]g.]]g.:67I{0BMcli/lic_cli_isan.c]]g/]g/:0}n"-glzHC
cli/lic_cmi.h]]g0u]]g0u:0S3aXG,*Zkcli/licmgr.cmd]]g0W]]g0W:0JqX*zj=\p{5cli/licmgr.xml]]g1]]g1:0`>N_Ocli/li
cmgr.xml.h]]g2]]g2:0".T7rlj=Rcli/licmgr_cmd.h]]g2P]]g2P:0I})Bz3='_*_Tk'{cli/licmgr_isan.xml]]g3BX]]g3BX:0X
EX8cli/licmgr_isan.xml.h]]g3]]g3:09V_{N|0
cli/module.mk]]g4X]]g4X:0
>hdUKZx"cli/traditionalcli.cmd]]g5]]g5:3{j'^Y=examples/lic_example.c]]g6Lw]]g6Lw:3
SwIY5zexamples/lic_example_isan.c]]g7p]]g7p:3qa:v3>a~(Lexamples/module.mk]]g8u]]g8u:3xX!CUlicmgr/eth_p
lugin.licspec]]g8=3%'O^$licmgr/feat.txt]]g9]]g9:3Dx3hc=Y~90licmgr/lic_bmp.c]]g.;]]g.;:3'u./licmgr/lic_bmp.h]]g:
0]]g:0:33ELvV=Obc%licmgr/lic_debug.h]]g;l ]]g;l :3g.`b&#licmgr/lic_event.h]]hy8]]hy8:3Q~ LpO
licmgr/lic_feat_map.c]]hh]]hh:3jS"x<XW,licmgr/lic_feat_map.h]]h70]]h70:31JNQhP9licmgr/lic_flexlm.c]]h4@]]h
4@:5TV87g{n0 licmgr/lic_flexlm.h]]h]]h:5TV9(ww10NPyp$F{;Olicmgr/lic_main.c]]hP]]hP:3<7
=7]F[.>licmgr/lic_mts.c]]hYH]]hYH:3<89Dh"d<ilicmgr/lic_mts.h]]h
]]h
:3<9p:W.ZNIW!licmgr/lic_plugin.c]]hO]]hO:3<:+
(2c=qalicmgr/lic_plugin.h]]hoH]]hoH:3<;d!skzvlicmgr/lic_pss.c]]hC0]]hC0:3<=<=3Klicmgr/lic_pss.h]]h]]h:3<=
6[,W/#licmgr/lic_smart_feature.c]]hc]]hc:3<> @R)67>?S!Hlicmgr/lic_smart_mts.c]]h [KP]]h
[KP:3<?vFrlicmgr/lic_smart_mts.h]]h
0]]h
0:3<@<.cPRE;U<Dlicmgr/lic_spec.h]]h
]]h

```

:3<An;bK[r<=ixlicmgr/lic_sprom.c]]h7(]]h7(:3<BNJ+eB[4]#O..Ulicmgr/lic_sprom.h]]h
i]]h
i:3<Ck*(o\licmgr/lic_syslog.c]]h^`]]h^:52wn6Va&rNlicmgr/lic_sysmgr.c]]hhH]]hhH:52{AAhR
k8 ,licmgr/lic_sysmgr.h]]h&]]h&:0h#{TW8licmgr/lic_test.c]]hT]]hT:0]
/7gj_=licmgr/lic_test_isan.c]]hve]]hve:0bmGBlicmgr/lic_utils.c]]h]]h:0
%xPu<Zs_licmgr/lic_utils.h]]h`]]h`:0
CK@]\R%r3licmgr/liccheck.c]]h}i]]h}i:0!N!!swLlicmgr/liccheck_isan.c]]hR]]hR:0"+A;tOn\rAMlicmgr/licmgr.con
f]]h(]]h(:0#o9>^<ufzG|licmgr/licmgr_breakpoints.brk]]h
]]h
:0\$busT9Qlicmgr/module.mk]]h0]]h0:3"cnSNFrZ
mib/lic_mib.c]]hp]]hp:3##j|G*t bt2|H
mib/lic_mib.h]]h(]]h(:\$YJCq.jp;mib/lic_mib_inspur.c]]hW]]hW:3%|0{
mib/module.mk]]h]]h:4n%v@s(`Y.usmart_shim/admin_api.c]]hX]]hX:4n&G@}p@IWhLsmart_shim/admin_api.h]
]hG]]hG :4n'7WQ.W#DRZ{t smart_shim/agenttest_api.c]]h8]]h8:4n(\$EHCE=\`b:smart_shim/agenttest_api.h]]h
]x]]h]x:4n).HqSDkksmart_shim/entitlement_api.c]]h!\$]]h!\$:4n*2/c<j[!smart_shim/entitlement_api.h]]h"]h":4n+b
%rP{^Znc*smart_shim/getinfo_api.c]]h#P]]h#P:4n,%0l]bnsmart_shim/getinfo_api.h]]h\$3(]]h\$3(:4n- kl,II
5Uy5Nsmart_shim/module.mk]]h%`]]h%`:4n.88s\$*smart_shim/shim_utils.c]]h&]]h&:4n/u"VL({C'BczC4smart_shi
m/shim_utils.h]]h']h':4n1
)%UM<b-<EvNosmartcli/module.mk]]h(;T]]h(;T:4DP\$mDsO"=Y5=smartcli/smart_cmi.h]]h) ']]h)
'4DQ0b|x{smartcli/smart_exec_cli.c]]h)i@]]h)i@:4DRjHF
2h6smartcli/smart_feature_cli.c]]h*A]]h*A:4DS7
v1\$:4w+L#smartcli/smart_show_cli.c]]h+]]h+:2gA6nubpsmartcli/smart_test_cli.c]]h,H]]h,H:2xh%26
N/Rj0smartcli/smart_util.c]]h-kI]]h-kI:2`i0Lz
smartcli/smart_util.h]]h.0]]h.0:2.0("ijHS7smartcli/smart_xml_map.c]]h/E2@]]h/E2@:2;f^(DIT7`tsmartcli/smart_x
ml_map.h]]h2NK]]h2NK:2
eX9FwUZMeCUsmartcli/smartcli.cmd]]h33]]h33:2&\$6smartcli/smartcli.h]]h5#]]h5#:2zK6427
INsmartcli/smartcli_cmd.h]]h6@]]h6@:0?&5#BRBspecfiles/README.txt]]h8bS]]h8bS:0?GT_:'=#eB4];specfiles/e
th_plugin.licspec]]h9]]h9:0?Y^0L*B+W
U=j specfiles/eth_plugin_n5k.licspec,]]h:x =0?w6w
U/% specfiles/eth_plugin_n7k.licspec]]iy]]iy:0?
&9f+!"3specfiles/lic_feat_pkg_map.txt];Y]]ix=0??kb&vh78&specfiles/lic_feat_pkg_map_for_mds.txt,]]ih0=0?}Ui
tkj
wv%specfiles/lic_feat_pkg_map_inspur.txt]]i\@]]i\@:0? 0ovulP
%"specfiles/lic_feat_pkg_map_n5k.txt]]i#8=0?!_TFdiz"specfiles/lic_feat_pkg_map_n7k.txt]]i&]]i&:0?"C\$[.MA
specfiles/mds_alishan.licspec]
X]]iP=0?#vWXW'nb%specfiles/mds_alishan_gateway.licspec]d]]i
a=0?\$]z{/"|%specfiles/mds_alishan_service.licspec]3]]i(=0?%{P95>w#)specfiles/mds_alishan_service_gdb.licspec]
]i]]i :2=2ab2D? specfiles/mds_casablanca.licspec]]i]]i:2uiS,y^`QAcO*specfiles/mds_chester.licspec]]i
]]i
:2;(n(UL
specfiles/mds_cocogrande.licspec]]ip]]ip:28(y'f\$specfiles/mds_cocogrande_gdb.licspec]]i.]]i.:2KN4*jspecfiles/mds
_cybloc.licspec]]i]]i:2~
2FDul8(specfiles/mds_excal.licspec]]ig=2i8sNb
1t|specfiles/mds_huashan.licspec]]i<]]i<:2D#22Eyspecfiles/mds_inagua.licspec]18]]i^=2
p_*B=7sRespecfiles/mds_ishan.licspec]]i]]i:2MQt#specfiles/mds_ishan_service.licspec]+]]iP=2's#,Tte+specfiles/m
ds_minishan.licspec]]iwH]]iwH:2 i8sNb 1t|&specfiles/mds_minishan_service.licspec]]i>h]]i>h:2
J:J3UBbaspecfiles/mds_niihau.licspec]]i]]i:2|-YWsQD'specfiles/mds_paradise.licspec]8]]io=5H
[w\b(0X:specfiles/mds_tianshan.licspec]]i6

of <https://dscm.esl.cisco.com/git/153/comp-15301477>
0050870dbdd949304bcfe0268531912513734997 branch 'amazon' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
9c65861c4ab7e1efcb416bb9c8f7406959477dd4 branch 'andaman' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
bb5afdef70040834fc178bf3fcb593c69515f8f1 branch 'ankaa1_4' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
0f602bdead9c2259d52eeffc2593b15450b61792 branch 'ankara' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
0f1547327e104204615fe43d0348ab8148479e2d branch 'antares' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
7877f233e67d7e24a8cb53a828e333d07570dbc2 branch 'aons_foundation_fea' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
6ebd7214969808a700706329cf738f0646b9ee58 branch 'aons_foundation_phase2' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
08219554cd97039da69a55d32bd809892637f7fb branch 'aptos' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
b7097d6d2a3815697fc137cf7ca60684da30fd6f branch 'aptos_plus' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
1bfa22e6dea60ae800d649fdc4b2ff15c7f77bff branch 'ashfield' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
e5260a21f872278adc1dbed901a8d6a49ae1486f branch 'ashfield_1121' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
34433fb6e371ec70daf3d1a481e341ce8e9e97d0 branch 'atherton_com' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
e4c7a6b949ac6407a189139a6d41245476210ce3 branch 'au' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
9f4a38d53f8d849e5b85b0f01523f2ad6c4a2aa0 branch 'auriga' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
6c46be377d07dd19571eeaf6c3b1e83aca81e57 branch 'auriga_413_throttle' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
f333b2d14aa47ab8834341ae0dfba672b36265cd branch 'av1_upgrade' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
dd27fd0974585a29e690a2ba3b5bd57a3f4944d8 branch 'avalon' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
319ea1611c7565dedb2677935258612b7aaca0a2 branch 'avalon_nx_com' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
9e4b5bff58108a87942972d265dfaf9e33525ebb branch 'avalon_nx_rel_8_1_0_107_com' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
931c705241e06332558d9afdb68be442e791030c branch 'avalon_nx_rel_8_1_1_com' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
c1245ed313765b02b842e7592109c9cd7cfcac28 branch 'avalon_nx_rel_8_1_1a_com' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
b6bef7cfac35eb904ef271b68c5e5fa8e84a1c7c branch 'avalon_nx_rel_8_1_1b_com' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
4f516679c885b043936c61c4eff68859e073a79e branch 'avalon_throttle' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
4783ccc0899913b8e22785e1d1f1b0e57ef0aa00 branch 'avatar_2' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
f96018f84915cb2bc69599ea67b9bf57ddd0f797 branch 'baberuth_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
bd6204ed2530355dee80e2258e8daeb3f2b474c6 branch

'bahamas' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
44908fc63ad2ffbd72de27340b787e22577dabb0 branch 'baikal-rib' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
6c2eb57e1c19ea166a9b6cce70086db61958a95 branch 'baikal_22_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
cf9d15d56719f3e6f6a704ef023066bdb8abec01 branch 'baikal_23_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
0652ee0b92aac9b3c61402df925a2d98e67a8f99 branch 'balboa_dy' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
44e9f04f55572c9925ba78e36ba600d4f59b3c9d branch 'baselard' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
ee937fa47c1c92ac40c1d3a490745970cebd3d99 branch 'baselard_integ' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
4da4163e95ce3bcc0614abc50b8609b38bafec97 branch 'bender' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
bedf8d1ed45b1debfe88c6627e8b39d72533d95a branch 'bender_bf' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
b48812dfe7c85a00b87b4b0e87d99dea6592e913 branch
'bender_throttle' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
f0241151508dcebfde7d326f2cb859bf1dfb71db branch 'beverlyhills_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
a3b55b73c1fc7ac3d93a365892ef7d118a7c7e62 branch 'beverlyhills_rel_8_2_1_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
7e99a907e75868497e15e1b06cf31c5954b0fcb8 branch 'beverlyhills_rel_8_2_3_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
682ff19533052c65140d29101270b9372bdb5069 branch 'beverlyhills_rel_8_2_4_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
8b424126d907c6ba095399c48ac88245225626d2 branch 'bili_box' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
2513bcf73a00f514997a9ae834494420c792f6f4 branch 'bl' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
9486ac87454e736a90e8c2b14cbea3b6b0648dc8 branch 'bl_maint' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
d947fe20f95cb1ab4f9205b96f7cebe0c292846e branch
'blackbird' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
92ef0497085830ac40914ac1829a9a3848c3d7ef branch 'bogota' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
7dbdc630ef5412eda3f1beff5d039f6915b56061 branch 'bondi_throttle' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
1673d738ad7c8762bd07a84ba88375d82696fb66 branch 'bouncer_main_31' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
5d19c1d3d016f6ec9185dddcf6454c028b74bc2d branch 'bouncer_main_new_3_3' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
936af1595c05c375ae9afe763278fa4afa8dc88 branch 'brixton' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
0b01af2f5f480e66672ec37ad6a7614273f6eec0 branch 'bronte' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
52791a4cf4c8cd78154c86aafef596b5fbd757f4 branch 'bronte_andromeda' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
2ce23806ad6d7cf9e0fba73fbdbda8993c23da67 branch 'bronte_ddev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>

0d826fdb123d99d5441f1f639945edd56c477719 branch
'bronte_fretta_sw' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
2b6ad039ea2c3c632da94b362e7fbdeb44a21ff branch 'bronte_lacdev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
e64cf6b58d38e99fc4dc37515e5d104183782347 branch 'bronteplus' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
f334748e52041b5604429bd6102d8e2acb7e9868 branch 'bronteplus_rs' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
7d78dc572033fb20396048dfe87586938f9b0fb0 branch 'bronteplus_sh' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
30014ead2cd993df578ce9600066ff5a6b226d0f branch 'c4710ace-a1_7-throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
4cd9d780d09769d465df3d24352078f5ce38442c branch 'ca_feature' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
8149d77ad5179c3426089b84bb5f8400664310d1 branch 'cairo' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
48b9c5f31e56d268430576a782704ec74987c15f branch 'calculon' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
083cdacde685c9a9af51d28f38bb8127a5236f90 branch
'calculon2' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
dc42fafb07c54e8789df772dd209e2a6638850ea branch 'calculon_tsh' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
6a30fe73262ed457580436125128add5d4843a8d branch 'camden' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
5e03fa4391b544cdcdedf44c3e89e186a06fd23d branch 'camden_3k' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
7c4d41b229731b516a83be9eb71f35229df750f5 branch 'camden_475_eft' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
b594946182ff7c88b152ea6066bf242634b051b2 branch 'camden_nxosv' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
b2d9093265e263f42ca478d455c345abf9c10714 branch 'camden_nxosv_proto' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
1e81abd60f2e223153faba2c5e8a71bd8b40b1a7 branch 'capitola_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
eb57dfe995f0b0b5e8721b79c7d20bb3cb530f2f branch
'cat6k-fex' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
9f46f59e50d734dfd7a2b8043a2689a062303ff8 branch 'cayman' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
d341d6a53e7a65eb50a708e77f3dc0d2e24b1da0 branch 'cayman_plus' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
aa8669c3ca046840bab34a1f9bf3a9135b961145 branch 'cinquedia' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
def92020681f75a04a6235187fb04a3dcd66f976 branch 'cinquedia_next' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
6ebba57495e9f6f3b5aa424540aa81e8f7ff1679 branch 'clapton' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
65b5c74215155dce815fb034afe7f2df8c3e00cd branch 'clapton_kernel' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
3fb6a307d774d578a71cf955eae2df37288243 branch 'collapse_proj_628_s19' of

<https://dscm.esl.cisco.com/git/153/comp-15301477>
dcd5023ad53ab416bb20316229c859624a7c8cb0 branch 'conv_com' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
1512d9c01d974e8ccd2a7883228bb10eb6bb0d38 branch
'converge_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
492e7bd792b9881d77a7e0f3423f81d34e8cf7f7 branch 'cozumel1_0' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
1a01a34ce6254a8e8d4b0d5b2aadca0968241b6b branch 'cppa_proj' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
e87131b03077dff4d122583b4d71565388e60d6 branch 'cristal' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
b29ca5d24378bb817330a87856c5aacc0c21a7a7 branch 'croxley_a' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
d4a60e403fbb837dc08f5a286ad263603c7d6d66 branch 'csg2_main' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
96e95d78c660aa8433cbefa0816d509e4cfd7b4 branch 'cupertino_com' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
244769f484b6188f90bb55859aea9c5e7bef8e43 branch 'cupertino_rel_8_3_0_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
455c6d386ec98c1f6171e644ff9268baaffb1ce5 branch 'cupertino_rel_8_3_1_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
802c6b2b6057ed647bf60a3121dba66c93bbd8db branch 'cupertino_rel_8_3_2_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
888e36ae99ab4e2c879a82093e0c0a02381e3b58 branch 'd_plus' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
9e273530b0c54f1ff4abda456fc110e18c017325 branch 'd_plus-cpa-dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
2fbf2741f6c66d25eee87631f9a41d6b6a512799 branch 'd_plus_pb' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
91f2f0d91880b752feb22d0d3dc377ea6dfbf2e9 branch 'daox' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
250b0e199422b281c7b36b2adc4c3145554ba3e5 branch 'daox_1' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
cc37f4b399649a13d544235a53caf541275eb88c branch 'dartford' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
6317bf6b870ced4150254b3da3f7958fa95f2ae2 branch 'davis_com' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
31900f47b53bc6e3a199614cc4e24acb4752be11 branch
'davis_rel_8_4_1_com' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
091a35db5acc19da5eb9ff5082e454f6cc1ef377 branch 'davis_rel_8_4_2_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
f64736504086ca3f80cdf9785f62cd58bba6e89a branch 'db' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
ca12745ccc11d097c48896cdbcf24a425570a40 branch 'dbq' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
37c57fb69a20cfad8fa56bb0b47227df88ce4d03 branch 'dce_mcast' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
0be8146a0780dc9a77609613bcfd6a7ea6fbad64 branch 'debden' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
08cfb9cb2f32b9b1efea5be38b6532db4f024d0e branch 'deewhy' of <https://dscm.esl.cisco.com/git/153/comp-15301477>

1b27bb1772d4ade46ade55f43701d1ad06983b46 branch 'delhi' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
321a8bc5c100bab224bd4c44e8d3860dee542051 branch 'dominica' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
83cdbb4459116440a7629636186a0ec13dd20ddf branch
'dp_n3500' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
2f454a923bc2afcb6688310f67b46999f33d1572 branch 'dp_plus_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
a7f36d2e86389ace6c072da6fd81d5d5fd5808b6 branch 'dry_dummy_run_s14' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
ee11811c000ddaa9c32c57c908ee3239cc74e79c branch 'dry_dummy_run_s19' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
dba2bfba506bf23371793d8abd871586156b3583 branch 'dry_dummy_run_s19_test2' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
1847ca163549779a1046facc8fa7ceaadd472b1 branch 'dry_run101' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
197e77e09c17a96a23bebbdec42bb0e652b77ebe branch 'dry_run101_test2' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
ad7a1c1840c57106c1999433f6fac473e95c630c branch 'dry_run101_test3' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
5c1eb42ef539578e70ad9465882e68d755e2f187 branch 'dublin' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
39d3b28d37d62984f2139dbd49fce293a03ab2eb branch
'dublin_bel' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
2493d29ff1c6da0016354916651e3d56eb55b54c branch 'dublin_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
8d2f0aa0e8b436bb4d7f2b9099e6a0f3e17cb78c branch 'dublin_eft_two' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
13024b700d4b9de3c67c0f7c566e834d0cf9c458 branch 'dublin_fcoe_npv' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
d33a8a678e8f8aa3c346a11b9444c10ff2b7dc0c branch 'dublin_moddev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
6a88f40d187d52aeb3352391303a990c91091b27 branch 'dublin_tahmod' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
812c26935deb291bc1fc49252ca95c899d60184f branch 'dummy_debug_run' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
ceb5a6aa07584ca7346ce4f9a1de98b4d50d904e branch 'dummy_debug_sample_run2' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
20d1b7ec46874c7a8679077c6eb134af350a7383 branch
'e_bigsy' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
373397e3e3a3492185c02c530d365dc04064922d branch 'e_campus' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
5cf97df7d04f00733ad525dbd7b34e56216cbebb branch 'e_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
359aafb59d62d204d169743211c3a241c9bf3439 branch 'e_dev_neokrn1' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
c79d7cd3ec309d99febaa8e60af2f839a81a59ed branch 'e_homewood' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
bc3c49a4ec5539b86d021e28107556238fa6ea57 branch 'e_wbox' of <https://dscm.esl.cisco.com/git/153/comp-15301477>

9cc45d101d9191f83950f3dde641185410170a83 branch 'eagle' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
cdb4eb978124e9804b2003f63f1afbc515d45a91 branch 'eagle_h_patch' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
6fd58b451c5921c8ee09d3bd689fcb3d08dbd290 branch 'eagle_h_patchb' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
f0a5daa4b0c9a8f0e1d22c056322e5aa58848dcb branch
'eagle_integ' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
ee7019e331097c65b95e1b88694047fae7e606d6 branch 'earth_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
0830228fcab27fc7dd94b5d51732de6d68f6c6a branch 'eden' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
c7f45e656cee5cf37aea8eefba84b1b38264428b branch 'eden_fcs_mtc' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
50a63baedc898c0c0470d61771dbef8ad4a9369b branch 'eden_fcs_trident' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
88c65e74039c589fb417f4bd4dd5eb351614b4b9 branch 'eden_plus' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
2819d2059e4d07a01cd2a267c9ee30bf0c7738e8 branch 'edinburgh' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
dce63c3055122ec4e9ebfcb796738c8790a7ccaf branch 'eldorado' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
e84ebc53d1129ec7e946069c314bd23e1311ea77 branch 'eplus_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
83b3420946e69958b2698311395f3890b062f9c8 branch
'erocks' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
6e1798e341be275d6f26a29d051cfb8df7ebf3ed branch 'erocks_plus' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
f829061038195609e339b510535a0d1aab766a25 branch 'espada' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
582e7f59d7607c8202a54cbb21a4e4547bb867c9 branch 'espada_avs9' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
8c5551f312a635d0b7f0c00f2300f2700feabb86 branch 'espada_dot1x' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
15c731852c6effcd445c666f3db0da2446073242 branch 'evergreen' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
7da351f0db7c7be5a116c1e201cf10d68c9f2864 branch 'f3' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
cc6d5750afd33c9303bbb61c48497d529e5cca3c branch 'f3_mpls_dev_3' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
0b24cafef668d82a070738ca0e91926ea90c2a04 branch 'f3_vinci' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
b3aad77e7234721bc26d78029db97c93b41fe02b branch
'f4_bsf' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
96b7ea5ea92cc4620770390322426edaae141dcb branch 'f4_bsf2_com' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
9769232bf42a5ac45afdac661931ac8fe7758e0f branch 'f64_com' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
5eeeb452d0e4ff0329a914be100f4804434a566b branch 'f_3500' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
5acc9f8c5bfcd8902f87745205be2ea2358e89be branch 'f_bugfix_0812' of <https://dscm.esl.cisco.com/git/153/comp-15301477>

15301477
4ff90340e1ad3b9c116532b98584d255ede54bf0 branch 'fc_npv_g' of https://dscm.esl.cisco.com/git/153/comp-15301477
f163facee3d219e4afbc9cef79d7bc247f650f89 branch 'fchw' of https://dscm.esl.cisco.com/git/153/comp-15301477
e50c01dd591ae14085066ea2320a159d1cbf3d5d branch 'fcoe_cu' of https://dscm.esl.cisco.com/git/153/comp-15301477
0ad1471e110acdf74d92496f94b32773f504f257 branch 'fcoe_f3' of https://dscm.esl.cisco.com/git/153/comp-15301477
592be4d71c85298fa2fd73b02fd6ae2a75aaf0ac branch
'fcoe_f3_ft' of https://dscm.esl.cisco.com/git/153/comp-15301477
6ecfe8900dd0453c7118b2c62b558d0d576ba406 branch 'fcoe_f3_g220' of https://dscm.esl.cisco.com/git/153/comp-15301477
eacca487ff75a64bf0dc3c29333858a93daff3d2 branch 'fcoe_f3_g259' of https://dscm.esl.cisco.com/git/153/comp-15301477
3a901d4e5ee5f261cc769f6db777d21aaa140aff branch 'fcoe_f3_g308' of https://dscm.esl.cisco.com/git/153/comp-15301477
31f5e604f3baf66441996e42a0a4b258475f9739 branch 'fcoe_f3_gbr' of https://dscm.esl.cisco.com/git/153/comp-15301477
6a60692606704584cb3e213d61e4d62a1bb993c5 branch 'fcoe_f3_proj' of https://dscm.esl.cisco.com/git/153/comp-15301477
58d55681a8fd13c610bae2fef7ea42ca67d78fbc branch 'ffex_dev' of https://dscm.esl.cisco.com/git/153/comp-15301477
448516b2323dbe5212516a3f6f5ada03678f0a01 branch 'fh' of https://dscm.esl.cisco.com/git/153/comp-15301477
a64eb188ecb3eb4474839fe065effccf924d9832 branch 'fiji_ecats'
of https://dscm.esl.cisco.com/git/153/comp-15301477
c05035668f0bf204bd208dc8ef58b927e68134ef branch 'fijiplus_cco' of https://dscm.esl.cisco.com/git/153/comp-15301477
ca4af809986f4d522ce730b6efc43f1221f67382 branch 'firststrike_dev' of https://dscm.esl.cisco.com/git/153/comp-15301477
c2cd15e284ad27c94430efbcdec64830ed5a712 branch 'freeport' of https://dscm.esl.cisco.com/git/153/comp-15301477
0b60ffd1ade0c40ac6c6ae11f7c045e1c82dc2c2 branch 'freetown' of https://dscm.esl.cisco.com/git/153/comp-15301477
3b4293dcfdf2bd6fefee8794cf5544e7097d93ea branch 'freetownone' of https://dscm.esl.cisco.com/git/153/comp-15301477
9ebda189f929af09f720a0e13d4f2b84e6365a48 branch 'fretta' of https://dscm.esl.cisco.com/git/153/comp-15301477
1df9b2ac71c21a734bd61b1470326c3314176ee3 branch 'fretta4' of https://dscm.esl.cisco.com/git/153/comp-15301477
c5e438f4787a1c4124b24c40bbd2d5be607d6170 branch 'fretta4_dev' of https://dscm.esl.cisco.com/git/153/comp-15301477
6965b16a3ea5a4470685d8147cc4e03a9088c5c3 branch
'fretta_camden' of https://dscm.esl.cisco.com/git/153/comp-15301477
926730a0dd7d73d2507d6a47c976d07c5aaaca03 branch 'fretta_phase2' of https://dscm.esl.cisco.com/git/153/comp-15301477
85f6688bf135a8e6b87ad999d1e629913a26a493 branch 'fretta_sdk_656' of https://dscm.esl.cisco.com/git/153/comp-15301477
444b9d5d838dca1c0320e2c71a4949422605f595 branch 'ft-mr2' of https://dscm.esl.cisco.com/git/153/comp-15301477

77aec7a0251f9219210aa5a2db2d0e4683cfab7 branch 'ft-mr4' of https://dscm.esl.cisco.com/git/153/comp-15301477
14d5740aca21d8b90b038fda7d8dafd5ead68c45 branch 'ft-mr6' of https://dscm.esl.cisco.com/git/153/comp-15301477
379bc0c0f01484ed5cf8a36e12c2ce882bd7aeaf branch 'ft-ts96' of https://dscm.esl.cisco.com/git/153/comp-15301477
a70ed528aab0644718a37322566e812ced4b1d6c branch 'ft1-mr2' of https://dscm.esl.cisco.com/git/153/comp-15301477
460d7af1f6eef185717d63cabd105556079de6cb branch 'g75_dev' of https://dscm.esl.cisco.com/git/153/comp-15301477
c8edac59828f6058e2745fcc009e2b407761d919 branch
'g_bluesky' of https://dscm.esl.cisco.com/git/153/comp-15301477
b6eed61907c7415645a3b090de2fad1bde87863c branch 'g_dev' of https://dscm.esl.cisco.com/git/153/comp-15301477
8e99c10957c0a9b8f629911e9347df32d2f76af0 branch 'g_heavenly' of https://dscm.esl.cisco.com/git/153/comp-15301477
1b21dbbab48dba86b427c7c3634205507f63e0eb branch 'g_tetley' of https://dscm.esl.cisco.com/git/153/comp-15301477
85c060ca61a8673c2ebcc478d7d27c5af4694656 branch 'gbr' of https://dscm.esl.cisco.com/git/153/comp-15301477
dfa42c26f708fe4e1d77aa9cfa47e58f71d8a2f3 branch 'gbr_b' of https://dscm.esl.cisco.com/git/153/comp-15301477
b869e978c53e899442ca3de35e6b5ca572327284 branch 'gbr_bf' of https://dscm.esl.cisco.com/git/153/comp-15301477
b88a78f40a0045b681077c5bf4bc9bbfbb964483 branch 'gc_maint' of https://dscm.esl.cisco.com/git/153/comp-15301477
00a48b849cd91c9e363423ae610ffdde10061f75 branch 'gibraltar' of https://dscm.esl.cisco.com/git/153/comp-15301477
1992bf53e31f38a5944fa85914c86657dbad5ed7 branch
'gibraltartwo' of https://dscm.esl.cisco.com/git/153/comp-15301477
d72d0ed54a6a4159644b50f88c936a58a49ff37e branch 'gmr1' of https://dscm.esl.cisco.com/git/153/comp-15301477
63776d8d6e4a8433e6cbf077000fbbd04960e5bf branch 'goa_dev' of https://dscm.esl.cisco.com/git/153/comp-15301477
486bc0e73fc021f322c6863bfee58478dbfbd69b branch 'goldcoast' of https://dscm.esl.cisco.com/git/153/comp-15301477
85e25db857d1a3de46cbb6b6a2ce5bd006c8efbc branch 'goldcoast_throttle' of
https://dscm.esl.cisco.com/git/153/comp-15301477
2b911ffbb5b3f2de27200bd4e42403b2310e60f4 branch 'golf_nxos' of https://dscm.esl.cisco.com/git/153/comp-15301477
056576d3069e27aef14f808c2cc67413c78b93d6 branch 'gplus_dev' of https://dscm.esl.cisco.com/git/153/comp-15301477
fd76607a1d1c34c26bdd97c0577ec721c653514e branch 'gplus_dev_bf' of https://dscm.esl.cisco.com/git/153/comp-15301477
a459c93d19fbe842e7bc26cb7fb05a126741e077 branch 'greensboro' of https://dscm.esl.cisco.com/git/153/comp-15301477
27f598552c7d3645575cd9303b3c71fd477ef9c2 branch
'greensboro_cn6k' of https://dscm.esl.cisco.com/git/153/comp-15301477
ccd4e4f8dfe64241aee322dd3a273abfc79b6d4 branch 'h_ali51a' of https://dscm.esl.cisco.com/git/153/comp-15301477
89ae28b2a2ec7f2c2d38c39428e9ea7f66ff0a5c branch 'h_brewdog' of https://dscm.esl.cisco.com/git/153/comp-15301477
c3da9d643002251226ecb9ff51aec487cca6a3e6 branch 'h_cn12k' of https://dscm.esl.cisco.com/git/153/comp-

15301477
e5b1b9766cf1a16723e59406eda743ffaf6188dd branch 'h_dev' of https://dscm.esl.cisco.com/git/153/comp-15301477
d25e87a82ee005ea231b4594ff0b43c954913903 branch 'h_dev_64bit' of https://dscm.esl.cisco.com/git/153/comp-15301477
4fb7b34e809d44f08be8132bf925e35c214b94b2 branch 'h_dev_sa_ft' of https://dscm.esl.cisco.com/git/153/comp-15301477
667689585b26cae42c6488b414173a11bf12f334 branch 'h_dev_wrl8' of https://dscm.esl.cisco.com/git/153/comp-15301477
6624578ec620e1074ae3e6aab4727f961eb43411 branch 'h_fretta_jr2' of https://dscm.esl.cisco.com/git/153/comp-15301477
5ff23492dcf63abe251b6cb40d1611fdc244ea6a branch
'h_sundown2' of https://dscm.esl.cisco.com/git/153/comp-15301477
2952c50121274f7ef94abc7dcb52ad4c4bf483d7 branch 'h_utoopias' of https://dscm.esl.cisco.com/git/153/comp-15301477
ad3e206e3e12ebf3d574d546b7f17b279c306be5 branch 'h_wrl8_toolchain' of
https://dscm.esl.cisco.com/git/153/comp-15301477
42eb5ab355b8f0e9ba780cd2c41c37d4ef45c5c3 branch 'hamilton' of https://dscm.esl.cisco.com/git/153/comp-15301477
02881582bd48054a4a14ba5af179b8401dbb84df branch 'harboard' of https://dscm.esl.cisco.com/git/153/comp-15301477
4a82c94fb259d95dec40870571c821e3e94854d3 branch 'harbord' of https://dscm.esl.cisco.com/git/153/comp-15301477
2afe719277571e3542aa210705b84a88f15a5408 branch 'helsinki_mds' of https://dscm.esl.cisco.com/git/153/comp-15301477
c1b744ca1e6d4e7047378edcd66c96d4342d0e12 branch 'hf_271' of https://dscm.esl.cisco.com/git/153/comp-15301477
6539033ae19c6f1fd1fb7e94119e69ac6479cb7d branch 'hmr1'
of https://dscm.esl.cisco.com/git/153/comp-15301477
955365c1167c2e2aa14f3333881f6191d8987068 branch 'hmr2_dev' of https://dscm.esl.cisco.com/git/153/comp-15301477
ce04ca1c10dc44e3fe7a56c64f8de16b2d606d64 branch 'hplus_patch' of https://dscm.esl.cisco.com/git/153/comp-15301477
46d23d0a44ecfd99ea2765829bf77a38f11e9ec9 branch 'hsk_mds' of https://dscm.esl.cisco.com/git/153/comp-15301477
8ccb53a1b2c9e60abe21f95fe5f522aa9f7f814e branch 'hudson_centos' of https://dscm.esl.cisco.com/git/153/comp-15301477
685f4003cb78bc4dea35f2c31fc4e0eb41de6cab branch 'hyams' of https://dscm.esl.cisco.com/git/153/comp-15301477
650087b9ceb7258de218455e937c34fde0cf6cb6 branch 'hyperv' of https://dscm.esl.cisco.com/git/153/comp-15301477
ecb77e4154f235c43384da0f3bd534ee4af907ab branch 'hyperv_throttle' of https://dscm.esl.cisco.com/git/153/comp-15301477
b61969646a1b5a50c3189b49242254d1973624a8 branch 'hyperv_v2' of https://dscm.esl.cisco.com/git/153/comp-15301477
0fe6311b01d5c8a58af19b39f5c956d0d70a0196 branch
'i_wrl8_toolchain' of https://dscm.esl.cisco.com/git/153/comp-15301477
34edd2f47840964fe37d7f06cc818467c3744175 branch 'icaria2_cco' of https://dscm.esl.cisco.com/git/153/comp-15301477
b9f3b5ce1047ba6b5f4f350a1f2bb64a602609e4 branch 'id2' of https://dscm.esl.cisco.com/git/153/comp-15301477

283f58b2f2b725a0dac13cf5203b81c4eff405b7 branch 'iluka' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
b9f69b42d2d64f380524e3548145063b6ae45f80 branch 'iluka_ci' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
c83d24083b98934424707bc883f411663e2c22ec branch 'iluka_titanium' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
83c0459bd88e2738fee81205d93c6d0bcbb218c7 branch 'india-bnb' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
f2fc8cc3c3181b5e3d64c5b675b44395a401b29b branch 'infinity_25k' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
25e76710a3a9cb7a2ff0b608eb2bebe21885028c branch 'insieme_xml_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
a2e1baaa641643d85d452c68ca737cd9a3665b71 branch 'iplus_b' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
6497c9c09614ab7a036f201910c884cb5470dd82 branch 'iplus_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
8d980a68e928a588593eea7fa61dea86fed59928 branch 'iplus_dev_utopias' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
d9d2e5c64c21baf61f4c4375087ca3c946cad40d branch 'iplus_gnmi' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
8f07d0e24b982383ee1360bba47495a7dda3539f branch 'ironcity' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
61790a1ef93bb2127ec921069fcb7513c124107b branch 'irvine' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
79d12264e2966704b0c607aac94ab2bd32a014b0 branch 'itasca_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
fba907651797392f78cb65561d039cf3dbbae779 branch 'itasca_main' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
db58bfddbda8f724b1f408759abae98008aed270 branch 'janjuc' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
6d5aaef8504df316ba8d328dd4f98a4953509976 branch 'kempton_park' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
fb95bffa9c2886f9efa0c9fea007809089c1232c branch 'kilkenny_cco' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
d3d78c2cf21c245c0752efe3a5ddc8b1e020006a branch 'kilkenny_cco_qip' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
455ed4aa29373e9d41ce9ce87a40084acb554941 branch 'kkm_krnl' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
6efb68899304a4bdcdafe5399fbb69b903c2eb66 branch 'km-hsk' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
b29f4ba5272c99933beebced07a6e236721bde40 branch 'km-sky2' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
081793a46ac214e1fe7988f33ce95761c96b1334 branch 'km-sky2_com' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
2b52d63a98833db4f3e412a7ccf7fc1c564d97ef branch 'kokomo2' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
f3124cb8ad5c37156928fcb5e745cf0d7eeb8aed branch 'kokomo2_mr5' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
2bf830221352afff861443add0107762c812e82d branch

'kokomo_47_krnl' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
0111672be550ac65cf01d451b2b8bd964f2dd0b branch 'kumo' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
418ba0d80f04c1aab14304368e43444f4d78748b branch 'kumo10_fcs_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
959dfeac705b9f831bf98c0432ece52a90465555 branch 'kumo_112' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
ce826e32277d74185e2cebdeec5f2e0fab8e7e55 branch 'kumo_classic' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
89e27c89df5b13a2e2927059c1cd3654a5cd684e branch 'lac_ddev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
a27a401800232d9d173f8679d33ceafd4055d76a branch 'main' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
d8db8ac50ace0aa1f976d66dd94fff45d64c9717 branch 'malibu' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
5e93223df645e7bca172ccf88c0daf3c2bfb8d61 branch 'mercury_snmp_dev'
of <https://dscm.esl.cisco.com/git/153/comp-15301477>
f54c42eb4eec97ff51552b4a599a9c2617121baa branch 'milan' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
79f4929978a9308d7164ce0389ff2932b94a2051 branch 'mini_ucs_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
c81bdf8034d137e4520cba1202e5a3ae6d92bd34 branch 'minishan' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
eff64a416ce997f4a7447ce5aeb299fe85ed4cc8 branch 'morningstar_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
0e72adf18f6f18396fa12033d9d2713c8d1e7589 branch 'msgformat' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
45518da1bcab77681fab915974ee19b0ea381bf9 branch 'msgformat_n6k2' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
c5e345068e261d4cd9a98635b3b73aed854ba3ea branch 'mvel1' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
16421d9cfdb5f711e9d4ff0218721a348e7834b2 branch 'n1kv_l3' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
cef149d7a300440dca0bb266ec6be6baa7967635 branch
'n3k_camden' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
fa133651025a3f5e1e1dbc51715c63f2819c6ecc branch 'n3kturing' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
82d51f60e9edf6cb75b6739be5d6a8cfcefada7c branch 'n7k_aa_new' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
87969c6c7c9cd51a0ac9a25272d967096897285a branch 'n7k_aa_new_ffex' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
d008589ef6c1f11997436f4a27498565aa5495b9 branch 'n7k_dme_stuff' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
6d772b428e496300b2539061c0f7cc929611c14f branch 'n7k_spine' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
31226d2ee54802be57f8aed69c1e52e3c5490e5a branch 'n9k_redmond_dev' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
42f13b8672d5925cc80131d0c4d8efa9395bf684 branch 'n9kv_eor' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
0bac5487b98151822592bf0dab9e9e58c19ff652 branch 'nep_cr' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
cc30a20103e68b3873431b3496573d9b9559bede branch

'nexus1010' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
dfd9b63bf4b10dcbcc3b579e8728bc38b81af278 branch 'ns' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
2d4c097446e7629e214e7f37ae33c11fb71f7864 branch 'nxos_4k' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
96d94f688ebc3e5c109705b733d84ab0d4d11e20 branch 'nxos_cflow' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
0734152ccdb73ace98eccc7fcf3833f495717b19 branch 'nxos_fb' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
6fdff4116ed523a921d2162462c09b7a5dfb03f8 branch 'nxos_music' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
00baaf5a77d660e2b6f83783b0b4b76394fb873a branch 'nxos_pi_patching_infra' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
79b43d42a5a26a24d0841ece62237183c9dbcf4 branch 'nxos_wb' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
1d96236a4824a9ae35683d85f7d76a08888a86e2 branch 'oilstrike_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
28e0caf31ee4470d4f7e6e068b314eedca7cc691 branch
'openflow_poc' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
fca798ce50dde8e42058465cbdfb5a9293ade14 branch 'oregon_1_1' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
b535febf1dfd693d4cbcfca2c1071210bac521f branch 'ph3_4' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
539a2d77d9fcd711b09881c1649f5b5b6a1c2896 branch 'ph3_5' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
ea75a742405d744340d1eb984fff4a144262a339 branch 'ph3_dtho1' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
72e4dda183523dadd982438668d2ac32d800d2a0 branch 'pi70_rtg_bnb' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
7ce8e7bff7ec288313b5cae0782c396ffc11148f branch 'pi71-india-bnb' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
c8e060186c69405052b854c4af0f4480a92c6f50 branch 'pi_kernel34' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
655576290d3388f82779e5663ef9b2ef3ecaf36c branch 'pokemon' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
3b2261af5674f94695c6f225adc1b32c10db3128 branch
'r33' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
8cd2f20aeb11eb0bdfa35664e7b6763204ac963e branch 'r41' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
a2de67ba6ed9f924a937ac83b26ff7d144fb7a5e branch 'r42' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
4d6ce365c6100550d03e09179119aedf6004ea7d branch 'rackspace_issu' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
effbcd8ca3b813ffaa04b2d6daec0bf11358c3d branch 'rel_3_0_0_a1_1_throttle' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
8f5d0ae7493394a92e8ebaed631175dc85137a67 branch 'rel_3_0_0_a1_4_throttle' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
f380c22ae0e741d9c21c73e1ee355e1c4c55e6d5 branch 'rel_3_0_0_a1_5a-development' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
e371c70ba25811a2483688e6ddf0064dc8111ea0 branch 'rel_3_0_0_a1_6.2-throttle' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
8bb725bedaa9b06d907536ea97f483358f594e88 branch

'rel_3_0_0_a1_6.3-throttle' of <https://dscm.esl.cisco.com/git/153/comp-153014773d33ffeff83a6a3646b36eaf3682e30cf5ef3d95> branch 'rel_3_1_1_1165966469' of <https://dscm.esl.cisco.com/git/153/comp-153014776c2214584f02bc6adcf61fe923066b1af486138b> branch 'rel_3_2_1_1188831908' of <https://dscm.esl.cisco.com/git/153/comp-153014778992f2a342721e0c63b43881f4fce73a38705b51> branch 'rel_3_2_1_1188832883' of <https://dscm.esl.cisco.com/git/153/comp-15301477152019b974e091c0c3556c468c3886180703cd25> branch 'rel_3_2_1_1188878926' of <https://dscm.esl.cisco.com/git/153/comp-15301477aba6979a1d5c6068fe17676e4c81d886c0905060> branch 'rel_3_4_1_1213862709' of <https://dscm.esl.cisco.com/git/153/comp-153014772aad266b5fa84801bf5f1447e7c24343ded231b1> branch 'rel_4_0_0_520_1170208990' of <https://dscm.esl.cisco.com/git/153/comp-15301477601958bcf5b3d7ec9d76daebaef49ad58b2b9c16> branch 'rel_4_0_0_669_1185503667' of <https://dscm.esl.cisco.com/git/153/comp-15301477baad050e503716b4d21f7f0ca43bc00a7353d964> branch 'rel_4_0_0_669_1185508973' of <https://dscm.esl.cisco.com/git/153/comp-15301477bd4d20094f42db8fc55da2f5adff2cbfa1dae33d> branch 'rel_4_0_0_669_1185509620' of <https://dscm.esl.cisco.com/git/153/comp-15301477ca8d40815198aa0f41bb0e73e3ce8938259bbe2d> branch 'rel_4_0_0_749_1192416586' of <https://dscm.esl.cisco.com/git/153/comp-1530147746a9d1999d0e49c0ac50460967422f67cd260a8f> branch 'rel_4_0_0_754_1192508418' of <https://dscm.esl.cisco.com/git/153/comp-153014773dfb055f55c2bb6be962beb6d59cf614cb396a50> branch 'rel_4_0_0_828_1199764468' of <https://dscm.esl.cisco.com/git/153/comp-15301477d6c5cd64e80972c92d1f9b50005563151fc94f09> branch 'rel_4_0_0_879_1204023719' of <https://dscm.esl.cisco.com/git/153/comp-15301477de1341c2027a03aa5f2138eabfe3ca002a3a8d32> branch 'rel_4_0_0_885_1204026761' of <https://dscm.esl.cisco.com/git/153/comp-153014776f310e40db4ac61c5260dc9f6ccd5744dc46d184> branch 'rel_4_0_0_885_1204028067' of <https://dscm.esl.cisco.com/git/153/comp-153014775230a241b7852eb42ed1860dbc0eff35b27dc555> branch 'rel_4_0_1_1205146992' of <https://dscm.esl.cisco.com/git/153/comp-153014771c38aff3367e27025d23476af1a9922fd91e642c> branch 'rel_4_0_3_1216832024' of <https://dscm.esl.cisco.com/git/153/comp-153014779d3a7ab148e511acec11f7e10eda4b74523e951a> branch 'rel_4_1_0_90_1209800952' of <https://dscm.esl.cisco.com/git/153/comp-15301477283350b2926ebd5778b92111f85d19aa122cb257> branch 'rel_4_1_1_1220338475' of <https://dscm.esl.cisco.com/git/153/comp-153014775868f2437924f396d6af9acae10f2efc96e890ff> branch 'rel_4_1_2_1228304625' of <https://dscm.esl.cisco.com/git/153/comp-153014774deac4caab3f0e067586b41f56a30bff08b80fc2> branch 'rel_4_1_3a_1235365905' of <https://dscm.esl.cisco.com/git/153/comp-153014773c4d5021706d3ee9d451b56c979bed7b5b592a16> branch 'rel_4_2_0_239_1244796494' of <https://dscm.esl.cisco.com/git/153/comp-15301477c09a0ac81a2235458e76f08cab1060bded441a8b> branch 'rel_4_2_0_239v_1244798615' of <https://dscm.esl.cisco.com/git/153/comp-1530147791bc2251de995d4553b329e27cefaec9b87c68c8> branch

'rel_4_2_0_246_1244873958' of <https://dscm.esl.cisco.com/git/153/comp-15301477b93441bed14e7373abe0bd9189f53bc3441c60de> branch 'rel_4_2_0_246_1244875310' of <https://dscm.esl.cisco.com/git/153/comp-1530147761f581d2f29e7620e5d38f554f7b4c705c54734e> branch 'rel_4_2_1_1246501284' of <https://dscm.esl.cisco.com/git/153/comp-15301477d1e8b779bc3558abaf8c9a3c85fef407d782362b> branch 'rel_5_0_0_107a_1241521493' of <https://dscm.esl.cisco.com/git/153/comp-153014776e80956fc025f37faea2439efcfecd2b0d06a63d> branch 'rel_5_0_0_224_1254804350' of <https://dscm.esl.cisco.com/git/153/comp-1530147762f317e0e12ed497f46ff0943467f70d3341c594> branch 'rel_5_0_1_1264407142' of <https://dscm.esl.cisco.com/git/153/comp-1530147720c8d0e73f53b05c8c20d7476ee99eb5acb79bc8> branch 'rel_5_0_1b_1268628903' of <https://dscm.esl.cisco.com/git/153/comp-1530147766e8ad9c81be9fd8b16caa2bd0ebc276f412412c> branch 'rel_5_0_2_1268889241' of <https://dscm.esl.cisco.com/git/153/comp-15301477b2dc7fabebcd9001afeb61abd9d0d9fbb55639e8> branch 'rel_5_0_2_1268900747' of <https://dscm.esl.cisco.com/git/153/comp-15301477a5820d07ee2cf3cead30fbe6d372c29ddda47ad8> branch 'rel_5_1_0_78_1273728062' of <https://dscm.esl.cisco.com/git/153/comp-15301477911ee18c13f1a0fa376a7389047745b37f3fbb2f> branch 'rel_5_2_0_250_1301681919' of <https://dscm.esl.cisco.com/git/153/comp-15301477682877a8be0edad6b2f1bbfde929570bec050f10> branch 'rel_5_2_0_251_1301295965' of <https://dscm.esl.cisco.com/git/153/comp-15301477f7b14dcc52f63c427ba8b554a1a0b34e945f29e7> branch 'rel_5_2_0_257_1301300390' of <https://dscm.esl.cisco.com/git/153/comp-15301477347c7ac95da8eb139e9f9b2d9831f7b5f8fa95d2> branch 'rel_5_2_0_270_1303378525' of <https://dscm.esl.cisco.com/git/153/comp-153014774c08add6e69d1b8e71a85c3f36cdfc1df6dc2c9f> branch 'rel_5_2_0_904_1304321221' of <https://dscm.esl.cisco.com/git/153/comp-15301477d1c0cf7d205cc93639c31c76413689c214df4eb7> branch 'rel_5_2_0_907_1304482212' of <https://dscm.esl.cisco.com/git/153/comp-15301477951729152a6265f3911a43870652a857346117c4> branch 'rel_5_2_8a_1365686638' of <https://dscm.esl.cisco.com/git/153/comp-15301477262b82bdf979931deab96127a5e940b41d3edcf6> branch 'rel_6_0_0_11_1313537935' of <https://dscm.esl.cisco.com/git/153/comp-153014775c2b616ccc6eddd6cf6452d25c070617e47f9d9d> branch 'rel_6_0_0_30_1313796682' of <https://dscm.esl.cisco.com/git/153/comp-15301477d98f10bc7822512441bff2ed846f98ca3eac0ba2> branch 'rel_6_1_0_220zonda_1330655142' of <https://dscm.esl.cisco.com/git/153/comp-1530147721664a6105748cd9e0e320037292c082f53a52b3> branch 'rel_6_1_0_233_1332934317' of <https://dscm.esl.cisco.com/git/153/comp-1530147723a40875ee75dd0d1fdb92dc9e241df654304261> branch 'rel_6_1_0_293rouen_1338272421' of <https://dscm.esl.cisco.com/git/153/comp-153014778034e23eb9e2030ba58e9eda8a04ceee235ccf86> branch 'rel_6_1_0_4_1314178785' of <https://dscm.esl.cisco.com/git/153/comp-1530147761838156c498fa72fb5350e8f981c4ccd4355425> branch 'rel_6_2_0_166_1341715081' of <https://dscm.esl.cisco.com/git/153/comp-15301477faca3a19825b1e094212c35f72f96b11de7c1656> branch 'rel_6_2_0_22_1323474416' of

<https://dscm.esl.cisco.com/git/153/comp-15301477>
86f5848d0044071d9724e66d88e4e92d7883086b branch 'rel_6_2_0_233_1350283358' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
00c44e69b30908a73cacc22f6b277939ed5cf2d4 branch 'rel_6_2_0_284_1355750076' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
37e3c349032e723d930f00a9c40562cf2227e1ab branch 'rel_6_2_0_294_1355752126' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
1668d137bbe412aa0fedc5bd9546e08cf86303f6 branch 'rel_6_2_0_302_1355755477' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
2d624f4fd2df8f5a532758bd6593ae4e96bcc8b1 branch 'rel_6_2_0_42_1323892974' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
625ec745f5b13dfef80907b9a1e99c3a4f5d609b branch 'rel_6_2_0_47_1324073744' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
66a0d879c71de1848118de9e341d5deb83818adb branch
'rel_6_2_0_5x_1319447985' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
079fed2a107c0e58789f36e18f86637a1168c33d branch 'rel_6_2_10_1411029857' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
e2d6fbfcffe9d62c7697e2a0f8af68792cbad105 branch 'rel_6_2_13_1432205888' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
b75e0e977504401cae027d22bdfdb9c29a6670d1 branch 'rel_6_2_1_1358454650' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
d6ffd096b6e045a75d8226fbecb61f202bafebc6 branch 'rel_6_2_1_33_1361809351' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
ad6ebdbdd32757553bb398717ecdd93b72702108 branch 'rel_6_2_1_33_1361810972' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
bd97ebd363c48f64c6c36ec73e07712a8bd5a57a branch 'rel_6_2_1_33_1361813473' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
c792866394749a86a26ee9e4f5bb00173728b517 branch 'rel_6_2_1x_1360614323' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
0f1652e4b7833067cd60bac40605d3dda2644a72 branch
'rel_6_2_20_1508342187' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
876eda71d428411b0b9b94b12e6c8eea44570a79 branch 'rel_6_2_20_1508343613' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
e5c5394472e8b8dd27799065f2f3ce2f4e19d928 branch 'rel_6_2_22_1549471583' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
8897493500215dd7e4b872936b99bf712439cf64 branch 'rel_6_2_22_1549474307' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
6af42341f1d1291ad6614ce8bc8bd63f14379da5 branch 'rel_6_2_25_1537789720' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
cbb757e8340d3ff727fbc6c21f8a09c60430111 branch 'rel_6_2_25_1537804439' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
df22adc52aab8f0341080d2b299673e05120f30 branch 'rel_6_2_25_1537806235' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
6a8549154254bc3d4321852ebf241fe665e903d8 branch 'rel_6_2_25_1537853393' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
f9babd65905f91aa2eff13630bf9bfaf6a29dfcc branch
'rel_6_2_25_1537857082' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
e07cb5e80aedc545bdb1f3e09186803a2fb590c2 branch 'rel_6_2_25_1537863229' of

<https://dscm.esl.cisco.com/git/153/comp-153014770341694426c29e05eee41e423142068b2226d76f> branch 'rel_6_2_25_1537947258' of
<https://dscm.esl.cisco.com/git/153/comp-153014771dca72e3c96c8bf2a1ae81ef502273d6fdf3ada9> branch 'rel_6_2_25_1537959757' of
<https://dscm.esl.cisco.com/git/153/comp-153014777eaa26a82647978ad6e3d1b052a9b9444f3c64d5> branch 'rel_6_2_27_1550363800' of
<https://dscm.esl.cisco.com/git/153/comp-1530147728ed57249eda2d2b2fa19a0e925fd5578b42c837> branch 'rel_6_2_2_1374645089' of
<https://dscm.esl.cisco.com/git/153/comp-153014773ba9f7cc227ae5dcfb02265cc2e3ddfc687b4c789> branch 'rel_6_2_5_1377756497' of
<https://dscm.esl.cisco.com/git/153/comp-153014772536effaa449a880e07af486aca768bbb8cc7785> branch 'rel_6_2_5_1377760250' of
<https://dscm.esl.cisco.com/git/153/comp-1530147773316f4e9d25406945145377a0b68f5a88094698> branch
'rel_6_2_6a_1393392717' of <https://dscm.esl.cisco.com/git/153/comp-15301477956abd8da1dda44fd9043c15a4c20ca9b67c4c07> branch 'rel_6_2_7_1391725316' of
<https://dscm.esl.cisco.com/git/153/comp-15301477a917a53f795f22a03ca0756b86a64ce91f63dd51> branch 'rel_6_2_8_1395337211' of
<https://dscm.esl.cisco.com/git/153/comp-15301477c97f2b258a55a0a1bfa74c0752a82eefbec170fd> branch 'rel_7_3_0_d1_0_125_1444754460' of
<https://dscm.esl.cisco.com/git/153/comp-15301477202e6ef655760308ff758edb56db3b1bcafd27cc> branch 'rel_7_3_0_d1_0_127_1444932948' of
<https://dscm.esl.cisco.com/git/153/comp-1530147755c370f2cc3610eb743bf566ce6e4eadd65e8d63> branch 'rel_7_3_0_d1_0_24_1435346435' of
<https://dscm.esl.cisco.com/git/153/comp-1530147707932093f7382b205d7ace06e05aef2c64fde157> branch 'rel_7_3_0_d1_1_1453376495' of
<https://dscm.esl.cisco.com/git/153/comp-1530147753d8243f0ce4cc194eda767c06b0b5b3c1543da5> branch 'rel_7_3_0_d1_1_1453378954' of
<https://dscm.esl.cisco.com/git/153/comp-15301477b51650561a6bb094ddcbcc0ef675bff2aa4858de> branch
'rel_7_3_0_d1_1c_1468606237' of <https://dscm.esl.cisco.com/git/153/comp-15301477661352e7716c78df7b218823506d3f48fdd7f02f> branch 'rel_7_3_0_dx_0_54_1452151147' of
<https://dscm.esl.cisco.com/git/153/comp-15301477f552d92b9c329165cfe09f6d1d34d48ef1f4575c> branch 'rel_7_3_0_dx_0_54_1452155690' of
<https://dscm.esl.cisco.com/git/153/comp-15301477d701575c5fd3bdbc7f21b3242d3b59ef41f87a77> branch 'rel_7_3_0_dx_0_54_1452156693' of
<https://dscm.esl.cisco.com/git/153/comp-15301477fa536aafb7288145e2c2590d7248ceccb2b332f> branch 'rel_7_3_2_d1_1a_1506012041' of
<https://dscm.esl.cisco.com/git/153/comp-1530147721e8f6997268df5c6882ae0e822238aaba31c4ce> branch 'rel_7_3_3_d1_1_1533706967' of
<https://dscm.esl.cisco.com/git/153/comp-153014775663261614a22055cbb715bb95073d89840106a7> branch 'rel_7_3_3_d1_1_1533714860' of
<https://dscm.esl.cisco.com/git/153/comp-15301477fd1d1309e87165fa417aba408c1fadf4567d3b81> branch 'rel_a2_1_1_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477b8cfc8f36965a42667b9d0eaa1ed089c85acd6a0> branch 'rel_a2_1_2_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-153014778d8702357179898f0d6e94a548315df6cfff1679> branch 'rel_a2_1_5_throttle' of

<https://dscm.esl.cisco.com/git/153/comp-15301477>
073d16c4fa776bcc259e62c85ef841930ce25ee3 branch 'rel_a2_1_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
f6907715da46688acf5de4232a27f66dec28b95e branch 'rel_a3_1_0_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
d887b84949d40aa15022ce22238f81fe3b5b8488 branch 'rel_a3_2_0_dev' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
ad3e6ec15527a1ad8b4941cb78aceafd7ed22f03 branch 'rel_a42_sustaining' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
c37ab6aaa136e569ee56be557b75c92aeb16013f branch 'rel_a5_1_0_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
b156bcd2241d70ec81052b5663d8c6b069017f65 branch 'rel_a5_2_1_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
2bb36077e10042dc9dbe340fe9901a6d8933482e branch
'rome' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
dc978dc9d08c7c0d5571ce68846e6d09b93d5abd branch 'sami_csg_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
d4ed23568deaaf816fc0dcf198a32bc6c283b885 branch 'sample_run_test_debug' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
a150019c95484639ef216a3bb3ee21b66d61d018 branch 'sbc_argos-trevally' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
19c8721d9eb761db3d5c5b6d2defb986f8e05cef branch 'scimitar-a18-rib' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
0849d53fc969fd39e3853cb77e6b9661b33295a5 branch 'scimitar_eap2' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
4da55daab3e93b051197c62a70e58be426d0de41 branch 'scsi_3_0_0_335' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
ba2bfe62c1c564e851614c5e90ad899c2dcb2b13 branch 'seg_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
ea35cfe64bc318790a1578c7393a585d2269e8cb branch
'sf' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
882b3ddf80e6cc20223975d540a5f3ce06d5211f branch 'sf_main_park' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
2d78051e11087fa9df130ed16695d58533f5db9d branch 'sfish' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
c58eacd7b4be9c0bd271f4e61a7f6e078c052d3d branch 'sfish_beta1' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
910e03e448e14c1c927de86ad2ead0e0f4449aaf branch 'sfish_port_proj' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
6ecfb089988d1baf1f6fea0e009aa2473cee205b branch 'shadow_2_rel_625' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
8e7ecd7d4c9d49ce6c0ca9f186210ad49be0cc57 branch 'shadow_collapse_6210' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
758bbe91190f6af9037adc384bae985b4d0c6c8e branch 'shadow_collapse_6213_s33' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
4bbd7acd3b807a857879f47947f8fea382638451 branch 'shadow_collapse_628' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
c2a27ab33b615ed7c683909bfe1714710ba822be branch

'shadow_collapse_628a' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
dc09ae29c6280bd58447a6c8975b24daf46e9744 branch 'shadow_project_627_s40' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
4979fdf20120358dd8215ffec66208f738b621f3 branch 'shadow_rel_622' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
56360246c5e54920bd942f3d734e8487dbb0c5c7 branch 'sj' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
5102e54c360518e642eaabaa83de9f4cc83a742 branch 'sky_fretta_ppb' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
cd6f19071b5c6284b8e5c18fae559a23db2c1b8e branch 'sky_fretta_ppb_8k' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
03f1327eb449ac3067f904a33359c9821f988a05 branch 'skywalker' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
2ed9d27c056533ea75c0159e94e71c41232d6c2d branch 'skywalker_8k' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
77ee697ca7602fbf6d6606595ef5f11b850322b7 branch
'skywalker_com' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
8f15c2fd12e6e400435d10ecb76d70be3428b18e branch 'skywalker_rel_8_2_0_sk_0_148_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
a62b8e3e13b7662737fae6408c7450342c3b743b branch 'skywalker_rel_8_3_0_cv_0_4pe_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
53f276932c3cc60321a3ce96a8c6c5f19089a99f branch 'skywalker_rel_8_3_0_cv_0_5sa_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
b0b35d80ac5678321816490e1985fc4c08e07651 branch 'skywalker_rel_8_3_0_cv_0_787_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
10a5bca0adaad8e190165f0f4226782809271a5d branch 'skywalker_rel_8_4_0_sk_0_1n_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
e1576d658f29c5357d3d8b5879a41973f8fad31 branch 'sl_sch' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
1e7f589498d137e2e17b4919259e2765704013ae branch 'sl_sch_zn73' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
7cb89e672ad2f3d78eec01581ab26d6c1bc30212 branch
'sla_cadmen' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
4ed10213582e68a81e74422ac716d0b1c851abac branch 'smos_main' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
2b8ef31e0fd8ae86010c6fe5158a3767f45b282b branch 'smu_n7k_r710' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
2dc2bb79092248708c75d611893e3925a2407aed branch 'smu_n7k_r710_sajjad_test' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
fd2029a4fb9f4485a7c3986ff5bbb950cb586140 branch 'smu_n7k_r710_temp' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
839e43b16e95c906f6da38914b9272c00ac7860b branch 'smu_rel_9_2_3' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
cd39088d730d51369ac0a70b0194bf2fbbab8a38 branch 'ssp_r1_0_fcs1_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
ddd7156df813bdb2837dbf587d7effb1ec0b5ab8 branch 'ssp_r1_1_4_fcs_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
ab4e601d384919d7878d0fa2686be599ea44d086 branch 'ssp_r2_0_1_fcs_throttle'

of <https://dscm.esl.cisco.com/git/153/comp-15301477>
1553d089938c98946348528a6b81da0bfb8ee69f branch 'ssp_r2_1_1_fcs_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
a0117c699069f03226cac9ed055db50a8460d2f6 branch 'ssp_r2_2_1_fcs_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
64ff1922ae968b757b98c4d9c076191a166111ec branch 'ssp_r2_2_2_fcs_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
578261edb91fe301440663dbffc2230af80ac5c4 branch 'ssp_r2_3_1_fcs_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
8a9b5b8474dab5e88581caf9d8f61bbf35bf2c28 branch 'ssp_r2_4_1_fcs_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
be857f161c8777baf48b87424ce69e7b59c71732 branch 'ssp_r2_6_1_fcs_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
7528615dc6932f1d5c283b1f4027af5a68819f22 branch 'ssp_r2_7_1_fcs_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
ea3ed08167d81238a0c9405d78774bc640af1d79 branch
'st_demo_lu_pair_p1' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
726d24daa62d7774714d1aef9317db1066df5b5b branch 'st_freetown_clone' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
090a4612529941b24438fd20f189e71ae89c2761 branch 'stargate' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
74916e62c8dfe3a04365d1335e9859b29cb18d35 branch 'sync_march_7' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
8173d60869a9403a7b291182cb9719dbcdadde95 branch 'sync_skywalker_73_160407_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
2db19a8fa64a28dd2c4e7c8adac1761e5e3d05db branch 'sync_test_c1' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
1104a5deaf73a8da88387ab7392467ef5cd770f9 branch 'sync_test_p1' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
f0b0356cf1f2ba483ba7889c9530f1a6a6066534 branch 't2p' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
ae89bb5cc7e756fa4cbb351d2eefc5daf5886e5d branch 'talwar' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
dc0dac350b3bd3605a97dd49974afca3c0f22c3a branch
'test_aron' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
981af11f8f78b07b58ce611901ec56796e0b1f39 branch 'test_branching_time2' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
862f4ce70faf1e478a7012807be599b59203ded5 branch 'th_ddev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
81d6b67965bb0f734e2368909769e38d01240427 branch 'tomahawk_dev' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
c44b87ee1e869411cd9f928e4a3a4bd705467969 branch 'trial_proj_1_627_s38' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
b0a5ba554223b87697ef42a6812a0eb8e1dc835c branch 'trial_proj_627' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
bc1f7760edd79758a6cc2323dd183445ad0f315f branch 'trial_run_to_check' of
<https://dscm.esl.cisco.com/git/153/comp-15301477>
2667ce5f3339bf242a99ee18a370614b7ebd0db2 branch 'turing' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
adaafe39dd152b5e19e8e7758a84e4735d9abf5c branch

'turing_andromeda' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
100bbe87ebd97c27d48197f7219a2009e523b627 branch 'turing_os' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
aee4be7c04b4633f8aa6c5fb71dd2cb1704a4068 branch 'turing_th' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
4dd2b220cbc42a49806f291b9bc324788b0240c4 branch 'ucs_1_0' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
16022046ce3330fc661e049d6742a6d5c472c961 branch 'ucs_e_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
843f805e79bda9f390c34e8ada3608d6b0df39a6 branch 'ucs_fi' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
3cf60853cba87ba3072f9e32c9296a0652a877b7 branch 'ucs_g_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
016e9f5a8283a3968258de5e41344ccb8ef6fb2c branch 'ucs_g_dev_mr4' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
fa233196dd58e6813d877a4de17153c26a12c63b branch 'ucs_h_fex_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
f65d0e2d2ba8322d1cbd5af1b3c75ecd66862ec7 branch
'ucs_integ' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
f2bf4fdb86de69ce4fa7e83ac2644c86935fa4b0 branch 'udb' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
88f373147006214de893045b2e12822ccaa45efb branch 'udb_ucs' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
65cdad9f98332181db59a774793137f553445e87 branch 'udb_wolf' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
64366d2d5020526c309cd9bdab60dd47cab6e44b branch 'uluru4' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
5d16d3285f43c440fd077ceafd9b656620a6f6ac branch 'vam_itasca_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
21f6ee2d781ccefc354b0a3fdf68bce3e193b6324 branch 'vdc_scale' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
d928ed741b4a87dd2aec77baeddaa64e718a0cd1 branch 'vdc_scale2' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
868aa47e2fb4009b1fa2ca159855de52d4c0cd01 branch 'venus_rib' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
f0f09b243ac49f4d8c261fdf6ed86c2f51b6655f branch
'vinci_cx_next_proj' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
adfdb4cd0a6a548dfa3603c7977c9463d592931b branch 'violet-rib' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
1436c704fd59684f4bb2da660fa95b8f774c29a5 branch 'xb_15' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
2a900e88127f420b2093a7c199bfa61ceaa6c447 branch 'xb_dev2' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
7f21b9032ed635b4eae4f0cbbaf0d379f622dfac branch 'xblade_main' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
40a2023aec76310ce1a48acd2eaa91a97100b950 branch 'yushan_com' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
43a2146b0f5dd4f1b7c701919a25e796980f89cd branch 'zn7_1_513_gch' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
06f346d27c355525edff52d0a94ca7aafaf82be9 branch 'zulu' of <https://dscm.esl.cisco.com/git/153/comp-15301477>
a9cfcb97835115f9560e72726897613214a24cc branch 'zulu_41' of <https://dscm.esl.cisco.com/git/153/comp-15301477>

```

15301477
f648ae732b8be367022a6a06a41fe638e8c8c4c9 branch
'zulu_ca' of https://dscm.esl.cisco.com/git/153/comp-15301477
c44c2f3ab7fb9b6787c337ddfc67c3e56f23b4ed branch 'zulu_ca_integ' of https://dscm.esl.cisco.com/git/153/comp-
15301477
c8a730633a2145cbd341b6e3bc5c4371ffc133bd branch 'zulu_electra' of https://dscm.esl.cisco.com/git/153/comp-
15301477
4daf8db37f5b5598290ce9c1ba501b3e5bd8b679 branch 'zulu_eth_integ' of https://dscm.esl.cisco.com/git/153/comp-
15301477
0a0e7efad16cc26543e931849454e6f894cc5820 branch 'zulu_integ' of https://dscm.esl.cisco.com/git/153/comp-
15301477
fa261b720e7df3d175fc8eac2da3a969b0f65eb9 branch 'zulu_trash1' of https://dscm.esl.cisco.com/git/153/comp-
15301477
c3da9d643002251226ecb9ff51aec487cca6a3e6
[core]
repositoryformatversion = 0
filemode = true
bare = false
logallrefupdates = true
[remote "origin"]
url = https://dscm.esl.cisco.com/git/153/comp-15301478.git
fetch = +refs/heads/*:refs/remotes/origin/*
[branch "skywalker_com"]
remote = origin
merge = refs/heads/skywalker_com
0000000000000000000000000000000000000000 06bd77b5d7b50a7afdce738674ec142c655701bf nxbld
<nxbld@cisco.com> 1571052911 -0700 clone: from https://dscm.esl.cisco.com/git/153/comp-15301478.git
72f82a676e4e8a7e8afdf779f565129030a3b2d3
0000000000000000000000000000000000000000 06bd77b5d7b50a7afdce738674ec142c655701bf nxbld
<nxbld@cisco.com> 1571052911 -0700 clone: from https://dscm.esl.cisco.com/git/153/comp-15301478.git
06bd77b5d7b50a7afdce738674ec142c655701bf 8c2f854e2708bbf9c727a1c92ef848dec8793c10 nxbld
<nxbld@cisco.com> 1571052911 -0700 checkout: moving from skywalker_com to skywalker_com/37
caaa75e0b83f705095b8e9759a6c2468a1e07e98
72f82a676e4e8a7e8afdf779f565129030a3b2d3 'refs/notes/acme' of https://dscm.esl.cisco.com/git/153/comp-
15304913
bb5dd4e3d533c9da4a0346dec4e99db159444284 branch 'atherton_com' of https://dscm.esl.cisco.com/git/153/comp-
15304913
b8aff37d77e764c796d1d0c28f2762c01ac53d7b branch 'avalon_nx_com' of https://dscm.esl.cisco.com/git/153/comp-
15304913
a99b88badbd4272519eee57ccc729e054c977969 branch 'beverlyhills_com' of
https://dscm.esl.cisco.com/git/153/comp-15304913
6adacf0ec9833cb347105b9e47b64b225e8ad77f branch 'beverlyhills_rel_8_2_1_com' of
https://dscm.esl.cisco.com/git/153/comp-15304913
93d12f881c6fe530912b4b211a67c226f5a0a6f6 branch 'calculon' of https://dscm.esl.cisco.com/git/153/comp-
15304913
2c44772f070b427bbe767384281cdc2b17c45dd2 branch 'calculon2' of https://dscm.esl.cisco.com/git/153/comp-
15304913
f2dad64daa260f5464c4192f0d687234345cf571 branch 'calculon_tsh' of https://dscm.esl.cisco.com/git/153/comp-

```

15304913
1a3e4b284cd4bbbf1236f01feb943b593385afbc branch 'cupertino_com' of https://dscm.esl.cisco.com/git/153/comp-15304913
333f8b22c5dad178e0e0fc0db61cc88b252a5a4c branch 'davis_com' of https://dscm.esl.cisco.com/git/153/comp-15304913
532ad52e38441b5c968d70e7ee1842532cf38ef4 branch 'davis_rel_8_4_2_com' of https://dscm.esl.cisco.com/git/153/comp-15304913
81558d725c512dea80115034bd969ae7ab82971d branch 'h_brewdog' of https://dscm.esl.cisco.com/git/153/comp-15304913
cb5e960353d156b29d0f7887df66ab8a1b76f8f7 branch 'h_dev' of https://dscm.esl.cisco.com/git/153/comp-15304913
d87970b05607ec1feb037391dbd6269e79de749b branch 'h_dev_sa_ft' of https://dscm.esl.cisco.com/git/153/comp-15304913
71caa948731b1c288916c62c49dd08c79bf86be4 branch 'h_dev_wrl8' of https://dscm.esl.cisco.com/git/153/comp-15304913
532a8e0d81ea4c06fc05ec1ff0b2446b7075609e branch 'h_fretta_jr2' of https://dscm.esl.cisco.com/git/153/comp-15304913
2a7b35189a3c505ab0f6b8981175dd36bbadea93 branch 'h_wrl8_toolchain' of https://dscm.esl.cisco.com/git/153/comp-15304913
3081e36dc98bdbad6668df02fc53b3fbe91c2043 branch 'hamilton' of https://dscm.esl.cisco.com/git/153/comp-15304913
e580fe800a23ae12cab1b4c3948bfcf3dc7e6943 branch 'hmr1' of https://dscm.esl.cisco.com/git/153/comp-15304913
f853df991f4ddabf796e4905b1ea8f80aa68430d branch 'hyams' of https://dscm.esl.cisco.com/git/153/comp-15304913
c82de33facbe8dcaa7471d6448cbc2692c23133f branch 'i_wrl8_toolchain' of https://dscm.esl.cisco.com/git/153/comp-15304913
c567f993b995c707682ad3e4024dcada9170a44a branch 'iluka' of https://dscm.esl.cisco.com/git/153/comp-15304913
35703830b1028279212d18127310b1f537de2600 branch 'india-bnb' of https://dscm.esl.cisco.com/git/153/comp-15304913
8497e8737769f1623677fb90c1ac1177217fafd9 branch 'infinity_25k' of https://dscm.esl.cisco.com/git/153/comp-15304913
4d55199f60767c881ef6b39416561dd1ce82634f branch 'iplus' of https://dscm.esl.cisco.com/git/153/comp-15304913
1d26670bb31832b0da818b9f633b6bf0be96a60e branch 'iplus_b' of https://dscm.esl.cisco.com/git/153/comp-15304913
dd52ff0c8ac184ae065ca78274831af0ebfa5da4 branch 'iplus_dev' of https://dscm.esl.cisco.com/git/153/comp-15304913
1a92f4a9cb1a28a9aaadccc739948747912580f7 branch 'iplus_dev_fact' of https://dscm.esl.cisco.com/git/153/comp-15304913
85d1811cced66133ecd9d8b47f8f2f6c0bdf59a7 branch 'irvine' of https://dscm.esl.cisco.com/git/153/comp-15304913
142205fcefcbc46a032199f2c0a3f1cc299d2fe0 branch 'janjuc_dev' of https://dscm.esl.cisco.com/git/153/comp-15304913
3a4b31955ff71aaadba641deec29bc2c71281a5b branch 'kokomo' of https://dscm.esl.cisco.com/git/153/comp-15304913
efe9493ec6a6085f630d8838eb84c6d475db6a84 branch 'main' of https://dscm.esl.cisco.com/git/153/comp-15304913
96c72647f529934f90fcf96b7198e97334a1dec0 branch 'rel_7_3_0_d1_1_1453097459' of https://dscm.esl.cisco.com/git/153/comp-15304913
fbfc3d1578037627321f90c6010d7bfae20124ec branch 'rel_7_3_0_d1_1c_1481384364' of https://dscm.esl.cisco.com/git/153/comp-15304913
d5e42294f3511cdacc487532c4018d64b015d874 branch 'rel_7_3_0_d1_1c_1481435930' of https://dscm.esl.cisco.com/git/153/comp-15304913

b93817d61457625d280905071d174036cf301ed5 branch
'rel_7_3_0_d1_1c_1481436596' of https://dscm.esl.cisco.com/git/153/comp-15304913
caaa75e0b83f705095b8e9759a6c2468a1e07e98 branch 'skywalker_com' of https://dscm.esl.cisco.com/git/153/comp-15304913
2222107d6de87a1b37f03c99b2022e8b275e30f0 branch 'skywalker_rel_8_2_0_sk_0_148_com' of
https://dscm.esl.cisco.com/git/153/comp-15304913
1c96cf1f4347ad31fca1d1219e080c318d89e4e3 branch 'skywalker_rel_8_3_0_cv_0_5sa_com' of
https://dscm.esl.cisco.com/git/153/comp-15304913
57b2eb170c4b4a74ec56c9865f04d4820cb6f65a branch 'sl_sch' of https://dscm.esl.cisco.com/git/153/comp-15304913
f416ba248c03ff4cbe2fa9c5c65f8eb4103c2141 branch 'sl_sch_zn73' of https://dscm.esl.cisco.com/git/153/comp-15304913
ac04e81e2b15b0347e9b7608f46e9153a825a1df branch 'sync_skywalker_73_160407_com' of
https://dscm.esl.cisco.com/git/153/comp-15304913
99bc53ed7fce2afa73dceadb26697946d127596b branch 'ucs_h_fex_dev' of https://dscm.esl.cisco.com/git/153/comp-15304913
5acaa4186df793d120ec5fd8521a890e82d011e3 branch
'udb' of https://dscm.esl.cisco.com/git/153/comp-15304913
6e219379ef625b23c0ee622dcd98e8566dcbf4ac branch 'yushan_com' of https://dscm.esl.cisco.com/git/153/comp-15304913
ca62ee705ae8500d6b466de450d2ac1930c9cce8 branch 'zulu' of https://dscm.esl.cisco.com/git/153/comp-15304913
00000000000000000000000000000000 72f82a676e4e8a7e8afdf779f565129030a3b2d3 nxbld
<nxbld@cisco.com> 1571052914 -0700 fetch origin +refs/notes/*:refs/notes/* +refs/heads/*:refs/remotes/origin/*:
storing ref
8c2f854e2708bbf9c727a1c92ef848dec8793c10
6ab876a0dbcfa2c947e799e27a35dca800739608
00000000000000000000000000000000 6ab876a0dbcfa2c947e799e27a35dca800739608 nxbld
<nxbld@cisco.com> 1571052908 -0700 fetch origin +refs/notes/*:refs/notes/* +refs/heads/*:refs/remotes/origin/*:
storing ref
DIRC
]]o\$X&]]o\$X&:3*\$yx\$5M[22export/isan/lic_common.h]]o%M]]o%M:3*(
Cemw7export/isan/lic_defs.h]]o&b]]o&b:3*U[C99\$p~export/isan/lic_features.h]]o&SP]]o&SP:3*F91!export/isan/l
ic_features_itasca.h]]o'3]]o'3:3*yXv5xDGqUexport/isan/lic_intf.h]]o(I]]o(I:3*%Ff]23>:69#export/isan/lic_smart_c
ommon_defs.h]]o((I]]o((:3*^*\$>f
bexport/isan/lic_smart_defs.h]]o)Lc@]]o)Lc@:3*)J:%Oqy#export/isan/lic_smart_intf.h]]o)
]]o)
:3*0l0{;r
dXexport/isan/licmgr_syserr_def.h]]o*}}]]o*}:3*0\azq[d`!|export/isan/licmgr_syslog_def.msg]]o+%]]o+%:3*j_
#w4IKLP lic_api.c]]o+x]]o+x :3*I*NM~vs;lic_api_isan.c]]o,0]]o,0:7U, /MTm_wO module.mkTREEX13 1
_@*^Lh?P}export10 1
Kwo*\$GVisan10 0
,[_*)DDWPRNuDf>
18b34bd8ae4af33255a6f417361e11786b620994
00000000000000000000000000000000 c3da9d643002251226ecb9ff51aec487cca6a3e6 nxbld
<nxbld@cisco.com> 1571052903 -0700 clone: from https://dscm.esl.cisco.com/git/153/comp-15301477.git
c3da9d643002251226ecb9ff51aec487cca6a3e6 6317bf6b870ced4150254b3da3f7958fa95f2ae2 nxbld
<nxbld@cisco.com> 1571052905 -0700 checkout: moving from h_cn12k to davis_com/4

18b34bd8ae4af33255a6f417361e11786b620994 'refs/notes/acme' of https://dscm.esl.cisco.com/git/153/comp-15301478
a9e968e0393d063a27fb613ebd8013c3cfd23235 branch 'a1_5_id_integration' of https://dscm.esl.cisco.com/git/153/comp-15301478
afe8550a2a99bd55b610046fdca6d0e8e16e47eb branch 'acme_empty' of https://dscm.esl.cisco.com/git/153/comp-15301478
308364ff4b363199edaa4c72c54be421e6eafab9 branch 'airstrike_dev' of https://dscm.esl.cisco.com/git/153/comp-15301478
d951635e6599d6d825f6f7d76e00b0d980ffd9fd branch 'airstrike_platform_dev' of https://dscm.esl.cisco.com/git/153/comp-15301478
81f8d38112706cfe228a221cdd72a9588062b139 branch 'albacore' of https://dscm.esl.cisco.com/git/153/comp-15301478
bd8ee01e51eba6d8807f386f7d3a10bc5cc9f65b branch 'amazon' of https://dscm.esl.cisco.com/git/153/comp-15301478
cb09ca28abb6bb79ae7fa12660ddfdb4e22f673d branch 'andaman' of https://dscm.esl.cisco.com/git/153/comp-15301478
0d9988b3de90d054e1666f39f9e474563369c7c7 branch 'ankaa1_4' of https://dscm.esl.cisco.com/git/153/comp-15301478
8e974fd806e21178acbf71b1a40a25e835f3aa6a branch 'ankara' of https://dscm.esl.cisco.com/git/153/comp-15301478
c8bf2a2ce2ecd0a25787ac002768f580bca55a3a branch 'aons_foundation_fea' of https://dscm.esl.cisco.com/git/153/comp-15301478
f0153cc8691a03ddfeb9fe09487a2ab24a92bb24 branch 'aons_foundation_phase2' of https://dscm.esl.cisco.com/git/153/comp-15301478
209f245ff9d10439d57457153c1c53eca6b14a0e branch 'ashfield' of https://dscm.esl.cisco.com/git/153/comp-15301478
cc56533d43f9e39a60f2a7bfb62d8b1938bfd530 branch 'au' of https://dscm.esl.cisco.com/git/153/comp-15301478
42f3803c386f1eb208fb1675c2fc0f6c91cc28c4 branch 'auriga' of https://dscm.esl.cisco.com/git/153/comp-15301478
0e2abdde0112e8faf7fe7376575ae41c0d7fac3c branch 'auriga_413_throttle' of https://dscm.esl.cisco.com/git/153/comp-15301478
4e57527e61c55498dde96981a2763819df7559b8 branch 'avalon' of https://dscm.esl.cisco.com/git/153/comp-15301478
5eba6175fe77386b88338a17e2d00642c831d8b2 branch 'avalon_nx_com' of https://dscm.esl.cisco.com/git/153/comp-15301478
a5cd77b65d4b8b7ddede9b201d7fc9b7b3bc3c5d branch 'avalon_nx_rel_8_1_1a_com' of https://dscm.esl.cisco.com/git/153/comp-15301478
98155803684c6c32501bc515cc81136a43a74f5c branch 'avatar_2' of https://dscm.esl.cisco.com/git/153/comp-15301478
da0988fffd53577b908ea3ec8af40f78068b5ec branch 'baikal-rib' of https://dscm.esl.cisco.com/git/153/comp-15301478
9434333d1a53a7e400b722d14c941908313d3ee7 branch 'baikal_22_dev' of https://dscm.esl.cisco.com/git/153/comp-15301478
0ba8b4111856085b1761b4fc1efb7ec3e2d3015c branch 'baikal_23_dev' of https://dscm.esl.cisco.com/git/153/comp-15301478
9f8cec8effef5fa0652a44107950cf9433f40f3b branch 'baselard' of https://dscm.esl.cisco.com/git/153/comp-15301478
d2b8f4e3fe94a3c793f867a399bbb46e0d287527 branch 'baselard_integ' of https://dscm.esl.cisco.com/git/153/comp-15301478
02c73c9c0f8ea32a343152ab5c2ea053b0c412ba branch 'bender' of https://dscm.esl.cisco.com/git/153/comp-

15301478
a3d0176a1cee663ff1ae51273b36819b8f916157 branch
'bender_bf' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
69265b091ea751da11ba4ca4e41cdf7e6a4d789a branch 'bender_throttle' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
c6a472ed4cbdfe3e7a64978035aeaa248895f965 branch 'beverlyhills' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
4d00b9d06b0ea7ee6fda3dd73c6b869d67a5dded branch 'beverlyhills_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
faa7f394239f28a25f6e5d8196b3ee28413b9d67 branch 'beverlyhills_rel_8_2_3_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
497711a3e17bf818e6903106fe026715895514dc branch 'beverlyhills_rel_8_2_4' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
9cb4a4d0c61746e528a5e20645a7512c7e9ea776 branch 'beverlyhills_rel_8_2_4_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
c9e422c3edab989cd757e6eb76c57fdad99a61b6 branch 'bl' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
8eccefee47743483aa4ff7e0a5907eb3ce03875d branch
'bogota' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
a5b7f1d055b928bdfaf21ae63d201ad6a7d87067 branch 'bouncer_main_31' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
581840ee91bca23db25ff210ee8f48f088c924fd branch 'bouncer_main_new_3_3' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
cd09c803cf7b3cb2d7802156ff44377aa66aa93d branch 'brixton' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
bf01624ddb7848c137cc3fb9cb41340e950c1507 branch 'bronte' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
f9059ec29402fd4ee5be7a3d2c1220b237dfab40 branch 'c4710ace-a1_7-throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
7ef062aca523fab7b179dbfc2b28531990e1f04d branch 'cairo' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
ce9962af46904057f11fb9708dedb4d54e0bb5c1 branch 'calculon' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
81afd4e3c64fe90013115c0bc393e26a6aeb19c6 branch 'calculon2' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
947493009e8b5bc81c4196a0de081e1560a7abfe branch
'calculon_tsh' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
749a41a6d3b20ba21a43d21c873d1b3af59eab05 branch 'camden' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
c89e8dbd92b78b6bc948f1cdec994cfa683bb779 branch 'cat6k-fex' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
23dd6099d12bfe2707a0be1814fc5a9702ff62d7 branch 'cinquedia' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
903505c805418ae362f73860747d1b78b1eba6d1 branch 'cinquedia_bld2_proj' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
fb27e70ceb2a644c4f99786faf1ece9737ef4f6a branch 'cinquedia_next' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
145bc311522c112f9571db2cd33c5324ff767666 branch 'converge_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
14918d493e18d785fae043824958b0fa32926d97 branch 'csg2_main' of <https://dscm.esl.cisco.com/git/153/comp-15301478>

15301478
4b765db93d2df109734312bdf039521f8112a46 branch 'cupertino_com' of https://dscm.esl.cisco.com/git/153/comp-15301478
b44b68849c01d3c522a065ce7559510609068115 branch
'd_plus' of https://dscm.esl.cisco.com/git/153/comp-15301478
bdf5834f036b12d1bf2ac1e5171097914419757 branch 'daox' of https://dscm.esl.cisco.com/git/153/comp-15301478
fb3e10d6fd32e9be210d75893c68e00e1b2f8a92 branch 'daox_vem_ss-project' of
https://dscm.esl.cisco.com/git/153/comp-15301478
37c7bc3e9015888ae49d995ab027c2d2d96ea8c0 branch 'db' of https://dscm.esl.cisco.com/git/153/comp-15301478
372426417e0574776faba0a48bd084b7dde3ce9c branch 'dbq' of https://dscm.esl.cisco.com/git/153/comp-15301478
5d05d98bcf4e20379ec9012578a26b1a642cc86b branch 'deewhy' of https://dscm.esl.cisco.com/git/153/comp-15301478
2c341ff12fd1d96eb8046af4783ccafaa6919a4a branch 'delhi' of https://dscm.esl.cisco.com/git/153/comp-15301478
6759232f6dc5b608dab6f45ee64e3c003e7c942e branch 'dominica' of https://dscm.esl.cisco.com/git/153/comp-15301478
dd11747c110645522f329da909751dd75b5a7252 branch 'dp_n3500' of https://dscm.esl.cisco.com/git/153/comp-15301478
542df882658f55c50fe5c5c3ebec2cdbcfc1dc0ab branch
'dublin' of https://dscm.esl.cisco.com/git/153/comp-15301478
03badb12a0b66b1421147d9b4a8121e6a7b7bb3b branch 'eagle' of https://dscm.esl.cisco.com/git/153/comp-15301478
693b8b755085214667f3fa7ef1879c99f7034b99 branch 'eagle_integ' of https://dscm.esl.cisco.com/git/153/comp-15301478
3a98b8c78bff8bf035238d9ceca7b72413cbfbbb branch 'earth_dev' of https://dscm.esl.cisco.com/git/153/comp-15301478
4a1074031c1dd029a747ee84fee81fda704a3548 branch 'eden_fcs_mtc' of https://dscm.esl.cisco.com/git/153/comp-15301478
b02be2a6ea95efaf17e2e7efb17d08371a000472 branch 'eden_fcs_trident' of https://dscm.esl.cisco.com/git/153/comp-15301478
e87da2deb0008f582ab8d3cceb74d48cc6213a88 branch 'eden_feat' of https://dscm.esl.cisco.com/git/153/comp-15301478
62b18d674216af92cb8ee958fe094a9e2121a7a9 branch 'edinburgh' of https://dscm.esl.cisco.com/git/153/comp-15301478
cb9d1e296c178aa2ce9a0227cdbc9b194ea6283 branch 'eldorado'
of https://dscm.esl.cisco.com/git/153/comp-15301478
576a1d4500233107515f5e524832451c056c33bf branch 'erocks' of https://dscm.esl.cisco.com/git/153/comp-15301478
f936b8772ce3c0969d1530fc0a912c0e06b1cb96 branch 'erocks_plus' of https://dscm.esl.cisco.com/git/153/comp-15301478
6fa109d86c4d75e1c2d01318402cf2b257e1535d branch 'f3_vinci' of https://dscm.esl.cisco.com/git/153/comp-15301478
cca1814aba67221e0a2a423c6d49717f6999ec64 branch 'f_3500' of https://dscm.esl.cisco.com/git/153/comp-15301478
f725771fc2469584a5b3a3780e7673d112aabdd8 branch 'ffex_dev' of https://dscm.esl.cisco.com/git/153/comp-15301478
ea6288281cdf21c428b592521cafcee2150b7628 branch 'fh' of https://dscm.esl.cisco.com/git/153/comp-15301478
e8beebbb8f177e4ab4a15b90b260302ebbb97caa branch 'firststrike_dev' of https://dscm.esl.cisco.com/git/153/comp-15301478

d784f97ff5701c9fab71069a51ee90a9600e9a12 branch 'freetown' of https://dscm.esl.cisco.com/git/153/comp-15301478
fa9088f3e60e64a872d019a2d4b3fbbf6d1b81ca branch 'freetownone' of https://dscm.esl.cisco.com/git/153/comp-15301478
39eb5b40f093bed1eef7cbdca0b1f88cc4248add branch 'fretta' of https://dscm.esl.cisco.com/git/153/comp-15301478
2bbb4c5769f5525d9ac49549968715e6d287df81 branch 'ft-mr2' of https://dscm.esl.cisco.com/git/153/comp-15301478
2b49105ff402ffb3ca2355ea3fe4a800ae44e11b branch 'ft-mr4' of https://dscm.esl.cisco.com/git/153/comp-15301478
1dedcfa86cd9a1f4d4601d9b0a754bfcda18d342 branch 'ft1-mr2' of https://dscm.esl.cisco.com/git/153/comp-15301478
1bbcd7694d98406fb20cdec3e10c6a48119ff908 branch 'g_dev' of https://dscm.esl.cisco.com/git/153/comp-15301478
f323d0d3c2f6bf3cc908c2d15274033aea55cf14 branch 'garibaldi_dev' of https://dscm.esl.cisco.com/git/153/comp-15301478
af87e7869259ea7cc89d933b98d646dc6a8a6566 branch 'gbr' of https://dscm.esl.cisco.com/git/153/comp-15301478
a2f61f718b1c6a70da15e490d51c7cc047164bb8 branch 'gbr_bf' of https://dscm.esl.cisco.com/git/153/comp-15301478
39f6a6b0231ee05d699903e1d6886849f967a70f branch 'gbr_bundle_test' of https://dscm.esl.cisco.com/git/153/comp-15301478
79063adcab4db50596b782ae5b508492c7a52228 branch 'gc_maint' of https://dscm.esl.cisco.com/git/153/comp-15301478
fa9d1b0a03db151b8b3a1b8eb026e6362c042995 branch 'gibraltar' of https://dscm.esl.cisco.com/git/153/comp-15301478
3fd0e000351d1c7ec818a79a9ee8abec254da5ea branch 'gibraltartwo' of https://dscm.esl.cisco.com/git/153/comp-15301478
96d2457c996fd955e9a4c7c0e7ef52da142cd672 branch 'gmr1' of https://dscm.esl.cisco.com/git/153/comp-15301478
c1ab9aefc6b1347982a0b6ff2925c54d33a85392 branch 'goldcoast' of https://dscm.esl.cisco.com/git/153/comp-15301478
0dad6c5fe8bdaa73caae3402883ff324d2378508 branch 'golf_nxos' of https://dscm.esl.cisco.com/git/153/comp-15301478
ad7a0e02db66b29c9dae415301f096eaf6ecff60 branch 'gplus_dev' of https://dscm.esl.cisco.com/git/153/comp-15301478
11fe16388c801c29bdb744ae63bef535e3a18753 branch 'greensboro' of https://dscm.esl.cisco.com/git/153/comp-15301478
7e22a7dba2ee8ca8ffa2b3571596e2d8d18bb6cb branch 'greensboro_cn6k' of https://dscm.esl.cisco.com/git/153/comp-15301478
d097c8e9cb853f785b88701bb552dfbbc9894135 branch 'h_cn12k' of https://dscm.esl.cisco.com/git/153/comp-15301478
c7d0229dcc541520afc7b4d1c6e7ab010095f77d branch 'h_dev' of https://dscm.esl.cisco.com/git/153/comp-15301478
e1bd69b934c4073d8cefb6e7996ead22e511d71f branch 'h_dev_64bit' of https://dscm.esl.cisco.com/git/153/comp-15301478
d4f59c0474caaa0e41fd7ad6f929eb743dd5f324 branch 'h_dev_sa_ft' of https://dscm.esl.cisco.com/git/153/comp-15301478
c6705e834ba11db6846c855c443b55ac2e5830df branch 'hamilton' of https://dscm.esl.cisco.com/git/153/comp-15301478
b6e7312ad4223318e9549e8200b58cbbb9c69e03 branch 'helsinki_mds' of https://dscm.esl.cisco.com/git/153/comp-15301478
ef661f472337a84c6f96e3ee4e7d608ee02bf91b branch 'hmr2_dev' of https://dscm.esl.cisco.com/git/153/comp-15301478

36b7d19577707d8e73cd9c87fa49e21f2f54be4a branch 'hyperv' of https://dscm.esl.cisco.com/git/153/comp-15301478
f507d20dbc7a4927d91862c6c6ef222b324ce456 branch
'hyperv_throttle' of https://dscm.esl.cisco.com/git/153/comp-15301478
d11df479f60faa7782bae049c1d8f6d0c5b97bf8 branch 'hyperv_v2' of https://dscm.esl.cisco.com/git/153/comp-15301478
c3a0d8739d0aee04c9c26283d2a5d5bfbab112fc branch 'i_wrl8_toolchain' of
https://dscm.esl.cisco.com/git/153/comp-15301478
f3dd46f7e5233681d53d946704f3b8484ba79edb branch 'ias' of https://dscm.esl.cisco.com/git/153/comp-15301478
140eb4191a66314e9841045d35d51516e1fa9413 branch 'icaria2_cco' of https://dscm.esl.cisco.com/git/153/comp-15301478
f8312481aa1fdf22a586c7445cd40ef0eb622f6a branch 'id2' of https://dscm.esl.cisco.com/git/153/comp-15301478
4fefc143cb49a0ffeadae3801a9496a7c1b5eeee branch 'infinity_25k' of https://dscm.esl.cisco.com/git/153/comp-15301478
415b381b092ad1ecb639827edd6574779f38e8c6 branch 'ioa' of https://dscm.esl.cisco.com/git/153/comp-15301478
69b89a6b04f7bf692aaa07258ede18e84a91701b branch 'iplus_b' of https://dscm.esl.cisco.com/git/153/comp-15301478
d337838222cbb6b6380522946690749e8f339e17 branch
'iplus_dev' of https://dscm.esl.cisco.com/git/153/comp-15301478
1fdcabb6ae1e50c233361876735356c91496da37 branch 'irvine' of https://dscm.esl.cisco.com/git/153/comp-15301478
059f8da47808923f2683f14086a54c76640d1534 branch 'iscm_ss_atherton' of
https://dscm.esl.cisco.com/git/153/comp-15301478
fc51afb403f07b3c70daaf1ac5bf80c3c1774b42 branch 'itasca_dev' of https://dscm.esl.cisco.com/git/153/comp-15301478
3dfd9ac75e0d6e2e1e03907cd1010c2846ab6e33 branch 'itasca_main' of https://dscm.esl.cisco.com/git/153/comp-15301478
ba2fd9569703df93afb794d1e02f29050a9ac138 branch 'itasca_vo_181b' of https://dscm.esl.cisco.com/git/153/comp-15301478
f6b6ef8e01e35d97da1e8ca34264a05cb2dbd4d7 branch 'itasca_vo_191' of https://dscm.esl.cisco.com/git/153/comp-15301478
b901961fb218f1e4f787994711fea2365dc01dd8 branch 'itasca_vo_21033' of
https://dscm.esl.cisco.com/git/153/comp-15301478
fbcf64c850e1f61582489993ce99012d4c246437 branch 'itasca_vo_2106' of https://dscm.esl.cisco.com/git/153/comp-15301478
23032b1bdcb3039cab2c9bebc452584104d00850 branch
'kilkenny_cco' of https://dscm.esl.cisco.com/git/153/comp-15301478
276c2c17817d79a12a21f98ab8efc7e6ace890f7 branch 'kilkenny_cco_qip' of
https://dscm.esl.cisco.com/git/153/comp-15301478
eef6ca0c2e377e90a281ca79909357e61e7162d2 branch 'kokomo2' of https://dscm.esl.cisco.com/git/153/comp-15301478
f0183e78dcf974af418008c22ee73c524f8065fa branch 'kokomo2_mr5' of https://dscm.esl.cisco.com/git/153/comp-15301478
db2a7d37016efef4a0d076cc33de929f5bd81f12 branch 'kumo' of https://dscm.esl.cisco.com/git/153/comp-15301478
af8b7325142cd9d4f6194cbdb6d8478d34a136da branch 'kumo_classic' of https://dscm.esl.cisco.com/git/153/comp-15301478
b545c1bb678c670a1e0542335e5f937bc62d9607 branch 'main' of https://dscm.esl.cisco.com/git/153/comp-15301478
b63bd4541f35d414c9c8522643cc89a6b04ea973 branch 'malibu' of https://dscm.esl.cisco.com/git/153/comp-

15301478
6cf77b3e21752b254295c80abf27f1d4ccfbdabb branch 'milan'
of <https://dscm.esl.cisco.com/git/153/comp-15301478>
fd76e8f6248812daa20ea5ccbfe0944034aedacb branch 'mini_ucs_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
8be7d6032a008a2eaf4ea90146bb31f71a0821ef branch 'minishan' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
2e9f71651efea96ce7ee64a94cc027681e4c9383 branch 'morningstar_dev' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
c4f96f211387be7f74487ef50aace6d9bb2f2286 branch 'msgformat' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
b6d6fa4ddaa707b89d308923496d7742524fa691 branch 'msgformat_n6k2' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
982b1b6f225f4ccb7e1827a24630f27f500b738c branch 'n7k_aa_new' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
663d9fb2685a9fc05729f83f9b1bd22c7b7ed788 branch 'n7k_aa_new_ffex' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
f3e1206a99d0876716096a242405306e237684f6 branch 'n9k_redmond_dev' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
989ed9ca2ca04fb1c103ca40ca5ef8ea8be36cb8 branch
'nxos_music' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
0c0aa09eafeeba2d8002c8b49af22e16ee5c1f03 branch 'nxos_pi_patching_infra' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
46d91c04fe17073fc7dded151478b6fb1288b993 branch 'openflow_poc' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
af942f9d5bbd9f218dbb9f21b5f328fddeab29e3 branch 'pf_dev1' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
6fd848d04fcb1f5e33d4444fc677f8eea6beb686 branch 'ph3_5' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
f2bc608817a1b04e2ce81901c12d34069d54d817 branch 'pi70_rtg_bnb' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
209779d347aaa695a32863d27f969242a5b9d23f branch 'pi_kernel34' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
c0d1ed5843a711a9b43143bd16990542f5c9c113 branch 'r33' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
aeec478944bec360f74ce37afae785d380f77fb9 branch 'r41' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
9431c359fbc453db8726c3f1081af2eed181654e branch
'r42' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
f809ccbf2af5aef25ffb8de4f562c0bfc6791688 branch 'rel_3_0_0_a1_1_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
87d93bc1be10f610ce2eb468cda112f2ea54292f branch 'rel_3_3_2_1224937999' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
05c5023d78da3ea7f714b23cd65122180fdb92a branch 'rel_3_4_1_1213608616' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
c5f3d774503d3016a38c82dfd55c9c59d928c6b1 branch 'rel_4_2_0_181_1238668610' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
ac514a85ac99106c66769ccd4e4e86ee314fcd7 branch 'rel_4_2_0_232_1245089908' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
4b4b4dec07d40bbf32c9879ab90af1cf3e791950 branch 'rel_5_0_0_107a_1240538733' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>

5f5579b0d72a3f9473728ceaac6c1466e39bd1c branch 'rel_5_0_0_224_1254804350' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
ff1a854d0ff7e5c0931f314b12082860feb640e1 branch
'rel_5_2_0_270_1303376229' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
01afa718a42114dd05b0f0a446686c3e89b4f0e6 branch 'rel_6_2_0_136_1340789244' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
689377c1cf4f911431016c5fe6e226845b650492 branch 'rel_6_2_0_166_1340955287' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
646a4b83eea9f721abaa5cd580d116969f64b46d branch 'rel_6_2_0_257_1352462481' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
20acb97f034c3a8334c38b22606396e76a63a339 branch 'rel_6_2_1_1358881414' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
5fc08ef49bd79a75f25ed383199bec797979c1f0 branch 'rel_6_2_1_33_1361809351' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
751414a01ab1b7a88e07b326f208b9f0c7f6975f branch 'rel_6_2_1_33_1361810972' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
7c615c6307d1368a3fe35fd0c5bc543e810302cc branch 'rel_6_2_1_33_1361813473' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
951b02670b44338cb9dc08907f9dab8f82d97eaf branch
'rel_6_2_20_1508342187' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
8e06fe9b97684f2bdcde119b23a03dc34d491584 branch 'rel_6_2_20_1508343613' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
f99b05b7b6f6c8a4be4a48ac41a8a571a8aa24dc branch 'rel_6_2_22_1549471583' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
22f08f6fb3a9342449b5d500089beaf540cf9d1b branch 'rel_6_2_22_1549474307' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
05fe7b9455364a33abf847c3ec05d731867f1045 branch 'rel_6_2_25_1539182315' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
6050a58b40da4df4befdcf88556c6861cd67fe35 branch 'rel_6_2_25_1539191823' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
2a048c6f1c03349355e52c52935c2aeaa53efe11 branch 'rel_6_2_25_1539238092' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
37372dd95365436d3d3f3b101354d4a92ca3910f branch 'rel_6_2_25_1539239655' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
71c8ea4d50a392fb3dabab1da6f0ea4ab07d908f branch
'rel_6_2_25_1539248473' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
df97caa3defec8513e1a2204344e6390877deb89 branch 'rel_6_2_25_1539249764' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
079bdbabd79f7fa548ed9ee1dc1d3b04d21d3ff2 branch 'rel_6_2_27_1550363800' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
9523106cb6551f85591b17c54311433ff8087dfc branch 'rel_6_2_5_1377760250' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
5d3123e6c405ae90a2341ab990127f31dbbba3ea branch 'rel_7_3_0_d1_1c_1470763162' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
3fd68c8fd1dadcf4ff1acd68989e5a25e1217fcf branch 'rel_7_3_2_d1_1a_1506152203' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
ce8c8e553b059b7b99eb3bb4097613c2c5c768df branch 'rel_7_3_2_d1_1a_1506154528' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>

4813f1d402bb0b717762abd7c7bf4eca73766ed8 branch 'rel_a2_1_2_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
5fb9c13257ffdfab5962c1ba62a724a5fb7e6ae5 branch
'rel_a2_1_5_throttle' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
637a0b9c22dce42c9f17a88d104dbb5772e89ad1 branch 'rel_a2_1_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
6082bed932f2aed4226b321e0d0ef659acd39fc6 branch 'rel_a3_1_0_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
72fddd58f69efdf8cf9cfcf168963bfe28a089bf branch 'rel_a3_2_0_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
37b7ca7e8f6a3324b7084ebc1a0d1812bd93efad branch 'rel_a41_sustaining' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
f3ea3bc2282a05d52e707453d38821cb91a1533c branch 'rel_a42_sustaining' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
72470eab26284961e1c89db71301559e12bef166 branch 'rel_a5_2_1_throttle' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
66356d491a36335a136a8f0815f4067ddec9d4bc branch 'rome' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
b53c16eead58d6956c4b0764defa4423aec50033 branch
'sami_csg_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
753b4aa31444c4bcaf19de0ca2a9f4715df44e00 branch 'sbc_argos-cd8' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
e155771334f2f31cafdb7008a3b2966b0f1d0e4d branch 'scimitar-a18-rib' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
098a0a196c019d4ee4a4bc15c348fca81235b069 branch 'scimitar_eap2' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
48446a4b5fe9108d3d29d43acbe572535c5f97c0 branch 'scsi_3_0_0_335' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
105aa02289eea3020bae4a9aa87ed60fe3e2fa1f branch 'sf' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
21b124375bab313594e33834cd72d557abd80db8 branch 'sf_main_park' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
3202a93cf5ed097f2e727003fdec30998977aa3 branch 'sfish' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
07ad4755c9cc043b50c7f46bb69ed0190a170582 branch 'sfish_beta1' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
f30c7f51d5516bd9edccd197209cbe0a879ae4ad branch
'sfish_port_proj' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
91d074c2a66b413ca62a9afbe04802ef0bc12947 branch 'shadow_2_rel_625' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
b84db97b172c99605dec6dc11752c5b129861e1b branch 'sj' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
7a0106b95924f463eecd51e8fbc0f97f01be48df branch 'skywalker' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
06bd77b5d7b50a7afdce738674ec142c655701bf branch 'skywalker_com' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
3fa196950d2e766be74d183453588a4fcc92601a branch 'skywalker_rel_8_2_0_sk_0_148_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
f06e1ed0483da8b4374451d688f81a77b4de5d9e branch 'sl_sch' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
353bdbdf012daf882a63fb13c14639aa58b85d41 branch 'sl_sch_zn73' of <https://dscm.esl.cisco.com/git/153/comp-15301478>

55c1b9cd1e7cfb5fd1bdddaf80c78047d5db7be branch
'sla_cadmen' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
5653a55eaa0b143ab0478f5a26049dcc829c1830 branch 'smos_main' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
aaac4ed52c966ea355f983b1097a7461de97a192 branch 'smu_n7k_r710' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
8fc0e776de65ec8a55a4468d62183d1ea5f8e2b8 branch 'smu_n7k_r710_sajjad_test' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
71dada888ce90cd69c3970561940ce98b9977941 branch 'smu_n7k_r710_temp' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
f8f993be6024be49e485ec745d37db9c97c18259 branch 'sp_skywalker_73_161130_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
f3ae6f149c770ad44aedcc35432f514947e4e887 branch 'st_demo_lu_pair_p1' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
cd7423520b4ae3f92fa04577f2342744feb3294e branch 'st_freetown_clone' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
2bc93c134779efbe23e065084b6d8d1dade45f65 branch 'stargate' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
50f390f9ed8b9286c7b31111d3532ff7021a506 branch
'sync_march_7' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
65e581399de4e9d700c36e5c28948457a2fd599c branch 'sync_skywalker_73_160407_com' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
52a5af46815ea0d9d842ba020e104f7cccce88dc branch 'sync_test_c1' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
1efa7a9070b4abf9f30bbb526c9d9ef301ed42d2 branch 'sync_test_p1' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
891a5faaf8543fa6cc07cc80cdde010722906e83 branch 'talwar' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
315803f020b43a75703e1bcd28ef412f53c0aeed branch 'test_aron' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
0556f775d55169ee22de821b23d64b4f39e4c413 branch 'test_branching_time2' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
8713f07d6198f5072dd23927e4760828def510ee branch 'throttle_sbc_argos-cd8' of
<https://dscm.esl.cisco.com/git/153/comp-15301478>
38dbf00b4621334c955d3289fd92fd51d5f0f305 branch
'tomahawk_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
0e9da8a85ef3efa5f3aa180dc2fc24ba5d8b4f77 branch 'turing' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
865d29dbafb9353d3be76c1bd63b70cf08606b7f branch 'ucs_1_0' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
525dd7727316385b75a7a224cd1431e4dd4e4451 branch 'ucs_integ' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
904185ec6f5103b66d17d6b8da11a692191b96b0 branch 'udb' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
849ec2d80fdae023651c4f52d2fbe13dcf760a04 branch 'vam_itasca_dev' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
4490d20595812a0f4916ac9d7e53482428865ae3 branch 'venus_rib' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
82815a4d2ad9eddf3c51a22298ea2059018cc6c1 branch 'violet-rib' of <https://dscm.esl.cisco.com/git/153/comp-15301478>
80f161749264fc319e7f68bfa4884414b88670c1 branch 'xb_15' of <https://dscm.esl.cisco.com/git/153/comp-15301478>

76cf7da6ea2506d4a341ef921e7b7217779fd4f3 branch
'xb_dev2' of https://dscm.esl.cisco.com/git/153/comp-15301478
21ba2465d0cbcdf990f933a3c03b97197d6149ce branch 'xblade_main' of https://dscm.esl.cisco.com/git/153/comp-15301478
5d2e118677aae02b25ce1c0460708b36e17d2ead branch 'yushan_com' of https://dscm.esl.cisco.com/git/153/comp-15301478
0eea74a6c3bb3141bd056b6c291cadce2085df7f branch 'zn7_1_513_gch' of https://dscm.esl.cisco.com/git/153/comp-15301478
a6317fa6bea14fb21bae125f5bea5daa328cac16 branch 'zulu' of https://dscm.esl.cisco.com/git/153/comp-15301478
042a2f1ab8db9e1db17ccdb72e8c00c5274b3d12 branch 'zulu_41' of https://dscm.esl.cisco.com/git/153/comp-15301478
6d8037027b72e1f1ea13c9b60ee0365276bf6ab5 branch 'zulu_ca' of https://dscm.esl.cisco.com/git/153/comp-15301478
4d7eb3558c14a0ad99eb671c72244533b0a96a65 branch 'zulu_ca_integ' of https://dscm.esl.cisco.com/git/153/comp-15301478
7ac1838dd71f9a0ca114d5a54261dbac4265e558 branch 'zulu_electra' of https://dscm.esl.cisco.com/git/153/comp-15301478
d7d0184d733403ce16715e0a01278781fcf2acab branch
'zulu_eth_integ' of https://dscm.esl.cisco.com/git/153/comp-15301478
dc13f3ad869914012eced3645efed76807b27be9 branch 'zulu_integ' of https://dscm.esl.cisco.com/git/153/comp-15301478
f6b6b8d82b5685771f81fdfd56bf8a0e4be59565 branch 'zulu_trash1' of https://dscm.esl.cisco.com/git/153/comp-15301478
DIRC)]o1H]]o1H:2e osi\s5X@
module.mk]]o1X]]o1X:2f"RJitVEDkUmp?1ysmartpd_agent.c]]o2F]]o2F:2g;Gwz^vO.#smartpd_pfm_info.c]]o3n#
@]]o3n#@:2huH[6G18
smartpd_pfm_info.h]]o4]]o4:2i1T(BFf?smartpd_spec_db.c]]o41(]]o41:(0JewSgbsmartpd_spec_db.h];7e]]o5=0Jj'Y'
>mW2jsmartpd_spec_defn.rng.xml]"*)]]o5=0J
Yd<T[!,specfiles/smartpd_spec_dc3_10.xml]"2'j]]o6x0=0JNBB!dAZ)!specfiles/smartpd_spec_dc3_18.xml]]o7/m
=0J
5b6h<
bb specfiles/smartpd_spec_dc3_4.xml]"ZH]]o7@=0JKg5JPF(eZ
specfiles/smartpd_spec_dc3_9.xml]]o8=0Jd0}wpspecfiles/smartpd_spec_eth.xml]]o9E]]o9E:0J
OEh,,"specfiles/smartpd_spec_eth_n5k.xml]H]]o9P=0JE[BMR?.<5]!specfiles/smartpd_spec_m9116s.xml]]o:X]]o:
X:0J[!ih#fC specfiles/smartpd_spec_m9148.xml]-
DP]]o:="0J,\}=V,x!specfiles/smartpd_spec_m9148T.xml];]]o;jP=0J"r*_&
UmIyrD!specfiles/smartpd_spec_m9148s.xml]]p:]]p:0Jg~A+*.&!specfiles/smartpd_spec_m9222i.xml],@]]pF@=0
"
fKUw[P!specfiles/smartpd_spec_m9250i.xml]&X]]p=0"P^W#e&!specfiles/smartpd_spec_m9396T.xml]B]]pP=0"y
\${Iv S(!specfiles/smartpd_spec_m9396s.xml]]p`]]p`0"bD+|R\$r
specfiles/smartpd_spec_m9500.xml]<0]]p=0" K0m L[{ specfiles/smartpd_spec_m9700.xml]<]]pv0=0"
1n'&gF`o\*9 specfiles/smartpd\_spec\_m9706.xml]<^`]]p4=0"
2`b~9s
D3pt specfiles/smartpd_spec_m9710.xml]<0]]pj`=0"
2B6*]28+) specfiles/smartpd_spec_m9718.xml]]phX]]phX:0"p(;pr`]*-
J+specfiles/smartpd_spec_nexus_norcal_128.xml]]p^]]p^:0"n!,mjz7(5K]&W*specfiles/smartpd_spec_nexus_norcal
_24.xml]]p3@]]p3@:0"JtK.Ft{MC+specfiles/smartpd_spec_nexus_norcal_384.xml]]p]]p:0"sG**N1u*specfiles/sm
artpd_spec_nexus_norcal_48.xml]]pe#]]pe#:0"j'ApXM|#*specfiles/smartpd_spec_nexus_norcal_64.xml]]p]]p:0"f

- * notice, this list of conditions and the following disclaimer in
- * the documentation and/or other materials provided with the
- * distribution.
- *
- * 3. All advertising materials mentioning features or use
- of this
- * software must display the following acknowledgment:
- * "This product includes software developed by the OpenSSL Project
- * for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"
- *
- * 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
- * endorse or promote products derived from this software without
- * prior written permission. For written permission, please contact
- * openssl-core@openssl.org.
- *
- * 5. Products derived from this software may not be called "OpenSSL"
- * nor may "OpenSSL" appear in their names without prior written
- * permission of the OpenSSL Project.
- *
- * 6. Redistributions of any form whatsoever must retain the following
- * acknowledgment:
- * "This product includes software developed by the OpenSSL Project
- * for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"
- *
- * THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
- * EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
- TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
- * PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
- * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
- * LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- * OF THE POSSIBILITY OF SUCH DAMAGE.
- * =====
- *
- * This product includes cryptographic software written by Eric Young
- * (ey@cryptsoft.com). This product includes software written by Tim
- * Hudson (tjh@cryptsoft.com).
- *
- */

Original SSLeay License

```

/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
 * All rights reserved.
 *
 * This package is an SSL implementation written
 * by Eric Young (eay@cryptsoft.com).
 * The implementation was written so as to conform with Netscapes SSL.
 *
 * This library is free for commercial and non-commercial use as long as
 * the following conditions are aheared to. The following conditions
 * apply to all code found in this distribution, be it the RC4, RSA,
 * lhash, DES, etc., code; not just the SSL code. The SSL documentation
 * included with this distribution is covered by the same copyright terms
 * except that the holder is Tim Hudson (tjh@cryptsoft.com).
 *
 * Copyright remains Eric Young's, and as such any Copyright notices in
 * the code are not to be removed.
 * If this package is used in a product, Eric Young should be given attribution
 * as the author of the parts of the library used.
 * This can be in the form of a textual message at program startup or
 * in documentation (online or textual) provided with the package.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. All advertising materials mentioning features or use of this software
 * must display the following acknowledgement:
 * "This product includes cryptographic software written by
 * Eric Young (eay@cryptsoft.com)"
 * The word 'cryptographic' can be left out if the rouines from the library
 * being used are not cryptographic related :-).
 * 4. If you include any Windows specific code (or a derivative thereof) from
 * the apps directory (application code) you must include
 * an acknowledgement:
 * "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
 *
 * THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

```

- * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- *
- * The licence and distribution terms for any publically available version or
- * derivative of this code cannot be changed. i.e. this
- code cannot simply be
- * copied and put under another distribution licence
- * [including the GNU Public Licence.]
- */

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place - Suite 330, Boston, MA

02111-1307, USA.

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their

rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This

License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the

notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may

copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt

otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made

generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number.

If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19yy name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c'
for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

The "Artistic License"

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

"Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.

"Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder as specified below.

"Copyright Holder" is whoever is named in the copyright or copyrights for the package.

"You" is you, if you're thinking about copying or distributing this Package.

"Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
 - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as uunet.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
 - b) use the modified Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable

form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) give non-standard executables non-standard names, and clearly document the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided

that you do not advertise this Package as a product of your own. You may embed this Package's interpreter within an executable of yours (by linking); this shall be construed as a mere form of aggregation, provided that the complete Standard Version of the interpreter is so embedded.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whoever generated them, and may be sold commercially, and may be aggregated with this Package. If such scripts or library files are aggregated with this Package via the so-called "undump" or "unexec" methods of producing a binary executable image, then distribution of such an image shall neither be construed as a distribution of this Package nor shall it fall under the restrictions of Paragraphs 3 and 4, provided that you do not represent such an executable image as a Standard Version of this Package.

7. C subroutines

(or comparably compiled subroutines in other languages) supplied by you and linked into this Package in order to emulate subroutines and variables of the language defined by this Package shall not be considered part of this Package, but are the equivalent of input as in Paragraph 6, provided these subroutines do not change the language in any way that would cause it to fail the regression tests for the language.

8. Aggregation of this Package with a commercial distribution is always permitted provided that the use of this Package is embedded; that is, when no overt attempt is made to make this Package's interfaces visible to the end user of the commercial distribution. Such use shall not be construed as a distribution of this Package.

9. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

10. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

1.7 free-type 2.13.0

1.7.1 Available under license :

```
# Files that don't get a copyright, or which are taken from elsewhere.
#
# All lines in this file are patterns (relative to the top-level directory),
# including the comment lines; this means that e.g. `FTL.TXT' matches all
# files that have this string in the file name (including the path relative
# to the current directory, always starting with `./').
#
# Don't put empty lines into this file!
#
builds/unix/pkg.m4
#
docs/FTL.TXT
docs/GPLv2.TXT
#
include/freetype/internal/fthash.h
#
src/base/fthash.c
src/base/md5.c
src/base/md5.h
```

```
#
src/bdf/bdf.c
src/bdf/bdf.h
src/bdf/bdfdrivr.c
src/bdf/bdfdrivr.h
src/bdf/bdferror.h
src/bdf/bdfplib.c
src/bdf/module.mk
src/bdf/README
src/bdf/rules.mk
#
src/pcf/module.mk
src/pcf/pcf.c
src/pcf/pcf.h
src/pcf/pcfdrivr.c
src/pcf/pcfdrivr.h
src/pcf/pcferror.h
src/pcf/pcfread.c
src/pcf/pcfread.h
src/pcf/pcfutil.c
src/pcf/pcfutil.h
src/pcf/README
src/pcf/rules.mk
#
src/gzip/adler32.c
src/gzip/ftzconf.c
src/gzip/infblock.c
src/gzip/infblock.h
src/gzip/infcodes.c
src/gzip/infcodes.h
src/gzip/inffixed.h
src/gzip/inflate.c
src/gzip/inftrees.c
src/gzip/inftrees.h
src/gzip/infutil.c
src/gzip/infutil.h
src/gzip/zconf.h
src/gzip/zlib.h
src/gzip/zutil.c
src/gzip/zutil.h
#
src/tools/apinames.c
src/tools/ftrandom/ftrandom.c
#
subprojects/dlg
#
#
```

EOF

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. ('royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ('credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a

credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""""

Portions
of this software are copyright <year> The FreeType
Project (www.freetype.org). All rights reserved.

""""

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms

=====

0. Definitions

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display,

copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine', 'FreeType library', or 'FreeType Distribution'.

As you have not signed this license, you are not required to

accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

4. Contacts

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution. If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

--- end of FTL.TXT ---

FREETYPE LICENSES

The FreeType 2 font engine is copyrighted work and cannot be used legally without a software license. In order to make this project usable to a vast majority of developers, we distribute it under two mutually exclusive open-source licenses.

This means that **you** must choose **one** of the two licenses described below, then obey all its terms and conditions when using FreeType 2 in any of your projects or products.

- The FreeType License, found in the file `docs/FTL.TXT`, which is similar to the original BSD license **with** an advertising clause that forces you to explicitly cite the FreeType project in your product's documentation. All details are in the license file. This license is suited to products which don't use the GNU General

Public License.

Note that this license is compatible to the GNU General Public License version 3, but not version 2.

- The GNU General Public License version 2, found in ``docs/GPLv2.TXT`` (any later version can be used also), for programs which already use the GPL. Note that the FTL is incompatible with GPLv2 due to its advertisement clause.

The contributed BDF and PCF drivers come with a license similar to that of the X Window System. It is compatible to the above two licenses (see files ``src/bdf/README`` and ``src/pcf/README``). The same holds for the source code files ``src/base/fthash.c`` and ``include/freetype/internal/fthash.h``; they were part of the BDF driver in earlier FreeType versions.

The gzip module uses the zlib license (see ``src/gzip/zlib.h``) which too is compatible to the above two licenses.

The files ``src/autofit/ft-hb.c`` and ``src/autofit/ft-hb.h`` contain code taken almost verbatim from the HarfBuzz file ``hb-ft.cc``, which uses the 'Old MIT' license, compatible to the above two licenses.

The MD5 checksum support (only used for debugging in development builds) is in the public domain.

--- end of LICENSE.TXT ---

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by

the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work

which contains
a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies
of the Program's
source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide

a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or

executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy
the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each
time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number

of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN

IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest

to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.8 libpng 1.6.39

1.8.1 Available under license :

Copyright (c) 1998-2008 Greg Roelofs. All rights reserved.

This software is provided "as is," without warranty of any kind, express or implied. In no event shall the author or contributors be held liable for any damages arising in any way from the use of this software.

The contents of this file are DUAL-LICENSED. You may modify and/or redistribute this software according to the terms of one of the following two licenses (at your option):

LICENSE 1 ("BSD-like with advertising clause"):

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. Redistributions of source code must retain the above copyright notice, disclaimer, and this list of conditions.
2. Redistributions in binary form must reproduce the above copyright notice, disclaimer, and this list of conditions in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgment:

This product includes software developed by Greg Roelofs and contributors for the book, "PNG: The Definitive Guide," published by O'Reilly and Associates.

LICENSE 2 (GNU GPL v2 or later):

This program is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

pnm2png / png2pnm --- conversion from PBM/PGM/PPM-file to PNG-file

copyright (C) 1999-2019 by Willem van Schaik <willem at schaik dot com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The software is provided "as is", without warranty of any kind, express or implied, including but not limited to the warranties of merchantability, fitness for a particular purpose and noninfringement. In no event shall the authors or copyright holders be liable for any claim, damages or other liability, whether in an action of contract, tort or otherwise, arising from, out of or in connection with the software or the use or other dealings in the software.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and

modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer

to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to

this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it

free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute

it

under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is

what you want to do, use the GNU Library General

Public License instead of this License.

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

- * Copyright (c) 1995-2022 The PNG Reference Library Authors.
- * Copyright (c) 2018-2022 Cosmin Truta.
- * Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- * Copyright (c) 1996-1997 Andreas Dilger.
- * Copyright (c) 1995-1996 Guy Eric Schlnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted

to use, copy, modify, and distribute

this software, or portions hereof, for any purpose, without fee,

subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer

and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabuddhe
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as

libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit,

without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

1.9 perl 5.8.9

1.9.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License.

Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING,

BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program 'Gnomovision' (a program to direct compilers to make passes
at assemblers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

That's all there is to it!

The "Artistic License"

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

"Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files

created through textual modification.

"Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder as specified below.

"Copyright Holder" is whoever is named in the copyright or copyrights for the package.

"You" is you, if you're thinking about copying or distributing this Package.

"Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
 - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as uunet.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
 - b) use the modified Package only within your corporation or organization.
 - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide

a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable

form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) give non-standard executables non-standard names, and clearly document the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided

that you do not advertise this Package as a product of your own. You may embed this Package's interpreter within an executable of yours (by linking); this shall be construed as a mere form of aggregation, provided that the complete Standard Version of the interpreter is so embedded.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whoever generated them, and may be sold commercially, and may be aggregated with this Package. If such scripts or library files are aggregated with this Package via the so-called "undump" or "unexec" methods of producing a binary executable image, then distribution of such an image shall neither be construed as a distribution of this Package nor shall it fall under the restrictions of Paragraphs 3 and 4, provided that you do not represent such an executable image as a Standard Version of this Package.

7. C subroutines

(or comparably compiled subroutines in other languages) supplied by you and linked into this Package in order to emulate subroutines and variables of the language defined by this Package shall not be considered part of this Package, but are the equivalent of input as in Paragraph 6, provided these subroutines do not change the language in any way that would cause it to fail the regression tests for the language.

8. Aggregation of this Package with a commercial distribution is always permitted provided that the use of this Package is embedded; that is, when no overt attempt is made to make this Package's interfaces visible to the end user of the commercial distribution. Such use shall not be construed as a distribution of this Package.

9. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

10. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

1.10 sqlite 3.46.0

1.10.1 Available under license :

MIT License

Copyright (c) 2021 Anton Zhiyanov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.11 openjdk-jre 11.0.21u9

1.11.1 Available under license :

```
## c-libutl 20160225
```

```
### c-libutl License
```

```
...
```

This software is distributed under the terms of the BSD license.

```
== BSD LICENSE =====
```

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

```
...
```

```
## Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0
```

```
### Apache Commons BCEL Notice
```

```
<pre>
```

Apache Commons BCEL
Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution

notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS
IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>

Apache Xerces v2.12.2

Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java

Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any

Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of

TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

The Unicode Standard, Unicode Character Database, Version 10.0.0

Unicode Character Database

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, <http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and <http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU

UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b)
this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder

shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

Pako v1.0

Pako License

<pre>

Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(C) 1995-2013 Jean-loup Gailly and Mark Adler

(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any

source distribution.

</pre>

Mozilla Elliptic Curve Cryptography (ECC)

Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography,
which is included with JRE, JDK, and OpenJDK.

You are receiving a

[copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>)
of the Elliptic Curve Cryptography library in source
form with the JDK and OpenJDK source distributions, and as object code in
the JRE & JDK runtimes.

<pre>

In the case of the JRE & JDK runtimes, the terms of the Oracle license do
NOT apply to the Elliptic Curve Cryptography library; it is licensed under the
following license, separately from Oracle's JDK & JRE. If you do not wish to
install the Elliptic Curve Cryptography library, you may delete the
Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA_HOME)/lib/libsunec.so
- On Mac OSX systems: delete \$(JAVA_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA_HOME)\bin\sunec.dll

</pre>

###

Written Offer for Source Code

<pre>

For third party technology that you receive from Oracle in binary form
which is licensed under an open source license that gives you the right
to receive the source code for that binary, you can obtain a copy of
the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>

If the source code for the technology was not provided to you with the
binary, you can also receive a copy of the source code on physical
media by submitting a written request to:

Oracle America, Inc.
Attn: Associate General Counsel,
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

<http://www.oracle.com/goto/opensourcecode/request>

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version number of the Oracle product containing the binary
- The date you received the Oracle product
- Your name
- Your company name (if applicable)
- Your return mailing address and email and
- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing. Your request must be sent (i) within three (3) years of the date you received the Oracle product that included the component or binary file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

</pre>

LGPL 2.1

<pre>

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document,
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your

freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not

price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a

restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public

License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run

that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an

appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in

the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the

entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary

GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source

code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and

therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even

though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked

with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library

facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you

may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can
redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims
all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

</pre>
Little Color Management System (LCMS) v2.15

LCMS License
<pre>
README.1ST file information

LittleCMS core is released under MIT License

Little CMS
Copyright (c) 1998-2023 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN

NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The below license applies to the following files:
liblcms/cmssm.c

Copyright 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose providing that this copyright notice is included with it. SoftSurfer makes no warranty for this code, and cannot be held liable for any real or imagined damage resulting from its use. Users of this code must verify correctness for their application.

</pre>

AUTHORS File Information

Main Author

Marti Maria

Contributors

Bob Friesenhahn
Kai-Uwe Behrmann
Stuart Nixon

Jordi Vilar
Richard Hughes
Auke Nauta
Chris Evans (Google)
Lorenzo Ridolfi
Robin Watts (Artifex)
Shawn Pedersen
Andrew Brygin
Samuli
Suominen
Florian Hch
Aurelien Jarno
Claudiu Cebuc
Michael Vhrel (Artifex)
Michal Cihar
Daniel Kaneider
Mateusz Jurczyk (Google)
Paul Miller
Sbastien Lon
Christian Schmitz
XhmikosR
Stanislav Brabec (SuSe)
Leonhard Gruenschloss (Google)
Patrick Noffke
Christopher James Halse Rogers
John Hein
Thomas Weber (Debian)
Mark Allen
Noel Carboni
Sergei Trofimovic
Philipp Knechtges
Amyspark
Lovell Fuller
Eli Schwartz

Special Thanks

Artifex software
AlienSkin software
libVIPS
Jan Morovic
Jos Vernon (WebSupergoo)
Harald Schneider (Maxon)
Christian Albrecht
Dimitrios Anastassakis
Lemke Software
Tim Zaman

...

xwd v1.0.7

xwd utility

<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.

Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its
documentation for any purpose is hereby granted without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation.

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from The Open Group.

</pre>

IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

The FreeType Project: Freetype v2.13.0

FreeType Notice

...

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the

GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

FreeType License

...

Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2007-2023 by Derek Clegg and Michael Toftdal.
Copyright (C) 1996-2023 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and
Copyright (C) 2004-2023 by Masatake YAMATO and Redhat K.K.
Copyright (C) 2007-2023 by Derek Clegg and
Michael Toftdal.
Copyright (C) 2003-2023 by Masatake YAMATO, Red Hat K.K.,
Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Rttches.
Copyright (C) 2007-2023 by David Turner.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.
Copyright (C) 2007-2023 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.
Copyright (C) 2008-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.
Copyright (C) 2013-2023 by Google, Inc.
Copyright (C) 2019-2023 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2009-2023 by Oran Agra and Mickey Gabel.
Copyright (C) 2018-2023 by David Turner, Robert Wilhelm, Dominik Rttches, and Werner Lemberg.
Copyright (C) 2004-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages;
some of them may contain, in addition to the FreeType font engine,
various tools and contributions which rely on, or relate to, the

FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. ('as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. ('royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ('credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""""

Portions of this software are copyright <year> The FreeType Project (www.freetype.org). All rights reserved.

""""

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms

=====

0. Definitions

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive.

If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file

(`FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files.

If you use our work, you must acknowledge us. However, no fee need be paid to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

4. Contacts

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

...

GPL v2

...

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you

these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program

is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You

may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement

including an appropriate copyright notice and a

notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of

this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to

apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

...

Additional Freetype Attributions
...

The below license applies to the following files:

libfreetype/src/psaux/psarrst.c
libfreetype/src/psaux/psarrst.h
libfreetype/src/psaux/psblues.c
libfreetype/src/psaux/psblues.h
libfreetype/src/psaux/pserror.c
libfreetype/src/psaux/pserror.h
libfreetype/src/psaux/psfixed.h
libfreetype/src/psaux/psfont.c
libfreetype/src/psaux/psfont.h
libfreetype/src/psaux/psft.c
libfreetype/src/psaux/psft.h
libfreetype/src/psaux/psglue.h
libfreetype/src/psaux/pshints.c
libfreetype/src/psaux/pshints.h
libfreetype/src/psaux/psintrap.c
libfreetype/src/psaux/psintrap.h
libfreetype/src/psaux/psread.c
libfreetype/src/psaux/psread.h
libfreetype/src/psaux/psstack.c
libfreetype/src/psaux/psstack.h
libfreetype/src/psaux/pstypes.h

Copyright

2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a

perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

...

MIT License

...

The below license applies to the following files:
libfreetype/include/freetype/internal/fthash.h
libfreetype/src/base/fthash.c

Copyright 2000 Computing Research Labs, New Mexico State University
Copyright 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

PC/SC Lite v1.9.5

PC/SC Lite License

<pre>

The main parts of the code are using the BSD-like licence bellow:

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS

SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some source code files are using other licences. See the [COPYING](<https://salsa.debian.org/rousseau/PCSC/-/blob/master/COPYING>) file for details.

</pre>

JSZip v3.7.1

JSZip is dual licensed. You may use it under the MIT license *or* the GPLv3 license.

The MIT License

...

Copyright (c) 2009-2016 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS

OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

GPL version 3

...

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its

users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have

certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the

GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A

"Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that

is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose

of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product

(including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status

of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent

that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification
of licensors and authors of that
material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms

of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However,

nothing other

than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent

license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the

GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

...

Double-conversion v1.1.5

Double-conversion License

<https://raw.githubusercontent.com/google/double-conversion/master/LICENSE>

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

libpng v1.6.39

libpng License

<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

Copyright (c) 1995-2022 The PNG Reference Library Authors.
Copyright (c) 2018-2022 Cosmin Truta
Copyright (c) 1998-2018 Glenn Randers-Pehrson
Copyright (c) 1996-1997 Andreas Dilger
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby
granted to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and are distributed according to the
same
disclaimer and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta

Gilles Vollant
James Yu
Mandar Sahastrabuddhe
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000

Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

TRADEMARK

=====

The name "libpng" has not been registered by the Copyright owners as a trademark in any jurisdiction. However, because libpng has been distributed and maintained world-wide, continually since 1995, the Copyright owners claim "common-law trademark protection" in any jurisdiction where common-law trademark is recognized.

</pre>

AUTHORS File Information

...

PNG REFERENCE LIBRARY AUTHORS

=====

This is the list of PNG Reference Library ("libpng") Contributing Authors, for copyright and licensing purposes.

- * Andreas Dilger
- * Cosmin Truta
- * Dave Martindale
- * Eric S. Raymond
- * Gilles Vollant
- * Glenn Randers-Pehrson
- * Greg Roelofs
- * Guy Eric Schalnat
- * James Yu
- * John Bowler
- * Kevin Bracey
- * Magnus Holmgren
- * Mandar Sahastrabuddhe
- * Mans Rullgard
- * Matt Sarett
- * Mike Klein
- * Pascal Massimino
- * Paul Schmidt
- * Qiang Zhou
- * Sam Bushell
- * Samuel Williams
- * Simon-Pierre Cadieux
- * Tim Wegner
- * Tom Lane
- * Tom Tanner
- * Vadim Barkov
- * Willem van Schaik
- * Zhijie Liang
- * Arm Holdings
 - Richard Townsend
- * Google Inc.
 - Dan Field
 - Leon Scroggins III
 - Matt Sarett
 - Mike Klein
 - Sami Boukourt

The build projects, the build scripts, the test scripts, and other files in the "ci", "projects", "scripts" and "tests" directories, have

other copyright owners, but are released under the libpng license.

Some files in the "contrib" directory, and some tools-generated files that are distributed with libpng, have other copyright owners, and are released under other open source licenses.

...

Eastman Kodak Company: Portions of color management and imaging software

Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

Thai Dictionary

Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

Apache Santuario v2.3.0

Apache Santuario Notice

<pre>

Apache Santuario - XML Security for Java
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European
Commission in the <WebSig> project in the ISIS Programme.

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity
authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that

do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from

the Work, provided

that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except
in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

Mozilla Public Suffix List

Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public_suffix_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the

<java-home>/lib/security/public_suffix_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at https://raw.githubusercontent.com/publicsuffix/list/88467c960d6cdad2ca1623e892e5e17506bc269f/public_suffix_list.dat.

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

...

MPL v2.0

...

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered

Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent

claim(s), including without limitation, method,

process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its

Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3.

Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support,

indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

(a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

```

*****
*
*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
* statutory, including, without limitation, warranties that the
* Covered Software is free of defects, merchantable, fit for a
* particular purpose or non-infringing. The entire risk as to the
* quality and performance of the Covered Software is with You.
* Should any Covered Software prove defective in any respect, You
* (not any Contributor) assume the cost of any necessary servicing,
* repair, or correction. This disclaimer of warranty constitutes an
*
* essential part of this License. No use of any Covered Software is
* authorized under this License except under this disclaimer.
*
*****

*****
*
*
* 7. Limitation of Liability
* -----
*
* Under no circumstances and under no legal theory, whether tort
* (including negligence), contract, or otherwise, shall any
* Contributor, or anyone who distributes Covered Software as
* permitted above, be liable to You for any direct, indirect,
* special, incidental, or consequential damages of any
* character
* including, without limitation, damages for lost profits, loss of
* goodwill, work stoppage, computer failure or malfunction, or any
* and all other commercial damages or losses, even if such party
* shall have been informed of the possibility of such damages. This
* limitation of liability shall not apply to liability for death or
* personal injury resulting from such party's negligence to the
* extent applicable law prohibits such limitation. Some
* jurisdictions do not allow the exclusion or limitation of
* incidental or consequential damages, so this exclusion and
* limitation may not apply to You.
*
*****

8. Litigation
-----

```

Any litigation relating to this License may be brought only in the courts

of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions.

Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.

Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With

Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

...

ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the

files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications

to this package which may subsequently be redistributed and/or involve the use of third party software.

OASIS PKCS #11 Cryptographic Token Interface v3.0

OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: <http://www.oasis-open.org/policies-guidelines/ipr>

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any

document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED

WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

DOM Level 3 Core Specification v1.0

W3C Software Notice

<pre>

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University).

All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

```
</pre>
```

```
### W3C License
<pre>
```

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided
by the copyright holders under the following
license. By obtaining, using and/or copying this work, you (the licensee)
agree that you have read, understood, and will comply with the following terms
and conditions.

Permission to copy, modify, and distribute this software and its
documentation, with or without modification, for any purpose and without fee
or royalty is hereby granted, provided that you include the following on ALL
copies of the software and documentation or portions thereof, including
modifications:

- 1.The full text of this NOTICE in a location viewable to users of the
redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and
conditions. If none exist, the W3C Software Short Notice should be included
(hypertext is preferred, text is permitted) within the body of any
redistributed or derivative code.
- 3.Notice of any changes or modifications to the files, including the date
changes were made.
(We recommend you provide URIs to the location from
which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS
MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT
LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR
PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY

THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

```
</pre>
## Cryptix AES v3.2.0
```

```
### Cryptix General License
<pre>
```

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at openjdk.java.net ("OpenJDK Code") is distributed under the terms of the GNU General Public License <<http://www.gnu.org/copyleft/gpl.html>> version 2 only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code is making a combined work based on this library. Thus, the terms and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this OpenJDK Code with certain code licensed by Oracle as indicated at <http://openjdk.java.net/legal/exception-modules-2007-05-08.html> ("Designated Exception Modules") to produce an executable, regardless of the license terms of the Designated Exception Modules, and to copy and distribute the resulting executable under GPL2, provided that the Designated Exception Modules continue to be governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code to build an executable that includes those portions of necessary code that Oracle could not provide under GPL2 (or that Oracle has provided under GPL2 with the Classpath exception). If you modify or add to the OpenJDK code, that new GPL2 code may still be combined with Designated Exception Modules if the new code is made subject to this exception by its copyright holder.

International Components for Unicode (ICU4J) v60.2

ICU4J License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),

YOU UNEQUIVOCALLY ACCEPT,

AND AGREE TO BE BOUND BY, ALL OF THE

TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

jopt-simple v5.0.4

MIT License

<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

Independent JPEG Group: JPEG release 6b

JPEG License

<pre>

Must reproduce following license in documentation and/or other materials

provided with distribution:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2)

If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this
distribution by permission of L. Peter Deutsch,
sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA.
ansi2knr.c is NOT covered by the above copyright and conditions, but instead
by the usual distribution terms of the Free Software Foundation; principally,
that you must include source code if you redistribute it.

(See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi.

Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

</pre>

jQuery v3.6.1

jQuery License

...

jQuery v 3.6.1

Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The jQuery JavaScript Library v3.6.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/sizzle>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

Apache Xalan v2.7.2

Apache Xalan Notice

<pre>

=====

====

== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==

=====

====

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a
compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright

owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare
Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative

Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing

the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to
in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian
Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both the copyright notice and this permission notice and warranty
disclaimer appear in supporting documentation, and that the name of
the authors or their employers not be used in advertising or publicity
pertaining to distribution of the software without specific, written
prior permission.

The authors and their employers disclaim all warranties with regard to
this software, including all implied warranties of merchantability
and

fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software. The portions of
JLex output which are hard-coded into the JLex source code are (naturally)
covered by this same license.

</pre>

JRuby Joni v2.1.16

MIT License

<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
</pre>
## GIFLIB v5.2.1

### GIFLIB License
...
```

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c>

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>

SPDX-License-Identifier: MIT

CUP Parser Generator for Java v 0.11b

CUP Parser Generator License

...

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

...

...

This is an open source license. It is also GPL-Compatible (see entry for "Standard ML of New Jersey"). The portions of CUP output which are hard-coded into the CUP source code are (naturally) covered by this same license, as is the CUP runtime code linked with the generated parser.

...

All images in this directory are copyright 1995 by Jeff Dinkins.

Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license

document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that

- you have the freedom to
- distribute copies of free software (and charge for this service if you wish),
- that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,

- for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run,

you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with

Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent

obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you,

then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for

permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How

to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free

Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module

which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

jQuery UI v1.13.2

jQuery UI License

...

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

Unicode Common Local Data Repository (CLDR) v33

CLDR License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

...

Dynalink v.5

Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Harfbuzz v7.2.0

Harfbuzz License

<https://github.com/harfbuzz/harfbuzz/blob/7.2.0/COPYING>

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow. For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010-2023 Google, Inc.
Copyright 2018-2020 Ebrahim Byagowi
Copyright 2004-2013 Red Hat, Inc.
Copyright 2019 Facebook, Inc.
Copyright 2007 Chris Wilson
Copyright 2018-2019 Adobe Inc.
Copyright 2006-2023 Behdad Esfahbod

Copyright 1998-2004 David Turner and Werner Lemberg
Copyright 2009 Keith Stribley
Copyright 2018 Khaled Hosny
Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>
Copyright 2016 Igalia S.L.
Copyright 2015 Mozilla Foundation.
Copyright 1999 David Turner
Copyright 2005 Werner Lemberg
Copyright 2013-2015 Alexei Podtelezhnikov
Copyright 2022 Matthias Clasen
Copyright 2011 Codethink Limited

For full copyright notices
consult the individual files in the package.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section,
is licensed as above. The one
exception is licensed with a slightly different MIT variant:
The contents of this directory are licensed under the following terms:

The below license applies to the following files:
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

</pre>

AUTHORS File Information

...

Behdad Esfahbod
David Corbett
David Turner
Ebrahim Byagowi
Garret Rieger
Jonathan Kew
Khaled Hosny
Lars Knoll
Martin Hosken
Owen Taylor
Roderick Sheeter
Roozbeh Pournader
Simon Hausmann
Werner Lemberg

...

JLine v3.22.0

JLine License

<pre>

Copyright (c) 2002-2018, the original author or authors.
All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

4th Party Dependency

=====

org.fusesource.jansi version 2.4.0

org.apache.sshd 2.9.2

org.apache.felix.gogo.runtime 1.1.6

org.apache.felix.gogo.jline 1.1.8

=====

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean
Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

- (a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry
prominent notices
stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works,

if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT,

MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====
juniversalchardet

The library is subject to the Mozilla Public License Version 1.1.

Alternatively,
the library may be used under the terms of either the GNU General Public License Version 2 or later, or the GNU Lesser General Public License 2.1 or later.

=====

slf4j

SLF4J source code and binaries are distributed under the MIT license.

Copyright (c) 2004-2023 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

These terms are identical to those of the MIT License, also called the X License or the X11 License, which is a simple, permissive non-copyleft free software license. It is deemed compatible with virtually all types of licenses, commercial or otherwise. In particular, the Free Software Foundation has declared it compatible with GNU GPL. It is also known to be approved by the Apache Software Foundation as compatible with Apache Software License.

</pre>

The copyrights in this software and any visual or audio work distributed with the software belong to Azul Systems, Inc. and those included in all other notice files either listed in the readme file or contained in any other included notice files with this distribution. All rights are reserved. Installation of this software and any Azul software bundled with or derived from this software is licensed only in accordance with these terms.

Provided you have not received the software directly from Azul and have already agreed to the terms of a separate license agreement, by installing, using or distributing this software you, on your own behalf and on behalf of your employer or principal, agree to be bound by these terms. If you do not agree to any of these terms, you may not use, copy, transmit, distribute nor install this software.

The software is developed and owned by Azul and/or any of its affiliates, subsidiaries or respective suppliers and licensors. The software also includes certain software components and materials ("Open Source Materials") of third parties ("Third Party Licensors") licensed under certain licenses ("Open Source Licenses").

Nothing in this Agreement limits your rights under, or grants you rights that supersede the terms and conditions of any applicable Open Source Licenses. You must review the Open Source Licenses located at http://www.azulsystems.com/license/zulu_third_party_licenses.html to understand your rights under them. In the event that no such third party license agreements exist, the restrictions contained in this Agreement shall apply.

With respect to the Open Source Licenses the following shall apply:

- 1) You hereby acknowledge and agree that you will be licensing any Open Source Materials directly from the applicable Third Party Licensors including the right to use such Third Party Materials in connection with the software
- 2) In the event of any inconsistencies or conflicting provisions of the Open Source Licenses and the provisions of this Agreement, the provisions of the Open Source Licenses shall prevail.

THIS SOFTWARE IS PROVIDED BY AZUL "AS-IS" AND WITHOUT EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL AZUL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICE, LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION,

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY WHETHER IN CONTRACT, STRICT LIABILITY OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Mesa 3-D Graphics Library v21.0.3

Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

Component	Location	License

Main Mesa code	src/mesa/	MIT
Device drivers	src/mesa/drivers/*	MIT, generally
Gallium code	src/gallium/	MIT
Ext headers	GL/glext.h	Khronos
	GL/glxext.h	Khronos

GL/wglext.h Khronos
KHR/khrplatform.h Khronos

include/GL/gl.h :

Mesa 3-D
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

include/GL/glext.h
include/GL/glxt.h
include/GL/wglxt.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to

permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

...

ASM Bytecode Manipulation Framework v6.0

ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

1.12 java™ native access 5

1.12.1 Available under license :

SPDX-License-Identifier: Apache-2.0 OR LGPL-2.1

Java Native Access (JNA) is licensed under the LGPL, version 2.1 or later, or (from version 4.0 onward) the Apache License, version 2.0.

You can freely decide which license you want to apply to the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package containing JNA, in file "LGPL2.1", under the same directory as this file.

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package containing JNA, in file "AL2.0", under the same directory as this file.

Commercial support may be available, please e-mail [twall\[at\]users\[dot\]sf\[dot\]net](mailto:twall[at]users[dot]sf[dot]net).

1.13 commons-validator 1.5.0

1.13.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Validator

Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.14 xstream 1.4.16

1.14.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005 Joe Walnes.
 * Copyright (C) 2006, 2007, 2011, 2013, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 16. November 2004 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/CompositeClassLoader.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005, 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2009, 2011 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 03. April 2004 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/ReferenceByXPathUnmarshaller.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005 Joe Walnes.
 * Copyright (C) 2006, 2007, 2010, 2011, 2013, 2016, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 23. August 2004 by Joe Walnes
```

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/CustomObjectInputStream.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2009, 2011 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 17. April 2006 by Mauro Talevi

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/XmlFriendlyReplacer.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2009, 2011 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 03. May 2006 by Mauro Talevi

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/XStream11XmlFriendlyMapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006 Joe Walnes.

* Copyright (C) 2007, 2008, 2009 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 13. June 2006 by Guilherme Silveira

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/persistence/StreamStrategy.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/persistence/FileStreamStrategy.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2011, 2013, 2014, 2016 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 08. January 2014 by Joerg Schaible, renamed from Sun14ReflectionProvider
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/SunUnsafeReflectionProvider.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006, 2007, 2011, 2014 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 20. February 2006 by Mauro Talevi
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/SingleValueConverterWrapper.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 06. March 2017 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/SystemClockConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2009, 2011, 2013, 2016 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 06. April 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/Fields.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2003, 2004 Joe Walnes.

* Copyright (C) 2006, 2007, 2018 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 26. September 2003 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/ShortConverter.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/CharConverter.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/DoubleConverter.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/FloatConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2010 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*
* Created on 09. May 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/ObjectIdDictionary.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2003, 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2013, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 26. September 2003 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/LongConverter.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 02. March 2006 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/AbstractReflectionConverter.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2009, 2011, 2012 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.

*
* Created on 06. May 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/ThreadSafeSimpleDateFormat.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004 Joe Walnes.
* Copyright (C) 2006, 2007 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 04. October 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/MapBackedDataHolder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 03. May 2006 by Mauro Talevi
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/AbstractXmlFriendlyMapper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2003, 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2013 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.

*
* Created on 26. September 2003 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/Converter.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 XStream Committers.
* All rights reserved.
*
* Created on 23. January 2014 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/security/TypeHierarchyPermission.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 12. April 2005 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/javabean/JavaBeanConverter.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 24. July 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/CurrencyConverter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/SqlDateConverter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/SqlTimeConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 XStream Committers.
* All rights reserved.
*
* Created on 27. January 2014 by Joerg Schaible
*/

Found in path(s):
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/security/InterfaceTypePermission.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006, 2007, 2010 XStream Committers.
* All rights reserved.
*
* Created on 12.10.2010 by Joerg Schaible, extracted from TreeSetConverter.
*/

Found in path(s):
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/PresortedSet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 16. July 2011 by Joerg Schaible
*/

Found in path(s):
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/javabean/NativePropertySorter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/javabean/PropertySorter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/javabean/ComparingPropertySorter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2018 XStream Committers.
* All rights reserved.

*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 24. July 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/LocaleConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006, 2007 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 18. October 2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/DocumentWriter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/DocumentReader.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 24. June 2012 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/JDom2Reader.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/JDom2Writer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006, 2007, 2008, 2010, 2011, 2013, 2014, 2015, 2016, 2018 XStream Committers.
* All rights reserved.
*

* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 13. April 2006 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/CGLIBEnhancedConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 08. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/XppReader.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2013, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 08. July 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/FontConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 Joe Walnes.
* Copyright (C) 2007, 2008 XStream Committers.
* All rights reserved.
*

* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 28. June 2006 by Guilherme Silveira
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/persistence/XmlSet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006, 2007, 2008, 2009 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 02. March 2006 by Mauro Talevi
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/annotations/AnnotationProvider.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/annotations/AnnotationReflectionConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 14. August 2009 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/naming/NameCoder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009, 2010, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 29. September 2004 by James Strachan
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/StaxWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2009, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 24. April 2005 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/AbstractDocumentReader.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2009 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 02. September 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/FastStack.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2014, 2016 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 30. May 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/StackTraceElementFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2009, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 02. September 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/DomWriter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/XomReader.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2016 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 23. August 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/CustomObjectOutputStream.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007, 2008, 2013, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 07. November 2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/AnnotationConfiguration.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 06. February 2005 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/PrioritizedList.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 09. October 2008 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/SystemAttributeAliasingMapper.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/AbstractAttributeAliasingMapper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008, 2010 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.
*
* Created on 13. October 2008 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/FastField.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 03. April 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/path/PathTrackingReader.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006, 2007, 2013 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 15. February 2006 by Mauro Talevi
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/AbstractSingleValueConverter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/SingleValueConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009, 2015, 2016 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.
*
* Created on 22. January 2005 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/MapperWrapper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 07. July 2011 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/javabean/JavaBeanProvider.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2013 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 14. August 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/TraxSource.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2003 Joe Walnes.
* Copyright (C) 2006, 2007, 2009, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.

*
* Created on 26. September 2003 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/CannotResolveClassException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 29. April 2009 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/KXml2Driver.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/Xpp3Driver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 12. August 2017 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/Base64JavaUtilCodec.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/Base64JAXBCodec.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/StringCodec.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013, 2016, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.

*
* Created on 20. September 2013 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/NamedMapConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006, 2007, 2009, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 18. October 2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/AbstractDocumentWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2007, 2009, 2010, 2011, 2012, 2013, 2016 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 30. March 2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/DependencyInjectionFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011, 2013, 2014 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 12. July 2011 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/WeakCache.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2003, 2004, 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2009, 2013, 2016, 2018 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 26. September 2003 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/collections/AbstractCollectionConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2009, 2015, 2021 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 22. January 2005 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/ImmutableTypesMapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 15. February 2017 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/InstantConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004, 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2009, 2011 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 07. March 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/StreamException.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006 Joe Walnes.

* Copyright (C) 2006, 2007 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 15. March 2006 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/StatefulWriter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2009, 2011, 2012, 2013, 2014, 2016 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 16. September 2005 by Mauro Talevi

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/annotations/XStreamConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2014 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 24. April 2005 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/AttributeNameIterator.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005, 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2009, 2010, 2011 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 24. April 2005 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/AbstractPullReader.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2009 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 16. September 2005 by Mauro Talevi

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/annotations/XStreamImplicitCollection.java

No license file was found, but licenses were detected in source scan.

* Copyright (C) 2017 XStream committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 12. February 2017 by Joerg Schaible

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/package.html

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004 Joe Walnes.

* Copyright (C) 2006, 2007, 2018 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 29. May 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/StackTraceElementConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004, 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2009, 2013, 2020 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 23. February 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/collections/PropertiesConverter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005 Joe Walnes.
 * Copyright (C) 2006, 2007, 2009, 2011, 2013 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 04. April 2004 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/JavaClassConverter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2005 Joe Walnes.
 * Copyright (C) 2006, 2007, 2009, 2013, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 18. March 2005 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/enums/EnumConverter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005, 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2009 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 15. March 2004 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/ReferenceByIdUnmarshaller.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/ReferenceByIdMarshaller.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004, 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2011, 2016 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 07. March 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/HierarchicalStreamReader.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004, 2005 Joe Walnes.

* Copyright (C) 2006, 2007 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 16. March 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/ReferenceByIdMarshallingStrategy.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/TreeMarshallingStrategy.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004, 2005, 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2009, 2011, 2013 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 07. March 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/PrettyPrintWriter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 XStream Committers.

* All rights reserved.

*

* Created on 15. January 2015 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/LambdaMapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005, 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2009, 2011 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 22. January 2005 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/XmlFriendlyMapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004, 2005, 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2013, 2014, 2017 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 07. March 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/ReflectionConverter.java

No license file was found, but licenses were detected in source scan.

/*

```

* Copyright (C) 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2011, 2013, 2014, 2015, 2016, 2017, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 03. October 2005 by Joerg Schaible
*/

```

Found in path(s):

```

* /xstream-1-4-16-sources-1-
jar/com/thoughtworks/xstream/converters/extended/ISO8601GregorianCalendarConverter.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (C) 2004, 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 07. March 2004 by Joe Walnes
*/

```

Found in path(s):

```

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/CompactWriter.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (C) 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2011, 2013, 2014, 2015, 2016, 2017 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 05. May 2017 by Joerg Schaible, copied from ISO8601GregorianCalendarConverter
*/

```

Found in path(s):

```

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/ISO8601JodaTimeConverter.java
No license file was found, but licenses were detected in source scan.

```

```
/*
 * Copyright (C) 2009, 2011 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 02. May 2009 by Joerg Schaible
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/xppdom/XppDom.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2013 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 04. June 2006 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/copy/HierarchicalStreamCopier.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004 Joe Walnes.
 * Copyright (C) 2006, 2007 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 16. August 2004 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/DataHolder.java
No license file was found, but licenses were detected in source scan.

```
/*
```

* Copyright (C) 2006, 2007 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 15. February 2006 by Mauro Talevi
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/ConverterMatcher.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 06. May 2009 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/ReferencingMarshallingContext.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007, 2008, 2013, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 08.12.2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/LookAndFeelConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2008, 2009, 2010, 2011, 2018 XStream Committers.
* All rights reserved.
*

* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 17.04.2008 by Joerg Schaible.
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/json/JettisonStaxWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 07. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/collections/BitSetConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007, 2008, 2009, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 26. September 2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/XmlFriendlyWriter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/XmlFriendlyReader.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006, 2007, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 12. January 2006 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/SubjectConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2009, 2011, 2013, 2016, 2018, 2020 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 07. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/PureJavaReflectionProvider.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004 Joe Walnes.
* Copyright (C) 2006, 2007 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 06. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/MarshallingContext.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2006, 2007, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.
*
* Created on 11. October 2006 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/Primitives.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009, 2011, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 15. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/TreeUnmarshaller.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 29.07.2011 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/ArrayIterator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2013, 2014 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.

*
* Created on 06. February 2005 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/OrderRetainingMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2017, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 22. November 2004 by Mauro Talevi
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/ISO8601DateConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2021 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 2. January 2021 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/MXParserDriver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2003, 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
*

* Created on 29. September 2003 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/StringBufferConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2013 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 11. August 2005 by Mauro Talevi

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/annotations/XStreamAlias.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2021 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 02. January 2021 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/MXParserDomDriver.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 19. July 2011 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/Caching.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014 XStream Committers.

* All rights reserved.

*

* Created on 08. January 2014 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/security/TypePermission.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/security/AnyTypePermission.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/security/ForbiddenClassException.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/security/NoTypePermission.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/SecurityMapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004 Joe Walnes.

* Copyright (C) 2006, 2007, 2016 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 07. March 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/ObjectAccessException.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2011, 2013 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 04. June 2006 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/binary/BinaryStreamReader.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 11. August 2011 by Joerg Schaible.

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/xppdom/XppDomComparator.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2011 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 22. June 2006 by Mauro Talevi

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/json/JsonHierarchicalStreamDriver.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2009, 2011 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 22. January 2005 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/ArrayMapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 25. September 2013 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/UseAttributeForEnumMapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006, 2007, 2013 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 01. March 2013 by Joerg Schaible, moved from package

* com.thoughtworks.xstream.converters.reflection.

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/SelfStreamingInstanceChecker.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009, 2013, 2018 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 17. April 2009 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/JavaFieldConverter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005, 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2009, 2011, 2013, 2016, 2017, 2019 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 07. March 2004 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/DefaultConverterLookup.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2007 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 30. March 2007 by Joerg Schaible
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/TypedNull.java

No license file was found, but licenses were detected in source scan.

```
* Copyright (C) 2004 Joe Walnes.
 * Copyright (C) 2006, 2007 XStream committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 10. May 2004 by Joe Walnes
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/collections/package.html

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/package.html

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright (C) 2003, 2004 Joe Walnes.
 * Copyright (C) 2006, 2007, 2012 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 03. October 2003 by Joe Walnes
 */

```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/NullConverter.java

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright (C) 2005 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2009, 2018, 2020 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 06. April 2005 by Joe Walnes
 */

```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/enums/EnumSetConverter.java

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright (C) 2006, 2007, 2013 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 13. April 2006 by Joerg Schaible
 */

```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/ReflectionProviderWrapper.java

No license file was found, but licenses were detected in source scan.

```

/*

```

* Copyright (C) 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2009, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 07. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/Dom4JWriter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/xppdom/Xpp3DomBuilder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 17.05.2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/NativeFieldKeySorter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2011, 2013, 2014, 2016, 2017, 2020 XStream Committers.
* All rights reserved.
*
* Created on 08. January 2014 by Joerg Schaible, factored out from SunUnsafeReflectionProvider
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/SunLimitedUnsafeReflectionProvider.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007, 2008, 2013 XStream Committers.
* All rights reserved.
*

* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 19.09.2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/XStream12FieldKeySorter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 21.06.2015 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/ActivationDataFlavorConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2003, 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2010, 2011, 2012, 2013, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 26. September 2003 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/collections/MapConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2018 XStream Committers.
* All rights reserved.
*

* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 25. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/URLConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2009, 2015 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 31. January 2005 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/OuterClassMapper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 11. August 2011 by Joerg Schaible, code from XppDom.
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/xppdom/XppFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006, 2007 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.
*
* Created on 24. December 2006 by Guilherme Silveira
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/annotations/XStreamAsAttribute.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2009, 2011, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 29. September 2004 by James Strachan
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/StaxReader.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005 Joe Walnes.
* Copyright (C) 2006, 2007 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 16. September 2005 by Mauro Talevi
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/annotations/XStreamConverters.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2009, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.
*
* Created on 04. June 2006 by Mauro Talevi
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/AbstractXmlWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 07. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/path/PathTrackingWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009, 2011, 2014, 2015, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 29. April 2009 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/BEAStaxDriver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
*/

* Created on 3. August 2010 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/URIConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2009 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 22. January 2005 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/DynamicProxyMapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006, 2007, 2014, 2016, 2017, 2018 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 13. April 2006 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/XStreamer.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 XStream Committer.

* All rights reserved.

*

* Created on 17. January 2015 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/LambdaConverter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2006, 2007, 2016, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 07. July 2006 by Mauro Talevi
 */
```

Found in path(s):

`/xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/ToStringConverter.java`

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2008, 2009, 2010, 2013, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 12. February 2008 by Joerg Schaible
 */
```

Found in path(s):

`/xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/enums/EnumSingleValueConverter.java`

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2006, 2007, 2011 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 01. December 2006 by Joerg Schaible
 */
```

Found in path(s):

`/xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/annotations/XStreamImplicit.java`

No license file was found, but licenses were detected in source scan.

```
/*
```

* Copyright (C) 2007, 2008 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 22. October 2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/InitializationException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 14. October 2011 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/binary/BinaryStreamDriver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 21. February 2017 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/HijrahDateConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007 XStream Committers.
* All rights reserved.

*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 07. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/HierarchicalStreamWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 06. May 2005 by Guilherme Silveira
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/annotations/XStreamOmitField.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2007, 2008, 2016 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 20. September 2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/ThreadSafePropertyEditor.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006, 2007, 2010 XStream Committers.
* All rights reserved.
*
* Created on 12.10.2010 by Joerg Schaible, extracted from TreeMapConverter.
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/PresortedMap.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005, 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2009, 2011, 2013, 2015, 2016, 2020 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 22. January 2005 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/DefaultMapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2009, 2013, 2014, 2016 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 09. April 2005 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/FieldAliasingMapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011, 2018 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 13. October 2011 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/ExtendedHierarchicalStreamReader.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008, 2016 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 20. November 2008 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/persistence/FilePersistenceStrategy.java

No license file was found, but licenses were detected in source scan.

Copyright (C) 2004 Joe Walnes.

Copyright (C) 2006, 2007 XStream committers.

All rights reserved.

The software in this package is published under the terms of the BSD

style license a copy of which has been included with this distribution in

the LICENSE.txt file.

Created on 10. May 2004 by Joe Walnes

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/package.html

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006, 2007, 2008, 2011, 2015, 2018 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 15. March 2007 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/AbstractReferenceUnmarshaller.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005 Joe Walnes.
 * Copyright (C) 2006, 2007 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 06. March 2004 by Joe Walnes
 */
```

Found in path(s):

```
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/UnmarshallingContext.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 XStream Committers.
 * All rights reserved.
 *
 * Created on 19. January 2014 by Joerg Schaible
 */
```

Found in path(s):

```
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/security/CGLIBProxyTypePermission.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/security/ProxyTypePermission.java
```

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Archiver-Version: Plexus Archiver
Created-By: Apache Maven
Built-By: joehni
Build-Jdk: 1.8.0_265
Specification-Title: XStream Core
Specification-Vendor: XStream
Implementation-Title: XStream Core
Implementation-Version: 1.4.16
Implementation-Vendor-Id: com.thoughtworks.xstream
Implementation-Vendor: XStream
Bundle-License: BSD-3-Clause
Bundle-ManifestVersion: 2
Bundle-Name: XStream Core Sources
Bundle-SymbolicName: xstream.sources
Bundle-Vendor: XStream Sources
Bundle-Version: 1.4.16 Sources
Eclipse-SourceBundle: xstream;version=1.4.16
Specification-Version: 1.4
X-Build-Os: Linux

X-Build-Time: 2021-03-12T23:23:07Z

X-Builder: Maven 3.6.3

X-Compile-Source: 1.4

X-Compile-Target: 1.4

Found in path(s):

* /xstream-1-4-16-sources-1-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2009, 2011, 2016, 2017 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 12. April 2005 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/javabean/PropertyDictionary.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 01. January 2008 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/ConverterRegistry.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014, 2017 XStream Committers.

* All rights reserved.

*

* Created on 09. January 2014 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/security/PrimitiveTypePermission.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004, 2005, 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2009, 2011 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 15. March 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/TreeMarshaller.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004, 2005, 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2009, 2011, 2016 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 07. March 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/Dom4JXmlWriter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2003, 2004, 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2018 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 03. October 2003 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/collections/ArrayConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 XStream Committers.

* All rights reserved.

*

* Created on 12.07.2013 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/annotations/XStreamAliasType.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009, 2010, 2011 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 29. August 2009 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/Cloneables.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004 Joe Walnes.

* Copyright (C) 2006, 2007, 2018 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 13. January 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/FileConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017 XStream Committers.

* All rights reserved.

*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 13. February 2017 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/MonthDayConverter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/DurationConverter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/PeriodConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009, 2011, 2015 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 29. April 2009 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/AbstractXppDriver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 20. November 2008 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/persistence/PersistenceStrategy.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2007, 2008, 2009, 2010, 2011, 2013, 2018 XStream Committers.
* All rights reserved.
*

* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 30. March 2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/json/JettisonMappedXmlDriver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2017, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 06. August 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/Base64Encoder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009, 2011, 2014, 2015 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 29. April 2009 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/WstxDriver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2009 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 03. April 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/ReferenceByXPathMarshallingStrategy.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2007 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 10. May 2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/Pool.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 22. February 2017 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/JapaneseEraConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009, 2010, 2011, 2012, 2013 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
*/

* Created on 20. August 2009 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/json/AbstractJsonWriter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006, 2007, 2013 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 03. April 2006 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-

jar/com/thoughtworks/xstream/converters/reflection/SelfStreamingInstanceChecker.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006, 2007, 2008 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 08. April 2006 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/CGLIBMapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2017, 2018 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 03. October 2005 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-

jar/com/thoughtworks/xstream/converters/extended/ISO8601SqlTimestampConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004, 2005, 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2010, 2011, 2012, 2013, 2014, 2015, 2016 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 21. December 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/SerializableConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2007, 2008, 2009, 2011, 2012, 2013, 2016 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 07. November 2007 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/AnnotationMapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 26. June 2013 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/ClassLoaderReference.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 10. November 2008 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/PackageAliasingMapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004, 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2009, 2013 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 02. September 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/path/Path.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004, 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2010, 2013, 2018, 2020 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 25. March 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/DynamicProxyConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2016, 2017, 2018 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 7. February 2016 by Aaron Johnson

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/PathConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2009, 2011 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 04. June 2006 by Mauro Talevi

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/AbstractXmlReader.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006, 2007, 2008, 2009 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 26.09.2007 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/AbstractTreeMarshallingStrategy.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2017 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 13. January 2017 by Matej Cimborá
 */
```

Found in path(s):

```
/xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/LocalDateTimeConverter.java
/xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/OffsetDateTimeConverter.java
/xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/LocalDateConverter.java
/xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/ZonedDateTimeConverter.java
/xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/LocalTimeConverter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2007 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 10. April 2007 by Guilherme Silveira
 */
```

Found in path(s):

```
/xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/ImmutableFieldKeySorter.java
/xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/FieldKey.java
/xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/FieldKeySorter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2005 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2009, 2011, 2013, 2014 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 22. January 2005 by Joe Walnes
 */
```

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/CachingMapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2009, 2011, 2012, 2013, 2014, 2015, 2016 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 16. February 2005 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/ImplicitCollectionMapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006 Joe Walnes.

* Copyright (C) 2006, 2007 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 04. June 2006 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/binary/ReaderDepthState.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/binary/BinaryStreamWriter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2003, 2004, 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2010, 2011, 2013, 2018 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 01. October 2003 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/collections/CollectionConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004 Joe Walnes.

* Copyright (C) 2006, 2007 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 01. October 2004 by James Strachan

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/QNameMap.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 22. February 2017 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-

jar/com/thoughtworks/xstream/converters/time/AbstractChronoLocalDateConverter.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/WeekFieldsConverter.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/JapaneseDateConverter.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/MinguoDateConverter.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/ThaiBuddhistDateConverter.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/ValueRangeConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2003, 2004, 2005, 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2018 XStream Committers.

* All rights reserved.

*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 26. September 2003 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/ByteConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2010, 2011, 2014, 2015 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 23. August 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/SerializationMethodInvoker.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 06. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/collections/CharArrayConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 XStream Committers.
* All rights reserved.
*

* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 05. May 2017 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/ISO8601JavaTimeConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2009 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 07. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/QuickWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 22. June 2006 by Mauro Talevi
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/json/JsonHierarchicalStreamWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2010, 2017, 2018 XStream Committers.
* All rights reserved.
*

* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 03. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/EncodedByteArrayConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2009, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 22. April 2006 by Mauro Talevi
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/XStream11XmlFriendlyReplacer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2013 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 07. March 2005 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/ClassLoaderReference.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2006 Joe Walnes.
* Copyright (C) 2007, 2009 XStream Committers.
* All rights reserved.
*
*/

* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 16. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/MarshallingStrategy.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009, 2011, 2012, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 08. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/XppDriver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009, 2011, 2014, 2015, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 07. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/DomDriver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 19. February 2017 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/ChronologyConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 13. November 2008 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/annotations/XStreamInclude.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 Joe Walnes.
* Copyright (C) 2007, 2008 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 13. June 2006 by Guilherme Silveira
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/persistence/XmlMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2003, 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009, 2011, 2016 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 24. February 2016 by Joerg Schaible, factored out of ConversionException.

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/ErrorWritingException.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004, 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2011 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 07. March 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/HierarchicalStreamDriver.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011, 2016 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 01. October 2011 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/MissingFieldException.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2009, 2011, 2013, 2019, 2020, 2021 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*
* Created on 15. August 2009 by Joerg Schaible, copied from XmlFriendlyReplacer.
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/XmlFriendlyNameCoder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2010, 2011, 2014, 2015, 2016 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 12. February 2015 by Joerg Schaible, copied from
c.t.x.converters.reflection.SerializationMemberInvoker.
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/SerializationMembers.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2003, 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009, 2011, 2016 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 26. September 2003 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/ConversionException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2008 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.
*
* Created on 27. March 2006 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/AttributeAliasingMapper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 12. April 2005 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/javabean/BeanProperty.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007, 2009, 2011, 2016 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 10. April 2007 by Guilherme Silveira
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/SortableFieldKeySorter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.

*
* Created on 11. August 2005 by Mauro Talevi
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/annotations/XStreamContainedType.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/annotations/Annotations.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 XStream Committers.
* All rights reserved.
*
* Created on 09. January 2014 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/security/ExplicitTypePermission.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/security/NoPermission.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/security/WildcardTypePermission.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/security/NullPermission.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/security/RegExpTypePermission.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/security/ArrayTypePermission.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2009, 2013 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 04. June 2006 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/binary/Token.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009, 2010, 2013, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.
*
* Created on 20. February 2006 by Mauro Talevi
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/AttributeMapper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2009, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 07. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/path/PathTracker.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/XppDomReader.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/DomReader.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/XppDomWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 04. January 2008 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/StringBuilderConverter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/UUIDConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009, 2011 XStream Committers.
* All rights reserved.
*
*/

* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 15. August 2009 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/naming/StaticNameCoder.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/naming/NoNameCoder.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/naming/NameCoderWrapper.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/XStream11NameCoder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2008 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 24. July 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/GregorianCalendarConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013, 2016, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 14. March 2013 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/enums/EnumToStringConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2013 XStream Committers.

* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 07. March 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/ReflectionProvider.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009, 2011, 2013, 2014, 2015 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 29. April 2009 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/SjsxpDriver.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 22. June 2006 by Mauro Talevi
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/ExtendedHierarchicalStreamWriterHelper.java

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/ExtendedHierarchicalStreamWriter.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2018 XStream Committers.

* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 07. May 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/BigDecimalConverter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/BigIntegerConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 08. May 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/ErrorWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006, 2007, 2008, 2009, 2010, 2011, 2019 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 15. March 2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/AbstractReferenceMarshaller.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007, 2008, 2016 XStream Committers.
* All rights reserved.

*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 22. October 2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/XStreamException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006, 2007, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 07. April 2006 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/CharsetConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2003, 2004, 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2013 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 26. September 2003 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/ConverterLookup.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007, 2013, 2016, 2020 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 01. February 2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/AbstractAttributedCharacterIteratorAttributeConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2018 XStream Committers.
* All rights reserved.
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
* Created on 14. May 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/FieldDictionary.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 Joe Walnes.
* Copyright (C) 2007, 2008 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 06. July 2006 by Guilherme Silveira
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/persistence/XmlArrayList.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.

*
* Created on 18. November 2008 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/persistence/AbstractFilePersistenceStrategy.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009, 2013, 2020 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 06. April 2005 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/enums/EnumMapConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 XStream Committers.
* All rights reserved.
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
* Created on 10. October 2018 by Joerg Schaible.
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/FieldUtil15.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/FieldUtil14.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009, 2011 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 16. August 2009 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/AbstractReader.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009, 2011 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 15. August 2009 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/AbstractDriver.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2007, 2008, 2010, 2020 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 13. September 2007 by Joerg Schaible.

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/XmlHeaderAwareReader.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013, 2014, 2015 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 27. July 2013 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/StandardStaxDriver.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2013, 2015 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 24. June 2012 by Joerg Schaible
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/JDom2Driver.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2005 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2009, 2011, 2015 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 20. March 2005 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/EnumMapper.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005, 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2009, 2011, 2013, 2014, 2015 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 29. September 2004 by James Strachan
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/StaxDriver.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2003, 2004 Joe Walnes.
 * Copyright (C) 2006, 2007, 2012, 2014, 2016, 2017, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 01. October 2004 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/SqlTimestampConverter.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2003, 2004, 2005 Joe Walnes.
 * Copyright (C) 2006, 2007 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 01. October 2003 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/ColorConverter.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005 Joe Walnes.
 * Copyright (C) 2006, 2007, 2009, 2013, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 04. April 2004 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/JavaMethodConverter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005, 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2009, 2011 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 03. September 2004 by Joe Walnes
 */
```

Found in path(s):

```
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/JDomWriter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/JDomReader.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/XomWriter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2009, 2011, 2013 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 28. November 2008 by Joerg Schaible
 */
```

Found in path(s):

```
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/json/JsonWriter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2013, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 19. September 2013 by Joerg Schaible
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/NamedCollectionConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005, 2006 Joe Walnes.

* Copyright (C) 2006, 2007 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 10. April 2005 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/WriterWrapper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004, 2005 Joe Walnes.

* Copyright (C) 2006, 2007, 2010, 2011, 2013, 2016, 2018, 2020 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 08. May 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/collections/TreeMapConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004, 2006 Joe Walnes.

* Copyright (C) 2006, 2007, 2008, 2009 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 03. April 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/ReferenceByXPathMarshaller.java

No license file was found, but licenses were detected in source scan.

* Copyright (C) 2004 Joe Walnes.

* Copyright (C) 2006, 2007 XStream committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 10. April 2004 by Joe Walnes

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/path/package.html

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2004 Joe Walnes.

* Copyright (C) 2006, 2007, 2009, 2011 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 07. March 2004 by Joe Walnes

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/xppdom/Xpp3Dom.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2007, 2008 XStream Committers.

* All rights reserved.

*

* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in

* the LICENSE.txt file.

*

* Created on 06. November 2007 by Joerg Schaible

*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/LocalConversionMapper.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2003, 2004, 2005, 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2020, 2021
 * XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 26. September 2003 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/XStream.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2017, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 8. February 2017 by Joerg Schaible
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/ZoneIdConverter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005, 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2009, 2011, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 07. March 2004 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/Dom4JReader.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011, 2013, 2016, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 30. July 2011 by Joerg Schaible
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/ToAttributedValueConverter.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005 Joe Walnes.
 * Copyright (C) 2006, 2007, 2010, 2011, 2013, 2014, 2016, 2018, 2020 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 08. May 2004 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/collections/TreeSetConverter.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2005 Joe Walnes.
 * Copyright (C) 2006, 2007, 2011 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 10. April 2005 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/ReaderWrapper.java
No license file was found, but licenses were detected in source scan.

```
/*
```

* Copyright (C) 2003, 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2014, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 26. September 2003 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/BooleanConverter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/IntConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007, 2008 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 20.09.2007 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/PropertyEditorCapableConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 XStream Committers.
* All rights reserved.
*
* Created on 17. January 2015 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/Types.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2009, 2011, 2016 XStream Committers.
* All rights reserved.
*

* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 12. April 2006 by Joerg Schaible
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/XomDriver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2004, 2005, 2006 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 09. May 2004 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/JVM.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2003, 2004 Joe Walnes.
* Copyright (C) 2006, 2007, 2008, 2009, 2011, 2012, 2013, 2014, 2015, 2016, 2018 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD
* style license a copy of which has been included with this distribution in
* the LICENSE.txt file.
*
* Created on 26. September 2003 by Joe Walnes
*/

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/DateConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 XStream Committers.
* All rights reserved.
*
* The software in this package is published under the terms of the BSD

* style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 11. February 2017 by Joerg Schaible
 */

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/YearConverter.java
 * /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/OffsetTimeConverter.java
 * /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/time/YearMonthConverter.java
 No license file was found, but licenses were detected in source scan.

/*
 * Copyright (C) 2004, 2005 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2011, 2013, 2014 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 07. March 2004 by Joe Walnes
 */

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/Sun14ReflectionProvider.java
 No license file was found, but licenses were detected in source scan.

/*
 * Copyright (C) 2004, 2005, 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2009, 2011, 2013 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 14. August 2004 by Joe Walnes
 */
 /**
 * A SAX {@link org.xml.sax.XMLReader parser} that acts as an XStream
 * {@link com.thoughtworks.xstream.io.HierarchicalStreamWriter} to enable direct generation of a
 * SAX event flow from the XStream serialization of a list of list of Java objects.
 * <p>
 * As a
 * custom SAX parser, this class ignores the arguments of the two standard parse methods ({@link
 #parse(java.lang.String)}
 * and {@link #parse(org.xml.sax.InputSource)}) but relies on a proprietary SAX property

```

* {@link #SOURCE_OBJECT_LIST_PROPERTY} to define the list of objects to serialize.
* </p>
* <p>
* Configuration of this SAX parser is achieved through the standard
* {@link #setProperty SAX property mechanism}. While specific setter methods require direct
* access to the parser instance, SAX properties support configuration settings to be propagated
* through a chain of {@link org.xml.sax.XMLFilter filters} down to the underlying parser
* object.
* </p>
* <p>
* This mechanism shall be used to configure the
* {@link #SOURCE_OBJECT_LIST_PROPERTY objects to be serialized} as well as the
* {@link #CONFIGURED_XSTREAM_PROPERTY XStream facade}.
* </p>
*
* @author Laurent Bihanic
*/
/**
 * Sets the value of a property.
 * <p>
 * The property name is any fully-qualified URI. It is
 * possible for an XMLReader to recognize a property name but
 * to be unable to set its value.</p>
 * <p>
 * XMLReaders are not required to recognize setting any
 * specific property names, though a core set is provided with
 * SAX2.</p>
 *
 * <p>
 * Some property values may be immutable or mutable only
 * in specific contexts, such as before, during, or after
 * a parse.</p>
 * <p>
 * This method is also the standard mechanism for setting
 * extended handlers.</p>
 * <p>
 * <strong>Note</strong>: This implementation only supports two
 * (proprietary) properties: {@link #CONFIGURED_XSTREAM_PROPERTY}
 * and {@link #SOURCE_OBJECT_LIST_PROPERTY}.</p>
 *
 * @param name the property name, which is a fully-qualified URI.
 * @param value the requested value for the property.
 * @throws SAXNotRecognizedException when the XMLReader does not
 *         recognize the property name.
 * @throws SAXNotSupportedException when the XMLReader recognizes
 *         the property name but cannot set
 *         the requested value.
 * @see #getProperty

```

```

*/
/**
 * Parses an XML document
from a system identifier (URI).
 * <p>
 * This method is a shortcut for the common case of reading a
 * document from a system identifier. It is the exact
 * equivalent of the following:</p>
 * <blockquote>
 * <pre>
 *     parse(new InputSource(systemId));
 * </pre>
 * </blockquote>
 * <p>
 * If the system identifier is a URL, it must be fully resolved
 * by the application before it is passed to the parser.</p>
 * <p>
 * <strong>Note</strong>: As a custom SAX parser, this class
 * ignores the <code>systemId</code> argument of this method
 * and relies on the proprietary SAX property
 * { @link #SOURCE_OBJECT_LIST_PROPERTY } to define the list of
 * objects to serialize.</p>
 *
 * @param systemId the system identifier (URI).
 * @throws SAXException Any SAX exception, possibly wrapping
 *         another exception.
 * @see #parse(org.xml.sax.InputSource)
 */

```

Found in path(s):

```

*
/xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/SaxWriter.java
No license file was found, but licenses were detected in source scan.

```

```

/*
 * Copyright (C) 2003, 2004, 2005 Joe Walnes.
 * Copyright (C) 2006, 2007, 2011, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 26. September 2003 by Joe Walnes
 */

```

Found in path(s):

```

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/basic/StringConverter.java

```


No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005, 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2009, 2011, 2014, 2015, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 07. March 2004 by Joe Walnes
 */
```

Found in path(s):

```
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/Dom4JDriver.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005 Joe Walnes.
 * Copyright (C) 2006, 2007, 2013, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 31. July 2004 by Joe Walnes
 */
```

Found in path(s):

```
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/RegexPatternConverter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 15.02.2011 by Joerg Schaible
 */
```

Found in path(s):

```
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/Reporter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2005, 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2009, 2011, 2015 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 09. April 2005 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/ClassAliasingMapper.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2005, 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2009, 2011 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 28. May 2005 by Mauro Talevi
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/AbstractXmlDriver.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2007, 2008, 2011, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 21.09.2007 by Joerg Schaible
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/DurationConverter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009, 2011 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 17. August 2009 by Joerg Schaible
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/AbstractWriter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005, 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2009, 2011, 2015 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 03. September 2004 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/JDomDriver.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2013, 2016 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 08. January 2016 by Joerg Schaible, factored out from FieldAliasingMapper.
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/ElementIgnoringMapper.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 11. October 2011 by Joerg Schaible
 */
```

Found in path(s):

```
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/collections/SingletonMapConverter.java
* /xstream-1-4-16-sources-1-
jar/com/thoughtworks/xstream/converters/collections/SingletonCollectionConverter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2004 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2009, 2016 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 14. September 2004 by Joe Walnes
 */
```

Found in path(s):

```
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/BaseException.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2005, 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2009, 2011, 2015, 2016 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 22. January 2005 by Joe Walnes
 */
```

Found in path(s):

```
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/Mapper.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2005 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2010, 2011, 2013, 2016, 2020 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 12. April 2005 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/javabean/BeanProvider.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 16. March 2004 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/SequenceGenerator.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005, 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2010, 2011, 2013, 2014, 2015, 2016 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 24. August 2004 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/reflection/ExternalizableConverter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004 Joe Walnes.
 * Copyright (C) 2006, 2007, 2013, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 29. May 2004 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/ThrowableConverter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2006, 2007 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 25. March 2006 by Joerg Schaible
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/TextAttributeConverter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2005 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2009 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 22. January 2005 by Joe Walnes
 */
```

Found in path(s):

* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/mapper/DefaultImplementationsMapper.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009, 2011 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 03. May 2009 by Joerg Schaible
 */
```

Found in path(s):

```
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/Xpp3DomDriver.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/AbstractXppDomDriver.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/KXml2DomDriver.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2008 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 09. October 2008 by Joerg Schaible
 */
```

Found in path(s):

```
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/core/util/HierarchicalStreams.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2004, 2005, 2006 Joe Walnes.
 * Copyright (C) 2006, 2007, 2008, 2009, 2011, 2018 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 07. March 2004 by Joe Walnes
 */
```

Found in path(s):

```
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/io/xml/XppDomDriver.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2013 XStream Committers.
 * All rights reserved.
 *
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Created on 03. December 2013 by Joerg Schaible
 */
```

Found in path(s):

```
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/NamedArrayConverter.java
* /xstream-1-4-16-sources-1-jar/com/thoughtworks/xstream/converters/extended/StackTraceElementFactory15.java
```

1.15 activemq-jdbc-store 5.15.11

1.15.1 Available under license :

ActiveMQ :: JDBC Store

Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.16 log4j-slf4j-impl 2.20.0

1.16.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Log4j SLF4J Binding
Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.17 tomcat-storeconfig 9.0.83

1.17.1 Available under license :

Apache Tomcat
Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.18 mina 2.1.5

1.18.1 Available under license :

JZlib 0.0.* were released under the GNU LGPL license. Later, we have switched over to a BSD-style license.

Copyright (c) 2000,2001,2002,2003 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2004-2007 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

/*-----

| RXTX License v 2.1 - LGPL v 2.1 + Linking Over Controlled Interface.
| RXTX is a native interface to serial ports in java.
| Copyright 1997-2007 by Trent Jarvi tjarvi@qbang.org and others who
| actually wrote it. See individual source files for more information.

|

| A copy of the LGPL v 2.1 may be found at
| <http://www.gnu.org/licenses/lgpl.txt> on March 4th 2007. A copy is
| here for your convenience.

|

| This library is free software; you can redistribute it and/or
| modify it under the terms of the GNU Lesser General Public
| License as published by the Free Software Foundation; either
| version 2.1 of the License, or (at your option) any later version.

|

| This library is distributed in the hope that it will be useful,
| but WITHOUT ANY WARRANTY; without even the implied warranty of
| MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
| Lesser General Public License
| for more details.

|

| An executable that contains no derivative of any portion of RXTX, but
| is designed to work with RXTX by being dynamically linked with it,
| is considered a "work that uses the Library" subject to the terms and
| conditions of the GNU Lesser General Public License.

| The following has been added to the RXTX License to remove
| any confusion about linking to RXTX. We want to allow in part what
| section 5, paragraph 2 of the LGPL does not permit in the special
| case of linking over a controlled interface. The intent is to add a
| Java Specification Request or standards body defined interface in the
| future as another exception but one is not currently available.

| <http://www.fsf.org/licenses/gpl-faq.html#LinkingOverControlledInterface>

| As a special exception, the copyright holders of RXTX give you
| permission to link RXTX with independent modules that communicate with
| RXTX solely through the Sun Microsystems CommAPI
| interface version 2,
| regardless of the license terms of these independent modules, and to copy
| and distribute the resulting combined work under terms of your choice,
| provided that every copy of the combined work is accompanied by a complete
| copy of the source code of RXTX (the version of RXTX used to produce the
| combined work), being distributed under the terms of the GNU Lesser General
| Public License plus this exception. An independent module is a
| module which is not derived from or based on RXTX.

| Note that people who make modified versions of RXTX are not obligated
| to grant this special exception for their modified versions; it is
| their choice whether to do so. The GNU Lesser General Public License
| gives permission to release a modified version without this exception; this
| exception also makes it possible to release a modified version which
| carries forward this exception.

| You should have received a copy of the GNU Lesser General
| Public
| License along with this library; if not, write to the Free
| Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
| All trademarks belong to their respective owners.

-----*/

The original GNU Lesser General Public License Follows.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts

as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are

intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights,
we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know

that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU

operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for

writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those

sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you

distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues),

conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular

circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by

the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE

ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Serial port communication is provided by the RXTX library package, which is open source software, written by Keane Jarvi et al, and copyright by Keane Jarvi. The original software is available from

<http://www.rxtx.org/>

Apache MINA

Copyright 2007-2016 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Please refer to each LICENSE.<component>.txt file for the
license terms of the components that Apache MINA depends on.

Message logging is provided by the SLF4J library package,
which is open source software, written by Ceki Glc, and
copyright by SLF4J.ORG and QOS.ch. The original software is
available from

<http://www.slf4j.org/>

Data compression support is provided by the JZLib library package,
which is open source software, written by JCraft, and copyright
by JCraft. The original software is available from

<http://www.jcraft.com/jzlib/>

Spring framework is provided by the Spring framework library
package, which is open source software, written by Rod Johnson
et al, and copyright by Springframework.org. The original
software is available from

<http://www.springframework.org/>

OGNL is provided by the OGNL library
package, which is open source
software, written by Drew Davidson and Luke Blanshard. The original
software is available from

<http://www.ognl.org/>

Apache MINA

Copyright 2007-2016 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Please refer to each LICENSE.<component>.txt file for the
license terms of the components that Apache MINA depends on.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.19 jffi 1.2.7

1.19.1 Available under license :

libffi - Copyright (c) 1996-2011 Anthony Green, Red Hat, Inc and others.
See source files for details.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the ``Software''), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Alternatively, you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License version 3 for more details.

You should have received a copy of the GNU Lesser General Public License version 3 along with this work. If not, see <<http://www.gnu.org/licenses/>>.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we

stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding

Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not

used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in

the same way through the same place at no

further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is

available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates

for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or

authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is

reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright

holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that

any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or

arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License,

section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE

USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library.

Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data

structure

layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
 - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
 - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible

with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser

General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

BSD License

Copyright (c) 2000-2006, www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.20 tomcat-jni 9.0.83

1.20.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.21 lucene-misc 6.5.1

1.21.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from unicode conversion examples available at <http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright from those sources:

```
/*
 * Copyright 2001-2004 Unicode, Inc.
 *
 * Disclaimer
 *
 * This source code is provided as is by Unicode, Inc. No claims are
 * made as to fitness for any particular purpose. No warranties of any
 * kind are expressed or implied. The recipient agrees to determine
 * applicability of information provided. If this file has been
 * purchased on magnetic or optical media from Unicode, Inc., the
 * sole remedy for any claim
 * will be exchange of defective media
 * within 90 days of receipt.
 *
 * Limitations on Rights to Redistribute This Code
 *
 * Unicode, Inc. hereby grants the right to freely use the information
 * supplied in this file in the creation of products supporting the
 * Unicode Standard, and to make copies of this file in any form
 * for internal or external distribution as long as this notice
 * remains attached.
 */
```

Some code in core/src/java/org/apache/lucene/util/ArrayUtil.java was derived from Python 2.4.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from Python 3.1.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in core/src/java/org/apache/lucene/util/automaton was derived from Brics automaton sources available at www.brics.dk/automaton/.

Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
```

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:

* 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.

* 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.

* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton
 were automatically generated with the moman/finenight FSA package.
 Here is the copyright for those sources:

```
# Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
# Permission is hereby granted, free of charge, to any person
# obtaining a copy of this software and associated documentation
# files (the "Software"), to deal in the Software without
# restriction, including
#   without limitation the rights to use,
#   copy, modify, merge, publish, distribute, sublicense, and/or sell
#   copies of the Software, and to permit persons to whom the
#   Software is furnished to do so, subject to the following
#   conditions:
#
# The above copyright notice and this permission notice shall be
# included in all copies or substantial portions of the Software.
#
# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
# OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
```

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from ICU (<http://www.icu-project.org>)

The full license is available

here:

<http://source.icu-project.org/repos/icu/icu/trunk/license.html>

/*

* Copyright (C) 1999-2010, International Business Machines

* Corporation and others. All Rights Reserved.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy

* of this software and associated documentation files (the "Software"), to deal

* in the Software without restriction, including without limitation the rights

* to use, copy, modify, merge, publish, distribute, and/or sell copies of the

* Software, and to permit persons to whom the Software is furnished to do so,

* provided that the above copyright notice(s) and this permission notice appear

* in all copies of the Software and that both the above copyright notice(s) and

* this permission notice appear in supporting documentation.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

* FITNESS FOR A PARTICULAR

PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE

* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR

* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER

* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT

* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

*

* Except as contained in this notice, the name of a copyright holder shall not

* be used in advertising or otherwise to promote the sale, use or other

* dealings in this Software without prior written authorization of the

* copyright holder.

*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter

Copyright (c) 2002, Richard Boulton

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice,
- * this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holders nor the names of its contributors
- * may be used to endorse or promote products derived from this software
- * without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,
Center for Intelligent Information Retrieval,
University of Massachusetts, Amherst.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact info@ciir.cs.umass.edu.

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The
following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons

ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN tagset.

The following license applies to the Morfeusz project, used by org.apache.lucene.analysis.morfologik.

BSD-licensed dictionary of Polish (SGJP)
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Włodzimierz Gruszczyski,
Marcin Wołowski, Robert Wołosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Lucene

Copyright 2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects, including, but not limited to:

- Apache Ant
- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such as the Unicode Character Database. See <http://unicode.org/copyright.html> for more details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were automatically generated with the moman/finenight FSA library, created by Jean-Philippe Barrette-LaPierre.

This library is available under an MIT license, see <http://sites.google.com/site/rrettesite/moman> and <http://bitbucket.org/jpbarrette/moman/overview/>

The class org.apache.lucene.util.WeakIdentityMap was derived from the Apache CXF project and is Apache License 2.0.

The Google Code Prettify is Apache License 2.0. See <http://code.google.com/p/google-code-prettify/>

JUnit (junit-4.10) is licensed under the Common Public License v. 1.0 See <http://junit.sourceforge.net/cpl-v10.html>

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin g Package (jaspell): <http://jaspell.sourceforge.net/>
License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in
analysis/common/src/java/net/sf/snowball
were developed by Martin Porter and Richard Boulton.
The snowball stopword lists in
analysis/common/src/resources/org/apache/lucene/analysis/snowball
were developed by Martin Porter and Richard Boulton.
The full snowball package
is available from
<http://snowball.tartarus.org/>

The KStem stemmer in

analysis/common/src/org/apache/lucene/analysis/en
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, and Hindi analyzers (common) come with a default
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:
analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt
See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers
(common) are based on BSD-licensed reference implementations created
by Jacques Savoy and
Ljiljana Dolamic. These files reside in:

analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The Stempel analyzer (stempel) includes BSD-licensed
software developed
by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil,
and Edmond Nolan.

The Polish analyzer (stempel) comes with a default
stopword list that is BSD-licensed created by the Carrot2 project. The file resides
in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt.
See <http://project.carrot2.org/license.html>.

The SmartChineseAnalyzer source code (smartcn) was
provided by Xiaoping Gao and copyright 2009 by www.imdict.net.

WordBreakTestUnicode_*.java (under modules/analysis/common/src/test/)
is derived from Unicode data such as the Unicode Character Database.
See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software
developed by Dawid Weiss and Marcin Mikowski (<http://morfologik.blogspot.com/>).

Morfologik uses data from Polish ispell/myspell dictionary
(<http://www.sjp.pl/slownik/en/>) licenced on the terms of (inter alia)
LGPL and Creative Commons ShareAlike.

Morfologic
includes data from BSD-licensed dictionary of Polish (SGJP)
(<http://sgjp.pl/morfeusz/>)

Servlet-api.jar and javax.servlet-*.jar are under the CDDL license, the original
source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====
mecab-ipadic-2.7.0-20070801 Notice
=====

Nara

Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out
of or in connection with the use or performance of this software.

A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED

that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear on, or be attached to, the Program, which is distributed substantially in the same form as set out herein and that such intended distribution, if actually made, will neither violate or otherwise contravene any of the laws and regulations of the countries having jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the research and development conducted during the project and is provided to users as so produced on an experimental basis. Accordingly, the program is provided without any warranty whatsoever, whether express, implied, statutory or otherwise. The term "warranty" used herein includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted

from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

1.22 velocity 1.3.1

1.22.1 Available under license :

The MIT License

Copyright (c) 2014 Julian Shapiro

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.23 kms 2.20.128

1.23.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

THIRD PARTY COMPONENTS

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.

- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

1.24 amazon-sqs-java-extended-client-lib

2.0.2

1.24.1 Available under license :

Apache License

Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to

You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and
2. You must cause any modified files to carry prominent notices stating that You changed the files; and
3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and

assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any

Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.25 hibernate-oscache 3.3.1.GA

1.25.1 Available under license :

Found license 'GNU Lesser General Public License' in '*' indicated by the @author tags or express copyright attribution * distributed under license by Red Hat Middleware LLC. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA'

1.26 oro 2.0.6

1.26.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
```

- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- *
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in
- * the documentation and/or other materials provided with the
- * distribution.
- *
- * 3. The end-user documentation included with the redistribution,
- * if any, must include the following acknowledgment:
- * "This product includes software developed by the
- * Apache Software
- Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
- INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <http://www.apache.org/>.
- *
- * Portions of this software are based upon software originally written
- * by Daniel F. Savarese. We appreciate his contributions.
- */

Found in path(s):

- * /oro-2-0-6-sources-2-jar/org/apache/oro/util/CacheLRU.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/PatternCacheRandom.java
- *
- /oro-2-0-6-sources-2-jar/org/apache/oro/text/perl/Perl5Util.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/Perl5Pattern.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/util/CacheFIFO2.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/SyntaxNode.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/MatchResult.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/io/AwkFilenameFilter.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/OpCode.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/MatchActionProcessor.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/Perl5Matcher.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/PatternCache.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/perl/ParsedSubstitutionEntry.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/Perl5Compiler.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/PatternCacheLRU.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/MatchActionInfo.java
- *
- /oro-2-0-6-sources-2-jar/org/apache/oro/text/GlobCompiler.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/CatNode.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/Substitution.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/io/RegexFilenameFilter.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/QuestionNode.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/PatternMatcherInput.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/GenericPatternCache.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/OrNode.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/MatchAction.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/CharacterClassNode.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/CharStringPointer.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/util/CacheFIFO.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/util/GenericCache.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/Perl5Repetition.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/NegativeCharacterClassNode.java
- *
- /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/Perl5Substitution.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/DefaultMatchAction.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/AwkPattern.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/AwkStreamInput.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/PatternCompiler.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/util/GenericCacheEntry.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/SyntaxTree.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/io/GlobFilenameFilter.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/Perl5MatchResult.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/AwkMatchResult.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/PatternCacheFIFO2.java
- * /oro-2-0-6-sources-2-jar/org/apache/oro/text/MalformedCachePatternException.java

```

* /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/TokenNode.java
* /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/MalformedPatternException.java
*
/oro-2-0-6-sources-2-jar/org/apache/oro/util/Cache.java
* /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/EpsilonNode.java
* /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/PlusNode.java
* /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/PatternMatcher.java
* /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/StarNode.java
* /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/Pattern.java
* /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/Perl5Debug.java
* /oro-2-0-6-sources-2-jar/org/apache/oro/util/CacheRandom.java
* /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/StringSubstitution.java
* /oro-2-0-6-sources-2-jar/org/apache/oro/io/Perl5FilenameFilter.java
* /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/LeafNode.java
* /oro-2-0-6-sources-2-jar/org/apache/oro/text/perl/MalformedPerl5PatternException.java
* /oro-2-0-6-sources-2-jar/org/apache/oro/text/PatternCacheFIFO.java
* /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/AwkCompiler.java
No license file was found, but licenses were detected in source scan.

```

```

/* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000-2002 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
* "This product includes software developed by the
* Apache
* Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written

```

* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"

* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their

* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR

* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

INDIRECT, INCIDENTAL,

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND

* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT

* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <http://www.apache.org/>.

*

* Portions of this software are based upon software originally written

* by Daniel F. Savarese. We appreciate his contributions.

*/

Found in path(s):

* /oro-2-0-6-sources-2-jar/org/apache/oro/text/regex/Util.java

No license file was found, but licenses were detected in source scan.

/* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights

* reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

- * notice, this list of conditions and the following disclaimer in
- * the documentation and/or other materials provided with the
- * distribution.
- *
- * 3. The end-user documentation included with the redistribution,
- * if any, must include the following acknowledgment:
- * "This product includes software developed by the
- * Apache Software
- Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
- INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <http://www.apache.org/>.
- *
- * Portions of this software are based upon software originally written
- * by Daniel F. Savarese. We appreciate his contributions.
- */
- /**
- * Determines if the contents of a PatternMatcherInput, starting from the
- * current offset of the input

contains a pattern.

- * If a pattern match is found, a `MatchResult`
- * instance representing the `<b>first</b>` such match is made accessible via
- * `{@link #getMatch()}`. The current offset of the
- * `PatternMatcherInput` is set to the offset corresponding to the end
- * of the match, so that a subsequent call to this method will continue
- * searching where the last call left off. You should remember that the
- * region between the begin and end offsets of the `PatternMatcherInput` are
- * considered the input to be searched, and that the current offset
- * of the `PatternMatcherInput` reflects where a search will start from.
- * Matches extending beyond the end offset of the `PatternMatcherInput`
- * will not be matched. In other words, a match must occur entirely
- * between the begin and end offsets of the input. See
- * `{@link org.apache.oro.text.regex.PatternMatcherInput PatternMatcherInput}`
- * for more details.

* `<p>`

- * As a side effect, if a match is found, the

`PatternMatcherInput` match

- * offset information is updated. See the `PatternMatcherInput`
- * `{@link org.apache.oro.text.regex.PatternMatcherInput#setMatchOffsets`
- * `setMatchOffsets(int, int)}` method for more details.

* `<p>`

- * The pattern must be an `AwkPattern` instance, otherwise a
- * `ClassCastException` will be thrown. You are not required to, and
- * indeed should NOT try to (for performance reasons), catch a
- * `ClassCastException` because it will never be thrown as long as you use
- * an `AwkPattern` as the pattern parameter.

* `<p>`

- * This method is usually used in a loop as follows:

* `<blockquote><pre>`

```
* PatternMatcher matcher;  
* PatternCompiler compiler;  
* Pattern pattern;  
* PatternMatcherInput input;  
* MatchResult result;  
*  
* compiler = new AwkCompiler();  
* matcher = new AwkMatcher();  
*  
* try {  
*   pattern = compiler.compile(somePatternString);  
* } catch (MalformedPatternException e) {  
*   System.err.println("Bad  
pattern.");  
*   System.err.println(e.getMessage());  
*   return;  
* }  
*
```

```

* input = new PatternMatcherInput(someStringInput);
*
* while(matcher.contains(input, pattern)) {
*     result = matcher.getMatch();
*     // Perform whatever processing on the result you want.
* }
*
* </pre></blockquote>
* <p>
* @param input The PatternMatcherInput to test for a match.
* @param pattern The Pattern to be matched.
* @return True if the input contains a pattern match, false otherwise.
* @exception ClassCastException If a Pattern instance other than an
*         AwkPattern is passed as the pattern parameter.
*/

```

Found in path(s):

* /oro-2-0-6-sources-2-jar/org/apache/oro/text/awk/AwkMatcher.java

1.27 aws-core 2.20.128

1.27.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by
Amazon Technologies, Inc (<http://www.amazon.com/>).

THIRD PARTY COMPONENTS

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:
Apache Commons Lang
Copyright 2001-2020
The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

1.28 oro 2.0.8

1.28.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * $Id: Pattern.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
 *
 * =====
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
```

```

* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This product
includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*   must not be used to endorse or promote products derived from this
*   software without prior written permission. For written
*   permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*   or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*   name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/Pattern.java
No license file was found, but licenses were detected in source scan.

/*

```

```

* $Id: OrNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
*
* "This product
* includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
```

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

```

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
* OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT

```

* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/OrNode.java
No license file was found, but licenses were detected in source scan.

/*
* \$Id: SyntaxTree.java,v 1.8 2003/11/07 20:16:24 dfs Exp \$
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
* "This
product includes software developed by the
* Apache Software Foundation (<http://www.apache.org/>)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*

```

* 5. Products derived from this software may not be called "Apache"
*   or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*   name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
* FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

```

Found in path(s):

```

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/SyntaxTree.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Id: Perl5Repetition.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the

```

```

* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
*
* "This product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
```

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

```

*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
* FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/Perl5Repetition.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: OpCode.java,v 1.11 2003/11/07 20:16:25 dfs Exp $
*
* =====

```


* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

*

* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

*

* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

* "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache" or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* =====

*
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/OpCode.java
 No license file was found, but licenses were detected in source scan.

```
/*
 * $Id: GenericCacheEntry.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
 *
 * =====
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in
 *    the documentation and/or other materials provided with the
 *    distribution.
 *
 * 3. The end-user documentation included with the redistribution,
 *    if any, must include the following acknowledgment:
 *
 *      "This product includes software developed by the
 *       Apache Software Foundation (http://www.apache.org/)."
 *    Alternately, this acknowledgment may appear in the software itself,
 *    if and wherever such third-party acknowledgments normally appear.
 *
 * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
 *    must not be used to endorse or promote products derived from this
 *    software without prior written permission. For written
 *    permission, please contact apache@apache.org.
 *
 * 5. Products derived from this software may not be called "Apache"
 *    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 *    name, without prior written permission of the Apache Software Foundation.
```

```

*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
  FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

```

Found in path(s):

```
* /oro-2-0-8-sources-4-jar/org/apache/oro/util/GenericCacheEntry.java
```

No license file was found, but licenses were detected in source scan.

```

/*
* $Id: RegexFilenameFilter.java,v 1.9 2003/11/07 20:16:23 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,

```

- * if any, must include the following acknowledgment:
- *
- "This product includes software developed by the
- * Apache Software Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE
- SOFTWARE FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * [<http://www.apache.org/>](http://www.apache.org/).
- */

Found in path(s):

- * /oro-2-0-8-sources-4-jar/org/apache/oro/io/RegexFilenameFilter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Id: splitExample.java,v 1.8 2003/11/07 20:16:23 dfs Exp $
 *
 * =====
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 2000 The Apache Software Foundation. All rights
```

- * reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- *
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- *
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in
- * the documentation and/or other materials provided with the
- * distribution.
- *
- * 3. The end-user documentation included with the redistribution,
- * if any, must include the following acknowledgment:
- * "This
- product includes software developed by the
- * Apache Software Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
- FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/examples/awk/splitExample.java

* /oro-2-0-8-sources-4-jar/examples/splitExample.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: filter.java,v 1.8 2003/11/07 20:16:23 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

* "This product

includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,

* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

* must not be used to endorse or promote products derived from this

* software without prior written permission. For written

* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"

* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their

* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
* OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/examples/filter.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: oroToApache.java,v 1.7 2003/11/07 20:16:26 dfs Exp \$

*
*

* =====

* The Apache Software License, Version 1.1

*
*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*
*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*
*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*
*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*
*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

* "This

product includes software developed by the

- * Apache Software Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
- * FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <<http://www.apache.org/>>.
- */

Found in path(s):

- * /oro-2-0-8-sources-4-jar/tools/oroToApache.java

No license file was found, but licenses were detected in source scan.

/*

- * \$Id: matchResultExample.java,v 1.7 2003/11/07 20:16:23 dfs Exp \$
- *
- * =====
- * The Apache Software License, Version 1.1
- *
- * Copyright (c) 2000 The Apache Software Foundation. All rights
- * reserved.
- *

- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- *
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- *
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in
- * the documentation and/or other materials provided with the
- * distribution.
- *
- * 3. The end-user documentation included with the redistribution,
- * if any, must include the following acknowledgment:
- *
- "This product includes software developed by the
- * Apache Software Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE
- SOFTWARE FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <http://www.apache.org/>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/examples/matchResultExample.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: AwkStreamInput.java,v 1.7 2003/11/07 20:16:24 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

* "This
product includes software developed by the
* Apache Software Foundation (<http://www.apache.org/>)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE

FOUNDATION OR

* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/AwkStreamInput.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: matchesContainsExample.java,v 1.7 2003/11/07 20:16:23 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

*

"This product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,

- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE
- * SOFTWARE FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <http://www.apache.org/>.
- */

Found in path(s):

- * /oro-2-0-8-sources-4-jar/examples/awk/matchesContainsExample.java
- * /oro-2-0-8-sources-4-jar/examples/matchesContainsExample.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Id: NegativeCharacterClassNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
 *
 * =====
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
```

* are met:

*

* 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *

* 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *

* 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:
 * "This product includes software developed by the
 * Apache Software Foundation (<http://www.apache.org/>)."
 * Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
 * must not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact apache@apache.org.
 *

* 5. Products derived from this software may not be called "Apache"
 * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 * name, without prior written permission of the Apache Software Foundation.
 *

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE
 * APACHE SOFTWARE FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *

* This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/NegativeCharacterClassNode.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: PatternCacheFIFO.java,v 1.7 2003/11/07 20:16:24 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

*

"This product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
* FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/PatternCacheFIFO.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: PatternCacheLRU.java,v 1.7 2003/11/07 20:16:24 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

*

"This product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
- * FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <<http://www.apache.org/>>.
- */

Found in path(s):

- * /oro-2-0-8-sources-4-jar/org/apache/oro/text/PatternCacheLRU.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Id: prefixExample.java,v 1.7 2003/11/07 20:16:23 dfs Exp $
 *
 * =====
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
```


*
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:
 * "This
 product includes software developed by the
 * Apache Software Foundation (<http://www.apache.org/>)."
 * Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *
 * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
 * must not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact apache@apache.org.
 *
 * 5. Products derived from this software may not be called "Apache"
 * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 * name, without prior written permission of the Apache Software Foundation.
 *
 * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

Found in path(s):

* /oro-2-0-8-sources-4-jar/examples/prefixExample.java
 * /oro-2-0-8-sources-4-jar/examples/awk/prefixExample.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: Perl5Pattern.java,v 1.8 2003/11/07 20:16:25 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
* "This
product includes software developed by the
Apache Software Foundation (http://www.apache.org/)."
Alternately, this acknowledgment may appear in the software itself,
if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
FOUNDATION OR
ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
```

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/Perl5Pattern.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: MalformedCachePatternException.java,v 1.7 2003/11/07 20:16:24 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

* "This product includes software developed by the
* Apache Software Foundation (<http://www.apache.org/>)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written

```

* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL
* THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

```

Found in path(s):

*/oro-2-0-8-sources-4-jar/org/apache/oro/text/MalformedCachePatternException.java

No license file was found, but licenses were detected in source scan.

```

/*
* $Id: PlusNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright

```

- * notice, this list of conditions and the following disclaimer in
- * the documentation and/or other materials provided with the
- * distribution.
- *
- * 3. The end-user documentation included with the redistribution,
- * if any, must include the following acknowledgment:
- * "This product
- includes software developed by the
- * Apache Software Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
- OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <http://www.apache.org/>.
- */

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/PlusNode.java
 No license file was found, but licenses were detected in source scan.

/*

* \$Id: CacheRandom.java,v 1.7 2003/11/07 20:16:25 dfs Exp \$

```

*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*
*    "This
*    product includes software developed by the
*    Apache Software Foundation (http://www.apache.org/)."
*    Alternately, this acknowledgment may appear in the software itself,
*    if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
* FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

```

* SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/util/CacheRandom.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: AwkCompiler.java,v 1.10 2003/11/07 20:16:24 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

* "This

product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"

* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 * name, without prior written permission of the Apache Software Foundation.
 *
 * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
 * FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/AwkCompiler.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Id: Perl5Substitution.java,v 1.13 2003/11/07 20:16:25 dfs Exp $
 *
 * =====
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
```



```

*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*
*   "This product includes software developed by the
*    Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*   must not be used to endorse or promote products derived from this
*   software without prior written permission. For written
*   permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*   or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*   name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE
* SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

```

Found in path(s):

```
* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/Perl5Substitution.java
```

No license file was found, but licenses were detected in source scan.

```

/*
* $Id: CacheLRU.java,v 1.10 2003/11/07 20:16:25 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1

```

*
 * Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:
 * "This
 product includes software developed by the
 * Apache Software Foundation (<http://www.apache.org/>)."
 * Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *
 * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
 * must not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact apache@apache.org.
 *
 * 5. Products derived from this software may not be called "Apache"
 * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 * name, without prior written permission of the Apache Software Foundation.
 *
 * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/util/CacheLRU.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: AwkMatchResult.java,v 1.8 2003/11/07 20:16:24 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

* "This
product includes software developed by the
* Apache Software Foundation (<http://www.apache.org/>)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/AwkMatchResult.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: GlobFilenameFilter.java,v 1.7 2003/11/07 20:16:23 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.

*

* Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:

*

* 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.

*

* 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:

```

*
* "This product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
```

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

```

*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE
* SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /oro-2-0-8-sources-4-jar/org/apache/oro/io/GlobFilenameFilter.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: QuestionNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
```

*
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:
 * "This
 product includes software developed by the
 * Apache Software Foundation (<http://www.apache.org/>)."
 * Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *
 * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
 * must not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact apache@apache.org.
 *
 * 5. Products derived from this software may not be called "Apache"
 * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 * name, without prior written permission of the Apache Software Foundation.
 *
 * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/QuestionNode.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: PatternMatcherInput.java,v 1.7 2003/11/07 20:16:25 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

*

"This product includes software developed by the
* Apache Software Foundation (<http://www.apache.org/>)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

* DISCLAIMED. IN NO EVENT SHALL THE APACHE
SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/PatternMatcherInput.java
No license file was found, but licenses were detected in source scan.

/*

* \$Id: CacheFIFO2.java,v 1.7 2003/11/07 20:16:25 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

* "This

product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
- * FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * [<http://www.apache.org/>](http://www.apache.org/).
- */

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/util/CacheFIFO2.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: grep.java,v 1.7 2003/11/07 20:16:23 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *

* 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *

* 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:
 * "This product
 includes software developed by the
 * Apache Software Foundation (<http://www.apache.org/>)."
 * Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
 * must not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact apache@apache.org.
 *

* 5. Products derived from this software may not be called "Apache"
 * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 * name, without prior written permission of the Apache Software Foundation.
 *

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
 OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *

* This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

Found in path(s):

* /oro-2-0-8-sources-4-jar/examples/grep.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: PatternCacheFIFO2.java,v 1.7 2003/11/07 20:16:24 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights

* reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in

* the documentation and/or other materials provided with the

* distribution.

*

* 3. The end-user documentation included with the redistribution,

* if any, must include the following acknowledgment:

*

"This product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,

* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

* must not be used to endorse or promote products derived from this

* software without prior written permission. For written

* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"

* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their

* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE

* FOUNDATION OR

* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

/*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/PatternCacheFIFO2.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: MalformedPatternException.java,v 1.8 2003/11/07 20:16:25 dfs Exp \$

/*

* =====

* The Apache Software License, Version 1.1

/*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

/*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

/*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

/*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

/*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
* "This product includes software developed by the
* Apache Software Foundation (<http://www.apache.org/>)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

/*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE
- APACHE SOFTWARE FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <http://www.apache.org/>.
- */

Found in path(s):

- * /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/MalformedPatternException.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Id: streamInputExample.java,v 1.7 2003/11/07 20:16:23 dfs Exp $
 *
 * =====
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
```

*
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:
 *
 * "This product includes software developed by the
 * Apache Software Foundation (<http://www.apache.org/>)."
 * Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *
 * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
 * must not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact apache@apache.org.
 *
 * 5. Products derived from this software may not be called "Apache"
 * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 * name, without prior written permission of the Apache Software Foundation.
 *
 * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE
 * SOFTWARE FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

Found in path(s):

* /oro-2-0-8-sources-4-jar/examples/awk/streamInputExample.java

No license file was found, but licenses were detected in source scan.

```

/*
* $Id: Perl5MatchResult.java,v 1.8 2003/11/07 20:16:25 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
*
* "This product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
* FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

```

* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/Perl5MatchResult.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: PatternCacheRandom.java,v 1.7 2003/11/07 20:16:24 dfs Exp \$

*
*

* =====

* The Apache Software License, Version 1.1

*
*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*
*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*
*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*
*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*
*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

*
*

"This product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*
*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.


```

*
* 5. Products derived from this software may not be called "Apache"
*   or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*   name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE
* SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

```

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/PatternCacheRandom.java

No license file was found, but licenses were detected in source scan.

```

/*
* $Id: GenericPatternCache.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in

```

- * the documentation and/or other materials provided with the
- * distribution.
- *
- * 3. The end-user documentation included with the redistribution,
- * if any, must include the following acknowledgment:
- *
- * "This product includes software developed by the
- * Apache Software Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE
- * SOFTWARE FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <http://www.apache.org/>.
- * /

Found in path(s):

- * /oro-2-0-8-sources-4-jar/org/apache/oro/text/GenericPatternCache.java

No license file was found, but licenses were detected in source scan.

/*

- * \$Id: GlobCompiler.java,v 1.8 2003/11/07 20:16:24 dfs Exp \$
- *

```

* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
*
* "This
* product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
* FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

```

```
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
```

Found in path(s):

```
* /oro-2-0-8-sources-4-jar/org/apache/oro/text/GlobCompiler.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* $Id: Perl5Compiler.java,v 1.21 2003/11/07 20:16:25 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
* "This
* product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
```

* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE

FOUNDATION OR

* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND

* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT

* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more

* information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/Perl5Compiler.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: Substitution.java,v 1.7 2003/11/07 20:16:25 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights

* reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in

* the documentation and/or other materials provided with the

* distribution.

*

```

* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*       "This
product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*   must not be used to endorse or promote products derived from this
*   software without prior written permission. For written
*   permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*   or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*   name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/Substitution.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: GenericCache.java,v 1.8 2003/11/07 20:16:25 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*

```

* Copyright (c) 2000 The Apache Software Foundation. All rights reserved.

* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:
 "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."
 Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
- * 5. Products derived from this software may not be called "Apache" or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their name, without prior written permission of the Apache Software Foundation.

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* =====

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/util/GenericCache.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: strings.java,v 1.3 2003/08/12 18:11:30 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2002 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

* "This product
includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED

* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
 * OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/examples/awk/strings.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: substituteExample.java,v 1.9 2003/11/07 20:16:23 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.

*

* Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:

*

* 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.

*

* 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:

*

"This product includes software developed by the

- * Apache Software Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
- * FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <http://www.apache.org/>.
- */

Found in path(s):

- * /oro-2-0-8-sources-4-jar/examples/substituteExample.java

No license file was found, but licenses were detected in source scan.

/*

- * \$Id: AwkMatcher.java,v 1.11 2003/11/07 20:16:24 dfs Exp \$
- *
- * =====
- * The Apache Software License, Version 1.1
- *
- * Copyright (c) 2000 The Apache Software Foundation. All rights
- * reserved.
- *

- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- *
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- *
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in
- * the documentation and/or other materials provided with the
- * distribution.
- *
- * 3. The end-user documentation included with the redistribution,
- * if any, must include the following acknowledgment:
- * "This
- product includes software developed by the
- * Apache Software Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
- FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <http://www.apache.org/>.

```

*/
/**
 * Determines if the contents of a PatternMatcherInput, starting from the
 * current offset of the input contains a pattern.
 * If a pattern match is found, a MatchResult
 * instance representing the <b>first</b> such match is made accessible via
 * {@link #getMatch()}. The current offset of the
 * PatternMatcherInput is set to the offset corresponding to the end
 * of the match, so that a subsequent call to this method will continue
 * searching where the last call left off. You should remember that the
 * region between the begin and end offsets of the PatternMatcherInput are
 * considered the input to be searched, and that the current offset
 * of the PatternMatcherInput reflects where a search will start from.
 * Matches extending beyond the end offset of the PatternMatcherInput
 * will not be matched. In other words, a match must occur entirely
 * between the begin and end offsets of the input. See
 * {@link org.apache.oro.text.regex.PatternMatcherInput PatternMatcherInput}
 * for more details.
 *
 * <p>
 * As a side effect, if a match is found, the PatternMatcherInput match
 * offset information is updated. See
the PatternMatcherInput
 * {@link org.apache.oro.text.regex.PatternMatcherInput#setMatchOffsets
 * setMatchOffsets(int, int)} method for more details.
 *
 * <p>
 * The pattern must be an AwkPattern instance, otherwise a
 * ClassCastException will be thrown. You are not required to, and
 * indeed should NOT try to (for performance reasons), catch a
 * ClassCastException because it will never be thrown as long as you use
 * an AwkPattern as the pattern parameter.
 *
 * <p>
 * This method is usually used in a loop as follows:
 * <blockquote><pre>
 * PatternMatcher matcher;
 * PatternCompiler compiler;
 * Pattern pattern;
 * PatternMatcherInput input;
 * MatchResult result;
 *
 * compiler = new AwkCompiler();
 * matcher = new AwkMatcher();
 *
 * try {
 *   pattern = compiler.compile(somePatternString);
 * } catch(MalformedPatternException e) {
 *   System.err.println("Bad pattern.");
 *   System.err.println(e.getMessage());

```

```

*   return;
* }
*
*   input  = new PatternMatcherInput(someStringInput);
*
*   while(matcher.contains(input, pattern)) {
*       result = matcher.getMatch();
*       // Perform whatever processing on the result you want.
*   }
*
* </pre></blockquote>
* <p>
* @param input  The PatternMatcherInput to test for a match.
* @param pattern  The Pattern to be matched.
* @return True if the input contains a pattern match, false otherwise.
* @exception ClassCastException If a Pattern instance other than an
*         AwkPattern is passed as the pattern parameter.
*/

```

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/AwkMatcher.java

No license file was found, but licenses were detected in source scan.

```

/*
* $Id: LeafNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in
*    the documentation and/or other materials provided with the
*    distribution.
*
* 3. The end-user documentation included with the redistribution,
*    if any, must include the following acknowledgment:
*
*    "This product

```

includes software developed by the

- * Apache Software Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.

*

- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.

*

- * 5. Products derived from this software may not be called "Apache"

- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.

*

- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
- * OR

- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.

* =====

*

- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * [<http://www.apache.org/>](http://www.apache.org/).

*/

Found in path(s):

- * /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/LeafNode.java

No license file was found, but licenses were detected in source scan.

/*

- * \$Id: Perl5FilenameFilter.java,v 1.7 2003/11/07 20:16:23 dfs Exp \$

*

* =====

- * The Apache Software License, Version 1.1

*

- * Copyright (c) 2000 The Apache Software Foundation. All rights
- * reserved.

*

- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- *
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- *
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in
- * the documentation and/or other materials provided with the
- * distribution.
- *
- * 3. The end-user documentation included with the redistribution,
- * if any, must include the following acknowledgment:
- *
- "This product includes software developed by the
- * Apache Software Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE
- SOFTWARE FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * [<http://www.apache.org/>](http://www.apache.org/).

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/io/Perl5FilenameFilter.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: PatternCompiler.java,v 1.7 2003/11/07 20:16:25 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

*

"This product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE

FOUNDATION OR

* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/PatternCompiler.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: CatNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

* "This product

includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,

```

*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*   must not be used to endorse or promote products derived from this
*   software without prior written permission. For written
*   permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*   or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*   name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
* OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/CatNode.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: Perl5Matcher.java,v 1.27 2003/11/07 20:16:25 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation.  All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

```

*
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:
 * "This
 product includes software developed by the
 * Apache Software Foundation (<http://www.apache.org/>)."
 * Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *
 * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
 * must not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact apache@apache.org.
 *
 * 5. Products derived from this software may not be called "Apache"
 * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 * name, without prior written permission of the Apache Software Foundation.
 *
 * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/Perl5Matcher.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: semicolon.java,v 1.8 2003/11/07 20:16:23 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

* "This
product includes software developed by the
* Apache Software Foundation (<http://www.apache.org/>)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/examples/semicolon.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: AwkFilenameFilter.java,v 1.7 2003/11/07 20:16:23 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

*

"This product includes software developed by the
* Apache Software Foundation (<http://www.apache.org/>)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
- * FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <<http://www.apache.org/>>.
- */

Found in path(s):

- * /oro-2-0-8-sources-4-jar/org/apache/oro/io/AwkFilenameFilter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Id: PatternCache.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
 *
 * =====
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
```

*
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:
 * "This
 product includes software developed by the
 * Apache Software Foundation (<http://www.apache.org/>)."
 * Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *
 * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
 * must not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact apache@apache.org.
 *
 * 5. Products derived from this software may not be called "Apache"
 * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 * name, without prior written permission of the Apache Software Foundation.
 *
 * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/PatternCache.java

No license file was found, but licenses were detected in source scan.

```

/*
* $Id: StringSubstitution.java,v 1.8 2003/11/07 20:16:25 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
*
* "This product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE
* SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

```


* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/StringSubstitution.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: MatcherDemoApplet.java,v 1.5 2003/11/07 20:16:23 dfs Exp \$

*
*

* =====

* The Apache Software License, Version 1.1

*
*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*
*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*
*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*
*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*
*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

*
*

"This product includes software developed by the
* Apache Software Foundation (<http://www.apache.org/>)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*
*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.

```

*
* 5. Products derived from this software may not be called "Apache"
*   or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*   name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
* FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

```

Found in path(s):

```
* /oro-2-0-8-sources-4-jar/examples/MatcherDemoApplet.java
```

No license file was found, but licenses were detected in source scan.

```

/*
* $Id: EpsilonNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in

```

- * the documentation and/or other materials provided with the
- * distribution.
- *
- * 3. The end-user documentation included with the redistribution,
- * if any, must include the following acknowledgment:
- * "This
- product includes software developed by the
- * Apache Software Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
- FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <http://www.apache.org/>.
- */

Found in path(s):

- * /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/EpsilonNode.java

No license file was found, but licenses were detected in source scan.

/*

- * \$Id: jdfix.java,v 1.8 2003/11/07 20:16:23 dfs Exp \$
- *

```

* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
*
* "This product
* includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
* OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

```

```
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
```

Found in path(s):

```
* /oro-2-0-8-sources-4-jar/examples/jdfix.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* $Id: MatchResult.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
* "This
* product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
```

* name, without prior written permission of the Apache Software Foundation.
 *
 * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
 * FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/MatchResult.java

No license file was found, but licenses were detected in source scan.

/*
 * \$Id: MatchActionProcessor.java,v 1.10 2003/11/07 20:16:24 dfs Exp \$
 *
 * =====
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 */

```

* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*
*       "This product includes software developed by the
*        Apache Software Foundation (http://www.apache.org/)."
```

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

```

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*   must not be used to endorse or promote products derived from this
*   software without prior written permission. For written
*   permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*   or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*   name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE
* SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /oro-2-0-8-sources-4-jar/org/apache/oro/text/MatchActionProcessor.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: printPasswd.java,v 1.8 2003/11/07 20:16:23 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*

```

* Copyright (c) 2000 The Apache Software Foundation. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

*

* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

*

* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

* "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache" or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/examples/printPasswd.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: Cache.java,v 1.7 2003/11/07 20:16:25 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

* "This product

includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,

* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

* must not be used to endorse or promote products derived from this

* software without prior written permission. For written

* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"

* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their

* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
 * OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/util/Cache.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: groups.java,v 1.8 2003/11/07 20:16:23 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.

*

* Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:

*

* 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.

*

* 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:

* "This product

includes software developed by the

- * Apache Software Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.

*

- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.

*

- * 5. Products derived from this software may not be called "Apache"

- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.

*

- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
- * OR

- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.

* =====

*

- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * [<http://www.apache.org/>](http://www.apache.org/).

*/

Found in path(s):

- * /oro-2-0-8-sources-4-jar/examples/groups.java

No license file was found, but licenses were detected in source scan.

/*

- * \$Id: Util.java,v 1.15 2003/11/07 20:16:25 dfs Exp \$

*

* =====

- * The Apache Software License, Version 1.1

*

- * Copyright (c) 2000-2002 The Apache Software Foundation. All rights
- * reserved.

*

- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- *
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- *
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in
- * the documentation and/or other materials provided with the
- * distribution.
- *
- * 3. The end-user documentation included with the redistribution,
- * if any, must include the following acknowledgment:
- * "This
- product includes software developed by the
- * Apache Software Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
- FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <http://www.apache.org/>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/Util.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: addCommas.java,v 1.7 2003/11/07 20:16:23 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

* "This
product includes software developed by the
* Apache Software Foundation (<http://www.apache.org/>)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE

FOUNDATION OR

* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/examples/addCommas.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: PatternMatcher.java,v 1.7 2003/11/07 20:16:25 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

* "This

product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,

```

* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
* FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/PatternMatcher.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: Perl5Util.java,v 1.19 2003/11/07 20:16:25 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

```

*
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:
 * "This
 product includes software developed by the
 * Apache Software Foundation (<http://www.apache.org/>)."
 * Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *
 * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
 * must not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact apache@apache.org.
 *
 * 5. Products derived from this software may not be called "Apache"
 * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 * name, without prior written permission of the Apache Software Foundation.
 *
 * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/perl/Perl5Util.java
No license file was found, but licenses were detected in source scan.

```
/*
 * $Id: AwkPattern.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
 *
 * =====
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:
 *
 * "This
 * product includes software developed by the
 * Apache Software Foundation (http://www.apache.org/)."
 * Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *
 * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
 * must not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact apache@apache.org.
 *
 * 5. Products derived from this software may not be called "Apache"
 * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 * name, without prior written permission of the Apache Software Foundation.
 *
 * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
 * FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
```

* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.

* =====

*

* This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/AwkPattern.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: SyntaxNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.

*

* Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:

*

* 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.

*

* 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:

* "This

product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
- * FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * <<http://www.apache.org/>>.
- */

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/SyntaxNode.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Id: MalformedPerl5PatternException.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
 *
 * =====
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
```

```

*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The end-user documentation included with the redistribution,
*   if any, must include the following acknowledgment:
*   "This product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
*   Alternately, this acknowledgment may appear in the software itself,
*   if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*   must not be used to endorse or promote products derived from this
*   software without prior written permission. For written
*   permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*   or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*   name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED.  IN NO EVENT SHALL
* THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /oro-2-0-8-sources-4-jar/org/apache/oro/text/perl/MalformedPerl5PatternException.java
No license file was found, but licenses were detected in source scan.

/*

```

* \$Id: DefaultMatchAction.java,v 1.7 2003/11/07 20:16:24 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights

* reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in

* the documentation and/or other materials provided with the

* distribution.

*

* 3. The end-user documentation included with the redistribution,

* if any, must include the following acknowledgment:

*

* "This product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,

* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

* must not be used to endorse or promote products derived from this

* software without prior written permission. For written

* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"

* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their

* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

* DISCLAIMED. IN NO EVENT SHALL THE APACHE

* SOFTWARE FOUNDATION OR

* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF

* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND

* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT

* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/DefaultMatchAction.java
No license file was found, but licenses were detected in source scan.

/*
* \$Id: MatchActionInfo.java,v 1.8 2003/11/07 20:16:24 dfs Exp \$
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
*
* "This product includes software developed by the
* Apache Software Foundation (<http://www.apache.org/>)."
* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*

* 5. Products derived from this software may not be called "Apache"
 * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 * name, without prior written permission of the Apache Software Foundation.
 *
 * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
 * FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/MatchActionInfo.java
 No license file was found, but licenses were detected in source scan.

/*
 * \$Id: CharacterClassNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp \$
 *
 * =====
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the

```

* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
*
* "This product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
```

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

```

*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE
* SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

Found in path(s):
* /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/CharacterClassNode.java
No license file was found, but licenses were detected in source scan.

/*
* $Id: StarNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
*
* =====

```


* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

*

* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

*

* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

* "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache" or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* =====

*
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/StarNode.java
 No license file was found, but licenses were detected in source scan.

```
/*
 * $Id: Perl5Debug.java,v 1.11 2003/11/07 20:16:25 dfs Exp $
 *
 * =====
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in
 *    the documentation and/or other materials provided with the
 *    distribution.
 *
 * 3. The end-user documentation included with the redistribution,
 *    if any, must include the following acknowledgment:
 *
 *      "This
 *      product includes software developed by the
 *
 *      Apache Software Foundation (http://www.apache.org/)."


* Alternately, this acknowledgment may appear in the software itself,  

  * if and wherever such third-party acknowledgments normally appear.  

  *



* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"  

  * must not be used to endorse or promote products derived from this  

  * software without prior written permission. For written  

  * permission, please contact apache@apache.org.  

  *



* 5. Products derived from this software may not be called "Apache"  

  * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their  

  * name, without prior written permission of the Apache Software Foundation.


```

```

*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/

```

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/Perl5Debug.java

No license file was found, but licenses were detected in source scan.

```

/*
* $Id: substituteExample.java,v 1.8 2003/11/07 20:16:23 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,

```

```

* if any, must include the following acknowledgment:
*
* "This product includes software developed by the
*   Apache Software Foundation (http://www.apache.org/)."
```

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

```

*
* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
*    must not be used to endorse or promote products derived from this
*    software without prior written permission. For written
*    permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
*    or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
*    name, without prior written permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
* FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
```

Found in path(s):

```
* /oro-2-0-8-sources-4-jar/examples/awk/substituteExample.java
```

No license file was found, but licenses were detected in source scan.

```

/*
* $Id: ParsedSubstitutionEntry.java,v 1.7 2003/11/07 20:16:25 dfs Exp $
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
```

- * reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- *
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- *
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in
- * the documentation and/or other materials provided with the
- * distribution.
- *
- * 3. The end-user documentation included with the redistribution,
- * if any, must include the following acknowledgment:
- * "This product includes software developed by the
- * Apache Software Foundation (<http://www.apache.org/>)."
- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE
- * SOFTWARE FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see

* <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/perl/ParsedSubstitutionEntry.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: CharStringPointer.java,v 1.7 2003/11/07 20:16:25 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

*

"This product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
* must not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"
* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/regex/CharStringPointer.java
No license file was found, but licenses were detected in source scan.

/*
* \$Id: didNotMatch.java,v 1.7 2003/11/07 20:16:23 dfs Exp \$
*
* =====
* The Apache Software License, Version 1.1
*
* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
* "This
product includes software developed by the
* Apache Software Foundation (<http://www.apache.org/>)."

- * Alternately, this acknowledgment may appear in the software itself,
- * if and wherever such third-party acknowledgments normally appear.
- *
- * 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
- * must not be used to endorse or promote products derived from this
- * software without prior written permission. For written
- * permission, please contact apache@apache.org.
- *
- * 5. Products derived from this software may not be called "Apache"
- * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
- * name, without prior written permission of the Apache Software Foundation.
- *
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
- * FOUNDATION OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- * =====
- *
- * This software consists of voluntary contributions made by many
- * individuals on behalf of the Apache Software Foundation. For more
- * information on the Apache Software Foundation, please see
- * [<http://www.apache.org/>](http://www.apache.org/).
- */

Found in path(s):

- * /oro-2-0-8-sources-4-jar/examples/didNotMatch.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Id: MatchAction.java,v 1.7 2003/11/07 20:16:24 dfs Exp $
 *
 * =====
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 2000 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
```


* are met:

*

* 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *

* 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *

* 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:
 * "This
 product includes software developed by the
 * Apache Software Foundation (<http://www.apache.org/>)."
 * Alternately, this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
 * must not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact apache@apache.org.
 *

* 5. Products derived from this software may not be called "Apache"
 * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 * name, without prior written permission of the Apache Software Foundation.
 *

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
 FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *

* This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/MatchAction.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: CacheFIFO.java,v 1.7 2003/11/07 20:16:25 dfs Exp \$

*

* =====

* The Apache Software License, Version 1.1

*

* Copyright (c) 2000 The Apache Software Foundation. All rights

* reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in

* the documentation and/or other materials provided with the

* distribution.

*

* 3. The end-user documentation included with the redistribution,

* if any, must include the following acknowledgment:

* "This

product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,

* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"

* must not be used to endorse or promote products derived from this

* software without prior written permission. For written

* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache"

* or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their

* name, without prior written permission of the Apache Software Foundation.

*

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE

FOUNDATION OR

* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*
*

* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/util/CacheFIFO.java

No license file was found, but licenses were detected in source scan.

/*

* \$Id: TokenNode.java,v 1.7 2003/11/07 20:16:24 dfs Exp \$

*
*

* =====

* The Apache Software License, Version 1.1

*
*

* Copyright (c) 2000 The Apache Software Foundation. All rights
* reserved.

*
*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*
*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*
*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*
*

* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:

*
*

"This
product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately, this acknowledgment may appear in the software itself,
* if and wherever such third-party acknowledgments normally appear.

*
*

* 4. The names "Apache" and "Apache Software Foundation", "Jakarta-Oro"
 * must not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact apache@apache.org.
 *

* 5. Products derived from this software may not be called "Apache"
 * or "Jakarta-Oro", nor may "Apache" or "Jakarta-Oro" appear in their
 * name, without prior written permission of the Apache Software Foundation.
 *

* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE
 * FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *

* This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.
 */

Found in path(s):

* /oro-2-0-8-sources-4-jar/org/apache/oro/text/awk/TokenNode.java

1.29 commons-fileupload 1.5

1.29.1 Available under license :

Apache Commons FileUpload

Copyright 2002-2023 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.30 tomcat-juli 9.0.83

1.30.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.31 third-party-jackson-core 2.20.128

1.31.1 Available under license :

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by
Amazon Technologies, Inc (<http://www.amazon.com/>).

THIRD PARTY COMPONENTS

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang
Copyright 2001-2020
The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.

It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

1.32 activemq-camel 5.15.11

1.32.1 Available under license :

ActiveMQ :: Camel
Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.33 asm-analysis 4.0

1.33.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

- * ASM: a very small and fast Java bytecode manipulation framework
- * Copyright (c) 2000-2011 INRIA, France Telecom
- * All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- * "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

*/

/**

* Creates a new {@link AnalyzerAdapter}. *Subclasses must not use this
* constructor*. Instead, they must use the
* {@link #AnalyzerAdapter(int, String, int, String, String, MethodVisitor)}
* version.

*

* @param owner the owner's class
name.

* @param access the method's access flags (see {@link Opcodes}).

* @param name the method's name.

* @param desc the method's descriptor (see {@link Type Type}).

* @param mv the method visitor to which this adapter delegates calls. May

* be `null`.

*/

Found in path(s):

* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/AnalyzerAdapter.java

No license file was found, but licenses were detected in source scan.

/**

* ASM XML Adapter

* Copyright (c) 2004-2011, Eugene Kuleshov

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES,

INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/xml/SAXCodeAdapter.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/xml/ASMContentHandler.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/xml/SAXAnnotationAdapter.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/xml/SAXAdapter.java
*

/asm-analysis-4-0-sources-1-jar/org/objectweb/asm/xml/SAXFieldAdapter.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/xml/SAXClassAdapter.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/xml/Processor.java

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/xml/asm-xml.dtd

No license file was found, but licenses were detected in source scan.

#All rights reserved.

#Redistribution and use in source and binary forms, with or without
#modification, are permitted provided that the following conditions
#are met:

- #1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- #2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
- #3. Neither the name of the copyright holders nor the names of its
this software without specific prior written permission.

Found in path(s):

- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-signatures.properties
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-annotations.properties
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink.properties
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-frames.properties
- *
- /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-writer.properties
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-resize.properties

No license file was found, but licenses were detected in source scan.

/***

- * ASM: a very small and fast Java bytecode manipulation framework
- * Copyright (c) 2000-2011 INRIA, France Telecom
- * Copyright (c) 2011 Google
- * All rights reserved.

*

- * Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

- * 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.

*

- * THIS SOFTWARE IS PROVIDED BY THE

COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/TraceMethodVisitor.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/MethodNode.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Analyzer.java
*
/asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/TraceClassVisitor.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/ClassOptimizer.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/TraceFieldVisitor.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/ASMifier.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/AdviceAdapter.java
No license file was found, but licenses were detected in source scan.

/****

* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/


```

/**
 * Constructs a new {@link ClassNode}. <i>Subclasses must not use this
 * constructor</i>. Instead, they must use the {@link #ClassNode(int)}
 * version.
 */

```

Found in path(s):

* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/ClassNode.java

No license file was found, but licenses were detected in source scan.

```

/**
 * ASM: a very small and fast Java bytecode manipulation framework
 * Copyright (c) 2000-2011 INRIA, France Telecom
 * Copyright (c) 2011 Google
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the
 *    documentation and/or other materials provided with the distribution.
 * 3. Neither the name of the copyright holders nor the names of its
 *    contributors may be used to endorse or promote products derived from
 *    this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE
 * COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
 * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
 * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
 * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
 * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
 * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
 * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
 * THE POSSIBILITY OF SUCH DAMAGE.
 */

```

```

/**
 * Creates a new {@link GeneratorAdapter}. <i>Subclasses must not use this
 * constructor</i>. Instead, they must use the
 * {@link #GeneratorAdapter(int, MethodVisitor, int, String, String)}
 * version.
 *
 * @param

```

mv the method visitor to which this adapter delegates calls.

- * @param access the method's access flags (see {@link Opcodes}).
- * @param name the method's name.
- * @param desc the method's descriptor (see {@link Type Type}).
- */

Found in path(s):

* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/GeneratorAdapter.java

No license file was found, but licenses were detected in source scan.

/**

* ASM: a very small and fast Java bytecode manipulation framework

* Copyright (c) 2000-2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

* THE POSSIBILITY OF SUCH DAMAGE.

*/

/**

* Creates a new JSRInliner. <i>Subclasses must not use this

* constructor</i>. Instead, they must use the

* {@link #JSRInlinerAdapter(int, MethodVisitor, int, String, String, String, String[])}

* version.

*

* @param mv the <code>MethodVisitor</code>

to send the resulting inlined

- * method code to (use `<code>null</code>` for none).
- * `@param` access the method's access flags (see {@link Opcodes}). This
- * parameter also indicates if the method is synthetic and/or
- * deprecated.
- * `@param` name the method's name.
- * `@param` desc the method's descriptor (see {@link Type}).
- * `@param` signature the method's signature. May be `<tt>null</tt>`.
- * `@param` exceptions the internal names of the method's exception classes
- * (see {@link Type#getName() getName}). May be
- * `<tt>null</tt>`.
- */

Found in path(s):

* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/JSRInlinerAdapter.java

No license file was found, but licenses were detected in source scan.

/**

- * ASM: a very small and fast Java bytecode manipulation framework
- * Copyright (c) 2000-2011 INRIA, France Telecom
- * All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- * "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.
- */

Found in path(s):

- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/Type.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/LabelNode.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/ByteVector.java
- *
- /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/Item.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/MethodOptimizer.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/NameMapping.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/Printer.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/TraceSignatureVisitor.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/AnnotationVisitor.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingMethodAdapter.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/Method.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/MethodInsnNode.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/InsnList.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/MethodWriter.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/TableSwitchGenerator.java
- *
- /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/LineNumberNode.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/CheckFieldAdapter.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/IncnInsnNode.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/MethodVisitor.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/Shrinker.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/InnerClassNode.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/FieldWriter.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/AnalyzerException.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/TraceAnnotationVisitor.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/SimpleRemapper.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/signature/SignatureWriter.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/AnnotationNode.java
- *
- /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/TryCatchBlockNode.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/Remapper.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/FieldInsnNode.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/LocalVariablesSorter.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/CheckClassAdapter.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingSignatureAdapter.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/ClassConstantsCollector.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/CodeSizeEvaluator.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/Frame.java
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java
- *

```

/asm-analysis-4-0-sources-1-jar/org/objectweb/asm/Attribute.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/JumpInsnNode.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/LdcInsnNode.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/ConstantPool.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/ClassReader.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/FieldConstantsCollector.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Value.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Frame.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/JarOptimizer.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/TypeInsnNode.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SourceValue.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/AnnotationWriter.java
*
/asm-analysis-4-0-sources-1-jar/org/objectweb/asm/ClassVisitor.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/InstructionAdapter.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/signature/SignatureReader.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Subroutine.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/FieldNode.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingClassAdapter.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/TryCatchBlockSorter.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicVerifier.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/FrameNode.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/LocalVariableNode.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/IntInsnNode.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/MethodConstantsCollector.java
*
/asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/InsnNode.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/TableSwitchInsnNode.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/Handler.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/Edge.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/signature/SignatureVisitor.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/CheckMethodAdapter.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/VarInsnNode.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/AbstractInsnNode.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingFieldAdapter.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SmallSet.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/ClassWriter.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Interpreter.java
*
/asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/CheckSignatureAdapter.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicValue.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/Handle.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingAnnotationAdapter.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/FieldVisitor.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/Opcodes.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/StaticInitMerger.java

```

* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/Constant.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/optimizer/AnnotationConstantsCollector.java
* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/Label.java
No license file was found, but licenses were detected in source scan.

/**

* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

*/

/**

* Constructs a new {@link Textifier}. *Subclasses must not use this*
* constructor*.* Instead, they must use the {@link #Textifier(int)}
* version.
*/

Found in path(s):

* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/Textifier.java
No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

* All rights reserved.
*

- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/package.html
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/package.html
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/attrs/package.html
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/signature/package.html
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/package.html
- *
- /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/commons/package.html
- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/tree/package.html

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov

- * All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from

- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED
- WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

- * /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/xml/package.html

No license file was found, but licenses were detected in source scan.

/**

- * ASM: a very small and fast Java bytecode manipulation framework
- * Copyright (c) 2000-2011 INRIA, France Telecom
- * All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/Textifiable.java

* /asm-analysis-4-0-sources-1-jar/org/objectweb/asm/util/ASMifiable.java

1.34 hibernate 3.3.1.GA

1.34.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for

you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General

Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work

which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it).

Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing

the modified Library. (It is understood

that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute

the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing

to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version

is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE

THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer

(if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library 'Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.35 profiles 2.20.128

1.35.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

THIRD PARTY COMPONENTS

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang
Copyright 2001-2020
The Apache Software Foundation

This product includes software developed at The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
- You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed
with the accompanying software if such terms are included in the directory containing the accompanying software.
Such other license terms will then apply in lieu of the terms of the software license above.

1.36 fontbox 2.0.25

1.36.1 Available under license :

Apache FontBox
Copyright 2008-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Based on source code contributed to the original FontBox project.
Copyright (c) 2006-2007, www.fontbox.org

Includes the Script Property (Scripts-10.0.0.txt)
Copyright 2017 Unicode, Inc.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

CONTRIBUTIONS TO THE ORIGINAL CODEBASE

Apache FontBox is based on contributions made to the original FontBox project:

Copyright (c) 2006-2007, www.fontbox.org
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of fontbox; nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Lohit-Bengali font (<https://pagure.io/lohit>):

Copyright 2011-13 Lohit Fonts Project contributors
<<http://fedorahosted.org/lohit>>

This Font Software is licensed under the SIL Open Font License, Version 1.1.

This license is copied below, and is also available with a FAQ at:
<http://scripts.sil.org/OFL>

SIL OPEN FONT LICENSE Version 1.1 - 26 February 2007

PREAMBLE

The goals of the Open Font License (OFL) are to stimulate worldwide development of collaborative font projects, to support the font creation efforts of academic and linguistic communities, and to provide a free and open framework in which fonts may be shared and improved in partnership with others.

The OFL allows the licensed fonts to be used, studied, modified and redistributed freely as long as they are not sold by themselves. The fonts, including any derivative works, can be bundled, embedded, redistributed and/or sold with any software provided that any reserved names are not used by derivative works. The fonts and derivatives, however, cannot be released under any other type of license. The requirement for fonts to remain under this license does not apply to any document created using the fonts or their derivatives.

DEFINITIONS

"Font Software" refers to the set of files released by the Copyright Holder(s) under this license and clearly marked as such. This may include source files, build scripts and documentation.

"Reserved Font Name" refers to any names specified as such after the copyright statement(s).

"Original Version" refers to the collection of Font Software components as distributed by the Copyright Holder(s).

"Modified Version" refers to any derivative made by adding to, deleting, or substituting
-- in part or in whole -- any of the components of the Original Version, by changing formats or by porting the Font Software to a new environment.

"Author" refers to any designer, engineer, programmer, technical writer or other person who contributed to the Font Software.

PERMISSION & CONDITIONS

Permission is hereby granted, free of charge, to any person obtaining a copy of the Font Software, to use, study, copy, merge, embed, modify,

redistribute, and sell modified and unmodified copies of the Font Software, subject to the following conditions:

- 1) Neither the Font Software nor any of its individual components, in Original or Modified Versions, may be sold by itself.
- 2) Original or Modified Versions of the Font Software may be bundled, redistributed and/or sold with any software, provided that each copy contains the above copyright notice and this license. These can be included either as stand-alone text files, human-readable headers or in the appropriate machine-readable metadata fields within text or binary files as long as those fields can be easily viewed by the user.
- 3) No Modified Version of the Font Software may use the Reserved Font Name(s) unless explicit written permission is granted by the corresponding Copyright Holder. This restriction only applies to the primary font name as presented to the users.
- 4) The name(s) of the Copyright Holder(s) or the Author(s) of the Font Software shall not be used to promote, endorse or advertise any Modified Version, except to acknowledge the contribution(s) of the Copyright Holder(s) and the Author(s) or with their explicit written permission.
- 5) The Font Software, modified or unmodified, in part or in whole, must be distributed entirely under this license, and must not be distributed under any other license. The requirement for fonts to remain under this license does not apply to any document created using the Font Software.

TERMINATION

This license becomes null and void if any of the above conditions are not met.

DISCLAIMER

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

1.37 jnr-constants 0.8.6

1.37.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Permission is hereby granted, free of charge, to any person obtaining a copy
 * of this software and associated documentation files (the "Software"), to deal
 * in the Software without restriction, including without limitation the rights
 * to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
 * copies of the Software, and to permit persons to whom the Software is
 * furnished to do so, subject to the following conditions:
 *
 * The above copyright notice and this permission notice shall be included in
 * all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
 * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
 * LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
 * OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
 * THE SOFTWARE.
 */
```

Found in path(s):

```
* /jnr-constants-0-8-6-sources-3-jar/jnr/constants/ConstantSet.java
* /jnr-constants-0-8-6-sources-3-jar/jnr/constants/platform/ConstantResolver.java
* /jnr-constants-0-8-6-sources-3-jar/com/kenai/constantine/ConstantSet.java
* /jnr-constants-0-8-6-sources-3-jar/jnr/constants/Constant.java
* /jnr-constants-0-8-6-sources-3-jar/jnr/constants/Platform.java
* /jnr-constants-0-8-6-sources-3-jar/com/kenai/constantine/platform/ConstantResolver.java
* /jnr-constants-0-8-6-sources-3-jar/com/kenai/constantine/Constant.java
```

1.38 netty-buffer 4.1.89.Final

1.38.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# The Netty Project licenses this file to you under the Apache License,
# version 2.0 (the "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at:
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

* /netty-buffer-4-1-89-final-sources-jar/META-INF/native-image/io.netty/netty-buffer/native-image.properties

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2022 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/ByteBufConvertible.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/UnsafeDirectSwappedByteBuf.java

* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/UnsafeHeapSwappedByteBuf.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * <https://www.apache.org/licenses/LICENSE-2.0>
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */

Found in path(s):

* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PoolChunkList.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/AbstractByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PoolThreadCache.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PooledDirectByteBuf.java
 *
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PoolChunk.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/ByteBufOutputStream.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PooledByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/UnpooledDirectByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/CompositeByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/Unpooled.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/UnpooledHeapByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PooledByteBufAllocator.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/UnpooledUnsafeDirectByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/SlicedByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/ByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/ByteBufUtil.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PoolSubpage.java
 *
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/AbstractByteBufAllocator.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/UnpooledByteBufAllocator.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/ByteBufInputStream.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PoolArena.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/ByteBufAllocator.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/ReadOnlyByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/DuplicatedByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/SwappedByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/package-info.java
 No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:
 *
 * <https://www.apache.org/licenses/LICENSE-2.0>
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */

Found in path(s):

* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/AdvancedLeakAwareCompositeByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/AbstractPooledDerivedByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/UnpooledUnsafeNoCleanerDirectByteBuf.java
 *
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PooledDuplicatedByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/SimpleLeakAwareCompositeByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/WrappedCompositeByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/AbstractUnpooledSlicedByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PooledSlicedByteBuf.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/WrappedUnpooledUnsafeDirectByteBuf.java
 No license file was found, but licenses were detected in source scan.

/*
 * Copyright 2020 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * <https://www.apache.org/licenses/LICENSE-2.0>
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */

Found in path(s):

* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/LongLongHashMap.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/LongPriorityQueue.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/SizeClassesMetric.java
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/search/package-info.java
 *
 * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/SizeClasses.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

- * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/ByteBufAllocatorMetric.java
- * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/ByteBufAllocatorMetricProvider.java
- * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PooledByteBufAllocatorMetric.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2013 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

- * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/FixedCompositeByteBuf.java
- * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/ByteBufProcessor.java
- * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/ReadOnlyByteBufferBuf.java
- * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/AbstractDerivedByteBuf.java
- *
- /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/SimpleLeakAwareByteBuf.java
- * /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/AdvancedLeakAwareByteBuf.java

* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PooledUnsafeDirectByteBuf.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/EmptyByteBuf.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/DefaultByteBufHolder.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/UnreleasableByteBuf.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/ReadOnlyUnsafeDirectByteBuf.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/AbstractReferenceCountedByteBuf.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/ByteBufHolder.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/WrappedByteBuf.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PooledHeapByteBuf.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2020 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

* "License"); you may not use this file except in compliance with the License. You may obtain a

* copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/search/KmpSearchProcessorFactory.java

* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/search/MultiSearchProcessor.java

* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/search/AbstractSearchProcessorFactory.java

```

*
/netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/search/MultiSearchProcessorFactory.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/search/AbstractMultiSearchProcessorFactory.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/search/BitapSearchProcessorFactory.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/search/SearchProcessor.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/search/SearchProcessorFactory.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/search/AhoCorasicSearchProcessorFactory.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PoolChunkListMetric.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PoolSubpageMetric.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/UnpooledUnsafeHeapByteBuf.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PoolArenaMetric.java
*
/netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/UnpooledSlicedByteBuf.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/HeapByteBufUtil.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/UnpooledDuplicatedByteBuf.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/AbstractUnsafeSwappedByteBuf.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PooledUnsafeHeapByteBuf.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/PoolChunkMetric.java
* /netty-buffer-4-1-89-final-sources-jar/io/netty/buffer/UnsafeByteBufUtil.java
No license file was found, but licenses were detected in source scan.

```

```

<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0

```

~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):

* /netty-buffer-4-1-89-final-sources-jar/META-INF/maven/io.netty/netty-buffer/pom.xml

1.39 geronimoj2eemanagement 1.0.1

1.39.1 Available under license :

Apache Geronimo

Copyright 2003-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.40 hibernate-c3p0 3.3.1.GA

1.40.1 Available under license :

Found license 'GNU Lesser General Public License' in '*' indicated by the @author tags or express copyright attribution * distributed under license by Red Hat Middleware LLC. * This copyrighted material is made available to anyone wishing to use, modify, * copy, or redistribute it subject to the terms and conditions of the GNU * Lesser General Public License, as published by the Free Software Foundation. * This program is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License * for more details. * You should have received a copy of the GNU Lesser General Public License * Boston, MA 02110-1301 USA'

1.41 metrics-spi 2.20.128

1.41.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by
Amazon Technologies, Inc (<http://www.amazon.com/>).

THIRD PARTY COMPONENTS

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang
Copyright 2001-2020
The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

1.42 netty-handler 4.1.89.Final

1.42.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
*/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/traffic/GlobalTrafficShapingHandler.java
*/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/traffic/TrafficCounter.java
*/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/traffic/ChannelTrafficShapingHandler.java
*/
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/traffic/package-info.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
```

- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- * License for the specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ipfilter/IpSubnetFilterRule.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslApplicationProtocolNegotiator.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslServerSessionContext.java
- *
- /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ipfilter/AbstractRemoteAddressFilter.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/Java7SslParametersUtils.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/IdentityCipherSuiteFilter.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/SimpleTrustManagerFactory.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ipfilter/UniqueIpFilter.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/JdkApplicationProtocolNegotiator.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslSessionContext.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/PemReader.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/InsecureTrustManagerFactory.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ipfilter/IpFilterRule.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSsl.java
- *
- /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/JdkSslEngine.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SniHandler.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/BouncyCastleSelfSignedCertGenerator.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/OpenJdkSelfSignedCertGenerator.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslContext.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/JdkBaseApplicationProtocolNegotiator.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/JdkSslClientContext.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/ApplicationProtocolUtil.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/CipherSuiteFilter.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslEngineMap.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SslContext.java
- *
- /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SslProvider.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SslUtils.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ipfilter/package-info.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslServerContext.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/JdkDefaultApplicationProtocolNegotiator.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/ThreadLocalInsecureRandom.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/JdkNpnApplicationProtocolNegotiator.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/ApplicationProtocolNegotiator.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/JdkAlpnApplicationProtocolNegotiator.java
- * /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactory.java
- *

```

/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/ApplicationProtocolConfig.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/JettyAlpnSslEngine.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ipfilter/RuleBasedIpFilter.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/JdkSslServerContext.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/JdkSslContext.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslEngine.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslClientContext.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SupportedCipherSuiteFilter.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/traffic/GlobalChannelTrafficCounter.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ipfilter/IpFilterRuleType.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/JettyNpnSslEngine.java
*
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/CipherSuiteConverter.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslDefaultApplicationProtocolNegotiator.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslNpnApplicationProtocolNegotiator.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/LazyX509Certificate.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslSessionStats.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

```

Found in path(s):
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SslHandshakeCompletionEvent.java
No license file was found, but licenses were detected in source scan.

```

```

<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~

```

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):

* /netty-handler-4-1-89-final-sources-1-jar/META-INF/maven/io.netty/netty-handler/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2018 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslKeyMaterialProvider.java

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslPrivateKey.java

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslSession.java

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslKeyMaterial.java

*

/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/ExtendedOpenSslSession.java

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslX509TrustManagerWrapper.java

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslX509KeyManagerFactory.java

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/DefaultOpenSslKeyMaterial.java

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslCachingKeyMaterialProvider.java

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SignatureAlgorithmConverter.java

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslCachingX509KeyManagerFactory.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2020 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

```

*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SslHandshakeTimeoutException.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/address/ResolveAddressHandler.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ipfilter/IpSubnetFilterRuleComparator.java
*
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactoryBuilder.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ipfilter/IpSubnetFilter.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/logging/ByteBufFormat.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SslClosedEngineException.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslKeyMaterialManager.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/flush/package-info.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/PemX509Certificate.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslCertificateException.java
*
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/flow/package-info.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/PemValue.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/ReferenceCountedOpenSslClientContext.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/PemEncoded.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/Java8SslUtils.java

```

```
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/ReferenceCountedOpenSslServerContext.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/ReferenceCountedOpenSslEngine.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/flush/FlushConsolidationHandler.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/DelegatingSslContext.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/ReferenceCountedOpenSslContext.java
*
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/PemPrivateKey.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/X509TrustManagerWrapper.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslSessionTicketKey.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/ClientAuth.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/ApplicationProtocolNames.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SslContextBuilder.java
*
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/ApplicationProtocolAccessor.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/LazyJavaxX509Certificate.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/ApplicationProtocolNegotiationHandler.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/pcap/IPPacket.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/pcap/PcapWriteHandler.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/pcap/PcapHeaders.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/pcap/TCPpacket.java
*
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/pcap/EthernetPacket.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/pcap/PcapWriter.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/pcap/package-info.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/pcap/UDPPacket.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/flow/FlowControlHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2022 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslCertificateCompressionConfig.java
No license file was found, but licenses were detected in source scan.

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

* /netty-handler-4-1-89-final-sources-1-jar/META-INF/native-image/io.netty/netty-handler/native-image.properties
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2022 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslCertificateCompressionAlgorithm.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/BouncyCastlePemReader.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
*/

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/stream/ChunkedStream.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/NotSslRecordException.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/logging/package-info.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/package-info.java
*
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/timeout/IdleStateEvent.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/timeout/WriteTimeoutHandler.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/stream/ChunkedFile.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/stream/ChunkedInput.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/timeout/IdleStateHandler.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/timeout/package-info.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/timeout/IdleState.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/package-info.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/timeout/WriteTimeoutException.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/logging/LoggingHandler.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/logging/LogLevel.java
*
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/stream/ChunkedNioStream.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/timeout/ReadTimeoutException.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/stream/ChunkedWriteHandler.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/timeout/ReadTimeoutHandler.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SslHandler.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/stream/ChunkedNioFile.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/stream/package-info.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/timeout/TimeoutException.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2011 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/traffic/AbstractTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2023 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/pcap/State.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2021 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/Ciphers.java

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/BouncyCastle.java

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/AsyncRunnable.java

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslClientSessionCache.java

```
*
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslSessionId.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslContextOption.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SslProtocols.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/BouncyCastleAlpnSslEngine.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SslContextOption.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/BouncyCastleAlpnSslUtils.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/GroupsConverter.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslSessionCache.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslAsyncPrivateKeyMethod.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/traffic/GlobalChannelTrafficShapingHandler.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// Try the OpenJDK's proprietary implementation.
```

Found in path(s):

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/SelfSignedCertificate.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2023 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/StacklessSSLHandshakeException.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/Conscrypt.java

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OptionalSslHandler.java

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/ocsp/package-info.java

* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/ocsp/OcspClientHandler.java

*

```

/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/ConscryptAlpnSslEngine.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/JdkAlpnSslUtils.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SniCompletionEvent.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SslClientHelloHandler.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/JdkAlpnSslEngine.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SslCompletionEvent.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SslCloseCompletionEvent.java
* /netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/AbstractSniHandler.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/PseudoRandomFunction.java
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/address/package-info.java
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/OpenSslPrivateKeyMethod.java
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/X509KeyManagerWrapper.java
*
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/SimpleKeyManagerFactory.java
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/TrustManagerFactoryWrapper.java
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/SslMasterKeyHandler.java
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/ssl/util/KeyManagerFactoryWrapper.java
/netty-handler-4-1-89-final-sources-1-jar/io/netty/handler/address/DynamicAddressConnectHandler.java

```

1.43 jdk-zulu 11.68+17

1.43.1 Available under license :

```

## c-libutl 20160225

### c-libutl License
...

```

This software is distributed under the terms of the BSD license.

== BSD LICENSE =====

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

Apache Commons BCEL Notice

<pre>

Apache Commons BCEL
Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained
 - within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS
IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>

Apache Xerces v2.12.2

Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java

Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,
software copyright (c) 1999.

</pre>

Apache 2.0 License

<pre>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean
an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should

be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>

The Unicode Standard, Unicode Character Database, Version 10.0.0

Unicode Character Database

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the
directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard
or under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU

UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b)
this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

...

Pako v1.0

Pako License

<pre>

Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(C) 1995-2013 Jean-loup Gailly and Mark Adler

(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

</pre>

Mozilla Elliptic Curve Cryptography (ECC)

Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography, which is included with JRE, JDK, and OpenJDK.

You are receiving a

[copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>) of the Elliptic Curve Cryptography library in source

form with the JDK and OpenJDK source distributions, and as object code in the JRE & JDK runtimes.

<pre>

In the case of the JRE & JDK runtimes, the terms of the Oracle license do NOT apply to the Elliptic Curve Cryptography library; it is licensed under the following license, separately from Oracle's JDK & JRE. If you do not wish to install the Elliptic Curve Cryptography library, you may delete the Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA_HOME)/lib/libsunec.so
- On Mac OSX systems: delete \$(JAVA_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA_HOME)\bin\sunec.dll

</pre>

###

Written Offer for Source Code

<pre>

For third party technology that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>

If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to:

Oracle America, Inc.
Attn: Associate General Counsel,
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

<http://www.oracle.com/goto/opensourcecode/request>

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version number of the Oracle product containing the binary
- The date you received the Oracle product
- Your name

- Your company name (if applicable)
- Your return mailing address and email and
- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing. Your request must be sent (i) within three (3) years of the date you received the Oracle product that included the component or binary file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

</pre>

LGPL 2.1

<pre>

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
 Everyone is permitted to copy and distribute verbatim copies
 of this license document,
 but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not

price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using

a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public

License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or

other authorized party saying it may be distributed
under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface
definition files, plus the scripts used to control compilation
and installation of the library.

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

You may charge a
fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1

above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary

GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source

code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not.

Whether this is true is especially significant if the work can be

linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2)

will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any

such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT

PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims
all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

</pre>
Little Color Management System (LCMS) v2.15

LCMS License
<pre>
README.1ST file information

LittleCMS core is released under MIT License

Little CMS
Copyright (c) 1998-2023 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN

NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The below license applies to the following files:
liblcms/cmssm.c

Copyright 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose
providing that this copyright notice is included with it.
SoftSurfer makes no warranty for this code, and cannot be held
liable for any real or imagined damage resulting from its use.
Users of this code must verify correctness for their application.

</pre>

AUTHORS File Information
``

Main Author

Marti Maria

Contributors

Bob Friesenhahn
Kai-Uwe Behrmann
Stuart Nixon
Jordi Vilar
Richard Hughes
Auke Nauta
Chris Evans (Google)
Lorenzo Ridolfi
Robin Watts (Artifex)
Shawn Pedersen
Andrew Brygin
Samuli
Suominen
Florian Hch
Aurelien Jarno
Claudiu Cebuc

Michael Vhrel (Artifex)
Michal Cihar
Daniel Kaneider
Mateusz Jurczyk (Google)
Paul Miller
Sbastien Lon
Christian Schmitz
XhmikosR
Stanislav Brabec (SuSe)
Leonhard Gruenschloss (Google)
Patrick Noffke
Christopher James Halse Rogers
John Hein
Thomas Weber (Debian)
Mark Allen
Noel Carboni
Sergei Trofimovic
Philipp Knechtges
Amyspark
Lovell Fuller
Eli Schwartz

Special Thanks

Artifex software
AlienSkin software
libVIPS
Jan Morovic
Jos Vernon (WebSupergoo)
Harald Schneider (Maxon)
Christian Albrecht
Dimitrios Anastassakis
Lemke Software
Tim Zaman

...

xwd v1.0.7

xwd utility

<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.
Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its

documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

</pre>

The FreeType Project: Freetype v2.13.0

FreeType Notice

...

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

FreeType License

...

Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2007-2023 by Dereg Clegg and Michael Toftdal.

Copyright (C) 1996-2023 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and
Copyright (C) 2004-2023 by Masatake YAMATO and Redhat K.K.
Copyright (C) 2007-2023 by Derek Clegg and
Michael Toftdal.
Copyright (C) 2003-2023 by Masatake YAMATO, Red Hat K.K.,
Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Röttsches.
Copyright (C) 2007-2023 by David Turner.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.
Copyright (C) 2007-2023 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.
Copyright (C) 2008-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.
Copyright (C) 2013-2023 by Google, Inc.
Copyright (C) 2019-2023 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2009-2023 by Oran Agra and Mickey Gabel.
Copyright (C) 2018-2023 by David Turner, Robert Wilhelm, Dominik Röttsches, and Werner Lemberg.
Copyright (C) 2004-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be

interested in any kind
of bug reports. ('as is' distribution)

o You can use this software for whatever you want, in parts or full form, without having to pay us. ('royalty-free' usage)

o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ('credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""""

Portions of this software are copyright <year> The FreeType Project (www.freetype.org). All rights reserved.

""""

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms

=====

0. Definitions

Throughout this license, the terms 'package', 'FreeType Project', and 'FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the 'FreeType Project', be they named as alpha, beta or final release.

'You' refers to the licensee, or person using the project, where 'using' is a generic term including compiling the project's source code as well as linking it to form a 'program' or 'executable'. This program is referred to as 'a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive.

If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED 'AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on

the FreeType Project, not just the unmodified files.

If you use our work, you must acknowledge us. However, no fee need be paid to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine', 'FreeType library', or 'FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

4. Contacts

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

...

GPL v2

...

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You

may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement

including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License

will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing

to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE

DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these
terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with
this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program,
if
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

```
...
```

```
### Additional Freetype Attributions
...
```

```
-----
```

The below license applies to the following files:

```
libfreetype/src/psaux/psarrst.c
libfreetype/src/psaux/psarrst.h
libfreetype/src/psaux/psblues.c
libfreetype/src/psaux/psblues.h
libfreetype/src/psaux/pserror.c
libfreetype/src/psaux/pserror.h
libfreetype/src/psaux/psfixed.h
libfreetype/src/psaux/psfont.c
libfreetype/src/psaux/psfont.h
libfreetype/src/psaux/psft.c
libfreetype/src/psaux/psft.h
```

libfreetype/src/psaux/psglue.h
libfreetype/src/psaux/pshints.c
libfreetype/src/psaux/pshints.h
libfreetype/src/psaux/psintrp.c
libfreetype/src/psaux/psintrp.h
libfreetype/src/psaux/psread.c
libfreetype/src/psaux/psread.h
libfreetype/src/psaux/psstack.c
libfreetype/src/psaux/psstack.h
libfreetype/src/psaux/pstypes.h

Copyright

2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a

perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

...

MIT License

...

The below license applies to the following files:
libfreetype/include/freetype/internal/fthash.h
libfreetype/src/base/fthash.c

Copyright 2000 Computing Research Labs, New Mexico State University
Copyright 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

PC/SC Lite v1.9.5

PC/SC Lite License

<pre>

The main parts of the code are using the BSD-like licence bellow:

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS

SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some source code files are using other licences. See the [COPYING](<https://salsa.debian.org/rousseau/PCSC/-/blob/master/COPYING>) file for details.

```
</pre>
## JSZip v3.7.1
```

JSZip is dual licensed. You may use it under the MIT license *or* the GPLv3 license.

```
### The MIT License
```
```

Copyright (c) 2009-2016 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS

OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

...

### GPL version 3

...

## GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its

users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such

abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the

earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A

"Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This



License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the

written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object

code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate

copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions;

the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover,  
your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

## 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other  
than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

## 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible

for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

## 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make

such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent

license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of



your choosing to follow a  
later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

...

## Double-conversion v1.1.5

### Double-conversion License

<https://raw.githubusercontent.com/google/double-conversion/master/LICENSE>

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
libpng v1.6.39
```

```
libpng License
<pre>
```

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE  
=====

PNG Reference Library License version 2  
-----

Copyright (c) 1995-2022 The PNG Reference Library Authors.  
Copyright (c) 2018-2022 Cosmin Truta  
Copyright (c) 1998-2018 Glenn Randers-Pehrson  
Copyright (c) 1996-1997 Andreas Dilger  
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or

anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby  
granted to use, copy, modify, and distribute  
this software, or portions hereof, for any purpose, without fee,  
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are  
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are  
derived from libpng-1.0.6, and are distributed according to the  
same  
disclaimer and license as libpng-1.0.6 with the following individuals  
added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of  
the library or against infringement. There is no warranty that our  
efforts or the library will fulfill any of your particular purposes

or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000

Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing

Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

#### TRADEMARK

=====

The name "libpng" has not been registered by the Copyright owners as a trademark in any jurisdiction. However, because libpng has been distributed and maintained world-wide, continually since 1995, the Copyright owners claim "common-law trademark protection" in any jurisdiction where common-law trademark is recognized.

</pre>

#### ### AUTHORS File Information

...

#### PNG REFERENCE LIBRARY AUTHORS

=====

This is the list of PNG Reference Library ("libpng") Contributing Authors, for copyright and licensing purposes.

\* Andreas Dilger

\* Cosmin Truta

- \* Dave Martindale
- \* Eric S. Raymond
- \* Gilles Vollant
- \* Glenn Randers-Pehrson
- \* Greg Roelofs
- \* Guy Eric Schalnat
- \* James Yu
- \* John Bowler
- \* Kevin Bracey
- \* Magnus Holmgren
- \* Mandar Sahastrabuddhe
- \* Mans Rullgard
- \* Matt Sarett
- \* Mike Klein
- \* Pascal Massimino
- \* Paul Schmidt
- \* Qiang Zhou
- \* Sam Bushell
- \* Samuel Williams
- \* Simon-Pierre Cadieux
- \* Tim Wegner
- \* Tom Lane
- \* Tom Tanner
- \* Vadim Barkov
- \* Willem van Schaik
- \* Zhijie Liang
- \* Arm Holdings
  - Richard Townsend
- \* Google Inc.
  - Dan Field
  - Leon Scroggins III
  - Matt Sarett
  - Mike Klein
  - Sami Boukortt

The build projects, the build scripts, the test scripts, and other files in the "ci", "projects", "scripts" and "tests" directories, have other copyright owners, but are released under the libpng license.

Some files in the "contrib" directory, and some tools-generated files that are distributed with libpng, have other copyright owners, and are released under other open source licenses.

...

## Eastman Kodak Company: Portions of color management and imaging software

### Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Apache Santuario v2.3.0

### Apache Santuario Notice

<pre>

Apache Santuario - XML Security for Java  
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European

Commission in the <WebSig> project in the ISIS Programme.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).



"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except  
in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

</pre>

## Mozilla Public Suffix List

### Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following  
file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the  
Oracle license do NOT apply to this file; it is licensed under the  
Mozilla Public License 2.0, separately from the Oracle programs you receive.  
If you do not wish to use the Public Suffix List, you may remove the  
<java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the  
Mozilla Public License, v. 2.0 and is located at  
[https://raw.githubusercontent.com/publicsuffix/list/88467c960d6cdad2ca1623e892e5e17506bc269f/public\\_suffix\\_list.dat](https://raw.githubusercontent.com/publicsuffix/list/88467c960d6cdad2ca1623e892e5e17506bc269f/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one  
at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis,  
WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License

for the specific language governing rights and limitations  
under the License.

---

### MPL v2.0

---

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to  
the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used  
by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached  
the notice in Exhibit A, the Executable Form of such Source Code  
Form, and Modifications of such Source Code Form, in each case  
including portions thereof.

### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described  
in Exhibit B to the Covered Software; or

(b) that the Covered  
Software was made available under the terms of  
version 1.1 or earlier of the License, but not also under the  
terms of a Secondary License.

### 1.6. "Executable Form"

means any form of the work other than Source Code Form.

### 1.7. "Larger Work"

means a work that combines Covered Software with other material, in  
a separate file or files, that is not Covered Software.

### 1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent

claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

## 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark)  
Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

## 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

## 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms

of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this



License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3.

#### Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

- (a) comply with
- the terms of this License to the maximum extent possible; and (b)

describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\*

\*

\* 6. Disclaimer of Warranty

\*

\* -----

\*

\*

\*

\* Covered Software is provided under this License on an "as is" \*  
\* basis, without warranty of any kind, either expressed, implied, or \*  
\* statutory, including, without limitation, warranties that the \*  
\* Covered Software is free of defects, merchantable, fit for a \*  
\* particular purpose or non-infringing. The entire risk as to the \*  
\* quality and performance of the Covered Software is with You. \*

\* Should any Covered Software prove defective in any respect, You \*  
\* (not any Contributor) assume the cost of any necessary servicing, \*  
\* repair, or correction. This disclaimer of warranty constitutes an \*  
\*  
essential part of this License. No use of any Covered Software is \*  
\* authorized under this License except under this disclaimer. \*  
\* \*  
\*\*\*\*\*

\*\*\*\*\*  
\* \*  
\* 7. Limitation of Liability \*  
\* ----- \*

\* Under no circumstances and under no legal theory, whether tort \*  
\* (including negligence), contract, or otherwise, shall any \*  
\* Contributor, or anyone who distributes Covered Software as \*  
\* permitted above, be liable to You for any direct, indirect, \*  
\* special, incidental, or consequential damages of any  
character \*  
\* including, without limitation, damages for lost profits, loss of \*  
\* goodwill, work stoppage, computer failure or malfunction, or any \*  
\* and all other commercial damages or losses, even if such party \*  
\* shall have been informed of the possibility of such damages. This \*  
\* limitation of liability shall not apply to liability for death or \*  
\* personal injury resulting from such party's negligence to the \*  
\* extent applicable law prohibits such limitation. Some \*  
\* jurisdictions do not allow the exclusion or limitation of \*  
\* incidental or consequential damages, so this exclusion and \*  
\* limitation may not apply to You. \*  
\* \*  
\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the  
courts  
of a jurisdiction where the defendant maintains its principal  
place of business and such litigation shall be governed by laws of that  
jurisdiction, without reference to its conflict-of-law provisions.  
Nothing in this Section shall prevent a party's ability to bring  
cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject

matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.

Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE

file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

...

#### ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or

making modifications  
to this package which may subsequently be redistributed  
and/or involve the use of third party software.  
## DOM Level 3 Core Specification v1.0

### ### W3C Software Notice

<pre>

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,  
European Research Consortium for Informatics and Mathematics, Keio University).  
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License.  
The software license requires "Notice of any changes or modifications to the W3C  
files, including the date changes were made." Consequently, modified versions of  
the DOM bindings must document that they do not conform to the W3C standard; in the  
case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the  
case of the Java language binding, the package names can no longer be in the  
'org.w3c' package.

</pre>

### ### W3C License

<pre>

## W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other  
related items) is being provided  
by the copyright holders under the following  
license. By obtaining, using and/or copying this work, you (the licensee)  
agree that you have read, understood, and will comply with the following terms  
and conditions.

Permission to copy, modify, and distribute this software and its  
documentation, with or without modification, for any purpose and without fee  
or royalty is hereby granted, provided that you include the following on ALL  
copies of the software and documentation or portions thereof, including  
modifications:

- 1.The full text of this NOTICE in a location viewable to users of the  
redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and  
conditions. If none exist, the W3C Software Short Notice should be included  
(hypertext is preferred, text is permitted) within the body of any  
redistributed or derivative code.

3. Notice of any changes or modifications to the files, including the date changes were made.

(We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

```
</pre>
OASIS PKCS #11 Cryptographic Token Interface v3.0

OASIS PKCS #11 Cryptographic Token Interface License
<pre>
```

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [\[http://www.oasis-open.org/policies-guidelines/ipr\]](http://www.oasis-open.org/policies-guidelines/ipr)

This document and translations of it may be copied and furnished to

others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under



such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

#### OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at [openjdk.java.net](http://openjdk.java.net) ("OpenJDK Code") is distributed under the terms of the GNU General Public License <<http://www.gnu.org/copyleft/gpl.html>> version 2 only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code is making a combined work based on this library. Thus, the terms and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this OpenJDK Code with certain code licensed by Oracle as indicated at <http://openjdk.java.net/legal/exception-modules-2007-05-08.html> ("Designated Exception Modules") to produce an executable, regardless of the license terms of the Designated Exception Modules, and to copy and distribute the resulting executable under GPL2, provided that the Designated Exception Modules continue to be governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code to build an executable that includes those portions of necessary code that Oracle could not provide under GPL2 (or that Oracle has provided under GPL2 with the Classpath exception). If you modify or add to the OpenJDK code, that new GPL2 code may still be combined with Designated Exception Modules if the new code is made subject to this exception by its copyright holder.

## Cryptix AES v3.2.0

### Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## International Components for Unicode (ICU4J) v60.2

### ICU4J License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,  
<http://www.unicode.org/cldr/data/>,  
<http://source.icu-project.org/repos/icu/>, and  
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT,  
AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the "Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files  
or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b) this copyright and permission  
notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder  
shall not be used in advertising or otherwise to promote the sale,  
use or other dealings in these Data Files or Software without prior  
written authorization of the copyright holder.

...

## jopt-simple v5.0.4

### MIT License

<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Independent JPEG Group: JPEG release 6b

### JPEG License

<pre>

Must reproduce following license in documentation and/or other materials provided with distribution:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee,

subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2)

If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA. ansi2knr.c is NOT covered by the above copyright and conditions, but instead by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi.

Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

```
</pre>
jQuery v3.6.1

jQuery License
...

jQuery v 3.6.1
Copyright OpenJS Foundation and other contributors, https://openjsf.org/
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

The jQuery JavaScript Library v3.6.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/sizzle>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

\*\*\*\*\*

...

## Apache Xalan v2.7.2

### ### Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.  
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a  
compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use  
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,  
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the  
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### ### Apache 2.0 License

<pre>

```

 Apache License
 Version 2.0, January 2004
 http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control,



are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare  
Derivative Works of,  
publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative

Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to

in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

#### JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian  
Permission to use, copy, modify, and distribute this software and  
its documentation for any purpose and without fee is hereby granted,  
provided that the above copyright notice appear in all copies and that  
both the copyright notice and this permission notice and warranty  
disclaimer appear in supporting documentation, and that the name of  
the authors or their employers not be used in advertising or publicity  
pertaining to distribution of the software without specific, written  
prior permission.

The authors and their employers disclaim all warranties with regard to  
this software, including all implied warranties of merchantability  
and  
fitness. In no event shall the authors or their employers be liable for  
any special, indirect or consequential damages or any damages whatsoever  
resulting from loss of use, data or profits, whether in an action of  
contract, negligence or other tortious action, arising out of or in  
connection with the use or performance of this software. The portions of  
JLex output which are hard-coded into the JLex source code are (naturally)  
covered by this same license.

```
</pre>
JRuby Joni v2.1.16
```

```
MIT License
<pre>
```

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a  
copy of this software and associated documentation files (the "Software"),  
to deal in the Software without restriction, including without limitation  
the rights to use, copy, modify, merge, publish, distribute, sublicense,  
and/or sell copies of the Software, and to permit persons to whom the  
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included  
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS  
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>  
## GIFLIB v5.2.1

### GIFLIB License  
...

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c>

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>  
SPDX-License-Identifier: MIT  
## CUP Parser Generator for Java v 0.11b

### CUP Parser Generator License  
...

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided

that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

---

---

---

This is an open source license. It is also GPL-Compatible (see entry for "Standard ML of New Jersey"). The portions of CUP output which are hard-coded into the CUP source code are (naturally) covered by this same license, as is the CUP runtime code linked with the generated parser.

---

All images in this directory are copyright 1995 by Jeff Dinkins.  
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or



translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and

its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or

other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make  
thoroughly clear what is believed to be a  
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How  
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you

permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module

which is not derived from or based on this library. If

you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## jQuery UI v1.13.2

### jQuery UI License

...

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample

code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

## Unicode Common Local Data Repository (CLDR) v33

### CLDR License

...

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S

DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),

YOU UNEQUIVOCALLY ACCEPT,

AND AGREE TO BE BOUND BY, ALL OF THE

TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.



Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

## Dynalink v.5

### Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Harfbuzz v7.2.0

### Harfbuzz License

<https://github.com/harfbuzz/harfbuzz/blob/7.2.0/COPYING>

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow. For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010-2023 Google, Inc.  
Copyright 2018-2020 Ebrahim Byagowi  
Copyright 2004-2013 Red Hat, Inc.  
Copyright 2019 Facebook, Inc.  
Copyright 2007 Chris Wilson  
Copyright 2018-2019 Adobe Inc.  
Copyright 2006-2023 Behdad Esfahbod  
Copyright 1998-2004 David Turner and Werner Lemberg  
Copyright 2009 Keith Stribley  
Copyright 2018 Khaled Hosny  
Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>  
Copyright 2016 Igalia S.L.  
Copyright 2015 Mozilla Foundation.  
Copyright 1999 David Turner  
Copyright 2005 Werner Lemberg  
Copyright 2013-2015 Alexei Podtelezhnikov  
Copyright 2022 Matthias Clasen  
Copyright 2011 Codethink Limited

For full copyright notices  
consult the individual files in the package.

Permission is hereby granted, without written agreement and without  
license or royalty fees, to use, copy, modify, and distribute this  
software and its documentation for any purpose, provided that the  
above copyright notice and the following two paragraphs appear in  
all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR  
DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES  
ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN  
IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH  
DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING,  
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS  
ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO  
PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section,  
is licensed as above. The one  
exception is licensed with a slightly different MIT variant:  
The contents of this directory are licensed under the following terms:

-----  
The below license applies to the following files:  
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any  
purpose with or without fee is hereby granted, provided that the above  
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES  
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF  
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR  
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES  
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN  
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF  
OR IN CONNECTION WITH THE USE OR PERFORMANCE  
OF THIS SOFTWARE.

</pre>

### ### AUTHORS File Information

...

Behdad Esfahbod  
David Corbett  
David Turner  
Ebrahim Byagowi  
Garret Rieger  
Jonathan Kew  
Khaled Hosny  
Lars Knoll  
Martin Hosken  
Owen Taylor  
Roderick Sheeter  
Roozbeh Pournader  
Simon Hausmann  
Werner Lemberg

...

## JLine v3.22.0

### ### JLine License

<pre>

Copyright (c) 2002-2018, the original author or authors.  
All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY

AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

4th Party Dependency

=====

org.fusesource.jansi version 2.4.0

org.apache.sshd 2.9.2

org.apache.felix.gogo.runtime 1.1.6

org.apache.felix.gogo.jline 1.1.8

=====

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and  
configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works,

if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such



damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
juniversalchardet

The library is subject to the Mozilla Public License Version 1.1.

Alternatively,  
the library may be used under the terms of either the GNU General Public License Version 2 or later, or the GNU Lesser General Public License 2.1 or later.

=====

slf4j

SLF4J source code and binaries are distributed under the MIT license.

Copyright (c) 2004-2023 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

These terms are identical to those of the MIT License, also called the X License or the X11 License, which is a simple, permissive non-copyleft free software license. It is deemed compatible with virtually all types of licenses, commercial or otherwise. In particular, the Free Software Foundation has declared it compatible with GNU GPL. It is also known to be approved by the Apache Software Foundation as compatible with Apache Software License.

</pre>

The copyrights in this software and any visual or audio work distributed with the software belong to Azul Systems, Inc. and those included in all other notice files either listed in the readme file or contained in any other included notice files with this distribution. All rights are reserved. Installation of this software and any Azul software bundled with or derived from this software is licensed only in accordance with these terms.

Provided you have not received the software directly from Azul and have already agreed to the terms of a separate license agreement, by installing, using or

distributing this software you, on your own behalf and on behalf of your employer or principal, agree to be bound by these terms. If you do not agree to any of these terms, you may not use, copy, transmit, distribute nor install this software.

The software is developed and owned by Azul and/or any of its affiliates, subsidiaries or respective suppliers and licensors. The software also includes certain software components and materials ("Open Source Materials") of third parties ("Third Party Licensors") licensed under certain licenses ("Open Source Licenses").

Nothing in this Agreement limits your rights under, or grants you rights that supersede the terms and conditions of any applicable Open Source Licenses. You must review the Open Source Licenses located at [http://www.azulsystems.com/license/zulu\\_third\\_party\\_licenses.html](http://www.azulsystems.com/license/zulu_third_party_licenses.html) to understand your rights under them. In the event that no such third party license agreements exist, the restrictions contained in this Agreement shall apply.

With respect to the Open Source Licenses the following shall apply:

- 1) You hereby acknowledge and agree that you will be licensing any Open Source Materials directly from the applicable Third Party Licensors including the right to use such Third Party Materials in connection with the software
- 2) In the event of any inconsistencies or conflicting provisions of the Open Source Licenses and the provisions of this Agreement, the provisions of the Open Source Licenses shall prevail.

THIS SOFTWARE IS PROVIDED BY AZUL "AS-IS" AND WITHOUT EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL AZUL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICE, LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY WHETHER IN CONTRACT, STRICT LIABILITY OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## Mesa 3-D Graphics Library v21.0.3

### Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a

copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

| Component      | Location           | License        |
|----------------|--------------------|----------------|
| -----          |                    |                |
| Main Mesa code | src/mesa/          | MIT            |
| Device drivers | src/mesa/drivers/* | MIT, generally |
|                |                    |                |
| Gallium code   | src/gallium/       | MIT            |
|                |                    |                |
| Ext headers    | GL/glext.h         | Khronos        |
|                | GL/glxext.h        | Khronos        |
|                | GL/wglext.h        | Khronos        |
|                | KHR/khrplatform.h  | Khronos        |

\*\*\*\*\*

----  
include/GL/gl.h :

Mesa 3-D

graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.

Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

```
include/GL/gl.h
include/GL/glx.h
include/GL/wgl.h :
```

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

## ASM Bytecode Manipulation Framework v6.0

### ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## 1.44 jasper-reports 1.2.6

### 1.44.1 Available under license :

```
/*
 * The Apache Software License, Version 1.1
 *
 *
 * Copyright (c) 1999 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
```

- \* 3. The end-user documentation included with the redistribution,
- \* if any, must include the following acknowledgment:
- \* "This product includes software developed by the
- \* Apache Software Foundation (<http://www.apache.org/>)."
- \* Alternately, this acknowledgment may appear in the software itself,
- \* if and wherever such third-party acknowledgments normally appear.
- \*
- \* 4. The names "Xerces" and "Apache Software Foundation" must
- \* not be used to endorse or promote products derived from this
- \* software without prior written permission. For written
- \* permission, please contact [apache@apache.org](mailto:apache@apache.org).
- \*
- \* 5. Products derived from this software may not be called "Apache",
- \* nor may "Apache" appear in their name, without prior written
- \* permission of the Apache Software Foundation.
- \*
- \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
- \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
- LOSS OF
- \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- \* SUCH DAMAGE.
- \* =====
- \*
- \* This software consists of voluntary contributions made by many
- \* individuals on behalf of the Apache Software Foundation and was
- \* originally based on software copyright (c) 1999, International
- \* Business Machines, Inc., <http://www.ibm.com>. For more
- \* information on the Apache Software Foundation, please see
- \* <http://www.apache.org/>.
- \*/
- /\* =====
- \* The Apache Software License, Version 1.1
- \*
- \* Copyright (c) 2001 The Apache Software Foundation. All rights
- \* reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \*



- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \*
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in
- \* the documentation and/or other materials provided with the
- \* distribution.
- \*
- \* 3. The end-user documentation included with the redistribution,
- \* if any, must include the following acknowledgment:
- \* "This product includes software developed by the
- \* Apache Software Foundation (<http://www.apache.org/>)."
- \* Alternately,
- \* this acknowledgment may appear in the software itself,
- \* if and wherever such third-party acknowledgments normally appear.
- \*
- \* 4. The names "Apache" and "Apache Software Foundation" and
- \* "Apache POI" must not be used to endorse or promote products
- \* derived from this software without prior written permission. For
- \* written permission, please contact [apache@apache.org](mailto:apache@apache.org).
- \*
- \* 5. Products derived from this software may not be called "Apache",
- \* "Apache POI", nor may "Apache" appear in their name, without
- \* prior written permission of the Apache Software Foundation.
- \*
- \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
- \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- \* DAMAGES (INCLUDING, BUT NOT
- \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- \* SUCH DAMAGE.
- \* =====
- \*
- \* This software consists of voluntary contributions made by many
- \* individuals on behalf of the Apache Software Foundation. For more
- \* information on the Apache Software Foundation, please see
- \* <http://www.apache.org/>.
- \*/
- /\*

Copyright 2003 (C) James Strachan and Bob McWhirter. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "groovy" must not be used to endorse or promote products derived from this Software without prior written permission of The Codehaus. For written permission, please contact [info@codehaus.org](mailto:info@codehaus.org).
4. Products derived from this Software may not be called "groovy" nor may "groovy" appear in their names without prior written permission of The Codehaus. "groovy" is a registered trademark of The Codehaus.
5. Due credit should be given to The Codehaus - <http://groovy.codehaus.org/>

THIS SOFTWARE IS PROVIDED BY THE CODEHAUS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CODEHAUS OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed

under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

/\* =====

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999-2001 The Apache Software Foundation. All rights

\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in

\* the documentation and/or other materials provided with the

\* distribution.

\*

\* 3. The end-user documentation included with the redistribution, if

\* any, must include the following acknowledgement:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgement may appear in the software itself,

\* if and wherever such third-party acknowledgements normally appear.

\*

\* 4. The names "The Jakarta Project", "Commons", and "Apache Software

\* Foundation" must not be used to endorse or promote products derived

\* from this software without prior written permission. For written

\* permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache"

\* nor may "Apache" appear in their names without prior written

\* permission of the Apache Group.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
(INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*

\*/

Copyright 2002 (C) Nathaniel G. Auvil. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices.

Redistributions must also contain a copy of this document.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The name "jCharts" or "Nathaniel G. Auvil" must not be used to endorse or promote products derived from this Software without prior written permission of Nathaniel G. Auvil. For written permission, please contact [nathaniel\\_auvil@users.sourceforge.net](mailto:nathaniel_auvil@users.sourceforge.net)

4. Products derived from this Software may not be called "jCharts" nor may "jCharts" appear in their names without prior written permission of Nathaniel G. Auvil. jCharts is a registered trademark of Nathaniel G. Auvil.

5. Due credit should be given to the jCharts Project (<http://jcharts.krysalis.org>).

THIS SOFTWARE IS PROVIDED BY Nathaniel G. Auvil AND CONTRIBUTORS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT



SHALL

jCharts OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN

IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE

MOZILLA PUBLIC LICENSE

Version 1.1

-----

## 1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. Source Code License.

### 2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

### 2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made

by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

#### 3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

#### 3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and

the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

#### 3.4. Intellectual Property Matters

##### (a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

##### (b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

##### (c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

#### 3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to

charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section

#### 3.2. The notice must be conspicuously included

in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

## 4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description

must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the

extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

## 6. Versions of the License.

### 6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

### 6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

### 6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

## 7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,  
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING,  
WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF

DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

- (a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or
- (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.
- (b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly



or

indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

## 9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

## 11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by

California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

## 12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## 13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

### EXHIBIT A -Mozilla Public License.

``The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is \_\_\_\_\_.

The Initial Developer of the Original  
Code is \_\_\_\_\_.  
Portions created by \_\_\_\_\_ are Copyright (C) \_\_\_\_\_  
\_\_\_\_\_. All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms  
of the \_\_\_\_\_ license (the "[\_\_\_\_\_] License"), in which case the  
provisions of [\_\_\_\_\_] License are applicable instead of those  
above. If you wish to allow use of your version of this file only  
under the terms of the [\_\_\_\_\_] License and not to allow others to use  
your version of this file under the MPL, indicate your decision by  
deleting the provisions above and replace them with the notice and  
other provisions required by the [\_\_\_\_\_] License. If you do not delete  
the provisions above, a recipient may use your version of this file  
under either the MPL or the [\_\_\_\_\_] License."

[NOTE: The text of this Exhibit A may differ slightly  
from the text of  
the notices in the Source Code files of the Original Code. You should  
use the text of this Exhibit A rather than the text found in the  
Original Code Source Code for Your Modifications.]

/\*\*\*\*\*  
\*\*\*\*\*

Copyright (c) 2003, International Barcode Consortium  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of  
conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of  
conditions and the following disclaimer in the documentation and/or other materials  
provided with the distribution.
- \* Neither the name of the International Barcode Consortium nor the names of any contributors may be used to  
endorse  
or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
IS" AND ANY EXPRESS OR  
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF  
MERCHANTABILITY  
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE  
COPYRIGHT OWNER OR  
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE

GOODS OR  
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED  
AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
NEGLIGENCE OR  
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
THE  
POSSIBILITY OF SUCH DAMAGE.

\*\*\*\*\*

\*\*\*\*\*/

DO NOT TRANSLATE OR LOCALIZE.

%% The following software may be included in this product: ASM. Use of any of this software is governed by the  
terms of the license below:

/\*\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000,2002,2003 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Contact: Eric.Bruneton@rd.francetelecom.com

\*

\* Author: Eric Bruneton

%% Portions of this product were developed  
using ANTLR. ANTLR 1989-2000  
developed by jGuru.com, <http://www.ANTLR.org> and <http://www.jGuru.com>.

ANTLR 1989-2000 Developed by jGuru.com (MageLang Institute),  
<http://www.ANTLR.org> and <http://www.jGuru.com>

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commercial software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

This product includes Perl. Please refer to the following site for more information on how you can get that source code if available:  
<http://public.ActiveState.com/gsar/APC/> .

/\*\*\*

\* <http://asm.objectweb.org/>

\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000,2002,2003 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.
- \*/

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means

having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
- (c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.
- (d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c)

The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License.

You must include a copy of this License

with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4.

Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license

of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in



Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use,

distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER

NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that

term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined in 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As

between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The GlassFish code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

#### GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the

Free Software Foundation and other authors who decide to use it. You can

use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the

ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public

License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case,

there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library,

whereas the latter must  
be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements

apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.



Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work.

(Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application

to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the

Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work

based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status

of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK

AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public

License as published by the Free Software Foundation; either  
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,  
but WITHOUT  
ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public  
License along with this library; if not, write to the Free Software  
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the library, if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

- \* The Apache Software License, Version 1.1
- \*
- \* Copyright (c) 2001 The Apache Software Foundation. All rights  
\* reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:
- \*
- \* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.
- \*
- \* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.
- \*
- \* 3. The end-user documentation included with the redistribution,  
\* if any, must include the following acknowledgment:  
\* "This product includes software developed by the  
\* Apache Software Foundation (<http://www.apache.org/>)."  
\* Alternately, this acknowledgment may appear in the software itself,

\*  
 if and wherever such third-party acknowledgments normally appear.  
 \*  
 \* 4. The names "Apache" and "Apache Software Foundation" and  
 \* "Apache BCEL" must not be used to endorse or promote products  
 \* derived from this software without prior written permission. For  
 \* written permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*  
 \* 5. Products derived from this software may not be called "Apache",  
 \* "Apache BCEL", nor may "Apache" appear in their name, without  
 \* prior written permission of the Apache Software Foundation.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE  
 \* GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*  
 \* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation. For more  
 \* information on the Apache Software Foundation, please see  
 \* <<http://www.apache.org/>>.  
 \*/

#### W3C DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.

2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [\$date-of-document]

World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"

3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS

OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

-----  
This formulation of W3C's notice and license became active on December 31 2002.

This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for



common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

Last revised by Reagle \$Date: 2005/06/03 22:49:13 \$

/\* Copyrights and Licenses

\*

\* This product includes Hypersonic SQL.

\* Originally developed by Thomas Mueller and the Hypersonic SQL Group.

\*

\* Copyright (c) 1995-2000 by the Hypersonic SQL Group. All rights reserved.

\* Redistribution and use in source and binary forms, with or without modification, are permitted

\* provided that the following conditions are met:

\* - Redistributions of source code must retain the above copyright notice, this list of conditions  
\* and the following disclaimer.

\* - Redistributions in binary form must reproduce the above copyright notice, this list of  
\* conditions and the following disclaimer in the documentation and/or other materials  
\* provided with the distribution.

\* - All advertising materials mentioning features or use of this software must display the  
\* following acknowledgment: "This product includes Hypersonic SQL."

\* - Products derived from this software may not

be called "Hypersonic SQL" nor may

\* "Hypersonic SQL" appear in their names without prior written permission of the  
\* Hypersonic SQL Group.

\* - Redistributions of any form whatsoever must retain the following acknowledgment: "This  
\* product includes Hypersonic SQL."

\* This software is provided "as is" and any expressed or implied warranties, including, but  
\* not limited to, the implied warranties of merchantability and fitness for a particular purpose are  
\* disclaimed. In no event shall the Hypersonic SQL Group or its contributors be liable for any  
\* direct, indirect, incidental, special, exemplary, or consequential damages (including, but  
\* not limited to, procurement of substitute goods or services; loss of use, data, or profits;  
\* or business interruption). However caused any on any theory of liability, whether in contract,  
\* strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this  
\* software, even if advised of the possibility of such damage.

\* This software consists of voluntary contributions made by many individuals on behalf of the  
\* Hypersonic SQL Group.

\*

\*

\* For work added by the HSQL Development Group:

\*

\* Copyright (c) 2001-2002, The HSQL Development Group

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions are met:

\*

\* Redistributions of source code must retain the above copyright notice, this  
 \* list of conditions and the following disclaimer, including earlier  
 \* license statements (above) and comply with all above license conditions.  
 \*

\* Redistributions in binary form must reproduce the above copyright notice,  
 \* this list of conditions and the following disclaimer in the documentation  
 \* and/or other materials provided with the distribution, including earlier  
 \* license statements (above) and comply with  
 all above license conditions.  
 \*

\* Neither the name of the HSQL Development Group nor the names of its  
 \* contributors may be used to endorse or promote products derived from this  
 \* software without specific prior written permission.  
 \*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
 \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
 \* ARE DISCLAIMED. IN NO EVENT SHALL HSQL DEVELOPMENT GROUP, HSQLDB.ORG,  
 \* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
 \* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
 \* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
 \*  
 SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/  
 /\*\*\*\*\*  
 \*  
 \* This file is part of the BeanShell Java Scripting distribution. \*  
 \* Documentation and updates may be found at <http://www.beanshell.org/> \*  
 \*  
 \* Sun Public License Notice: \*  
 \*  
 \* The contents of this file are subject to the Sun Public License Version \*  
 \* 1.0 (the "License"); you may not use this file except in compliance with \*  
 \* the License. A copy of the License is available at <http://www.sun.com> \*  
 \*  
 \* The Original Code is BeanShell. The Initial Developer of the Original \*  
 \* Code is Pat Niemeyer. Portions created  
 by Pat Niemeyer are Copyright \*  
 \* (C) 2000. All Rights Reserved. \*  
 \*  
 \* GNU Public License Notice: \*  
 \*  
 \* Alternatively, the contents of this file may be used under the terms of \*  
 \* the GNU Lesser General Public License (the "LGPL"), in which case the \*  
 \* provisions of LGPL are applicable instead of those above. If you wish to \*

```

* allow use of your version of this file only under the terms of the LGPL *
* and not to allow others to use your version of this file under the SPL, *
* indicate your decision by deleting the provisions above and replace *
* them with the notice and other provisions required by the LGPL. If you *
* do not delete the provisions above, a recipient may use your version of *
* this file under either the SPL or the LGPL. *
*
* Patrick Niemeyer (pat@pat.net) *
* Author of Learning Java, O'Reilly & Associates *
* http://www.pat.net/~pat/ *
*
*****/

```

Apache License  
 Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)

the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf  
of any other Contributor, and only if You agree to indemnify,  
defend, and hold each Contributor harmless for any liability  
incurred by, or claims asserted against, such Contributor by reason  
of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following  
boilerplate notice, with the fields enclosed by brackets "[]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

/\*

\* =====

\*           The Apache Software License, Version 1.1

\* =====

\*

\* Copyright (C) 2000-2002 The Apache Software Foundation. All  
\* rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modifica-  
\* tion, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice,  
\* this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice,

- \* this list of conditions and the following disclaimer in the documentation
- \* and/or other materials provided with the distribution.
- \*
- \* 3. The end-user documentation included with the redistribution, if any, must
- \* include the following acknowledgment: "This product
- includes software
- \* developed by the Apache Software Foundation (<http://www.apache.org/>)."
- \* Alternately, this acknowledgment may appear in the software itself, if
- \* and wherever such third-party acknowledgments normally appear.
- \*
- \* 4. The names "Ant" and "Apache Software Foundation" must not be used to
- \* endorse or promote products derived from this software without prior
- \* written permission. For written permission, please contact
- \* [apache@apache.org](mailto:apache@apache.org).
- \*
- \* 5. Products derived from this software may not be called "Apache", nor may
- \* "Apache" appear in their name, without prior written permission of the
- \* Apache Software Foundation.
- \*
- \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,
- \* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
- \* APACHE SOFTWARE FOUNDATION OR ITS
- CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLU-
- \* DING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
- \* OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
- \* ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
- \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
- \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* This software consists of voluntary contributions made by many individuals
- \* on behalf of the Apache Software Foundation. For more information on the
- \* Apache Software Foundation, please see <http://www.apache.org/>.
- \*
- \*/
- =====
- \*
- \* The Apache Software License, Version 1.1
- \*
- \* Copyright (c) 2003 - 2004 Greg Luck. All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \*
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.



\*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. The end-user documentation included with the redistribution, if  
 \* any, must include the following acknowledgement:  
 \* "This product includes software developed by Greg Luck  
 \* (<http://sourceforge.net/users/gregluck>) and contributors.  
 \* See [http://sourceforge.net/project/memberlist.php?group\\_id=93232](http://sourceforge.net/project/memberlist.php?group_id=93232)  
 \* for a list of contributors"  
 \* Alternately, this acknowledgement may appear in the software itself,  
 \* if and wherever such third-party acknowledgements normally appear.  
 \*  
 \* 4. The names "EHCache" must not be used to endorse or promote products  
 \* derived from this software without prior written permission. For written  
 \* permission, please contact Greg Luck ([gregluck@users.sourceforge.net](mailto:gregluck@users.sourceforge.net)).  
 \*  
 \* 5. Products derived from this software may not be called "EHCache"  
 \* nor may "EHCache" appear in their names without prior written  
 \* permission of Greg Luck.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL GREG LUCK OR OTHER  
 \* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL,  
 \* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*  
 \* This software consists of voluntary contributions made by contributors  
 \* individuals on behalf of the EHCache project. For more  
 \* information on EHCache, please see <http://ehcache.sourceforge.net/>.  
 \*  
 \*/

GNU LIBRARY GENERAL PUBLIC LICENSE  
 Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.  
 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is numbered 2 because it goes with version 2 of the ordinary GPL.]

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original

version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only

works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

.

## GNU LIBRARY GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the

Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute

such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights

or contest

your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5.

A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library

creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to

produce a modified

executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it.

However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining



where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other

property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO

WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999-2001 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgement:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgement may appear in the software itself,

\* if and wherever such third-party acknowledgements normally appear.

\*

\* 4. The names "The Jakarta Project", "Commons", and "Apache Software  
 \* Foundation" must not be used to endorse or promote products derived  
 \* from this software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*

\* 5. Products derived from this software may not be called "Apache"  
 \* nor may "Apache" appear in their names without prior written  
 \* permission of the Apache Group.  
 \*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*

\* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation. For more  
 \* information on the Apache Software Foundation, please see  
 \* <http://www.apache.org/>.  
 \*  
 \*/

## 1.45 jaxb-core 2.3.0.1

### 1.45.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2013-2017 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU  
 General Public License Version 2 only ("GPL") or the Common Development  
 and Distribution License("CDDL") (collectively, the "License"). You  
 may not use this file except in compliance with the License. You can  
 obtain a copy of the License at

<https://oss.oracle.com/licenses/CDDL+GPL-1.1>  
or LICENSE.txt. See the License for the specific  
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each  
file and include the License file at LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath"  
exception as provided by Oracle in the  
GPL Version 2 section of the License  
file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields  
enclosed by brackets [] replaced by your own identifying information:  
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or  
only the GPL Version 2, indicate your decision by adding "[Contributor]  
elects to include this software in this distribution under the [CDDL or GPL  
Version 2] license." If you don't indicate a single choice of license, a  
recipient has the option to distribute your version of this file under  
either the CDDL, the GPL Version 2 or to extend the choice of license to  
its licensees as provided above. However, if you add GPL Version 2 code  
and therefore, elected the GPL Version 2 license, then the option applies  
only if the new code is made subject to such option  
by the copyright  
holder.

-->

Found in path(s):

\* /jaxb-core-2-3-0-1-sources-10-jar/META-INF/maven/org.glassfish.jaxb/jaxb-core/pom.xml  
No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

- \* or LICENSE.txt. See the License for the specific
- \* language governing permissions and limitations under the License.
- \*
- \* When distributing the software, include this License Header Notice in each
- \* file and include the License file at LICENSE.txt.
- \*
- \* GPL Classpath Exception:
- \* Oracle designates this particular file as subject to the "Classpath"
- \* exception as provided by Oracle in the GPL Version
- 2 section of the License
- \* file that accompanied this code.
- \*
- \* Modifications:
- \* If applicable, add the following below the License Header, with the fields
- \* enclosed by brackets [] replaced by your own identifying information:
- \* "Portions Copyright [year] [name of copyright owner]"
- \*
- \* Contributor(s):
- \* If you wish your version of this file to be governed by only the CDDL or
- \* only the GPL Version 2, indicate your decision by adding "[Contributor]
- \* elects to include this software in this distribution under the [CDDL or GPL
- \* Version 2] license." If you don't indicate a single choice of license, a
- \* recipient has the option to distribute your version of this file under
- \* either the CDDL, the GPL Version 2 or to extend the choice of license to
- \* its licensees as provided above. However, if you add GPL Version 2 code
- \* and therefore, elected the GPL Version 2 license, then the option applies
- \* only if the new code is made subject to such option by the copyright
- \* holder.
- \*/

Found in path(s):

- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/impl/ModelBuilderI.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/util/ArrayInfoUtil.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/NoEscapeHandler.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/nav/package-info.java

No license file was found, but licenses were detected in source scan.

# Copyright (c) 2014-2017 Oracle and/or its affiliates. All rights reserved.  
 # The contents of this file are subject to the terms of either the GNU  
 # General Public License Version 2 only ("GPL") or the Common Development  
 # and Distribution License("CDDL") (collectively, the "License"). You  
 # may not use this file except in compliance with the License. You can  
 # Oracle designates this particular file as subject to the "Classpath"  
 # exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):

- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/Messages\_es.properties
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/Messages\_it.properties

\* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/Messages\_de.properties  
\* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/Messages\_ko.properties  
\* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/Messages\_pt\_BR.properties  
\* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/Messages\_zh\_TW.properties  
\*

/jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/Messages\_zh\_CN.properties  
\* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/Messages\_fr.properties  
\* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/Messages\_ja.properties

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2013-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

\* or LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version

2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to

\* its licensees as provided above. However, if you add GPL Version 2 code

\* and therefore, elected the GPL Version 2 license, then the option applies

\* only if the new code is made subject to such option by the copyright

\* holder.

\*/

Found in path(s):

\* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/util/XmlFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

\* or LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version

2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to

\* its licensees as provided above. However, if you add GPL Version 2 code

\* and therefore, elected the GPL Version 2 license, then the option applies

\* only if the new code is made subject to such option by the copyright

\* holder.

\*/



Found in path(s):

- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/Adapter.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/runtime/unmarshaller/LocatorEx.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/unmarshaller/DOMScanner.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/WildcardTypeInfo.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/package-info.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/Messages.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/Locatable.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/util/Which.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/BuiltinLeafInfo.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/api/impl/NameConverter.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/Element.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/EnumLeafInfo.java
- \*
- /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/runtime/Location.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/unmarshaller/InfosetScanner.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/SAX2DOMEx.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/MapPropertyInfo.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/ArrayInfo.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/schemagen/episode/SchemaBindings.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/WildcardMode.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/PropertyKind.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/ClassInfo.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/EnumConstant.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/DumbEscapeHandler.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/annotation/XmlLocation.java
- \*
- /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/AttributePropertyInfo.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/nav/Navigator.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/ReferencePropertyInfo.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/Messages.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/ErrorHandler.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/ElementInfo.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/ElementPropertyInfo.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/ClassFactory.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/annotation/AnnotationSource.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/annotation/Locatable.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/annotation/XmlIsSet.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/NonElementRef.java
- \*
- /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/nav/WildcardTypeImpl.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/api/impl/NameUtil.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/nav/ParameterizedTypeImpl.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/DataWriter.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/schemagen/episode/Klass.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/MaybeElement.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/annotation/OverrideAnnotationOf.java
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/CharacterEscapeHandler.java

```

* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/ID.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/WhiteSpaceProcessor.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/TODO.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/nav/GenericArrayTypeImpl.java
*
/jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/schemagen/episode/Bindings.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/schemagen/episode/package-info.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/LeafInfo.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/NonElement.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/TypeRef.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/util/SecureLoader.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/api/EventListener.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/util/EditDistance.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/runtime/RuntimeUtil.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/Messages.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/RegistryInfo.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/nav/ReflectionNavigator.java
*
/jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/PropertyInfo.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/util/FlattenIterator.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/nav/TypeVisitor.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/annotation/AnnotationReader.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/Util.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/MinimumEscapeHandler.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/TypeInfo.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/TypeInfoSet.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/runtime/SwaRefAdapterMarker.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/Ref.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/core/ValuePropertyInfo.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/WellKnownNamespace.java
*
/jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/runtime/IllegalAnnotationException.java
* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/model/nav/SecureLoader.java
No license file was found, but licenses were detected in source scan.

```

```

/*

```

```

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

```

```

*

```

```

* Copyright (c) 2011-2017 Oracle and/or its affiliates. All rights reserved.

```

```

*

```

```

* The contents of this file are subject to the terms of either the GNU

```

```

* General Public License Version 2 only ("GPL") or the Common Development

```

```

* and Distribution License("CDDL") (collectively, the "License"). You

```

```

* may not use this file except in compliance with the License. You can

```

```

* obtain a copy of the License at

```

```

* https://oss.oracle.com/licenses/CDDL+GPL-1.1

```

```

* or LICENSE.txt. See the License for the specific

```

```

* language governing permissions and limitations under the License.

```

- \*
  - \* When distributing the software, include this License Header Notice in each
  - \* file and include the License file at LICENSE.txt.
- \*
  - \* GPL Classpath Exception:
  - \* Oracle designates this particular file as subject to the "Classpath"
  - \* exception as provided by Oracle in the GPL Version
  - 2 section of the License
  - \* file that accompanied this code.
- \*
  - \* Modifications:
  - \* If applicable, add the following below the License Header, with the fields
  - \* enclosed by brackets [] replaced by your own identifying information:
  - \* "Portions Copyright [year] [name of copyright owner]"
- \*
  - \* Contributor(s):
  - \* If you wish your version of this file to be governed by only the CDDL or
  - \* only the GPL Version 2, indicate your decision by adding "[Contributor]
  - \* elects to include this software in this distribution under the [CDDL or GPL
  - \* Version 2] license." If you don't indicate a single choice of license, a
  - \* recipient has the option to distribute your version of this file under
  - \* either the CDDL, the GPL Version 2 or to extend the choice of license to
  - \* its licensees as provided above. However, if you add GPL Version 2 code
  - \* and therefore, elected the GPL Version 2 license, then the option applies
  - \* only if the new code is made subject to such option by the copyright
  - \* holder.
- \*/

Found in path(s):

- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/schemagen/episode/Package.java

No license file was found, but licenses were detected in source scan.

```
Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.
The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License
```

Found in path(s):

- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/Messages\_pt\_BR.properties
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/Messages\_zh\_CN.properties
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_fr.properties
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_ko.properties
- \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/Messages.properties
- \*

/jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/Messages\_it.properties  
 \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/Messages\_ja.properties  
 \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_ja.properties  
 \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_zh\_CN.properties  
 \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_pt\_BR.properties  
 \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_de.properties  
 \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_zh\_TW.properties  
 \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/Messages\_fr.properties  
 \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/Messages\_zh\_TW.properties  
 \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/Messages.properties  
 \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/Messages\_es.properties  
 \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_es.properties  
 \*

/jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/Messages\_it.properties  
 \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/Messages.properties  
 \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/Messages\_ko.properties  
 \* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/v2/Messages\_de.properties

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

\* or LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version

2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or  
 \* only the GPL Version 2, indicate your decision by adding "[Contributor]  
 \* elects to include this software in this distribution under the [CDDL or GPL  
 \* Version 2] license." If you don't indicate a single choice of license, a  
 \* recipient has the option to distribute your version of this file under  
 \* either the CDDL, the GPL Version 2 or to extend the choice of license to  
 \* its licensees as provided above. However, if you add GPL Version 2 code  
 \* and therefore, elected the GPL Version 2 license, then the option applies  
 \* only if the new code is made subject to such option by the copyright  
 \* holder.  
 \*/  
 // NO WARRANTY! This class is in the public domain.

Found in path(s):

\* /jaxb-core-2-3-0-1-sources-10-jar/com/sun/xml/bind/marshaller/XMLWriter.java

## 1.46 xerces-j 2.9.1

### 1.46.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as

indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use

the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.



"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or

conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.47 aws-java-sdk-s3 1.12.105

## 1.47.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

```
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/S3ObjectSummary.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetBucketVersioningConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/MD5DigestCalculatingInputStream.java
*
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/S3VersionSummary.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GroupGrantee.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetBucketCrossOriginConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/Permission.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetBucketLifecycleConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ObjectListing.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/package-info.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/BucketVersioningConfiguration.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetBucketTaggingConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/MultiFactorAuthentication.java
*
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetBucketLoggingConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteVersionRequest.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

\* Copyright 2016-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
 \*  
 \* Licensed under the Apache License, Version 2.0 (the "License").  
 \* You may not use this file except in compliance with the License.  
 \* A copy of the License is located at  
 \*  
 \* <http://aws.amazon.com/apache2.0>  
 \*  
 \* or in the "license" file accompanying this file. This file is distributed  
 \* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
 \* express or implied. See the License for the specific language governing  
 \* permissions and limitations under the License.  
 \*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ObjectTagging.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/BucketAccelerateStatus.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/Tag.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetObjectTaggingRequest.java  
 \*  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetObjectTaggingResult.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetObjectTaggingRequest.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3RequesterChargedHeaderHandler.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/DeleteObjectTaggingHeaderHandler.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetObjectAclRequest.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteObjectTaggingRequest.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteObjectTaggingResult.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/ObjectTaggingXmlFactory.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetObjectTaggingResult.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3VersionResult.java  
 \*  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/S3AccelerateUnsupported.java  
 No license file was found, but licenses were detected in source scan.

/\*  
 \* Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights  
 \* Reserved.  
 \*  
 \* Licensed under the Apache License, Version 2.0 (the "License").  
 \* You may not use this file except in compliance with the License.  
 \* A copy of the License is located at  
 \*  
 \* <http://aws.amazon.com/apache2.0>  
 \*  
 \* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/auth/S3SignerProvider.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3OutpostAccessPointBuilder.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/OutpostResourceType.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/XmlIntelligentTieringPredicateVisitor.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/EndpointParams.java  
\*  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/IntermediateOutpostResource.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/S3ArnUtils.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/intelligenttiering/IntelligentTieringAccessTier.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/BucketConfigurationXmlFactory.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/intelligenttiering/IntelligentTieringStatus.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (c) 2016. Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at  
\*  
\*/

\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/WebsiteConfiguration.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/SkipMd5CheckStrategy.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2011-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License"). You may not  
\* use this file except in compliance with the License. A copy of the License is  
\* located at

\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed on  
\* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/waiters/HeadObjectFunction.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/waiters/HeadBucketFunction.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at

\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/TopicConfiguration.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/auth/DecodedStreamBuffer.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/InstructionFileId.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3URI.java
- \*
- /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/PartCreationEvent.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/UploadObjectObserver.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/UploadObjectRequest.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/EncryptionMaterialsFactory.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/S3SyncProgressListener.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/MultiFileOutputStream.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/auth/ChunkContentIterator.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ExtraMaterialsDescription.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/NotificationConfiguration.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SSEAwsKeyManagementParamsProvider.java
- \*
- /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/FileDeletionEvent.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/S3DataSource.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/EncryptedInitiateMultipartUploadRequest.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CloudFunctionConfiguration.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/EncryptedPutObjectRequest.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/QueueConfiguration.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/S3Event.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3DirectSpi.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/AmazonS3ExceptionBuilder.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SSEAwsKeyManagementParams.java
- \*
- /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/S3ObjectId.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/MaterialsDescriptionProvider.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/PutInstructionFileRequest.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/S3ObjectIdBuilder.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SSECustomerKeyProvider.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/OnFileDelete.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SSECustomerKey.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/AbstractPutObjectRequest.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SimpleMaterialProvider.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/EncryptedGetObjectRequest.java
- \*
- /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3Direct.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/PutObjectRequest.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/MultipleFileTransferStateChangeListener.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/KMSEncryptionMaterialsProvider.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/MultipleFileTransferProgressUpdatingListener.java



\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/KeyWrapException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014-2021 Amazon Technologies, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at:

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES

\* OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/event/S3EventNotification.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"). You may not

\* use this file except in compliance with the License. A copy of the License is

\* located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed on

\* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/waiters/AmazonS3Waiters.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at:

\*

- \* <http://aws.amazon.com/apache2.0>
- \*
- \* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
- \* OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/intelligenttiering/IntelligentTieringFilter.java
- \* /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/SetBucketIntelligentTieringConfigurationRequest.java
- \* /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/intelligenttiering/IntelligentTieringAndOperator.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/intelligenttiering/Tiering.java
- \*
- /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/ListBucketIntelligentTieringConfigurationsRequest.java
- \* /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/DeleteBucketIntelligentTieringConfigurationRequest.java
- \* /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/intelligenttiering/IntelligentTieringFilterPredicate.java
- \* /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/intelligenttiering/IntelligentTieringConfiguration.java
- \* /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/intelligenttiering/IntelligentTieringNaryOperator.java
- \* /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/SetBucketIntelligentTieringConfigurationResult.java
- \* /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/intelligenttiering/IntelligentTieringPrefixPredicate.java
- \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CryptoRangeGetMode.java
- \*
- /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/DeleteBucketIntelligentTieringConfigurationResult.java
- \* /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/intelligenttiering/IntelligentTieringTagPredicate.java
- \* /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/GetBucketIntelligentTieringConfigurationRequest.java
- \* /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/intelligenttiering/IntelligentTieringPredicateVisitor.java
- \* /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/ListBucketIntelligentTieringConfigurationsResult.java
- \* /aws-java-sdk-s3-1-12-105-sources-
- jar/com/amazonaws/services/s3/model/GetBucketIntelligentTieringConfigurationResult.java

No license file was found, but licenses were detected in source scan.

/\*

```

* Copyright 2021-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

```

Found in path(s):

```

* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/S3ObjectLambdaOperationEndpointBuilder.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/WriteGetObjectResponseRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/WriteGetObjectResponseResult.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3ObjectLambdaEndpointBuilder.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

/**
* Synchronous client for accessing Amazon S3.
*
* <h1>Appendix: Amazon S3 client-side encryption meta information</h1>
*
* <h2>Introduction</h2>
* <p>
* This appendix summarizes the current crypto related meta information
* associated with an S3 object encrypted using SDK client-side encryption. In
* SDK's terminology, these meta

```

information are classified as "user metadata".

- \* In general, the meta information is just a map of key/value pairs. Physically
- \* they are persisted either as metadata of the encrypted S3 object, or as a
- \* separate S3 object called an "instruction file" (which is just a JSON file in
- \* plaintext.) For all references to the Cipher Algorithm Names, Modes, and Padding,
- \* such as `"AES/GCM/NoPadding"`, please refer to Oracle's <http://docs.oracle.com/javase/7/docs/technotes/guides/security/StandardNames.html>
- \* [Java&trade; Cryptography Architecture Standard Algorithm Name Documentation](http://docs.oracle.com/javase/7/docs/technotes/guides/security/StandardNames.html)
- \* for more details.

\*

## \* `<h2>S3 metadata vs instruction file</h2>`

\* `<p>`

- \* Note when a key/value pair is stored as "user metadata" as part of the S3
- \* metadata, the SDK always adds an additional prefix of `<b>x-amz-meta-</b>` to
- \* the key name. In contrast, the SDK doesn't add any prefix when the key names
- \* are stored in an instruction file. (The reason has to do with
- how the http
- \* headers are handled.)

\* `<p>`

- \* For example, `<b>x-amz-key</b>` would get stored as `<b>x-amz-meta-x-amz-key</b>`
- \* in S3 metadata. In contrast, `<b>x-amz-key</b>` would simply be stored as is
- \* (ie without the prefix) in an instruction file. All the keys described below
- \* are considered "user metadata" by the SDK.

\*

## \* `<h2>S3 1st gen crypto meta information</h2>`

\* `<p>`

- \* For non-KMS client side encryption, this crypto meta information is used
- \* to support the "Encryption Only" crypto mode (which involves the use of
- \* `<code>AES/CBC/PKCS5Padding</code>` for content encryption, and
- \* `<code>AES/ECB</code>` for encrypting the one-time randomly generated data
- \* key). For KMS client-side encryption, the 2nd gen crypto meta information is used.

### \* `<h3>Scope</h3>`

- \* This metadata can only be generated when encrypting using the V1 encryption client,
- \* `{@link com.amazonaws.services.s3.AmazonS3EncryptionClient}`, but can be interpreted (decrypted) by
- \* `{@link com.amazonaws.services.s3.AmazonS3EncryptionClientV2}`.
- \* The format is also known as v1 metadata, but because there are now v1 and v2 clients,
- \* the term v1 metadata is confusing.

\* `<p>`

\* `<b>Encryption:</b> {@link com.amazonaws.services.s3.AmazonS3EncryptionClient}`, crypto mode  
EncryptionOnly`<br>`

\* `<b>Decryption:</b> {@link com.amazonaws.services.s3.AmazonS3EncryptionClient}`, crypto mode  
EncryptionOnly or

\* `{@link com.amazonaws.services.s3.AmazonS3EncryptionClientV2}`, crypto mode AuthenticationOnly

\* `<p>`

### \* `<h3>Metadata</h3>`

\* `<table border=1>`

\* `<tr aligned="left">`

\* `<th>key</th>`

```

* <th>description</th>
* </tr>
* <tr>
* <td width="200">x-amz-key</td>
* <td>Content encrypting key (cek) in encrypted form, base64 encoded. The cek
* is randomly generated per S3 object, and is always an AES 256-bit key. The
* corresponding cipher is always "AES/CBC/PKCS5Padding".</td>
* </tr>
* <tr>
* <td>x-amz-iv</td>
* <td>Randomly generated IV (per S3 object), base64 encoded</td>
* </tr>
* <tr>
* <td>x-amz-matdesc </td>
* <td>Customer provided material description in JSON (UTF8) format. Used to
* identify the client-side master key (ie used to encrypt/wrap the generated
* content encrypting key).</td>
* </tr>
* <tr>
* <td>x-amz-unencrypted-content-length</td>
* <td>Unencrypted content length (optional but should be specified whenever
* possible).</td>
* </tr>
* </table>
* <p>
* <h2>S3 2nd gen crypto meta information</h2>
* <p>
* This crypto meta information is used to support both authenticated
* encryption (which involves the use of <code>AES/GCM/NoPadding</code> for
* content encryption, and key wrapping for the one-time randomly generated data
* key), and KMS client-side encryption (which can either be encryption-only or
* authenticated encryption).
* <h3>Scope</h3>
* 2nd gen metadata can be generated/encrypted by both the V1 and V2 encryption clients.
* The format is also known as v2 metadata, but this is confusing since the
* V1 client also generates
* 2nd gen metadata in the AuthenticatedEncryption and StrictAuthenticatedEncryption modes.
* <p>
* Encryption: {@link com.amazonaws.services.s3.AmazonS3EncryptionClient/
* {@link com.amazonaws.services.s3.AmazonS3EncryptionClient}, crypto modes AuthenticatedEncryption and
* StrictAuthenticatedEncryption

* Decryption: {@link com.amazonaws.services.s3.AmazonS3EncryptionClient}, all crypto modes, or
* {@link com.amazonaws.services.s3.AmazonS3EncryptionClientV2}, crypto modes AuthenticatedEncryption and
* StrictAuthenticatedEncryption.
* <p>
* Note:
* While the V1 client can both generate and interpret 2nd gen metadata, it cannot decrypt any object encrypted
* using the V2 client, because the values of x-amz-wrap-alg differ.

```

```

* <p>
* <h3>Metadata used the same way by V1 and V2 clients</h3>
* <table border=1>
* <tr aligned="left">
* <th>key</th>
* <th>description</th>
* </tr>
* <tr>
* <td width="200">x-amz-key-v2</td>
* <td>CEK in key wrapped form. This is necessary so that the S3 encryption
* client that doesn't recognize the v2 format will not mistakenly decrypt S3
* object encrypted in v2 format.</td>
* </tr>
* <tr>
* <td>x-amz-iv</td>
* <td>Randomly generated IV (per S3 object), base64 encoded. (Same as v1.)</td>
* </tr>
* <td>x-amz-unencrypted-content-length</td>
* <td>Unencrypted content length. (optional but should be specified whenever
* possible. Same as v1.)</td>
* </tr>
* <tr>
* <td>x-amz-tag-len</td>
* <td>Tag length (in bits) when AEAD is in use.
*
* Only applicable if AEAD is in use. This meta information is absent
* otherwise, or if KMS is in use.
* Supported value: <code>"128"</code>
*
* </td>
* </tr>
* </table>
* <h3>Metadata using V1 client</h3>
* <table border=1>
* <tr aligned="left">
* <th>key</th>
* <th>description</th>
* </tr>
* <td>x-amz-matdesc</td>
* <td>Customer provided material
* description in JSON format. (Same as v1). Used
* to identify the client-side master key.
*
* For KMS client side encryption, the KMS Customer Master Key ID is stored
* as part of the material description, x-amz-matdesc, under the key-name
* <code>"kms_cmk_id"</code>.
*
* </td>

```

```

* </tr>
* <tr>
* <td>x-amz-wrap-alg</td>
* <td>Key wrapping algorithm used.
*
* Supported values:
* <code>"AESWrap", "RSA/ECB/OAEPWithSHA-256AndMGF1Padding", "kms"</code>
* No standard key wrapping is used if this meta information is absent
* Always set to "kms" if KMS is used for client-side encryption
*
* </td>
* </tr>
* <tr>
* <td>x-amz-cek-alg</td>
* <td>Content encryption algorithm used.
*
* Supported values:
* <code>"AES/GCM/NoPadding", "AES/CBC/PKCS5Padding"</code>
* Default to <code>"AES/CBC/PKCS5Padding"</code> if this key is absent.
*
* </td>
* </tr>
* </table>
* <h3>Metadata using V2 client</h3>
* <table border=1>
* <tr aligned="left">
* <th>key</th>
* <th>description</th>
* </tr>
* <tr>
* <td>x-amz-matdesc</td>
* <td>Customer provided material description in JSON format. (Same as v1). For KMS client side encryption,
* the cek algorithm is stored as part of the material description under the key-name <code>aws:x-amz-cek-
alg</code>.
* </td>
* </tr>
* <tr>
* <td>x-amz-wrap-alg</td>
* <td>Key wrapping algorithm used.
*
* Supported values:
* <code>"AES/GCM/NoPadding" (symmetric default), "RSA-OAEP-SHA1", "RSA-OAEP-SHA1" (asymmetric
default), "kms"</code>
*
* No standard key wrapping is used if this meta information is absent
* Always set to "kms" if KMS is used for client-side encryption
*
* </td>

```

```

* </tr>
* <tr>
* <td>x-amz-cek-alg</td>
* <td>Content encryption algorithm used. Supported values: <code>"AES/GCM/NoPadding"</code>
* </td>
* </tr>
*

```

```

</table>

```

```

* <p>
* <h3>KMS Integration for client-side encryption</h3>
*

```

```

* All client-side KMS protected S3 objects are stored in v2 crypto meta information
* format. However, the key wrapping algorithm, x-amz-wrap-alg is always
* set to "kms".
* For V1 clients, the KMS Customer Master Key ID is currently stored as part of the
* material description, x-amz-matdesc, under the key-name
* "kms_cmek_id".
* For V2 clients, the KMS Customer Master Key ID is not stored as part of the
* material description and must be supplied by the decrypting client.
*

```

```

* <p>
* <h4>Sample S3 crypto meta information for KMS client-side encryption</h4>
* <p>

```

```

* <h5>V1 client, CryptoMode: EncryptionOnly</h5>

```

```

*

```

```

* <pre>

```

```

* x-amz-meta-x-amz-key-v2:

```

```

*

```

```

CiAJ2GqwpJRnt4izujwoalC2YdNRNSMEslG5rw3pEI+J8hKnAQEBAwB4CdhqsKSUZ7eIs7o8KGpQtmHTUTUj
BLJRua8N6RCPiFIAAAB+MHwGCSqGSib3DQEHbqBvMG0CAQAwaAYJKoZlHvcNAQcBMB4GCWCGSAFl
AwQBLjARBAYD0rzN3KHViWixDVcCARCAOwhZ6xA8rob3Z0mNx3uKFieHKVYIC/PKlchALvG1oVLnf86m
cZJNpTXtwMkKkDocVj3Z1zGjZTufFsOH

```

```

* x-amz-iv: xqOHh+M6y0UogwG5SHJM3Q==
* x-amz-unencrypted-content-length: 32768
* x-amz-cek-alg: AES/CBC/PKCS5Padding
* x-amz-wrap-alg: kms
* x-amz-matdesc: {"kms_cmek_id":"d3fd2273-4ca0-4da5-b1c2-c89742ec6a26"}

```

```

* </pre>

```

```

*

```

```

* <h5>V1 client, CryptoMode: AuthenticatedEncryption/StrictAuthenticatedEncryption</h5>

```

```

*

```

```

* <pre>

```

```

* x-amz-key-v2:

```

```

CiAJ2GqwpJRnt4izujwoalC2YdNRNSMEslG5rw3pEI+J8hKnAQEBAwB4CdhqsKSUZ7eIs7o8KGpQtmHTUTUj
BLJRua8N6RCPiFIAAAB+MHwGCSqGSib3DQEHbqBvMG0CAQAwaAYJKoZlHvcNAQcBMB4GCWCGSAFl
AwQBLjARBAYtFVyW4I6QmwcPK1ECARCAO1VzoM6KxA9DHyNMm/BEbbjle2vLA7IY7f9OkUoSqrxdgKxp
NID9QaL/7928m1Djld0bJpHefjm89C

```

```

* x-amz-iv: VZBksyij6DhrUMye

```



```

* x-amz-unencrypted-content-length: 32768
* x-amz-cek-alg: AES/GCM/NoPadding
* x-amz-wrap-alg: kms
* x-amz-matdesc: {"kms_cmek_id":"d3fd2273-4ca0-4da5-b1c2-c89742ec6a26"}
* x-amz-tag-len: 128
* </pre>
*
* <h5>V2 client, CryptoMode: AuthenticatedEncryption/StrictAuthenticatedEncryption</h5>
*
* <pre>
* x-amz-key-v2:
CiAJ2GqwpJRnt4izujwoalC2YdNRNSMEslG5rw3pEI+J8hKnAQEBawB4CdhqsKSUZ7eIs7o8KGpQtmHTUTUj
BLJRua8N6RCPifIAAAB+MHwGCSqGSib3DQEHbqBvMG0CAQAwAAYJKoZIhvcNAQcBMB4GCWCGSAGFl
AwQBLjARBAytFVyW4I6QmwcPK1ECARCAO1VzoM6KxA9DHyNMm/BEbbjle2vLA7IY7f9OkUoSqrxdgKxp
NID9QaL/7928m1Djtd0bJpHefjm89C
* x-amz-iv: VZBksyij6DhrUMye
* x-amz-unencrypted-content-length: 32768
* x-amz-cek-alg: AES/GCM/NoPadding
* x-amz-wrap-alg: kms
* x-amz-matdesc: {"aws:x-amz-cek-alg":"AES/GCM/NoPadding"}
* x-amz-tag-len: 128
* </pre>
*
* <h2>S3 metadata of an instruction file</h2>
* <p>
* The following key is always included as part of the S3 metadata of the
* instruction file (which is just an S3 object). Since the SDK treats this key
* as "user metadata", the key name is always prefixed with x-amz-meta-
* when physically stored.
* <p>
* <table border=1>
* <tr aligned="left">
* <th>key</th>
* <th>description</th>
* </tr>
* <tr>
* <td
width="200">x-amz-crypto-instr-file</td>
* <td>the presence of this key is used to indicate this S3 object is an
* instruction file (of an associated client-side encrypted S3 object).</td>
* </tr>
* </table>
* /

```

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/package-info.java

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright 2016-2021 Amazon Technologies, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at:
 *
 * http://aws.amazon.com/apache2.0
 *
 * This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
 * OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and
 * limitations under the License.
 */

```

Found in path(s):

```

* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/AbortIncompleteMultipartUpload.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3RequesterChargedResult.java
No license file was found, but licenses were detected in source scan.

```

```

/*
 * Copyright 2011-2021 Amazon Technologies, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at:
 *
 * http://aws.amazon.com/apache2.0
 *
 * This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
 * OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and
 * limitations under the License.
 */

```

Found in path(s):

```

* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GenericBucketRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/ObjectExpirationResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/ObjectRestoreResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ResponseHeaderOverrides.java
*
/aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/BucketCrossOriginConfiguration.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/HeaderHandler.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/TransferMonitor.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/SetBucketNotificationConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/CopyMonitor.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/ServerSideEncryptionResult.java

```

```

* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/UploadMonitor.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/ServerSideEncryptionHeaderHandler.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CopyPartResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CORSRule.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/ResponseHeaderHandlerChain.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/DeleteObjectsResponse.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteObjectsResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/BucketLifecycleConfiguration.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/MultiObjectDeleteException.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CopyPartRequest.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2011-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

```

Found in path(s):

```

* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3AbortableInputStream.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetBucketPolicyRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetBucketAclRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/GetBucketWebsiteConfigurationRequest.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3Builder.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/DeleteBucketWebsiteConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/ByteRangeCapturingInputStream.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ListObjectsV2Request.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ListObjectsV2Result.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/RedirectRule.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/DeleteBucketTaggingConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetBucketPolicyRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/Tier.java

```

```

* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/TransferManagerParams.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/RoutingRuleCondition.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/v1/MultipartUploadContext.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/v2/MultipartUploadContext.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/BucketWebsiteConfiguration.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/InitiateMultipartUploadHeaderHandler.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3ClientParams.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetBucketAclRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteBucketPolicyRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/DeleteBucketCrossOriginConfigurationRequest.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3ClientConfigurationFactory.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/SetBucketWebsiteConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/DeleteBucketLifecycleConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GlacierJobParameters.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/ListPartsHeaderHandler.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3ClientParamsWrapper.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetBucketLocationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/TransferManagerBuilder.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/RoutingRule.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3ClientBuilder.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2016-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Portions copyright 2006-2009 James Murty. Please see LICENSE.txt
* for applicable license terms and NOTICE.txt for applicable notices.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

```

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/GetObjectTaggingResponseHeaderHandler.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/SetObjectTaggingResponseHeaderHandler.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/eventstreaming/HeaderValue.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/eventstreaming/Utils.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/eventstreaming/Checksums.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/eventstreaming/Prelude.java  
\*  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/eventstreaming/Header.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/eventstreaming/Message.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/eventstreaming/HeaderType.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Portions copyright 2006-2009 James Murty. Please see LICENSE.txt  
\* for applicable license terms and NOTICE.txt for applicable notices.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-

jar/com/amazonaws/services/s3/internal/AbstractRepeatableCipherInputStream.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*

\* Portions copyright 2006-2009 James Murty. Please see LICENSE.txt

\* for applicable license terms and NOTICE.txt for applicable notices.

\*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/S3Object.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-

jar/com/amazonaws/services/s3/model/transform/S3KeyFilterStaxUnmarshaller.java

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/FilterStaxUnmarshaller.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/Filter.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/GetBucketEncryptionStaxUnmarshaller.java  
 \*  
 /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/FilterRule.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ReplicationDestinationConfig.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/NotificationConfigurationStaxUnmarshaller.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/HeadBucketResultHandler.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetS3AccountOwnerRequest.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AbstractAmazonS3.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/StatsStaxUnmarshaller.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/TransferCompletionFilter.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/request/S3HandlerContextKeys.java  
 \*  
 /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetBucketNotificationConfigurationRequest.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/CompleteMultipartUploadRetryablePredicate.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/ProgressStaxUnmarshaller.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/exception/FileLockException.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ReplicationRule.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/FilterRuleStaxUnmarshaller.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetBucketReplicationConfigurationRequest.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/HeadBucketResult.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/GetBucketPolicyStatusStaxUnmarshaller.java  
 \*  
 /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/ServerSideEncryptionRuleStaxUnmarshaller.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/CompleteMultipartUploadRetryCondition.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/S3KeyFilter.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/BucketReplicationConfiguration.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SSEAlgorithm.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/BucketNotificationConfigurationStaxUnmarshaller.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteBucketReplicationConfigurationRequest.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/TopicConfigurationStaxUnmarshaller.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/LambdaConfiguration.java  
 \*

```

/aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/transform/GetPublicAccessBlockStaxUnmarshaller.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ReplicationRuleStatus.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AbstractAmazonS3EncryptionV2.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/BucketAccelerateConfiguration.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetObjectAclRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/transform/QueueConfigurationStaxUnmarshaller.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/SetBucketAccelerateConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/transform/ServerSideEncryptionByDefaultStaxUnmarshaller.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/transform/LambdaConfigurationStaxUnmarshaller.java
No license file was found, but licenses were detected in source scan.

```

```

/*
 * Copyright 2012-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
/**
 * Interface for providing encryption materials.
 * Implementations are free to use any strategy for providing encryption
 * materials, such as simply providing static material that doesn't change,
 * or more complicated implementations, such as integrating with existing
 * key management systems.
 */

```

Found in path(s):

```

* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/EncryptionMaterialsProvider.java
No license file was found, but licenses were detected in source scan.

```

```

/*
 * Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at

```



```

*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/
/**
 * Gets the optional <code>versionIdMarker</code> parameter indicating where in the
 * sorted list of all versions in the specified bucket to begin returning
 * results. Results are always ordered first lexicographically (i.e.
 * alphabetically) and then from most recent version to least recent
 * version.
 * <p>
 *
 * A key marker must be specified when specifying a <code>versionIdMarker</code>.
 * Results begin immediately after the version with the specified key and
 * version ID.
 * </p>
 *
 * @return The optional <code>versionIdMarker</code> parameter indicating where in the
 * sorted list of all versions in the specified bucket to begin
 * returning results.
 *
 * @see ListVersionsRequest#setVersionIdMarker(String)
 * @see ListVersionsRequest#withVersionIdMarker(String)
 */

Found in path(s):
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ListVersionsRequest.java
No license file was found, but licenses were detected in source scan.

/*
 * Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
*/
// The Amazon S3 DevPay token header is a special exception and can be safely moved

```

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3Client.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3AccessPointBuilder.java

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3ObjectLambdasResource.java

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/ObjectCannedAclProvider.java

\* /aws-java-sdk-s3-1-12-105-sources-

jar/com/amazonaws/services/s3/transfer/internal/PreparedDownloadContext.java

\*

/aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ScanRange.java

\* /aws-java-sdk-s3-1-12-105-sources-

jar/com/amazonaws/services/s3/transfer/internal/DownloadS3ObjectCallable.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance with

\* the License. A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR

\* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions

\* and limitations under the License.

\*/

Found in path(s):

```
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ExistingObjectReplication.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetBucketEncryptionRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteMarkerReplication.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetBucketEncryptionResult.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/EncryptionConfiguration.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetBucketEncryptionRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ReplicaModificationsStatus.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteMarkerReplicationStatus.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ServerSideEncryptionByDefault.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SseKmsEncryptedObjectsStatus.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteBucketEncryptionRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SourceSelectionCriteria.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/ServerSideEncryptionConfiguration.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SseKmsEncryptedObjects.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ServerSideEncryptionRule.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetBucketEncryptionResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/inventory/InventoryEncryption.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/inventory/ServerSideEncryptionKMS.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/inventory/ServerSideEncryptionS3.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ReplicaModifications.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ExistingObjectReplicationStatus.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteBucketEncryptionResult.java
```

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2010-20214 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

```
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/KMSEncryptionMaterials.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015-2021 Amazon Technologies, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at:
 *
 * http://aws.amazon.com/apache2.0
 *
 * This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
 * OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/DownloadTaskImpl.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/GetBucketTaggingConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/GetBucketLoggingConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/FileLocks.java
*
/ aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/GetBucketAccelerateConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/GetBucketVersioningConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/GetBucketCrossOriginConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ListNextBatchOfVersionsRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/GetBucketLifecycleConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/DownloadCallable.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ListNextBatchOfObjectsRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/SetBucketReplicationConfigurationRequest.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2013-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
```

\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v2/S3CryptoModuleAE.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/AesCtr.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/S3ProgressPublisher.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/S3ProgressListener.java  
\*  
/aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v1/S3KeyWrapScheme.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3EncryptionClientV2.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/AWSS3V4Signer.java  
\* /aws-java-sdk-s3-1-12-105-sources-  
jar/com/amazonaws/services/s3/internal/crypto/v1/MultipartUploadCbcContext.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/PersistableTransfer.java  
\* /aws-java-sdk-s3-1-12-105-sources-  
jar/com/amazonaws/services/s3/internal/crypto/v2/S3CryptoModuleAESTrict.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/CipherLite.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/exception/PauseException.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3EncryptionClient.java  
\*  
/aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v1/ContentCryptoMaterial.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v2/S3ObjectWrapper.java  
\* /aws-java-sdk-s3-1-12-105-sources-  
jar/com/amazonaws/services/s3/internal/crypto/RenewableCipherLiteInputStream.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/AesCbc.java  
\* /aws-java-sdk-s3-1-12-105-sources-  
jar/com/amazonaws/services/s3/transfer/internal/S3ProgressListenerChain.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v1/S3CryptoModule.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/AesGcm.java  
\* /aws-java-sdk-s3-1-12-105-sources-  
jar/com/amazonaws/services/s3/internal/crypto/v1/S3CryptoModuleAESTrict.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v1/S3ObjectWrapper.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CryptoKeyWrapAlgorithm.java  
\*  
/aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/CipherLiteInputStream.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/ContentCryptoScheme.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3Encryption.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CryptoMode.java  
\* /aws-java-sdk-s3-1-12-105-sources-  
jar/com/amazonaws/services/s3/internal/crypto/keywrap/InternalKeyWrapAlgorithm.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/DigestValidationInputStream.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v1/S3CryptoModuleAE.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v2/S3CryptoModule.java

```

* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v1/S3CryptoModuleEO.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/PauseStatus.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/PersistableUpload.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v1/S3CryptoModuleBase.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/v1/MultipartUploadCryptoContext.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/GCMCipherLite.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/PersistableDownload.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/CryptoRuntime.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3EncryptionV2.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/v2/MultipartUploadCryptoContext.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/v2/ContentCryptoMaterial.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v2/S3CryptoModuleBase.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/v1/CryptoModuleDispatcher.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v1/S3CryptoScheme.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2013-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

```

Found in path(s):

```

* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/PauseResult.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (c) 2017. Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*

```

\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3EncryptionClientV2Builder.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3EncryptionClientV2Params.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3EncryptionClientParams.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3EncryptionClientParamsWrapper.java  
\*  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3EncryptionClientV2ParamsWrapper.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/KeyFilter.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3EncryptionClientBuilder.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2016-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance  
\* with  
\* the License. A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR  
\* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing  
\* permissions  
\* and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/metrics/MetricsAccessPointArnPredicate.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at

\*  
 \* <http://aws.amazon.com/apache2.0>  
 \*  
 \* or in the "license" file accompanying this file. This file is distributed  
 \* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
 \* express or implied. See the License for the specific language governing  
 \* permissions and limitations under the License.  
 \*/

Found in path(s):

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3MetadataResponseHandler.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ExpressionType.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3OutpostResource.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/AbstractHandler.java  
 \*  
 /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/UploadCallable.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3XmlResponseHandler.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/Encryption.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ListBucketsRequest.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/AbortMultipartUploadRequest.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/OutputSerialization.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/AbstractS3ResponseHandler.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/ObjectTaggingProvider.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CSVInput.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/InputSerialization.java  
 \*  
 /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/auth/policy/actions/S3Actions.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetPublicAccessBlockResult.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetObjectRequest.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/MultiObjectDeleteXmlFactory.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/S3ObjectResource.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/EncryptionMaterialsAccessor.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/auth/AwsChunkedEncodingInputStream.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/SSEResultBase.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/S3ResourceType.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3VersionHeaderHandler.java  
 \*  
 /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/CopyImpl.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/RestoreObjectRequest.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/RegionalEndpointsOptionResolver.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/ReplicationPredicateVisitorImpl.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CryptoConfigurationV2.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/ObjectRestoreHeaderHandler.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/S3Location.java  
 \* /aws-java-sdk-s3-1-12-105-sources-



```

jar/com/amazonaws/services/s3/model/transform/AnalyticsPredicateVisitorImpl.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/IsSigV4RetryablePredicate.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/auth/policy/resources/S3BucketResource.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/Unmarshallers.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/InitiateMultipartUploadRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/CopyPartCallable.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ObjectMetadata.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteBucketRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/Region.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/BucketNameUtils.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetBucketPolicyStatusResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CreateBucketRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/QuoteFields.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/CopyCallable.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ReplicationTimeValue.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/model/UploadResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/package-info.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CryptoStorageMode.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/UploadPartRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/transfer/internal/CompleteMultipartUpload.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3Signer.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ListPartsRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/RestoreRequestType.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/MetadataEntry.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GeneratePresignedUrlRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/Constants.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ListObjectsRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/HeadBucketRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/ObjectMetadataProvider.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/auth/policy/conditions/S3ConditionFactory.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/RestoreObjectResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/MetricsStatus.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3ErrorResponseHandler.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/MetadataDirective.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/RequestXmlFactory.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/auth/policy/resources/S3ObjectResource.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/PartSummary.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CryptoConfiguration.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/StorageClass.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CompleteMultipartUploadResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/DualstackEndpointBuilder.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/ObjectExpirationHeaderHandler.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CopyObjectResult.java

```

```

* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/TransferManagerConfiguration.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/TransferProgress.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/IllegalBucketNameException.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/S3Resource.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteObjectsRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/Metrics.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ownership/OwnershipControls.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ReplicationTime.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/transform/LifecyclePredicateVisitorImpl.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/TransferManagerUtils.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/model/CopyResult.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/PublicAccessBlockConfiguration.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/MultipartUploadListing.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CompleteMultipartUploadRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CannedAccessControlList.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetPublicAccessBlockRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/S3AccessPointResource.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetPublicAccessBlockRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/AmazonS3Exception.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/VersionListing.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/S3RestoreOutputPathHeaderHandler.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/JceEncryptionConstants.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/Transfer.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/SetRequestPaymentConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/UploadImpl.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ProgressListener.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/S3BucketResource.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ProgressEvent.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3QueryStringSigner.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3V4AuthErrorRetryStrategy.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SelectParameters.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetBucketPolicyStatusRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/transform/RequestPaymentConfigurationXmlFactory.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/CompleteMultipartCopy.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/Copy.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/TransferManager.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/PartETag.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ListMultipartUploadsRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/PutObjectResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/FileHeaderInfo.java

```

```

* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/AclXmlFactory.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ownership/OwnershipControlsRule.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/GetRequestPaymentConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/transform/AbstractSSEHandler.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/S3ClientOptions.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3RequestEndpointResolver.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeletePublicAccessBlockResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/XmlWriter.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/Upload.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/CopyPartRequestFactory.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ReplicationTimeStatus.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/EncryptionMaterials.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/S3ArnConverter.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/UseArnRegionResolver.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteObjectRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/metrics/S3ServiceMetric.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/InputSubstream.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/PolicyStatus.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CSVOutput.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/OutputLocation.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3RestoreOutputPathResult.java
*
/ aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/transform/MetricsPredicateVisitorImpl.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/Headers.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ownership/ObjectOwnership.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CopyObjectRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/MultipartUpload.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/S3ResponseMetadata.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/UploadPartResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetObjectMetadataRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/UploadPartCallable.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/LegacyS3ProgressListener.java
*
/ aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/AdjustedRangeInputStream.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetPublicAccessBlockResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/AmazonS3.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/transform/BucketConfigurationXmlFactoryFunctions.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/PartListing.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeletePublicAccessBlockRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/transfer/internal/TransferProgressUpdatingListener.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/InitiateMultipartUploadResult.java

```

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/UploadPartRequestFactory.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/UploadContext.java  
\*  
/aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3ObjectResponseHandler.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2019-2021 Amazon Technologies, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at:  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES  
\* OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/PresignedUrlRetryableDownloadTaskImpl.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2020-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/keywrap/RsaOaepKeyWrapper.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v2/KMSMaterialsHandler.java  
\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/keywrap/KeyWrapperProvider.java

```

*
/ aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/keywrap/KeyWrapperFactory.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/keywrap/KeyWrapper.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/keywrap/RsaOaepKeyWrapperProvider.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v1/KMSMaterialsHandler.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/keywrap/Mgf1Scheme.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/keywrap/CipherProvider.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/future/FutureImpl.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/keywrap/KMSKeyWrapperProvider.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/CryptoUtils.java
*
/ aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/keywrap/KeyWrapAlgorithmResolver.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/keywrap/KMSKeyWrapperContext.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/keywrap/AesGcmKeyWrapper.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/keywrap/AesGcmKeyWrapperProvider.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/keywrap/KeyWrapperContext.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/future/CompositeFuture.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/internal/crypto/keywrap/KMSKeyWrapper.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/future/FailedFuture.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/future/DelegatingFuture.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/future/CompletedFuture.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance
with
* the License. A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR
* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing
permissions
* and limitations under the License.
*/

```

Found in path(s):

```
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ExpectedBucketOwnerRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/ExpectedSourceBucketOwnerRequest.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2011-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at:
```

```
*
```

```
* http://aws.amazon.com/apache2.0
```

```
*
```

```
* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
```

```
* OR CONDITIONS OF ANY KIND, either express or implied. See the
```

```
* License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/ListBucketAnalyticsConfigurationsRequest.java
```

```
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/replication/ReplicationPredicateVisitor.java
```

```
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/GetBucketMetricsConfigurationRequest.java
```

```
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/DeleteBucketAnalyticsConfigurationRequest.java
```

```
*
```

```
 /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/DeleteBucketOwnershipControlsRequest.java
```

```
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/analytics/StorageClassAnalysis.java
```

```
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/analytics/StorageClassAnalysisSchemaVersion.java
```

```
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/metrics/MetricsConfiguration.java
```

```
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/inventory/InventoryDestination.java
```

```
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/analytics/AnalyticsFilter.java
```

```
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/SetBucketOwnershipControlsResult.java
```

```
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/analytics/AnalyticsS3BucketDestination.java
```

```
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/inventory/InventoryIncludedObjectVersions.java
```

```
*
```

```

/aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/DeleteBucketInventoryConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/metrics/MetricsAndOperator.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/inventory/InventorySchedule.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/AccessControlTranslation.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/replication/ReplicationPrefixPredicate.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/SetBucketMetricsConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/ListBucketInventoryConfigurationsResult.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/lifecycle/LifecyclePredicateVisitor.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/inventory/InventoryFrequency.java
*
/aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/ListBucketAnalyticsConfigurationsResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/metrics/MetricsPredicateVisitor.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/replication/ReplicationTagPredicate.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/replication/ReplicationFilter.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/replication/ReplicationNaryOperator.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/analytics/AnalyticsNaryOperator.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/lifecycle/LifecyclePrefixPredicate.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/SetBucketOwnershipControlsRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/analytics/AnalyticsPredicateVisitor.java
*
/aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/metrics/MetricsFilter.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/inventory/InventoryFormat.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/replication/ReplicationAndOperator.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/S3CredentialsProviderChain.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/ListBucketMetricsConfigurationsResult.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/ListBucketInventoryConfigurationsRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/GetBucketOwnershipControlsRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/inventory/InventoryFilterPredicate.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/inventory/InventoryFilter.java
*
/aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/DeleteBucketInventoryConfigurationResult.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/SetBucketMetricsConfigurationResult.java

```

\* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/lifecycle/LifecycleFilterPredicate.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/analytics/AnalyticsPrefixPredicate.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteBucketOwnershipControlsResult.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetBucketAnalyticsConfigurationRequest.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/CompleteMultipartDownload.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/inventory/InventoryOptionalField.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/lifecycle/LifecycleTagPredicate.java  
 \*  
 /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteBucketAnalyticsConfigurationResult.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DeleteBucketMetricsConfigurationResult.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetBucketAnalyticsConfigurationRequest.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetBucketMetricsConfigurationResult.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/inventory/InventoryPrefixPredicate.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/metrics/MetricsFilterPredicate.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/analytics/AnalyticsExportDestination.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/analytics/AnalyticsFilterPredicate.java  
 \*  
 /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/analytics/AnalyticsAndOperator.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ListBucketMetricsConfigurationsRequest.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/metrics/MetricsTagPredicate.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetBucketAnalyticsConfigurationResult.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetBucketInventoryConfigurationResult.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetBucketAnalyticsConfigurationResult.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/lifecycle/LifecycleNaryOperator.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/analytics/AnalyticsS3ExportFileFormat.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/replication/ReplicationFilterPredicate.java  
 \*  
 /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/inventory/InventoryPredicateVisitor.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/metrics/MetricsPrefixPredicate.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/RequestCopyUtils.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/analytics/AnalyticsConfiguration.java  
 \* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/lifecycle/LifecycleFilter.java



```

* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/inventory/InventoryConfiguration.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/GetBucketInventoryConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/metrics/MetricsNaryOperator.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/DeleteBucketMetricsConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/analytics/StorageClassAnalysisDataExport.java
*
/ aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/inventory/InventoryS3BucketDestination.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/OwnerOverride.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/lifecycle/LifecycleAndOperator.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/GetBucketOwnershipControlsResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/analytics/AnalyticsTagPredicate.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/SetBucketInventoryConfigurationResult.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/SetBucketInventoryConfigurationRequest.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2018-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

```

Found in path(s):

```

* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/Stats.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetObjectRetentionRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ObjectLockRetentionMode.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/PresignedUrlDownload.java
*
/ aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/transfer/internal/PresignedUrlDownloadImpl.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/PresignedUrlUploadRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SelectObjectContentResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/DefaultRetention.java

```

```

* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/AbortableTransfer.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetObjectRetentionResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ObjectLockEnabled.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/JSONType.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/PresignedUrlDownloadResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/eventstreaming/MessageDecoder.java
*
/ aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/transfer/internal/PresignUrlDownloadCallable.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/PresignedUrlDownloadRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/XmlWriterUtils.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetObjectLegalHoldRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ObjectLockConfiguration.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/PresignedUrlUploadResult.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/transform/ObjectLockLegalHoldXmlFactory.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/transform/ObjectLockRetentionXmlFactory.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ParquetInput.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/Progress.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/transfer/internal/AbstractDownloadCallable.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetObjectLegalHoldResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetObjectLegalHoldResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SelectObjectContentEvent.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SelectRecordsInputStream.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/PresignedUrlDownloadConfig.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/GetObjectLockConfigurationResult.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetObjectRetentionResult.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/transfer/internal/AbstractDownloadCallableConfig.java
*
/ aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SetObjectLegalHoldRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/JSONInput.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/SetObjectLockConfigurationResult.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/GetObjectLockConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ObjectLockLegalHoldStatus.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SelectObjectContentEventVisitor.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/transform/ObjectLockConfigurationXmlFactory.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ObjectLockLegalHold.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/SelectObjectContentEventException.java
*

```

```

/aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/RequestProgress.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SelectObjectContentEventStream.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/JSONOutput.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ObjectLockRetention.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/UploadObjectStrategy.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/SetObjectLockConfigurationRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ObjectLockRule.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/SelectObjectContentRequest.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/ObjectLockMode.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CompressionType.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/transform/SelectObjectContentEventUnmarshaller.java
*
/aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/GetObjectRetentionRequest.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2012-2021 Amazon Technologies, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at:
*
* http://aws.amazon.com/apache2.0
*
* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
* OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/transfer/internal/MultipleFileTransferMonitor.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/AbstractTransfer.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/DownloadMonitor.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/MultipleFileUpload.java
*
/aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/MultipleFileTransfer.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/MultipleFileDownload.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/transfer/internal/MultipleFileDownloadImpl.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/transfer/internal/TransferStateChangeListener.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/MultipleFileUploadImpl.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/S3ObjectInputStream.java

```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

```
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/iterable/S3Objects.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/StaticEncryptionMaterialsProvider.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/iterable/S3Versions.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/Download.java
*
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/transfer/internal/DownloadImpl.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Portions copyright 2006-2009 James Murty. Please see LICENSE.txt
 * for applicable license terms and NOTICE.txt for applicable notices.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

```
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/Owner.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/BucketTaggingConfiguration.java
*
```

```

/aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/BucketLoggingConfiguration.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/AccessControlList.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/Mimetypes.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/S3StringResponseHandler.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/Grantee.java
* /aws-java-sdk-s3-1-12-105-sources-
jar/com/amazonaws/services/s3/model/transform/XmlResponsesSaxParser.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/RepeatableFileInputStream.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/Bucket.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/EmailAddressGrantee.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/BucketNotificationConfiguration.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/TagSet.java
*
/aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/Grant.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/RequestPaymentConfiguration.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/RestUtils.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/CanonicalGrantee.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/RepeatableInputStream.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/ServiceUtils.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/model/BucketPolicy.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2014-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Portions copyright 2006-2009 James Murty. Please see LICENSE.txt
* for applicable license terms and NOTICE.txt for applicable notices.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

```

Found in path(s):

```

* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v1/SecuredCEK.java
* /aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v1/KMSecuredCEK.java
*
/aws-java-sdk-s3-1-12-105-sources-jar/com/amazonaws/services/s3/internal/crypto/v2/SecuredCEK.java

```

# 1.48 json-simple-ordered 2.24.1

## 1.48.1 Available under license :

```
=====
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Camel distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes software developed by  
Clifton Labs (<https://github.com/cliftonlabs/json-simple>).

Please read the different LICENSE files present in the licenses directory of  
this distribution.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided



that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Camel :: JSon Simple Ordered  
Copyright 2007-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.49 jibx 1.4.2

## 1.49.1 Available under license :

Apache Commons BCEL

Copyright 2004-2019 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

JUnit

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

- i) changes to the Program, and

- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

### 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise.

As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied

warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection

with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor

to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the

Program

itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

=====  
= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =  
=====

This product includes software developed by  
Joda.org (<https://www.joda.org/>).

```
/*
* Apache License
* Version 2.0, January 2004
* http://www.apache.org/licenses/
```

\*  
 \* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION  
 \*  
 \* 1. Definitions.  
 \*  
 \* "License" shall mean the terms and conditions for use, reproduction,  
 \* and distribution as defined by Sections 1 through 9 of this document.  
 \*  
 \* "Licensor" shall mean the copyright owner or entity authorized by  
 \* the copyright owner that is granting the License.  
 \*  
 \* "Legal Entity" shall mean the union of the acting entity and all  
 \* other entities that control, are controlled by, or are under common  
 \* control with that entity. For the purposes of this definition,  
 \* "control" means (i) the power, direct or indirect, to cause the  
 \* direction or management of such entity, whether by contract or  
 \* otherwise, or (ii) ownership of fifty percent (50%) or more of the  
 \*  
 \* outstanding shares, or (iii) beneficial ownership of such entity.  
 \*  
 \* "You" (or "Your") shall mean an individual or Legal Entity  
 \* exercising permissions granted by this License.  
 \*  
 \* "Source" form shall mean the preferred form for making modifications,  
 \* including but not limited to software source code, documentation  
 \* source, and configuration files.  
 \*  
 \* "Object" form shall mean any form resulting from mechanical  
 \* transformation or translation of a Source form, including but  
 \* not limited to compiled object code, generated documentation,  
 \* and conversions to other media types.  
 \*  
 \* "Work" shall mean the work of authorship, whether in Source or  
 \* Object form, made available under the License, as indicated by a  
 \* copyright notice that is included in or attached to the work  
 \* (an example is provided in the Appendix below).  
 \*  
 \* "Derivative Works" shall mean any work, whether in Source or Object  
 \*  
 \* form, that is based on (or derived from) the Work and for which the  
 \* editorial revisions, annotations, elaborations, or other modifications  
 \* represent, as a whole, an original work of authorship. For the purposes  
 \* of this License, Derivative Works shall not include works that remain  
 \* separable from, or merely link (or bind by name) to the interfaces of,  
 \* the Work and Derivative Works thereof.  
 \*  
 \* "Contribution" shall mean any work of authorship, including  
 \* the original version of the Work and any modifications or additions



\* to that Work or Derivative Works thereof, that is intentionally  
\* submitted to Licensor for inclusion in the Work by the copyright owner  
\* or by an individual or Legal Entity authorized to submit on behalf of  
\* the copyright owner. For the purposes of this definition, "submitted"  
\* means any form of electronic, verbal, or written communication sent  
\* to the Licensor or its representatives,

including but not limited to

\* communication on electronic mailing lists, source code control systems,  
\* and issue tracking systems that are managed by, or on behalf of, the  
\* Licensor for the purpose of discussing and improving the Work, but  
\* excluding communication that is conspicuously marked or otherwise  
\* designated in writing by the copyright owner as "Not a Contribution."

\*

\* "Contributor" shall mean Licensor and any individual or Legal Entity  
\* on behalf of whom a Contribution has been received by Licensor and  
\* subsequently incorporated within the Work.

\*

\* 2. Grant of Copyright License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* copyright license to reproduce, prepare Derivative Works of,  
\* publicly display, publicly perform, sublicense, and distribute the

\*

Work and such Derivative Works in Source or Object form.

\*

\* 3. Grant of Patent License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* (except as stated in this section) patent license to make, have made,  
\* use, offer to sell, sell, import, and otherwise transfer the Work,  
\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You  
\* institute patent litigation against any entity (including a  
\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work constitutes direct  
\* or contributory patent infringement, then any patent licenses  
\* granted to You under this License for that Work shall terminate  
\* as of the date such litigation is filed.

\*

\* 4. Redistribution. You may reproduce and distribute copies of the  
\* Work or Derivative Works thereof in any medium, with or without  
\* modifications, and in Source or Object form, provided that You  
\* meet the following conditions:

\*

\* (a) You must give any other recipients of the Work or  
\* Derivative Works a copy of this License; and

- \*
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
- \* You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
- \*
  - 5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
- \*
  - 6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

\*  
\* 7. Disclaimer of Warranty. Unless required by applicable law or  
\* agreed to in writing, Licensor provides the Work (and each  
\* Contributor provides its Contributions) on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied, including, without limitation, any warranties or conditions  
\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.  
\*

\* 8. Limitation of Liability.

In no event and under no legal theory,

\* whether in tort (including negligence), contract, or otherwise,  
\* unless required by applicable law (such as deliberate and grossly  
\* negligent acts) or agreed to in writing, shall any Contributor be  
\* liable to You for damages, including any direct, indirect, special,  
\* incidental, or consequential damages of any character arising as a  
\* result of this License or out of the use or inability to use the  
\* Work (including but not limited to damages for loss of goodwill,  
\* work stoppage, computer failure or malfunction, or any and all  
\* other commercial damages or losses), even if such Contributor  
\* has been advised of the possibility of such damages.  
\*

\* 9. Accepting Warranty or Additional Liability. While redistributing  
\* the Work or Derivative Works thereof, You may choose to offer,  
\* and charge a fee for, acceptance of support, warranty, indemnity,  
\* or other

liability obligations and/or rights consistent with this

\* License. However, in accepting such obligations, You may act only  
\* on Your own behalf and on Your sole responsibility, not on behalf  
\* of any other Contributor, and only if You agree to indemnify,  
\* defend, and hold each Contributor harmless for any liability  
\* incurred by, or claims asserted against, such Contributor by reason  
\* of your accepting any such warranty or additional liability.  
\*

\* END OF TERMS AND CONDITIONS  
\*

\* APPENDIX: How to apply the Apache License to your work.  
\*

\* To apply the Apache License to your work, attach the following  
\* boilerplate notice, with the fields enclosed by brackets "[]"  
\* replaced with your own identifying information. (Don't include  
\* the brackets!) The text should be enclosed in the appropriate  
\* comment syntax for the file format. We also recommend that a  
\* file or class name and description of purpose

be included on the

\* same "printed page" as the copyright notice for easier

- \* identification within third-party archives.
- \*
- \* Copyright [yyyy] [name of copyright owner]
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

## W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following

license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002.

This version

removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

This license came from: <http://www.megginson.com/SAX/copying.html>

However please note future versions of SAX may be covered under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)  
2000-05-05

Apache Log4j API  
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.



6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product currently only contains code developed by authors of specific components, as identified by the source code files.

Since product implements StAX API, it has dependencies to StAX API classes.

For additional credits (generally to people who reported problems) see CREDITS file.

This copy of Woodstox XML processor is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package containing Woodstox, in file "ASL2.0", under the same directory as this file.

Apache Log4j Core

Copyright 1999-2012 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java

Copyright 2005-2006 Tim Fennell

Apache Ant  
Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark  
Graphics Corp that has been kindly donated to the Apache Software  
Foundation.

Apache Log4j 1.x Compatibility API  
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

#### BSD License

Copyright (c) 2000-2006, [www.hamcrest.org](http://www.hamcrest.org)  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written

permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.50 activemq-spring 5.15.11

### 1.50.1 Available under license :

ActiveMQ :: Spring  
Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the



direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.51 activemq-jaas 5.15.11

## 1.51.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial  
revisions, annotations, elaborations, or other modifications  
represent, as a whole, an original work of authorship. For the purposes  
of this License, Derivative Works shall not include works that remain  
separable from, or merely link (or bind by name) to the interfaces of,  
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including  
the original version of the Work and any modifications or additions  
to that Work or Derivative Works thereof, that is intentionally  
submitted to Licensor for inclusion in the Work by the copyright owner  
or by an individual or Legal Entity authorized to submit on behalf of  
the copyright owner. For the purposes of this definition, "submitted"  
means any form of electronic, verbal, or written communication sent  
to the Licensor or its representatives, including but not limited to  
communication on electronic mailing lists, source code control systems,  
and issue tracking systems that are managed by, or on behalf of, the  
Licensor for the purpose of discussing and improving the Work, but  
excluding communication that is conspicuously marked or otherwise  
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity  
on behalf of whom a Contribution has been received by Licensor and  
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of  
this License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
copyright license to reproduce, prepare Derivative Works of,  
publicly display, publicly perform, sublicense, and distribute the  
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of  
this  
License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
(except as stated in this section) patent license to make, have made,  
use, offer to sell, sell, import, and otherwise transfer the Work,  
where such license applies only to those patent claims licensable  
by such Contributor that are necessarily infringed by their  
Contribution(s) alone or by combination of their Contribution(s)  
with the Work to which such Contribution(s) was submitted. If You  
institute patent litigation against any entity (including a  
cross-claim or counterclaim in a lawsuit) alleging that the Work  
or a Contribution incorporated within the Work constitutes direct  
or contributory patent infringement, then any patent licenses  
granted to You under this License for that Work shall terminate  
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.



To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

ActiveMQ :: JAAS  
Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.52 endpoints-spi 2.20.128

### 1.52.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>

- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

## 1.53 tomcat-jsp-api 9.0.83

### 1.53.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>  
2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/resources/jspxml.dtd  
No license file was found, but licenses were detected in source scan.

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/resources/jspxml.xsd  
No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/JspIdConsumer.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/BodyTag.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/JspTagException.java

\*

/tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/TagData.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/JspFactory.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/SkipPageException.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/JspPage.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/el/FunctionMapper.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/el/ExpressionEvaluator.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/JspException.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/JspTag.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/Tag.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/TagLibraryValidator.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/TagInfo.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/ValidationMessage.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/SimpleTagSupport.java

\*

/tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/TagLibraryInfo.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/TagFileInfo.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/BodyTagSupport.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/el/ELException.java

\* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/JspApplicationContext.java



```

* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/IterationTag.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/JspWriter.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/FunctionInfo.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/JspFragment.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/TryCatchFinally.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/el/ScopedAttributeELResolver.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/BodyContent.java
*
/tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/DynamicAttributes.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/TagVariableInfo.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/TagExtraInfo.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/ErrorMessage.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/HttpJspPage.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/el/Expression.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/JspEngineInfo.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/SimpleTag.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/JspContext.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/el/VariableResolver.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/TagAdapter.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/PageData.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/el/ELParseException.java
*
/tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/TagSupport.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/PageContext.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/el/ImplicitObjectELResolver.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/TagAttributeInfo.java
* /tomcat-jsp-api-9-0-83-sources-jar/javax/servlet/jsp/tagext/VariableInfo.java

```

## 1.54 lucene-analyzers-common 6.5.1

### 1.54.1 Available under license :

Apache License  
 Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from unicode conversion examples available at <http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright from those sources:

```
/*
 * Copyright 2001-2004 Unicode, Inc.
 *
 * Disclaimer
 *
 * This source code is provided as is by Unicode, Inc. No claims are
 * made as to fitness for any particular purpose. No warranties of any
 * kind are expressed or implied. The recipient agrees to determine
 * applicability of information provided. If this file has been
 * purchased on magnetic or optical media from Unicode, Inc., the
 * sole remedy for any claim
 * will be exchange of defective media
 * within 90 days of receipt.
 *
 * Limitations on Rights to Redistribute This Code
 *
 * Unicode, Inc. hereby grants the right to freely use the information
 * supplied in this file in the creation of products supporting the
 * Unicode Standard, and to make copies of this file in any form
 * for internal or external distribution as long as this notice
 * remains attached.
 */
```

Some code in core/src/java/org/apache/lucene/util/ArrayUtil.java was derived from Python 2.4.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from Python 3.1.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in core/src/java/org/apache/lucene/util/automaton was derived from Brics automaton sources available at

[www.brics.dk/automaton/](http://www.brics.dk/automaton/).

Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

The levenshtein automata tables in `core/src/java/org/apache/lucene/util/automaton` were automatically generated with the `roman/finenight` FSA package.

Here is the copyright for those sources:

```
Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including
without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:
#
The above copyright notice and this permission notice shall be
```

# included in all copies or substantial portions of the Software.

#

# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES  
# OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
# NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT  
# HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,  
# WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING  
# FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR  
# OTHER DEALINGS IN THE SOFTWARE.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was  
derived from ICU (<http://www.icu-project.org>)

The full license is available

here:

<http://source.icu-project.org/repos/icu/icu/trunk/license.html>

/\*

\* Copyright (C) 1999-2010, International Business Machines

\* Corporation and others. All Rights Reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy  
\* of this software and associated documentation files (the "Software"), to deal  
\* in the Software without restriction, including without limitation the rights  
\* to use, copy, modify, merge, publish, distribute, and/or sell copies of the  
\* Software, and to permit persons to whom the Software is furnished to do so,  
\* provided that the above copyright notice(s) and this permission notice appear  
\* in all copies of the Software and that both the above copyright notice(s) and  
\* this permission notice appear in supporting documentation.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR  
\* PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

\* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE  
\* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR  
\* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER  
\* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT  
\* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* Except as contained in this notice, the name of a copyright holder shall not  
\* be used in advertising or otherwise to promote the sale, use or other  
\* dealings in this Software without prior written authorization of the  
\* copyright holder.

\*/

The following license applies to the Snowball stemmers:



Copyright (c) 2001, Dr Martin Porter

Copyright (c) 2002, Richard Boulton

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,

Center for Intelligent Information Retrieval,

University of Massachusetts, Amherst.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products

derived from this software without prior written permission. To obtain permission, contact [info@ciir.cs.umass.edu](mailto:info@ciir.cs.umass.edu).

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The  
following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss  
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI

PAN  
tagset.

---

The following license applies to the Morfeusz project,  
used by `org.apache.lucene.analysis.morfologik`.

BSD-licensed dictionary of Polish (SGJP)  
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Włodzimierz Gruszczyski,  
Marcin Wołowski, Robert Wołosz

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the  
distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS  
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE  
DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE  
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR  
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,  
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE  
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN  
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Lucene  
Copyright 2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Ant
- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is  
BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were  
automatically generated with the moman/finenight FSA library, created by  
Jean-Philippe Barrette-LaPierre.

This library is available under an MIT license,  
see <http://sites.google.com/site/rrettesite/moman> and  
<http://bitbucket.org/jpbarrette/moman/overview/>

The class org.apache.lucene.util.WeakIdentityMap was derived from  
the Apache CXF project and is Apache License 2.0.

The Google Code Prettify is Apache License 2.0.  
See <http://code.google.com/p/google-code-prettify/>

JUnit (junit-4.10) is licensed under the Common Public License v. 1.0  
See <http://junit.sourceforge.net/cpl-v10.html>

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin  
g Package (jaspell): <http://jaspell.sourceforge.net/>  
License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in  
analysis/common/src/java/net/sf/snowball  
were developed by Martin Porter and Richard Boulton.  
The snowball stopword lists in  
analysis/common/src/resources/org/apache/lucene/analysis/snowball

were developed by Martin Porter and Richard Boulton.

The full snowball package  
is available from  
<http://snowball.tartarus.org/>

The KStem stemmer in  
`analysis/common/src/org/apache/lucene/analysis/en`  
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)  
under the BSD-license.

The Arabic, Persian, Romanian, Bulgarian, and Hindi analyzers (common) come with a default  
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:  
`analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt`  
See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The German, Spanish, Finnish, French, Hungarian, Italian, Portuguese, Russian and Swedish light stemmers  
(common) are based on BSD-licensed reference implementations created  
by Jacques Savoy and  
Ljiljana Dolamic. These files reside in:

`analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java`

The Stempel analyzer (stempel) includes BSD-licensed  
software developed  
by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil,  
and Edmond Nolan.

The Polish analyzer (stempel) comes with a default  
stopword list that is BSD-licensed created by the Carrot2 project. The file resides  
in `stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt`.  
See <http://project.carrot2.org/license.html>.

The SmartChineseAnalyzer source code (smartcn) was  
provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

WordBreakTestUnicode\_\*.java (under modules/analysis/common/src/test/) is derived from Unicode data such as the Unicode Character Database. See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<http://morfologik.blogspot.com/>).

Morfologik uses data from Polish ispell/myspell dictionary (<http://www.sjp.pl/slownik/en/>) licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike.

Morfologic includes data from BSD-licensed dictionary of Polish (SGJP) (<http://sgjp.pl/morfeusz/>)

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====

## Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration

=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====

## mecab-ipadic-2.7.0-20070801 Notice

=====

Nara

Institute of Science and Technology (NAIST),  
the copyright holders, disclaims all warranties with regard to this software, including all implied warranties of merchantability and fitness, in no event shall NAIST be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortuous action, arising out of or in connection with the use or performance of this software.

A large portion of the dictionary entries originate from ICOT Free Software. The following conditions for ICOT Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its original form or modified, to any third party or parties, PROVIDED that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear on, or be attached to, the Program, which is distributed substantially in the same form as set out herein and that such intended distribution, if actually made, will neither violate or otherwise contravene any of the laws and regulations of the countries having jurisdiction over the User or the intended distribution itself.

#### NO WARRANTY

The program was produced on an experimental basis in the course of the research and development conducted during the project and is provided to users as so produced on an experimental basis. Accordingly, the program is provided without any warranty whatsoever, whether express, implied, statutory or otherwise. The term "warranty" used herein includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary

products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

## 1.55 geronimo-jta 1.1.1

### 1.55.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or  
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,



and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)

the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own

copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names

of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Geronimo

Copyright 2003-2008 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.56 tomcat-catalina-ha 9.0.83

### 1.56.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following



boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.57 netty-nio-client 2.20.128

### 1.57.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:  
Apache Commons Lang

Copyright 2001-2020  
The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial  
revisions, annotations, elaborations, or other modifications  
represent, as a whole, an original work of authorship. For the purposes  
of this License, Derivative Works shall not include works that remain  
separable from, or merely link (or bind by name) to the interfaces of,  
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including  
the original version of the Work and any modifications or additions  
to that Work or Derivative Works thereof, that is intentionally  
submitted to Licensor for inclusion in the Work by the copyright owner  
or by an individual or Legal Entity authorized to submit on behalf of  
the copyright owner. For the purposes of this definition, "submitted"  
means any form of electronic, verbal, or written communication sent  
to the Licensor or its representatives, including but not limited to  
communication on electronic mailing lists, source code control systems,  
and issue tracking systems that are managed by, or on behalf of, the  
Licensor for the purpose of discussing and improving the Work, but  
excluding communication that is conspicuously marked or otherwise  
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity  
on behalf of whom a Contribution has been received by Licensor and  
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of  
this License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
copyright license to reproduce, prepare Derivative Works of,  
publicly display, publicly perform, sublicense, and distribute the  
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of  
this  
License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
(except as stated in this section) patent license to make, have made,  
use, offer to sell, sell, import, and otherwise transfer the Work,  
where such license applies only to those patent claims licensable  
by such Contributor that are necessarily infringed by their  
Contribution(s) alone or by combination of their Contribution(s)  
with the Work to which such Contribution(s) was submitted. If You  
institute patent litigation against any entity (including a  
cross-claim or counterclaim in a lawsuit) alleging that the Work  
or a Contribution incorporated within the Work constitutes direct  
or contributory patent infringement, then any patent licenses  
granted to You under this License for that Work shall terminate  
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

## 1.58 spring-tx 5.3.39

### 1.58.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained



within such NOTICE file, excluding  
those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

=====

#### SPRING FRAMEWORK 5.3.39 SUBCOMPONENTS:

Spring Framework 5.3.39 includes a number of subcomponents with separate copyright notices and license terms. The product that includes this file does not necessarily use all the open source subcomponents referred to below. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

>>> ASM 9.1 (org.ow2.asm:asm:9.1, org.ow2.asm:asm-commons:9.1):

Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms,  
with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

>>> CGLIB 3.3 (cglib:cglib:3.3):

Per the LICENSE file in the CGLIB JAR distribution downloaded from [https://github.com/cglib/cglib/releases/download/RELEASE\\_3\\_3\\_0/cglib-3.3.0.jar](https://github.com/cglib/cglib/releases/download/RELEASE_3_3_0/cglib-3.3.0.jar), CGLIB 3.3 is licensed under the Apache License, version 2.0, the text of which is included above.

>>> Objenesis 3.2 (org.objenesis:objenesis:3.2):

Per the LICENSE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html>, Objenesis 3.2 is licensed under the Apache License, version 2.0, the text of which is included above.

Per

the NOTICE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html> and corresponding to section 4d of the Apache License, Version 2.0, in this case for Objenesis:

Objenesis

Copyright 2006-2019 Joe Walnes, Henri Tremblay, Leonardo Mesquita

=====

To the extent any open source components are licensed under the EPL and/or other similar licenses that require the source code and/or modifications to source code to be made available (as would be noted above), you may obtain a copy of the source code corresponding to the binaries for such open source components and modifications thereto, if any, (the "Source Files"), by downloading the Source Files from <https://spring.io/projects>, Pivotal's website at <https://network.pivotal.io/open-source>, or by sending a request, with your name and address to: Pivotal Software, Inc., 875 Howard Street, 5th floor, San Francisco, CA 94103, Attention:

General Counsel. All such requests should clearly specify: OPEN SOURCE FILES REQUEST, Attention General Counsel. Pivotal can mail a copy of the Source Files to you on a CD or equivalent physical medium.

This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product. Alternatively, the Source Files may accompany the Software.

Spring Framework 5.3.39

Copyright (c) 2002-2024 Pivotal, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license.txt file.

## 1.59 tomcat-tribes 9.0.83

### 1.59.1 Available under license :

Apache Tomcat  
Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.



9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.60 commons-collections 3.2.2

## 1.60.1 Available under license :

Apache Commons Collections

Copyright 2001-2015 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.61 objenesis 3.2

### 1.61.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents



of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.62 ecs 2.20.128

## 1.62.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed

with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

## 1.63 jackson-dataformat-cbor 2.12.3

### 1.63.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred

form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal

Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce,



prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and
2. You must cause any modified files to carry prominent notices stating that You changed the files; and
3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or

otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor

be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.64 slf4j-log4j 1.7.25

### 1.64.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN
 * NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

\* /slf4j-log4j12-1-7-25-sources-jar/org/slf4j/impl/Log4jLoggerAdapter.java

\* /slf4j-log4j12-1-7-25-sources-jar/org/slf4j/impl/Log4jLoggerFactory.java  
\* /slf4j-log4j12-1-7-25-sources-jar/org/slf4j/impl/Log4jMDCAdapter.java  
\* /slf4j-log4j12-1-7-25-sources-jar/org/slf4j/impl/StaticMDCBinder.java  
\* /slf4j-log4j12-1-7-25-sources-jar/org/slf4j/impl/StaticMarkerBinder.java  
\* /slf4j-log4j12-1-7-25-sources-jar/org/slf4j/impl/StaticLoggerBinder.java

## 1.65 axis-saaj 1.4

### 1.65.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License,  
Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Axis distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.66 castor 0.9.5.4

### 1.66.1 Available under license :

Copyright 1999-2003 (C) Intalio Inc. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "ExoLab" must not be used to endorse or promote products derived from this Software without prior written permission of Intalio Inc. For written permission, please contact [info@exolab.org](mailto:info@exolab.org).
4. Products derived from this Software may not be called "Castor" nor may "Castor" appear in their names without prior written permission of Intalio Inc. Exolab, Castor and Intalio are trademarks of Intalio Inc.
5. Due credit should be given to the ExoLab Project (<http://www.exolab.org/>).

THIS SOFTWARE IS PROVIDED BY INTALIO AND CONTRIBUTORS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTALIO OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<OWNER> = Regents of the University of California

<ORGANIZATION> = University of California, Berkeley

<YEAR> = 1998

In the original BSD license, both occurrences of the phrase "COPYRIGHT HOLDERS AND CONTRIBUTORS" in the disclaimer read "REGENTS AND CONTRIBUTORS".

Here is the license template:

Copyright (c) <YEAR>, <OWNER>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.



Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the <ORGANIZATION> nor the names of its contributors may be used to endorse or promote products

derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.67 servlet-api 9.0.83

### 1.67.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

The original XML Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd
- javaee\_web\_services\_1\_2.xsd
- javaee\_web\_services\_client\_1\_2.xsd
- javaee\_6.xsd
- javaee\_web\_services\_1\_3.xsd
- javaee\_web\_services\_client\_1\_3.xsd
- jsp\_2\_2.xsd
- web-app\_3\_0.xsd
- web-common\_3\_0.xsd
- web-fragment\_3\_0.xsd
- javaee\_7.xsd

- javaee\_web\_services\_1\_4.xsd
- javaee\_web\_services\_client\_1\_4.xsd
- jsp\_2\_3.xsd
- web-app\_3\_1.xsd
- web-common\_3\_1.xsd
- web-fragment\_3\_1.xsd
- javaee\_8.xsd
- web-app\_4\_0.xsd
- web-common\_4\_0.xsd
- web-fragment\_4\_0.xsd

may be obtained from:

<http://www.oracle.com/webfolder/technetwork/jsc/xml/ns/javaee/index.html>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

### APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices and license terms. Your use of these subcomponents is subject to the terms and conditions of the following licenses.

For the following XML Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd
- javaee\_web\_services\_1\_2.xsd
- javaee\_web\_services\_client\_1\_2.xsd
- javaee\_6.xsd
- javaee\_web\_services\_1\_3.xsd
- javaee\_web\_services\_client\_1\_3.xsd

- jsp\_2\_2.xsd
- web-app\_3\_0.xsd
- web-common\_3\_0.xsd
- web-fragment\_3\_0.xsd
- javaee\_7.xsd
- javaee\_web\_services\_1\_4.xsd
- javaee\_web\_services\_client\_1\_4.xsd
- jsp\_2\_3.xsd
- web-app\_3\_1.xsd
- web-common\_3\_1.xsd
- web-fragment\_3\_1.xsd
- javaee\_8.xsd
- web-app\_4\_0.xsd
- web-common\_4\_0.xsd
- web-fragment\_4\_0.xsd

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the

following:

- A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;
- B. Any new file that contains any part of the Original Software or previous Modification; or
- C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and



- (b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
- (c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.
- (d) Notwithstanding Section 2.1(b) above, no patent license is granted:
  - (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).
- (c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.
- (d) Notwithstanding Section 2.2(b) above, no patent license is granted:
  - (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under

Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License.

You must include a copy of this License  
with every copy of the Source Code

form of the Covered Software You distribute or otherwise make available.

You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive  
text giving  
attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5.

#### Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice,

which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You

may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from

being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach.

Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate

prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are

responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

# 1.68 jaxb-core 2.3.0

## 1.68.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2013-2017 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at <https://oss.oracle.com/licenses/CDDL+GPL-1.1> or LICENSE.txt. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at LICENSE.txt.

GPL Classpath Exception:  
Oracle designates this particular file as subject to the "Classpath"  
exception as provided by Oracle in the  
GPL Version 2 section of the License  
file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields  
enclosed by brackets [] replaced by your own identifying information:  
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or  
only the GPL Version 2, indicate your decision by adding "[Contributor]  
elects to include this software in this distribution under the [CDDL or GPL  
Version 2] license." If you don't indicate a single choice of license, a  
recipient has the option to distribute your version of this file under  
either the CDDL, the GPL Version 2 or to extend the choice of license to  
its licensees as provided above. However, if you add GPL Version 2 code  
and therefore, elected the GPL Version 2 license, then the option applies  
only if the new code is made subject to such option  
by the copyright  
holder.

-->

Found in path(s):

\* /jaxb-core-2-3-0-sources-12-jar/META-INF/maven/org.glassfish.jaxb/jaxb-core/pom.xml  
No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

\* or LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"  
 \* exception as provided by Oracle in the GPL Version  
 2 section of the License  
 \* file that accompanied this code.  
 \*  
 \* Modifications:  
 \* If applicable, add the following below the License Header, with the fields  
 \* enclosed by brackets [] replaced by your own identifying information:  
 \* "Portions Copyright [year] [name of copyright owner]"  
 \*  
 \* Contributor(s):  
 \* If you wish your version of this file to be governed by only the CDDL or  
 \* only the GPL Version 2, indicate your decision by adding "[Contributor]  
 \* elects to include this software in this distribution under the [CDDL or GPL  
 \* Version 2] license." If you don't indicate a single choice of license, a  
 \* recipient has the option to distribute your version of this file under  
 \* either the CDDL, the GPL Version 2 or to extend the choice of license to  
 \* its licensees as provided above. However, if you add GPL Version 2 code  
 \* and therefore, elected the GPL Version 2 license, then the option applies  
 \* only if the new code is made subject to such option by the copyright  
 \* holder.  
 \*/  
 // NO WARRANTY! This class is in the public domain.

Found in path(s):

\* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/XMLWriter.java  
 No license file was found, but licenses were detected in source scan.

# Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.  
 # The contents of this file are subject to the terms of either the GNU  
 # General Public License Version 2 only ("GPL") or the Common Development  
 # and Distribution License("CDDL") (collectively, the "License"). You  
 # may not use this file except in compliance with the License. You can  
 # Oracle designates this particular file as subject to the "Classpath"  
 # exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):

\* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/Messages\_ja.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/Messages\_de.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/Messages\_fr.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/Messages\_zh\_TW.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/Messages.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/Messages\_it.properties  
 \*  
 /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/Messages\_ko.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/Messages\_it.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/Messages\_pt\_BR.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/Messages\_zh\_TW.properties



\* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/Messages\_ja.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/Messages\_zh\_CN.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/Messages\_es.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/Messages\_de.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/Messages\_fr.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/Messages.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/Messages\_pt\_BR.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/Messages\_ko.properties  
 \*  
 /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/Messages\_zh\_CN.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/Messages\_es.properties  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/Messages.properties  
 No license file was found, but licenses were detected in source scan.

/\*  
 \* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.  
 \*  
 \* Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved.  
 \*  
 \* The contents of this file are subject to the terms of either the GNU  
 \* General Public License Version 2 only ("GPL") or the Common Development  
 \* and Distribution License("CDDL") (collectively, the "License"). You  
 \* may not use this file except in compliance with the License. You can  
 \* obtain a copy of the License at  
 \* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>  
 \* or LICENSE.txt. See the License for the specific  
 \* language governing permissions and limitations under the License.  
 \*  
 \* When distributing the software, include this License Header Notice in each  
 \* file and include the License file at LICENSE.txt.  
 \*  
 \* GPL Classpath Exception:  
 \* Oracle designates this particular file as subject to the "Classpath"  
 \* exception as provided by Oracle in the GPL Version  
 \* 2 section of the License  
 \* file that accompanied this code.  
 \*  
 \* Modifications:  
 \* If applicable, add the following below the License Header, with the fields  
 \* enclosed by brackets [] replaced by your own identifying information:  
 \* "Portions Copyright [year] [name of copyright owner]"  
 \*  
 \* Contributor(s):  
 \* If you wish your version of this file to be governed by only the CDDL or  
 \* only the GPL Version 2, indicate your decision by adding "[Contributor]  
 \* elects to include this software in this distribution under the [CDDL or GPL  
 \* Version 2] license." If you don't indicate a single choice of license, a  
 \* recipient has the option to distribute your version of this file under

- \* either the CDDL, the GPL Version 2 or to extend the choice of license to
- \* its licensees as provided above. However, if you add GPL Version 2 code
- \* and therefore, elected the GPL Version 2 license, then the option applies
- \* only if the new code is made subject to such option by the copyright
- \* holder.
- \*/

Found in path(s):

- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/impl/ModelBuilderI.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/nav/package-info.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/util/ArrayInfoUtil.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/NoEscapeHandler.java

No license file was found, but licenses were detected in source scan.

/\*

- \* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

- \* Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

\*

- \* The contents of this file are subject to the terms of either the GNU
- \* General Public License Version 2 only ("GPL") or the Common Development
- \* and Distribution License("CDDL") (collectively, the "License"). You
- \* may not use this file except in compliance with the License. You can
- \* obtain a copy of the License at
- \* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>
- \* or LICENSE.txt. See the License for the specific
- \* language governing permissions and limitations under the License.

\*

- \* When distributing the software, include this License Header Notice in each
- \* file and include the License file at LICENSE.txt.

\*

- \* GPL Classpath Exception:

- \* Oracle designates this particular file as subject to the "Classpath"
- \* exception as provided by Oracle in the GPL Version
- 2 section of the License
- \* file that accompanied this code.

\*

- \* Modifications:

- \* If applicable, add the following below the License Header, with the fields
- \* enclosed by brackets [] replaced by your own identifying information:
- \* "Portions Copyright [year] [name of copyright owner]"

\*

- \* Contributor(s):

- \* If you wish your version of this file to be governed by only the CDDL or
- \* only the GPL Version 2, indicate your decision by adding "[Contributor]
- \* elects to include this software in this distribution under the [CDDL or GPL
- \* Version 2] license." If you don't indicate a single choice of license, a
- \* recipient has the option to distribute your version of this file under

- \* either the CDDL, the GPL Version 2 or to extend the choice of license to
- \* its licensees as provided above. However, if you add GPL Version 2 code
- \* and therefore, elected the GPL Version 2 license, then the option applies
- \* only if the new code is made subject to such option by the copyright
- \* holder.

\*/

Found in path(s):

- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/BuiltinLeafInfo.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/ValuePropertyInfo.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/Messages.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/annotation/XmlIsSet.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/annotation/XmlLocation.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/annotation/OverrideAnnotationOf.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/DataWriter.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/api/impl/NameUtil.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/MinimumEscapeHandler.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/runtime/unmarshaller/LocatorEx.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/TODO.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/util/EditDistance.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/Locatable.java
- \*
- /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/TypeInfoSet.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/WhiteSpaceProcessor.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/PropertyKind.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/ReferencePropertyInfo.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/ID.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/MaybeElement.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/nav/SecureLoader.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/Messages.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/api/EventListener.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/CharacterEscapeHandler.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/AttributePropertyInfo.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/EnumConstant.java
- \*
- /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/nav/Navigator.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/util/FlattenIterator.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/schemagen/episode/package-info.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/ClassInfo.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/nav/TypeVisitor.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/schemagen/episode/Bindings.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/Adapter.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/runtime/RuntimeUtil.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/WellKnownNamespace.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/ElementPropertyInfo.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/annotation/AnnotationSource.java
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/PropertyInfo.java
- \*

```

/jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/ClassFactory.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/package-info.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/api/impl/NameConverter.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/util/Which.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/ArrayInfo.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/nav/ParameterizedTypeImpl.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/nav/WildcardTypeImpl.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/runtime/Location.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/annotation/AnnotationReader.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/MapPropertyInfo.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/schemagen/episode/Klass.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/ElementInfo.java
*
/jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/SAX2DOMEx.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/schemagen/episode/SchemaBindings.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/unmarshaller/InfosetScanner.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/unmarshaller/DOMScanner.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/WildcardTypeInfo.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/marshaller/DumbEscapeHandler.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/Messages.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/Util.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/NonElement.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/TypeInfo.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/ErrorHandler.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/util/SecureLoader.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/RegistryInfo.java
*
/jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/Element.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/runtime/SwaRefAdapterMarker.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/EnumLeafInfo.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/LeafInfo.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/TypeRef.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/nav/GenericArrayTypeImpl.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/nav/ReflectionNavigator.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/WildcardMode.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/runtime/IllegalAnnotationException.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/Ref.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/annotation/Locatable.java
* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/model/core/NonElementRef.java
No license file was found, but licenses were detected in source scan.

```

```

/*

```

```

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

```

```

*

```

```

* Copyright (c) 2013-2017 Oracle and/or its affiliates. All rights reserved.

```

```

*

```

```

* The contents of this file are subject to the terms of either the GNU

```

```

* General Public License Version 2 only ("GPL") or the Common Development

```

\* and Distribution License("CDDL") (collectively, the "License"). You  
 \* may not use this file except in compliance with the License. You can  
 \* obtain a copy of the License at  
 \* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>  
 \* or LICENSE.txt. See the License for the specific  
 \* language governing permissions and limitations under the License.  
 \*  
 \* When distributing the software, include this License Header Notice in each  
 \* file and include the License file at LICENSE.txt.  
 \*  
 \* GPL Classpath Exception:  
 \* Oracle designates this particular file as subject to the "Classpath"  
 \* exception as provided by Oracle in the GPL Version  
 \* 2 section of the License  
 \* file that accompanied this code.  
 \*  
 \* Modifications:  
 \* If applicable, add the following below the License Header, with the fields  
 \* enclosed by brackets [] replaced by your own identifying information:  
 \* "Portions Copyright [year] [name of copyright owner]"  
 \*  
 \* Contributor(s):  
 \* If you wish your version of this file to be governed by only the CDDL or  
 \* only the GPL Version 2, indicate your decision by adding "[Contributor]  
 \* elects to include this software in this distribution under the [CDDL or GPL  
 \* Version 2] license." If you don't indicate a single choice of license, a  
 \* recipient has the option to distribute your version of this file under  
 \* either the CDDL, the GPL Version 2 or to extend the choice of license to  
 \* its licensees as provided above. However, if you add GPL Version 2 code  
 \* and therefore, elected the GPL Version 2 license, then the option applies  
 \* only if the new code is made subject to such option by the copyright  
 \* holder.  
 \*/  
  
 Found in path(s):  
 \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/util/XmlFactory.java  
 No license file was found, but licenses were detected in source scan.  
  
 /\*  
 \* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.  
 \*  
 \* Copyright (c) 2011-2017 Oracle and/or its affiliates. All rights reserved.  
 \*  
 \* The contents of this file are subject to the terms of either the GNU  
 \* General Public License Version 2 only ("GPL") or the Common Development  
 \* and Distribution License("CDDL") (collectively, the "License"). You  
 \* may not use this file except in compliance with the License. You can  
 \* obtain a copy of the License at

- \* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>
- \* or LICENSE.txt. See the License for the specific
- \* language governing permissions and limitations under the License.
- \*
- \* When distributing the software, include this License Header Notice in each
- \* file and include the License file at LICENSE.txt.
- \*
- \* GPL Classpath Exception:
- \* Oracle designates this particular file as subject to the "Classpath"
- \* exception as provided by Oracle in the GPL Version
- 2 section of the License
- \* file that accompanied this code.
- \*
- \* Modifications:
- \* If applicable, add the following below the License Header, with the fields
- \* enclosed by brackets [] replaced by your own identifying information:
- \* "Portions Copyright [year] [name of copyright owner]"
- \*
- \* Contributor(s):
- \* If you wish your version of this file to be governed by only the CDDL or
- \* only the GPL Version 2, indicate your decision by adding "[Contributor]
- \* elects to include this software in this distribution under the [CDDL or GPL
- \* Version 2] license." If you don't indicate a single choice of license, a
- \* recipient has the option to distribute your version of this file under
- \* either the CDDL, the GPL Version 2 or to extend the choice of license to
- \* its licensees as provided above. However, if you add GPL Version 2 code
- \* and therefore, elected the GPL Version 2 license, then the option applies
- \* only if the new code is made subject to such option by the copyright
- \* holder.
- \*/

Found in path(s):

- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/v2/schemagen/episode/Package.java

No license file was found, but licenses were detected in source scan.

# Copyright (c) 2014-2017 Oracle and/or its affiliates. All rights reserved.

# The contents of this file are subject to the terms of either the GNU

# General Public License Version 2 only ("GPL") or the Common Development

# and Distribution License("CDDL") (collectively, the "License"). You

# may not use this file except in compliance with the License. You can

# Oracle designates this particular file as subject to the "Classpath"

# exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):

- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/Messages\_de.properties
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/Messages\_it.properties
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/Messages\_zh\_CN.properties
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/Messages\_fr.properties

- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/Messages\_es.properties
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/Messages\_ja.properties
- \*
- /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/Messages\_pt\_BR.properties
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/Messages\_zh\_TW.properties
- \* /jaxb-core-2-3-0-sources-12-jar/com/sun/xml/bind/Messages\_ko.properties

# 1.69 javassist 3.18.0-GA

## 1.69.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Javassist, a Java-bytecode translator toolkit.
 * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.
 *
 * The contents of this file are subject to the Mozilla Public License Version
 * 1.1 (the "License"); you may not use this file except in compliance with
 * the License. Alternatively, the contents of this file may be used under
 * the terms of the GNU Lesser General Public License Version 2.1 or later,
 * or the Apache License Version 2.0.
 *
 * Software distributed under the License is distributed on an "AS IS" basis,
 * WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
 * for the specific language governing rights and limitations under the
 * License.
 */
```

Found in path(s):

- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/ParameterAnnotationsAttribute.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/runtime/DotClass.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/analysis/Analyzer.java
- \*
- /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/analysis/SubroutineScanner.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/MemberCodeGen.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/AccessFlag.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/expr/ConstructorCall.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/runtime/Inner.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/stackmap/TypedBlock.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/ExceptionsAttribute.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/AnnotationsWriter.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/CallExpr.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/CtClassType.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/AssignExpr.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/Declarator.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/rmi/ObjectImporter.java
- \*

```

/javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/CodeIterator.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/convert/TransformAfter.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/convert/TransformAccessArrayField.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/MemberResolver.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/InstanceOfExpr.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/FieldInfo.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/SyntaxError.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/reflect/Metaobject.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/analysis/Type.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/StringL.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/rmi/RemoteException.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/util/proxy/Proxy.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/rmi/AppletServer.java
*
/javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/BadBytecode.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/reflect/Compiler.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/Modifier.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/ClassFileWriter.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/DuplicateMemberException.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/CtConstructor.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/util/proxy/FactoryHelper.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/util/proxy/SerializedProxy.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/ClassClassPath.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/expr/Expr.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/web/Webserver.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/expr/ExprEditor.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/Bytecode.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/CtField.java
*
/javassist-3-18-0-ga-sources-4-jar/javassist/util/proxy/RuntimeSupport.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/SignatureAttribute.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/web/Viewer.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/InnerClassesAttribute.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/KeywordTable.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/ByteArray.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/convert/Transformer.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/framedump.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/CondExpr.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/Stmnt.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/stackmap/BasicBlock.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/SyntheticAttribute.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/AccessorMaker.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/analysis/Util.java
*
/javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/LineNumberAttribute.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/CtMethod.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/TypeChecker.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/ConstPool.java

```



- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/AnnotationImpl.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/analysis/FramePrinter.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/NoFieldException.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/BinExpr.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/expr/NewExpr.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/util/proxy/ProxyObjectInputStream.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/Javac.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/reflect/CannotInvokeException.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/ConstantAttribute.java
- \*
- /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/CompileError.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/rmi/StubGenerator.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/rmi/Sample.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/IntConst.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/util/proxy/ProxyObjectOutputStream.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/convert/TransformNew.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/AnnotationDefaultAttribute.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/DoubleConst.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/scopedpool/ScopedClassPoolFactory.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/AnnotationsAttribute.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/NoSuchClassError.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/NotFoundException.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/SerialVersionUID.java
- \*
- /javassist-3-18-0-ga-sources-4-jar/javassist/CodeConverter.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/AttributeInfo.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/EnclosingMethodAttribute.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/reflect/CannotCreateException.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/TokenId.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/util/proxy/ProxyObject.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/CtNewConstructor.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/Keyword.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/convert/TransformNewClass.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/analysis/Executor.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/LoaderClassPath.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/Parser.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/expr/NewArray.java
- \*
- /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/analysis/MultiType.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/reflect/Metalevel.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/MethodInfo.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/runtime/Desc.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/CtArray.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/CannotCompileException.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/JvstCodeGen.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/Variable.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/FieldDecl.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/CtNewWrappedConstructor.java

- \* /javassist-3-18-0-ga-sources-4-jar/javassist/expr/MethodCall.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/CodeAnalyzer.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/CtPrimitiveType.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/Opcodes.java
- \*
- /javassist-3-18-0-ga-sources-4-jar/javassist/tools/reflect/CannotReflectException.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/Member.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/CtNewWrappedMethod.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/reflect/ClassMetaobject.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/convert/TransformCall.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/ClassMap.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/expr/Cast.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/stackmap/Tracer.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ProceedHandler.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/DeprecatedAttribute.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/Lex.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/analysis/Frame.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/ArrayInit.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/Expr.java
- \*
- /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/Mnemonic.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/ByteStream.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/ClassPool.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/Pair.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/ClassPath.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/expr/Handler.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/web/BadHttpRequest.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/CtNewClass.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/stackmap/MapMaker.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/analysis/MultiArrayType.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/Symbol.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/rmi/Proxy.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/JvstTypeChecker.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/NewExpr.java
- \*
- /javassist-3-18-0-ga-sources-4-jar/javassist/util/HotSwapper.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/rmi/RemoteRef.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/CodeGen.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/ASTree.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/ExceptionTable.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/reflect/Sample.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/Visitor.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/analysis/IntQueue.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/CtBehavior.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/util/proxy/MethodHandler.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/CtMember.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/LocalVariableAttribute.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/util/proxy/ProxyFactory.java

- \* /javassist-3-18-0-ga-sources-4-jar/javassist/ClassPoolTail.java
- \*
- /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/stackmap/TypeData.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/convert/TransformWriteField.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/scopedpool/ScopedClassPoolRepository.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/convert/TransformFieldAccess.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/util/proxy/MethodFilter.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/CastExpr.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/convert/TransformBefore.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/CodeAttribute.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/Loader.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/ASTList.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/ClassFile.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/runtime/Cflow.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/ast/MethodDecl.java
- \*
- /javassist-3-18-0-ga-sources-4-jar/javassist/expr/Instanceof.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/InstructionPrinter.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/analysis/ControlFlow.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/LongVector.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/CtNewMethod.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/compiler/SymbolTable.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/CtClass.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/LocalVariableTypeAttribute.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/SourceFileAttribute.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/reflect/Loader.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/rmi/ObjectNotFoundException.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/Dump.java
- \*
- /javassist-3-18-0-ga-sources-4-jar/javassist/expr/FieldAccess.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/ByteArrayClassPath.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/StackMap.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/ClassFilePrinter.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/CtNewNestedClass.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/convert/TransformReadField.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/URLClassPath.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/stackmap/TypeTag.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/tools/reflect/Reflection.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/Descriptor.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/scopedpool/SoftValueHashMap.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/util/proxy/SecurityActions.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/analysis/Subroutine.java
- \*
- /javassist-3-18-0-ga-sources-4-jar/javassist/Translator.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/StackMapTable.java
- \* /javassist-3-18-0-ga-sources-4-jar/javassist/scopedpool/ScopedClassPool.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Javassist, a Java-bytecode translator toolkit.
 * Copyright (C) 2004 Bill Burke. All Rights Reserved.
 *
 * The contents of this file are subject to the Mozilla Public License Version
 * 1.1 (the "License"); you may not use this file except in compliance with
 * the License. Alternatively, the contents of this file may be used under
 * the terms of the GNU Lesser General Public License Version 2.1 or later,
 * or the Apache License Version 2.0.
 *
 * Software distributed under the License is distributed on an "AS IS" basis,
 * WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
 * for the specific language governing rights and limitations under the
 * License.
 */
```

Found in path(s):

```
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/Annotation.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/BooleanMemberValue.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/ByteMemberValue.java
*
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/ShortMemberValue.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/StringMemberValue.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/ClassMemberValue.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/CharMemberValue.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/DoubleMemberValue.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/MemberValueVisitor.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/ArrayMemberValue.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/FloatMemberValue.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/MemberValue.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/LongMemberValue.java
*
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/EnumMemberValue.java
* /javassist-3-18-0-ga-sources-4-jar/javassist/bytecode/annotation/IntegerMemberValue.java
```

## 1.70 gson 2.9.0

### 1.70.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2010 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/Streams.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/JsonSyntaxException.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2018 The Gson authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/GsonBuildConfig.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2011 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/LazilyParsedNumber.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/sql/SqlTimeTypeAdapter.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/sql/SqlDateTypeAdapter.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/ConstructorConstructor.java  
\*

/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/DateTypeAdapter.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/UnsafeAllocator.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/TreeTypeAdapter.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2020 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/NumberTypeAdapter.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2011 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/TypeAdapters.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/ArrayTypeAdapter.java  
\*  
\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/JsonReaderInternalAccess.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/TypeAdapterFactory.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/TypeAdapter.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/JsonTreeReader.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/ObjectTypeAdapter.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/JsonTreeWriter.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2010 The Android Open Source Project  
\* Copyright (C) 2012 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/LinkedTreeMap.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2009 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /gson-2-9-0-sources-1-jar/com/google/gson/JsonStreamParser.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/FieldAttributes.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/JsonParser.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/LongSerializationPolicy.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2010 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /gson-2-9-0-sources-1-jar/com/google/gson/stream/JsonReader.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/stream/JsonToken.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/stream/JsonScope.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/stream/MalformedJsonException.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/stream/JsonWriter.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2014 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>



\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/annotations/JsonAdapter.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2021 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /gson-2-9-0-sources-1-jar/com/google/gson/ToNumberStrategy.java  
\* /gson-2-9-0-sources-1-jar/com/google/gson/ToNumberPolicy.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2017 The Gson authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/JavaVersion.java

\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/PreJava9DateFormatProvider.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (C) 2008 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /gson-2-9-0-sources-1-jar/com/google/gson/internal/\$Gson\$Types.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /gson-2-9-0-sources-1-jar/com/google/gson/JsonSerializationContext.java

\* /gson-2-9-0-sources-1-jar/com/google/gson/ExclusionStrategy.java

\* /gson-2-9-0-sources-1-jar/com/google/gson/Gson.java

\* /gson-2-9-0-sources-1-jar/com/google/gson/JsonPrimitive.java

```

* /gson-2-9-0-sources-1-jar/com/google/gson/JsonIOException.java
*
/gson-2-9-0-sources-1-jar/com/google/gson/reflect/TypeToken.java
* /gson-2-9-0-sources-1-jar/com/google/gson/annotations/Expose.java
* /gson-2-9-0-sources-1-jar/com/google/gson/internal/ObjectConstructor.java
* /gson-2-9-0-sources-1-jar/com/google/gson/annotations/Since.java
* /gson-2-9-0-sources-1-jar/com/google/gson/internal/$Gson$Preconditions.java
* /gson-2-9-0-sources-1-jar/com/google/gson/internal/Excluder.java
* /gson-2-9-0-sources-1-jar/com/google/gson/FieldNamingStrategy.java
* /gson-2-9-0-sources-1-jar/com/google/gson/JsonElement.java
* /gson-2-9-0-sources-1-jar/com/google/gson/JsonDeserializer.java
* /gson-2-9-0-sources-1-jar/com/google/gson/InstanceCreator.java
* /gson-2-9-0-sources-1-jar/com/google/gson/JsonArray.java
* /gson-2-9-0-sources-1-jar/com/google/gson/JsonObject.java
* /gson-2-9-0-sources-1-jar/com/google/gson/JsonDeserializationContext.java
* /gson-2-9-0-sources-1-jar/com/google/gson/annotations/SerializedName.java
* /gson-2-9-0-sources-1-jar/com/google/gson/FieldNamingPolicy.java
*
/gson-2-9-0-sources-1-jar/com/google/gson/JsonParseException.java
* /gson-2-9-0-sources-1-jar/com/google/gson/GsonBuilder.java
* /gson-2-9-0-sources-1-jar/com/google/gson/JsonSerializer.java
* /gson-2-9-0-sources-1-jar/com/google/gson/internal/Primitives.java
* /gson-2-9-0-sources-1-jar/com/google/gson/JsonNull.java
* /gson-2-9-0-sources-1-jar/com/google/gson/annotations/Until.java
* /gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/DefaultDateTypeAdapter.java

```

## 1.71 ecj 4.20

### 1.71.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2019, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IRecordComponent.java

```

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/RecordComponentInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for

\* bug 185682 - Increment/decrement operators mark local variables as read

\* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types

\* bug 331649 - [compiler][null] consider null annotations for fields

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\* bug 392384 - [1.8][compiler][null] Restore nullness

info from type annotations in class files

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 411964 - [1.8][null] leverage null type annotation in foreach statement

\* Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/Reference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2019 Red Hat Inc. and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Red Hat Inc. - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/IJavadocTypeReference.java

No license file was found, but licenses were detected in source scan.

```

/*****
 * Copyright (c) 2000, 2020 IBM Corporation and others.
 *
 * This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License 2.0
 * which accompanies this distribution, and is available at
 * https://www.eclipse.org/legal/epl-2.0/
 *
 * SPDX-License-Identifier: EPL-2.0
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 * Jesper S Moller - Contributions for
 * Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
 * Bug 406973 - [compiler] Parse MethodParameters attribute
 * Andy Clement - Contributions for
 * Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's
work)
 *****/

```

Found

in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/AttributeNamesConstants.java  
No license file was found, but licenses were detected in source scan.

```

/*****
 * Copyright (c) 2016, 2020 IBM Corporation.
 *
 * This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License 2.0
 * which accompanies this distribution, and is available at
 * https://www.eclipse.org/legal/epl-2.0/
 *
 * SPDX-License-Identifier: EPL-2.0
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 *****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/ModuleFinder.java  
No license file was found, but licenses were detected in source scan.

```

/*****
 * Copyright (c) 2020 IBM Corporation and others.
 *

```

\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/RecordComponent.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocModuleReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/BinaryExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2012, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

- \* IBM Corporation - initial API and implementation
- \* Jesper S Moller - Contributions for
- \* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
- \* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment
- \* Bug 416885 - [1.8][compiler]IncompatibleClassChange error (edit)
- \* Stephan Herrmann - Contribution for
- \* bug 401030 - [1.8][null] Null analysis support for lambda methods.
- \* Bug 392099
- [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
- \* Bug 425142 - [1.8][compiler] NPE in ConstraintTypeFormula.reduceSubType
- \* Bug 425153 - [1.8] Having wildcard allows incompatible types in a lambda expression
- \* Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation
- \* Bug 425798 - [1.8][compiler] Another NPE in ConstraintTypeFormula.reduceSubType
- \* Bug 425156 - [1.8] Lambda as an argument is flagged with incompatible error
- \* Bug 424403 - [1.8][compiler] Generic method call with method reference argument fails to resolve properly.
- \* Bug 426563 - [1.8] AIOOBE when method with error  
invoked with lambda expression as argument
- \* Bug 420525 - [1.8] [compiler] Incorrect error "The type Integer does not define sum(Object, Object) that is  
applicable here"
- \* Bug 427438 - [1.8][compiler] NPE at  
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- \* Bug 428294 - [1.8][compiler] Type mismatch: cannot convert from List<Object> to Collection<Object[]>
- \* Bug 428786 - [1.8][compiler] Inference needs to compute the "ground target type" when reducing a lambda  
compatibility constraint
- \* Bug 428980 - [1.8][null] simple expression as lambda body doesn't leverage null annotation on argument
- \* Bug 429430 - [1.8] Lambdas and method reference infer wrong exception type with generics (RuntimeException  
instead of IOException)
- \* Bug 432110 - [1.8][compiler] nested lambda type incorrectly inferred vs javac
- \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type  
variables
- \* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
- \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- \* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
- \* Bug 455723 - Nonnull argument not correctly inferred in loop
- \* Bug 463728 - [1.8][compiler][inference] Ternary operator in lambda derives wrong type
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/LambdaExpression.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*/

\* Copyright (c) 2016 IBM Corporation.

\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/ModuleReferenceImpl.java  
\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/BasicModule.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2014, 2018 GK Software AG.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* Stephan Herrmann - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/NonNullDefaultAwareTypeAnnotationWalker.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2007, 2018 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* Frits Jalvingh - fix for bug 533830.



\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/tool/ExceptionDiagnostic.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 358827 - [1.7] exception analysis for t-w-r spoils null analysis

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

\* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations

\* bug 345305 - [compiler][null]

Compiler misidentifies a case of "variable can only be null"

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check

\* bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields

\* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\* Bug 453483 - [compiler][null][loop] Improve null analysis for loops

\* Bug 455723 - Nonnull argument not correctly inferred in loop

\* Bug 415790 - [compiler][resource] Incorrect potential resource leak warning in for loop with close in try/catch

\* Bug 446691 - [1.8][null][compiler] NullPointerException in SingleNameReference.analyseCode

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/flow/FlowContext.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

```
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 328281 - visibility leaks not detected when analyzing unused field in private class
* bug 382353 - [1.8][compiler] Implementation property modifiers should be accepted on default methods.
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ExtraCompilerModifiers.java

No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) 2007, 2018 BEA Systems, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* wharley@bea.com - initial API and implementation
*
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/BaseAnnotationProcessorManager.java

No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) 2013 GoPivotal, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 407191 - [1.8] Binary access support for type annotations
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/FieldInfoWithTypeAnnotation.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IBinaryTypeAnnotation.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 331649 - [compiler][null] consider null annotations for fields

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 426996 - [1.8][inference] try to avoid method Expression.unresolve()?

\* Jesper S Moller - Contributions for

\* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/NameReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Luiz-Otavio Zorzella <zorzella at gmail dot com> - Improve CamelCase algorithm

\* Gábor Kövesdán - Contribution for Bug 350000 - [content assist] Include non-prefix matches in auto-complete suggestions

\* Stefan Xenos <sxenos@gmail.com> (Google) - Bug 501283 - Lots of hash collisions during indexing

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/core/compiler/CharOperation.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2011 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for bug 349326 - [1.7] new warning for missing try-with-resources
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/EmptyStatement.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
* Bug 426676 - [1.8][compiler] Wrong generic method type inferred from lambda expression
* Bug 426542 - [1.8] Most specific method not picked when one method has intersection type as type parameter
* Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.
* Andy
 Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 405104 - [1.8][compiler][codegen] Implement support for serializeable lambdas
* Jesper S Møller - Contributions for bug 381345 : [1.8] Take care of the Java 8 major version
* Bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/IntersectionTypeBinding18.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 236385 - [compiler] Warn for potential programming problem if an object is created but not used

\* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 358903 - Filter practically unimportant resource

leak warnings

\* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

\* bug 370639 - [compiler][resource] restore the default for resource leak warnings

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'

\* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

\* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 424727 - [compiler][null] NullPointerException in

nullAnnotationUnsupportedLocation(ProblemReporter.java:5708)

\* Bug 424710

- [1.8][compiler] CCE in SingleNameReference.localVariableBinding

\* Bug 425152 - [1.8] [compiler] Lambda Expression not resolved but flow analyzed leading to NPE.

\* Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation

\* Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.

\* Bug 426366 - [1.8][compiler] Type inference doesn't handle multiple candidate target types in outer overload context

\* Bug 426290 - [1.8][compiler] Inference + overloading => wrong method resolution ?

\* Bug 426764 - [1.8] Presence of conditional expression as method argument confuses compiler

\* Bug 424930 - [1.8][compiler] Regression: "Cannot infer type arguments" error from compiler.

\* Bug 427483 - [Java 8] Variables in lambdas sometimes can't be resolved

\* Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

\* Bug 426996 - [1.8][inference] try to avoid method Expression.unresolve()?

\* Bug 428352 - [1.8][compiler] Resolution errors don't always surface

\* Bug 429203 - [1.8][compiler] NPE in AllocationExpression.binding

- \* Bug 429430 - [1.8] Lambdas and method reference infer wrong exception type with generics (RuntimeException instead of IOException)
- \* Bug 434297 - [1.8] NPE in LambdaExpression.analyseCode with lambda expression nested in a conditional expression
- \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- \* Bug 448709 - [1.8][null] ensure we don't infer types that violate null constraints on a type parameter's bound
- \* Jesper S Moller <jesper@selskabet.org> - Contributions for
- \* bug 378674 - "The method can be declared as static" is wrong
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 383624 - [1.8][compiler] Revive  
code generation support for type annotations (from Olivier's work)
- \* Bug 409245 - [1.8][compiler] Type annotations dropped when call is routed through a synthetic  
bridge method
- \* Till Brychcy - Contributions for
- \* bug 413460 - NonNullByDefault is not inherited to Constructors when accessed via Class File
- \* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
- \* Bug 473178

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/AllocationExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2012 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/CombinedBinaryExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - Contributions for
- \* bug 349326 - [1.7] new warning for missing try-with-resources
- \* bug 359362 - FUP of bug 349326: Resource leak on non-Closeable resource
- \* bug 186342 - [compiler][null] Using annotations for null checking
- \* bug 358903 - Filter practically unimportant resource leak warnings
- \* bug 400421 - [compiler] Null analysis for fields does not take @com.google.inject.Inject into account
- \* bug 382069 - [null] Make the null analysis consider JUnit's assertNotNull similarly to assertions
- \* Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.
- \* Jesper S Moller <jesper@selskabet.org> - Contributions for
- \* Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
- \* Ulrich Grave <ulrich.grave@gmx.de> - Contributions for
- \* bug 386692 - Missing "unused" warning on "autowired" fields
- \* Pierre-Yves B. <pyvesdev@gmail.com> - Contribution for
- \* bug 542520 - [JUnit 5] Warning The method xxx from the type X is never used locally is shown when using MethodSource

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/TypeIds.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*

- \* Copyright (c) 2013, 2018 GK Software AG and others.

\*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

\*

- \* SPDX-License-Identifier: EPL-2.0

\*

- \* Contributors:

- \* Stephan Herrmann - initial API and implementation

- \* IBM Corporation - bug fixes

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/TypeBound.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 383368 - [compiler][null] syntactic null analysis for field references
* bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/UnaryExpression.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2016 GoPivotal, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 407191 - [1.8] Binary access support for type annotations
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/TypeAnnotationInfo.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at

```



```

* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE
* bug 383368 - [compiler][null] syntactic null analysis for field references
* bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields
* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred
checking
* Bug
422796 - [compiler][null] boxed boolean reported as potentially null after null test in lazy disjunction
*****/

```

Found in path(s):

`/ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/OR_OR_Expression.java`

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 407191 - [1.8] Binary access support for type annotations
*****/

```

Found in path(s):

`/ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/FieldInfo.java`

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*

```

- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - Contributions for
- \* bug 349326 - [1.7] new warning for missing try-with-resources
- \* bug 186342 - [compiler][null] Using annotations for null checking
- \* bug 370639 - [compiler][resource] restore the default for resource leak warnings
- \* bug 265744 - Enum switch should warn about missing default
- \* bug 374605 - Unreasonable warning for enum-based switch statements
- \* bug 381443
- [compiler][null] Allow parameter widening from @NonNull to unannotated
- \* Bug 441208 - [1.8][null] SuppressWarnings("null") does not suppress / marked Unnecessary
- \* Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.
- \*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/IrritantSet.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2021 IBM Corporation and others.

- \*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

- \*

- \* SPDX-License-Identifier: EPL-2.0

- \*

- \* Contributors:

- \* IBM Corporation - initial API and implementation

- \* IBM Corporation - added the following constants

- \* NonStaticAccessToStaticField

- \* NonStaticAccessToStaticMethod

- \* Task

- \* ExpressionShouldBeAVariable

- \* AssignmentHasNoEffect

- \* IBM Corporation - added the following constants

- \* TooManySyntheticArgumentSlots

- \* TooManyArrayDimensions

- \* TooManyBytesForStringConstant

- \* TooManyMethods

- \* TooManyFields

- \* NonBlankFinalLocalAssignment

- \* ObjectCannotHaveSuperTypes

- \* MissingSemiColon

- \* InvalidParenthesizedExpression
- \* EnclosingInstanceInConstructorCall
- \* BytecodeExceeds64KLimitForConstructor
- \* IncompatibleReturnTypeForNonInheritedInterfaceMethod
- \* UnusedPrivateMethod
- \* UnusedPrivateConstructor
- \* UnusedPrivateType
- \* UnusedPrivateField
- \* IncompatibleExceptionInThrowsClauseForNonInheritedInterfaceMethod
- \* InvalidExplicitConstructorCall
- \* IBM Corporation - added the following constants
- \* PossibleAccidentalBooleanAssignment
- \* SuperfluousSemicolon
- \* IndirectAccessToStaticField
- \* IndirectAccessToStaticMethod
- \* IndirectAccessToStaticType
- \* BooleanMethodThrowingException
- \* UnnecessaryCast
- \* UnnecessaryArgumentCast
- \* UnnecessaryInstanceOf
- \* FinallyMustCompleteNormally
- \* UnusedMethodDeclaredThrownException
- \* UnusedConstructorDeclaredThrownException
- \* InvalidCatchBlockSequence
- \* UnqualifiedFieldAccess
- \* IBM Corporation - added the following constants
- \* Javadoc
- \* JavadocUnexpectedTag
- \* JavadocMissingParamTag
- \* JavadocMissingParamName
- \* JavadocDuplicateParamName
- \* JavadocInvalidParamName
- \* JavadocMissingReturnTag
- \* JavadocDuplicateReturnTag
- \* JavadocMissingThrowsTag
- \* JavadocMissingThrowsClassName
- \* JavadocInvalidThrowsClass
- \* JavadocDuplicateThrowsClassName
- \* JavadocInvalidThrowsClassName
- \* JavadocMissingSeeReference
- \* JavadocInvalidSeeReference
- \* JavadocInvalidSeeHref
- \* JavadocInvalidSeeArgs
- \* JavadocMissing
- \* JavadocInvalidTag
- \* JavadocMessagePrefix

- \* EmptyControlFlowStatement
- \* IBM Corporation - added the following constants
- \* IllegalUsageOfQualifiedTypeReference
- \* InvalidDigit
- \* IBM Corporation - added the following constants
- \* ParameterAssignment
- \* FallthroughCase
- \* IBM Corporation - added the following constants
- \* UnusedLabel
- \* UnnecessaryNLSTag
- \* LocalVariableMayBeNull
- \* EnumConstantsCannotBeSurroundedByParenthesis
- \* JavadocMissingIdentifier
- \* JavadocNonStaticTypeFromStaticInvocation
- \* RawTypeReference
- \* NoAdditionalBoundAfterTypeVariable
- \* UnsafeGenericArrayForVarargs
- \* IllegalAccessFromTypeVariable
- \*
- AnnotationValueMustBeArrayInitializer
- \* InvalidEncoding
- \* CannotReadSource
- \* EnumStaticFieldInInitializerContext
- \* ExternalProblemNotFixable
- \* ExternalProblemFixable
- \* IBM Corporation - added the following constants
- \* AnnotationValueMustBeAnEnumConstant
- \* OverridingMethodWithoutSuperInvocation
- \* MethodMustOverrideOrImplement
- \* TypeHidingTypeParameterFromType
- \* TypeHidingTypeParameterFromMethod
- \* TypeHidingType
- \* IBM Corporation - added the following constants
- \* NullLocalVariableReference
- \* PotentialNullLocalVariableReference
- \* RedundantNullCheckOnNullLocalVariable
- \* NullLocalVariableComparisonYieldsFalse
- \* RedundantLocalVariableNullAssignment
- \* NullLocalVariableInstanceOfYieldsFalse
- \* RedundantNullCheckOnNonNullLocalVariable
- \* NonNullLocalVariableComparisonYieldsFalse
- \* IBM Corporation - added the following constants
- \* InvalidUsageOfTypeParametersForAnnotationDeclaration
- \* InvalidUsageOfTypeParametersForEnumDeclaration
- \* IBM Corporation - added the following constants
- \* RedundantSuperinterface
- \* Benjamin Muskalla - added the following constants
- \* MissingSynchronizedModifierInInheritedMethod

- \* Stephan Herrmann - added the following constants
- \* UnusedObjectAllocation
- \* PotentiallyUnclosedCloseable
- \* PotentiallyUnclosedCloseableAtExit
- \* UnclosedCloseable
- \* UnclosedCloseableAtExit
- \* ExplicitlyClosedAutoCloseable
- \* RequiredNonNullButProvidedNull
- \* RequiredNonNullButProvidedPotentialNull
- \* RequiredNonNullButProvidedUnknown
- \* NullAnnotationNameMustBeQualified
- \* IllegalReturnNullityRedefinition
- \* IllegalRedefinitionToNonNullParameter
- \* IllegalDefinitionToNonNullParameter
- \* ParameterLackingNonNullAnnotation
- \* ParameterLackingNullableAnnotation
- \* PotentialNullMessageSendReference
- \* RedundantNullCheckOnNonNullMessageSend
- \* CannotImplementIncompatibleNullness
- \* RedundantNullAnnotation
- \* RedundantNullDefaultAnnotation
- \* RedundantNullDefaultAnnotationPackage
- \* RedundantNullDefaultAnnotationType
- \* RedundantNullDefaultAnnotationMethod
- \* ContradictoryNullAnnotations
- \* IllegalAnnotationForBaseType
- \* RedundantNullCheckOnSpecdNonNullLocalVariable
- \* SpecdNonNullLocalVariableComparisonYieldsFalse
- \* RequiredNonNullButProvidedSpecdNullable
- \* MissingDefaultCase
- \* MissingEnumConstantCaseDespiteDefault
- \* UninitializedLocalVariableHintMissingDefault
- \* UninitializedBlankFinalFieldHintMissingDefault
- \* ShouldReturnValueHintMissingDefault
- \* IllegalModifierForInterfaceDefaultMethod
- \* InheritedDefaultMethodConflictsWithOtherInherited
- \* ConflictingNullAnnotations
- \* ConflictingInheritedNullAnnotations
- \* UnsafeElementTypeConversion
- \* ArrayReferencePotentialNullReference
- \* DereferencingNullableExpression
- \* NullityMismatchingTypeAnnotation
- \* NullityMismatchingTypeAnnotationSuperHint
- \* NullityUncheckedTypeAnnotationDetail
- \* NullityUncheckedTypeAnnotationDetailSuperHint
- \* NullableFieldReference
- \* UninitializedNonNullField
- \* UninitializedNonNullFieldHintMissingDefault

- \* NonNullMessageSendComparisonYieldsFalse
- \* RedundantNullCheckOnNonNullSpecdField
- \* NonNullSpecdFieldComparisonYieldsFalse
- \* NonNullExpressionComparisonYieldsFalse
- \* RedundantNullCheckOnNonNullExpression
- \* ReferenceExpressionParameterNullityMismatch
- \* ReferenceExpressionParameterNullityUnchecked
- \* ReferenceExpressionReturnNullRedef
- \* ReferenceExpressionReturnNullRedefUnchecked
- \* DuplicateInheritedDefaultMethods
- \* SuperAccessCannotBypassDirectSuper
- \* SuperCallCannotBypassOverride
- \* ConflictingNullAnnotations
- \* ConflictingInheritedNullAnnotations
- \* UnsafeElementTypeConversion
- \* PotentialNullUnboxing
- \* NullUnboxing
- \* NullExpressionReference
- \* PotentialNullExpressionReference
- \* RedundantNullCheckAgainstNonNullType
- \* NullAnnotationUnsupportedLocation
- \* NullAnnotationUnsupportedLocationAtType
- \* NullityMismatchTypeArgument
- \* ContradictoryNullAnnotationsOnBound
- \* UnsafeNullnessCast
- \* ContradictoryNullAnnotationsInferred
- \* NonNullDefaultDetailIsNotEvaluated
- \* NullNotCompatibleToFreeTypeVariable
- \* NullityMismatchAgainstFreeTypeVariable
- \* ImplicitObjectBoundNonNullDefault
- \* IllegalParameterNullityRedefinition
- \* ContradictoryNullAnnotationsInferredFunctionType
- \* IllegalReturnNullityRedefinitionFreeTypeVariable
- \* UnlikelyCollectionMethodArgumentType
- \* UnlikelyEqualsArgumentType
- \* Jesper S Moller - added the following constants
- \* TargetTypeNotAFunctionalInterface
- \* OuterLocalMustBeEffectivelyFinal
- \* IllegalModifiersForPackage
- \* DuplicateAnnotationNotMarkedRepeatable
- \* DisallowedTargetForContainerAnnotation
- \* RepeatedAnnotationWithContainerAnnotation
- \* ContainingAnnotationMustHaveValue
- \* ContainingAnnotationHasNonDefaultMembers
- \* ContainingAnnotationHasWrongValueType
- \* ContainingAnnotationHasShorterRetention
- \* RepeatableAnnotationHasTargets
- \* RepeatableAnnotationTargetMismatch

- \* RepeatabeAnnotationIsDocumented
- \* RepeatabeAnnotationIsInherited
- \* RepeatabeAnnotationWithRepeatingContainerAnnotation
- \* VarLocalMultipleDeclarators
- \* VarLocalCannotBeArray
- \* VarLocalReferencesItself
- \* VarLocalWithoutInitiazlier
- \* VarLocalInitializedToNull
- \* VarLocalCannotBeArrayInitalizers
- \* VarLocalCannotBeLambda
- \* VarLocalCannotBeMethodReference
- \* VarIsReserved
- \* VarIsReservedInFuture
- \* VarIsNotAllowedHere

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/core/compiler/IProblem.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2015, 2017 IBM Corporation.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/tool/JrtFileSystem.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/util/JrtFileSystem.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2019 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0

\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/YieldStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for

\* bug 185682 - Increment/decrement operators mark local variables as read

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365519 - editorial cleanup after bug 186342 and bug 365387

\* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

\* bug 345305 - [compiler][null]

Compiler misidentifies a case of "variable can only be null"

\* Bug 414380 - [compiler][internal] QualifiedNameReference#indexOfFirstFieldBinding does not point to the first field

\* Bug 458396 - NPE in CodeStream.invoke()

\* Jesper S Moller - Contributions for

\* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment

\* bug 331649 - [compiler][null] consider null annotations for fields

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check

\* Jesper S Moller <jesper@selskabet.org> - Contributions for

\* bug 378674 - "The method can be declared as static" is wrong  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/QualifiedNameReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2020 GK Software AG and others.

\*

\* This program and the accompanying materials



\* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \*   Stephan Herrmann - initial API and implementation  
 \*   Till Brychcy - Contributions for  
 \*       Bug 467482 - TYPE\_USE null annotations: Incorrect "Redundant null check"-warning  
 \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/NullAnnotationMatching.java

No license file was found, but licenses were detected in source scan.

/\*  
 \* Copyright (c) 2012 IBM Corporation and others.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \*   IBM Corporation - initial API and implementation  
 \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/IQualifiedTypeResolutionListener.java

No license file was found, but licenses were detected in source scan.

/\*  
 \* Copyright (c) 2004, 2011 IBM Corporation and others.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \*   IBM Corporation - initial API and implementation  
 \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/FloatUtil.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2017 BEA Systems, Inc. and others

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Igor Fedorenko - extracted from ElementsImpl

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/ElementsImpl9.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Jesper S Moller - Contributions for

\* Bug 378674 - "The method can be declared as static" is wrong

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/SuperReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

```

* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 383368 - [compiler][null] syntactic null analysis for field references
* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking
* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 417295 - [1.8][null]
* Message type annotated null analysis to gel well with deep encoded type bindings.
* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
* Andy Clement - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's
work)

```

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/InstanceOfExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2011, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* https://www.eclipse.org/legal/epl-2.0/

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

\* Bug 409236 - [1.8][compiler] Type annotations on intersection cast types dropped by code  
generator

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/IntersectionCastTypeReference.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2005, 2017 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/BatchAnnotationProcessorManager.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/ElementImpl.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ClassFilePool.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2013, 2017 GK Software AG and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Stephan Herrmann - initial API and implementation
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/flow/TryFlowContext.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*

```

\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for  
\* bug 407191 - [1.8] Binary access support for type annotations  
\* Stephan Herrmann - Contribution for  
\* Bug 440474 - [null] textual encoding of external null annotations  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IBinaryType.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*  
\* Copyright (c) 2000, 2014 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contribution for  
\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocImplicitTypeReference.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ElementValuePair.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*  
\* Copyright (c) 2016, 2018 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IModulePathEntry.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2007, 2015 BEA Systems, Inc.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* wharley@bea.com - initial API and implementation

\* IBM Corporation - fix for 342470

\* IBM Corporation - fix for 342598

\* IBM Corporation - Java 8 support

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/TypeParameterElementImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/StringLiteral.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

```
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* Bug 186342 - [compiler][null] Using annotations for null checking
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/MostSpecificExceptionMethodBinding.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2005, 2015 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Jesper Steen Moller - Bug 412150 [1.8] [compiler] Enable reflected parameter names during annotation
processing
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/ExecutableElementImpl.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
```

\* bug 186342 - [compiler][null] Using annotations for null checking  
\* bug 365519 - editorial cleanup after bug 186342 and bug 365387  
\* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/PackageBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2015 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/InferenceVariable.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2016 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/OpensStatement.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/PackageExportImpl.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/UsesStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*



\* Copyright (c) 2019, 2020 IBM Corporation and others.  
\* All rights reserved. This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License v1.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ComponentInfoWithAnnotation.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*  
\* Copyright (c) 2015, 2020 IBM Corporation.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/JRTUtil.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*  
\* Copyright (c) 2000, 2021 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contributions for  
\* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

- \* bug 349326 - [1.7] new warning for missing try-with-resources
- \* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
- \* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking
- \* Bug 415790
- [compiler][resource]Incorrect potential resource leak warning in for loop with close in try/catch

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ForStatement.java
- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/WhileStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Jesper Steen Moller - Contributions for

\* Bug 412150 [1.8] [compiler]

Enable reflected parameter names during annotation processing

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/Binding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2007, 2020 BEA Systems, Inc. and others

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* wharley@bea.com - derived base class from BatchMessengerImpl

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/BaseMessengerImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 342671 - ClassCastException: org.eclipse.jdt.internal.compiler.lookup.SourceTypeBinding cannot be cast to  
org.eclipse.jdt.internal.compiler.lookup.ArrayBinding

\* Bug 420894 - ClassCastException in DefaultBindingResolver.resolveType(Type)

\* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 415043 - [1.8][null] Follow-up re null type

annotations after bug 392099

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Bug 434600 - Incorrect null analysis error reporting on type parameters

\* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"

\* Bug 456508 - Unexpected RHS PolyTypeBinding for: <code-snippet>

\* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param

\* Andy Clement - Contributions for

\* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's  
work)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ParameterizedSingleTypeReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

```
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/TypeVariableImpl.java
```

No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) 2007, 2017 BEA Systems, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* wharley@bea.com - initial API and implementation
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/PackageElementImpl.java
```

No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) 2018 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathJmod.java
```

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfInteger.java
```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2007, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* IBM Corporation - fix for 342936
* Kenneth Olson - Contribution for bug 188796 - [jsr199] Using JSR199 to extend ECJ
* Dennis Hendriks - Contribution for bug 188796 - [jsr199] Using JSR199 to extend ECJ
* Frits Jalvingh - fix for bug 533830.
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/tool/EclipseCompilerImpl.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2007, 2015 BEA Systems, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* wharley@bea.com - initial API and implementation
*
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/VariableElementImpl.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0

```

\* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation  
 \* Stephan Herrmann - Contributions for  
 \* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files  
 \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099  
 \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for  
 \* Bug 415543 - [1.8][compiler] Incorrect bound index in RuntimeInvisibleTypeAnnotations attribute  
 \*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/TypeParameter.java  
 No license file was found, but licenses were detected in source scan.

/\*  
 \* Copyright (c) 2006, 2011 IBM Corporation and others.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation  
 \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/WildcardTypeImpl.java  
 No license file was found, but licenses were detected in source scan.

/\*  
 \* Copyright (c) 2007, 2019 BEA Systems, Inc.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:

\* wharley@bea.com - initial API and implementation

\* IBM Corporation - fix for 342598

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/BaseProcessingEnvImpl.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2019 Sebastian Zarnekow and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Sebastian Zarnekow - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SortedCompoundNameVector.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SortedSimpleNameVector.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/SortedCharArrays.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - contributions for

\* bug 337868 - [compiler][model] incomplete support for package-info.java when using SearchableEnvironment

\* bug 186342 - [compiler][null] Using annotations for null checking

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/Compiler.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2016 Till Brychcy and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Till Brychcy - initial API and implementation
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/flow/FieldInitsFakingFlowContext.java
* /ecj-3-26-0-sources-
jar/org/eclipse/jdt/internal/compiler/classfmt/AnnotationMethodInfoWithTypeAnnotations.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2007, 2011 BEA Systems, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* wharley@bea.com - initial API and implementation
*
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/IElementInfo.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2006, 2018 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/

```



```

*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Frits Jalvingh - fix for bug 533830.
*****/

Found in path(s):
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/tool/EclipseCompiler.java
No license file was found, but licenses were detected in source scan.

/*****
* Copyright (c) 2000, 2017 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
*****/

Found in path(s):
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ArrayTypeReference.java
No license file was found, but licenses were detected in source scan.

/*****
* Copyright (c) 2009, 2015 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/AptSourceLocalVariableBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2018, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/ModuleElementImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 359334 - Analysis for resource leak warnings does not consider exceptions as method exit points

\* bug 358903 - Filter practically unimportant resource leak warnings

\* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

\* bug 370639 - [compiler][resource]

restore the default for resource leak warnings

\* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'

\* bug 379784 - [compiler] "Method can be static" is not getting reported

\* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional

\* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Bug 371614 - [compiler][resource] Wrong "resource leak" problem on return/throw inside while loop

- \* Bug 421035 - [resource] False alarm of resource leak warning when casting a closeable in its assignment
- \* Bug 444964 - [1.7+][resource] False resource leak warning (try-with-resources for ByteArrayOutputStream - return inside for loop)
- \* Bug 396575 - [compiler][resources] Incorrect Errors/Warnings check for potential resource leak when surrounding with try-catch
- \* Jesper S Moller <jesper@selskabet.org> - Contributions for
- \* bug 378674 - "The method can be declared as static" is wrong
- \* Keigo Imai - Contribution for bug 388903 - Cannot extend inner class as an anonymous class when it extends the outer class

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/BlockScope.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for bug 186342 - [compiler][null] Using annotations for null checking

\* Jesper S Moller -. Contribution for bug 400830: [1.8][formatter] Code formatter for Java 8

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/Scanner.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IModule.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2018 GK Software AG, and others

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   Stephan Herrmann - initial API and implementation

\*   Lars Vogel <Lars.Vogel@vogella.com> - Contributions for

\*   Bug 473178

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ConstraintTypeFormula.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2007, 2020 BEA Systems, Inc. and others

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   wharley@bea.com - initial API and implementation

\*   IBM Corporation - fix for 342598

\*   IBM Corporation - Java 8 support

\*   het@google.com - Bug 427943 - The method

org.eclipse.jdt.internal.compiler.apt.model.Factory.getPrimitiveType does not throw IllegalArgumentException

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/Factory.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation  
 \* Stephan Herrmann - Contributions for  
 \* bug 343713 - [compiler] bogus line number in constructor of inner class in 1.5 compliance  
 \* bug 349326 - [1.7] new warning for missing try-with-resources  
 \* bug 186342 - [compiler][null] Using annotations for null checking  
 \* bug 361407 - Resource leak warning when resource is assigned to a field outside of constructor  
 \* bug 368546 - [compiler][resource] Avoid  
 remaining false positives found when compiling the Eclipse SDK  
 \* bug 383690 - [compiler] location of error re uninitialized final field should be aligned  
 \* bug 331649 - [compiler][null] consider null annotations for fields  
 \* bug 383368 - [compiler][null] syntactic null analysis for field references  
 \* bug 400421 - [compiler] Null analysis for fields does not take @com.google.inject.Inject into account  
 \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis  
 \* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables  
 \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations  
 \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for  
 \* Bug 415399 - [1.8][compiler] Type annotations on constructor results dropped by the code  
 generator  
 \* Ulrich Grave <ulrich.grave@gmx.de> - Contributions  
 for  
 \* bug 386692 - Missing "unused" warning on "autowired" fields  
 \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ConstructorDeclaration.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

- \* IBM Corporation - initial API and implementation
- \* Stephen Herrmann <stephan@cs.tu-berlin.de> - Contributions for
  - bug 133125 - [compiler][null] need to report the null status of expressions and analyze them simultaneously
  - bug 292478 - Report potentially null across variable assignment
  - bug 324178 - [null] ConditionalExpression.nullStatus(..) doesn't take into account the analysis of condition itself
  - bug 354554 - [null] conditional with redundant condition

yields weak error message

- bug 349326 - [1.7] new warning for missing try-with-resources
- bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
- bug 383368 - [compiler][null] syntactic null analysis for field references
- bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
- Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.
- Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- Bug 426078 - [1.8] VerifyError when conditional expression passed as an argument
- Bug 427438 - [1.8][compiler] NPE at  
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- Bug 418537 - [1.8][null] Fix null type annotation analysis for poly conditional expressions
- Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ConditionalExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2013 IBM Corporation and others.
- \*
  - \* This program and the accompanying materials
  - \* are made available under the terms of the Eclipse Public License 2.0
  - \* which accompanies this distribution, and is available at
  - \* <https://www.eclipse.org/legal/epl-2.0/>
- \* SPDX-License-Identifier: EPL-2.0
- \*
  - \* Contributors:
  - \* IBM Corporation - initial API and implementation
  - \* Stephan Herrmann - Contribution for bug 186342 - [compiler][null] Using annotations for null checking
  - \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
  - \* Bug 407191 - [1.8] Binary access support for type annotations

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IBinaryMethod.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2017 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Benjamin Muskalla - Contribution for bug 239066
* Stephan Herrmann - Contribution for
* bug 382347 - [1.8][compiler] Compiler accepts incorrect default method inheritance
* bug 388954 - [1.8][compiler] detect default methods in class files
* bug 388281 - [compiler][null] inheritance of null annotations as an option
* bug 388739 - [1.8][compiler] consider default methods when detecting whether a class needs
to be declared abstract
* bug 390883 - [1.8][compiler] Unable to override default method
* bug 401796 - [1.8][compiler] don't treat default methods as overriding an independent inherited abstract method
* bug 395681 - [compiler] Improve simulation of javac6 behavior from bug 317719 after fixing bug 388795
* bug 406928 - computation of inherited methods seems damaged (affecting @Overrides)
* bug 409473 - [compiler] JDT cannot compile against JRE 1.8
* Bug 420080 - [1.8] Overridden Default method is reported as duplicated
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/MethodVerifier.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2018 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation
* Bug 440687 - [compiler][batch][null] improve command line option for external annotations
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathJar.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2005, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* David Foerster - patch for toUpperCase as described in [https://bugs.eclipse.org/bugs/show\\_bug.cgi?id=153125](https://bugs.eclipse.org/bugs/show_bug.cgi?id=153125)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/ScannerHelper.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2016 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/TypeBindingVisitor.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2011, 2020 GK Software AG and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>



```
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Stephan Herrmann - initial API and implementation
* Nikolay Metchev (nikolaymetchev@gmail.com) - Contributions for
* bug 411098 - [compiler][resource] Invalid Resource Leak Warning using ternary operator inside try-with-resource
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/FakedTrackingVariable.java

No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) 2005, 2016 BEA Systems, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* tyeung@bea.com - initial API and implementation
* IBM Corporation - fix for bug 342757
* Stephan Herrmann - Contribution for bug 186342 - [compiler][null] Using annotations for null checking
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/MethodInfoWithParameterAnnotations.java

No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) 2005, 2010 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/StackMapFrame.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006-2009 BEA Systems, Inc. and others

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* wharley@bea.com - initial API and implementation

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/BatchMessengerImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - contributions for

\* bug 336428 - [compiler][null] bogus warning "redundant null check" in condition of do {} while() loop

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365519 - editorial cleanup after bug 186342 and bug 365387

\* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

\* bug 365859 - [compiler][null]

distinguish warnings based on flow analysis vs. null annotations

\* bug 385626 - @NonNull fails across loop boundaries

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 376263 - Bogus "Potential null pointer access" warning

\* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\* bug 406384 - Internal error with I20130413

\* Bug 415413 - [compiler][null] NullPointerException in Null Analysis caused by interaction of

## LoopingFlowContext and FinallyFlowContext

- \* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
- \* Bug 455557 - [jdt] NPE LoopingFlowContext.recordNullReference
- \* Bug 455723 - Nonnull argument not correctly inferred in loop
- \* Bug 415790 - [compiler][resource]Incorrect potential resource leak warning in for loop with close in try/catch
- \* Bug 421035 - [resource]

False alarm of resource leak warning when casting a closeable in its assignment

- \* Jesper S Moller - contributions for
- \* bug 404657 - [1.8][compiler] Analysis for effectively final variables fails to consider loops

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/flow/LoopingFlowContext.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

- \* Copyright (c) 2007, 2015 IBM Corporation and others.

\*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

\*

- \* SPDX-License-Identifier: EPL-2.0

\*

- \* Contributors:

- \* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/ErrorTypeImpl.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

- \* Copyright (c) 2000, 2019 IBM Corporation and others.

\*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

\*

- \* SPDX-License-Identifier: EPL-2.0

\*

- \* Contributors:

- \* IBM Corporation - initial API and implementation

- \* Stephan Herrmann - Contributions for

- \* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE

- \* bug 349326 - [1.7] new warning for missing try-with-resources

- \* bug 265744 - Enum switch should warn about missing default
- \* bug 374605 - Unreasonable warning for enum-based switch statements
- \* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/SwitchStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2005, 2020 IBM Corporation and others.

- \*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

- \*

- \* SPDX-License-Identifier: EPL-2.0

- \*

- \* Contributors:

- \* IBM Corporation - initial API and implementation

- \* Stephan Herrmann - Contributions for

- \* bug 349326 - [1.7] new warning for missing try-with-resources

- \* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

- \* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.

- \* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files

- \* Bug 392099

- [1.8][compiler][null] Apply null annotation on types for null analysis

- \* Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations

- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

- \* Bug 412076 - [compiler] @NonNullByDefault doesn't work for varargs parameter when in generic interface

- \* Bug 403216 - [1.8][null] TypeReference#captureTypeAnnotations treats type annotations as type argument annotations

- \* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled

- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

- \* Bug 416175 - [1.8][compiler][null] NPE with a code snippet that used null annotations on wildcards

- \* Bug 416174 - [1.8][compiler][null] Bogus name clash error with null annotations

- \* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables

- \* Bug 400874 - [1.8][compiler]

Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

- \* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"

- \* Bug 425278 - [1.8][compiler] Suspect error: The target type of this expression is not a well formed parameterized type due to bound(s) mismatch

- \* Bug 425798 - [1.8][compiler] Another NPE in ConstraintTypeFormula.reduceSubType

- \* Bug 425156 - [1.8] Lambda as an argument is flagged with incompatible error

- \* Bug 426563 - [1.8] AIOOBE when method with error invoked with lambda expression as argument

- \* Bug 426792 - [1.8][inference][impl] generify new type inference engine

- \* Bug 428294 - [1.8][compiler] Type mismatch: cannot convert from List<Object> to Collection<Object[]>

- \* Bug 427199 - [1.8][resource] avoid resource leak warnings on Streams that have no resource
- \* Bug 416182 - [1.8][compiler][null] Contradictory null annotations not rejected
- \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
- \* Bug 438179 - [1.8][null] 'Contradictory null annotations' error on type variable with explicit null-annotation.
- \* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
- \* Bug 446434 - [1.8][null] Enable interned captures also when analysing null type annotations
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 456508 - Unexpected RHS PolyTypeBinding for: <code-snippet>
- \* Bug 390064 - [compiler][resource] Resource leak warning missing when extending parameterized class
- \* Jesper S Møller - Contributions for bug 381345 : [1.8] Take care of the Java 8 major version
- \* Bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ParameterizedTypeBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Matt McCutchen - partial fix for [https://bugs.eclipse.org/bugs/show\\_bug.cgi?id=122995](https://bugs.eclipse.org/bugs/show_bug.cgi?id=122995)

\* Karen Moore - fix for [https://bugs.eclipse.org/bugs/show\\_bug.cgi?id=207411](https://bugs.eclipse.org/bugs/show_bug.cgi?id=207411)

\* Stephan Herrmann <[stephan@cs.tu-berlin.de](mailto:stephan@cs.tu-berlin.de)> - Contributions for

\* bug 185682 - Increment/decrement operators mark local variables as read

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365519 - editorial cleanup after

bug 186342 and bug 365387

\* bug 374605 - Unreasonable warning for enum-based switch statements

\* bug 384870 - [compiler] @Deprecated annotation not detected if preceded by other annotation

\* bug 393719 - [compiler] inconsistent warnings on iteration variables

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 424742 - [1.8] NPE in LambdaExpression.isCompatibleWith

\* Bug 424710 - [1.8][compiler] CCE in SingleNameReference.localVariableBinding

\* Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation

\* Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.

\* Bug 426366

- [1.8][compiler] Type inference doesn't handle multiple candidate target types in outer overload context
- \* Bug 427282 - [1.8][compiler] AIOOB (-1) at  
org.eclipse.jdt.internal.compiler.ClassFile.traverse(ClassFile.java:6209)
- \* Bug 427483 - [Java 8] Variables in lambdas sometimes can't be resolved
- \* Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- \* Bug 427163 - [1.8][null] bogus error "Contradictory null specification" on varargs
- \* Bug 432348 - [1.8] Internal compiler error (NPE) after upgrade to 1.8
- \* Bug 440143 - [1.8][null] one more case of contradictory null annotations regarding type variables
- \* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
- \* Bug 434483 - [1.8][compiler][inference] Type inference not picked up with method reference
- \* Bug 446442 - [1.8] merge null annotations from super methods
- \* Bug 437072 - [compiler][null] Null analysis emits  
possibly incorrect warning for new int[][] despite @NonNullByDefault
- \* Jesper S Moller - Contributions for
  - \* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment
  - \* bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
  - \* bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
  - \* bug 412149 - [1.8][compiler] Emit repeated annotations into the designated container
  - \* bug 419209 - [1.8] Repeating container annotations should be rejected in the presence of annotation it contains
- \* Till Brychcy - Contributions for
  - \* bug 467094 - [1.8][null] TYPE\_USE NullAnnotations of array contents are applied to field.

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ASTNode.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2017 IBM Corporation and others.

- \*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

- \*

- \* SPDX-License-Identifier: EPL-2.0

- \*

- \* Contributors:

- \* IBM Corporation - initial API and implementation

- \* Stephan Herrmann - Contributions for

- \* bug 342671 - ClassCastException: org.eclipse.jdt.internal.compiler.lookup.SourceTypeBinding cannot be cast to  
org.eclipse.jdt.internal.compiler.lookup.ArrayBinding

- \* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

- \* Bug 416181 - [1.8][compiler][null] Invalid assignment

is not rejected by the compiler

- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

- \* Bug 434600 - Incorrect null analysis error reporting on type parameters

\* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"  
\* Bug 456508 - Unexpected RHS PolyTypeBinding for: <code-snippet>  
\* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param  
\* Andy Clement - Contributions for  
\* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ParameterizedQualifiedTypeReference.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2020, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ExtendedTagBits.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for

\* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/ExceptionLabel.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* bug 388281 - [compiler][null] inheritance of null annotations as an option

\* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/TagBits.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 367203 - [compiler][null] detect assigning null to nonnull argument

\* bug 365519 - editorial cleanup after bug 186342 and bug 365387

\* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults

\* bug 382353 - [1.8][compiler] Implementation property modifiers

should be accepted on default methods.

\* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* bug 388281 - [compiler][null] inheritance of null annotations as an option



- \* bug 401030 - [1.8][null] Null analysis support for lambda methods.
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 403216 - [1.8][null] TypeReference#captureTypeAnnotations treats type annotations as type argument annotations
- \* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/AbstractMethodDeclaration.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2013, 2019 GK Software AG.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \*   Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/CaptureBinding18.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2014 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \*   IBM Corporation - initial API and implementation
- \*   Stephan Herrmann - Contribution for

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)  
\* Bug 427438 - [1.8][compiler] NPE at  
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/AbstractVariableDeclaration.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2016, 2017 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ModuleReference.java  
\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredModule.java  
\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/PackageVisibilityStatement.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2000, 2021 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contributions for  
\* bug 292478 - Report potentially null across variable assignment  
\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"  
\* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types  
\* bug 331649 - [compiler][null] consider null annotations for fields  
\* bug 383368 - [compiler][null] syntactic null analysis for field  
\*\*\*\*\*/

#### references

- \* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
- \* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check
- \* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 426792 - [1.8][inference][impl] generify new type inference engine
- \* Bug 423505 - [1.8] Implement "18.5.4 More Specific Method Inference"
- \* Bug 427438 - [1.8][compiler] NPE at  
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- \* Bug 426996 - [1.8][inference]  
try to avoid method Expression.unresolve()?
- \* Bug 428274 - [1.8] [compiler] Cannot cast from Number to double
- \* Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- \* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for  
Bug 473178

\*\*\*\*\*/

#### Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/Expression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2005, 2013 BEA Systems, Inc.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* tyeung@bea.com - initial API and implementation

\* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

\* Bug 407191 - [1.8] Binary access support for type annotations

\*\*\*\*\*/

#### Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/FieldInfoWithAnnotation.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - Contributions for
- \* bug 186342 - [compiler][null] Using annotations for null checking
- \* bug 387612 - Unreachable catch block...exception is never thrown from the try
- \* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
- \* bug 401456 - Code compiles from javac/intellij, but fails from eclipse
- \* bug 401271 - StackOverflowError
- when searching for a methods references
- \* bug 405706 - Eclipse compiler fails to give compiler error when return type is a inferred generic
- \* Bug 408441 - Type mismatch using Arrays.asList with 3 or more implementations of an interface with the interface type as the last parameter
- \* Bug 413958 - Function override returning inherited Generic Type
- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 416183 - [1.8][compiler][null] Overload resolution fails with null annotations
- \* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 424710 - [1.8][compiler] CCE in SingleNameReference.localVariableBinding
- \* Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation
- \* Bug 424415 - [1.8][compiler]
- Eventual resolution of ReferenceExpression is not seen to be happening.
- \* Bug 426366 - [1.8][compiler] Type inference doesn't handle multiple candidate target types in outer overload context
- \* Bug 426290 - [1.8][compiler] Inference + overloading => wrong method resolution ?
- \* Bug 426589 - [1.8][compiler] Compiler error with generic method/constructor invocation as vargs argument
- \* Bug 426590 - [1.8][compiler] Compiler error with ternary operator
- \* Bug 426764 - [1.8] Presence of conditional expression as method argument confuses compiler
- \* Bug 426998 - [1.8][compiler] method(java.lang.Class, java.lang.String) not applicable for the arguments (java.lang.Class, java.lang.String)
- \* Bug 423505 - [1.8] Implement "18.5.4 More Specific Method Inference"
- \* Bug 427196 - [1.8][compiler] Compiler error for method reference to overloaded method
- \* Bug 427483 - [Java 8] Variables in lambdas sometimes can't be resolved
- \* Bug
- 427728 - [1.8] Type Inference rejects calls requiring boxing/unboxing
- \* Bug 427218 - [1.8][compiler] Verify error varargs + inference
- \* Bug 426836 - [1.8] special handling for return type in references to method getClass()?
- \* Bug 427628 - [1.8] regression : The method \* is ambiguous for the type \*
- \* Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- \* Bug 428366 - [1.8] [compiler] The method valueAt(ObservableList<Object>, int) is ambiguous for the type
- Bindings
- \* Bug 424728 - [1.8][null] Unexpected error: The nullness annotation 'XXXX' is not applicable at this location

- \* Bug 428811 - [1.8][compiler] Type witness unnecessarily required
- \* Bug 429424 - [1.8][inference] Problem inferring type of method's parameter
- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- \* Bug 434570 - Generic type mismatch for parametrized class annotation attribute with inner class
- \* Bug 434483 - [1.8][compiler][inference] Type inference not picked up with method reference
- \* Bug 441734 - [1.8][inference] Generic method with nested parameterized type argument fails on method reference
- \* Bug 452194 - Code no longer compiles in 4.4.1, but with confusing error
- \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- \* Bug 456236 - [1.8][null] Cannot infer type when constructor argument is annotated with @Nullable
- \* Bug 437072 - [compiler][null] Null analysis emits possibly incorrect warning for new int[][] despite @NonNullByDefault
- \* Bug 462083 - [1.8][inference] Java 8 generic return type mismatch with interface involving type parameter.
- \* Jesper S Moller - Contributions for
- \* Bug 378674 - "The method can be declared as static" is wrong
- \* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
- \* Andy Clement (GoPivotal, Inc)  
aclement@gopivotal.com - Contributions for
- \* Bug 405104 - [1.8][compiler][codegen] Implement support for serializeable lambdas
- \* Pierre-Yves B. <pyvesdev@gmail.com> - Contributions for
- \* Bug 559618 - No compiler warning for import from same package
- \* Bug 560630 - No warning on unused import on class from same package

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/Scope.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2015 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ArrayReference.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 440687 - [compiler][batch][null] improve command line option for external annotations
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/FileSystem.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2006, 2018 BEA Systems, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* wharley@bea.com - initial API and implementation
* philippe.marschall@netcetera.ch - Fix for 338370
* IBM Corporation - Fix for validating relative name
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/BatchFilerImpl.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2016, 2019 IBM Corporation and others.
*

```

\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ModuleBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2019 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for

\* Bug 473178

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ConstraintExpressionFormula.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

- \* Benjamin Muskalla - Contribution for bug 239066
- \* Stephan Herrmann - Contributions for
  - bug 236385 - [compiler] Warn for potential programming problem if an object is created but not used
  - bug 295551 - Add option to automatically promote all warnings to errors
  - bug 349326 - [1.7] new warning for missing try-with-resources
- \* bug 186342 - [compiler][null] Using annotations for null checking
- \* bug
  - 370639 - [compiler][resource] restore the default for resource leak warnings
- \* bug 366063 - Compiler should not add synthetic @NonNull annotations
- \* bug 374605 - Unreasonable warning for enum-based switch statements
- \* bug 388281 - [compiler][null] inheritance of null annotations as an option
- \* bug 381443 - [compiler][null] Allow parameter widening from @NonNull to unannotated
- \* bug 383368 - [compiler][null] syntactic null analysis for field references
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.
- \* Jesper Steen Moller - Contributions for
  - bug 404146 - [1.7][compiler] nested try-catch-finally-blocks leads to unrunnable Java byte code
  - bug 407297 - [1.8][compiler] Control generation of parameter names by option

\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/CompilerOptions.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*

\* Copyright (c) 2000, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.

\* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables

\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/BaseTypeBinding.java



No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2005, 2012 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

`/ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/MarkerAnnotation.java`

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2012, 2020 GK Software SE, IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Stephan Herrmann - initial API and implementation
*****/

```

Found in path(s):

`/ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ImplicitNullAnnotationVerifier.java`

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*

```

- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* Jesper S Moller - Contributions for
- \* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
- \* Bug 384687 - [1.8] Wildcard type arguments should be rejected for lambda and reference expressions
- \* Bug 416885 - [1.8][compiler] IncompatibleClassChange error (edit)
- \* Stephan Herrmann - Contribution for
- \* bug 402028 - [1.8][compiler] null analysis for reference expressions
- \* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super via I.super.m() syntax
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled
- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
- \* Bug 424637 - [1.8][compiler][null] AIOOB in ReferenceExpression.resolveType with a method reference to Files::walk
- \* Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.
- \* Bug 424403 - [1.8][compiler] Generic method call with method reference argument fails to resolve properly.
- \* Bug 427196 - [1.8][compiler] Compiler error for method reference to overloaded method
- \* Bug 427438
- [1.8][compiler] NPE at  
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- \* Bug 428264 - [1.8] method reference of generic class causes problems (wrong inference result or NPE)
- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 426537 - [1.8][inference] Eclipse compiler thinks I<? super J> is compatible with I<J<?>> - raw type J involved
- \* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
- \* Bug 435689 - [1.8][inference] Type inference not occurring with lambda expression and method reference
- \* Bug 438383 - [1.8][null] Bogus warning: Null type safety at method return type
- \* Bug 434483 - [1.8][compiler][inference] Type inference not picked up with method reference
- \* Bug 441734 - [1.8][inference] Generic method with nested parameterized type argument fails on method reference
- \* Bug 438945 - [1.8] NullPointerException
- InferenceContext18.checkExpression in java 8 with generics, primitives, and overloading
- \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- \* Bug 448709 - [1.8][null] ensure we don't infer types that violate null constraints on a type parameter's bound
- \* Bug 459967 - [null] compiler should know about nullness of special methods like MyEnum.valueOf()
- \* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
- \* Bug 470542 - NullPointerException in ReferenceExpression.isPotentiallyCompatibleWith (962)
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contribution for
- \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ReferenceExpression.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2018 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 440687 - [compiler][batch][null] improve command line option for external annotations
* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
* Bug 473178
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathDirectory.java  
No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2014 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for bug 349326 - [1.7] new warning for missing try-with-resources
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemReferenceBinding.java  
No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/

```

```

*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* bug 383368 - [compiler][null] syntactic null analysis for field references
* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check
* Jesper S Moller - Contributions for
* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/CompoundAssignment.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2006, 2017 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Walter Harley - Patch for ensuring the parent folders are created
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/tool/EclipseFileObject.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/util/EclipseFileObject.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2016, 2018 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:

```

\* IBM Corporation - initial API and implementation

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/RequiresStatement.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2009 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/AptBinaryLocalVariableBinding.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Tom Tromey - Contribution for bug 125961

\* Tom Tromey - Contribution for bug 159641

\* Benjamin Muskalla - Contribution for bug 239066

\* Stephan Herrmann - Contributions for

\* bug 236385 - [compiler] Warn for potential programming problem if an object is created but not used

\* bug 295551 - Add option to automatically promote all warnings to errors

\* bug 359721 - [options] add command line option

for new warning token "resource"

\* bug 365208 - [compiler][batch] command line options for annotation based null analysis

\* bug 374605 - Unreasonable warning for enum-based switch statements

- \* bug 375366 - ECJ ignores unusedParameterIncludeDocCommentReference unless enableJavadoc option is set
- \* bug 388281 - [compiler][null] inheritance of null annotations as an option
- \* bug 381443 - [compiler][null] Allow parameter widening from @NonNull to unannotated
- \* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation
- \* Bug 440687 - [compiler][batch][null] improve command line option for external annotations
- \* Bug 408815 - [batch][null] Add CLI option for

#### COMPILER\_PB\_SYNTACTIC\_NULL\_ANALYSIS\_FOR\_FIELDS

- \* Jesper S Moller - Contributions for
- \* bug 407297 - [1.8][compiler] Control generation of parameter names by option
- \* Mat Booth - Contribution for bug 405176
- \* Frits Jalvingh -
- fix for bug 533830.

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/Main.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Jesper S Moller - Contributions for

\* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335

\* Bug 406982 - [1.8][compiler] Generation of MethodParameters Attribute in classfile

\* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for

\* Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas

\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ClassFileConstants.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

```
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*
* Jesper S Moller - Contributions for
* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/Opcodes.java

No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* daolaf@gmail.com - Contribution for bug 3292227
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/Util.java

No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
```

\* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check  
\* Bug 453483 - [compiler][null][loop] Improve null analysis for loops  
\* Bug 421035 - [resource] False alarm of resource leak warning when casting a closeable in its assignment  
\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/flow/ExceptionHandlingFlowContext.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*/

\* Copyright (c) 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/IPolyExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*/

\* Copyright (c) 2011 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/PolymorphicMethodBinding.java

No license file was found, but licenses were detected in source scan.



/\*\*\*\*\*

\* Copyright (c) 2011, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for

\* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\* Bug 409246 - [1.8][compiler] Type annotations on catch parameters not handled properly

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/MultiCatchExceptionLabel.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2020, 2021 IBM Corporation.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/RecordComponentElementImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2015 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

```
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 331649 - [compiler][null] consider null annotations for fields
* bug 383368 - [compiler][null] syntactic null analysis for field references
* Jesper S Moller - Contributions for
* Bug 378674 - "The method can be declared as static" is wrong
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ThisReference.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2019 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ComponentInfoWithTypeAnnotation.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/TextBlock.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/CompactConstructorDeclaration.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 440474 - [null] textual encoding of external null annotations
```

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SignatureWrapper.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2005, 2016 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* [het@google.com](mailto:het@google.com) - Bug 441790

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/AnnotationMirrorImpl.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2003, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/CatchParameterBinding.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* Nick Teryaev - fix for bug ([https://bugs.eclipse.org/bugs/show\\_bug.cgi?id=40752](https://bugs.eclipse.org/bugs/show_bug.cgi?id=40752))
- \* Stephan Herrmann - Contributions for
- \* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
- \* bug 349326 - [1.7] new warning for missing try-with-resources
- \* bug 186342 - [compiler][null] Using annotations for null checking
- \* bug 358903 - Filter practically unimportant resource leak warnings
- \* bug
- 370639 - [compiler][resource] restore the default for resource leak warnings
- \* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
- \* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
- \* bug 379784 - [compiler] "Method can be static" is not getting reported
- \* bug 379834 - Wrong "method can be static" in presence of qualified super and different staticness of nested super class.
- \* bug 388281 - [compiler][null] inheritance of null annotations as an option
- \* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
- \* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional
- \* bug 381445 - [compiler][resource] Can the resource leak check be made aware of Closeables.closeQuietly?
- \* bug 331649 - [compiler][null] consider null annotations for fields
- \* bug 383368 - [compiler][null] syntactic null analysis for field references
- \* bug 382069 - [null] Make the null analysis consider JUnit's assertNotNull similarly to assertions
- \* bug 382350 - [1.8][compiler] Unable to invoke inherited default method via I.super.m() syntax
- \* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super
- \* bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields
- \* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- \* Bug 405569 - Resource leak check false positive when using DbUtils.closeQuietly
- \* Bug 411964 - [1.8][null] leverage null type annotation in foreach statement
- \* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.
- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
- \* Bug 424710 - [1.8][compiler] CCE in SingleNameReference.localVariableBinding
- \* Bug 425152 - [1.8] [compiler] Lambda Expression not resolved but flow analyzed leading to NPE.
- \* Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation
- \* Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.
- \* Bug 426366 - [1.8][compiler] Type inference doesn't handle multiple candidate target types in outer overload context
- \* Bug 426290 - [1.8][compiler] Inference + overloading => wrong method resolution ?

- \* Bug 427483 - [Java 8] Variables in lambdas sometimes can't be resolved
- \* Bug 427438 - [1.8][compiler]

NPE at org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

- \* Bug 426996 - [1.8][inference] try to avoid method Expression.unresolve()?
- \* Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- \* Bug 429430 - [1.8] Lambdas and method reference infer wrong exception type with generics (RuntimeException instead of IOException)
- \* Bug 441734 - [1.8][inference] Generic method with nested parameterized type argument fails on method reference
- \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- \* Bug 456487 - [1.8][null] @Nullable type variant of @NonNull-constrained type parameter causes grief
- \* Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null
- \* Bug 472618 - [compiler][null] assertNotNotNull vs. Assert.assertNotNull
- \* Bug 470958 - [1.8] Unable to convert lambda
- \* Bug 410218 - Optional warning

for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.

- \* Jesper S Moller - Contributions for
- \* Bug 378674 - "The method can be declared as static" is wrong
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
- \* Bug 409245 - [1.8][compiler] Type annotations dropped when call is routed through a synthetic bridge method

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/MessageSend.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files

\* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

\* Bug 417295 - [1.8][null] Massage type annotated

null analysis to gel well with deep encoded type bindings.

\* Bug 425152 - [1.8] [compiler] Lambda Expression not resolved but flow analyzed leading to NPE.

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ParameterizedMethodBinding.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contribution for  
\* bug 382350 - [1.8][compiler] Unable to invoke inherited default method via I.super.m() syntax  
\* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super  
\* Jesper S Moller <jesper@selskabet.org> - Contributions for  
\* bug 378674 - "The method can be declared as static" is wrong  
\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/QualifiedThisReference.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2005, 2016 BEA Systems, Inc.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* tyeung@bea.com - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/AnnotationMethodInfoWithAnnotations.java  
\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/AnnotationMethodInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 400710 - [1.8][compiler] synthetic access to default method generates wrong code

\* bug 391376 - [1.8] check interaction of default methods with bridge methods and generics

\* bug 421543 - [1.8][compiler] Compiler fails to recognize default method being turned into abstract by subtype

\* Jesper S Moller - Contributions for

\* Bug 405066 - [1.8][compiler][codegen] Implement

code generation infrastructure for JSR335

\* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for

\* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\* Bug 409247 - [1.8][compiler] Verify error with code allocating multidimensional array

\* Bug 409236 - [1.8][compiler] Type annotations on intersection cast types dropped by code generator

\* Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation

\* Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas

\* Bug 449467 - [1.8][compiler] Invalid lambda deserialization with anonymous class

\* Olivier Tardieu ([tardieu@us.ibm.com](mailto:tardieu@us.ibm.com)) - Contributions for

\* Bug 442418 - \$deserializeLambda\$ off-by-one error when deserializing the captured arguments of a lambda that also capture this

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/CodeStream.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2016, 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/INameEnvironmentExtension.java  
\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IModuleAwareNameEnvironment.java  
\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IMultiModuleEntry.java  
\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ProvidesStatement.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2016 GoPivotal, Inc.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*

\* Contributors:  
\* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for  
\* Bug 407191 - [1.8] Binary access support for type annotations  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/MethodInfoWithTypeAnnotations.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*

\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contribution for  
\* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis  
\* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types  
\* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files  
\* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099



- \* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled
- \* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
- \* Bug 427163 - [1.8][null] bogus error "Contradictory null specification" on varargs
- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- \* Bug 434570 - Generic type mismatch for parametrized class annotation attribute with inner class
- \* Bug 434600 - Incorrect null analysis error reporting on type parameters
- \* Bug 439516 - [1.8][null] NonNullByDefault wrongly applied to implicit type bound of binary type
- \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
- \* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 437072 - [compiler][null] Null analysis emits possibly incorrect warning for new int[][] despite @NonNullByDefault
- \* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
  - \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
  - \* Bug 409236 - [1.8][compiler] Type annotations on intersection cast types dropped by code generator
  - \* Bug 415399 - [1.8][compiler] Type annotations on constructor results dropped by the code generator
- \* Jesper S Møller <jesper@selskabet.org> - Contributions for
  - \* bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type
  - \* bug 529556 - [18.3] Add content assist support for 'var' as a type

\*\*\*\*\*/

Found

in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/TypeReference.java
- No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2006 IBM Corporation and others.
- \*
  - \* This program and the accompanying materials
  - \* are made available under the terms of the Eclipse Public License 2.0
  - \* which accompanies this distribution, and is available at
  - \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
  - \* SPDX-License-Identifier: EPL-2.0
- \* Contributors:
  - \* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IGenericMethod.java

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IGenericType.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/ISourceMethod.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IGenericField.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IBinaryNestedType.java
*
/ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/ISourceField.java
No license file was found, but licenses were detected in source scan.
```

```
/******
```

```
* Copyright (c) 2000, 2020 IBM Corporation and others.
```

```
*
```

```
* This program and the accompanying materials
```

```
* are made available under the terms of the Eclipse Public License 2.0
```

```
* which accompanies this distribution, and is available at
```

```
* https://www.eclipse.org/legal/epl-2.0/
```

```
*
```

```
* SPDX-License-Identifier: EPL-2.0
```

```
*
```

```
* Contributors:
```

```
* IBM Corporation - initial API and implementation
```

```
* Stephan Herrmann - Contributions for
```

```
* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE
```

```
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
```

```
* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking
```

```
* Bug 417758 - [1.8][null] Null safety compromise during array creation.
```

```
* Bug
```

```
427163 - [1.8][null] bogus error "Contradictory null specification" on varargs
```

```
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
```

```
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
```

```
* Bug 409247 - [1.8][compiler] Verify error with code allocating multidimensional array
```

```
*****/
```

```
Found in path(s):
```

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ArrayAllocationExpression.java
```

```
No license file was found, but licenses were detected in source scan.
```

```
/******
```

```
* Copyright (c) 2000, 2021 IBM Corporation and others.
```

```
*
```

```
* This program and the accompanying materials
```

```
* are made available under the terms of the Eclipse Public License 2.0
```

```
* which accompanies this distribution, and is available at
```

```
* https://www.eclipse.org/legal/epl-2.0/
```

```
*
```

```
* SPDX-License-Identifier: EPL-2.0
```

```
*
```

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Carmi Grushko - Bug 465048 - Binding is null for class literals in synchronized blocks

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/SynchronizedStatement.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2013, 2014 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/Invocation.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2015, 2017 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/ITypeAnnotationWalker.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2012, 2013 IBM Corporation and others.

\*

```

* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's
work)
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/AnnotationContext.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2018 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 365519 - editorial cleanup after bug 186342 and bug 365387
* bug 388281 - [compiler][null] inheritance of null annotations as an option
* bug 388795 - [compiler] detection of name clash depends on order of super interfaces
* bug 388739 - [1.8][compiler] consider default methods when detecting whether
a class needs to be declared abstract
* bug 390883 - [1.8][compiler] Unable to override default method
* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
* bug 401246 - [1.8][compiler] abstract class method should now trump conflicting default methods
* bug 401796 - [1.8][compiler] don't treat default methods as overriding an independent inherited abstract method
* bug 403867 - [1.8][compiler] Suspect error about duplicate default methods
* bug 391376 - [1.8] check interaction of default methods with bridge methods and generics
* bug 395681 - [compiler] Improve simulation of javac6 behavior from bug 317719 after fixing bug 388795
* bug 409473 - [compiler] JDT cannot compile against JRE 1.8
* Bug 420080 - [1.8] Overridden Default method is reported as duplicated
* Bug 404690 - [1.8][compiler] revisit bridge generation after VM bug is fixed

```

- \* Bug 410325 - [1.7][compiler] Generified method override different between javac and eclipse compiler
- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- \* Bug 390889 - [1.8][compiler] Evaluate options to support 1.7- projects against 1.8 JRE.
- \* Bug 440773 - [1.8][null]DefaultLocation.RETURN\_TYPE erroneously affects method parameters in @NonNullByDefault
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 446442 - [1.8] merge null annotations from super methods

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/MethodVerifier15.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* Bug 428811 - [1.8][compiler] Type witness unnecessarily required

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/PolyTypeBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2008, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/core/compiler/batch/BatchCompiler.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 364890 - BinaryTypeBinding should use char constants from Util

\* bug 365387 - [compiler][null] bug 186342: Issues to follow up post review and verification.

\* bug 358903 - Filter practically unimportant resource leak warnings

\* bug

365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults

\* bug 388800 - [1.8][compiler] detect default methods in class files

\* bug 388281 - [compiler][null] inheritance of null annotations as an option

\* bug 331649 - [compiler][null] consider null annotations for fields

\* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

\* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled

\* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 427199 - [1.8][resource] avoid resource leak warnings on Streams that have no resource

\* Bug 392245 - [1.8][compiler][null] Define whether

/ how @NonNullByDefault applies to TYPE\_USE locations

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Bug 390889 - [1.8][compiler] Evaluate options to support 1.7- projects against 1.8 JRE.

\* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables

\* Bug 439516 - [1.8][null] NonNullByDefault wrongly applied to implicit type bound of binary type

\* Bug 434602 - Possible error with inferred null annotations leading to contradictory null annotations

\* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation

\* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull

\* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations

\* Bug 453475 - [1.8][null] Contradictory null annotations (4.5 M3 edition)

\* Bug 454182 - Internal compiler error when using

1.8 compliance for simple project

\* Bug 470467 - [null] Nullness of special Enum methods not detected from .class file

\* Bug 447661 - [1.8][null] Incorrect 'expression needs unchecked conversion' warning

\* Jesper Steen Moller - Contributions for

- \* Bug 412150 [1.8] [compiler] Enable reflected parameter names during annotation processing
- \* Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
- \* Sebastian Zarnekow - Contributions for
- \* bug 544921 - [performance] Poor performance with large source files
- \* Alexander Lehmann - Contributions for
- \* bug 566258 - Intermittent NPE in APT RoundDispatcher

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/BinaryTypeBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2019 IBM Corporation and others.

- \*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

- \*

- \* SPDX-License-Identifier: EPL-2.0

- \*

- \* Contributors:

- \* IBM Corporation - initial API and implementation

- \* Stephan Herrmann - Contribution for

- \* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types

- \* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.

- \* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files

- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

- \* Bug

415291 - [1.8][null] differentiate type incompatibilities due to null annotations

- \* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled

- \* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables

- \* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.

- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

- \* Bug 425460 - [1.8] [inference] Type not inferred on stream.toArray

- \* Bug 426792 - [1.8][inference][impl] generify new type inference engine

- \* Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.

- \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables

- \* Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable

- \* Bug 441693 -

[1.8][null] Bogus warning for type argument annotated with @NonNull

- \* Jesper S Møller - Contributions for bug 381345 : [1.8] Take care of the Java 8 major version

- \* Bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ArrayBinding.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 400710 - [1.8][compiler] synthetic access to default method generates wrong code
* Bug 459967 - [null] compiler should know about nullness of special methods like MyEnum.valueOf()
* Bug 470467 - [null] Nullness of special Enum methods not detected from .class file
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 405104 -
* [1.8][compiler][codegen] Implement support for serializable lambdas
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SyntheticMethodBinding.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 365662 - [compiler][null] warn on contradictory and redundant null annotations
* bug 331649 - [compiler][null] consider null annotations for fields
* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 415043 - [1.8][null] Follow-up re null type annotations
* after bug 392099
* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled
*****/

```



- \* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
- \* Bug 424728 - [1.8][null] Unexpected error: The nullness annotation 'XXXX' is not applicable at this location
- \* Bug 392245 - [1.8][compiler][null] Define whether / how @NonNullByDefault applies to TYPE\_USE locations
- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 457210 - [1.8][compiler][null] Wrong Nullness errors given on full build build but not on incremental build?
- \* Bug 469584 - ClassCastException in Annotation.detectStandardAnnotation (320)
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
- \* Bug 409517 - [1.8][compiler] Type annotation problems on more elaborate array references
- \* Bug 415397 - [1.8][compiler] Type Annotations on wildcard type argument dropped
- \* Bug 414384 - [1.8] type annotation on abbreviated inner class is not marked as inner type
- \* Jesper S Moller <jesper@selskabet.org> - Contributions for
- \* Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
- \* Bug 412151 - [1.8][compiler] Check repeating annotation's collection type
- \* Bug 412149 - [1.8][compiler] Emit repeated annotations into the designated container
- \* Bug 419209 - [1.8] Repeating container annotations should be rejected in the presence of annotation it contains

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/Annotation.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\*Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* Bug 429813 - [1.8][dom ast] IMethodBinding#getJavaElement() should return IMethod for lambda

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/Initializer.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation  
 \* Stephan Herrmann - Contributions for  
 \* bug 349326 - [1.7] new warning for missing try-with-resources  
 \* bug 186342 - [compiler][null] Using annotations for null checking  
 \* bug 365519 - editorial cleanup after bug 186342 and bug 365387  
 \* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK  
 \* bug 382353 - [1.8][compiler] Implementation property modifiers should  
 be accepted on default methods.  
 \* bug 383368 - [compiler][null] syntactic null analysis for field references  
 \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis  
 \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations  
 \* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables  
 \* Bug 438012 - [1.8][null] Bogus Warning: The nullness annotation is redundant with a default that applies to this  
 location  
 \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations  
 \* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param  
 \* Jesper S Moller <jesper@selskabet.org> - Contributions for  
 \* bug 378674 - "The method can be declared as static" is wrong  
 \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/MethodDeclaration.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

- \* bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields
- \* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/AssertStatement.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2016 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 332637 - Dead Code detection removing code that isn't dead

\* bug 391517 - java.lang.VerifyError on code that runs correctly in Eclipse 3.7 and eclipse 3.6

\* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/flow/ConditionalFlowInfo.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2015, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Kenneth Olson - initial API and implementation

\* Dennis Hendriks - initial API and implementation

\* IBM Corporation - Contribution for bug 188796

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathJsr199.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2015 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/tool/Util.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/util/Options.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/tool/Archive.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/util/ArchiveFileObject.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/util/Util.java

\*

/ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/tool/ArchiveFileObject.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for

\* bug 185682 - Increment/decrement operators mark local variables as read

\* bug 331649 - [compiler][null] consider null annotations for fields

\* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 447088 - [null] @Nullable on fully qualified field type is ignored

\* Bug 435805 - [1.8][compiler][null]

Java 8 compiler does not recognize declaration style null annotations

\* Bug 458396 - NPE in CodeStream.invoke()

\* Bug 446217 - [null] @NonNullByDefault in package-info.java causes bogus "null type safety" warning

\* Till Brychcy - Contribution for  
\* bug 467094 - [1.8][null] TYPE\_USE NullAnnotations of array contents are applied to field.  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/FieldBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2014, 2017 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SyntheticFactoryMethodBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Gauthier JACQUES - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/tool/EclipseCompilerRequestor.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/BatchCompilerRequestor.java

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2007, 2015 IBM Corporation and others.

This program and the accompanying materials  
are made available under the terms of the Eclipse Public License 2.0  
which accompanies this distribution, and is available at  
<https://www.eclipse.org/legal/epl-2.0/>

SPDX-License-Identifier: EPL-2.0

Contributors:

IBM Corporation - initial API and implementation

-->

Found in path(s):

\* /ecj-3-26-0-sources-jar/build.xml

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 370930 - NonNull annotation not considered for enhanced for loops

\* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 393719 - [compiler] inconsistent warnings

on iteration variables

\* Bug 411964 - [1.8][null] leverage null type annotation in foreach statement

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 453483 - [compiler][null][loop] Improve null analysis for loops

\* Bug 415790 - [compiler][resource] Incorrect potential resource leak warning in for loop with close in try/catch

\* Jesper S Moller - Contribution for

\* bug 401853 - Eclipse Java compiler creates invalid bytecode (java.lang.VerifyError)

\* bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ForeachStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2017 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/TypeAnnotationWalker.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/InferenceSubstitution.java

No license file was found, but licenses were detected in source scan.

Public License Version 2.0 (&quot;EPL&quot;). A copy of the EPL is

Found in path(s):

\* /ecj-3-26-0-sources-jar/about.html

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2012, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   IBM Corporation - initial API and implementation

\*   Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for

\*       Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\*       Bug 409247 - [1.8][compiler] Verify error with code allocating multidimensional array

\*       Bug 409517 - [1.8][compiler] Type annotation problems on more elaborate array references

\*

      Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/TypeAnnotationCodeStream.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2016 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Jesper S Moller - Bug 392671
* NPE with a method with explicit this and a following incomplete parameter
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredMethod.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2012 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ContinueStatement.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2006, 2018 BEA Systems, Inc. and others
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at

```



\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* wharley@bea.com - initial API and implementation

\* IBM Corporation - Fix for bug 341494

\* IBM Corporation - Fix for bug 328575

\* IBM Corporation - Java 8 support

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/ElementsImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Jesper S Moller - Contributions for

\* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression

\* Stephan Herrmann - Contribution for

\* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 416182 - [1.8][compiler][null]

Contradictory null annotations not rejected

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemReasons.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

```

* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 365662 - [compiler][null] warn on contradictory and redundant null annotations
* bug 401030 - [1.8][null] Null analysis support for lambda methods.
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
*****/

```

Found

in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/LocalTypeBinding.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2017 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/AnnotationMethodDeclaration.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/ICompilationUnit.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ClassLiteralAccess.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredField.java
*
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/CompilationResult.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredUnit.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathLocation.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredElement.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/INameEnvironment.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/NameEnvironmentAnswer.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2006, 2014 BEA Systems, Inc. and others
*
* This program and the accompanying materials

```

\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* wharley@bea.com - initial API and implementation

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/HookedJavaFileObject.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365519 - editorial cleanup after bug 186342 and bug 365387

\* Bug 434570 - Generic type mismatch for parametrized class annotation attribute with inner class

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/MemberValuePair.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2011, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contribution for  
\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/UnionTypeReference.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*  
\* Copyright (c) 2005, 2009 BEA Systems, Inc.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* tyeung@bea.com - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IBinaryElementValuePair.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*  
\* Copyright (c) 2000, 2020 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephen Herrmann <stephan@cs.tu-berlin.de> - Contributions for  
\* bug 317046 - Exception during debugging when hover mouse over a field  
\* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.  
\* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types  
\* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class  
files  
\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis  
\* Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations  
\* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.

- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
- \* Bug 424712 - [1.8][compiler] NPE in TypeBinding.isProvablyDistinctTypeArgument
- \* Bug 426792 - [1.8][inference][impl] generify new type inference engine
- \* Bug 426764 - [1.8] Presence of conditional expression as method argument confuses compiler
- \* Bug 423505 - [1.8] Implement "18.5.4 More Specific Method Inference"
- \* Bug 427626 - [1.8] StackOverflow while typing new ArrayList<String>().toArray( and asking for code completion
- \* Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.
- \* Bug 435962 - [RC2] StackOverFlowError when building
- \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
- \* Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable
- \* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
- \* Bug 446434 - [1.8][null] Enable interned captures also when analysing null type annotations
- \* Jesper S Moller <jesper@selskabet.org> - Contributions for
- \* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
- \* bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type
- \*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/TypeBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Erling Ellingsen - patch for bug 125570

\* Stephan Herrmann - Contribution for

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Bug 434570 - Generic type mismatch for parametrized class annotation attribute with inner class

\* Sebastian Zarnekow - Contribution for

\* Bug 544921 - [performance] Poor performance with large source files

\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/CompilationUnitScope.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* Bug 328281 - visibility leaks not detected when analyzing unused field in private class
* Bug 300576 - NPE Computing type hierarchy when compliance doesn't match libraries
* Bug 354536 - compiling package-info.java still depends on the order of compilation units
* Bug 349326 - [1.7] new warning for missing try-with-resources
* Bug
358903 - Filter practically unimportant resource leak warnings
* Bug 395977 - [compiler][resource] Resource leak warning behavior possibly incorrect for anonymous inner class
* Bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
* Bug 427199 - [1.8][resource] avoid resource leak warnings on Streams that have no resource
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
* Bug 434570 - Generic type mismatch for parametrized class annotation attribute with inner class
* Bug 444024 - [1.8][compiler][null] Type mismatch error in annotation generics assignment which happens
"sometimes"
* Bug 459967 - [null] compiler should know about nullness of special methods like MyEnum.valueOf()
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com -
Contributions for
* Bug 415821 - [1.8][compiler] CLASS_EXTENDS target type annotation missing for anonymous
classes
* het@google.com - Bug 456986 - Bogus error when annotation processor generates annotation type
* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
* Bug 473178
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ClassScope.java  
No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2018, 2020 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*

```

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/SwitchExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*

\* Copyright (c) 2007 - 2017 BEA Systems, Inc. and others

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Walter Harley - initial API and implementation

\* IBM Corporation - fix for 342598, 382590

\* Jean-Marie Henaff <jmhenaff@google.com> (Google) - Bug 481555

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/TypesImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*

\* Copyright (c) 2006, 2018 BEA Systems, Inc.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* wharley@bea.com - initial API and implementation

\* IBM Corporation - fix for 342598

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/DeclaredTypeImpl.java

No license file was found, but licenses were detected in source scan.

```

/*****
 * Copyright (c) 2000, 2009 IBM Corporation and others.
 *
 * This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License 2.0
 * which accompanies this distribution, and is available at
 * https://www.eclipse.org/legal/epl-2.0/
 *
 * SPDX-License-Identifier: EPL-2.0
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 *****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/ISourceImport.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IDependent.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/CaseLabel.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/IDebugRequestor.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/FalseLiteral.java
*
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/AccessRule.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfIntValues.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/CharLiteral.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/OperatorIds.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemBinding.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/Label.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/SimpleSet.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/LongCache.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/StringLiteralConcatenation.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/InnerClassInfo.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ClassFileStruct.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocReturnStatement.java
*
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ExtendedStringLiteral.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/MagicLiteral.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/problem/AbortCompilationUnit.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/problem/AbortMethod.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/IProblemFactory.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/problem/AbortType.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/SimpleLookupTable.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/TrueLiteral.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemFieldBinding.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ICompilerRequestor.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/FloatCache.java
*

```



```

/ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/antadapter/AntAdapterMessages.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SyntheticArgumentBinding.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocSingleNameReference.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/InnerEmulationDependency.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SyntheticFieldBinding.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfInt.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ParameterizedFieldBinding.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/SubRoutineStatement.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfLong.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/PostfixExpression.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/diagnose/RangeUtil.java
*
/ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/PrefixExpression.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/ObjectCache.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/AnnotationHolder.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/NLSTag.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/DoubleCache.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfType.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/problem/ShouldNotImplement.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/IntegerCache.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredImport.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfObjectToIntArray.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfObjectToInt.java
*
/ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocArrayQualifiedTypeReference.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/AccessRestriction.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/problem/AbortCompilation.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ImportConflictBinding.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2006, 2017 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/util/Archive.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathSourceJar.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 365519 - editorial cleanup after bug 186342 and bug 365387
* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
* bug 385626 - @NonNull fails across
* loop boundaries
* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred
* checking
* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
* Bug 455723 - Nonnull argument not correctly inferred in loop
* Jesper S Moller - Contributions for
* bug 404657 - [1.8][compiler] Analysis for effectively final variables fails to consider loops
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/flow/FinallyFlowContext.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2018 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files

```

- \* Bug 416174 - [1.8][compiler][null] Bogus name clash error with null annotations
- \* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
- \* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
- \* Bug 425783 - An

internal error occurred during: "Requesting Java AST from selection". java.lang.StackOverflowError

- \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
- \* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/RawTypeBinding.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

- \* Copyright (c) 2006, 2019 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/tool/EclipseFileManager.java
- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/StackMapFrameCodeStream.java
- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/util/EclipseFileManager.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

- \* Copyright (c) 2000, 2021 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - Contributions for
- \* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
- \* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\* Bug 415790 - [compiler][resource]Incorrect potential resource leak warning in for loop with close in try/catch

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/DoStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2005, 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 359362 - FUP of bug 349326: Resource leak on non-Closeable resource

\* bug 358903 - Filter practically unimportant resource leak warnings

\* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 400874 - [1.8][compiler] Inference infrastructure

should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"

\* Bug 426676 - [1.8][compiler] Wrong generic method type inferred from lambda expression

\* Bug 427411 - [1.8][generics] JDT reports type mismatch when using method that returns generic type

\* Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.

\* Bug 435962 - [RC2] StackOverflowError when building

\* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables

\* Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable

\* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/WildcardBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2018 Till Brychcy and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Till Brychcy - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ParameterNonNullDefaultProvider.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Jesper S Moller - Contributions for

\* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335

\* Bug 406982 - [1.8][compiler] Generation of MethodParameters Attribute in classfile

\* Bug 416885 - [1.8][compiler]IncompatibleClassChange error (edit)

\* Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable

\* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com

- Contributions for

\* Bug 405104 - [1.8][compiler][codegen] Implement support for serializeable lambdas

\* Bug 439889 - [1.8][compiler] [lambda] Deserializing lambda fails with IllegalArgumentException:  
"Invalid lambda deserialization"

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/ConstantPool.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

```
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/CompilationUnit.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/LabeledStatement.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/problem/DefaultProblem.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/Substitution.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/ITypeRequestor.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2000, 2015 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 331649 - [compiler][null] consider null annotations for fields
* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 458396 - NPE in CodeStream.invoke()
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/VariableBinding.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
```

- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - Contribution for
- \* Bug 365992 - [builder] [null] Change of nullness for a parameter doesn't trigger a build for the files that call the method
- \* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation
- \* Bug 440687 - [compiler][batch][null] improve command line option for external annotations
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \*

bug 407191 - [1.8] Binary access support for type annotations

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ClassFileReader.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 433478 - [compiler][null] NPE in ReferenceBinding.isCompatibleWith

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemMethodBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

- \* Stephan Herrmann - Contributions for
- \* bug 332637 - Dead Code detection removing code that isn't dead
- \* bug 358827 - [1.7] exception analysis for t-w-r spoils null analysis
- \* bug 349326 - [1.7] new warning for missing try-with-resources
- \* bug 359334 - Analysis for resource leak warnings does not consider exceptions as method exit points
- \* bug 358903 - Filter practically unimportant resource leak warnings
- \* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
- \* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
- \* bug 401088 - [compiler][null] Wrong warning "Redundant null check" inside nested try statement
- \* bug 401092 - [compiler][null] Wrong warning "Redundant null check" in outer catch of nested try
- \* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check
- \* bug 384380 - False positive on a ?? Potential null pointer access ?? after a continue
- \* Bug 415790 - [compiler][resource] Incorrect potential resource leak warning in for loop with close in try/catch
- \* Bug 371614 - [compiler][resource] Wrong "resource leak" problem on return/throw inside while loop
- \* Bug 444964 - [1.7+][resource] False resource leak warning (try-with-resources for ByteArrayOutputStream - return inside for loop)
- \* Jesper Steen Moller - Contributions for
- \* bug 404146 - [1.7][compiler] nested try-catch-finally-blocks leads to unrunnable Java byte code
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/TryStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 335093 - [compiler][null] minimal hook for future null annotation support

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365983 - [compiler][null] AIOOB with null annotation analysis and varargs

\* bug 368546 - [compiler][resource] Avoid remaining false positives found when



compiling the Eclipse SDK

- \* bug 370930 - NonNull annotation not considered for enhanced for loops
  - \* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
  - \* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
  - \* bug 331649 - [compiler][null] consider null annotations for fields
  - \* bug 383368 - [compiler][null] syntactic null analysis for field references
  - \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
  - \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
  - \* Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations
  - \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
  - \* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking
  - \* Bug 417758 - [1.8][null] Null safety compromise
- during array creation.
- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
  - \* Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.
  - \* Bug 418537 - [1.8][null] Fix null type annotation analysis for poly conditional expressions
  - \* Bug 428352 - [1.8][compiler] Resolution errors don't always surface
  - \* Bug 429430 - [1.8] Lambdas and method reference infer wrong exception type with generics (RuntimeException instead of IOException)
  - \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
  - \* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
  - \* Bug 455723 - Nonnull argument not correctly inferred in loop
  - \* Andy Clement - Contributions for
    - \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
    - \* Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation
- \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/Statement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for

\* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

\* bug 292478 - Report potentially null across variable assignment

\* bug 335093 - [compiler][null] minimal hook for future null annotation support

- \* bug 349326 - [1.7] new warning for missing try-with-resources
- \* bug 186342 - [compiler][null] Using annotations for null checking
- \* bug 358903 - Filter practically unimportant resource leak warnings
- \* bug 370639 - [compiler][resource] restore the default for resource leak warnings
- \* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
- \* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
- \* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional
- \* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
- \* bug 383368 - [compiler][null] syntactic null analysis for field references
- \* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

- \* Bug 430150 - [1.8][null] stricter checking against type variables
- \* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
- \* Jesper S Moller - Contributions for
- \* Bug 378674 - "The method can be declared as static" is wrong
- \* Bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type
- \* Bug 529556 - [18.3] Add content assist support for 'var' as a type
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation
- \* Bug 426616 - [1.8][compiler] Type Annotations, multiple problems

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/LocalDeclaration.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/VoidTypeBinding.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/NullTypeBinding.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2016, 2017 GK Software AG.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Stephan Herrmann - initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ExternalAnnotationSuperimposer.java  
No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2019, 2021 IBM Corporation.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v2.0
* which accompanies this distribution, and is available at
* http://www.eclipse.org/legal/epl-v20.html
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathJep247Jdk12.java  
No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2020, 2021 Andrey Loskutov and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Andrey Loskutov <loskutov@gmx.de> - initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/CtSym.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2008, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ReadManager.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveryScanner.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2012, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

```

*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's
work)
* Stephan Herrmann - Contribution for
* Bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
*****/

```

Found in

path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/AnnotationTargetTypeConstants.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* bug 383368 - [compiler][null] syntactic null analysis for field references
* bug 403147 - [compiler][null] FUP of bug 400761:
consolidate interaction between unboxing, NPE, and deferred checking
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/IfStatement.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2013 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at

```

```
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Perry James - nullStatus method improvement (165346)
* Stephan Herrmann - Contribution for
* bug 383368 - [compiler][null] syntactic null analysis for field references
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/OperatorExpression.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2000, 2017 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/flow/LabelFlowContext.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2000, 2018 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
```

- \* bug 292478 - Report potentially null across variable assignment,
- \* bug 185682 - Increment/decrement operators mark local variables as read
- \* bug 331649 - [compiler][null] consider null annotations for fields
- \* bug 383368 - [compiler][null] syntactic null analysis for field references
- \* Bug 412203 - [compiler] Internal compiler error: java.lang.IllegalArgumentException: info cannot be null
- \* Bug 458396 - NPE in CodeStream.invoke()
- \* Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null
- \* Jesper S Moller - <jesper@selskabet.org> - Contributions for
  - \* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment
  - \* bug 378674 - "The method can be declared as static" is wrong
  - \* bug 404657 - [1.8][compiler] Analysis for effectively final variables fails to consider loops
  - \* bug 527554 - [1.8.3] Compiler support for JEP 286 Local-Variable Type

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/SingleNameReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2021 IBM Corporation and others.

- \*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

- \*

- \* SPDX-License-Identifier: EPL-2.0

- \*

- \* Contributors:

- \* IBM Corporation - initial API and implementation

- \* Jesper S Moller - Contributions for

- \* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335

- \* Bug 406982 - [1.8][compiler] Generation of MethodParameters Attribute in classfile

- \* Bug 416885 - [1.8][compiler] IncompatibleClassChange error (edit)

- \* Bug 412149 - [1.8][compiler] Emit repeated annotations into the designated container

- \* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com)

- Contributions for

- \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

- \* Bug 409236 - [1.8][compiler] Type annotations on intersection cast types dropped by code generator

- \* Bug 409246 - [1.8][compiler] Type annotations on catch parameters not handled properly

- \* Bug 415541 - [1.8][compiler] Type annotations in the body of static initializer get dropped

- \* Bug 415399 - [1.8][compiler] Type annotations on constructor results dropped by the code generator

- \* Bug 415470 - [1.8][compiler] Type annotations on class declaration go vanishing

- \* Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas

\* Bug 434556 - Broken class file generated for incorrect annotation usage  
\* Bug 442416  
- \$deserializeLambda\$ missing cases for nested lambdas  
\* Stephan Herrmann - Contribution for  
\* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables  
\* Olivier Tardieu tardieu@us.ibm.com - Contributions for  
\* Bug 442416 - \$deserializeLambda\$ missing cases for nested lambdas  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ClassFile.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*  
\* Copyright (c) 2014 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/flow/ExceptionInferenceFlowContext.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*  
\* Copyright (c) 2020, 2021 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/RecordComponentBinding.java



No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2016 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredOpensStatement.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfModule.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredRequiresStatement.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredUsesStatement.java
*
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredModuleStatement.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ModuleStatement.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredPackageVisibilityStatement.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredModuleReference.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredExportsStatement.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredExport.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ExportsStatement.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredProvidesStatement.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredTypeReference.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 186342 - [compiler][null] Using annotations for null checking

```

- \* bug 365519 - editorial cleanup after bug 186342 and bug 365387
- \* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.
- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 435570 - [1.8][null] @NonNullByDefault

illegally tries to affect "throws E"

- \* Bug 438012 - [1.8][null] Bogus Warning: The nullness annotation is redundant with a default that applies to this location
- \* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 409246 - [1.8][compiler] Type annotations on catch parameters not handled properly

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/Argument.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2013, 2015 GK Software AG.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* Stephan Herrmann - initial API and implementation
- \* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
- \* Bug 473178

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ConstraintExceptionFormula.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ConstraintFormula.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2021 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:

- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - Contributions for
- \* bug 349326 - [1.7] new warning for missing try-with-resources
- \* bug 358903 - Filter practically unimportant resource leak warnings
- \* bug 381445 - [compiler][resource] Can the resource leak check be made aware of Closeables.closeQuietly?
- \* bug 400421 - [compiler] Null analysis for fields does not take @com.google.inject.Inject into account
- \* bug 382069 - [null] Make

the null analysis consider JUnit's assertNotNull similarly to assertions

- \* Bug 405569 - Resource leak check false positive when using DbUtils.closeQuietly
- \* Bug 427199 - [1.8][resource] avoid resource leak warnings on Streams that have no resource
- \* Bug 425183 - [1.8][inference] make CaptureBinding18 safe
- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- \* Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.

- \* Jesper S Moller - Contributions for
- \* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
- \* Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
- \* bug 527554 - [1.8.3] Compiler support for JEP 286 Local-Variable Type

- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 405104 - [1.8][compiler][codegen]

Implement support for serializable lambdas

- \* Ulrich Grave <ulrich.grave@gmx.de> - Contributions for
- \* bug 386692 - Missing "unused" warning on "autowired" fields

- \* Pierre-Yves B. <pyvesdev@gmail.com> - Contribution for
- \* bug 542520 - [JUnit 5] Warning The method xxx from the type X is never used locally is shown when using MethodSource

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/TypeConstants.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2019 Simeon Andreev and others.

\*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

\*

- \* SPDX-License-Identifier: EPL-2.0

\*

- \* Contributors:

- \* Simeon Andreev - initial API and implementation

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ReferenceBindingSetWrapper.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2014 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 359334 - Analysis for resource leak warnings does not consider exceptions as method exit points
* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* Bug 429430 - [1.8] Lambdas and method reference infer wrong exception type with
* generics (RuntimeException instead of IOException)
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ThrowStatement.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2006, 2011 BEA Systems, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* wharley@bea.com - initial API and implementation
*
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/ProcessorInfo.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*

```

- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - Contributions for
- \* bug 349326 - [1.7] new warning for missing try-with-resources
- \* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 467032 - TYPE\_USE Null Annotations: IllegalStateException with annotated arrays of Enum when accessed via BinaryTypeBinding

\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/UnresolvedReferenceBinding.java  
 No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*

- \* Copyright (c) 2006, 2018 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* BEA - Patch for bug 172743

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/AbstractAnnotationProcessorManager.java  
 No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*

- \* Copyright (c) 2000, 2018 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>

```

*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 185682 - Increment/decrement operators mark local variables as read
* bug 331649 - [compiler][null] consider null annotations for fields
* bug 383368 - [compiler][null] syntactic null analysis for field references
* Bug 412203 - [compiler] Internal compiler error: java.lang.IllegalArgumentException: info cannot be null
* Bug 400874 - [1.8][compiler]
Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
* Bug 458396 - NPE in CodeStream.invoke()
* Jesper S Moller - Contributions for
* Bug 378674 - "The method can be declared as static" is wrong
* Robert Roth <robert.roth.off@gmail.com> - Contributions for
* Bug 361039 - NPE in FieldReference.optimizedBooleanConstant
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/FieldReference.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/flow/SwitchFlowContext.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/BreakStatement.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials

```

- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - Contributions for
- \* bug 366003 - CCE in ASTNode.resolveAnnotations(ASTNode.java:639)
- \* bug 383973 - [1.8][compiler] syntax recovery in the presence of default methods

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredType.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2014, 2015 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/PolyParameterizedGenericMethodBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2007, 2015 BEA Systems, Inc. and others
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* wharley@bea.com - initial API and implementation
- \* IBM Corporation - Java 8 support

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/NoTypeImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2014, 2017 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for

\* Bug 473178

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ExternalAnnotationProvider.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2020 IBM Corporation and others.

\* All rights reserved. This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License v1.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/JavaFeature.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0



```

* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 407191 - [1.8] Binary access support for type annotations
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IBinaryField.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2017 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ArrayQualifiedTypeReference.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2014 Gauthier JACQUES, IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Gauthier JACQUES - Initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/tool/EclipseBatchRequestor.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocQualifiedTypeReference.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocSingleTypeReference.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2015 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredBlock.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2011 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0

```

```

* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/InferenceContext.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/LongLiteral.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/flow/InitializationFlowContext.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/NumberLiteral.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/FloatLiteral.java
*
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/LongLiteralMinValue.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/IntLiteral.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/IntLiteralMinValue.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/DoubleLiteral.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2013, 2018 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 432977 - [1.8][null] Incorrect 'type is not visible' compiler error
* Bug 446434 - [1.8][null] Enable interned captures also when analysing null type annotations
*****/

```

/\* Taking the binding of QTR as an example, there could be different annotatable components, but we come in a with a single binding, e.g:

```

@T Z; type => Z annotations => [[@T]]
 @T Y.@T Z type => Z annotations => [[@T][@T]]
 @T X.@T Y.@T Z type => Z annotations => [[@T][@T][@T]]
 java.lang.@T X.@T Y.@T Z type => Z annotations => [[[]][@T][@T][@T]]
 in all these cases the incoming type binding is for Z, but annotations are for different levels. We need to align their
 layout for proper attribution.
*/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/AnnotatableTypeSystem.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for

\* bug 282152 - [1.5][compiler] Generics code rejected by Eclipse but accepted by javac

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 359362 - FUP of bug 349326: Resource leak on non-Closeable resource

\* bug 358903 - Filter practically unimportant resource leak warnings

\* bug 395002 - Self bound generic class

doesn't resolve bounds properly for wildcards for certain parametrisation.

\* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files

\* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

\* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 426792 - [1.8][inference][impl] generify new type inference engine

\* Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.

\* Bug 429384 - [1.8][null] implement conformance rules for null-annotated lower / upper type bounds

\* Bug 431269 - [1.8][compiler][null] StackOverflow in nullAnnotatedReadableName

\* Bug 431408 - Java 8 (1.8) generics bug

\* Bug 435962 - [RC2] StackOverFlowError when building

\* Bug

438458 - [1.8][null] clean up handling of null type annotations wrt type variables

\* Bug 438250 - [1.8][null] NPE trying to report bogus null annotation conflict

\* Bug 438179 - [1.8][null] 'Contradictory null annotations' error on type variable with explicit null-annotation.

\* Bug 440143 - [1.8][null] one more case of contradictory null annotations regarding type variables

\* Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable

\* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull

\* Bug 456497 - [1.8][null] during inference nullness from target type is lost against weaker hint from applicability analysis

\* Bug 456459 - Discrepancy between Eclipse compiler and javac - Enums, interfaces, and generics

\* Bug 456487 - [1.8][null] @Nullable type variant of @NonNull-constrained type parameter causes grief

\* Bug 462790 - [null] NPE in Expression.computeConversion()

\* Bug 456532 - [1.8][null] ReferenceBinding.appendNullAnnotation() includes phantom annotations in error messages

\* Jesper S Møller <jesper@selskabet.org> - Contributions for bug 381345 : [1.8] Take care of the Java 8 major version

\* Bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/TypeVariableBinding.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredLocalVariable.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/problem/DefaultProblemFactory.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/IErrorHandlingPolicy.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/flow/InsideSubRoutineFlowContext.java

\*

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/UnresolvedAnnotationBinding.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/core/JDTCompilerAdapter.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/ReferenceContext.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/DefaultErrorHandlingPolicies.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/CompilerStats.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/Receiver.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/GenericXMLWriter.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/ManifestAnalyzer.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2007 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

```

*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

Found in path(s):
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocArraySingleTypeReference.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2008 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

```

Found in path(s):
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/core/compiler/CompilationProgress.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredAnnotation.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 361407 - Resource leak warning when resource is assigned to a field outside of constructor
* bug 370639 - [compiler][resource] restore the default for resource leak warnings
* bug 388996 - [compiler][resource] Incorrect
'potential resource leak'
* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred

```

checking

- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 424710 - [1.8][compiler] CCE in SimpleNameReference.localVariableBinding
- \* Bug 425152 - [1.8] [compiler] Lambda Expression not resolved but flow analyzed leading to NPE.
- \* Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation
- \* Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.
- \* Bug 426366 - [1.8][compiler] Type inference doesn't handle multiple candidate target types in outer overload

context

- \* Bug 426290 - [1.8][compiler] Inference + overloading => wrong method resolution ?
- \* Bug 427483 - [Java 8] Variables in lambdas sometimes can't be resolved
- \* Bug 427438 - [1.8][compiler]

NPE at org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

- \* Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 409245 - [1.8][compiler] Type annotations dropped when call is routed through a synthetic

bridge method

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ExplicitConstructorCall.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* \* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

\*

- \* SPDX-License-Identifier: EPL-2.0

\*

- \* IBM Corporation - initial API and implementation

- \* Stephan Herrmann - Contributions for

- \* bug 349326 - [1.7] new warning for missing try-with-resources

- \* bug 374605 - Unreasonable warning for enum-based switch statements

- \* bug 382353 - [1.8][compiler] Implementation property modifiers should be accepted on default methods.

- \* bug 382354 - [1.8][compiler] Compiler silent on conflicting modifier

- \* bug 401030 - [1.8][null] Null analysis support for lambda methods.

- \* Bug

416176 - [1.8][compiler][null] null type annotations cause grief on type variables

- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

- \* Jesper S Moller - Contributions for

- \* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/MethodScope.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2007, 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/ElementTypeElement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2015 BEA Systems, Inc.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* wharley@bea.com - initial API and implementation

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/RoundDispatcher.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/BatchProcessingEnvImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2001, 2007 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>



```
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/AptProblem.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2005, 2010 BEA Systems, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* tyeung@bea.com - initial API and implementation
* olivier_thomann@ca.ibm.com - add hashCode() and equals(..) methods
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/EnumConstantSignature.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/ClassSignature.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ASTVisitor.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/JavadocTagConstants.java
```

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ImportBinding.java  
\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ImportReference.java  
\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/MissingTypeBinding.java  
\*  
/ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/JavadocParser.java  
\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/ISourceType.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2000, 2018 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for  
\* bug 185682 - Increment/decrement operators mark local variables as read  
\* bug 349326 - [1.7] new warning for missing try-with-resources  
\* bug 186342 - [compiler][null] Using annotations for null checking  
\* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations  
\* bug 331649 - [compiler][null] consider  
null annotations for fields  
\* Bug 466308 - [hovering] Javadoc header for parameter is wrong with annotation-based null analysis  
\* Jesper S Møller <jesper@selskabet.org> - Contributions for  
\* Bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type  
\*  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/LocalVariableBinding.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2000, 2010 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/DoubleConstant.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/CharConstant.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/LongConstant.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/ByteConstant.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/IntConstant.java

\*

/ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/StringConstant.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/ShortConstant.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfObject.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/FloatConstant.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/AccessRuleSet.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/BooleanConstant.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocArgumentExpression.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/impl/Constant.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\* bug 402993 - [null] Follow up

of bug 401088: Missing warning about redundant null check

\* Bug 440282 - [resource] Resource leak detection false negative with empty finally block

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/Block.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2013, 2020 GK Software AG.

```

*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Stephan Herrmann - initial API and implementation
* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
* Bug 473178
* IBM Corporation - Bug fixes
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/BoundSet.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2013 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 383368 - [compiler][null] syntactic null analysis for field references
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/NullLiteral.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0

```

\*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation  
 \* Patrick Wienands <pwienands@abit.de> - Contribution for bug 393749  
 \* Stephan Herrmann - Contribution for  
 \* bug 331649 - [compiler][null] consider null annotations for fields  
 \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/Clinit.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Benjamin Muskalla - Contribution for bug 239066

\* Stephan Herrmann - Contributions for

\* bug 236385 - [compiler] Warn for potential programming problem if an object is created but not used

\* bug 338303 - Warning about Redundant assignment conflicts with definite assignment

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365519 - editorial cleanup after bug 186342 and bug 365387

\* bug 365662 - [compiler][null] warn on contradictory and redundant null annotations

\* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults

\* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations

\* bug 374605 - Unreasonable warning for enum-based switch statements

\* bug 382353 - [1.8][compiler] Implementation property modifiers should be accepted on default methods.

\* bug 382347 - [1.8][compiler] Compiler accepts incorrect default method inheritance

\* bug 388281 - [compiler][null] inheritance of null annotations as an option

\* bug 376053 - [compiler][resource] Strange potential resource leak problems

\* bug 381443 - [compiler][null] Allow parameter widening from @NonNull to unannotated

\* bug 393719 - [compiler] inconsistent warnings on iteration

variables

\* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types

\* bug 388739 - [1.8][compiler] consider default methods when detecting whether a class needs to be declared

abstract

\* bug 331649 - [compiler][null] consider null annotations for fields

\* bug 382789 - [compiler][null] warn when syntactically-nonnull expression is compared against null

\* bug 376590 - Private fields with @Inject are ignored by unused field validation

- \* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
- \* bug 402028 - [1.8][compiler] null analysis for reference expressions
- \* bug 401796 - [1.8][compiler] don't treat default methods as overriding an independent inherited abstract method
- \* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super
- \* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
- \* Bug
- 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- \* Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations
- \* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled
- \* Bug 414380 - [compiler][internal] QualifiedNameReference#indexOfFirstFieldBinding does not point to the first field
- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking
- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 424637 - [1.8][compiler][null] AIOOB in ReferenceExpression.resolveType with a method reference to Files::walk
- \* Bug 428294 - [1.8][compiler] Type mismatch: cannot convert from List<Object> to Collection<Object[]>
- \* Bug 428366 - [1.8] [compiler] The method valueAt(ObservableList<Object>, int) is ambiguous for the type Bindings
- \* Bug 416190 - [1.8][null] detect incompatible overrides due to null type annotations
- \* Bug 392245 - [1.8][compiler][null] Define whether / how @NonNullByDefault applies to TYPE\_USE locations
- \* Bug 390889 - [1.8][compiler] Evaluate options to support 1.7- projects against 1.8 JRE.
- \* Bug 430150 - [1.8][null] stricter checking against type variables
- \* Bug 434600 - Incorrect null analysis error reporting on type parameters
- \* Bug 439516 - [1.8][null] NonNullByDefault wrongly applied to implicit type bound of binary type
- \* Bug 438467 - [compiler][null] Better error position for "The method \_ cannot implement the corresponding method \_ due to incompatible nullness constraints"
- \* Bug 439298 - [null] "Missing code implementation in the compiler" when using @NonNullByDefault in package-info.java
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 446442 - [1.8] merge null annotations from super methods
- \* Bug 455723 - Nonnull argument not correctly inferred in loop
- \* Bug 458361 - [1.8][null] reconciler throws NPE in ProblemReporter.illegalReturnRedefinition()
- \* Bug 459967 - [null] compiler should know about nullness of special methods like MyEnum.valueOf()
- \* Bug 461878 - [1.7][1.8][compiler][null] ECJ compiler does not allow to use null annotations on annotations
- \* Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.
- \* Jesper S Moller <jesper@selskabet.org> - Contributions for
- \* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
- \* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment
- \* bug 384567 - [1.5][compiler] Compiler accepts illegal modifiers on package declaration
- \* bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
- \* bug 412151 - [1.8][compiler] Check repeating annotation's collection type
- \* bug 419209 - [1.8] Repeating container annotations should be rejected in the presence of annotation it contains
- \* Bug 429384 - [1.8][null] implement conformance rules for null-annotated lower / upper type bounds

- \* Bug 416182 - [1.8][compiler][null] Contradictory null annotations not rejected
- \* bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type
- \* Ulrich Grave <ulrich.grave@gmx.de> - Contributions for
- \* bug 386692 - Missing "unused" warning on "autowired" fields

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/problem/ProblemReporter.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2008, 2014 Technical University Berlin, Germany and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - Initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/Sorting.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.

\* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

\* bug 413958 - Function override returning inherited Generic Type

\* Bug 400874 - [1.8][compiler] Inference infrastructure

should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 424710 - [1.8][compiler] CCE in SingleNameReference.localVariableBinding

- \* Bug 423505 - [1.8] Implement "18.5.4 More Specific Method Inference"
- \* Bug 427438 - [1.8][compiler] NPE at  
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- \* Bug 418743 - [1.8][null] contradictory annotations on invocation of generic method not reported
- \* Bug 416182 - [1.8][compiler][null] Contradictory null annotations not rejected
- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- \* Bug 434602 - Possible error with inferred null annotations leading to contradictory null annotations
- \* Bug 434483 - [1.8][compiler][inference] Type inference not picked up with method reference
- \* Bug 446442 - [1.8] merge null annotations from super methods
- \* Bug 457079 - Regression: type  
inference

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ParameterizedGenericMethodBinding.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* Bug 365662 - [compiler][null] warn on contradictory and redundant null annotations

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations

\* Keigo Imai - Contribution for bug 388903 - Cannot extend inner class as an anonymous class when it  
extends the outer class

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/NestedTypeBinding.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2015 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>



```

*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Genady Beriozkin - added support for reporting assignment with no effect
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
* bug 292478 - Report potentially null across variable assignment
* bug 335093 - [compiler][null] minimal hook for future null annotation support
* bug 349326 - [1.7] new warning for missing
try-with-resources
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 358903 - Filter practically unimportant resource leak warnings
* bug 370639 - [compiler][resource] restore the default for resource leak warnings
* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional
* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
* bug 331649 - [compiler][null] consider null annotations for fields
* bug 383368 - [compiler][null] syntactic null analysis for field references
* bug 402993 - [null] Follow up of bug 401088: Missing
warning about redundant null check
* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred
checking
* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 427438 - [1.8][compiler] NPE at
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
* Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/Assignment.java

```

No license file was found, but licenses were detected in source scan.

```

/*****

```

```

* Copyright (c) 2000, 2020 IBM Corporation and others.

```

```

*

```

```

* This program and the accompanying materials

```

```

* are made available under the terms of the Eclipse Public License 2.0

```

```

* which accompanies this distribution, and is available at

```

```

* https://www.eclipse.org/legal/epl-2.0/

```

```

*

```

```

* SPDX-License-Identifier: EPL-2.0

```

```

*

```

```

* Contributors:

```

- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - contributions for
- \* bug 337868 - [compiler][model] incomplete support for package-info.java when using SearchableEnvironment
- \* bug 186342 - [compiler][null] Using annotations for null checking
- \* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults
- \* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* bug
- 392862 - [1.8][compiler][null] Evaluate null annotations on array types
- \* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations
- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled
- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- \* Bug 416183 - [1.8][compiler][null] Overload resolution fails with null annotations
- \* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking
- \* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
- \* Bug 416190 - [1.8][null]
- detect incompatible overrides due to null type annotations
- \* Bug 424624 - [1.8][null] if a static-object with annotation @NonNull is used, a warning is shown
- \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
- \* Bug 439516 - [1.8][null] NonNullByDefault wrongly applied to implicit type bound of binary type
- \* Bug 434602 - Possible error with inferred null annotations leading to contradictory null annotations
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 453475 - [1.8][null] Contradictory null annotations (4.5 M3 edition)
- \* Bug 457079 - Regression: type inference
- \* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation
- \* Bug 455180 - IllegalStateException in AnnotatableTypeSystem.getRawType
- \* Bug 470467 - [null] Nullness of special Enum methods not detected from .class file

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/LookupEnvironment.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2021 IBM Corporation and others.

- \*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

- \*

- \* SPDX-License-Identifier: EPL-2.0

- \*

- \* Contributors:

- \* IBM Corporation - initial API and implementation

- \* Stephan Herrmann - Contributions for

- \* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
- \* bug 349326 - [1.7] new warning for missing try-with-resources
- \* bug 360328 - [compiler][null] detect null problems in nested code (local class inside a loop)
- \* bug 186342 - [compiler][null] Using annotations for null checking
- \* bug 365835 - [compiler][null] inconsistent error reporting.
- \* bug 365519 - editorial cleanup after bug 186342 and bug 365387
- \* bug 358903 - Filter practically unimportant resource leak warnings
- \* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
- \* bug 370639 - [compiler][resource] restore the default for resource leak warnings
- \* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
- \* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
- \* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
- \* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional
- \* bug 383368 - [compiler][null] syntactic null analysis for field references
- \* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
- \* bug 401030 - [1.8][null] Null analysis support for lambda methods.
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- \* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking
- \* Bug 417758 - [1.8][null] Null safety compromise during array creation.
- \* Bug 427438 - [1.8][compiler] NPE at  
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- \* Bug 430150 - [1.8][null] stricter checking against type variables
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- \* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
- \* Bug 455723 - Nonnull argument not correctly inferred in loop
- \* Jesper S Moller - Contributions
- for
- \* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ReturnStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2016 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - Contribution for
- \* Bug 458396 - NPE in CodeStream.invoke()

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/problem/ProblemHandler.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

- \* Copyright (c) 2008, 2016 IBM Corporation and others.

\*

- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>

\*

- \* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

- \* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ProcessTaskManager.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

- \* Copyright (c) 2000, 2012 IBM Corporation and others.

\*

- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>

\*

- \* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - Contribution for
- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/SingleTypeReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 384380 - False positive on a "Potential null pointer access" after a continue

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/InvocationSite.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 367203 - [compiler][null] detect assigning null to nonnull argument

\* bug 365519 - editorial cleanup after bug 186342 and bug 365387

\* bug 365662 - [compiler][null] warn on contradictory and redundant null annotations

\* bug 365531 - [compiler][null] investigate alternative strategy for internally  
encoding nullness defaults

\* bug 388281 - [compiler][null] inheritance of null annotations as an option

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 425152 - [1.8] [compiler] Lambda Expression not resolved but flow analyzed leading to NPE.

\* Bug 423505 - [1.8] Implement "18.5.4 More Specific Method Inference"

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Bug 438012 - [1.8][null] Bogus Warning: The nullness annotation is redundant with a default that applies to this

location

- \* Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable
- \* Bug 443347 - [1.8][null]

@NonNullByDefault should not affect constructor arguments of an anonymous instantiation

- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
- \* Bug 456584 - [1.8][null] Bogus warning for return type variable's @NonNull annotation being 'redundant'
- \* Bug 471611 - Error on hover on call to generic method with null annotation
- \* Jesper Steen Moller - Contributions for
- \* Bug 412150 [1.8] [compiler] Enable reflected parameter names during annotation processing

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/MethodBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2008 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/ObjectVector.java
- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/HashSetOfInt.java
- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/core/compiler/InvalidInputException.java
- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/CharArrayCache.java
- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/VerificationTypeInfo.java
- \*
- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/BranchLabel.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2006, 2020 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/AnnotationDiscoveryVisitor.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

\* bug 370639 - [compiler][resource] restore the

default for resource leak warnings

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'

\* bug 395977 - [compiler][resource] Resource leak warning behavior possibly incorrect for anonymous inner class

\* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

\* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 416267 - NPE in QualifiedAllocationExpression.resolveType

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 424415 - [1.8][compiler] Eventual

resolution of ReferenceExpression is not seen to be happening.

\* Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

\* Jesper S Moller <jesper@selskabet.org> - Contributions for

\* bug 378674 - "The method can be declared as static" is wrong

\* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

\* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\* Bug 409245 - [1.8][compiler] Type annotations dropped when call is routed through a synthetic bridge method

\* Till Brychcy - Contributions for

\* bug 413460 - NonNullByDefault is not inherited to Constructors when accessed via Class File

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/QualifiedAllocationExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*/

\* Copyright (c) 2000, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/ConflictedParser.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfPackage.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/diagnose/DiagnoseParser.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/BranchStatement.java

\*

/ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocAllocationExpression.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/TerminalTokens.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocMessageSend.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/core/compiler/CategorizedProblem.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/ParserBasicInformation.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredStatement.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/QualifiedTypeReference.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ClassFormatException.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/CaseStatement.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemPackageBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*/

\* Copyright (c) 2000, 2016 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at



```
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 382350 - [1.8][compiler] Unable to invoke inherited default method via I.super.m() syntax
* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super
* bug 404728 - [1.8]NPE on QualifiedSuperReference error
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/QualifiedSuperReference.java
```

No license file was found, but licenses were detected in source scan.

# This program and the accompanying materials

# are made available under the terms of the Eclipse Public License 2.0

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/antadapter/messages.properties
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/messages.properties
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/messages.properties
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/problem/messages.properties
```

No license file was found, but licenses were detected in source scan.

```
/******
```

```
* Copyright (c) 2017, 2019 GK Software AG, and others.
```

```
*
```

```
* This program and the accompanying materials
```

```
* are made available under the terms of the Eclipse Public License 2.0
```

```
* which accompanies this distribution, and is available at
```

```
* https://www.eclipse.org/legal/epl-2.0/
```

```
*
```

```
* SPDX-License-Identifier: EPL-2.0
```

```
*
```

```
* Contributors:
```

```
* Stephan Herrmann - initial API and implementation
```

```
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SourceModuleBinding.java
```

No license file was found, but licenses were detected in source scan.

```
/******
```

```
* Copyright (c) 2000, 2020 IBM Corporation and others.
```

```
*
```

```
* This program and the accompanying materials
```

- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* Nick Teryaev - fix for bug ([https://bugs.eclipse.org/bugs/show\\_bug.cgi?id=40752](https://bugs.eclipse.org/bugs/show_bug.cgi?id=40752))
- \* Stephan Herrmann - Contributions for
- \* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
- \* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
- \* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
- \* bug
- 383368 - [compiler][null] syntactic null analysis for field references
- \* bug 401017 - [compiler][null] casted reference to @Nullable field lacks a warning
- \* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 427438 - [1.8][compiler] NPE at
- org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- \* Bug 430150 - [1.8][null] stricter checking against type variables
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style
- null annotations
- \* Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null
- \* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for
- \* Bug 415541 - [1.8][compiler] Type annotations in the body of static initializer get dropped

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/CastExpression.java

No license file was found, but licenses were detected in source scan.

/\*  
 \* Copyright (c) 2005, 2018 BEA Systems, Inc and others.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* tyeung@bea.com - initial API and implementation  
 \*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IBinaryAnnotation.java  
\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/MethodInfoWithAnnotations.java  
No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 331649 - [compiler][null] consider null annotations for fields
* bug 383368 - [compiler][null] syntactic null analysis for field references
* bug 382069 - [null] Make the null analysis consider JUnit's assertNotNull similarly to assertions
* bug 403086 - [compiler][null] include the effect of 'assert'
* in syntactic null analysis for fields
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/EqualExpression.java  
No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* Bug 360328 - [compiler][null] detect null problems in nested code (local class inside a loop)
* Bug 388630 - @NonNull diagnostics at line 0
* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables

```

- \* Bug 424727 - [compiler][null] NullPointerException  
in nullAnnotationUnsupportedLocation(ProblemReporter.java:5708)
- \* Bug 457210 - [1.8][compiler][null] Wrong Nullness errors given on full build but not on incremental build?
- \* Keigo Imai - Contribution for bug 388903 - Cannot extend inner class as an anonymous class when it extends the outer class
- \* Pierre-Yves B. <pyvesdev@gmail.com> - Contributions for
- \* Bug 542520 - [JUnit 5] Warning The method xxx from the type X is never used locally is shown when using MethodSource
- \* Bug 546084 - Using JUnit 5s MethodSource leads to ClassCastException

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/TypeDeclaration.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

- \* Copyright (c) 2013 GK Software AG.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ReductionResult.java
- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/InferenceFailureException.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

- \* Copyright (c) 2005, 2017 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* het@google.com - Bug 441790

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/AnnotationValueImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for

\* bug 328281 - visibility leaks not detected when analyzing unused field in private class

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365836 - [compiler][null] Incomplete propagation of null defaults.

\* bug 365519 - editorial cleanup after bug 186342

and bug 365387

\* bug 365662 - [compiler][null] warn on contradictory and redundant null annotations

\* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults

\* bug 366063 - Compiler should not add synthetic @NonNull annotations

\* bug 384663 - Package Based Annotation Compilation Error in JDT 3.8/4.2 (works in 3.7.2)

\* bug 386356 - Type mismatch error with annotations and generics

\* bug 388281 - [compiler][null] inheritance of null annotations as an option

\* bug 331649 - [compiler][null] consider null annotations for fields

\* bug 380896 - [compiler][null] Enum constants not recognised as being NonNull.

\* bug 391376 - [1.8] check interaction of default methods with bridge methods and generics

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

\* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled

\* Bug 416172 - [1.8][compiler][null] null type annotation not evaluated on method return type

\* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 426048 - [1.8] NPE in TypeVariableBinding.internalBoundCheck when parentheses are not balanced

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Bug 432348 - [1.8] Internal compiler error (NPE) after upgrade to 1.8

\* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables

\* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"

\* Bug 441693 - [1.8][null]

Bogus warning for type argument annotated with @NonNull

\* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations

- \* Bug 457210 - [1.8][compiler][null] Wrong Nullness errors given on full build but not on incremental build?
- \* Bug 461250 - ArrayIndexOutOfBoundsException in SourceTypeBinding.fields
- \* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
- \* Jesper S Moller <jesper@selskabet.org> - Contributions for
- \* Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
- \* Till Brychcy - Contributions for
- \* bug 415269 - NonNullByDefault is not always inherited to nested classes
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas
- \* Sebastian Zarnekow - Contributions

for

- \* bug 544921 - [performance] Poor performance with large source files

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SourceTypeBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2016, 2020 Google, Inc. and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* Stefan Xenos <sxenos@gmail.com> (Google) - initial API and implementation

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ExternalAnnotationDecorator.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2007, 2014 BEA Systems, Inc. and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* wharley@bea.com - initial API and implementation

\* IBM Corporation - fix for 342598

\* IBM Corporation - Java 8 support

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/ArrayTypeImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/AbstractCommentParser.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/AnnotationBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2016 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/ExecutableTypeImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2017, 2018 GK Software AG, and others.

\*

\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>

\*  
\* SPDX-License-Identifier: EPL-2.0  
\*

\* Contributors:

\*   Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/ISourceModule.java  
\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IBinaryModule.java  
\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/IUpdatableModule.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0  
\*

\* Contributors:

\*   IBM Corporation - initial API and implementation

\*   Stephan Herrmann - Contributions for

\*     bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

\*     bug 370639 - [compiler][resource] restore the default for resource leak warnings

\*     bug 388996 - [compiler][resource] Incorrect 'potential resource leak'

\*     Bug 417758 - [1.8][null] Null safety compromise during array creation.

\*     Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

\*     Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations

\*     Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

\*         Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ArrayInitializer.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2007 BEA Systems, Inc.



```

*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* wharley@bea.com - initial API and implementation
*
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/IProcessorProvider.java
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/NameImpl.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 365519 - editorial cleanup after bug 186342 and bug 365387
* bug 358903 - Filter practically unimportant resource leak warnings
* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults
* bug 388281 - [compiler][null] inheritance of null annotations as an option
* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
* bug 400421 - [compiler] Null analysis for fields does not take @com.google.inject.Inject into account
* bug 382069 - [null] Make the null analysis consider JUnit's assertNotNull similarly to assertions
* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations
* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
* Bug

```

400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

- \* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
- \* Bug 426792 - [1.8][inference][impl] generify new type inference engine
- \* Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.
- \* Bug 427199 - [1.8][resource] avoid resource leak warnings on Streams that have no resource
- \* Bug 418743 - [1.8][null] contradictory annotations on invocation of generic method not reported
- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- \* Bug 431581 - Eclipse compiles what it should not
- \* Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable
- \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- \* Bug 446442 - [1.8] merge null annotations from  
super methods
- \* Bug 456532 - [1.8][null] ReferenceBinding.appendNullAnnotation() includes phantom annotations in error  
messages
- \* Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object),  
Collection#remove(Object) et al.
- \* Jesper S Moller - Contributions for
- \* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
- \* bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
- \* bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type
- \* Ulrich Grave <ulrich.grave@gmx.de> - Contributions for
- \* bug 386692 - Missing "unused" warning on "autowired" fields
- \* Pierre-Yves B. <pyvesdev@gmail.com> - Contribution for
- \* bug 542520 - [JUnit 5] Warning The method xxx from the type X is never used locally is shown  
when using MethodSource
- \* Sebastian Zarnekow - Contributions  
for
- \* bug 544921 - [performance] Poor performance with large source files

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ReferenceBinding.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*/

\* Copyright (c) 2013, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Jesper S Moller - Contributions for

\* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression

- \* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
- \* Stephan Herrmann - Contribution for
- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 423504 - [1.8] Implement "18.5.3  
Functional Interface Parameterization Inference"
- \* Bug 425142 - [1.8][compiler] NPE in ConstraintTypeFormula.reduceSubType
- \* Bug 425153 - [1.8] Having wildcard allows incompatible types in a lambda expression
- \* Bug 425156 - [1.8] Lambda as an argument is flagged with incompatible error
- \* Bug 424403 - [1.8][compiler] Generic method call with method reference argument fails to resolve properly.
- \* Bug 427438 - [1.8][compiler] NPE at  
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- \* Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- \* Bug 446442 - [1.8] merge null annotations from super methods
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 405104 - [1.8][compiler][codegen] Implement support for serializeable lambdas

\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/FunctionalExpression.java  
No license file was found, but licenses were detected in source scan.

\*\*\*\*\*/

\* Copyright (c) 2006, 2017 BEA Systems, Inc.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* wharley@bea.com - initial API and implementation

\* (originally in org.eclipse.jdt.apr.core)

\* IBM Corporation - Bug 513790

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apr/util/ManyToMany.java  
No license file was found, but licenses were detected in source scan.

\*\*\*\*\*/

\* Copyright (c) 2000, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

```
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Jesper Steen Moller - Contributions for:
* Bug 412149: [1.8][compiler] Emit repeated annotations into the designated container
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/SingleMemberAnnotation.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2006, 2015 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Jesper Steen Moeller - Contributions for:
* Bug 407297: [1.8][compiler] Control generation of parameter names by option
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/tool/Options.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2015, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ModuleDeclaration.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2019 GK Software AG, and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   Stephan Herrmann - initial API and implementation

\*   IBM Corporation - Bug fixes

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/InferenceContext18.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   IBM Corporation - initial API and implementation

\*   Stephan Herrmann - Contribution for

\*   Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\*   Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/Javadoc.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2014, 2015 IBM Corporation and others.

\*

\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Gauthier JACQUES - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/tool/EclipseDiagnostic.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for bug 186342 - [compiler][null] Using annotations for null checking

\* Jesper Steen Moeller - Contribution for bug 406973 - [compiler] Parse MethodParameters attribute

\* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

\* Bug 407191 - [1.8] Binary access support for type annotations

\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/MethodInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2017 Till Brychcy and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:  
\* Till Brychcy - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/env/AutomaticModuleNaming.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2005, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* This is an implementation of an early-draft specification developed under the Java

\* Community Process (JCP) and is made available for testing and evaluation purposes

\* only. The code is not compatible with any specification of the JCP.

\*

\* Contributors:

\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/TypeElementImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2005, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* IBM Corporation - Fix for bug 328575

\* het@google.com - Bug 415274 - Annotation processing throws a NPE in getElementsAnnotatedWith()

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/RoundEnvImpl.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2000, 2019 IBM Corporation and others.
 *
 * This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License 2.0
 * which accompanies this distribution, and is available at
 * https://www.eclipse.org/legal/epl-2.0/
 *
 * SPDX-License-Identifier: EPL-2.0
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 * Stephan Herrmann - Contribution for bug 295551
 * Jesper S Moller - Contributions for
 * Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
 * Frits Jalvingh - contributions for bug 533830.
 * Red Hat Inc. - add module-info Javadoc support
 */
```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/CompilationUnitDeclaration.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2013, 2019 IBM Corporation and others.
 *
 * This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License 2.0
 * which accompanies this distribution, and is available at
 * https://www.eclipse.org/legal/epl-2.0/
 *
 * SPDX-License-Identifier: EPL-2.0
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 * Stephan Herrmann - Contribution for
 * Bug 434602 - Possible error with inferred null annotations leading to contradictory null annotations
 * Bug 456497 - [1.8][null] during inference nullness from target type is lost against weaker hint from applicability
 * analysis
 * Bug 456487 - [1.8][null] @Nullable type variant of @NonNull-constrained type parameter causes grief
 * Till Brychcy - Contribution for
 * Bug 473713
 * - [1.8][null] Type mismatch: cannot convert from @NonNull A1 to @NonNull A1
 */
```

/\* Cache the derived type, tagging it as a derivative of both the key type and the naked type.

E.g: int @NonNull [] would be tagged as a derived type of both int and int []. This is not



needed for correctness, but for annotated object reuse. We provide two alternate ways to annotate a type:

Taking parameterized types as an example, a call to `getParamaterizedType` can be made with annotations to create `@NonNull List<@NonNull String>` in one stroke. Or a parameterized type can be created first and then annotated via `getAnnotatedType`. In the former case, the tables get looked up with `List` as the key, in the latter with `List<String>` as the key.

Binary vs source, substitutions, annotation re-attribution from SE7 locations etc trigger these alternate code paths. Unless care is exercised, we will end up with duplicate objects (that share the same `TypeBinding.id` => correctness is not an issue, but memory wastage is)

\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/TypeSystem.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2013 Jesper S Moller and others.
 *
 * This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License 2.0
 * which accompanies this distribution, and is available at
 * https://www.eclipse.org/legal/epl-2.0/
 *
 * SPDX-License-Identifier: EPL-2.0
 *
 * Contributors:
 * Jesper S Moller <jesper@selskabet.org> - initial API and implementation
 */
```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ContainerAnnotation.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2000, 2016 IBM Corporation and others.
 *
 * This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License 2.0
 * which accompanies this distribution, and is available at
 * https://www.eclipse.org/legal/epl-2.0/
 *
 * SPDX-License-Identifier: EPL-2.0
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 */
```

- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 415397 - [1.8][compiler] Type Annotations on wildcard type argument dropped
- \* Stephan Herrmann - Contribution for
- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- \* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.
- \* Bug 429958
- [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- \* Bug 440462 - [null][compiler]NPE in EJC for erroneous null annotations
- \* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/Wildcard.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

- \* Copyright (c) 2016, 2017 IBM Corporation.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ModuleInfo.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

- \* Copyright (c) 2019 GK Software SE, and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/PlainPackageBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2009 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/codegen/CachedIndexEntry.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/SimpleSetOfCharArray.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveryScannerData.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Tom Tromey - patch for readTable(String) as described in [http://bugs.eclipse.org/bugs/show\\_bug.cgi?id=32196](http://bugs.eclipse.org/bugs/show_bug.cgi?id=32196)

\* Stephan Herrmann - Contributions for

\* bug 366003 - CCE in ASTNode.resolveAnnotations(ASTNode.java:639)

\* bug 374605 - Unreasonable warning for enum-based switch statements

\* bug 393719 - [compiler] inconsistent warnings on iteration variables

\* bug 382353 - [1.8][compiler] Implementation property modifiers

should be accepted on default methods.

\* bug 383973 - [1.8][compiler] syntax recovery in the presence of default methods

\* bug 401035 - [1.8] A few tests have started failing recently

\* Jesper S Moller - Contributions for

\* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression

\* bug 399695 - [1.8][compiler] [1.8][compiler] migrate parser to other syntax for default methods

\* bug 384567 - [1.5][compiler] Compiler accepts illegal modifiers on package declaration

- \* bug 393192 - Incomplete type hierarchy with > 10 annotations
- \* bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type
- \* Andy Clement - Contributions for
- \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
- \* Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation
- \*

Bug 415821 - [1.8][compiler] CLASS\_EXTENDS target type annotation missing for anonymous classes

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/Parser.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2016, 2018 IBM Corporation.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathJrt.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2012 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/Literal.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/diagnose/LexStream.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/NormalAnnotation.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2005, 2016 BEA Systems, Inc.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* [tyeung@bea.com](mailto:tyeung@bea.com) - initial API and implementation

\* [olivier\\_thomann@ca.ibm.com](mailto:olivier_thomann@ca.ibm.com) - add hashCode() and equals(..) methods

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/ElementValuePairInfo.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/AnnotationInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 429384 - [1.8][null] implement conformance rules for null-annotated lower / upper type bounds

\* Bug 441797 - [1.8] synchronize type annotations on capture and its wildcard

\* Bug 456497 - [1.8][null] during inference nullness from target type is lost against weaker  
hint from applicability analysis

\* Bug 456924 - StackOverflowError during compilation

\* Bug 462790 - [null] NPE in Expression.computeConversion()

\* Jesper S Møller - Contributions for bug 381345 : [1.8] Take care of the Java 8 major version

\* Bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/CaptureBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2009, 2017 Vladimir Piskarev and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Vladimir Piskarev - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/AnnotationMemberValue.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2015, 2017 GK Software AG and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/UnlikelyArgumentCheck.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2019, 2020 SAP SE and others

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/ModuleScope.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

\* bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields

\* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\* Bug 422796 - [compiler][null] boxed boolean reported as potentially null after null test in lazy disjunction

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/AND\_AND\_Expression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2020 Julian Honnen.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Julian Honnen - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/core/compiler/SubwordMatcher.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2018, 2020 IBM Corporation.

\* All rights reserved. This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License v2.0

\* which accompanies this distribution, and is available at

\* <http://www.eclipse.org/legal/epl-v20.html>

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathJep247.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 325755 - [compiler] wrong initialization state after conditional expression

\* bug 320170 - [compiler] [null] Whitebox issues in null analysis

\* bug 292478 - Report potentially null across variable assignment

\* bug 332637 - Dead Code detection removing code that isn't dead

\* bug 341499 - [compiler][null] allocate extra bits in all methods of UnconditionalFlowInfo

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 386181 - [compiler][null] wrong transition in UnconditionalFlowInfo.mergedWith()

\* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional

\* Bug 453483 - [compiler][null][loop] Improve null analysis for loops

\* Bug 454031 - [compiler][null][loop] bug in null analysis; wrong "dead code" detection

\* Bug 421035 - [resource] False alarm of resource leak warning when casting a closeable in its assignment

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/flow/UnconditionalFlowInfo.java



No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2011 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contribution for bug 185682 - Increment/decrement operators
mark local variables as read
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/JavadocFieldReference.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 292478 - Report potentially null across variable assignment
* bug 332637 - Dead Code detection removing code that isn't dead
* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional
* Bug 411964 - [1.8][null] leverage null type annotation in foreach statement
* Bug 421035 - [resource]
False alarm of resource leak warning when casting a closeable in its assignment
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/flow/FlowInfo.java

No license file was found, but licenses were detected in source scan.

```

/*****

```

```

* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
* bug 331649 - [compiler][null] consider null annotations for fields
* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
* Bug 427438 - [1.8][compiler] NPE at
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
* Bug 429403 - [1.8][null] null mismatch from type arguments is not reported at field initializer
* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
* Bug 458396 - NPE in CodeStream.invoke()
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/FieldDeclaration.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2017 IBM Corporation.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/tool/ModuleLocationHandler.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2015, 2016 Google, Inc and others.

```

\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* Stefan Xenos (Google) - Initial implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/classfmt/BinaryTypeFormatter.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2017, 2019 GK Software SE, and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* Stephan Herrmann - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/BinaryModuleBinding.java  
\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SplitPackageBinding.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2000, 2016 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/problem/ProblemSeverities.java
- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/SuffixConstants.java
- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/util/Messages.java
- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/batch/FileFinder.java
- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/MemberTypeBinding.java
- \*
- /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/lookup/SourceTypeCollisionException.java
- \* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredInitializer.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/ast/ExpressionContext.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2007, 2014 BEA Systems, Inc. and others.

\*

\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* wharley@bea.com - initial API and implementation

\* IBM Corporation - Java 8 support

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/PrimitiveTypeImpl.java

\* /ecj-3-26-0-sources-jar/org/eclipse/jdt/internal/compiler/apt/model/TypeMirrorImpl.java

# 1.72 s3 2.20.128

## 1.72.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by

Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.

- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.

- Apache Commons Lang - <https://github.com/apache/commons-lang>

- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>

- Jackson-core - <https://github.com/FasterXML/jackson-core>

- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the



appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

## 1.73 pdfbox-tools 2.0.25

### 1.73.1 Available under license :

Apache PDFBox tools  
Copyright 2002-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.74 netty-transport-native-unix-common

### 4.1.86.Final

#### 1.74.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project  
 \*  
 \* The Netty Project licenses this file to you under the Apache License,  
 \* version 2.0 (the "License"); you may not use this file except in compliance  
 \* with the License. You may obtain a copy of the License at:  
 \*  
 \* <https://www.apache.org/licenses/LICENSE-2.0>  
 \*  
 \* Unless required by applicable law or agreed to in writing, software  
 \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
 \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
 \* License for the specific language governing permissions and limitations  
 \* under the License.  
 \*/

Found in path(s):

\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/SegmentedDatagramPacket.java  
 \* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/DomainDatagramPacket.java  
 \* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/DomainDatagramChannel.java  
 \*  
 /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/DomainDatagramSocketAddress.java  
 \* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/DomainDatagramChannelConfig.java  
 No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2016 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/META-INF/maven/io.netty/netty-transport-native-unix-common/pom.xml

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2018 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
*/netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/Buffer.java
*/netty-transport-native-unix-common-4-1-86-final-sources-1-jar/netty_unix_buffer.c
*/netty-transport-native-unix-common-4-1-86-final-sources-1-
jar/io/netty/channel/unix/PreferredDirectByteBufAllocator.java
*
```

```
*/netty-transport-native-unix-common-4-1-86-final-sources-1-jar/netty_unix_buffer.h
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
*/netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/UnixChannelUtil.java
*/netty-transport-native-unix-common-4-1-86-final-sources-1-jar/netty_unix_jni.h
```

No license file was found, but licenses were detected in source scan.



```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/UnixChannelOption.java
* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/package-info.java
* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/Unix.java
*
/netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/IovArray.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2022 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /netty-transport-native-unix-common-4-1-86-final-sources-1-
jar/io/netty/channel/unix/IntegerUnixChannelOption.java
* /netty-transport-native-unix-common-4-1-86-final-sources-1-
jar/io/netty/channel/unix/GenericUnixChannelOption.java
* /netty-transport-native-unix-common-4-1-86-final-sources-1-
jar/io/netty/channel/unix/RawUnixChannelOption.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2020 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

- \* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/netty\_unix.h
- \* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/netty\_unix.c

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

- \* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/netty\_unix\_limits.h
- \* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/ErrorsStaticallyReferencedJniMethods.java
- \* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/netty\_unix\_util.c
- \* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/Limits.java
- \* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/LimitsStaticallyReferencedJniMethods.java

\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/netty\_unix\_util.h  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/netty\_unix\_limits.c  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/SocketWritableByteChannel.java  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/PeerCredentials.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/DatagramSocketAddress.java  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/netty\_unix\_socket.h  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/DomainSocketReadMode.java  
\*  
/netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/DomainSocketChannel.java  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/DomainSocketChannelConfig.java  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/DomainSocketAddress.java  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/netty\_unix\_errors.h  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/FileDescriptor.java  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/netty\_unix\_filedescriptor.c  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/UnixChannel.java  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/netty\_unix\_errors.c  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/netty\_unix\_filedescriptor.h  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/Errors.java  
\*  
/netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/ServerDomainSocketChannel.java  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/NativeInetAddress.java  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/netty\_unix\_socket.c  
\* /netty-transport-native-unix-common-4-1-86-final-sources-1-jar/io/netty/channel/unix/Socket.java

# 1.75 spring-beans 5.3.39

## 1.75.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

#### SPRING FRAMEWORK 5.3.39 SUBCOMPONENTS:

Spring Framework 5.3.39 includes a number of subcomponents with separate copyright notices and license terms. The product that includes this file does not necessarily use all the open source subcomponents referred to below. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

>>> ASM 9.1 (org.ow2.asm:asm:9.1, org.ow2.asm:asm-commons:9.1):

Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms,  
with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.



2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 1999-2009, OW2 Consortium <<https://www.ow2.org/>>

>>> CGLIB 3.3 (cglib:cglib:3.3):

Per the LICENSE file in the CGLIB JAR distribution downloaded from [https://github.com/cglib/cglib/releases/download/RELEASE\\_3\\_3\\_0/cglib-3.3.0.jar](https://github.com/cglib/cglib/releases/download/RELEASE_3_3_0/cglib-3.3.0.jar), CGLIB 3.3 is licensed under the Apache License, version 2.0, the text of which is included above.

>>> Objenesis 3.2 (org.objenesis:objenesis:3.2):

Per the LICENSE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html>, Objenesis 3.2 is licensed under the Apache License, version 2.0, the text of which is included above.

Per the NOTICE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html> and corresponding to section 4d of the Apache License, Version 2.0, in this case for Objenesis:

Objenesis  
Copyright 2006-2019 Joe Walnes, Henri Tremblay, Leonardo Mesquita

=====

To the extent any open source components are licensed under the EPL and/or other similar licenses that require the source code and/or modifications to source code to be made available (as would be noted above), you may obtain a copy of the source code corresponding to the binaries for such open source components and modifications thereto, if any, (the "Source Files"), by downloading the Source Files from <https://spring.io/projects>, Pivotal's website at <https://network.pivotal.io/open-source>, or by sending a request, with your name and address to: Pivotal Software, Inc., 875 Howard Street, 5th floor, San Francisco, CA 94103, Attention: General Counsel. All such requests should clearly specify: OPEN SOURCE FILES REQUEST, Attention General Counsel. Pivotal can mail a copy of the Source Files to you on a CD or equivalent physical medium.

This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product. Alternatively, the Source Files may accompany the Software.  
Spring Framework 5.3.39  
Copyright (c) 2002-2024 Pivotal, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license.txt file.

# 1.76 commons-discovery 0.2

## 1.76.1 Notifications :

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

## 1.76.2 Available under license :

```
/*
 * $Header: /home/cvs/jakarta-commons/discovery/LICENSE.txt,v 1.1 2002/07/25 02:36:45 jvanzyl Exp $
 * $Revision: 1.1 $
 * $Date: 2002/07/25 02:36:45 $
 *
 * =====
 *
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 1999-2001 The Apache Software Foundation. All rights
 * reserved.
 *
```

- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \*
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \*
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in
- \* the documentation and/or other materials provided with the
- \* distribution.
- \*
- \* 3. The end-user documentation included with the redistribution,
- if
- \* any, must include the following acknowledgement:
- \* "This product includes software developed by the
- \* Apache Software Foundation (<http://www.apache.org/>)."
- \* Alternately, this acknowledgement may appear in the software itself,
- \* if and wherever such third-party acknowledgements normally appear.
- \*
- \* 4. The names "The Jakarta Project", "Commons", and "Apache Software
- \* Foundation" must not be used to endorse or promote products derived
- \* from this software without prior written permission. For written
- \* permission, please contact [apache@apache.org](mailto:apache@apache.org).
- \*
- \* 5. Products derived from this software may not be called "Apache"
- \* nor may "Apache" appear in their names without prior written
- \* permission of the Apache Group.
- \*
- \* THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED
- \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
- PURPOSE ARE
- \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
- \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- \* SUCH DAMAGE.
- \* =====
- \*
- \* This software consists of voluntary contributions made by many
- \* individuals on behalf of the Apache Software Foundation. For more
- \* information on the Apache Software Foundation, please see
- \* [<http://www.apache.org/>](http://www.apache.org/).

\*  
\*/

# 1.77 aws-query-protocol 2.20.128

## 1.77.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang  
Copyright 2001-2020  
The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>



Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

## 1.78 tomcat-jasper 9.0.83

### 1.78.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.79 c3p0 0.9.0

## 1.79.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 Zakhar Prykhoda

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /midao-c3p0-0-9-0-sources-jar/org/midao/core/pool/MidaoFrameworkPoolBinder.java

# 1.80 netty 4.1.89.Final

## 1.80.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/ConstantTimeUtils.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/Log4J2Logger.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/RejectedExecutionHandlers.java
- \*
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/PromiseCombiner.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/OutOfDirectMemoryError.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/NonStickyEventExecutorGroup.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/ResourceLeakTracker.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/SocketUtils.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/UnstableApi.java

```

* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/PromiseNotificationUtil.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/DefaultEventExecutorChooserFactory.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/BooleanSupplier.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/DomainNameMappingBuilder.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/RejectedExecutionHandler.java
*
/netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/EventExecutorChooserFactory.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/OrderedEventExecutor.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/UnorderedThreadPoolEventExecutor.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/MacAddressUtil.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/UnaryPromiseNotifier.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/ThrowableUtil.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/ResourceLeakDetectorFactory.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/NativeLibraryUtil.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/IntSupplier.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/Log4J2LoggerFactory.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/LongAdderCounter.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/ReflectionUtil.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/UncheckedBooleanSupplier.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/ObjectCleaner.java
*
/netty-common-4-1-89-final-sources-2-jar/io/netty/util/SuppressForbidden.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/PriorityQueue.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/LocationAwareSlf4JLogger.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/EmptyPriorityQueue.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/NettyRuntime.java
No license file was found, but licenses were detected in source scan.

```

```

/*

```

```

* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/CleanerJava6.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/FastThreadLocalThread.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

```

Found in path(s):

```

* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/MathUtil.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/ByteProcessor.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*

```



```

* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/NetUtilSubstitutions.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/DomainWildcardMappingBuilder.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/NetUtilInitializations.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/AbstractEventExecutorGroup.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/FutureListener.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/PlatformDependent0.java
*
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/GenericProgressiveFutureListener.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/ConcurrentSet.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/AbstractEventExecutor.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/TypeParameterMatcher.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/DefaultProgressivePromise.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/DefaultFutureListeners.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/Promise.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/PendingWrite.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/AbstractReferenceCounted.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/DefaultPromise.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/Future.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/ImmediateExecutor.java

```

```

*
/netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/NoOpTypeParameterMatcher.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/ReferenceCounted.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/ProgressivePromise.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/ConstantPool.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/ResourceLeak.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/AbstractFuture.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/AppendableCharSequence.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/ScheduledFutureTask.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/CompleteFuture.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/ReadOnlyIterator.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/GenericFutureListener.java
*
/netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/ProgressiveFuture.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/ImmediateEventExecutor.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/RecyclableArrayList.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/package-info.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/ResourceLeakDetector.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/Version.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/EmptyArrays.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/ReferenceCountUtil.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/PromiseTask.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/package-info.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/ScheduledFuture.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/Recycler.java
*
/netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/DefaultThreadFactory.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/ResourceLeakException.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/ThreadPerTaskExecutor.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/svm/UnsafeRefArrayAccessSubstitution.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/svm/package-info.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/svm/CleanerJava6Substitution.java
*
/netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/svm/PlatformDependentSubstitution.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/Hidden.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/svm/PlatformDependent0Substitution.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/ObjectPool.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/ThreadExecutorMap.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/ReferenceCountUpdater.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

```

/**
* Copyright (c) 2004-2011 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without
limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

```

\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*  
\*/

Found in path(s):

\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/InternalLogger.java  
\*  
/netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/CommonsLogger.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/Log4JLogger.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/JdkLogger.java  
No license file was found, but licenses were detected in source scan.

# Copyright 2019 The Netty Project  
#  
# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
#  
# <https://www.apache.org/licenses/LICENSE-2.0>  
#  
# Unless required by applicable law or agreed to in writing, software  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
# WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
# License for the specific language governing permissions and limitations  
# under the License.  
io.netty.util.internal.Hidden\$NettyBlockHoundIntegration

Found in path(s):

\* /netty-common-4-1-89-final-sources-2-jar/META-  
INF/services/reactor.blockhound.integration.BlockHoundIntegration  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2013 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

```

/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without
 * limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */

```

Found in path(s):

```

* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/FormattingTuple.java
*

```

```

/netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/MessageFormatter.java

```

No license file was found, but licenses were detected in source scan.

```

<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
 <modelVersion>4.0.0</modelVersion>

```

```

 <artifactId>jctools-core</artifactId>
 <groupId>org.jctools</groupId>
 <version>3.1.0</version>
 <name>Java Concurrency Tools Core Library</name>
 <description>Java Concurrency Tools Core Library</description>
 <packaging>bundle</packaging>

```

```

 <dependencies>
 <dependency>
 <groupId>org.hamcrest</groupId>
 <artifactId>hamcrest-all</artifactId>
 <version>${hamcrest.version}</version>

```

```

<scope>test</scope>
</dependency>

<dependency>
 <groupId>junit</groupId>
 <artifactId>junit</artifactId>
 <version>${junit.version}</version>
 <scope>test</scope>
</dependency>

<dependency>
 <groupId>com.google.guava</groupId>
 <artifactId>guava-testlib</artifactId>
 <version>${guava-testlib.version}</version>
 <scope>test</scope>
</dependency>
</dependencies>
<build>
 <plugins>
 <plugin>
 <groupId>org.apache.maven.plugins</groupId>
 <artifactId>maven-surefire-plugin</artifactId>
 <version>3.0.0-M3</version>
 <configuration>
 <includes>
 <include>*</include>
 </includes>
 </configuration>
 </plugin>
 <plugin>
 <groupId>org.apache.felix</groupId>
 <artifactId>maven-bundle-plugin</artifactId>
 <version>4.2.1</version>
 <extensions>true</extensions>
 <configuration>
 <instructions>
 <Import-Package>sun.misc;resolution:=optional</Import-Package>
 </instructions>
 </configuration>
 </plugin>
 <plugin>
 <groupId>org.apache.maven.plugins</groupId>
 <artifactId>maven-source-plugin</artifactId>
 <version>3.2.0</version>
 <executions>
 <execution>
 <id>attach-sources</id>
 <phase>verify</phase>

```

```

 <goals>
 <goal>jar-no-fork</goal>
 </goals>
 </execution>
</executions>
</plugin>
<plugin>
 <groupId>org.apache.maven.plugins</groupId>
 <artifactId>maven-javadoc-plugin</artifactId>
 <version>3.1.1</version>
 <configuration>
 <additionalOptions>
 <additionalOption>-Xdoclint:none</additionalOption>
 </additionalOptions>
 <source>8</source>
 </configuration>
 <executions>
 <execution>
 <id>attach-javadocs</id>
 <goals>
 <goal>jar</goal>
 </goals>
 </execution>
 </executions>
</plugin>
</plugins>
</build>

<distributionManagement>
 <repository>
 <id>bintray-jctools-jctools</id>
 <name>jctools-jctools</name>
 <url>https://api.bintray.com/maven/jctools/jctools/jctools-core;/publish=1</url>
 </repository>
</distributionManagement>

<url>https://github.com/JCTools</url>
<inceptionYear>2013</inceptionYear>

<licenses>
 <license>
 <name>Apache
License, Version 2.0</name>
 <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
 <distribution>repo</distribution>
 </license>
</licenses>

```

```

<scm>
 <url>https://github.com/JCTools/JCTools</url>
 <connection>scm:git:https://github.com/JCTools/JCTools</connection>
 <tag>HEAD</tag>
</scm>

<developers>
 <developer>
 <url>https://github.com/nitsanw</url>
 </developer>
 <developer>
 <url>https://github.com/mjpt777</url>
 </developer>
 <developer>
 <url>https://github.com/RichardWarburton</url>
 </developer>
 <developer>
 <url>https://github.com/kay</url>
 </developer>
 <developer>
 <url>https://github.com/franz1981</url>
 </developer>
</developers>

<prerequisites>
 <maven>3.5.0</maven>
</prerequisites>

<properties>
 <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
 <java.version>1.6</java.version>
 <java.test.version>1.8</java.test.version>

 <maven.compiler.source>${java.version}</maven.compiler.source>
 <maven.compiler.target>${java.version}</maven.compiler.target>
 <maven.compiler.testSource>${java.test.version}</maven.compiler.testSource>
 <maven.compiler.testTarget>${java.test.version}</maven.compiler.testTarget>

 <hamcrest.version>1.3</hamcrest.version>
 <junit.version>4.12</junit.version>
 <guava-testlib.version>21.0</guava-testlib.version>
</properties>
</project>

```

Found

in path(s):

\* /netty-common-4-1-89-final-sources-2-jar/META-INF/maven/org.jctools/jctools-core/pom.xml



No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2018 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/SuppressJava6Requirement.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/AbstractConstant.java

\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/AttributeKey.java

\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/package-info.java

\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/Constant.java

\*

/netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/Slf4JLogger.java

\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/AbstractInternalLogger.java

\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/CommonsLoggerFactory.java

\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/PlatformDependent.java

```

* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/StringUtil.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/Timer.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/HashedWheelTimer.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/DefaultEventExecutor.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/FailedFuture.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/IllegalReferenceCountException.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/JdkLoggerFactory.java
*
/netty-common-4-1-89-final-sources-2-jar/io/netty/util/CharsetUtil.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/Signal.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/DefaultEventExecutorGroup.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/InternalLogLevel.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/SystemPropertyUtil.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/Log4JLoggerFactory.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/EventExecutorGroup.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/DefaultAttributeMap.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/Timeout.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/MultithreadEventExecutorGroup.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/InternalLoggerFactory.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/logging/Slf4JLoggerFactory.java
*
/netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/SingleThreadEventExecutor.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/AttributeMap.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/TimerTask.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/SucceededFuture.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/Attribute.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/NetUtil.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/package-info.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/GlobalEventExecutor.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/BlockingOperationException.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/EventExecutor.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/HashingStrategy.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/AbstractScheduledEventExecutor.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/DomainMappingBuilder.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/DefaultPriorityQueue.java
- \*
- /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/ThreadProperties.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/AsyncMapping.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/PriorityQueueNode.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/LongCounter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/ResourcesUtil.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/ByteProcessorUtils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/NativeLibraryLoader.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/PromiseNotifier.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/Mapping.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/UnpaddedInternalThreadLocalMap.java
- \*
- /netty-common-4-1-89-final-sources-2-jar/io/netty/util/AsciiString.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/PromiseAggregator.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/InternalThreadLocalMap.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/ResourceLeakHint.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/DomainNameMapping.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/ThreadDeathWatcher.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/IntegerHolder.java
- \* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/FastThreadLocal.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

-->

Found in path(s):

- \* /netty-common-4-1-89-final-sources-2-jar/META-INF/maven/io.netty/netty-common/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/collection/LongCollections.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/collection/IntCollections.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/collection/ShortObjectMap.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/collection/IntObjectMap.java  
\*  
/netty-common-4-1-89-final-sources-2-jar/io/netty/util/collection/ShortCollections.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/collection/CharObjectMap.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/collection/IntObjectHashMap.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/collection/ShortObjectHashMap.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/collection/ByteCollections.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/collection/CharCollections.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/collection/ByteObjectMap.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/collection/CharObjectHashMap.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/collection/LongObjectHashMap.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/ObjectUtil.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/collection/LongObjectMap.java  
\*  
/netty-common-4-1-89-final-sources-2-jar/io/netty/util/collection/ByteObjectHashMap.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/util/PortableJvmInfo.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashMapLong.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/util/RangeUtil.java  
\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeLongArrayAccess.java

```

*
/netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/BaseMpscLinkedListArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCChunkedAtomicArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcUnboundedXaddArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscUnboundedArrayQueue.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/MessagePassingQueueUtil.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/util/Pow2.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcUnboundedXaddChunk.java
*
/netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/queues/package-info.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeJvmInfo.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingSetInt.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeAccess.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscUnboundedXaddArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/ConcurrentCircularArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscLinkedList.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/queues/BaseLinkedList.java
*
/netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCGrowArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/maps/ConcurrentAutoTable.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCGrowAtomicArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscGrowArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/AtomicQueueFactory.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/spec/ConcurrentQueueSpec.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/MessagePassingQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java
*
/netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCLinkedList.java
* /netty-common-4-1-89-final-sources-2-

```

```

jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpmcAtomicArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpmcAtomicArrayQueue.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/util/InternalAPI.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCUnboundedAtomicArrayQueue.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/queues/spec/Ordering.java
*
/netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/queues/SpmcArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscChunkedArrayQueue.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashSet.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashMap.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/queues/LinkedQueueNode.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCChunkedArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCUnboundedArrayQueue.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/queues/spec/Preference.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseSpSCLinkedAtomicArrayQueue.java
*
/netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/BaseSpSCLinkedArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingIdentityHashMap.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/IndexedQueueSizeUtil.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/queues/QueueFactory.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscCompoundQueue.java
*
/netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscUnboundedXaddChunk.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/queues/SupportsIterator.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscGrowableAtomicArrayQueue.java

```

```

* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/maps/AbstractEntry.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCLinkedAtomicQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscAtomicArrayQueue.java
*
/netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCAtomicArrayQueue.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeRefArrayAccess.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/LinkedQueueAtomicNode.java
* /netty-common-4-1-89-final-sources-2-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscBlockingConsumerArrayQueue.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* https://creativecommons.org/publicdomain/zero/1.0/
*/

```

```

Found in path(s):
* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/ThreadLocalRandom.java
No license file was found, but licenses were detected in source scan.

```

```

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

```



Found in path(s):

\* /netty-common-4-1-89-final-sources-2-jar/META-INF/native-image/io.netty/netty-common/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/concurrent/FastThreadLocalRunnable.java

\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/CleanerJava9.java

\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/Cleaner.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /netty-common-4-1-89-final-sources-2-jar/io/netty/util/internal/ClassInitializerUtil.java

# 1.81 bouncy-castle 1.47

## 1.81.1 Available under license :

```
/**
 * The Bouncy Castle License
 *
 * Copyright (c) 2000-2012 The Legion Of The Bouncy Castle (http://www.bouncycastle.org)
 * <p>
 * Permission is hereby granted, free of charge, to any person obtaining a copy of this software
 * and associated documentation files (the "Software"), to deal in the Software without restriction,
 * including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,
 * and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,
 * subject to the following conditions:
 * <p>
 * The above copyright notice and this permission notice shall be included in all copies or substantial
 * portions of the Software.
 * <p>
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 * IMPLIED,
 * INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
 * PARTICULAR
 * PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
 * HOLDERS
 * BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF
 * CONTRACT, TORT OR
 * OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
 * OTHER
 * DEALINGS IN THE SOFTWARE.
 */
```

# 1.82 asm-util 4.0

## 1.82.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/xml/asm-xml.dtd

No license file was found, but licenses were detected in source scan.

/\*\*\*

\* ASM XML Adapter

\* Copyright (c) 2004-2011, Eugene Kuleshov

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES,

\* INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/xml/SAXAdapter.java  
\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/xml/SAXFieldAdapter.java  
\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/xml/SAXClassAdapter.java  
\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/xml/ASMContentHandler.java  
\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/xml/SAXCodeAdapter.java  
\*  
/asm-util-4-0-sources-1-jar/org/objectweb/asm/xml/SAXAnnotationAdapter.java  
\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/xml/Processor.java

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov

\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/xml/package.html  
No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* Copyright (c) 2011 Google

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE

COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new {@link GeneratorAdapter}. *Subclasses must not use this*

\* constructor*.* Instead, they must use the

\* {@link #GeneratorAdapter(int, MethodVisitor, int, String, String)}

\* version.

\*

\* @param

mv the method visitor to which this adapter delegates calls.

\* @param access the method's access flags (see {@link Opcodes}).

\* @param name the method's name.

\* @param desc the method's descriptor (see {@link Type Type}).

\*/

Found in path(s):

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/GeneratorAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/StaticInitMerger.java

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingClassAdapter.java

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/ByteVector.java

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/Handler.java

\*

\*/asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Interpreter.java

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/signature/SignatureReader.java

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/AnnotationNode.java

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/Type.java

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/ClassReader.java

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/TableSwitchInsnNode.java

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SmallSet.java

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/JarOptimizer.java

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/Item.java

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/signature/SignatureVisitor.java

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/FieldVisitor.java

```

* /asm-util-4-0-sources-1-jar/org/objectweb/asm/FieldWriter.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicValue.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/MethodVisitor.java
*
/asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/VarInsnNode.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/TryCatchBlockSorter.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/Edge.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/CheckMethodAdapter.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/AnnotationVisitor.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/Opcodes.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/IncInsnNode.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/signature/SignatureWriter.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/MethodWriter.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/Attribute.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/AnnotationConstantsCollector.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/InsnList.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/FieldConstantsCollector.java
*
/asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/Method.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/Shrinker.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingFieldAdapter.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/CheckClassAdapter.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/LabelNode.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/Label.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/MethodConstantsCollector.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/MethodInsnNode.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/ClassWriter.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/TraceSignatureVisitor.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/AbstractInsnNode.java
*
/asm-util-4-0-sources-1-jar/org/objectweb/asm/AnnotationWriter.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/TraceAnnotationVisitor.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/Handle.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/LocalVariableNode.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Value.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/SimpleRemapper.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/FieldNode.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/TypeInsnNode.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/LineNumberNode.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/LdcInsnNode.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/Constant.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingAnnotationAdapter.java
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/ClassVisitor.java
*

```

/asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/AnalyzerException.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/FrameNode.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/CheckFieldAdapter.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/InsnNode.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingMethodAdapter.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/TryCatchBlockNode.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/Printer.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/InnerClassNode.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/Remapper.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/IntInsnNode.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicVerifier.java  
 \*  
 /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/LocalVariablesSorter.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/CodeSizeEvaluator.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/TableSwitchGenerator.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/NameMapping.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/FieldInsnNode.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/CheckSignatureAdapter.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/MethodOptimizer.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Subroutine.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SourceValue.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Frame.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/JumpInsnNode.java  
 \*  
 /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/ClassConstantsCollector.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/InstructionAdapter.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/ConstantPool.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingSignatureAdapter.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/Frame.java

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from



- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

- \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/package.html
- \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/package.html
- \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/signature/package.html
- \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/package.html
- \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/attrs/package.html
- \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/package.html
- \*
- \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/package.html

No license file was found, but licenses were detected in source scan.

/\*\*\*

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2011 INRIA, France Telecom
- \* Copyright (c) 2011 Google
- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE
- \* COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/ASMifier.java  
\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/MethodNode.java  
\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/ClassOptimizer.java  
\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/TraceClassVisitor.java  
\*  
\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/AdviceAdapter.java  
\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/TraceFieldVisitor.java  
\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/TraceMethodVisitor.java  
\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Analyzer.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
\* Copyright (c) 2000-2011 INRIA, France Telecom  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
\* "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new {@link AnalyzerAdapter}. *Subclasses must not use this*  
\* constructor*.* Instead, they must use the  
\* {@link #AnalyzerAdapter(int, String, int, String, String, MethodVisitor)}  
\* version.

\*

\* @param owner the owner's class  
name.

\* @param access the method's access flags (see {@link Opcodes}).

\* @param name the method's name.

\* @param desc the method's descriptor (see {@link Type Type}).

\* @param mv the method visitor to which this adapter delegates calls. May

\* be `null`.

\*/

Found in path(s):

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/AnalyzerAdapter.java

No license file was found, but licenses were detected in source scan.

#All rights reserved.

#Redistribution and use in source and binary forms, with or without

#modification, are permitted provided that the following conditions

#are met:

#1. Redistributions of source code must retain the above copyright

# notice, this list of conditions and the following disclaimer.

#2. Redistributions in binary form must reproduce the above copyright

# notice, this list of conditions and the following disclaimer in the

# documentation and/or other materials provided with the distribution.

#3. Neither the name of the copyright holders nor the names of its

# this software without specific prior written permission.

Found in path(s):

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-annotations.properties

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-resize.properties

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink.properties

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-frames.properties

\*

/asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-signatures.properties

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-writer.properties

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. Neither the name of the copyright holders nor the names of its  
 \* contributors may be used to endorse or promote products derived from  
 \* this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
 \* "AS IS"  
 \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
 \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
 \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
 \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
 \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
 \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
 \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
 \* THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

Found in path(s):

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/ASMifiable.java  
 \* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/Textifiable.java  
 No license file was found, but licenses were detected in source scan.

/\*\*\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
 \* Copyright (c) 2000-2011 INRIA, France Telecom  
 \* All rights reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. Neither the name of the copyright holders nor the names of its  
 \* contributors may be used to endorse or promote products derived from  
 \* this software without specific prior written permission.

\*  
 \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
 "AS IS"  
 \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
 \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
 \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
 \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
 \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
 \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
 \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
 \* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Constructs a new {@link ClassNode}. <i>Subclasses must not use this  
 \* constructor</i>. Instead, they must use the {@link #ClassNode(int)}  
 \* version.  
 \*/

Found in path(s):

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/tree/ClassNode.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
 \* Copyright (c) 2000-2011 INRIA, France Telecom  
 \* All rights reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. Neither the name of the copyright holders nor the names of its  
 \* contributors may be used to endorse or promote products derived from  
 \* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
 "AS IS"  
 \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
 \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
 \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
 \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Constructs a new {@link Textifier}. <i>Subclasses must not use this  
\* constructor</i>. Instead, they must use the {@link #Textifier(int)}  
\* version.  
\*/

Found in path(s):

\* /asm-util-4-0-sources-1-jar/org/objectweb/asm/util/Textifier.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
\* Copyright (c) 2000-2011 INRIA, France Telecom  
\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

- \* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new JSRInliner. <i>Subclasses must not use this

```

* constructor. Instead, they must use the
* {@link JSRInlinerAdapter(int, MethodVisitor, int, String, String, String, String[])}
* version.
*
* @param mv the MethodVisitor
to send the resulting inlined
* method code to (use null for none).
* @param access the method's access flags (see {@link Opcodes}). This
* parameter also indicates if the method is synthetic and/or
* deprecated.
* @param name the method's name.
* @param desc the method's descriptor (see {@link Type}).
* @param signature the method's signature. May be null.
* @param exceptions the internal names of the method's exception classes
* (see {@link Type#getInternalName() getInternalName}). May be
* null.
*/

```

Found in path(s):

```
* /asm-util-4-0-sources-1-jar/org/objectweb/asm/commons/JSRInlinerAdapter.java
```

## 1.83 commons-daemon 1.3.4

### 1.83.1 Available under license :

Apache Commons Daemon

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and



subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.84 commons-beanutils 1.9.4

## 1.84.1 Available under license :

Apache Commons BeanUtils

Copyright 2000-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.85 mail 1.5.2

### 1.85.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.



1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under

intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available

in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under

any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING

NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in

themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program),



you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be

guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF

ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

#### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY

or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module

which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but  
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

# 1.86 jna 5.8.0

## 1.86.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates  
the terms and conditions of version 3 of the GNU General Public  
License, supplemented by the additional permissions listed below.

### 0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser  
General Public License, and the "GNU GPL" refers to version 3 of the GNU  
General Public License.

"The Library" refers to a covered work governed by this License,  
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided  
by the Library, but which is not otherwise based on the Library.  
Defining a subclass of a class defined by the Library is  
deemed a mode  
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an  
Application with the Library. The particular version of the Library  
with which the Combined Work was made is also called the "Linked  
Version".

The "Minimal Corresponding Source" for a Combined Work means the  
Corresponding Source for the Combined Work, excluding any source code  
for portions of the Combined Work that, considered in isolation, are  
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the  
object code and/or source code for the Application, including any data  
and utility programs needed for reproducing the Combined Work from the

Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying  
Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
  - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
  - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.
- e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

## 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library

facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

=====  
=====  
Modified by Atlassian

The binary file of the original library has been modified by Atlassian in such way that classes have changed their package names from 'org.jfree' to 'clover.org.jfree'. This was necessary to avoid potential name conflicts during instrumentation of a code using the original library when using Clover. No source code of the original library was modified.

=====  
=====

GNU LESSER GENERAL PUBLIC LICENSE

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.



We protect your rights  
with a two-step method: (1) we copyright the  
library, and (2) we offer you this license, which gives you legal  
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that  
there is no warranty for the free library. Also, if the library is  
modified by someone else and passed on, the recipients should know  
that what they have is not the original version, so that the original  
author's reputation will not be affected by problems that might be  
introduced by others.

Finally, software patents pose a constant threat to the existence of  
any free program. We wish to make sure that a company cannot  
effectively restrict the users of a free program by obtaining a  
restrictive license from a patent holder. Therefore, we insist that  
any patent license obtained for a version of the library must be  
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the  
ordinary

GNU General Public License. This license, the GNU Lesser  
General Public License, applies to certain designated libraries, and  
is quite different from the ordinary General Public License. We use  
this license for certain libraries in order to permit linking those  
libraries into non-free programs.

When a program is linked with a library, whether statically or using  
a shared library, the combination of the two is legally speaking a  
combined work, a derivative of the original library. The ordinary  
General Public License therefore permits such linking only if the  
entire combination fits its criteria of freedom. The Lesser General  
Public License permits more lax criteria for linking other code with  
the library.

We call this license the "Lesser" General Public License because it  
does Less to protect the user's freedom than the ordinary General  
Public License. It also provides other free software developers Less  
of an advantage over competing non-free programs. These disadvantages  
are

the reason we use the ordinary General Public License for many  
libraries. However, the Lesser license provides advantages in certain  
special circumstances.

For example, on rare occasions, there may be a special need to  
encourage the widest possible use of a certain library, so that it becomes  
a de-facto standard. To achieve this, non-free programs must be  
allowed to use the library. A more frequent case is that a free

library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated

interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the

application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus,  
it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once  
this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which

must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library.

The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work

for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable

containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception,

the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the

Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.



13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library 'Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there

is to it!

The libffi source distribution contains certain code that is not part of libffi, and is only used as tooling to assist with the building and testing of libffi. This includes the msvcc.sh script used to wrap the Microsoft compiler with GNU compatible command-line options, make\_sunver.pl, and the libffi test code distributed in the testsuite/libffi.bhaible directory. This code is distributed with libffi for the purpose of convenience only, and libffi is in no way derived from this code.

msvcc.sh and testsuite/libffi.bhaible are both distributed under the terms of the GNU GPL version 2, as below.

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### Preamble

The licenses for most software  
are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
License is intended to guarantee your freedom to share and change free  
software--to make sure the software is free for all its users. This  
General Public License applies to most of the Free Software  
Foundation's software and to any other program whose authors commit to  
using it. (Some other Free Software Foundation software is covered by  
the GNU Lesser General Public License instead.) You can apply it to  
your programs, too.

When we speak of free software, we are referring to freedom, not  
price. Our General Public Licenses are designed to make sure that you  
have the freedom to distribute copies of free software (and charge for  
this service if you wish), that you receive source code or can get it  
if you want it, that you can change the software or use pieces of it  
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions  
that forbid  
anyone to deny you these rights or to ask you to surrender the rights.  
These restrictions translate to certain responsibilities for you if you  
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as

distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright

holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY



11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY

AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more

details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

```
/*
 * Apache License
 * Version 2.0, January 2004
 * http://www.apache.org/licenses/
 *
 * TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
 *
 * 1. Definitions.
 *
 * "License" shall mean the terms and conditions for use, reproduction,
 * and distribution as defined by Sections 1 through 9 of this document.
```

\*  
 \* "Licensor" shall mean the copyright owner or entity authorized by  
 \* the copyright owner that is granting the License.  
 \*

\* "Legal Entity" shall mean the union of the acting entity and all  
 \* other entities that control, are controlled by, or are under common  
 \* control with that entity. For the purposes of this definition,  
 \* "control" means (i) the power, direct or indirect, to cause the  
 \* direction or management of such entity, whether by contract or  
 \* otherwise, or (ii) ownership of fifty percent (50%) or more of the  
 \*  
 \* outstanding shares, or (iii) beneficial ownership of such entity.  
 \*

\* "You" (or "Your") shall mean an individual or Legal Entity  
 \* exercising permissions granted by this License.  
 \*

\* "Source" form shall mean the preferred form for making modifications,  
 \* including but not limited to software source code, documentation  
 \* source, and configuration files.  
 \*

\* "Object" form shall mean any form resulting from mechanical  
 \* transformation or translation of a Source form, including but  
 \* not limited to compiled object code, generated documentation,  
 \* and conversions to other media types.  
 \*

\* "Work" shall mean the work of authorship, whether in Source or  
 \* Object form, made available under the License, as indicated by a  
 \* copyright notice that is included in or attached to the work  
 \* (an example is provided in the Appendix below).  
 \*

\* "Derivative Works" shall mean any work, whether in Source or Object  
 \*  
 \* form, that is based on (or derived from) the Work and for which the  
 \* editorial revisions, annotations, elaborations, or other modifications  
 \* represent, as a whole, an original work of authorship. For the purposes  
 \* of this License, Derivative Works shall not include works that remain  
 \* separable from, or merely link (or bind by name) to the interfaces of,  
 \* the Work and Derivative Works thereof.  
 \*

\* "Contribution" shall mean any work of authorship, including  
 \* the original version of the Work and any modifications or additions  
 \* to that Work or Derivative Works thereof, that is intentionally  
 \* submitted to Licensor for inclusion in the Work by the copyright owner  
 \* or by an individual or Legal Entity authorized to submit on behalf of  
 \* the copyright owner. For the purposes of this definition, "submitted"  
 \* means any form of electronic, verbal, or written communication sent  
 \* to the Licensor or its representatives,

including but not limited to

- \* communication on electronic mailing lists, source code control systems,
- \* and issue tracking systems that are managed by, or on behalf of, the
- \* Licensor for the purpose of discussing and improving the Work, but
- \* excluding communication that is conspicuously marked or otherwise
- \* designated in writing by the copyright owner as "Not a Contribution."

\*

- \* "Contributor" shall mean Licensor and any individual or Legal Entity
- \* on behalf of whom a Contribution has been received by Licensor and
- \* subsequently incorporated within the Work.

\*

- \* 2. Grant of Copyright License. Subject to the terms and conditions of
- \* this License, each Contributor hereby grants to You a perpetual,
- \* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
- \* copyright license to reproduce, prepare Derivative Works of,
- \* publicly display, publicly perform, sublicense, and distribute the

\*

Work and such Derivative Works in Source or Object form.

\*

- \* 3. Grant of Patent License. Subject to the terms and conditions of
- \* this License, each Contributor hereby grants to You a perpetual,
- \* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
- \* (except as stated in this section) patent license to make, have made,
- \* use, offer to sell, sell, import, and otherwise transfer the Work,
- \* where such license applies only to those patent claims licensable
- \* by such Contributor that are necessarily infringed by their
- \* Contribution(s) alone or by combination of their Contribution(s)
- \* with the Work to which such Contribution(s) was submitted. If You
- \* institute patent litigation against any entity (including a
- \* cross-claim or counterclaim in a lawsuit) alleging that the Work
- \* or a Contribution incorporated within the Work constitutes direct
- \* or contributory patent infringement, then any patent licenses
- \* granted to You under this License for that Work shall terminate
- \* as of the date such litigation is filed.

\*

- \* 4. Redistribution. You may reproduce and distribute copies of the
- \* Work or Derivative Works thereof in any medium, with or without
- \* modifications, and in Source or Object form, provided that You
- \* meet the following conditions:

\*

- \* (a) You must give any other recipients of the Work or
- \* Derivative Works a copy of this License; and

\*

- \* (b) You must cause any modified files to carry prominent notices
- \* stating that You changed the files; and

\*

- \* (c) You must retain, in the Source form of any Derivative Works
- \* that You distribute, all copyright, patent, trademark, and

\*

- \* attribution notices from the Source form of the Work,
- \* excluding those notices that do not pertain to any part of
- \* the Derivative Works; and
- \*
- \* (d) If the Work includes a "NOTICE"
- text file as part of its
- \* distribution, then any Derivative Works that You distribute must
- \* include a readable copy of the attribution notices contained
- \* within such NOTICE file, excluding those notices that do not
- \* pertain to any part of the Derivative Works, in at least one
- \* of the following places: within a NOTICE text file distributed
- \* as part of the Derivative Works; within the Source form or
- \* documentation, if provided along with the Derivative Works; or,
- \* within a display generated by the Derivative Works, if and
- \* wherever such third-party notices normally appear. The contents
- \* of the NOTICE file are for informational purposes only and
- \* do not modify the License. You may add Your own attribution
- \* notices within Derivative Works that You distribute, alongside
- \* or as an addendum to the NOTICE text from the Work, provided
- \* that
- such additional attribution notices cannot be construed
- \* as modifying the License.
- \*
- \* You may add Your own copyright statement to Your modifications and
- \* may provide additional or different license terms and conditions
- \* for use, reproduction, or distribution of Your modifications, or
- \* for any such Derivative Works as a whole, provided Your use,
- \* reproduction, and distribution of the Work otherwise complies with
- \* the conditions stated in this License.
- \*
- \* 5. Submission of Contributions. Unless You explicitly state otherwise,
- \* any Contribution intentionally submitted for inclusion in the Work
- \* by You to the Licensor shall be under the terms and conditions of
- \* this License, without any additional terms or conditions.
- \* Notwithstanding the above, nothing herein shall supersede or modify
- \* the terms of any separate license agreement you may have executed
- \* with Licensor regarding such Contributions.
- \*
- \* 6. Trademarks. This License does not grant permission to use the trade
- \* names, trademarks, service marks, or product names of the Licensor,
- \* except as required for reasonable and customary use in describing the
- \* origin of the Work and reproducing the content of the NOTICE file.
- \*
- \* 7. Disclaimer of Warranty. Unless required by applicable law or
- \* agreed to in writing, Licensor provides the Work (and each
- \* Contributor provides its Contributions) on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
- \* implied, including, without limitation, any warranties or conditions

- \* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
- \* PARTICULAR PURPOSE. You are solely responsible for determining the
- \* appropriateness of using or redistributing the Work and assume any
- \* risks associated with Your exercise of permissions under this License.

\*

#### \* 8. Limitation of Liability.

In no event and under no legal theory,

- \* whether in tort (including negligence), contract, or otherwise,
- \* unless required by applicable law (such as deliberate and grossly
- \* negligent acts) or agreed to in writing, shall any Contributor be
- \* liable to You for damages, including any direct, indirect, special,
- \* incidental, or consequential damages of any character arising as a
- \* result of this License or out of the use or inability to use the
- \* Work (including but not limited to damages for loss of goodwill,
- \* work stoppage, computer failure or malfunction, or any and all
- \* other commercial damages or losses), even if such Contributor
- \* has been advised of the possibility of such damages.

\*

- \* 9. Accepting Warranty or Additional Liability. While redistributing
- \* the Work or Derivative Works thereof, You may choose to offer,
- \* and charge a fee for, acceptance of support, warranty, indemnity,
- \* or other

liability obligations and/or rights consistent with this

- \* License. However, in accepting such obligations, You may act only
- \* on Your own behalf and on Your sole responsibility, not on behalf
- \* of any other Contributor, and only if You agree to indemnify,
- \* defend, and hold each Contributor harmless for any liability
- \* incurred by, or claims asserted against, such Contributor by reason
- \* of your accepting any such warranty or additional liability.

\*

#### \* END OF TERMS AND CONDITIONS

\*

#### \* APPENDIX: How to apply the Apache License to your work.

\*

- \* To apply the Apache License to your work, attach the following
- \* boilerplate notice, with the fields enclosed by brackets "[]"
- \* replaced with your own identifying information. (Don't include
- \* the brackets!) The text should be enclosed in the appropriate
- \* comment syntax for the file format. We also recommend that a
- \* file or class name and description of purpose

be included on the

- \* same "printed page" as the copyright notice for easier
- \* identification within third-party archives.

\*

- \* Copyright [yyyy] [name of copyright owner]

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

## W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following

license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission.

Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002.

This version

removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

This license came from: <http://www.megginson.com/SAX/copying.html>  
However please note future versions of SAX may be covered  
under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights  
to SAX 2.0 (the Simple API for  
XML), and release all of the SAX 2.0 source code, compiled code, and  
documentation contained in this distribution into the Public Domain.  
SAX comes with NO WARRANTY or guarantee of fitness for any  
purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)  
2000-05-05

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.



"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Ant

Copyright 1999-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark Graphics Corp that has been kindly donated to the Apache Software Foundation.

=====  
=====  
Modified by Atlassian

The binary file of the original library has been modified by Atlassian in such way that classes have changed their package names from 'com.keypoint/org.jfree' to 'clover.com.keypoint/clover.org.jfree'. This was necessary to avoid potential name conflicts during instrumentation of a code using the original library when using Clover. No source code of the original library was modified.

=====  
=====  
GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You

can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and

is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.



2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of

a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a

derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the

Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License.

Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President  
of Vice

That's all there is to it!

/\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 2000-2003 The Apache Software Foundation. All rights  
\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. The end-user documentation included with the redistribution, if  
\* any, must include the following acknowledgement:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgement may appear in the software itself,  
\* if and wherever

such third-party acknowledgements normally appear.

\*



- \* 4. The names "Ant" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [apache@apache.org](mailto:apache@apache.org).
- \*
- \* 5. Products derived from this software may not be called "Apache" nor may "Apache" appear in their names without prior written permission of the Apache Group.
- \*
- \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \* =====
- \*
- \* This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <http://www.apache.org/>.
- \* /

#### Public Domain Dedication

This license is acceptable for Free Cultural Works.

#### Copyright-Only Dedication (based on United States law) or Public Domain Certification

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit

of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment

of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "DOM4J" must not be used to endorse or promote products derived from this Software without prior written permission of MetaStuff, Ltd. For written permission, please contact [dom4j-info@metastuff.com](mailto:dom4j-info@metastuff.com).
4. Products derived from this Software may not be called "DOM4J" nor may "DOM4J" appear in their names without prior written permission of MetaStuff, Ltd. DOM4J is a registered trademark of MetaStuff, Ltd.
5. Due credit should be given to the DOM4J Project - <http://www.dom4j.org>

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Open Source License for the overlibmws Package

1. License coverage

Note that this license only covers the script library (javascript core and plugin modules) and not any supporting material such as the overlibmws website or its online documentation and support files. You may not reproduce the website or its online material without explicit written permission from the author, but can freely incorporate scripts and procedures which are demonstrated in that material into your own HTML or XML documents.

## 2. License (Artistic)

### Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

### Definitions:

"Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.

"Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.

"Copyright Holder" is whoever is named in the copyright or copyrights for the package.

"You" is you, if you're thinking about copying or distributing this Package.

"Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.

You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.

You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:

- place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.

- use the modified Package only within your corporation or organization.

- rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it

differs from the Standard Version.

make other distribution arrangements with the Copyright Holder.

You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

accompany the distribution with the machine-readable source of the Package with your modifications.

accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

make other distribution arrangements with the Copyright Holder.

You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

=====  
=====

Modified by Atlassian

The binary file of the original library has been modified by Atlassian in such way that classes have changed their package names from 'it.unimi.dsi.fastutil' to 'clover.it.unimi.dsi.fastutil'. This was necessary to avoid potential name conflicts during instrumentation of a code using the original library when using Clover. No source code of the original library was modified.

=====  
=====

## GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot

effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs.

These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run

that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A

"library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an

appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

## 2. You

may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of

its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part



regardless of who wrote  
it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and

therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked

with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified

executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library

facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you

may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President  
of Vice

That's all there is to it!

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."



"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### GNU LIBRARY GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is numbered 2 because it goes with version 2 of the ordinary GPL.]

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

.

#### GNU LIBRARY GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work

which has

been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)



Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the

Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions

for copying, distributing or modifying  
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may

not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries,

so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

##### 15. BECAUSE

THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE

OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

Javolution - Java(TM) Solution for Real-Time and Embedded Systems

Copyright (c) 2006, Javolution (<http://javolution.org>)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Commons Lang

Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

libffi - Copyright (c) 1996-2020 Anthony Green, Red Hat, Inc and others.

See source files for details.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/\*

Copyright (c) 2000, Derek Petillo  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Praxis Software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

=====

Modified by Atlassian

The binary file of the original library has been modified by Atlassian in such way that classes have changed their package names from the 'org.apache.commons' to the 'clover.org.apache.commons'. This was necessary to

avoid potential name conflicts during instrumentation of a code using the original library when using Clover.  
No source code of the original library was modified.

=====

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.



4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works,
- if and
- wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*--

\$Id: LICENSE.txt,v 1.11 2004/02/06 09:32:57 jhunter Exp \$

Copyright (C) 2000-2004 Jason Hunter & Brett McLaughlin.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the disclaimer that follows these conditions in the documentation and/or other materials provided with the distribution.
3. The name "JDOM" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact <request\_AT\_jdom\_DOT\_org>.
4. Products derived from this software may not be called "JDOM", nor

may "JDOM" appear in their name, without prior written permission  
from the JDOM Project Management <request\_AT\_jdom\_DOT\_org>.

In addition, we request (but do not require) that you include in the end-user documentation provided with the redistribution and/or in the software itself an acknowledgement equivalent to the following:

"This product includes software developed by the  
JDOM Project (<http://www.jdom.org/>)."

Alternatively, the acknowledgment may be graphical using the logos available at <http://www.jdom.org/images/logos>.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE JDOM AUTHORS OR THE PROJECT CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the JDOM Project and was originally created by Jason Hunter <jhunter\_AT\_jdom\_DOT\_org> and Brett McLaughlin <brett\_AT\_jdom\_DOT\_org>. For more information on the JDOM Project, please see <<http://www.jdom.org/>>.

\*/

BSD License

Copyright (c) 2000-2006, [www.hamcrest.org](http://www.hamcrest.org)  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written

permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/\*

\$Id: LICENSE.txt,v 1.1.1.1 2004/07/01 13:59:13 jvanzyl Exp \$

Copyright 2002 (C) The Codehaus. All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "classworlds" must not be used to endorse or promote products derived from this Software without prior written permission of The Codehaus. For written permission, please contact [bob@codehaus.org](mailto:bob@codehaus.org).
4. Products derived from this Software may not be called "classworlds" nor may "classworlds" appear in their names without prior written permission of The Codehaus. "classworlds" is a registered trademark of The Codehaus.

5. Due credit should be given to The Codehaus.

(<http://classworlds.codehaus.org/>).

THIS SOFTWARE IS PROVIDED BY THE CODEHAUS AND CONTRIBUTORS  
``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
THE CODEHAUS OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

=====  
=====

Modified by Atlassian

The binary file of the original library has been modified by Atlassian in such way that classes have changed their package names from 'org.apache.velocity' to 'clover.org.apache.velocity'. This was necessary to avoid potential name conflicts during instrumentation of a code using the original library when using Clover. No source code of the original library was modified.

=====  
=====

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed



as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE,

NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.  
Apache Velocity

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

/\*

- \* The contents of this file are subject to the Mozilla Public License Version 1.1
- \* (the "License"); you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at <http://www.mozilla.org/MPL/>
- \*
- \* Software distributed under the License is distributed on an "AS IS" basis,
- \* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
- \* for the specific language governing rights and limitations under the License.
- \*
- \* The Original Code is 'iText, a free JAVA-PDF library'.
- \*
- \* The Initial Developer of the Original Code is Bruno Lowagie. Portions created by
- \* the Initial Developer are Copyright (C) 1999, 2000, 2001, 2002 by Bruno Lowagie.
- \* All Rights Reserved.
- \* Co-Developer of the code is Paulo Soares. Portions created by the Co-Developer
- \* are Copyright (C) 2000, 2001, 2002 by Paulo Soares. All Rights Reserved.
- \*
- \* Contributor(s): all the names of the contributors are added in the source code
- \* where applicable.
- \*
- \* Alternatively, the contents of this file may be used under the terms of the
- \* LGPL license (the "GNU LIBRARY GENERAL PUBLIC LICENSE"), in which case the
- \* provisions of LGPL are applicable instead of those above. If you wish to
- \* allow use of your version of this file only under the terms of the LGPL
- \* License and not to allow others to use your version of this file under
- \* the MPL, indicate your decision by deleting the provisions above and
- \* replace them with the notice and other provisions required by the LGPL.
- \* If you do not delete the provisions above, a recipient may use your version
- \* of this file under either the MPL or the GNU LIBRARY GENERAL PUBLIC LICENSE.
- \*
- \* This library is free software; you can redistribute it and/or modify it
- \* under the terms of the MPL as stated above or under the terms of the GNU
- \* Library General Public License as published by the Free Software Foundation;
- \* either version 2 of the License, or any later version.
- \*
- \* This library
- is distributed in the hope that it will be useful, but WITHOUT
- \* ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS
- \* FOR A PARTICULAR PURPOSE. See the GNU Library general Public License for more
- \* details.
- \*
- \* If you didn't download this code from the following link, you should check if
- \* you aren't using an obsolete version:
- \* <http://www.lowagie.com/iText/>

\*  
\* This class is generated based on a grammar file provided by SUN, and updated  
\* by Carsten Hammer. SUN's license agreement can be found at this URL:  
\* <http://java.sun.com/products/java-media/2D/samples/samples-license.html>  
\* See also the file sun.txt in directory com.lowagie.text.pdf  
\*/

=====  
=====  
Modified by Atlassian

The binary file of the original library has been modified by Atlassian in such way that classes have changed their package names from the 'antlr.\*' to the 'clover.antlr.\*'. This was necessary to avoid potential name conflicts during instrumentation of a code using the original library when using Clover.  
No source code of the original library was modified.

=====  
=====

## SOFTWARE RIGHTS

ANTLR 1989-2006 Developed by Terence Parr  
Partially supported by University of San Francisco & jGuru.com

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commercial software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

The primary ANTLR guy:

Terence Parr  
[parrt@cs.usfca.edu](mailto:parrt@cs.usfca.edu)  
[parrt@antlr.org](mailto:parrt@antlr.org)

onoMnApeShTpQtDJbcUgJTIFONPQeUndIgfQWWNNddIwBl  
mi2Kp5RjfhIJdGCSO<bOTNof2KNxm9KCi5lxEyKI9BJW3p  
qOPQUXpopOopMMPqnPnXXQPNOPNRnqQNQqStwVxuQSTtVW  
UrwSUSSTVwxWSXNmrrpnmqmUUnpsvpntsmmmmmUUnpsvp  
ntsmmmmmUUfmbkWJlroZbW4bsbilmjbkqUUnmmmm

Modified by Atlassian

The binary file of the original library has been modified by Atlassian in such way that classes have changed their package name from 'com.google.common' to 'clover.com.google.common'. This was necessary to avoid potential name conflicts during instrumentation of a code using the original library when using Clover. No source code of the original library was modified.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily  
infringed by their

Contribution(s) alone or by combination of their Contribution(s)  
with the Work to which such Contribution(s) was submitted. If You  
institute patent litigation against any entity (including a  
cross-claim or counterclaim in a lawsuit) alleging that the Work  
or a Contribution incorporated within the Work constitutes direct  
or contributory patent infringement, then any patent licenses  
granted to You under this License for that Work shall terminate  
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the  
Work or Derivative Works thereof in any medium, with or without  
modifications, and in Source or Object form, provided that You  
meet the following conditions:

(a) You must give any other recipients of the Work or  
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices  
  
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works  
that You distribute, all copyright, patent, trademark, and  
attribution notices from the Source form of the Work,  
excluding those notices that do not pertain to any part of  
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its  
distribution, then any Derivative Works that You distribute must  
include a readable copy of the attribution notices contained  
within such NOTICE file, excluding those notices that do not  
pertain to any part of the Derivative Works, in at least one  
of the following places: within a NOTICE text file distributed  
as part of the Derivative Works; within the Source form or  
documentation, if provided along with the Derivative Works; or,  
within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents  
of the NOTICE file are for informational purposes only and  
do not modify the License. You may add Your own attribution  
notices within Derivative Works that You distribute, alongside  
or as an addendum to the NOTICE text from the Work, provided  
that such additional attribution notices cannot be construed  
as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE,

NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been

advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this



License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*--

\$Id: LICENSE.txt,v 1.11 2004/02/06 09:32:57 jhunter Exp \$

Copyright (C) 2000-2004 Jason Hunter & Brett McLaughlin.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions, and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the disclaimer that follows these conditions in the documentation and/or other materials provided with the distribution.
3. The name "JDOM" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact <request\_AT\_jdom\_DOT\_org>.
4. Products derived from this software may not be called "JDOM", nor may "JDOM" appear in their name, without prior written permission from the JDOM Project Management <request\_AT\_jdom\_DOT\_org>.

In addition, we request (but do not require) that you include in the end-user documentation provided with the redistribution and/or in the software itself an acknowledgement equivalent to the following:

"This product includes software developed by the  
JDOM Project (<http://www.jdom.org/>)."

Alternatively, the acknowledgment may be graphical using the logos available at <http://www.jdom.org/images/logos>.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE JDOM AUTHORS OR THE PROJECT CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the JDOM Project and was originally created by Jason Hunter <jhunter\_AT\_jdom\_DOT\_org> and Brett McLaughlin <brett\_AT\_jdom\_DOT\_org>. For more information on the JDOM Project, please see <<http://www.jdom.org/>>.

\*/

=====

Modified by Atlassian

The binary file of the original library has been modified by Atlassian in such way that classes have changed

their package name from 'org.apache.commons' to 'clover.org.apache.commons'. This was necessary to avoid potential name conflicts during instrumentation of a code using the original library when using Clover. No source code of the original library was modified.

=====

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship,  
including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity  
on  
behalf of whom a Contribution has been received by Licensor and  
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily  
infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[ ]"  
replaced with  
your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

SPDX-License-Identifier: Apache-2.0 OR LGPL-2.1

Java Native Access (JNA) is licensed under the LGPL, version 2.1  
or later, or (from version 4.0 onward) the Apache License,  
version 2.0.

You can freely decide which license you want to apply to the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package  
containing JNA, in file "LGPL2.1", under the same directory  
as this file.

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package  
containing JNA, in file "AL2.0", under the same directory  
as this file.

Commercial support may be available, please e-mail  
twall[at]users[dot]sf[dot]net.

=====  
=====  
Modified by Atlassian

The binary file of the original library has been modified by Atlassian in such way that classes have changed their package name from 'com.lowagie' to 'clover.com.lowagie'. This was necessary to avoid potential name conflicts during instrumentation of a code using the original library when using Clover. No source code of the original library was modified.

=====  
=====

MOZILLA PUBLIC LICENSE  
Version 1.1

-----

1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.



1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. Source Code License.

### 2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

### 2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

#### 3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

#### 3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a

file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

### 3.4. Intellectual Property Matters

(a)

#### Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's

Modifications include an application programming

interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

### 3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s)

You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation

for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.6. Distribution of Executable Versions.

You may distribute

Covered Code in Executable form only if the

requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this

License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

## 4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation

then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

## 6. Versions of the License.

### 6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

### 6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

### 6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License.

(Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

## 7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 8. TERMINATION.

### 8.1.

This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant

terminate prospectively,

unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date

You first made, used,

sold, distributed, or had made, Modifications made by that

Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

## 9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

## 11. MISCELLANEOUS.

This License represents the complete agreement concerning subject



matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business

in the United

States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

## 12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## 13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

## EXHIBIT A -Mozilla Public License.

``The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights

and limitations  
under the License.

The Original Code is \_\_\_\_\_.

The Initial Developer of the Original Code is \_\_\_\_\_.

Portions created by \_\_\_\_\_ are Copyright (C) \_\_\_\_\_  
\_\_\_\_\_. All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms  
of the \_\_\_\_\_ license (the "[\_\_\_\_\_] License"), in which case the  
provisions of [\_\_\_\_\_] License are applicable instead of those  
above. If you wish to allow use of your version of this file only  
under the terms of the [\_\_\_\_\_] License and not to allow others to use  
your version of this file under the MPL, indicate your decision by  
deleting the provisions above and replace them with the notice and  
other provisions required by the [\_\_\_\_\_] License. If you do not delete  
the provisions above, a recipient may use your  
version of this file  
under either the MPL or the [\_\_\_\_\_] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of  
the notices in the Source Code files of the Original Code. You should  
use the text of this Exhibit A rather than the text found in the  
Original Code Source Code for Your Modifications.]

=====

Modified by Atlassian

The binary file of the original library has been modified by Atlassian in such way that classes have changed  
their package name from 'com.google.json' to 'clover.com.google.json'. This was necessary to  
avoid potential name conflicts during instrumentation of a code using the original library when using Clover.  
No source code of the original library was modified.

=====

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensors for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT,

## MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## MOZILLA PUBLIC LICENSE

Version 1.1

-----

### 1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. Source Code License.

### 2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property



claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements

caused

by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

## 2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make,

use, sell, offer for sale, have

made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

#### 3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

#### 3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the

origin or ownership of the Covered Code.

### 3.4. Intellectual Property Matters

#### (a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

#### (b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

#### (c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by

this License.

### 3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial

Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered

Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger

Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

## 4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

## 6. Versions of the License.

### 6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

### 6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

### 6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename

Your license so that

the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

## 7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or

a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or  
license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

## 9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL

NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

## 11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable,

such provision shall be reformed only to the extent

necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions.

With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including

without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

## 12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## 13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

### EXHIBIT A -Mozilla Public License.

``The contents of this file are subject to the Mozilla  
Public License

Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is \_\_\_\_\_.

The Initial Developer of the Original Code is \_\_\_\_\_.  
Portions created by \_\_\_\_\_ are Copyright (C) \_\_\_\_\_  
\_\_\_\_\_. All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms of the \_\_\_\_\_ license (the "[\_\_\_\_]" License), in which case the



provisions of [\_\_\_\_\_] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [\_\_\_\_\_] License and not to allow others to use your version of this file under the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [\_\_\_\_\_] License. If you do not delete the provisions above, a recipient may use your version of this file under either the MPL or the [\_\_\_\_\_] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]  
Apache Commons BeanUtils  
Copyright 2000-2016 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

/\*

File: Core.js

Description:

Provides common utility functions and the Class object used internally by the library.

Also provides the <TreeUtil> object for manipulating JSON tree structures

Some of the Basic utility functions and the Class system are based in the MooTools Framework <<http://mootools.net>>. Copyright (c) 2006-2009 Valerio Proietti, <<http://mad4milk.net/>>. MIT license <<http://mootools.net/license.txt>>.

Author:

Nicolas Garcia Belmonte

Copyright:

Copyright 2008-2009 by Nicolas Garcia Belmonte.

Homepage:

<<http://thejit.org>>

Version:

1.1.2

License:

## BSD License

> Redistribution and use in source and binary forms, with or without  
> modification, are permitted provided that the following conditions are met:  
> \* Redistributions of source code must retain the above copyright  
> notice, this list of conditions and the following disclaimer.  
> \* Redistributions in binary form must reproduce the above copyright  
> notice,  
this list of conditions and the following disclaimer in the  
> documentation and/or other materials provided with the distribution.  
> \* Neither the name of the organization nor the  
> names of its contributors may be used to endorse or promote products  
> derived from this software without specific prior written permission.  
>  
> THIS SOFTWARE IS PROVIDED BY Nicolas Garcia Belmonte ``AS IS" AND ANY  
> EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
> WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
> DISCLAIMED. IN NO EVENT SHALL Nicolas Garcia Belmonte BE LIABLE FOR ANY  
> DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
> (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
> LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
> ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
> (INCLUDING NEGLIGENCE OR OTHERWISE)  
ARISING IN ANY WAY OUT OF THE USE OF THIS  
> SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Copyright (c) 2005 - 2009 Taras Puchko

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
THE POSSIBILITY OF SUCH DAMAGE.

/\*\*\*\*\*

\* CruiseControl, a Continuous Integration Toolkit

\* Copyright (c) 2001-2003, ThoughtWorks, Inc.

\* 651 W Washington Ave. Suite 500

\* Chicago, IL 60661 USA

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* + Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\*

\* + Redistributions in binary form must reproduce the above

\* copyright notice, this list of conditions and the following

\* disclaimer in the documentation and/or other materials provided

\* with the distribution.

\*

\* + Neither the name of ThoughtWorks, Inc., CruiseControl, nor the

\* names of its contributors may be used to endorse or promote

\* products derived from this software without

specific prior

\* written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

\* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

\* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

\* A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR

\* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*\*\*\*\*/

[http://www.atlassian.com/dms/wac/Atlassian\\_EULA\\_4-2.pdf](http://www.atlassian.com/dms/wac/Atlassian_EULA_4-2.pdf)

From: <http://www.json.org/license.html>

=====  
=====  
  
Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Maven Ant Tasks

Copyright 2002-2011 The Apache Software Foundation



This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
Indiana University Extreme! Lab Software License

Version 1.1.1

Copyright (c) 2002 Extreme! Lab, Indiana University. All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright notice,  
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in  
the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any,  
must include the following acknowledgment:

"This product includes software developed by the Indiana University  
Extreme! Lab (<http://www.extreme.indiana.edu/>)."

Alternately, this acknowledgment may appear in the software itself,  
if and wherever such third-party acknowledgments normally  
appear.

4. The names "Indiana Univeristy" and "Indiana Univeristy Extreme! Lab"  
must not be used to endorse or promote products derived from this  
software without prior written permission. For written permission,  
please contact <http://www.extreme.indiana.edu/>.
5. Products derived from this software may not use "Indiana Univeristy"  
name nor may "Indiana Univeristy" appear in their name, without prior  
written permission of the Indiana University.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED  
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF  
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
IN NO EVENT SHALL THE AUTHORS, COPYRIGHT HOLDERS OR ITS CONTRIBUTORS  
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR  
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,  
WHETHER

IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.87 camel-spring 2.24.1

## 1.87.1 Available under license :

```
=====
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Camel distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Please read the different LICENSE files present in the licenses directory of  
this distribution.

Camel :: Spring  
Copyright 2007-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.88 jcl-over-slf4j 1.7.25

## 1.88.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2004 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /jcl-over-slf4j-1-7-25-sources-jar/org/apache/commons/logging/impl/SLF4JLogFactory.java
* /jcl-over-slf4j-1-7-25-sources-jar/org/apache/commons/logging/Log.java
* /jcl-over-slf4j-1-7-25-sources-jar/org/apache/commons/logging/LogFactory.java
* /jcl-over-slf4j-1-7-25-sources-jar/org/apache/commons/logging/LogConfigurationException.java
*
* /jcl-over-slf4j-1-7-25-sources-jar/org/apache/commons/logging/impl/SimpleLog.java
* /jcl-over-slf4j-1-7-25-sources-jar/org/apache/commons/logging/impl/SLF4JLog.java
* /jcl-over-slf4j-1-7-25-sources-jar/org/apache/commons/logging/impl/SLF4JLocationAwareLog.java
* /jcl-over-slf4j-1-7-25-sources-jar/org/apache/commons/logging/impl/NoOpLog.java
```

No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /jcl-over-slf4j-1-7-25-sources-jar/org/apache/commons/logging/package.html

# 1.89 geronimojmspec 1.1.1

## 1.89.1 Available under license :

Apache Geronimo

Copyright 2003-2008 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.



"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.90 tomcat-websocket-api 9.0.83

## 1.90.1 Available under license :

Apache Tomcat  
Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]



Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.91 tomcat-jasper-el 9.0.83

## 1.91.1 Available under license :

Apache Tomcat  
Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.92 asm 6.0

### 1.92.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
class java/applet/Applet$AccessibleApplet java/awt/Panel$AccessibleAWTPanel
java/applet/Applet$AccessibleApplet serialVersionUID
```

```

java/applet/Applet$AccessibleApplet this$0
java/applet/Applet$AccessibleApplet <init>(Ljava/applet/Applet;)V
java/applet/Applet$AccessibleApplet getAccessibleRole()Ljava/awt/Accessibility/AccessibleRole;
java/applet/Applet$AccessibleApplet getAccessibleStateSet()Ljava/awt/Accessibility/AccessibleStateSet;
class java/applet/AppletContext java/lang/Object
java/applet/AppletContext getAudioClip(Ljava/net/URL;)Ljava/awt/AudioClip;
java/applet/AppletContext getImage(Ljava/net/URL;)Ljava/awt/Image;
java/applet/AppletContext getApplet(Ljava/lang/String;)Ljava/applet/Applet;
java/applet/AppletContext getApplets()Ljava/util/Enumeration;
java/applet/AppletContext showDocument(Ljava/net/URL;)V
java/applet/AppletContext showDocument(Ljava/net/URL;Ljava/lang/String;)V
java/applet/AppletContext showStatus(Ljava/lang/String;)V
java/applet/AppletContext
 setStream(Ljava/lang/String;Ljava/io/InputStream;)V
java/applet/AppletContext getStream(Ljava/lang/String;)Ljava/io/InputStream;
java/applet/AppletContext getStreamKeys()Ljava/util/Iterator;
class java/applet/AppletStub java/lang/Object
java/applet/AppletStub isActive()Z
java/applet/AppletStub getDocumentBase()Ljava/net/URL;
java/applet/AppletStub getCodeBase()Ljava/net/URL;
java/applet/AppletStub getParameter(Ljava/lang/String;)Ljava/lang/String;
java/applet/AppletStub getAppletContext()Ljava/applet/AppletContext;
java/applet/AppletStub appletResize(II)V
class java/applet/AudioClip java/lang/Object
java/applet/AudioClip play()V
java/applet/AudioClip loop()V
java/applet/AudioClip stop()V
class java/awt/AWTEvent$1 java/lang/Object
java/awt/AWTEvent$1 <init>()V
java/awt/AWTEvent$1 run()Ljava/lang/Object;
class java/awt/AWTException java/lang/Exception
java/awt/AWTException serialVersionUID
java/awt/AWTException <init>(Ljava/lang/String;)V
class
 java/awt/AttributeValue java/lang/Object
java/awt/AttributeValue value
java/awt/AttributeValue names
java/awt/AttributeValue dbg
java/awt/AttributeValue <init>([Ljava/lang/String;)V
java/awt/AttributeValue hashCode()I
java/awt/AttributeValue toString()Ljava/lang/String;
java/awt/AttributeValue <clinit>()V
class java/awt/BasicStroke$FillAdapter java/lang/Object
java/awt/BasicStroke$FillAdapter closed
java/awt/BasicStroke$FillAdapter path
java/awt/BasicStroke$FillAdapter this$0
java/awt/BasicStroke$FillAdapter <init>(Ljava/awt/BasicStroke;)V
java/awt/BasicStroke$FillAdapter getShape()Ljava/awt/Shape;

```

```

java/awt/BasicStroke$FillAdapter dispose()V
java/awt/BasicStroke$FillAdapter getConsumer()Lsun/dc/path/PathConsumer;
java/awt/BasicStroke$FillAdapter beginPath()V
java/awt/BasicStroke$FillAdapter beginSubpath(FF)V
java/awt/BasicStroke$FillAdapter appendLine(FF)V
java/awt/BasicStroke$FillAdapter appendQuadratic(FFFF)V
java/awt/BasicStroke$FillAdapter appendCubic(FFFFFF)V
java/awt/BasicStroke$FillAdapter
 closedSubpath()V
java/awt/BasicStroke$FillAdapter endPath()V
java/awt/BasicStroke$FillAdapter useProxy(Lsun/dc/path/FastPathProducer;)V
java/awt/BasicStroke$FillAdapter getCPathConsumer()J
class java/awt/BufferCapabilities$FlipContents java/awt/AttributeValue
java/awt/BufferCapabilities$FlipContents I_UNDEFINED
java/awt/BufferCapabilities$FlipContents I_BACKGROUND
java/awt/BufferCapabilities$FlipContents I_PRIOR
java/awt/BufferCapabilities$FlipContents I_COPIED
java/awt/BufferCapabilities$FlipContents NAMES
java/awt/BufferCapabilities$FlipContents UNDEFINED
java/awt/BufferCapabilities$FlipContents BACKGROUND
java/awt/BufferCapabilities$FlipContents PRIOR
java/awt/BufferCapabilities$FlipContents COPIED
java/awt/BufferCapabilities$FlipContents <init>()V
java/awt/BufferCapabilities$FlipContents <clinit>()V
class java/awt/BufferCapabilities java/lang/Object
java/awt/BufferCapabilities frontCaps
java/awt/BufferCapabilities backCaps
java/awt/BufferCapabilities flipContents
java/awt/BufferCapabilities
 <init>(Ljava/awt/ImageCapabilities;Ljava/awt/ImageCapabilities;Ljava/awt/BufferCapabilities$FlipContents;)V
java/awt/BufferCapabilities getFrontBufferCapabilities()Ljava/awt/ImageCapabilities;
java/awt/BufferCapabilities getBackBufferCapabilities()Ljava/awt/ImageCapabilities;
java/awt/BufferCapabilities isPageFlipping()Z
java/awt/BufferCapabilities getFlipContents()Ljava/awt/BufferCapabilities$FlipContents;
java/awt/BufferCapabilities isFullScreenRequired()Z
java/awt/BufferCapabilities isMultiBufferAvailable()Z
java/awt/BufferCapabilities clone()Ljava/lang/Object;
class java/awt/Button$AccessibleAWTButton java/awt/Component$AccessibleAWTComponent
java/awt/Button$AccessibleAWTButton serialVersionUID
java/awt/Button$AccessibleAWTButton this$0
java/awt/Button$AccessibleAWTButton <init>(Ljava/awt/Button;)V
java/awt/Button$AccessibleAWTButton getAccessibleName()Ljava/lang/String;
java/awt/Button$AccessibleAWTButton getAccessibleAction()Ljava/awt/accessibility/AccessibleAction;
java/awt/Button$AccessibleAWTButton
 getAccessibleValue()Ljava/awt/accessibility/AccessibleValue;
java/awt/Button$AccessibleAWTButton getAccessibleActionCount()I
java/awt/Button$AccessibleAWTButton getAccessibleActionDescription(I)Ljava/lang/String;
java/awt/Button$AccessibleAWTButton doAccessibleAction(I)Z

```

```

java/awt/Button$AccessibleAWTButton getCurrentAccessibleValue()Ljava/lang/Number;
java/awt/Button$AccessibleAWTButton setCurrentAccessibleValue(Ljava/lang/Number;)Z
java/awt/Button$AccessibleAWTButton getMinimumAccessibleValue()Ljava/lang/Number;
java/awt/Button$AccessibleAWTButton getMaximumAccessibleValue()Ljava/lang/Number;
java/awt/Button$AccessibleAWTButton getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
class java/awt/Button java/awt/Component
java/awt/Button label
java/awt/Button actionCommand
java/awt/Button actionListener
java/awt/Button base
java/awt/Button nameCounter
java/awt/Button serialVersionUID
java/awt/Button buttonSerializedDataVersion
java/awt/Button
 initIDs()V
java/awt/Button <init>()V
java/awt/Button <init>(Ljava/lang/String;)V
java/awt/Button constructComponentName()Ljava/lang/String;
java/awt/Button addNotify()V
java/awt/Button getLabel()Ljava/lang/String;
java/awt/Button setLabel(Ljava/lang/String;)V
java/awt/Button setActionCommand(Ljava/lang/String;)V
java/awt/Button getActionCommand()Ljava/lang/String;
java/awt/Button addActionListener(Ljava/awt/event/ActionListener;)V
java/awt/Button removeActionListener(Ljava/awt/event/ActionListener;)V
java/awt/Button getActionListeners()[Ljava/awt/event/ActionListener;
java/awt/Button getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/Button eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/Button processEvent(Ljava/awt/AWTEvent;)V
java/awt/Button processActionEvent(Ljava/awt/event/ActionEvent;)V
java/awt/Button paramString()Ljava/lang/String;
java/awt/Button writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Button readObject(Ljava/io/ObjectInputStream;)V
java/awt/Button
 getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/Button <clinit>()V
class java/awt/Canvas$AccessibleAWTCanvas java/awt/Component$AccessibleAWTComponent
java/awt/Canvas$AccessibleAWTCanvas serialVersionUID
java/awt/Canvas$AccessibleAWTCanvas this$0
java/awt/Canvas$AccessibleAWTCanvas <init>(Ljava/awt/Canvas;)V
java/awt/Canvas$AccessibleAWTCanvas getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
class java/awt/Checkbox$AccessibleAWTCheckbox java/awt/Component$AccessibleAWTComponent
java/awt/Checkbox$AccessibleAWTCheckbox serialVersionUID
java/awt/Checkbox$AccessibleAWTCheckbox this$0
java/awt/Checkbox$AccessibleAWTCheckbox <init>(Ljava/awt/Checkbox;)V
java/awt/Checkbox$AccessibleAWTCheckbox itemStateChanged(Ljava/awt/event/ItemEvent;)V
java/awt/Checkbox$AccessibleAWTCheckbox getAccessibleAction()Ljava/awt/accessibility/AccessibleAction;
java/awt/Checkbox$AccessibleAWTCheckbox getAccessibleValue()Ljava/awt/accessibility/AccessibleValue;

```



```

java/awt/Checkbox$AccessibleAWTCheckbox
 getAccessibleActionCount()I
java/awt/Checkbox$AccessibleAWTCheckbox getAccessibleActionDescription(I)Ljava/lang/String;
java/awt/Checkbox$AccessibleAWTCheckbox doAccessibleAction(I)Z
java/awt/Checkbox$AccessibleAWTCheckbox getCurrentAccessibleValue(Ljava/lang/Number;
java/awt/Checkbox$AccessibleAWTCheckbox setCurrentAccessibleValue(Ljava/lang/Number;)Z
java/awt/Checkbox$AccessibleAWTCheckbox getMinimumAccessibleValue(Ljava/lang/Number;
java/awt/Checkbox$AccessibleAWTCheckbox getMaximumAccessibleValue(Ljava/lang/Number;
java/awt/Checkbox$AccessibleAWTCheckbox getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/Checkbox$AccessibleAWTCheckbox getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
class java/awt/Checkbox java/awt/Component
java/awt/Checkbox label
java/awt/Checkbox state
java/awt/Checkbox group
java/awt/Checkbox itemListener
java/awt/Checkbox base
java/awt/Checkbox nameCounter
java/awt/Checkbox serialVersionUID
java/awt/Checkbox checkboxSerializedDataVersion
java/awt/Checkbox
 setStateInternal(Z)V
java/awt/Checkbox <init>()V
java/awt/Checkbox <init>(Ljava/lang/String;)V
java/awt/Checkbox <init>(Ljava/lang/String;Z)V
java/awt/Checkbox <init>(Ljava/lang/String;ZLjava/awt/CheckboxGroup;)V
java/awt/Checkbox <init>(Ljava/lang/String;Ljava/awt/CheckboxGroup;)V
java/awt/Checkbox constructComponentName()Ljava/lang/String;
java/awt/Checkbox addNotify()V
java/awt/Checkbox getLabel()Ljava/lang/String;
java/awt/Checkbox setLabel(Ljava/lang/String;)V
java/awt/Checkbox getState()Z
java/awt/Checkbox setState(Z)V
java/awt/Checkbox getSelectedObjects()[Ljava/lang/Object;
java/awt/Checkbox getCheckboxGroup()Ljava/awt/CheckboxGroup;
java/awt/Checkbox setCheckboxGroup(Ljava/awt/CheckboxGroup;)V
java/awt/Checkbox addItemListener(Ljava/awt/event/ItemListener;)V
java/awt/Checkbox removeItemListener(Ljava/awt/event/ItemListener;)V
java/awt/Checkbox getItemListeners()[Ljava/awt/event/ItemListener;
java/awt/Checkbox getListeners(Ljava/lang/Class;)[Ljava/awt/event/EventListener;
java/awt/Checkbox
 eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/Checkbox processEvent(Ljava/awt/AWTEvent;)V
java/awt/Checkbox processItemEvent(Ljava/awt/event/ItemEvent;)V
java/awt/Checkbox paramString()Ljava/lang/String;
java/awt/Checkbox writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Checkbox readObject(Ljava/io/ObjectInputStream;)V
java/awt/Checkbox initIDs()V
java/awt/Checkbox getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;

```

```

java/awt/Checkbox <clinit>()V
class java/awt/CheckboxGroup java/lang/Object
java/awt/CheckboxGroup selectedCheckbox
java/awt/CheckboxGroup serialVersionUID
java/awt/CheckboxGroup <init>()V
java/awt/CheckboxGroup getSelectedCheckbox()Ljava/awt/Checkbox;
java/awt/CheckboxGroup getCurrent()Ljava/awt/Checkbox;
java/awt/CheckboxGroup setSelectedCheckbox(Ljava/awt/Checkbox;)V
java/awt/CheckboxGroup setCurrent(Ljava/awt/Checkbox;)V
java/awt/CheckboxGroup toString()Ljava/lang/String;
class java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
 java/awt/MenuItem$AccessibleAWTMenuItem
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem serialVersionUID
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem this$0
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem <init>(Ljava/awt/CheckboxMenuItem;)V
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
 getAccessibleAction()Ljava/awt/accessibility/AccessibleAction;
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
 getAccessibleValue()Ljava/awt/accessibility/AccessibleValue;
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem getAccessibleActionCount()I
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
 getAccessibleActionDescription(I)Ljava/lang/String;
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem doAccessibleAction(I)Z
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
 getCurrentAccessibleValue()Ljava/lang/Number;
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
 setCurrentAccessibleValue(Ljava/lang/Number;)Z
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
 getMinimumAccessibleValue()Ljava/lang/Number;
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
 getMaximumAccessibleValue()Ljava/lang/Number;
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
 getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
class java/awt/CheckboxMenuItem java/awt/MenuItem
java/awt/CheckboxMenuItem state
java/awt/CheckboxMenuItem itemListener
java/awt/CheckboxMenuItem base
java/awt/CheckboxMenuItem nameCounter
java/awt/CheckboxMenuItem serialVersionUID
java/awt/CheckboxMenuItem checkboxMenuItemSerializedDataVersion
java/awt/CheckboxMenuItem <init>()V
java/awt/CheckboxMenuItem <init>(Ljava/lang/String;)V
java/awt/CheckboxMenuItem <init>(Ljava/lang/String;Z)V
java/awt/CheckboxMenuItem constructComponentName()Ljava/lang/String;
java/awt/CheckboxMenuItem addNotify()V
java/awt/CheckboxMenuItem getState()Z
java/awt/CheckboxMenuItem setState(Z)V
java/awt/CheckboxMenuItem getSelectedObjects()[Ljava/lang/Object;

```

```

java/awt/CheckboxMenuItem
 addItemListener(Ljava/awt/event/ItemListener;)V
java/awt/CheckboxMenuItem removeItemListener(Ljava/awt/event/ItemListener;)V
java/awt/CheckboxMenuItem getItemListeners()[Ljava/awt/event/ItemListener;
java/awt/CheckboxMenuItem getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/CheckboxMenuItem eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/CheckboxMenuItem processEvent(Ljava/awt/AWTEvent;)V
java/awt/CheckboxMenuItem processItemEvent(Ljava/awt/event/ItemEvent;)V
java/awt/CheckboxMenuItem doMenuEvent(J)V
java/awt/CheckboxMenuItem paramString()Ljava/lang/String;
java/awt/CheckboxMenuItem writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/CheckboxMenuItem readObject(Ljava/io/ObjectInputStream;)V
java/awt/CheckboxMenuItem initIDs()V
java/awt/CheckboxMenuItem getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/CheckboxMenuItem <clinit>()V
class java/awt/Choice$AccessibleAWTChoice java/awt/Component$AccessibleAWTComponent
java/awt/Choice$AccessibleAWTChoice
 serialVersionUID
java/awt/Choice$AccessibleAWTChoice this$0
java/awt/Choice$AccessibleAWTChoice <init>(Ljava/awt/Choice;)V
java/awt/Choice$AccessibleAWTChoice getAccessibleAction()Ljava/awt/accessibility/AccessibleAction;
java/awt/Choice$AccessibleAWTChoice getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/Choice$AccessibleAWTChoice getAccessibleActionCount()I
java/awt/Choice$AccessibleAWTChoice getAccessibleActionDescription(I)Ljava/lang/String;
java/awt/Choice$AccessibleAWTChoice doAccessibleAction(I)Z
class java/awt/Choice java/awt/Component
java/awt/Choice pItems
java/awt/Choice selectedIndex
java/awt/Choice itemListener
java/awt/Choice base
java/awt/Choice nameCounter
java/awt/Choice serialVersionUID
java/awt/Choice choiceSerializedDataVersion
java/awt/Choice <init>()V
java/awt/Choice constructComponentName()Ljava/lang/String;
java/awt/Choice addNotify()V
java/awt/Choice getItemCount()I
java/awt/Choice countItems()I
java/awt/Choice getItem(I)Ljava/lang/String;
java/awt/Choice
 getItemImpl(I)Ljava/lang/String;
java/awt/Choice add(Ljava/lang/String;)V
java/awt/Choice addItem(Ljava/lang/String;)V
java/awt/Choice insertNoInvalidate(Ljava/lang/String;)V
java/awt/Choice insert(Ljava/lang/String;I)V
java/awt/Choice remove(Ljava/lang/String;)V
java/awt/Choice remove(I)V
java/awt/Choice removeNoInvalidate(I)V

```

```

java/awt/Choice removeAll()V
java/awt/Choice getSelectedItem()Ljava/lang/String;
java/awt/Choice getSelectedObjects()[Ljava/lang/Object;
java/awt/Choice getSelectedIndex()I
java/awt/Choice select(I)V
java/awt/Choice select(Ljava/lang/String;)V
java/awt/Choice addItemListener(Ljava/awt/event/ItemListener;)V
java/awt/Choice removeItemListener(Ljava/awt/event/ItemListener;)V
java/awt/Choice getItemListeners()[Ljava/awt/event/ItemListener;
java/awt/Choice getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/Choice eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/Choice processEvent(Ljava/awt/AWTEvent;)V
java/awt/Choice
 processItemEvent(Ljava/awt/event/ItemEvent;)V
java/awt/Choice paramString()Ljava/lang/String;
java/awt/Choice writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Choice readObject(Ljava/io/ObjectInputStream;)V
java/awt/Choice getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/Choice <clinit>()V
class java/awt/ColorPaintContext java/lang/Object
java/awt/ColorPaintContext color
java/awt/ColorPaintContext savedTile
java/awt/ColorPaintContext <init>(ILjava/awt/image/ColorModel;)V
java/awt/ColorPaintContext dispose()V
java/awt/ColorPaintContext getColorModel()Ljava/awt/image/ColorModel;
java/awt/ColorPaintContext getRaster(III)Ljava/awt/image/Raster;
class java/awt/Component$1 java/lang/Object
java/awt/Component$1 this$0
java/awt/Component$1 <init>(Ljava/awt/Component;)V
java/awt/Component$1 run()Ljava/lang/Object;
class java/awt/Component$2 java/lang/Object
java/awt/Component$2 val$swingClass
java/awt/Component$2 this$0
java/awt/Component$2 <init>(Ljava/awt/Component;Ljava/lang/Class;)V
java/awt/Component$2
 run()Ljava/lang/Object;
class java/awt/Component$3 java/lang/Object
java/awt/Component$3 val$method
java/awt/Component$3 this$0
java/awt/Component$3 <init>(Ljava/awt/Component;Ljava/lang/reflect/Method;)V
java/awt/Component$3 run()Ljava/lang/Object;
class java/awt/Component$AccessibleAWTComponent$AccessibleAWTComponentHandler java/lang/Object
java/awt/Component$AccessibleAWTComponent$AccessibleAWTComponentHandler this$1
java/awt/Component$AccessibleAWTComponent$AccessibleAWTComponentHandler
 <init>(Ljava/awt/Component$AccessibleAWTComponent;)V
java/awt/Component$AccessibleAWTComponent$AccessibleAWTComponentHandler
 componentHidden(Ljava/awt/event/ComponentEvent;)V
java/awt/Component$AccessibleAWTComponent$AccessibleAWTComponentHandler

```

```

componentShown(Ljava/awt/event/ComponentEvent;)V
java/awt/Component$AccessibleAWTComponent$AccessibleAWTComponentHandler
componentMoved(Ljava/awt/event/ComponentEvent;)V
java/awt/Component$AccessibleAWTComponent$AccessibleAWTComponentHandler
componentResized(Ljava/awt/event/ComponentEvent;)V
class java/awt/Component$AccessibleAWTComponent$AccessibleAWTFocusHandler java/lang/Object
java/awt/Component$AccessibleAWTComponent$AccessibleAWTFocusHandler this$1
java/awt/Component$AccessibleAWTComponent$AccessibleAWTFocusHandler
<init>(Ljava/awt/Component$AccessibleAWTComponent;)V
java/awt/Component$AccessibleAWTComponent$AccessibleAWTFocusHandler
focusGained(Ljava/awt/event/FocusEvent;)V
java/awt/Component$AccessibleAWTComponent$AccessibleAWTFocusHandler
focusLost(Ljava/awt/event/FocusEvent;)V
class java/awt/Component$BltBufferStrategy java/awt/image/BufferStrategy
java/awt/Component$BltBufferStrategy caps
java/awt/Component$BltBufferStrategy backBuffers
java/awt/Component$BltBufferStrategy validatedContents
java/awt/Component$BltBufferStrategy width
java/awt/Component$BltBufferStrategy height
java/awt/Component$BltBufferStrategy this$0
java/awt/Component$BltBufferStrategy <init>(Ljava/awt/Component;ILjava/awt/BufferCapabilities;)V
java/awt/Component$BltBufferStrategy
createBackBuffers(I)V
java/awt/Component$BltBufferStrategy getCapabilities()Ljava/awt/BufferCapabilities;
java/awt/Component$BltBufferStrategy getDrawGraphics()Ljava/awt/Graphics;
java/awt/Component$BltBufferStrategy getBackBuffer()Ljava/awt/Image;
java/awt/Component$BltBufferStrategy show()V
java/awt/Component$BltBufferStrategy revalidate()V
java/awt/Component$BltBufferStrategy contentsLost()Z
java/awt/Component$BltBufferStrategy contentsRestored()Z
class java/awt/Component$FlipBufferStrategy java/awt/image/BufferStrategy
java/awt/Component$FlipBufferStrategy numBuffers
java/awt/Component$FlipBufferStrategy caps
java/awt/Component$FlipBufferStrategy drawBuffer
java/awt/Component$FlipBufferStrategy drawVBuffer
java/awt/Component$FlipBufferStrategy validatedContents
java/awt/Component$FlipBufferStrategy this$0
java/awt/Component$FlipBufferStrategy <init>(Ljava/awt/Component;ILjava/awt/BufferCapabilities;)V
java/awt/Component$FlipBufferStrategy
createBuffers(ILjava/awt/BufferCapabilities;)V
java/awt/Component$FlipBufferStrategy getBackBuffer()Ljava/awt/Image;
java/awt/Component$FlipBufferStrategy flip(Ljava/awt/BufferCapabilities$FlipContents;)V
java/awt/Component$FlipBufferStrategy destroyBuffers()V
java/awt/Component$FlipBufferStrategy getCapabilities()Ljava/awt/BufferCapabilities;
java/awt/Component$FlipBufferStrategy getDrawGraphics()Ljava/awt/Graphics;
java/awt/Component$FlipBufferStrategy revalidate()V
java/awt/Component$FlipBufferStrategy contentsLost()Z
java/awt/Component$FlipBufferStrategy contentsRestored()Z

```

```

java/awt/Component$FlipBufferStrategy show()V
class java/awt/Component$SingleBufferStrategy java/awt/image/BufferStrategy
java/awt/Component$SingleBufferStrategy caps
java/awt/Component$SingleBufferStrategy this$0
java/awt/Component$SingleBufferStrategy <init>(Ljava/awt/Component;Ljava/awt/BufferCapabilities;)V
java/awt/Component$SingleBufferStrategy getCapabilities()Ljava/awt/BufferCapabilities;
java/awt/Component$SingleBufferStrategy
 getDrawGraphics()Ljava/awt/Graphics;
java/awt/Component$SingleBufferStrategy contentsLost()Z
java/awt/Component$SingleBufferStrategy contentsRestored()Z
java/awt/Component$SingleBufferStrategy show()V
class java/awt/CompositeContext java/lang/Object
java/awt/CompositeContext dispose()V
java/awt/CompositeContext
 compose(Ljava/awt/image/Raster;Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)V
class java/awt/Container$1 java/lang/Object
java/awt/Container$1 this$0
java/awt/Container$1 <init>(Ljava/awt/Container;)V
java/awt/Container$1 run()Ljava/lang/Object;
class java/awt/Container$2$1 java/lang/Object
java/awt/Container$2$1 this$1
java/awt/Container$2$1 <init>(Ljava/awt/Container$2;)V
java/awt/Container$2$1 evaluate()Z
class java/awt/Container$2 java/lang/Object
java/awt/Container$2 val$nativeContainer
java/awt/Container$2 this$0
java/awt/Container$2 <init>(Ljava/awt/Container;Ljava/awt/Container;)V
java/awt/Container$2 run()V
class
 java/awt/Container$AccessibleAWTContainer$AccessibleContainerHandler java/lang/Object
 java/awt/Container$AccessibleAWTContainer$AccessibleContainerHandler this$1
 java/awt/Container$AccessibleAWTContainer$AccessibleContainerHandler
 <init>(Ljava/awt/Container$AccessibleAWTContainer;)V
 java/awt/Container$AccessibleAWTContainer$AccessibleContainerHandler
 componentAdded(Ljava/awt/event/ContainerEvent;)V
 java/awt/Container$AccessibleAWTContainer$AccessibleContainerHandler
 componentRemoved(Ljava/awt/event/ContainerEvent;)V
 class java/awt/Container$DropTargetEventTargetFilter java/lang/Object
 java/awt/Container$DropTargetEventTargetFilter FILTER
 java/awt/Container$DropTargetEventTargetFilter <init>()V
 java/awt/Container$DropTargetEventTargetFilter accept(Ljava/awt/Component;)Z
 java/awt/Container$DropTargetEventTargetFilter <clinit>()V
 class java/awt/Container$EventTargetFilter java/lang/Object
 java/awt/Container$EventTargetFilter accept(Ljava/awt/Component;)Z
 class java/awt/Container$MouseEventTargetFilter
 java/lang/Object
 java/awt/Container$MouseEventTargetFilter FILTER
 java/awt/Container$MouseEventTargetFilter <init>()V

```

```

java/awt/Container$MouseEventTargetFilter accept(Ljava/awt/Component;)Z
java/awt/Container$MouseEventTargetFilter <clinit>()V
class java/awt/Container$WakingRunnable java/lang/Object
java/awt/Container$WakingRunnable <init>()V
java/awt/Container$WakingRunnable run()V
class java/awt/Cursor$1 java/lang/Object
java/awt/Cursor$1 val$fileName
java/awt/Cursor$1 val$fx
java/awt/Cursor$1 val$fy
java/awt/Cursor$1 val$flocalized
java/awt/Cursor$1 <init>(Ljava/lang/String;IILjava/lang/String;)V
java/awt/Cursor$1 run()Ljava/lang/Object;
class java/awt/Cursor$2 java/lang/Object
java/awt/Cursor$2 <init>()V
java/awt/Cursor$2 run()Ljava/lang/Object;
class java/awt/Cursor$CursorDisposer sun/java2d/DisposerRecord
java/awt/Cursor$CursorDisposer pData
java/awt/Cursor$CursorDisposer <init>()V
java/awt/Cursor$CursorDisposer dispose()V
class java/awt/DefaultKeyboardFocusManager$1
 java/lang/Object
java/awt/DefaultKeyboardFocusManager$1 val$se
java/awt/DefaultKeyboardFocusManager$1 val$targetAppContext
java/awt/DefaultKeyboardFocusManager$1 <init>(Ljava/awt/SentEvent;Lsun/awt/AppContext;)V
java/awt/DefaultKeyboardFocusManager$1 evaluate()Z
class java/awt/Dialog$1$1 java/lang/Object
java/awt/Dialog$1$1 this$1
java/awt/Dialog$1$1 <init>(Ljava/awt/Dialog$1;)V
java/awt/Dialog$1$1 evaluate()Z
class java/awt/Dialog$1 java/lang/Object
java/awt/Dialog$1 this$0
java/awt/Dialog$1 <init>(Ljava/awt/Dialog;)V
java/awt/Dialog$1 run()V
class java/awt/Dialog$2 java/lang/Object
java/awt/Dialog$2 val$pumpEventsForHierarchy
java/awt/Dialog$2 this$0
java/awt/Dialog$2 <init>(Ljava/awt/Dialog;Ljava/lang/Runnable;)V
java/awt/Dialog$2 run()Ljava/lang/Object;
class java/awt/Dialog$AccessibleAWTDialog java/awt/Window$AccessibleAWTWindow
java/awt/Dialog$AccessibleAWTDialog serialVersionUID
java/awt/Dialog$AccessibleAWTDialog this$0
java/awt/Dialog$AccessibleAWTDialog <init>(Ljava/awt/Dialog;)V
java/awt/Dialog$AccessibleAWTDialog
 getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/Dialog$AccessibleAWTDialog getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
class java/awt/Dialog$WakingRunnable java/lang/Object
java/awt/Dialog$WakingRunnable <init>()V
java/awt/Dialog$WakingRunnable run()V

```

```

class java/awt/DisplayMode java/lang/Object
java/awt/DisplayMode size
java/awt/DisplayMode bitDepth
java/awt/DisplayMode refreshRate
java/awt/DisplayMode BIT_DEPTH_MULTI
java/awt/DisplayMode REFRESH_RATE_UNKNOWN
java/awt/DisplayMode <init>(III)V
java/awt/DisplayMode getHeight()I
java/awt/DisplayMode getWidth()I
java/awt/DisplayMode getBitDepth()I
java/awt/DisplayMode getRefreshRate()I
java/awt/DisplayMode equals(Ljava/awt/DisplayMode;)Z
java/awt/DisplayMode equals(Ljava/lang/Object;)Z
java/awt/DisplayMode hashCode()I
class java/awt/EventDispatchThread$StopDispatchEvent java/awt/AWTEvent
java/awt/EventDispatchThread$StopDispatchEvent this$0
java/awt/EventDispatchThread$StopDispatchEvent
 <init>(Ljava/awt/EventDispatchThread;)V
java/awt/EventDispatchThread$StopDispatchEvent dispatch()V
class java/awt/FileDialog java/awt/Dialog
java/awt/FileDialog LOAD
java/awt/FileDialog SAVE
java/awt/FileDialog mode
java/awt/FileDialog dir
java/awt/FileDialog file
java/awt/FileDialog filter
java/awt/FileDialog base
java/awt/FileDialog nameCounter
java/awt/FileDialog serialVersionUID
java/awt/FileDialog initIDs()V
java/awt/FileDialog <init>(Ljava/awt/Frame;)V
java/awt/FileDialog <init>(Ljava/awt/Frame;Ljava/lang/String;)V
java/awt/FileDialog <init>(Ljava/awt/Frame;Ljava/lang/String;I)V
java/awt/FileDialog <init>(Ljava/awt/Dialog;)V
java/awt/FileDialog <init>(Ljava/awt/Dialog;Ljava/lang/String;)V
java/awt/FileDialog <init>(Ljava/awt/Dialog;Ljava/lang/String;I)V
java/awt/FileDialog constructComponentName()Ljava/lang/String;
java/awt/FileDialog addNotify()V
java/awt/FileDialog getMode()I
java/awt/FileDialog setMode(I)V
java/awt/FileDialog getDirectory()Ljava/lang/String;
java/awt/FileDialog
 setDirectory(Ljava/lang/String;)V
java/awt/FileDialog getFile()Ljava/lang/String;
java/awt/FileDialog setFile(Ljava/lang/String;)V
java/awt/FileDialog getFilenameFilter()Ljava/io/FilenameFilter;
java/awt/FileDialog setFilenameFilter(Ljava/io/FilenameFilter;)V
java/awt/FileDialog readObject(Ljava/io/ObjectInputStream;)V

```



```

java/awt/FileDialog paramString()Ljava/lang/String;
java/awt/FileDialog postsOldMouseEvents()Z
java/awt/FileDialog <clinit>()V
class java/awt/FocusManager java/lang/Object
java/awt/FocusManager focusRoot
java/awt/FocusManager focusOwner
java/awt/FocusManager serialVersionUID
java/awt/FocusManager <init>()V
class java/awt/Font$1 java/lang/Object
java/awt/Font$1 val$fStream
java/awt/Font$1 <init>(Ljava/io/InputStream;)V
java/awt/Font$1 run()Ljava/lang/Object;
class java/awt/Font$Key java/lang/Object
java/awt/Font$Key family
java/awt/Font$Key weight
java/awt/Font$Key posture
java/awt/Font$Key size
java/awt/Font$Key superscript
java/awt/Font$Key
 width
java/awt/Font$Key txdata
java/awt/Font$Key attrs
java/awt/Font$Key hashCode
java/awt/Font$Key <init>(Ljava/util/Map;)V
java/awt/Font$Key hashCode()I
java/awt/Font$Key equals(Ljava/lang/Object;)Z
class java/awt/FontFormatException java/lang/Exception
java/awt/FontFormatException <init>(Ljava/lang/String;)V
class java/awt/GradientPaint java/lang/Object
java/awt/GradientPaint p1
java/awt/GradientPaint p2
java/awt/GradientPaint color1
java/awt/GradientPaint color2
java/awt/GradientPaint cyclic
java/awt/GradientPaint <init>(FFLjava/awt/Color;FFLjava/awt/Color;)V
java/awt/GradientPaint
 <init>(Ljava/awt/geom/Point2D;Ljava/awt/Color;Ljava/awt/geom/Point2D;Ljava/awt/Color;)V
java/awt/GradientPaint <init>(FFLjava/awt/Color;FFLjava/awt/Color;Z)V
java/awt/GradientPaint
 <init>(Ljava/awt/geom/Point2D;Ljava/awt/Color;Ljava/awt/geom/Point2D;Ljava/awt/Color;Z)V
java/awt/GradientPaint getPoint1()Ljava/awt/geom/Point2D;
java/awt/GradientPaint getColor1()Ljava/awt/Color;
java/awt/GradientPaint getPoint2()Ljava/awt/geom/Point2D;
java/awt/GradientPaint
 getColor2()Ljava/awt/Color;
java/awt/GradientPaint isCyclic()Z
java/awt/GradientPaint
 createContext(Ljava/awt/image/ColorModel;Ljava/awt/Rectangle;Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Ar

```

```

fineTransform;Ljava/awt/RenderingHints;)Ljava/awt/PaintContext;
java/awt/GradientPaint getTransparency()I
class java/awt/GradientPaintContext java/lang/Object
java/awt/GradientPaintContext xrgbmodel
java/awt/GradientPaintContext xbgrmodel
java/awt/GradientPaintContext cachedModel
java/awt/GradientPaintContext cached
java/awt/GradientPaintContext x1
java/awt/GradientPaintContext y1
java/awt/GradientPaintContext dx
java/awt/GradientPaintContext dy
java/awt/GradientPaintContext cyclic
java/awt/GradientPaintContext interp
java/awt/GradientPaintContext saved
java/awt/GradientPaintContext model
java/awt/GradientPaintContext getCachedRaster(Ljava/awt/image/ColorModel;II)Ljava/awt/image/Raster;
java/awt/GradientPaintContext putCachedRaster(Ljava/awt/image/ColorModel;Ljava/awt/image/Raster;)V
java/awt/GradientPaintContext
<init>(Ljava/awt/image/ColorModel;Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;Ljava/awt/geom/AffineTra
nsform;Ljava/awt/Color;Ljava/awt/Color;Z)V
java/awt/GradientPaintContext dispose()V
java/awt/GradientPaintContext getColorModel()Ljava/awt/image/ColorModel;
java/awt/GradientPaintContext getRaster(III)Ljava/awt/image/Raster;
java/awt/GradientPaintContext cycleFillRaster([IIIIDDD)V
java/awt/GradientPaintContext clipFillRaster([IIIIDDD)V
java/awt/GradientPaintContext <clinit>()V
class java/awt/GraphicsCallback$PaintAllCallback java/awt/GraphicsCallback
java/awt/GraphicsCallback$PaintAllCallback instance
java/awt/GraphicsCallback$PaintAllCallback <init>()V
java/awt/GraphicsCallback$PaintAllCallback run(Ljava/awt/Component;Ljava/awt/Graphics;)V
java/awt/GraphicsCallback$PaintAllCallback getInstance()Ljava/awt/GraphicsCallback$PaintAllCallback;
java/awt/GraphicsCallback$PaintAllCallback <clinit>()V
class java/awt/GraphicsCallback$PaintHeavyweightComponentsCallback
java/awt/GraphicsCallback
java/awt/GraphicsCallback$PaintHeavyweightComponentsCallback instance
java/awt/GraphicsCallback$PaintHeavyweightComponentsCallback <init>()V
java/awt/GraphicsCallback$PaintHeavyweightComponentsCallback
run(Ljava/awt/Component;Ljava/awt/Graphics;)V
java/awt/GraphicsCallback$PaintHeavyweightComponentsCallback
getInstance()Ljava/awt/GraphicsCallback$PaintHeavyweightComponentsCallback;
java/awt/GraphicsCallback$PaintHeavyweightComponentsCallback <clinit>()V
class java/awt/GraphicsCallback$PeerPaintCallback java/awt/GraphicsCallback
java/awt/GraphicsCallback$PeerPaintCallback instance
java/awt/GraphicsCallback$PeerPaintCallback <init>()V
java/awt/GraphicsCallback$PeerPaintCallback run(Ljava/awt/Component;Ljava/awt/Graphics;)V
java/awt/GraphicsCallback$PeerPaintCallback getInstance()Ljava/awt/GraphicsCallback$PeerPaintCallback;
java/awt/GraphicsCallback$PeerPaintCallback <clinit>()V
class java/awt/GraphicsCallback$PeerPrintCallback

```

```

java/awt/GraphicsCallback
java/awt/GraphicsCallback$PeerPrintCallback instance
java/awt/GraphicsCallback$PeerPrintCallback <init>()V
java/awt/GraphicsCallback$PeerPrintCallback run(Ljava/awt/Component;Ljava/awt/Graphics;)V
java/awt/GraphicsCallback$PeerPrintCallback getInstance()Ljava/awt/GraphicsCallback$PeerPrintCallback;
java/awt/GraphicsCallback$PeerPrintCallback <clinit>()V
class java/awt/GraphicsCallback$PrintAllCallback java/awt/GraphicsCallback
java/awt/GraphicsCallback$PrintAllCallback instance
java/awt/GraphicsCallback$PrintAllCallback <init>()V
java/awt/GraphicsCallback$PrintAllCallback run(Ljava/awt/Component;Ljava/awt/Graphics;)V
java/awt/GraphicsCallback$PrintAllCallback getInstance()Ljava/awt/GraphicsCallback$PrintAllCallback;
java/awt/GraphicsCallback$PrintAllCallback <clinit>()V
class java/awt/GraphicsCallback$PrintCallback java/awt/GraphicsCallback
java/awt/GraphicsCallback$PrintCallback instance
java/awt/GraphicsCallback$PrintCallback <init>()V
java/awt/GraphicsCallback$PrintCallback
 run(Ljava/awt/Component;Ljava/awt/Graphics;)V
java/awt/GraphicsCallback$PrintCallback getInstance()Ljava/awt/GraphicsCallback$PrintCallback;
java/awt/GraphicsCallback$PrintCallback <clinit>()V
class java/awt/GraphicsCallback$PrintHeavyweightComponentsCallback java/awt/GraphicsCallback
java/awt/GraphicsCallback$PrintHeavyweightComponentsCallback instance
java/awt/GraphicsCallback$PrintHeavyweightComponentsCallback <init>()V
java/awt/GraphicsCallback$PrintHeavyweightComponentsCallback
 run(Ljava/awt/Component;Ljava/awt/Graphics;)V
java/awt/GraphicsCallback$PrintHeavyweightComponentsCallback
 getInstance()Ljava/awt/GraphicsCallback$PrintHeavyweightComponentsCallback;
java/awt/GraphicsCallback$PrintHeavyweightComponentsCallback <clinit>()V
class java/awt/GraphicsConfigTemplate java/lang/Object
java/awt/GraphicsConfigTemplate REQUIRED
java/awt/GraphicsConfigTemplate PREFERRED
java/awt/GraphicsConfigTemplate UNNECESSARY
java/awt/GraphicsConfigTemplate <init>()V
java/awt/GraphicsConfigTemplate
 getBestConfiguration([Ljava/awt/GraphicsConfiguration;)Ljava/awt/GraphicsConfiguration;
java/awt/GraphicsConfigTemplate isGraphicsConfigSupported(Ljava/awt/GraphicsConfiguration;)Z
class java/awt/GraphicsConfiguration$DefaultBufferCapabilities java/awt/BufferCapabilities
java/awt/GraphicsConfiguration$DefaultBufferCapabilities <init>(Ljava/awt/ImageCapabilities;)V
class java/awt/GridBagConstraints java/lang/Object
java/awt/GridBagConstraints RELATIVE
java/awt/GridBagConstraints REMAINDER
java/awt/GridBagConstraints NONE
java/awt/GridBagConstraints BOTH
java/awt/GridBagConstraints HORIZONTAL
java/awt/GridBagConstraints VERTICAL
java/awt/GridBagConstraints CENTER
java/awt/GridBagConstraints NORTH
java/awt/GridBagConstraints NORTHEAST
java/awt/GridBagConstraints EAST

```

```

java/awt/GridBagConstraints SOUTHEAST
java/awt/GridBagConstraints SOUTH
java/awt/GridBagConstraints SOUTHWEST
java/awt/GridBagConstraints WEST
java/awt/GridBagConstraints NORTHWEST
java/awt/GridBagConstraints
 PAGE_START
java/awt/GridBagConstraints PAGE_END
java/awt/GridBagConstraints LINE_START
java/awt/GridBagConstraints LINE_END
java/awt/GridBagConstraints FIRST_LINE_START
java/awt/GridBagConstraints FIRST_LINE_END
java/awt/GridBagConstraints LAST_LINE_START
java/awt/GridBagConstraints LAST_LINE_END
java/awt/GridBagConstraints gridx
java/awt/GridBagConstraints gridy
java/awt/GridBagConstraints gridwidth
java/awt/GridBagConstraints gridheight
java/awt/GridBagConstraints weightx
java/awt/GridBagConstraints weighty
java/awt/GridBagConstraints anchor
java/awt/GridBagConstraints fill
java/awt/GridBagConstraints insets
java/awt/GridBagConstraints ipadx
java/awt/GridBagConstraints ipady
java/awt/GridBagConstraints tempX
java/awt/GridBagConstraints tempY
java/awt/GridBagConstraints tempWidth
java/awt/GridBagConstraints tempHeight
java/awt/GridBagConstraints minWidth
java/awt/GridBagConstraints minHeight
java/awt/GridBagConstraints serialVersionUID
java/awt/GridBagConstraints <init>()V
java/awt/GridBagConstraints
 <init>(IIIIDDIILjava/awt/Insets;II)V
java/awt/GridBagConstraints clone()Ljava/lang/Object;
class java/awt/GridBagLayout java/lang/Object
java/awt/GridBagLayout MAXGRIDSIZE
java/awt/GridBagLayout MINSIZE
java/awt/GridBagLayout PREFERRED_SIZE
java/awt/GridBagLayout comtable
java/awt/GridBagLayout defaultConstraints
java/awt/GridBagLayout layoutInfo
java/awt/GridBagLayout columnWidths
java/awt/GridBagLayout rowHeights
java/awt/GridBagLayout columnWeights
java/awt/GridBagLayout rowWeights
java/awt/GridBagLayout rightToLeft

```

```

java/awt/GridBagLayout serialVersionUID
java/awt/GridBagLayout <init>()V
java/awt/GridBagLayout setConstraints(Ljava/awt/Component;Ljava/awt/GridBagConstraints;)V
java/awt/GridBagLayout getConstraints(Ljava/awt/Component;)Ljava/awt/GridBagConstraints;
java/awt/GridBagLayout lookupConstraints(Ljava/awt/Component;)Ljava/awt/GridBagConstraints;
java/awt/GridBagLayout removeConstraints(Ljava/awt/Component;)V
java/awt/GridBagLayout getLayoutOrigin()Ljava/awt/Point;
java/awt/GridBagLayout
 getLayoutDimensions()[[I
java/awt/GridBagLayout getLayoutWeights()[[D
java/awt/GridBagLayout location(II)Ljava/awt/Point;
java/awt/GridBagLayout addLayoutComponent(Ljava/lang/String;Ljava/awt/Component;)V
java/awt/GridBagLayout addLayoutComponent(Ljava/awt/Component;Ljava/lang/Object;)V
java/awt/GridBagLayout removeLayoutComponent(Ljava/awt/Component;)V
java/awt/GridBagLayout preferredLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/GridBagLayout minimumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/GridBagLayout maximumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/GridBagLayout getLayoutAlignmentX(Ljava/awt/Container;)F
java/awt/GridBagLayout getLayoutAlignmentY(Ljava/awt/Container;)F
java/awt/GridBagLayout invalidateLayout(Ljava/awt/Container;)V
java/awt/GridBagLayout layoutContainer(Ljava/awt/Container;)V
java/awt/GridBagLayout toString()Ljava/lang/String;
java/awt/GridBagLayout getLayoutInfo(Ljava/awt/Container;I)Ljava/awt/GridBagLayoutInfo;
java/awt/GridBagLayout
 GetLayoutInfo(Ljava/awt/Container;I)Ljava/awt/GridBagLayoutInfo;
java/awt/GridBagLayout adjustForGravity(Ljava/awt/GridBagConstraints;Ljava/awt/Rectangle;)V
java/awt/GridBagLayout AdjustForGravity(Ljava/awt/GridBagConstraints;Ljava/awt/Rectangle;)V
java/awt/GridBagLayout getMinSize(Ljava/awt/Container;Ljava/awt/GridBagLayoutInfo;)Ljava/awt/Dimension;
java/awt/GridBagLayout GetMinSize(Ljava/awt/Container;Ljava/awt/GridBagLayoutInfo;)Ljava/awt/Dimension;
java/awt/GridBagLayout arrangeGrid(Ljava/awt/Container;)V
java/awt/GridBagLayout ArrangeGrid(Ljava/awt/Container;)V
class java/awt/GridBagLayoutInfo java/lang/Object
java/awt/GridBagLayoutInfo width
java/awt/GridBagLayoutInfo height
java/awt/GridBagLayoutInfo startx
java/awt/GridBagLayoutInfo starty
java/awt/GridBagLayoutInfo minWidth
java/awt/GridBagLayoutInfo minHeight
java/awt/GridBagLayoutInfo weightX
java/awt/GridBagLayoutInfo weightY
java/awt/GridBagLayoutInfo
 <init>()V
class java/awt/IllegalComponentStateException java/lang/IllegalStateException
java/awt/IllegalComponentStateException serialVersionUID
java/awt/IllegalComponentStateException <init>()V
java/awt/IllegalComponentStateException <init>(Ljava/lang/String;)V
class java/awt/JobAttributes$DefaultSelectionType java/awt/AttributeValue
java/awt/JobAttributes$DefaultSelectionType I_ALL

```

```

java/awt/JobAttributes$DefaultSelectionType I_RANGE
java/awt/JobAttributes$DefaultSelectionType I_SELECTION
java/awt/JobAttributes$DefaultSelectionType NAMES
java/awt/JobAttributes$DefaultSelectionType ALL
java/awt/JobAttributes$DefaultSelectionType RANGE
java/awt/JobAttributes$DefaultSelectionType SELECTION
java/awt/JobAttributes$DefaultSelectionType <init>(I)V
java/awt/JobAttributes$DefaultSelectionType <clinit>()V
class java/awt/JobAttributes$DestinationType java/awt/AttributeValue
java/awt/JobAttributes$DestinationType I_FILE
java/awt/JobAttributes$DestinationType I_PRINTER
java/awt/JobAttributes$DestinationType
 NAMES
java/awt/JobAttributes$DestinationType FILE
java/awt/JobAttributes$DestinationType PRINTER
java/awt/JobAttributes$DestinationType <init>(I)V
java/awt/JobAttributes$DestinationType <clinit>()V
class java/awt/JobAttributes$DialogType java/awt/AttributeValue
java/awt/JobAttributes$DialogType I_COMMON
java/awt/JobAttributes$DialogType I_NATIVE
java/awt/JobAttributes$DialogType I_NONE
java/awt/JobAttributes$DialogType NAMES
java/awt/JobAttributes$DialogType COMMON
java/awt/JobAttributes$DialogType NATIVE
java/awt/JobAttributes$DialogType NONE
java/awt/JobAttributes$DialogType <init>(I)V
java/awt/JobAttributes$DialogType <clinit>()V
class java/awt/JobAttributes$MultipleDocumentHandlingType java/awt/AttributeValue
java/awt/JobAttributes$MultipleDocumentHandlingType I_SEPARATE_DOCUMENTS_COLLATED_COPIES
java/awt/JobAttributes$MultipleDocumentHandlingType
 I_SEPARATE_DOCUMENTS_UNCOLLATED_COPIES
java/awt/JobAttributes$MultipleDocumentHandlingType NAMES
java/awt/JobAttributes$MultipleDocumentHandlingType
 SEPARATE_DOCUMENTS_COLLATED_COPIES
java/awt/JobAttributes$MultipleDocumentHandlingType SEPARATE_DOCUMENTS_UNCOLLATED_COPIES
java/awt/JobAttributes$MultipleDocumentHandlingType <init>(I)V
java/awt/JobAttributes$MultipleDocumentHandlingType <clinit>()V
class java/awt/JobAttributes$SidesType java/awt/AttributeValue
java/awt/JobAttributes$SidesType I_ONE_SIDED
java/awt/JobAttributes$SidesType I_TWO_SIDED_LONG_EDGE
java/awt/JobAttributes$SidesType I_TWO_SIDED_SHORT_EDGE
java/awt/JobAttributes$SidesType NAMES
java/awt/JobAttributes$SidesType ONE_SIDED
java/awt/JobAttributes$SidesType TWO_SIDED_LONG_EDGE
java/awt/JobAttributes$SidesType TWO_SIDED_SHORT_EDGE
java/awt/JobAttributes$SidesType <init>(I)V
java/awt/JobAttributes$SidesType <clinit>()V
class java/awt/KeyboardFocusManager$1 java/lang/Object

```

```

java/awt/KeyboardFocusManager$1 <init>()V
java/awt/KeyboardFocusManager$1 run()V
class java/awt/KeyboardFocusManager$2 java/lang/Object
java/awt/KeyboardFocusManager$2 $assertionsDisabled
java/awt/KeyboardFocusManager$2
<init>()V
java/awt/KeyboardFocusManager$2 run()Ljava/lang/Object;
java/awt/KeyboardFocusManager$2 <clinit>()V
class java/awt/Label$AccessibleAWTLabel java/awt/Component$AccessibleAWTComponent
java/awt/Label$AccessibleAWTLabel serialVersionUID
java/awt/Label$AccessibleAWTLabel this$0
java/awt/Label$AccessibleAWTLabel <init>(Ljava/awt/Label;)V
java/awt/Label$AccessibleAWTLabel getAccessibleName()Ljava/lang/String;
java/awt/Label$AccessibleAWTLabel getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
class java/awt/LightweightDispatcher$1 java/lang/Object
java/awt/LightweightDispatcher$1 this$0
java/awt/LightweightDispatcher$1 <init>(Ljava/awt/LightweightDispatcher;)V
java/awt/LightweightDispatcher$1 run()Ljava/lang/Object;
class java/awt/LightweightDispatcher$3 java/lang/Object
java/awt/LightweightDispatcher$3 val$mouseEvent
java/awt/LightweightDispatcher$3 val$ptSrcOrigin
java/awt/LightweightDispatcher$3 this$0
java/awt/LightweightDispatcher$3
<init>(Ljava/awt/LightweightDispatcher;Ljava/awt/event/MouseEvent;Ljava/awt/Point;)V
java/awt/LightweightDispatcher$3 run()V
class java/awt/List$AccessibleAWTList$AccessibleAWTListChild
java/awt/Component$AccessibleAWTComponent
java/awt/List$AccessibleAWTList$AccessibleAWTListChild serialVersionUID
java/awt/List$AccessibleAWTList$AccessibleAWTListChild parent
java/awt/List$AccessibleAWTList$AccessibleAWTListChild indexInParent
java/awt/List$AccessibleAWTList$AccessibleAWTListChild this$1
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
<init>(Ljava/awt/List$AccessibleAWTList;Ljava/awt/List;I)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
getLocale()Ljava/util/Locale;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getAccessibleIndexInParent()I
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getAccessibleChildrenCount()I
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getAccessibleChild(I)Ljava/awt/accessibility/Accessible;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getBackground()Ljava/awt/Color;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setBackground(Ljava/awt/Color;)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getForeground()Ljava/awt/Color;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setForeground(Ljava/awt/Color;)V

```

```

java/awt/List$AccessibleAWTList$AccessibleAWTListChild getCursor()Ljava/awt/Cursor;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setCursor(Ljava/awt/Cursor;)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getFont()Ljava/awt/Font;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setFont(Ljava/awt/Font;)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
 getFontMetrics(Ljava/awt/Font;)Ljava/awt/FontMetrics;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild isEnabled()Z
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setEnabled(Z)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild isVisible()Z
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setVisible(Z)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild isShowing()Z
java/awt/List$AccessibleAWTList$AccessibleAWTListChild contains(Ljava/awt/Point;)Z
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getLocationOnScreen()Ljava/awt/Point;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getLocation()Ljava/awt/Point;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setLocation(Ljava/awt/Point;)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getBounds()Ljava/awt/Rectangle;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setBounds(Ljava/awt/Rectangle;)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
 getSize()Ljava/awt/Dimension;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setSize(Ljava/awt/Dimension;)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
 getAccessibleAt(Ljava/awt/Point;)Ljavax/accessibility/Accessible;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild isFocusTraversable()Z
java/awt/List$AccessibleAWTList$AccessibleAWTListChild requestFocus()V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild addFocusListener(Ljava/awt/event/FocusListener;)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
 removeFocusListener(Ljava/awt/event/FocusListener;)V
class java/awt/List$AccessibleAWTList java/awt/Component$AccessibleAWTComponent
java/awt/List$AccessibleAWTList serialVersionUID
java/awt/List$AccessibleAWTList this$0
java/awt/List$AccessibleAWTList <init>(Ljava/awt/List;)V
java/awt/List$AccessibleAWTList actionPerformed(Ljava/awt/event/ActionEvent;)V
java/awt/List$AccessibleAWTList itemStateChanged(Ljava/awt/event/ItemEvent;)V
java/awt/List$AccessibleAWTList
 getAccessibleStateSet()Ljavax/accessibility/AccessibleStateSet;
java/awt/List$AccessibleAWTList getAccessibleRole()Ljavax/accessibility/AccessibleRole;
java/awt/List$AccessibleAWTList getAccessibleAt(Ljava/awt/Point;)Ljavax/accessibility/Accessible;
java/awt/List$AccessibleAWTList getAccessibleChildrenCount()I
java/awt/List$AccessibleAWTList getAccessibleChild(I)Ljavax/accessibility/Accessible;
java/awt/List$AccessibleAWTList getAccessibleSelection()Ljavax/accessibility/AccessibleSelection;
java/awt/List$AccessibleAWTList getAccessibleSelectionCount()I
java/awt/List$AccessibleAWTList getAccessibleSelection(I)Ljavax/accessibility/Accessible;
java/awt/List$AccessibleAWTList isAccessibleChildSelected(I)Z
java/awt/List$AccessibleAWTList addAccessibleSelection(I)V
java/awt/List$AccessibleAWTList removeAccessibleSelection(I)V
java/awt/List$AccessibleAWTList clearAccessibleSelection()V
java/awt/List$AccessibleAWTList selectAllAccessibleSelection()V
class

```



```

java/awt/List java/awt/Component
java/awt/List items
java/awt/List rows
java/awt/List multipleMode
java/awt/List selected
java/awt/List visibleIndex
java/awt/List actionListener
java/awt/List itemListener
java/awt/List base
java/awt/List nameCounter
java/awt/List serialVersionUID
java/awt/List DEFAULT_VISIBLE_ROWS
java/awt/List listSerializedDataVersion
java/awt/List <init>()V
java/awt/List <init>(I)V
java/awt/List <init>(IZ)V
java/awt/List constructComponentName()Ljava/lang/String;
java/awt/List addNotify()V
java/awt/List removeNotify()V
java/awt/List getItemCount()I
java/awt/List countItems()I
java/awt/List getItem(I)Ljava/lang/String;
java/awt/List getItemImpl(I)Ljava/lang/String;
java/awt/List getItems()[Ljava/lang/String;
java/awt/List add(Ljava/lang/String;)V
java/awt/List addItem(Ljava/lang/String;)V
java/awt/List add(Ljava/lang/String;I)V
java/awt/List addItem(Ljava/lang/String;I)V
java/awt/List replaceItem(Ljava/lang/String;I)V
java/awt/List removeAll()V
java/awt/List
 clear()V
java/awt/List remove(Ljava/lang/String;)V
java/awt/List remove(I)V
java/awt/List delItem(I)V
java/awt/List getSelectedIndex()I
java/awt/List getSelectedIndexes()[I
java/awt/List getSelectedItem()Ljava/lang/String;
java/awt/List getSelectedItems()[Ljava/lang/String;
java/awt/List getSelectedObjects()[Ljava/lang/Object;
java/awt/List select(I)V
java/awt/List deselect(I)V
java/awt/List isIndexSelected(I)Z
java/awt/List isSelected(I)Z
java/awt/List getRows()I
java/awt/List isMultipleMode()Z
java/awt/List allowsMultipleSelections()Z
java/awt/List setMultipleMode(Z)V

```

```

java/awt/List setMultipleSelections(Z)V
java/awt/List getVisibleIndex(I)I
java/awt/List makeVisible(I)V
java/awt/List getPreferredSize(I)Ljava/awt/Dimension;
java/awt/List preferredSize(I)Ljava/awt/Dimension;
java/awt/List getPreferredSize()Ljava/awt/Dimension;
java/awt/List preferredSize()Ljava/awt/Dimension;
java/awt/List getMinimumSize(I)Ljava/awt/Dimension;
java/awt/List minimumSize(I)Ljava/awt/Dimension;
java/awt/List
 getMinimumSize()Ljava/awt/Dimension;
java/awt/List minimumSize()Ljava/awt/Dimension;
java/awt/List addItemListener(Ljava/awt/event/ItemListener;)V
java/awt/List removeItemListener(Ljava/awt/event/ItemListener;)V
java/awt/List getItemListeners()[Ljava/awt/event/ItemListener;
java/awt/List addActionListener(Ljava/awt/event/ActionListener;)V
java/awt/List removeActionListener(Ljava/awt/event/ActionListener;)V
java/awt/List getActionListeners()[Ljava/awt/event/ActionListener;
java/awt/List getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/List eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/List processEvent(Ljava/awt/AWTEvent;)V
java/awt/List processItemEvent(Ljava/awt/event/ItemEvent;)V
java/awt/List processActionEvent(Ljava/awt/event/ActionEvent;)V
java/awt/List paramString()Ljava/lang/String;
java/awt/List delItems(I)V
java/awt/List writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/List readObject(Ljava/io/ObjectInputStream;)V
java/awt/List getAccessibleContext()Ljavax/accessibility/AccessibleContext;
java/awt/List
 <clinit>()V
class java/awt/Menu$AccessibleAWTMenu java/awt/MenuItem$AccessibleAWTMenuItem
java/awt/Menu$AccessibleAWTMenu serialVersionUID
java/awt/Menu$AccessibleAWTMenu this$0
java/awt/Menu$AccessibleAWTMenu <init>(Ljava/awt/Menu;)V
java/awt/Menu$AccessibleAWTMenu getAccessibleRole()Ljavax/accessibility/AccessibleRole;
class java/awt/Menu java/awt/MenuItem
java/awt/Menu items
java/awt/Menu tearOff
java/awt/Menu isHelpMenu
java/awt/Menu base
java/awt/Menu nameCounter
java/awt/Menu serialVersionUID
java/awt/Menu menuSerializedDataVersion
java/awt/Menu <init>()V
java/awt/Menu <init>(Ljava/lang/String;)V
java/awt/Menu <init>(Ljava/lang/String;Z)V
java/awt/Menu constructComponentName()Ljava/lang/String;
java/awt/Menu addNotify()V

```

```

java/awt/Menu removeNotify()V
java/awt/Menu isTearOff()Z
java/awt/Menu getItemCount()I
java/awt/Menu countItems()I
java/awt/Menu countItemsImpl()I
java/awt/Menu getItem(I)Ljava/awt/MenuItem;
java/awt/Menu getItemImpl(I)Ljava/awt/MenuItem;
java/awt/Menu
 add(Ljava/awt/MenuItem;)Ljava/awt/MenuItem;
java/awt/Menu add(Ljava/lang/String;)V
java/awt/Menu insert(Ljava/awt/MenuItem;I)V
java/awt/Menu insert(Ljava/lang/String;I)V
java/awt/Menu addSeparator()V
java/awt/Menu insertSeparator(I)V
java/awt/Menu remove(I)V
java/awt/Menu remove(Ljava/awt/MenuComponent;)V
java/awt/Menu removeAll()V
java/awt/Menu handleShortcut(Ljava/awt/event/KeyEvent;)Z
java/awt/Menu getShortcutMenuItem(Ljava/awt/MenuShortcut;)Ljava/awt/MenuItem;
java/awt/Menu shortcuts()Ljava/util/Enumeration;
java/awt/Menu deleteShortcut(Ljava/awt/MenuShortcut;)V
java/awt/Menu writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Menu readObject(Ljava/io/ObjectInputStream;)V
java/awt/Menu paramString()Ljava/lang/String;
java/awt/Menu initIDs()V
java/awt/Menu getAccessibleContext()Ljavax/accessibility/AccessibleContext;
java/awt/Menu getAccessibleChildIndex(Ljava/awt/MenuComponent;)I
java/awt/Menu <clinit>()V
class java/awt/MenuBar$AccessibleAWTMenuBar
 java/awt/MenuComponent$AccessibleAWTMenuComponent
java/awt/MenuBar$AccessibleAWTMenuBar serialVersionUID
java/awt/MenuBar$AccessibleAWTMenuBar this$0
java/awt/MenuBar$AccessibleAWTMenuBar <init>(Ljava/awt/MenuBar;)V
java/awt/MenuBar$AccessibleAWTMenuBar getAccessibleRole()Ljavax/accessibility/AccessibleRole;
class java/awt/MenuComponent$AccessibleAWTMenuComponent javax/accessibility/AccessibleContext
java/awt/MenuComponent$AccessibleAWTMenuComponent serialVersionUID
java/awt/MenuComponent$AccessibleAWTMenuComponent this$0
java/awt/MenuComponent$AccessibleAWTMenuComponent <init>(Ljava/awt/MenuComponent;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent
 getAccessibleSelection()Ljavax/accessibility/AccessibleSelection;
java/awt/MenuComponent$AccessibleAWTMenuComponent getAccessibleName()Ljava/lang/String;
java/awt/MenuComponent$AccessibleAWTMenuComponent getAccessibleDescription()Ljava/lang/String;
java/awt/MenuComponent$AccessibleAWTMenuComponent
 getAccessibleRole()Ljavax/accessibility/AccessibleRole;
java/awt/MenuComponent$AccessibleAWTMenuComponent
 getAccessibleStateSet()Ljavax/accessibility/AccessibleStateSet;
java/awt/MenuComponent$AccessibleAWTMenuComponent getAccessibleParent()Ljavax/accessibility/Accessible;
java/awt/MenuComponent$AccessibleAWTMenuComponent getAccessibleIndexInParent()I

```

```

java/awt/MenuComponent$AccessibleAWTMenuComponent getAccessibleChildrenCount()I
java/awt/MenuComponent$AccessibleAWTMenuComponent getAccessibleChild(I)Ljavax/accessibility/Accessible;
java/awt/MenuComponent$AccessibleAWTMenuComponent getLocale()Ljava/util/Locale;
java/awt/MenuComponent$AccessibleAWTMenuComponent
getAccessibleComponent()Ljavax/accessibility/AccessibleComponent;
java/awt/MenuComponent$AccessibleAWTMenuComponent getBackground()Ljava/awt/Color;
java/awt/MenuComponent$AccessibleAWTMenuComponent setBackground(Ljava/awt/Color;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent getForeground()Ljava/awt/Color;
java/awt/MenuComponent$AccessibleAWTMenuComponent
setForeground(Ljava/awt/Color;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent getCursor()Ljava/awt/Cursor;
java/awt/MenuComponent$AccessibleAWTMenuComponent setCursor(Ljava/awt/Cursor;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent getFont()Ljava/awt/Font;
java/awt/MenuComponent$AccessibleAWTMenuComponent setFont(Ljava/awt/Font;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent
getFontMetrics(Ljava/awt/Font;)Ljava/awt/FontMetrics;
java/awt/MenuComponent$AccessibleAWTMenuComponent isEnabled()Z
java/awt/MenuComponent$AccessibleAWTMenuComponent setEnabled(Z)V
java/awt/MenuComponent$AccessibleAWTMenuComponent isVisible()Z
java/awt/MenuComponent$AccessibleAWTMenuComponent setVisible(Z)V
java/awt/MenuComponent$AccessibleAWTMenuComponent isShowing()Z
java/awt/MenuComponent$AccessibleAWTMenuComponent contains(Ljava/awt/Point;)Z
java/awt/MenuComponent$AccessibleAWTMenuComponent getLocationOnScreen()Ljava/awt/Point;
java/awt/MenuComponent$AccessibleAWTMenuComponent getLocation()Ljava/awt/Point;
java/awt/MenuComponent$AccessibleAWTMenuComponent
setLocation(Ljava/awt/Point;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent getBounds()Ljava/awt/Rectangle;
java/awt/MenuComponent$AccessibleAWTMenuComponent setBounds(Ljava/awt/Rectangle;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent getSize()Ljava/awt/Dimension;
java/awt/MenuComponent$AccessibleAWTMenuComponent setSize(Ljava/awt/Dimension;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent
getAccessibleAt(Ljava/awt/Point;)Ljavax/accessibility/Accessible;
java/awt/MenuComponent$AccessibleAWTMenuComponent isFocusTraversable()Z
java/awt/MenuComponent$AccessibleAWTMenuComponent requestFocus()V
java/awt/MenuComponent$AccessibleAWTMenuComponent addFocusListener(Ljava/awt/event/FocusListener;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent
removeFocusListener(Ljava/awt/event/FocusListener;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent getAccessibleSelectionCount()I
java/awt/MenuComponent$AccessibleAWTMenuComponent
getAccessibleSelection(I)Ljavax/accessibility/Accessible;
java/awt/MenuComponent$AccessibleAWTMenuComponent isAccessibleChildSelected(I)Z
java/awt/MenuComponent$AccessibleAWTMenuComponent addAccessibleSelection(I)V
java/awt/MenuComponent$AccessibleAWTMenuComponent removeAccessibleSelection(I)V
java/awt/MenuComponent$AccessibleAWTMenuComponent clearAccessibleSelection()V
java/awt/MenuComponent$AccessibleAWTMenuComponent selectAllAccessibleSelection()V
class java/awt/MenuItem$AccessibleAWTMenuItem java/awt/MenuComponent$AccessibleAWTMenuComponent
java/awt/MenuItem$AccessibleAWTMenuItem serialVersionUID
java/awt/MenuItem$AccessibleAWTMenuItem this$0

```

```

java/awt/MenuItem$AccessibleAWTMenuItem <init>(Ljava/awt/MenuItem;)V
java/awt/MenuItem$AccessibleAWTMenuItem getAccessibleName()Ljava/lang/String;
java/awt/MenuItem$AccessibleAWTMenuItem getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/MenuItem$AccessibleAWTMenuItem getAccessibleAction()Ljava/awt/accessibility/AccessibleAction;
java/awt/MenuItem$AccessibleAWTMenuItem
 getAccessibleValue()Ljava/awt/accessibility/AccessibleValue;
java/awt/MenuItem$AccessibleAWTMenuItem getAccessibleActionCount()I
java/awt/MenuItem$AccessibleAWTMenuItem getAccessibleActionDescription(I)Ljava/lang/String;
java/awt/MenuItem$AccessibleAWTMenuItem doAccessibleAction(I)Z
java/awt/MenuItem$AccessibleAWTMenuItem getCurrentAccessibleValue()Ljava/lang/Number;
java/awt/MenuItem$AccessibleAWTMenuItem setCurrentAccessibleValue(Ljava/lang/Number;)Z
java/awt/MenuItem$AccessibleAWTMenuItem getMinimumAccessibleValue()Ljava/lang/Number;
java/awt/MenuItem$AccessibleAWTMenuItem getMaximumAccessibleValue()Ljava/lang/Number;
class java/awt/MenuItem java/awt/MenuComponent
java/awt/MenuItem enabled
java/awt/MenuItem label
java/awt/MenuItem actionCommand
java/awt/MenuItem eventMask
java/awt/MenuItem actionListener
java/awt/MenuItem shortcut
java/awt/MenuItem base
java/awt/MenuItem nameCounter
java/awt/MenuItem serialVersionUID
java/awt/MenuItem menuItemSerializedDataVersion
java/awt/MenuItem
 <init>()V
java/awt/MenuItem <init>(Ljava/lang/String;)V
java/awt/MenuItem <init>(Ljava/lang/String;Ljava/awt/MenuShortcut;)V
java/awt/MenuItem constructComponentName()Ljava/lang/String;
java/awt/MenuItem addNotify()V
java/awt/MenuItem getLabel()Ljava/lang/String;
java/awt/MenuItem setLabel(Ljava/lang/String;)V
java/awt/MenuItem isEnabled()Z
java/awt/MenuItem setEnabled(Z)V
java/awt/MenuItem enable()V
java/awt/MenuItem enable(Z)V
java/awt/MenuItem disable()V
java/awt/MenuItem getShortcut()Ljava/awt/MenuShortcut;
java/awt/MenuItem setShortcut(Ljava/awt/MenuShortcut;)V
java/awt/MenuItem deleteShortcut()V
java/awt/MenuItem deleteShortcut(Ljava/awt/MenuShortcut;)V
java/awt/MenuItem doMenuEvent(J)V
java/awt/MenuItem handleShortcut(Ljava/awt/event/KeyEvent;)Z
java/awt/MenuItem getShortcutMenuItem(Ljava/awt/MenuShortcut;)Ljava/awt/MenuItem;
java/awt/MenuItem enableEvents(J)V
java/awt/MenuItem disableEvents(J)V
java/awt/MenuItem setActionCommand(Ljava/lang/String;)V
java/awt/MenuItem

```

```

getActionCommand()Ljava/lang/String;
java/awt/MenuItem getActionCommandImpl()Ljava/lang/String;
java/awt/MenuItem addActionListener(Ljava/awt/event/ActionListener;)V
java/awt/MenuItem removeActionListener(Ljava/awt/event/ActionListener;)V
java/awt/MenuItem getActionListeners()[Ljava/awt/event/ActionListener;
java/awt/MenuItem getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/MenuItem processEvent(Ljava/awt/AWTEvent;)V
java/awt/MenuItem eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/MenuItem processActionEvent(Ljava/awt/event/ActionEvent;)V
java/awt/MenuItem paramString()Ljava/lang/String;
java/awt/MenuItem writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/MenuItem readObject(Ljava/io/ObjectInputStream;)V
java/awt/MenuItem initIDs()V
java/awt/MenuItem getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/MenuItem <clinit>()V
class java/awt/MenuShortcut java/lang/Object
java/awt/MenuShortcut key
java/awt/MenuShortcut usesShift
java/awt/MenuShortcut
 serialVersionUID
java/awt/MenuShortcut <init>(I)V
java/awt/MenuShortcut <init>(IZ)V
java/awt/MenuShortcut getKey()I
java/awt/MenuShortcut usesShiftModifier()Z
java/awt/MenuShortcut equals(Ljava/awt/MenuShortcut;)Z
java/awt/MenuShortcut equals(Ljava/lang/Object;)Z
java/awt/MenuShortcut hashCode()I
java/awt/MenuShortcut toString()Ljava/lang/String;
java/awt/MenuShortcut paramString()Ljava/lang/String;
class java/awt/MouseInfo java/lang/Object
java/awt/MouseInfo $assertionsDisabled
java/awt/MouseInfo <init>()V
java/awt/MouseInfo getPointerInfo()Ljava/awt/PointerInfo;
java/awt/MouseInfo areScreenDevicesIndependent([Ljava/awt/GraphicsDevice;)Z
java/awt/MouseInfo getNumberOfButtons()I
java/awt/MouseInfo <clinit>()V
class java/awt/PageAttributes$ColorType java/awt/AttributeValue
java/awt/PageAttributes$ColorType I_COLOR
java/awt/PageAttributes$ColorType I_MONOCHROME
java/awt/PageAttributes$ColorType NAMES
java/awt/PageAttributes$ColorType COLOR
java/awt/PageAttributes$ColorType
 MONOCHROME
java/awt/PageAttributes$ColorType <init>(I)V
java/awt/PageAttributes$ColorType <clinit>()V
class java/awt/PageAttributes$MediaType java/awt/AttributeValue
java/awt/PageAttributes$MediaType I_ISO_4A0
java/awt/PageAttributes$MediaType I_ISO_2A0

```

java/awt/PageAttributes\$MediaType I\_ISO\_A0  
java/awt/PageAttributes\$MediaType I\_ISO\_A1  
java/awt/PageAttributes\$MediaType I\_ISO\_A2  
java/awt/PageAttributes\$MediaType I\_ISO\_A3  
java/awt/PageAttributes\$MediaType I\_ISO\_A4  
java/awt/PageAttributes\$MediaType I\_ISO\_A5  
java/awt/PageAttributes\$MediaType I\_ISO\_A6  
java/awt/PageAttributes\$MediaType I\_ISO\_A7  
java/awt/PageAttributes\$MediaType I\_ISO\_A8  
java/awt/PageAttributes\$MediaType I\_ISO\_A9  
java/awt/PageAttributes\$MediaType I\_ISO\_A10  
java/awt/PageAttributes\$MediaType I\_ISO\_B0  
java/awt/PageAttributes\$MediaType I\_ISO\_B1  
java/awt/PageAttributes\$MediaType I\_ISO\_B2  
java/awt/PageAttributes\$MediaType I\_ISO\_B3  
java/awt/PageAttributes\$MediaType I\_ISO\_B4  
java/awt/PageAttributes\$MediaType I\_ISO\_B5  
java/awt/PageAttributes\$MediaType  
I\_ISO\_B6  
java/awt/PageAttributes\$MediaType I\_ISO\_B7  
java/awt/PageAttributes\$MediaType I\_ISO\_B8  
java/awt/PageAttributes\$MediaType I\_ISO\_B9  
java/awt/PageAttributes\$MediaType I\_ISO\_B10  
java/awt/PageAttributes\$MediaType I\_JIS\_B0  
java/awt/PageAttributes\$MediaType I\_JIS\_B1  
java/awt/PageAttributes\$MediaType I\_JIS\_B2  
java/awt/PageAttributes\$MediaType I\_JIS\_B3  
java/awt/PageAttributes\$MediaType I\_JIS\_B4  
java/awt/PageAttributes\$MediaType I\_JIS\_B5  
java/awt/PageAttributes\$MediaType I\_JIS\_B6  
java/awt/PageAttributes\$MediaType I\_JIS\_B7  
java/awt/PageAttributes\$MediaType I\_JIS\_B8  
java/awt/PageAttributes\$MediaType I\_JIS\_B9  
java/awt/PageAttributes\$MediaType I\_JIS\_B10  
java/awt/PageAttributes\$MediaType I\_ISO\_C0  
java/awt/PageAttributes\$MediaType I\_ISO\_C1  
java/awt/PageAttributes\$MediaType I\_ISO\_C2  
java/awt/PageAttributes\$MediaType I\_ISO\_C3  
java/awt/PageAttributes\$MediaType I\_ISO\_C4  
java/awt/PageAttributes\$MediaType I\_ISO\_C5  
java/awt/PageAttributes\$MediaType I\_ISO\_C6  
java/awt/PageAttributes\$MediaType  
I\_ISO\_C7  
java/awt/PageAttributes\$MediaType I\_ISO\_C8  
java/awt/PageAttributes\$MediaType I\_ISO\_C9  
java/awt/PageAttributes\$MediaType I\_ISO\_C10  
java/awt/PageAttributes\$MediaType I\_ISO\_DESIGNATED\_LONG  
java/awt/PageAttributes\$MediaType I\_EXECUTIVE

java/awt/PageAttributes\$MediaType I\_FOLIO  
java/awt/PageAttributes\$MediaType I\_INVOICE  
java/awt/PageAttributes\$MediaType I\_LEDGER  
java/awt/PageAttributes\$MediaType I\_NA\_LETTER  
java/awt/PageAttributes\$MediaType I\_NA\_LEGAL  
java/awt/PageAttributes\$MediaType I\_QUARTO  
java/awt/PageAttributes\$MediaType I\_A  
java/awt/PageAttributes\$MediaType I\_B  
java/awt/PageAttributes\$MediaType I\_C  
java/awt/PageAttributes\$MediaType I\_D  
java/awt/PageAttributes\$MediaType I\_E  
java/awt/PageAttributes\$MediaType I\_NA\_10X15\_ENVELOPE  
java/awt/PageAttributes\$MediaType I\_NA\_10X14\_ENVELOPE  
java/awt/PageAttributes\$MediaType I\_NA\_10X13\_ENVELOPE  
java/awt/PageAttributes\$MediaType I\_NA\_9X12\_ENVELOPE  
java/awt/PageAttributes\$MediaType I\_NA\_9X11\_ENVELOPE  
java/awt/PageAttributes\$MediaType  
I\_NA\_7X9\_ENVELOPE  
java/awt/PageAttributes\$MediaType I\_NA\_6X9\_ENVELOPE  
java/awt/PageAttributes\$MediaType I\_NA\_NUMBER\_9\_ENVELOPE  
java/awt/PageAttributes\$MediaType I\_NA\_NUMBER\_10\_ENVELOPE  
java/awt/PageAttributes\$MediaType I\_NA\_NUMBER\_11\_ENVELOPE  
java/awt/PageAttributes\$MediaType I\_NA\_NUMBER\_12\_ENVELOPE  
java/awt/PageAttributes\$MediaType I\_NA\_NUMBER\_14\_ENVELOPE  
java/awt/PageAttributes\$MediaType I\_INVITE\_ENVELOPE  
java/awt/PageAttributes\$MediaType I\_ITALY\_ENVELOPE  
java/awt/PageAttributes\$MediaType I\_MONARCH\_ENVELOPE  
java/awt/PageAttributes\$MediaType I\_PERSONAL\_ENVELOPE  
java/awt/PageAttributes\$MediaType NAMES  
java/awt/PageAttributes\$MediaType ISO\_4A0  
java/awt/PageAttributes\$MediaType ISO\_2A0  
java/awt/PageAttributes\$MediaType ISO\_A0  
java/awt/PageAttributes\$MediaType ISO\_A1  
java/awt/PageAttributes\$MediaType ISO\_A2  
java/awt/PageAttributes\$MediaType ISO\_A3  
java/awt/PageAttributes\$MediaType ISO\_A4  
java/awt/PageAttributes\$MediaType ISO\_A5  
java/awt/PageAttributes\$MediaType ISO\_A6  
java/awt/PageAttributes\$MediaType  
ISO\_A7  
java/awt/PageAttributes\$MediaType ISO\_A8  
java/awt/PageAttributes\$MediaType ISO\_A9  
java/awt/PageAttributes\$MediaType ISO\_A10  
java/awt/PageAttributes\$MediaType ISO\_B0  
java/awt/PageAttributes\$MediaType ISO\_B1  
java/awt/PageAttributes\$MediaType ISO\_B2  
java/awt/PageAttributes\$MediaType ISO\_B3  
java/awt/PageAttributes\$MediaType ISO\_B4



java/awt/PageAttributes\$MediaType ISO\_B5  
java/awt/PageAttributes\$MediaType ISO\_B6  
java/awt/PageAttributes\$MediaType ISO\_B7  
java/awt/PageAttributes\$MediaType ISO\_B8  
java/awt/PageAttributes\$MediaType ISO\_B9  
java/awt/PageAttributes\$MediaType ISO\_B10  
java/awt/PageAttributes\$MediaType JIS\_B0  
java/awt/PageAttributes\$MediaType JIS\_B1  
java/awt/PageAttributes\$MediaType JIS\_B2  
java/awt/PageAttributes\$MediaType JIS\_B3  
java/awt/PageAttributes\$MediaType JIS\_B4  
java/awt/PageAttributes\$MediaType JIS\_B5  
java/awt/PageAttributes\$MediaType JIS\_B6  
java/awt/PageAttributes\$MediaType JIS\_B7  
java/awt/PageAttributes\$MediaType JIS\_B8  
java/awt/PageAttributes\$MediaType  
JIS\_B9  
java/awt/PageAttributes\$MediaType JIS\_B10  
java/awt/PageAttributes\$MediaType ISO\_C0  
java/awt/PageAttributes\$MediaType ISO\_C1  
java/awt/PageAttributes\$MediaType ISO\_C2  
java/awt/PageAttributes\$MediaType ISO\_C3  
java/awt/PageAttributes\$MediaType ISO\_C4  
java/awt/PageAttributes\$MediaType ISO\_C5  
java/awt/PageAttributes\$MediaType ISO\_C6  
java/awt/PageAttributes\$MediaType ISO\_C7  
java/awt/PageAttributes\$MediaType ISO\_C8  
java/awt/PageAttributes\$MediaType ISO\_C9  
java/awt/PageAttributes\$MediaType ISO\_C10  
java/awt/PageAttributes\$MediaType ISO\_DESIGNATED\_LONG  
java/awt/PageAttributes\$MediaType EXECUTIVE  
java/awt/PageAttributes\$MediaType FOLIO  
java/awt/PageAttributes\$MediaType INVOICE  
java/awt/PageAttributes\$MediaType LEDGER  
java/awt/PageAttributes\$MediaType NA\_LETTER  
java/awt/PageAttributes\$MediaType NA\_LEGAL  
java/awt/PageAttributes\$MediaType QUARTO  
java/awt/PageAttributes\$MediaType A  
java/awt/PageAttributes\$MediaType B  
java/awt/PageAttributes\$MediaType C  
java/awt/PageAttributes\$MediaType  
D  
java/awt/PageAttributes\$MediaType E  
java/awt/PageAttributes\$MediaType NA\_10X15\_ENVELOPE  
java/awt/PageAttributes\$MediaType NA\_10X14\_ENVELOPE  
java/awt/PageAttributes\$MediaType NA\_10X13\_ENVELOPE  
java/awt/PageAttributes\$MediaType NA\_9X12\_ENVELOPE  
java/awt/PageAttributes\$MediaType NA\_9X11\_ENVELOPE

java/awt/PageAttributes\$MediaType NA\_7X9\_ENVELOPE  
java/awt/PageAttributes\$MediaType NA\_6X9\_ENVELOPE  
java/awt/PageAttributes\$MediaType NA\_NUMBER\_9\_ENVELOPE  
java/awt/PageAttributes\$MediaType NA\_NUMBER\_10\_ENVELOPE  
java/awt/PageAttributes\$MediaType NA\_NUMBER\_11\_ENVELOPE  
java/awt/PageAttributes\$MediaType NA\_NUMBER\_12\_ENVELOPE  
java/awt/PageAttributes\$MediaType NA\_NUMBER\_14\_ENVELOPE  
java/awt/PageAttributes\$MediaType INVITE\_ENVELOPE  
java/awt/PageAttributes\$MediaType ITALY\_ENVELOPE  
java/awt/PageAttributes\$MediaType MONARCH\_ENVELOPE  
java/awt/PageAttributes\$MediaType PERSONAL\_ENVELOPE  
java/awt/PageAttributes\$MediaType A0  
java/awt/PageAttributes\$MediaType A1  
java/awt/PageAttributes\$MediaType A2  
java/awt/PageAttributes\$MediaType  
A3  
java/awt/PageAttributes\$MediaType A4  
java/awt/PageAttributes\$MediaType A5  
java/awt/PageAttributes\$MediaType A6  
java/awt/PageAttributes\$MediaType A7  
java/awt/PageAttributes\$MediaType A8  
java/awt/PageAttributes\$MediaType A9  
java/awt/PageAttributes\$MediaType A10  
java/awt/PageAttributes\$MediaType B0  
java/awt/PageAttributes\$MediaType B1  
java/awt/PageAttributes\$MediaType B2  
java/awt/PageAttributes\$MediaType B3  
java/awt/PageAttributes\$MediaType B4  
java/awt/PageAttributes\$MediaType ISO\_B4\_ENVELOPE  
java/awt/PageAttributes\$MediaType B5  
java/awt/PageAttributes\$MediaType ISO\_B5\_ENVELOPE  
java/awt/PageAttributes\$MediaType B6  
java/awt/PageAttributes\$MediaType B7  
java/awt/PageAttributes\$MediaType B8  
java/awt/PageAttributes\$MediaType B9  
java/awt/PageAttributes\$MediaType B10  
java/awt/PageAttributes\$MediaType C0  
java/awt/PageAttributes\$MediaType ISO\_C0\_ENVELOPE  
java/awt/PageAttributes\$MediaType C1  
java/awt/PageAttributes\$MediaType ISO\_C1\_ENVELOPE  
java/awt/PageAttributes\$MediaType  
C2  
java/awt/PageAttributes\$MediaType ISO\_C2\_ENVELOPE  
java/awt/PageAttributes\$MediaType C3  
java/awt/PageAttributes\$MediaType ISO\_C3\_ENVELOPE  
java/awt/PageAttributes\$MediaType C4  
java/awt/PageAttributes\$MediaType ISO\_C4\_ENVELOPE  
java/awt/PageAttributes\$MediaType C5

```

java/awt/PageAttributes$MediaType ISO_C5_ENVELOPE
java/awt/PageAttributes$MediaType C6
java/awt/PageAttributes$MediaType ISO_C6_ENVELOPE
java/awt/PageAttributes$MediaType C7
java/awt/PageAttributes$MediaType ISO_C7_ENVELOPE
java/awt/PageAttributes$MediaType C8
java/awt/PageAttributes$MediaType ISO_C8_ENVELOPE
java/awt/PageAttributes$MediaType C9
java/awt/PageAttributes$MediaType ISO_C9_ENVELOPE
java/awt/PageAttributes$MediaType C10
java/awt/PageAttributes$MediaType ISO_C10_ENVELOPE
java/awt/PageAttributes$MediaType ISO_DESIGNATED_LONG_ENVELOPE
java/awt/PageAttributes$MediaType STATEMENT
java/awt/PageAttributes$MediaType TABLOID
java/awt/PageAttributes$MediaType LETTER
java/awt/PageAttributes$MediaType NOTE
java/awt/PageAttributes$MediaType
 LEGAL
java/awt/PageAttributes$MediaType ENV_10X15
java/awt/PageAttributes$MediaType ENV_10X14
java/awt/PageAttributes$MediaType ENV_10X13
java/awt/PageAttributes$MediaType ENV_9X12
java/awt/PageAttributes$MediaType ENV_9X11
java/awt/PageAttributes$MediaType ENV_7X9
java/awt/PageAttributes$MediaType ENV_6X9
java/awt/PageAttributes$MediaType ENV_9
java/awt/PageAttributes$MediaType ENV_10
java/awt/PageAttributes$MediaType ENV_11
java/awt/PageAttributes$MediaType ENV_12
java/awt/PageAttributes$MediaType ENV_14
java/awt/PageAttributes$MediaType ENV_INVITE
java/awt/PageAttributes$MediaType ENV_ITALY
java/awt/PageAttributes$MediaType ENV_MONARCH
java/awt/PageAttributes$MediaType ENV_PERSONAL
java/awt/PageAttributes$MediaType INVITE
java/awt/PageAttributes$MediaType ITALY
java/awt/PageAttributes$MediaType MONARCH
java/awt/PageAttributes$MediaType PERSONAL
java/awt/PageAttributes$MediaType <init>()V
java/awt/PageAttributes$MediaType <clinit>()V
class java/awt/PageAttributes$OrientationRequestedType
 java/awt/AttributeValue
java/awt/PageAttributes$OrientationRequestedType I_PORTRAIT
java/awt/PageAttributes$OrientationRequestedType I_LANDSCAPE
java/awt/PageAttributes$OrientationRequestedType NAMES
java/awt/PageAttributes$OrientationRequestedType PORTRAIT
java/awt/PageAttributes$OrientationRequestedType LANDSCAPE
java/awt/PageAttributes$OrientationRequestedType <init>()V

```

```

java/awt/PageAttributes$OrientationRequestedType <clinit>()V
class java/awt/PageAttributes$OriginType java/awt/AttributeValue
java/awt/PageAttributes$OriginType I_PHYSICAL
java/awt/PageAttributes$OriginType I_PRINTABLE
java/awt/PageAttributes$OriginType NAMES
java/awt/PageAttributes$OriginType PHYSICAL
java/awt/PageAttributes$OriginType PRINTABLE
java/awt/PageAttributes$OriginType <init>(I)V
java/awt/PageAttributes$OriginType <clinit>()V
class java/awt/PageAttributes$PrintQualityType java/awt/AttributeValue
java/awt/PageAttributes$PrintQualityType I_HIGH
java/awt/PageAttributes$PrintQualityType
 I_NORMAL
java/awt/PageAttributes$PrintQualityType I_DRAFT
java/awt/PageAttributes$PrintQualityType NAMES
java/awt/PageAttributes$PrintQualityType HIGH
java/awt/PageAttributes$PrintQualityType NORMAL
java/awt/PageAttributes$PrintQualityType DRAFT
java/awt/PageAttributes$PrintQualityType <init>(I)V
java/awt/PageAttributes$PrintQualityType <clinit>()V
class java/awt/PaintContext java/lang/Object
java/awt/PaintContext dispose()V
java/awt/PaintContext getColorModel()Ljava/awt/image/ColorModel;
java/awt/PaintContext getRaster(III)Ljava/awt/image/Raster;
class java/awt/Panel$AccessibleAWTPanel java/awt/Container$AccessibleAWTContainer
java/awt/Panel$AccessibleAWTPanel serialVersionUID
java/awt/Panel$AccessibleAWTPanel this$0
java/awt/Panel$AccessibleAWTPanel <init>(Ljava/awt/Panel;)V
java/awt/Panel$AccessibleAWTPanel getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
class java/awt/PeerFixer java/lang/Object
java/awt/PeerFixer scroller
java/awt/PeerFixer <init>(Ljava/awt/ScrollPane;)V
java/awt/PeerFixer
 adjustmentValueChanged(Ljava/awt/event/AdjustmentEvent;)V
class java/awt/PointerInfo java/lang/Object
java/awt/PointerInfo device
java/awt/PointerInfo location
java/awt/PointerInfo <init>(Ljava/awt/GraphicsDevice;Ljava/awt/Point;)V
java/awt/PointerInfo getDevice()Ljava/awt/GraphicsDevice;
java/awt/PointerInfo getLocation()Ljava/awt/Point;
class java/awt/Polygon$PolygonPathIterator java/lang/Object
java/awt/Polygon$PolygonPathIterator poly
java/awt/Polygon$PolygonPathIterator transform
java/awt/Polygon$PolygonPathIterator index
java/awt/Polygon$PolygonPathIterator this$0
java/awt/Polygon$PolygonPathIterator
 <init>(Ljava/awt/Polygon;Ljava/awt/Polygon;Ljava/awt/geom/AffineTransform;)V
java/awt/Polygon$PolygonPathIterator getWindingRule()I

```

```

java/awt/Polygon$PolygonPathIterator isDone()Z
java/awt/Polygon$PolygonPathIterator next()V
java/awt/Polygon$PolygonPathIterator currentSegment([F)I
java/awt/Polygon$PolygonPathIterator currentSegment([D)I
class java/awt/Polygon
 java/lang/Object
 java/awt/Polygon npoints
 java/awt/Polygon xpoints
 java/awt/Polygon ypoints
 java/awt/Polygon bounds
 java/awt/Polygon serialVersionUID
 java/awt/Polygon <init>()V
 java/awt/Polygon <init>([I[I)I)V
 java/awt/Polygon reset()V
 java/awt/Polygon invalidate()V
 java/awt/Polygon translate(I)V
 java/awt/Polygon calculateBounds([I[I)V
 java/awt/Polygon updateBounds(I)V
 java/awt/Polygon addPoint(I)V
 java/awt/Polygon getBounds()Ljava/awt/Rectangle;
 java/awt/Polygon getBoundingBox()Ljava/awt/Rectangle;
 java/awt/Polygon contains(Ljava/awt/Point;)Z
 java/awt/Polygon contains(I)Z
 java/awt/Polygon inside(I)Z
 java/awt/Polygon getBounds2D()Ljava/awt/geom/Rectangle2D;
 java/awt/Polygon contains(DD)Z
 java/awt/Polygon getCrossings(DDDD)Lsun/awt/geom/Crossings;
 java/awt/Polygon contains(Ljava/awt/geom/Point2D;)Z
 java/awt/Polygon intersects(DDDD)Z
 java/awt/Polygon intersects(Ljava/awt/geom/Rectangle2D;)Z
 java/awt/Polygon contains(DDDD)Z
 java/awt/Polygon contains(Ljava/awt/geom/Rectangle2D;)Z
 java/awt/Polygon
 getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
 java/awt/Polygon getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
class java/awt/PopupMenu$AccessibleAWTPopupMenu java/awt/Menu$AccessibleAWTMenu
 java/awt/PopupMenu$AccessibleAWTPopupMenu serialVersionUID
 java/awt/PopupMenu$AccessibleAWTPopupMenu this$0
 java/awt/PopupMenu$AccessibleAWTPopupMenu <init>(Ljava/awt/PopupMenu;)V
 java/awt/PopupMenu$AccessibleAWTPopupMenu getAccessibleRole()Ljava/awt/Menu$AccessibleAWTMenu$AccessibleRole;
class java/awt/PopupMenu java/awt/Menu
 java/awt/PopupMenu base
 java/awt/PopupMenu nameCounter
 java/awt/PopupMenu serialVersionUID
 java/awt/PopupMenu <init>()V
 java/awt/PopupMenu <init>(Ljava/lang/String;)V
 java/awt/PopupMenu constructComponentName(Ljava/lang/String;
 java/awt/PopupMenu addNotify()V

```

```

java/awt/PopupMenu show(Ljava/awt/Component;II)V
java/awt/PopupMenu getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/PopupMenu <clinit>()V
class
 java/awt/Robot$1 java/lang/Object
java/awt/Robot$1 this$0
java/awt/Robot$1 <init>(Ljava/awt/Robot;)V
java/awt/Robot$1 run()V
class java/awt/Robot java/lang/Object
java/awt/Robot MAX_DELAY
java/awt/Robot peer
java/awt/Robot isAutoWaitForIdle
java/awt/Robot autoDelay
java/awt/Robot LEGAL_BUTTON_MASK
java/awt/Robot screenCapCM
java/awt/Robot <init>()V
java/awt/Robot <init>(Ljava/awt/GraphicsDevice;)V
java/awt/Robot init(Ljava/awt/GraphicsDevice;)V
java/awt/Robot checkRobotAllowed()V
java/awt/Robot checkIsScreenDevice(Ljava/awt/GraphicsDevice;)V
java/awt/Robot mouseMove(II)V
java/awt/Robot mousePress(I)V
java/awt/Robot mouseRelease(I)V
java/awt/Robot checkButtonsArgument(I)V
java/awt/Robot mouseWheel(I)V
java/awt/Robot keyPress(I)V
java/awt/Robot keyRelease(I)V
java/awt/Robot checkKeycodeArgument(I)V
java/awt/Robot getPixelColor(II)Ljava/awt/Color;
java/awt/Robot createScreenCapture(Ljava/awt/Rectangle;)Ljava/awt/image/BufferedImage;
java/awt/Robot checkValidRect(Ljava/awt/Rectangle;)V
java/awt/Robot
 checkScreenCaptureAllowed()V
java/awt/Robot afterEvent()V
java/awt/Robot isAutoWaitForIdle()Z
java/awt/Robot setAutoWaitForIdle(Z)V
java/awt/Robot autoWaitForIdle()V
java/awt/Robot getAutoDelay()I
java/awt/Robot setAutoDelay(I)V
java/awt/Robot autoDelay()V
java/awt/Robot delay(I)V
java/awt/Robot checkDelayArgument(I)V
java/awt/Robot waitForIdle()V
java/awt/Robot checkNotDispatchThread()V
java/awt/Robot toString()Ljava/lang/String;
class java/awt/ScrollPane$AccessibleAWTScrollPane java/awt/Container$AccessibleAWTContainer
java/awt/ScrollPane$AccessibleAWTScrollPane serialVersionUID
java/awt/ScrollPane$AccessibleAWTScrollPane this$0

```

```

java/awt/ScrollPane$AccessibleAWTScrollPane <init>(Ljava/awt/ScrollPane;)V
java/awt/ScrollPane$AccessibleAWTScrollPane getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
class java/awt/ScrollPane$PeerFixer java/lang/Object
java/awt/ScrollPane$PeerFixer serialVersionUID
java/awt/ScrollPane$PeerFixer scroller
java/awt/ScrollPane$PeerFixer
 this$0
java/awt/ScrollPane$PeerFixer <init>(Ljava/awt/ScrollPane;Ljava/awt/ScrollPane;)V
java/awt/ScrollPane$PeerFixer adjustmentValueChanged(Ljava/awt/event/AdjustmentEvent;)V
class java/awt/ScrollPane java/awt/Container
java/awt/ScrollPane SCROLLBARS_AS_NEEDED
java/awt/ScrollPane SCROLLBARS_ALWAYS
java/awt/ScrollPane SCROLLBARS_NEVER
java/awt/ScrollPane scrollbarDisplayPolicy
java/awt/ScrollPane vAdjustable
java/awt/ScrollPane hAdjustable
java/awt/ScrollPane base
java/awt/ScrollPane nameCounter
java/awt/ScrollPane defaultWheelScroll
java/awt/ScrollPane wheelScrollingEnabled
java/awt/ScrollPane serialVersionUID
java/awt/ScrollPane initIDs()V
java/awt/ScrollPane <init>()V
java/awt/ScrollPane <init>(I)V
java/awt/ScrollPane constructComponentName()Ljava/lang/String;
java/awt/ScrollPane addToPanel(Ljava/awt/Component;Ljava/lang/Object;I)V
java/awt/ScrollPane addImpl(Ljava/awt/Component;Ljava/lang/Object;I)V
java/awt/ScrollPane getScrollbarDisplayPolicy()I
java/awt/ScrollPane getViewportSize()Ljava/awt/Dimension;
java/awt/ScrollPane
 getHScrollbarHeight()I
java/awt/ScrollPane getVScrollbarWidth()I
java/awt/ScrollPane getVAdjustable()Ljava/awt/Adjustable;
java/awt/ScrollPane getHAdjustable()Ljava/awt/Adjustable;
java/awt/ScrollPane setScrollPosition(II)V
java/awt/ScrollPane setScrollPosition(Ljava/awt/Point;)V
java/awt/ScrollPane getScrollPosition()Ljava/awt/Point;
java/awt/ScrollPane setLayout(Ljava/awt/LayoutManager;)V
java/awt/ScrollPane doLayout()V
java/awt/ScrollPane calculateChildSize()Ljava/awt/Dimension;
java/awt/ScrollPane layout()V
java/awt/ScrollPane printComponents(Ljava/awt/Graphics;)V
java/awt/ScrollPane addNotify()V
java/awt/ScrollPane paramString()Ljava/lang/String;
java/awt/ScrollPane autoProcessMouseWheel(Ljava/awt/event/MouseWheelEvent;)V
java/awt/ScrollPane processMouseWheelEvent(Ljava/awt/event/MouseWheelEvent;)V
java/awt/ScrollPane eventTypeEnabled(I)Z
java/awt/ScrollPane setWheelScrollingEnabled(Z)V

```

```

java/awt/ScrollPane isWheelScrollingEnabled()Z
java/awt/ScrollPane
 writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/ScrollPane readObject(Ljava/io/ObjectInputStream;)V
java/awt/ScrollPane getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/ScrollPane <clinit>()V
class java/awt/ScrollPaneAdjustable java/lang/Object
java/awt/ScrollPaneAdjustable sp
java/awt/ScrollPaneAdjustable orientation
java/awt/ScrollPaneAdjustable value
java/awt/ScrollPaneAdjustable minimum
java/awt/ScrollPaneAdjustable maximum
java/awt/ScrollPaneAdjustable visibleAmount
java/awt/ScrollPaneAdjustable isAdjusting
java/awt/ScrollPaneAdjustable unitIncrement
java/awt/ScrollPaneAdjustable blockIncrement
java/awt/ScrollPaneAdjustable adjustmentListener
java/awt/ScrollPaneAdjustable SCROLLPANE_ONLY
java/awt/ScrollPaneAdjustable serialVersionUID
java/awt/ScrollPaneAdjustable initIDs()V
java/awt/ScrollPaneAdjustable <init>(Ljava/awt/ScrollPane;Ljava/awt/event/AdjustmentListener;)V
java/awt/ScrollPaneAdjustable setSpan(III)V
java/awt/ScrollPaneAdjustable
 getOrientation()I
java/awt/ScrollPaneAdjustable setMinimum(I)V
java/awt/ScrollPaneAdjustable getMinimum()I
java/awt/ScrollPaneAdjustable setMaximum(I)V
java/awt/ScrollPaneAdjustable getMaximum()I
java/awt/ScrollPaneAdjustable setUnitIncrement(I)V
java/awt/ScrollPaneAdjustable getUnitIncrement()I
java/awt/ScrollPaneAdjustable setBlockIncrement(I)V
java/awt/ScrollPaneAdjustable getBlockIncrement()I
java/awt/ScrollPaneAdjustable setVisibleAmount(I)V
java/awt/ScrollPaneAdjustable getVisibleAmount()I
java/awt/ScrollPaneAdjustable setValueIsAdjusting(Z)V
java/awt/ScrollPaneAdjustable getValueIsAdjusting()Z
java/awt/ScrollPaneAdjustable setValue(I)V
java/awt/ScrollPaneAdjustable setTypedValue(II)V
java/awt/ScrollPaneAdjustable getValue()I
java/awt/ScrollPaneAdjustable addAdjustmentListener(Ljava/awt/event/AdjustmentListener;)V
java/awt/ScrollPaneAdjustable removeAdjustmentListener(Ljava/awt/event/AdjustmentListener;)V
java/awt/ScrollPaneAdjustable getAdjustmentListeners()[Ljava/awt/event/AdjustmentListener;
java/awt/ScrollPaneAdjustable
 toString(Ljava/lang/String;
java/awt/ScrollPaneAdjustable paramString()Ljava/lang/String;
java/awt/ScrollPaneAdjustable <clinit>()V
class java/awt/Scrollbar$AccessibleAWTScrollbar java/awt/Component$AccessibleAWTComponent
java/awt/Scrollbar$AccessibleAWTScrollbar serialVersionUID

```



```

java/awt/Scrollbar$AccessibleAWTScrollBar this$0
java/awt/Scrollbar$AccessibleAWTScrollBar <init>(Ljava/awt/Scrollbar;)V
java/awt/Scrollbar$AccessibleAWTScrollBar getAccessibleStateSet()Ljava/awt/accessible/AccessibleStateSet;
java/awt/Scrollbar$AccessibleAWTScrollBar getAccessibleRole()Ljava/awt/accessible/AccessibleRole;
java/awt/Scrollbar$AccessibleAWTScrollBar getAccessibleValue()Ljava/awt/accessible/AccessibleValue;
java/awt/Scrollbar$AccessibleAWTScrollBar getCurrentAccessibleValue()Ljava/lang/Number;
java/awt/Scrollbar$AccessibleAWTScrollBar setCurrentAccessibleValue(Ljava/lang/Number;)Z
java/awt/Scrollbar$AccessibleAWTScrollBar getMinimumAccessibleValue()Ljava/lang/Number;
java/awt/Scrollbar$AccessibleAWTScrollBar
 getMaximumAccessibleValue()Ljava/lang/Number;
class java/awt/Scrollbar java/awt/Component
java/awt/Scrollbar HORIZONTAL
java/awt/Scrollbar VERTICAL
java/awt/Scrollbar value
java/awt/Scrollbar maximum
java/awt/Scrollbar minimum
java/awt/Scrollbar visibleAmount
java/awt/Scrollbar orientation
java/awt/Scrollbar lineIncrement
java/awt/Scrollbar pageIncrement
java/awt/Scrollbar isAdjusting
java/awt/Scrollbar adjustmentListener
java/awt/Scrollbar base
java/awt/Scrollbar nameCounter
java/awt/Scrollbar serialVersionUID
java/awt/Scrollbar scrollbarSerializedDataVersion
java/awt/Scrollbar initIDs()V
java/awt/Scrollbar <init>()V
java/awt/Scrollbar <init>(I)V
java/awt/Scrollbar <init>(IIII)V
java/awt/Scrollbar constructComponentName()Ljava/lang/String;
java/awt/Scrollbar addNotify()V
java/awt/Scrollbar getOrientation()I
java/awt/Scrollbar setOrientation(I)V
java/awt/Scrollbar getValue()I
java/awt/Scrollbar setValue(I)V
java/awt/Scrollbar
 getMinimum()I
java/awt/Scrollbar setMinimum(I)V
java/awt/Scrollbar getMaximum()I
java/awt/Scrollbar setMaximum(I)V
java/awt/Scrollbar getVisibleAmount()I
java/awt/Scrollbar getVisible()I
java/awt/Scrollbar setVisibleAmount(I)V
java/awt/Scrollbar setUnitIncrement(I)V
java/awt/Scrollbar setLineIncrement(I)V
java/awt/Scrollbar getUnitIncrement()I
java/awt/Scrollbar getLineIncrement()I

```

```

java/awt/Scrollbar setBlockIncrement(I)V
java/awt/Scrollbar setPageIncrement(I)V
java/awt/Scrollbar getBlockIncrement(I)
java/awt/Scrollbar getPageIncrement(I)
java/awt/Scrollbar setValues(III)V
java/awt/Scrollbar getValueIsAdjusting(Z)Z
java/awt/Scrollbar setValueIsAdjusting(Z)V
java/awt/Scrollbar addAdjustmentListener(Ljava/awt/event/AdjustmentListener;)V
java/awt/Scrollbar removeAdjustmentListener(Ljava/awt/event/AdjustmentListener;)V
java/awt/Scrollbar getAdjustmentListeners()[Ljava/awt/event/AdjustmentListener;
java/awt/Scrollbar getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/Scrollbar
 eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/Scrollbar processEvent(Ljava/awt/AWTEvent;)V
java/awt/Scrollbar processAdjustmentEvent(Ljava/awt/event/AdjustmentEvent;)V
java/awt/Scrollbar paramString()Ljava/lang/String;
java/awt/Scrollbar writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Scrollbar readObject(Ljava/io/ObjectInputStream;)V
java/awt/Scrollbar getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/Scrollbar <clinit>()V
class java/awt/SequencedEvent$1 java/lang/Object
java/awt/SequencedEvent$1 this$0
java/awt/SequencedEvent$1 <init>(Ljava/awt/SequencedEvent;)V
java/awt/SequencedEvent$1 evaluate()Z
class java/awt/SystemColor java/awt/Color
java/awt/SystemColor DESKTOP
java/awt/SystemColor ACTIVE_CAPTION
java/awt/SystemColor ACTIVE_CAPTION_TEXT
java/awt/SystemColor ACTIVE_CAPTION_BORDER
java/awt/SystemColor INACTIVE_CAPTION
java/awt/SystemColor INACTIVE_CAPTION_TEXT
java/awt/SystemColor INACTIVE_CAPTION_BORDER
java/awt/SystemColor WINDOW
java/awt/SystemColor
 WINDOW_BORDER
java/awt/SystemColor WINDOW_TEXT
java/awt/SystemColor MENU
java/awt/SystemColor MENU_TEXT
java/awt/SystemColor TEXT
java/awt/SystemColor TEXT_TEXT
java/awt/SystemColor TEXT_HIGHLIGHT
java/awt/SystemColor TEXT_HIGHLIGHT_TEXT
java/awt/SystemColor TEXT_INACTIVE_TEXT
java/awt/SystemColor CONTROL
java/awt/SystemColor CONTROL_TEXT
java/awt/SystemColor CONTROL_HIGHLIGHT
java/awt/SystemColor CONTROL_LT_HIGHLIGHT
java/awt/SystemColor CONTROL_SHADOW

```

```

java/awt/SystemColor CONTROL_DK_SHADOW
java/awt/SystemColor SCROLLBAR
java/awt/SystemColor INFO
java/awt/SystemColor INFO_TEXT
java/awt/SystemColor NUM_COLORS
java/awt/SystemColor desktop
java/awt/SystemColor activeCaption
java/awt/SystemColor activeCaptionText
java/awt/SystemColor activeCaptionBorder
java/awt/SystemColor inactiveCaption
java/awt/SystemColor inactiveCaptionText
java/awt/SystemColor inactiveCaptionBorder
java/awt/SystemColor window
java/awt/SystemColor windowBorder
java/awt/SystemColor windowText
java/awt/SystemColor
 menu
java/awt/SystemColor menuText
java/awt/SystemColor text
java/awt/SystemColor textText
java/awt/SystemColor textHighlight
java/awt/SystemColor textHighlightText
java/awt/SystemColor textInactiveText
java/awt/SystemColor control
java/awt/SystemColor controlText
java/awt/SystemColor controlHighlight
java/awt/SystemColor controlLtHighlight
java/awt/SystemColor controlShadow
java/awt/SystemColor controlDkShadow
java/awt/SystemColor scrollbar
java/awt/SystemColor info
java/awt/SystemColor infoText
java/awt/SystemColor systemColors
java/awt/SystemColor serialVersionUID
java/awt/SystemColor updateSystemColors()V
java/awt/SystemColor <init>(B)V
java/awt/SystemColor getRGB()I
java/awt/SystemColor
createContext(Ljava/awt/image/ColorModel;Ljava/awt/Rectangle;Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Area2D;
fineTransform;Ljava/awt/RenderingHints;)Ljava/awt/PaintContext;
java/awt/SystemColor toString()Ljava/lang/String;
java/awt/SystemColor <clinit>()V
class java/awt/TextArea$AccessibleAWTTextArea
 java/awt/TextComponent$AccessibleAWTTextComponent
java/awt/TextArea$AccessibleAWTTextArea serialVersionUID
java/awt/TextArea$AccessibleAWTTextArea this$0
java/awt/TextArea$AccessibleAWTTextArea <init>(Ljava/awt/TextArea;)V
java/awt/TextArea$AccessibleAWTTextArea getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;

```

```

class java/awt/TextArea java/awt/TextComponent
java/awt/TextArea rows
java/awt/TextArea columns
java/awt/TextArea base
java/awt/TextArea nameCounter
java/awt/TextArea SCROLLBARS_BOTH
java/awt/TextArea SCROLLBARS_VERTICAL_ONLY
java/awt/TextArea SCROLLBARS_HORIZONTAL_ONLY
java/awt/TextArea SCROLLBARS_NONE
java/awt/TextArea scrollbarVisibility
java/awt/TextArea forwardTraversalKeys
java/awt/TextArea backwardTraversalKeys
java/awt/TextArea serialVersionUID
java/awt/TextArea textAreaSerializedDataVersion
java/awt/TextArea initIDs()V
java/awt/TextArea <init>()V
java/awt/TextArea <init>(Ljava/lang/String;)V
java/awt/TextArea <init>(II)V
java/awt/TextArea <init>(Ljava/lang/String;II)V
java/awt/TextArea
 <init>(Ljava/lang/String;III)V
java/awt/TextArea constructComponentName(Ljava/lang/String;
java/awt/TextArea addNotify()V
java/awt/TextArea insert(Ljava/lang/String;I)V
java/awt/TextArea insertText(Ljava/lang/String;I)V
java/awt/TextArea append(Ljava/lang/String;)V
java/awt/TextArea appendText(Ljava/lang/String;)V
java/awt/TextArea replaceRange(Ljava/lang/String;II)V
java/awt/TextArea replaceText(Ljava/lang/String;II)V
java/awt/TextArea getRows()I
java/awt/TextArea setRows(I)V
java/awt/TextArea getColumns()I
java/awt/TextArea setColumns(I)V
java/awt/TextArea getScrollbarVisibility()I
java/awt/TextArea getPreferredSize(II)Ljava/awt/Dimension;
java/awt/TextArea preferredSize(II)Ljava/awt/Dimension;
java/awt/TextArea getPreferredSize()Ljava/awt/Dimension;
java/awt/TextArea preferredSize()Ljava/awt/Dimension;
java/awt/TextArea getMinimumSize(II)Ljava/awt/Dimension;
java/awt/TextArea minimumSize(II)Ljava/awt/Dimension;
java/awt/TextArea getMinimumSize()Ljava/awt/Dimension;
java/awt/TextArea
 minimumSize()Ljava/awt/Dimension;
java/awt/TextArea paramString()Ljava/lang/String;
java/awt/TextArea readObject(Ljava/io/ObjectInputStream;)V
java/awt/TextArea getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/TextArea <clinit>()V
class java/awt/TextComponent$AccessibleAWTTextComponent java/awt/Component$AccessibleAWTComponent

```

```

java/awt/TextComponent$AccessibleAWTTextComponent serialVersionUID
java/awt/TextComponent$AccessibleAWTTextComponent NEXT
java/awt/TextComponent$AccessibleAWTTextComponent PREVIOUS
java/awt/TextComponent$AccessibleAWTTextComponent this$0
java/awt/TextComponent$AccessibleAWTTextComponent <init>(Ljava/awt/TextComponent;)V
java/awt/TextComponent$AccessibleAWTTextComponent textValueChanged(Ljava/awt/event/TextEvent;)V
java/awt/TextComponent$AccessibleAWTTextComponent
getAccessibleStateSet(Ljavax/accessibility/AccessibleStateSet;
java/awt/TextComponent$AccessibleAWTTextComponent
getAccessibleRole()Ljavax/accessibility/AccessibleRole;
java/awt/TextComponent$AccessibleAWTTextComponent
getAccessibleText(Ljavax/accessibility/AccessibleText;
java/awt/TextComponent$AccessibleAWTTextComponent getIndexAtPoint(Ljava/awt/Point;)I
java/awt/TextComponent$AccessibleAWTTextComponent getCharacterBounds(I)Ljava/awt/Rectangle;
java/awt/TextComponent$AccessibleAWTTextComponent getCharCount()I
java/awt/TextComponent$AccessibleAWTTextComponent getCaretPosition()I
java/awt/TextComponent$AccessibleAWTTextComponent getCharacterAttribute(I)Ljavax/swing/text/AttributeSet;
java/awt/TextComponent$AccessibleAWTTextComponent getSelectionStart()I
java/awt/TextComponent$AccessibleAWTTextComponent getSelectionEnd()I
java/awt/TextComponent$AccessibleAWTTextComponent getSelectedText()Ljava/lang/String;
java/awt/TextComponent$AccessibleAWTTextComponent getAtIndex(II)Ljava/lang/String;
java/awt/TextComponent$AccessibleAWTTextComponent
findWordLimit(ILjava/text/BreakIterator;ZLjava/lang/String;)I
java/awt/TextComponent$AccessibleAWTTextComponent
getAfterIndex(II)Ljava/lang/String;
java/awt/TextComponent$AccessibleAWTTextComponent getBeforeIndex(II)Ljava/lang/String;
class java/awt/TextComponent java/awt/Component
java/awt/TextComponent text
java/awt/TextComponent editable
java/awt/TextComponent selectionStart
java/awt/TextComponent selectionEnd
java/awt/TextComponent backgroundSetByClientCode
java/awt/TextComponent canAccessClipboard
java/awt/TextComponent textListener
java/awt/TextComponent serialVersionUID
java/awt/TextComponent textComponentSerializedDataVersion
java/awt/TextComponent checkForEnableIM
java/awt/TextComponent <init>(Ljava/lang/String;)V
java/awt/TextComponent enableInputMethodsIfNecessary()V
java/awt/TextComponent enableInputMethods(Z)V
java/awt/TextComponent areInputMethodsEnabled()Z
java/awt/TextComponent getInputMethodRequests()Ljava/awt/im/InputMethodRequests;
java/awt/TextComponent addNotify()V
java/awt/TextComponent removeNotify()V
java/awt/TextComponent setText(Ljava/lang/String;)V
java/awt/TextComponent
getText()Ljava/lang/String;
java/awt/TextComponent getSelectedText()Ljava/lang/String;

```

```

java/awt/TextComponent isEditable()Z
java/awt/TextComponent setEditable(Z)V
java/awt/TextComponent getBackground()Ljava/awt/Color;
java/awt/TextComponent setBackground(Ljava/awt/Color;)V
java/awt/TextComponent getSelectionStart()I
java/awt/TextComponent setSelectionStart(I)V
java/awt/TextComponent getSelectionEnd()I
java/awt/TextComponent setSelectionEnd(I)V
java/awt/TextComponent select(II)V
java/awt/TextComponent selectAll()V
java/awt/TextComponent setCaretPosition(I)V
java/awt/TextComponent getCaretPosition()I
java/awt/TextComponent addTextListener(Ljava/awt/event/TextListener;)V
java/awt/TextComponent removeTextListener(Ljava/awt/event/TextListener;)V
java/awt/TextComponent getTextListeners()[Ljava/awt/event/TextListener;
java/awt/TextComponent getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/TextComponent eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/TextComponent
 processEvent(Ljava/awt/AWTEvent;)V
java/awt/TextComponent processTextEvent(Ljava/awt/event/TextEvent;)V
java/awt/TextComponent paramString()Ljava/lang/String;
java/awt/TextComponent checkSystemClipboardAccess()V
java/awt/TextComponent writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/TextComponent readObject(Ljava/io/ObjectInputStream;)V
java/awt/TextComponent getIndexAtPoint(Ljava/awt/Point;)I
java/awt/TextComponent getCharacterBounds(I)Ljava/awt/Rectangle;
java/awt/TextComponent getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
class java/awt/TextField$AccessibleAWTTextField java/awt/TextComponent$AccessibleAWTTextComponent
java/awt/TextField$AccessibleAWTTextField serialVersionUID
java/awt/TextField$AccessibleAWTTextField this$0
java/awt/TextField$AccessibleAWTTextField <init>(Ljava/awt/TextField;)V
java/awt/TextField$AccessibleAWTTextField getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
class java/awt/TextField java/awt/TextComponent
java/awt/TextField
 columns
java/awt/TextField echoChar
java/awt/TextField actionListener
java/awt/TextField base
java/awt/TextField nameCounter
java/awt/TextField serialVersionUID
java/awt/TextField textFieldSerializedDataVersion
java/awt/TextField initIDs()V
java/awt/TextField <init>()V
java/awt/TextField <init>(Ljava/lang/String;)V
java/awt/TextField <init>(I)V
java/awt/TextField <init>(Ljava/lang/String;I)V
java/awt/TextField constructComponentName()Ljava/lang/String;
java/awt/TextField addNotify()V

```

```

java/awt/TextField getEchoChar()C
java/awt/TextField setEchoChar(C)V
java/awt/TextField setEchoCharacter(C)V
java/awt/TextField setText(Ljava/lang/String;)V
java/awt/TextField echoCharIsSet()Z
java/awt/TextField getColumns()I
java/awt/TextField setColumns(I)V
java/awt/TextField getPreferredSize(I)Ljava/awt/Dimension;
java/awt/TextField preferredSize(I)Ljava/awt/Dimension;
java/awt/TextField getPreferredSize()Ljava/awt/Dimension;
java/awt/TextField preferredSize()Ljava/awt/Dimension;
java/awt/TextField
 getMinimumSize(I)Ljava/awt/Dimension;
java/awt/TextField minimumSize(I)Ljava/awt/Dimension;
java/awt/TextField getMinimumSize()Ljava/awt/Dimension;
java/awt/TextField minimumSize()Ljava/awt/Dimension;
java/awt/TextField addActionListener(Ljava/awt/event/ActionListener;)V
java/awt/TextField removeActionListener(Ljava/awt/event/ActionListener;)V
java/awt/TextField getActionListeners()[Ljava/awt/event/ActionListener;
java/awt/TextField getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/TextField eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/TextField processEvent(Ljava/awt/AWTEvent;)V
java/awt/TextField processActionEvent(Ljava/awt/event/ActionEvent;)V
java/awt/TextField paramString()Ljava/lang/String;
java/awt/TextField writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/TextField readObject(Ljava/io/ObjectInputStream;)V
java/awt/TextField getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/TextField <clinit>()V
class java/awt/TexturePaint
 java/lang/Object
java/awt/TexturePaint bufImg
java/awt/TexturePaint tx
java/awt/TexturePaint ty
java/awt/TexturePaint sx
java/awt/TexturePaint sy
java/awt/TexturePaint <init>(Ljava/awt/image/BufferedImage;Ljava/awt/geom/Rectangle2D;)V
java/awt/TexturePaint getImage()Ljava/awt/image/BufferedImage;
java/awt/TexturePaint getAnchorRect()Ljava/awt/geom/Rectangle2D;
java/awt/TexturePaint
 createContext(Ljava/awt/image/ColorModel;Ljava/awt/Rectangle;Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/AffineTransform;Ljava/awt/RenderingHints;)Ljava/awt/PaintContext;
java/awt/TexturePaint getTransparency()I
class java/awt/TexturePaintContext$Any java/awt/TexturePaintContext
java/awt/TexturePaintContext$Any srcRas
java/awt/TexturePaintContext$Any filter
java/awt/TexturePaintContext$Any
 <init>(Ljava/awt/image/WritableRaster;Ljava/awt/image/ColorModel;Ljava/awt/geom/AffineTransform;IZ)V
java/awt/TexturePaintContext$Any makeRaster(II)Ljava/awt/image/WritableRaster;

```

```

java/awt/TexturePaintContext$Any setRaster(IIIIIIIIII)V
class
 java/awt/TexturePaintContext$Byte java/awt/TexturePaintContext
java/awt/TexturePaintContext$Byte srcRas
java/awt/TexturePaintContext$Byte inData
java/awt/TexturePaintContext$Byte inOff
java/awt/TexturePaintContext$Byte inSpan
java/awt/TexturePaintContext$Byte outData
java/awt/TexturePaintContext$Byte outOff
java/awt/TexturePaintContext$Byte outSpan
java/awt/TexturePaintContext$Byte
<init>(Lsun/awt/image/ByteInterleavedRaster;Ljava/awt/image/ColorModel;Ljava/awt/geom/AffineTransform;I)V
java/awt/TexturePaintContext$Byte makeRaster(II)Ljava/awt/image/WritableRaster;
java/awt/TexturePaintContext$Byte dispose()V
java/awt/TexturePaintContext$Byte setRaster(IIIIIIIIII)V
class java/awt/TexturePaintContext$ByteFilter java/awt/TexturePaintContext
java/awt/TexturePaintContext$ByteFilter srcRas
java/awt/TexturePaintContext$ByteFilter inPalette
java/awt/TexturePaintContext$ByteFilter inData
java/awt/TexturePaintContext$ByteFilter inOff
java/awt/TexturePaintContext$ByteFilter
 inSpan
java/awt/TexturePaintContext$ByteFilter outData
java/awt/TexturePaintContext$ByteFilter outOff
java/awt/TexturePaintContext$ByteFilter outSpan
java/awt/TexturePaintContext$ByteFilter
<init>(Lsun/awt/image/ByteInterleavedRaster;Ljava/awt/image/ColorModel;Ljava/awt/geom/AffineTransform;I)V
java/awt/TexturePaintContext$ByteFilter makeRaster(II)Ljava/awt/image/WritableRaster;
java/awt/TexturePaintContext$ByteFilter setRaster(IIIIIIIIII)V
class java/awt/TexturePaintContext$Int java/awt/TexturePaintContext
java/awt/TexturePaintContext$Int srcRas
java/awt/TexturePaintContext$Int inData
java/awt/TexturePaintContext$Int inOff
java/awt/TexturePaintContext$Int inSpan
java/awt/TexturePaintContext$Int outData
java/awt/TexturePaintContext$Int outOff
java/awt/TexturePaintContext$Int outSpan
java/awt/TexturePaintContext$Int filter
java/awt/TexturePaintContext$Int
<init>(Lsun/awt/image/IntegerInterleavedRaster;Ljava/awt/image/ColorModel;Ljava/awt/geom/AffineTransform;IZ
)V
java/awt/TexturePaintContext$Int
 makeRaster(II)Ljava/awt/image/WritableRaster;
java/awt/TexturePaintContext$Int setRaster(IIIIIIIIII)V
class java/awt/TexturePaintContext java/lang/Object
java/awt/TexturePaintContext xrgbmodel
java/awt/TexturePaintContext argbmodel
java/awt/TexturePaintContext colorModel

```



```

java/awt/TexturePaintContext bWidth
java/awt/TexturePaintContext bHeight
java/awt/TexturePaintContext maxWidth
java/awt/TexturePaintContext outRas
java/awt/TexturePaintContext xOrg
java/awt/TexturePaintContext yOrg
java/awt/TexturePaintContext incXAcross
java/awt/TexturePaintContext incYAcross
java/awt/TexturePaintContext incXDown
java/awt/TexturePaintContext incYDown
java/awt/TexturePaintContext colincx
java/awt/TexturePaintContext colincy
java/awt/TexturePaintContext colincxerr
java/awt/TexturePaintContext colincyerr
java/awt/TexturePaintContext rowincx
java/awt/TexturePaintContext rowincy
java/awt/TexturePaintContext rowincxerr
java/awt/TexturePaintContext rowincyerr
java/awt/TexturePaintContext
 xrgbRasRef
java/awt/TexturePaintContext argbRasRef
java/awt/TexturePaintContext byteRasRef
java/awt/TexturePaintContext
 getContext(Ljava/awt/image/BufferedImage;Ljava/awt/geom/AffineTransform;Ljava/awt/RenderingHints;Ljava/aw
t/Rectangle;)Ljava/awt/PaintContext;
java/awt/TexturePaintContext isFilterableICM(Ljava/awt/image/ColorModel;)Z
java/awt/TexturePaintContext isFilterableDCM(Ljava/awt/image/ColorModel;)Z
java/awt/TexturePaintContext isMaskOK(IZ)Z
java/awt/TexturePaintContext getInternedColorModel(Ljava/awt/image/ColorModel;)Ljava/awt/image/ColorModel;
java/awt/TexturePaintContext <init>(Ljava/awt/image/ColorModel;Ljava/awt/geom/AffineTransform;III)V
java/awt/TexturePaintContext fractAsInt(D)I
java/awt/TexturePaintContext mod(DD)D
java/awt/TexturePaintContext dispose()V
java/awt/TexturePaintContext getColorModel()Ljava/awt/image/ColorModel;
java/awt/TexturePaintContext getRaster(III)Ljava/awt/image/Raster;
java/awt/TexturePaintContext
 makeRaster(Ljava/awt/image/ColorModel;Ljava/awt/image/Raster;II)Ljava/awt/image/WritableRaster;
java/awt/TexturePaintContext
 dropRaster(Ljava/awt/image/ColorModel;Ljava/awt/image/Raster;)V
java/awt/TexturePaintContext makeByteRaster(Ljava/awt/image/Raster;II)Ljava/awt/image/WritableRaster;
java/awt/TexturePaintContext dropByteRaster(Ljava/awt/image/Raster;)V
java/awt/TexturePaintContext makeRaster(II)Ljava/awt/image/WritableRaster;
java/awt/TexturePaintContext setRaster(IIIIIIIIIIII)V
java/awt/TexturePaintContext blend([III)I
java/awt/TexturePaintContext <clinit>()V
class java/awt/color/CMMException java/lang/RuntimeException
java/awt/color/CMMException <init>(Ljava/lang/String;)V
class java/awt/color/ICC_ProfileGray java/awt/color/ICC_Profile

```

```

java/awt/color/ICC_ProfileGray <init>(J)V
java/awt/color/ICC_ProfileGray <init>(Lsun/awt/color/ProfileDeferralInfo;)V
java/awt/color/ICC_ProfileGray getMediaWhitePoint()[F
java/awt/color/ICC_ProfileGray getGamma()F
java/awt/color/ICC_ProfileGray getTRC()[S
class java/awt/color/ProfileDataException
 java/lang/RuntimeException
java/awt/color/ProfileDataException <init>(Ljava/lang/String;)V
class java/awt/datatransfer/Clipboard$1 java/lang/Object
java/awt/datatransfer/Clipboard$1 val$soldOwner
java/awt/datatransfer/Clipboard$1 val$soldContents
java/awt/datatransfer/Clipboard$1 this$0
java/awt/datatransfer/Clipboard$1
 <init>(Ljava/awt/datatransfer/Clipboard;Ljava/awt/datatransfer/ClipboardOwner;Ljava/awt/datatransfer/Transferabl
 e;)V
java/awt/datatransfer/Clipboard$1 run()V
class java/awt/datatransfer/Clipboard$2 java/lang/Object
java/awt/datatransfer/Clipboard$2 val$listener
java/awt/datatransfer/Clipboard$2 this$0
java/awt/datatransfer/Clipboard$2 <init>(Ljava/awt/datatransfer/Clipboard;Ljava/awt/datatransfer/FlavorListener;)V
java/awt/datatransfer/Clipboard$2 run()V
class java/awt/datatransfer/DataFlavor$TextFlavorComparator
sun/awt/datatransfer/DataTransferer$DataFlavorComparator
java/awt/datatransfer/DataFlavor$TextFlavorComparator <init>()V
java/awt/datatransfer/DataFlavor$TextFlavorComparator
 compare(Ljava/lang/Object;Ljava/lang/Object;)I
class java/awt/datatransfer/FlavorEvent java/util/EventObject
java/awt/datatransfer/FlavorEvent <init>(Ljava/awt/datatransfer/Clipboard;)V
class java/awt/datatransfer/FlavorListener java/lang/Object
java/awt/datatransfer/FlavorListener flavorsChanged(Ljava/awt/datatransfer/FlavorEvent;)V
class java/awt/datatransfer/MimeTypeParseException java/lang/Exception
java/awt/datatransfer/MimeTypeParseException serialVersionUID
java/awt/datatransfer/MimeTypeParseException <init>()V
java/awt/datatransfer/MimeTypeParseException <init>(Ljava/lang/String;)V
class java/awt/datatransfer/StringSelection java/lang/Object
java/awt/datatransfer/StringSelection STRING
java/awt/datatransfer/StringSelection PLAIN_TEXT
java/awt/datatransfer/StringSelection flavors
java/awt/datatransfer/StringSelection data
java/awt/datatransfer/StringSelection <init>(Ljava/lang/String;)V
java/awt/datatransfer/StringSelection getTransferDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/StringSelection
 isDataFlavorSupported(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/datatransfer/StringSelection getTransferData(Ljava/awt/datatransfer/DataFlavor;)Ljava/lang/Object;
java/awt/datatransfer/StringSelection
 lostOwnership(Ljava/awt/datatransfer/Clipboard;Ljava/awt/datatransfer/Transferable;)V
java/awt/datatransfer/StringSelection <clinit>()V
class java/awt/datatransfer/UnsupportedFlavorException java/lang/Exception

```

```

java/awt/datatransfer/UnsupportedFlavorException serialVersionUID
java/awt/datatransfer/UnsupportedFlavorException <init>(Ljava/awt/datatransfer/DataFlavor;)V
class java/awt/dnd/Autoscroll java/lang/Object
java/awt/dnd/Autoscroll getAutoscrollInsets()Ljava/awt/Insets;
java/awt/dnd/Autoscroll autoscroll(Ljava/awt/Point;)V
class java/awt/dnd/DnDConstants java/lang/Object
java/awt/dnd/DnDConstants ACTION_NONE
java/awt/dnd/DnDConstants ACTION_COPY
java/awt/dnd/DnDConstants ACTION_MOVE
java/awt/dnd/DnDConstants
 ACTION_COPY_OR_MOVE
java/awt/dnd/DnDConstants ACTION_LINK
java/awt/dnd/DnDConstants ACTION_REFERENCE
java/awt/dnd/DnDConstants <init>()V
class java/awt/dnd/DnDEventMulticaster java/awt/AWTEventMulticaster
java/awt/dnd/DnDEventMulticaster <init>(Ljava/util/EventListener;Ljava/util/EventListener;)V
java/awt/dnd/DnDEventMulticaster dragEnter(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DnDEventMulticaster dragOver(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DnDEventMulticaster dropActionChanged(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DnDEventMulticaster dragExit(Ljava/awt/dnd/DragSourceEvent;)V
java/awt/dnd/DnDEventMulticaster dragDropEnd(Ljava/awt/dnd/DragSourceDropEvent;)V
java/awt/dnd/DnDEventMulticaster dragMouseMoved(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DnDEventMulticaster
 add(Ljava/awt/dnd/DragSourceListener;Ljava/awt/dnd/DragSourceListener;)Ljava/awt/dnd/DragSourceListener;
java/awt/dnd/DnDEventMulticaster
 add(Ljava/awt/dnd/DragSourceMotionListener;Ljava/awt/dnd/DragSourceMotionListener;)Ljava/awt/dnd/DragSourceMotionListener;
java/awt/dnd/DnDEventMulticaster
 remove(Ljava/awt/dnd/DragSourceListener;Ljava/awt/dnd/DragSourceListener;)Ljava/awt/dnd/DragSourceListener;
;
java/awt/dnd/DnDEventMulticaster
 remove(Ljava/awt/dnd/DragSourceMotionListener;Ljava/awt/dnd/DragSourceMotionListener;)Ljava/awt/dnd/DragSourceMotionListener;
java/awt/dnd/DnDEventMulticaster
 addInternal(Ljava/util/EventListener;Ljava/util/EventListener;)Ljava/util/EventListener;
java/awt/dnd/DnDEventMulticaster remove(Ljava/util/EventListener;)Ljava/util/EventListener;
java/awt/dnd/DnDEventMulticaster
 removeInternal(Ljava/util/EventListener;Ljava/util/EventListener;)Ljava/util/EventListener;
java/awt/dnd/DnDEventMulticaster
 save(Ljava/io/ObjectOutputStream;Ljava/lang/String;Ljava/util/EventListener;)V
class java/awt/dnd/DragSourceAdapter java/lang/Object
java/awt/dnd/DragSourceAdapter <init>()V
java/awt/dnd/DragSourceAdapter dragEnter(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceAdapter
 dragOver(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceAdapter dragMouseMoved(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceAdapter dropActionChanged(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceAdapter dragExit(Ljava/awt/dnd/DragSourceEvent;)V

```

```

java/awt/dnd/DragSourceAdapter dragDropEnd(Ljava/awt/dnd/DragSourceDropEvent;)V
class java/awt/dnd/DragSourceContext$1 java/lang/Object
java/awt/dnd/DragSourceContext$1 this$0
java/awt/dnd/DragSourceContext$1 <init>(Ljava/awt/dnd/DragSourceContext;)V
java/awt/dnd/DragSourceContext$1 getTransferDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/dnd/DragSourceContext$1 isDataFlavorSupported(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/dnd/DragSourceContext$1 getTransferData(Ljava/awt/datatransfer/DataFlavor;)Ljava/lang/Object;
class java/awt/dnd/DragSourceContext java/lang/Object
java/awt/dnd/DragSourceContext serialVersionUID
java/awt/dnd/DragSourceContext
 DEFAULT
java/awt/dnd/DragSourceContext ENTER
java/awt/dnd/DragSourceContext OVER
java/awt/dnd/DragSourceContext CHANGED
java/awt/dnd/DragSourceContext emptyTransferable
java/awt/dnd/DragSourceContext peer
java/awt/dnd/DragSourceContext trigger
java/awt/dnd/DragSourceContext cursor
java/awt/dnd/DragSourceContext transferable
java/awt/dnd/DragSourceContext listener
java/awt/dnd/DragSourceContext useCustomCursor
java/awt/dnd/DragSourceContext sourceActions
java/awt/dnd/DragSourceContext
 <init>(Ljava/awt/dnd/peer/DragSourceContextPeer;Ljava/awt/dnd/DragGestureEvent;Ljava/awt/Cursor;Ljava/awt/I
mage;Ljava/awt/Point;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/DragSourceListener;)V
java/awt/dnd/DragSourceContext getDragSource()Ljava/awt/dnd/DragSource;
java/awt/dnd/DragSourceContext getComponent()Ljava/awt/Component;
java/awt/dnd/DragSourceContext getTrigger()Ljava/awt/dnd/DragGestureEvent;
java/awt/dnd/DragSourceContext getSourceActions()I
java/awt/dnd/DragSourceContext setCursor(Ljava/awt/Cursor;)V
java/awt/dnd/DragSourceContext
 getCursor()Ljava/awt/Cursor;
java/awt/dnd/DragSourceContext addDragSourceListener(Ljava/awt/dnd/DragSourceListener;)V
java/awt/dnd/DragSourceContext removeDragSourceListener(Ljava/awt/dnd/DragSourceListener;)V
java/awt/dnd/DragSourceContext transferablesFlavorsChanged()V
java/awt/dnd/DragSourceContext dragEnter(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceContext dragOver(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceContext dragExit(Ljava/awt/dnd/DragSourceEvent;)V
java/awt/dnd/DragSourceContext dropActionChanged(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceContext dragDropEnd(Ljava/awt/dnd/DragSourceDropEvent;)V
java/awt/dnd/DragSourceContext dragMouseMoved(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceContext getTransferable()Ljava/awt/datatransfer/Transferable;
java/awt/dnd/DragSourceContext updateCurrentCursor(III)V
java/awt/dnd/DragSourceContext setCursorImpl(Ljava/awt/Cursor;)V
java/awt/dnd/DragSourceContext
 writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/dnd/DragSourceContext readObject(Ljava/io/ObjectInputStream;)V
class java/awt/dnd/DragSourceDragEvent java/awt/dnd/DragSourceEvent

```

```

java/awt/dnd/DragSourceDragEvent serialVersionUID
java/awt/dnd/DragSourceDragEvent JDK_1_3_MODIFIERS
java/awt/dnd/DragSourceDragEvent JDK_1_4_MODIFIERS
java/awt/dnd/DragSourceDragEvent targetActions
java/awt/dnd/DragSourceDragEvent dropAction
java/awt/dnd/DragSourceDragEvent gestureModifiers
java/awt/dnd/DragSourceDragEvent invalidModifiers
java/awt/dnd/DragSourceDragEvent <init>(Ljava/awt/dnd/DragSourceContext;III)V
java/awt/dnd/DragSourceDragEvent <init>(Ljava/awt/dnd/DragSourceContext;IIII)V
java/awt/dnd/DragSourceDragEvent getTargetActions()I
java/awt/dnd/DragSourceDragEvent getGestureModifiers()I
java/awt/dnd/DragSourceDragEvent getGestureModifiersEx()I
java/awt/dnd/DragSourceDragEvent getUserAction()I
java/awt/dnd/DragSourceDragEvent getDropAction()I
java/awt/dnd/DragSourceDragEvent
 setNewModifiers()V
java/awt/dnd/DragSourceDragEvent setOldModifiers()V
class java/awt/dnd/DragSourceDropEvent java/awt/dnd/DragSourceEvent
java/awt/dnd/DragSourceDropEvent serialVersionUID
java/awt/dnd/DragSourceDropEvent dropSuccess
java/awt/dnd/DragSourceDropEvent dropAction
java/awt/dnd/DragSourceDropEvent <init>(Ljava/awt/dnd/DragSourceContext;IZ)V
java/awt/dnd/DragSourceDropEvent <init>(Ljava/awt/dnd/DragSourceContext;IZII)V
java/awt/dnd/DragSourceDropEvent <init>(Ljava/awt/dnd/DragSourceContext;)V
java/awt/dnd/DragSourceDropEvent getDropSuccess()Z
java/awt/dnd/DragSourceDropEvent getDropAction()I
class java/awt/dnd/DragSourceEvent java/util/EventObject
java/awt/dnd/DragSourceEvent serialVersionUID
java/awt/dnd/DragSourceEvent locationSpecified
java/awt/dnd/DragSourceEvent x
java/awt/dnd/DragSourceEvent y
java/awt/dnd/DragSourceEvent <init>(Ljava/awt/dnd/DragSourceContext;)V
java/awt/dnd/DragSourceEvent <init>(Ljava/awt/dnd/DragSourceContext;II)V
java/awt/dnd/DragSourceEvent
 getDragSourceContext()Ljava/awt/dnd/DragSourceContext;
java/awt/dnd/DragSourceEvent getLocation()Ljava/awt/Point;
java/awt/dnd/DragSourceEvent getX()I
java/awt/dnd/DragSourceEvent getY()I
class java/awt/dnd/DragSourceListener java/lang/Object
java/awt/dnd/DragSourceListener dragEnter(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceListener dragOver(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceListener dropActionChanged(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceListener dragExit(Ljava/awt/dnd/DragSourceEvent;)V
java/awt/dnd/DragSourceListener dragDropEnd(Ljava/awt/dnd/DragSourceDropEvent;)V
class java/awt/dnd/DragSourceMotionListener java/lang/Object
java/awt/dnd/DragSourceMotionListener dragMouseMoved(Ljava/awt/dnd/DragSourceDragEvent;)V
class java/awt/dnd/DropTarget$DropTargetAutoScroller java/lang/Object
java/awt/dnd/DropTarget$DropTargetAutoScroller component

```

```

java/awt/dnd/DropTarget$DropTargetAutoScroller autoScroll
java/awt/dnd/DropTarget$DropTargetAutoScroller
 timer
java/awt/dnd/DropTarget$DropTargetAutoScroller locn
java/awt/dnd/DropTarget$DropTargetAutoScroller prev
java/awt/dnd/DropTarget$DropTargetAutoScroller outer
java/awt/dnd/DropTarget$DropTargetAutoScroller inner
java/awt/dnd/DropTarget$DropTargetAutoScroller hysteresis
java/awt/dnd/DropTarget$DropTargetAutoScroller <init>(Ljava/awt/Component;Ljava/awt/Point;)V
java/awt/dnd/DropTarget$DropTargetAutoScroller updateRegion()V
java/awt/dnd/DropTarget$DropTargetAutoScroller updateLocation(Ljava/awt/Point;)V
java/awt/dnd/DropTarget$DropTargetAutoScroller stop()V
java/awt/dnd/DropTarget$DropTargetAutoScroller actionPerformed(Ljava/awt/event/ActionEvent;)V
class java/awt/dnd/DropTargetAdapter java/lang/Object
java/awt/dnd/DropTargetAdapter <init>()V
java/awt/dnd/DropTargetAdapter dragEnter(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTargetAdapter dragOver(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTargetAdapter dropActionChanged(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTargetAdapter
 dragExit(Ljava/awt/dnd/DropTargetEvent;)V
class java/awt/dnd/DropTargetContext$TransferableProxy java/lang/Object
java/awt/dnd/DropTargetContext$TransferableProxy transferable
java/awt/dnd/DropTargetContext$TransferableProxy isLocal
java/awt/dnd/DropTargetContext$TransferableProxy proxy
java/awt/dnd/DropTargetContext$TransferableProxy this$0
java/awt/dnd/DropTargetContext$TransferableProxy
 <init>(Ljava/awt/dnd/DropTargetContext;Ljava/awt/datatransfer/Transferable;Z)V
java/awt/dnd/DropTargetContext$TransferableProxy getTransferDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/dnd/DropTargetContext$TransferableProxy isDataFlavorSupported(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/dnd/DropTargetContext$TransferableProxy
 getTransferData(Ljava/awt/datatransfer/DataFlavor;)Ljava/lang/Object;
class java/awt/dnd/DropTargetDragEvent java/awt/dnd/DropTargetEvent
java/awt/dnd/DropTargetDragEvent serialVersionUID
java/awt/dnd/DropTargetDragEvent
 location
java/awt/dnd/DropTargetDragEvent actions
java/awt/dnd/DropTargetDragEvent dropAction
java/awt/dnd/DropTargetDragEvent <init>(Ljava/awt/dnd/DropTargetContext;Ljava/awt/Point;I)V
java/awt/dnd/DropTargetDragEvent getLocation()Ljava/awt/Point;
java/awt/dnd/DropTargetDragEvent getCurrentDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/dnd/DropTargetDragEvent getCurrentDataFlavorsAsList()Ljava/util/List;
java/awt/dnd/DropTargetDragEvent isDataFlavorSupported(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/dnd/DropTargetDragEvent getSourceActions()I
java/awt/dnd/DropTargetDragEvent getDropAction()I
java/awt/dnd/DropTargetDragEvent getTransferable()Ljava/awt/datatransfer/Transferable;
java/awt/dnd/DropTargetDragEvent acceptDrag(I)V
java/awt/dnd/DropTargetDragEvent rejectDrag()V
class java/awt/dnd/DropTargetDropEvent java/awt/dnd/DropTargetEvent

```

```

java/awt/dnd/DropTargetDropEvent serialVersionUID
java/awt/dnd/DropTargetDropEvent zero
java/awt/dnd/DropTargetDropEvent
 location
java/awt/dnd/DropTargetDropEvent actions
java/awt/dnd/DropTargetDropEvent dropAction
java/awt/dnd/DropTargetDropEvent isLocalTx
java/awt/dnd/DropTargetDropEvent <init>(Ljava/awt/dnd/DropTargetContext;Ljava/awt/Point;II)V
java/awt/dnd/DropTargetDropEvent <init>(Ljava/awt/dnd/DropTargetContext;Ljava/awt/Point;IIZ)V
java/awt/dnd/DropTargetDropEvent getLocation()Ljava/awt/Point;
java/awt/dnd/DropTargetDropEvent getCurrentDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/dnd/DropTargetDropEvent getCurrentDataFlavorsAsList()Ljava/util/List;
java/awt/dnd/DropTargetDropEvent isDataFlavorSupported(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/dnd/DropTargetDropEvent getSourceActions()I
java/awt/dnd/DropTargetDropEvent getDropAction()I
java/awt/dnd/DropTargetDropEvent getTransferable()Ljava/awt/datatransfer/Transferable;
java/awt/dnd/DropTargetDropEvent acceptDrop(I)V
java/awt/dnd/DropTargetDropEvent rejectDrop()V
java/awt/dnd/DropTargetDropEvent dropComplete(Z)V
java/awt/dnd/DropTargetDropEvent
 isLocalTransfer()Z
java/awt/dnd/DropTargetDropEvent <clinit>()V
class java/awt/dnd/DropTargetEvent java/util/EventObject
java/awt/dnd/DropTargetEvent serialVersionUID
java/awt/dnd/DropTargetEvent context
java/awt/dnd/DropTargetEvent <init>(Ljava/awt/dnd/DropTargetContext;)V
java/awt/dnd/DropTargetEvent getDropTargetContext()Ljava/awt/dnd/DropTargetContext;
class java/awt/dnd/MouseDragGestureRecognizer java/awt/dnd/DragGestureRecognizer
java/awt/dnd/MouseDragGestureRecognizer serialVersionUID
java/awt/dnd/MouseDragGestureRecognizer
 <init>(Ljava/awt/dnd/DragSource;Ljava/awt/Component;ILjava/awt/dnd/DragGestureListener;)V
java/awt/dnd/MouseDragGestureRecognizer <init>(Ljava/awt/dnd/DragSource;Ljava/awt/Component;I)V
java/awt/dnd/MouseDragGestureRecognizer <init>(Ljava/awt/dnd/DragSource;Ljava/awt/Component;)V
java/awt/dnd/MouseDragGestureRecognizer <init>(Ljava/awt/dnd/DragSource;)V
java/awt/dnd/MouseDragGestureRecognizer registerListeners()V
java/awt/dnd/MouseDragGestureRecognizer
 unregisterListeners()V
java/awt/dnd/MouseDragGestureRecognizer mouseClicked(Ljava/awt/event/MouseEvent;)V
java/awt/dnd/MouseDragGestureRecognizer mousePressed(Ljava/awt/event/MouseEvent;)V
java/awt/dnd/MouseDragGestureRecognizer mouseReleased(Ljava/awt/event/MouseEvent;)V
java/awt/dnd/MouseDragGestureRecognizer mouseEntered(Ljava/awt/event/MouseEvent;)V
java/awt/dnd/MouseDragGestureRecognizer mouseExited(Ljava/awt/event/MouseEvent;)V
java/awt/dnd/MouseDragGestureRecognizer mouseDragged(Ljava/awt/event/MouseEvent;)V
java/awt/dnd/MouseDragGestureRecognizer mouseMoved(Ljava/awt/event/MouseEvent;)V
class java/awt/dnd/SerializationTester$1 java/io/OutputStream
java/awt/dnd/SerializationTester$1 <init>()V
java/awt/dnd/SerializationTester$1 write(I)V
class java/awt/dnd/SerializationTester java/lang/Object

```

```

java/awt/dnd/SerializationTester stream
java/awt/dnd/SerializationTester test(Ljava/lang/Object;)Z
java/awt/dnd/SerializationTester <init>()V
java/awt/dnd/SerializationTester
 <clinit>()V
class java/awt/dnd/peer/DropTargetContextPeer java/lang/Object
java/awt/dnd/peer/DropTargetContextPeer setTargetActions(I)V
java/awt/dnd/peer/DropTargetContextPeer getTargetActions()I
java/awt/dnd/peer/DropTargetContextPeer getDropTarget(Ljava/awt/dnd/DropTarget;
java/awt/dnd/peer/DropTargetContextPeer getTransferDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/dnd/peer/DropTargetContextPeer getTransferable()Ljava/awt/datatransfer/Transferable;
java/awt/dnd/peer/DropTargetContextPeer isTransferableJVMLocal()Z
java/awt/dnd/peer/DropTargetContextPeer acceptDrag(I)V
java/awt/dnd/peer/DropTargetContextPeer rejectDrag()V
java/awt/dnd/peer/DropTargetContextPeer acceptDrop(I)V
java/awt/dnd/peer/DropTargetContextPeer rejectDrop()V
java/awt/dnd/peer/DropTargetContextPeer dropComplete(Z)V
class java/awt/event/ContainerAdapter java/lang/Object
java/awt/event/ContainerAdapter <init>()V
java/awt/event/ContainerAdapter componentAdded(Ljava/awt/event/ContainerEvent;)V
java/awt/event/ContainerAdapter
 componentRemoved(Ljava/awt/event/ContainerEvent;)V
class java/awt/event/HierarchyBoundsAdapter java/lang/Object
java/awt/event/HierarchyBoundsAdapter <init>()V
java/awt/event/HierarchyBoundsAdapter ancestorMoved(Ljava/awt/event/HierarchyEvent;)V
java/awt/event/HierarchyBoundsAdapter ancestorResized(Ljava/awt/event/HierarchyEvent;)V
class java/awt/event/HierarchyEvent java/awt/AWTEvent
java/awt/event/HierarchyEvent HIERARCHY_FIRST
java/awt/event/HierarchyEvent HIERARCHY_CHANGED
java/awt/event/HierarchyEvent ANCESTOR_MOVED
java/awt/event/HierarchyEvent ANCESTOR_RESIZED
java/awt/event/HierarchyEvent HIERARCHY_LAST
java/awt/event/HierarchyEvent PARENT_CHANGED
java/awt/event/HierarchyEvent DISPLAYABILITY_CHANGED
java/awt/event/HierarchyEvent SHOWING_CHANGED
java/awt/event/HierarchyEvent changed
java/awt/event/HierarchyEvent changedParent
java/awt/event/HierarchyEvent changeFlags
java/awt/event/HierarchyEvent <init>(Ljava/awt/Component;ILjava/awt/Component;Ljava/awt/Container;)V
java/awt/event/HierarchyEvent
 <init>(Ljava/awt/Component;ILjava/awt/Component;Ljava/awt/Container;J)V
java/awt/event/HierarchyEvent getComponent()Ljava/awt/Component;
java/awt/event/HierarchyEvent getChanged()Ljava/awt/Component;
java/awt/event/HierarchyEvent getChangedParent()Ljava/awt/Container;
java/awt/event/HierarchyEvent getChangeFlags()J
java/awt/event/HierarchyEvent paramString()Ljava/lang/String;
class java/awt/event/MouseWheelEvent java/awt/event/MouseEvent
java/awt/event/MouseWheelEvent dbg

```



```

java/awt/event/MouseWheelEvent WHEEL_UNIT_SCROLL
java/awt/event/MouseWheelEvent WHEEL_BLOCK_SCROLL
java/awt/event/MouseWheelEvent scrollType
java/awt/event/MouseWheelEvent scrollAmount
java/awt/event/MouseWheelEvent wheelRotation
java/awt/event/MouseWheelEvent <init>(Ljava/awt/Component;IJJJJZIII)V
java/awt/event/MouseWheelEvent getScrollType()I
java/awt/event/MouseWheelEvent getScrollAmount()I
java/awt/event/MouseWheelEvent getWheelRotation()I
java/awt/event/MouseWheelEvent
 getUnitsToScroll()I
java/awt/event/MouseWheelEvent paramString()Ljava/lang/String;
java/awt/event/MouseWheelEvent <clinit>()V
class java/awt/event/TextEvent java/awt/AWTEvent
java/awt/event/TextEvent TEXT_FIRST
java/awt/event/TextEvent TEXT_LAST
java/awt/event/TextEvent TEXT_VALUE_CHANGED
java/awt/event/TextEvent serialVersionUID
java/awt/event/TextEvent <init>(Ljava/lang/Object;I)V
java/awt/event/TextEvent paramString()Ljava/lang/String;
class java/awt/font/CharArrayIterator java/lang/Object
java/awt/font/CharArrayIterator chars
java/awt/font/CharArrayIterator pos
java/awt/font/CharArrayIterator begin
java/awt/font/CharArrayIterator <init>([C)V
java/awt/font/CharArrayIterator <init>([CI)V
java/awt/font/CharArrayIterator first()C
java/awt/font/CharArrayIterator last()C
java/awt/font/CharArrayIterator current()C
java/awt/font/CharArrayIterator next()C
java/awt/font/CharArrayIterator previous()C
java/awt/font/CharArrayIterator setIndex(I)C
java/awt/font/CharArrayIterator getBeginIndex()I
java/awt/font/CharArrayIterator
 getEndIndex()I
java/awt/font/CharArrayIterator getIndex()I
java/awt/font/CharArrayIterator clone()Ljava/lang/Object;
java/awt/font/CharArrayIterator reset([C)V
java/awt/font/CharArrayIterator reset([CI)V
class java/awt/font/GlyphJustificationInfo java/lang/Object
java/awt/font/GlyphJustificationInfo PRIORITY_KASHIDA
java/awt/font/GlyphJustificationInfo PRIORITY_WHITESPACE
java/awt/font/GlyphJustificationInfo PRIORITY_INTERCHAR
java/awt/font/GlyphJustificationInfo PRIORITY_NONE
java/awt/font/GlyphJustificationInfo weight
java/awt/font/GlyphJustificationInfo growPriority
java/awt/font/GlyphJustificationInfo growAbsorb
java/awt/font/GlyphJustificationInfo growLeftLimit

```

```

java/awt/font/GlyphJustificationInfo growRightLimit
java/awt/font/GlyphJustificationInfo shrinkPriority
java/awt/font/GlyphJustificationInfo shrinkAbsorb
java/awt/font/GlyphJustificationInfo shrinkLeftLimit
java/awt/font/GlyphJustificationInfo shrinkRightLimit
java/awt/font/GlyphJustificationInfo
 <init>(FZIFFZIFF)V
java/awt/font/GlyphJustificationInfo priorityIsValid(I)Z
class java/awt/font/GlyphMetrics java/lang/Object
java/awt/font/GlyphMetrics horizontal
java/awt/font/GlyphMetrics advanceX
java/awt/font/GlyphMetrics advanceY
java/awt/font/GlyphMetrics bounds
java/awt/font/GlyphMetrics glyphType
java/awt/font/GlyphMetrics STANDARD
java/awt/font/GlyphMetrics LIGATURE
java/awt/font/GlyphMetrics COMBINING
java/awt/font/GlyphMetrics COMPONENT
java/awt/font/GlyphMetrics WHITESPACE
java/awt/font/GlyphMetrics <init>(FLjava/awt/geom/Rectangle2D;B)V
java/awt/font/GlyphMetrics <init>(ZFFLjava/awt/geom/Rectangle2D;B)V
java/awt/font/GlyphMetrics getAdvance()F
java/awt/font/GlyphMetrics getAdvanceX()F
java/awt/font/GlyphMetrics getAdvanceY()F
java/awt/font/GlyphMetrics getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/font/GlyphMetrics getLSB()F
java/awt/font/GlyphMetrics getRSB()F
java/awt/font/GlyphMetrics getType()I
java/awt/font/GlyphMetrics isStandard()Z
java/awt/font/GlyphMetrics
 isLigature()Z
java/awt/font/GlyphMetrics isCombining()Z
java/awt/font/GlyphMetrics isComponent()Z
java/awt/font/GlyphMetrics isWhitespace()Z
class java/awt/font/GraphicAttribute java/lang/Object
java/awt/font/GraphicAttribute fAlignment
java/awt/font/GraphicAttribute TOP_ALIGNMENT
java/awt/font/GraphicAttribute BOTTOM_ALIGNMENT
java/awt/font/GraphicAttribute ROMAN_BASELINE
java/awt/font/GraphicAttribute CENTER_BASELINE
java/awt/font/GraphicAttribute HANGING_BASELINE
java/awt/font/GraphicAttribute <init>(I)V
java/awt/font/GraphicAttribute getAscent()F
java/awt/font/GraphicAttribute getDescent()F
java/awt/font/GraphicAttribute getAdvance()F
java/awt/font/GraphicAttribute getBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/GraphicAttribute draw(Ljava/awt/Graphics2D;FF)V
java/awt/font/GraphicAttribute getAlignment()I

```

```

java/awt/font/GraphicAttribute getJustificationInfo()Ljava/awt/font/GlyphJustificationInfo;
class java/awt/font/ImageGraphicAttribute java/awt/font/GraphicAttribute
java/awt/font/ImageGraphicAttribute
 fImage
java/awt/font/ImageGraphicAttribute fImageWidth
java/awt/font/ImageGraphicAttribute fImageHeight
java/awt/font/ImageGraphicAttribute fOriginX
java/awt/font/ImageGraphicAttribute fOriginY
java/awt/font/ImageGraphicAttribute <init>(Ljava/awt/Image;I)V
java/awt/font/ImageGraphicAttribute <init>(Ljava/awt/Image;IFF)V
java/awt/font/ImageGraphicAttribute getAscent()F
java/awt/font/ImageGraphicAttribute getDescent()F
java/awt/font/ImageGraphicAttribute getAdvance()F
java/awt/font/ImageGraphicAttribute getBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/ImageGraphicAttribute draw(Ljava/awt/Graphics2D;FF)V
java/awt/font/ImageGraphicAttribute hashCode()I
java/awt/font/ImageGraphicAttribute equals(Ljava/lang/Object;)Z
java/awt/font/ImageGraphicAttribute equals(Ljava/awt/font/ImageGraphicAttribute;)Z
class java/awt/font/LineBreakMeasurer java/lang/Object
java/awt/font/LineBreakMeasurer breakIter
java/awt/font/LineBreakMeasurer start
java/awt/font/LineBreakMeasurer
 pos
java/awt/font/LineBreakMeasurer limit
java/awt/font/LineBreakMeasurer measurer
java/awt/font/LineBreakMeasurer charIter
java/awt/font/LineBreakMeasurer
 <init>(Ljava/text/AttributedCharacterIterator;Ljava/awt/font/FontRenderContext;)V
java/awt/font/LineBreakMeasurer
 <init>(Ljava/text/AttributedCharacterIterator;Ljava/text/BreakIterator;Ljava/awt/font/FontRenderContext;)V
java/awt/font/LineBreakMeasurer nextOffset(F)I
java/awt/font/LineBreakMeasurer nextOffset(FIZ)I
java/awt/font/LineBreakMeasurer nextLayout(F)Ljava/awt/font/TextLayout;
java/awt/font/LineBreakMeasurer nextLayout(FIZ)Ljava/awt/font/TextLayout;
java/awt/font/LineBreakMeasurer getPosition()I
java/awt/font/LineBreakMeasurer setPosition(I)V
java/awt/font/LineBreakMeasurer insertChar(Ljava/text/AttributedCharacterIterator;I)V
java/awt/font/LineBreakMeasurer deleteChar(Ljava/text/AttributedCharacterIterator;I)V
class java/awt/font/MultipleMaster java/lang/Object
java/awt/font/MultipleMaster getNumDesignAxes()I
java/awt/font/MultipleMaster
 getDesignAxisRanges()[F
java/awt/font/MultipleMaster getDesignAxisDefaults()[F
java/awt/font/MultipleMaster getDesignAxisNames()[Ljava/lang/String;
java/awt/font/MultipleMaster deriveMMFont([F)Ljava/awt/Font;
java/awt/font/MultipleMaster deriveMMFont([FFFFF)Ljava/awt/Font;
class java/awt/font/NumericShaper java/lang/Object
java/awt/font/NumericShaper key

```

java/awt/font/NumericShaper mask  
java/awt/font/NumericShaper EUROPEAN  
java/awt/font/NumericShaper ARABIC  
java/awt/font/NumericShaper EASTERN\_ARABIC  
java/awt/font/NumericShaper DEVANAGARI  
java/awt/font/NumericShaper BENGALI  
java/awt/font/NumericShaper GURMUKHI  
java/awt/font/NumericShaper GUJARATI  
java/awt/font/NumericShaper ORIYA  
java/awt/font/NumericShaper TAMIL  
java/awt/font/NumericShaper TELUGU  
java/awt/font/NumericShaper KANNADA  
java/awt/font/NumericShaper MALAYALAM  
java/awt/font/NumericShaper THAI  
java/awt/font/NumericShaper LAO  
java/awt/font/NumericShaper TIBETAN  
java/awt/font/NumericShaper MYANMAR  
java/awt/font/NumericShaper  
ETHIOPIC  
java/awt/font/NumericShaper KHMER  
java/awt/font/NumericShaper MONGOLIAN  
java/awt/font/NumericShaper ALL\_RANGES  
java/awt/font/NumericShaper EUROPEAN\_KEY  
java/awt/font/NumericShaper ARABIC\_KEY  
java/awt/font/NumericShaper EASTERN\_ARABIC\_KEY  
java/awt/font/NumericShaper DEVANAGARI\_KEY  
java/awt/font/NumericShaper BENGALI\_KEY  
java/awt/font/NumericShaper GURMUKHI\_KEY  
java/awt/font/NumericShaper GUJARATI\_KEY  
java/awt/font/NumericShaper ORIYA\_KEY  
java/awt/font/NumericShaper TAMIL\_KEY  
java/awt/font/NumericShaper TELUGU\_KEY  
java/awt/font/NumericShaper KANNADA\_KEY  
java/awt/font/NumericShaper MALAYALAM\_KEY  
java/awt/font/NumericShaper THAI\_KEY  
java/awt/font/NumericShaper LAO\_KEY  
java/awt/font/NumericShaper TIBETAN\_KEY  
java/awt/font/NumericShaper MYANMAR\_KEY  
java/awt/font/NumericShaper ETHIOPIC\_KEY  
java/awt/font/NumericShaper KHMER\_KEY  
java/awt/font/NumericShaper MONGOLIAN\_KEY  
java/awt/font/NumericShaper NUM\_KEYS  
java/awt/font/NumericShaper keyNames  
java/awt/font/NumericShaper  
CONTEXTUAL\_MASK  
java/awt/font/NumericShaper bases  
java/awt/font/NumericShaper contexts  
java/awt/font/NumericShaper ctCache

```

java/awt/font/NumericShaper ctCacheLimit
java/awt/font/NumericShaper strongTable
java/awt/font/NumericShaper stCache
java/awt/font/NumericShaper getContextKey(C)I
java/awt/font/NumericShaper isStrongDirectional(C)Z
java/awt/font/NumericShaper getKeyFromMask(I)I
java/awt/font/NumericShaper getShaper(I)Ljava/awt/font/NumericShaper;
java/awt/font/NumericShaper getContextualShaper(I)Ljava/awt/font/NumericShaper;
java/awt/font/NumericShaper getContextualShaper(II)Ljava/awt/font/NumericShaper;
java/awt/font/NumericShaper <init>(II)V
java/awt/font/NumericShaper shape([CII)V
java/awt/font/NumericShaper shape([CIII)V
java/awt/font/NumericShaper isContextual()Z
java/awt/font/NumericShaper getRanges()I
java/awt/font/NumericShaper shapeNonContextually([CII)V
java/awt/font/NumericShaper shapeContextually([CIII)V
java/awt/font/NumericShaper hashCode()I
java/awt/font/NumericShaper
 equals(Ljava/lang/Object;)Z
java/awt/font/NumericShaper toString()Ljava/lang/String;
java/awt/font/NumericShaper getHighBit(I)I
java/awt/font/NumericShaper search(C[CII)I
java/awt/font/NumericShaper <clinit>()V
class java/awt/font/OpenType java/lang/Object
java/awt/font/OpenType TAG_CMAP
java/awt/font/OpenType TAG_HEAD
java/awt/font/OpenType TAG_NAME
java/awt/font/OpenType TAG_GLYF
java/awt/font/OpenType TAG_MAXP
java/awt/font/OpenType TAG_PREP
java/awt/font/OpenType TAG_HMTX
java/awt/font/OpenType TAG_KERN
java/awt/font/OpenType TAG_HDMX
java/awt/font/OpenType TAG_LOCA
java/awt/font/OpenType TAG_POST
java/awt/font/OpenType TAG_OS2
java/awt/font/OpenType TAG_CVT
java/awt/font/OpenType TAG_GASP
java/awt/font/OpenType TAG_VDMX
java/awt/font/OpenType TAG_VMTX
java/awt/font/OpenType TAG_VHEA
java/awt/font/OpenType TAG_HHEA
java/awt/font/OpenType TAG_TYPI
java/awt/font/OpenType TAG_BSLN
java/awt/font/OpenType TAG_GSUB
java/awt/font/OpenType TAG_DSIG
java/awt/font/OpenType TAG_FPGM
java/awt/font/OpenType

```

TAG\_FVAR

```
java/awt/font/OpenType TAG_GVAR
java/awt/font/OpenType TAG_CFF
java/awt/font/OpenType TAG_MMSD
java/awt/font/OpenType TAG_MMFY
java/awt/font/OpenType TAG_BASE
java/awt/font/OpenType TAG_GDEF
java/awt/font/OpenType TAG_GPOS
java/awt/font/OpenType TAG_JSTF
java/awt/font/OpenType TAG_EBDT
java/awt/font/OpenType TAG_EBLC
java/awt/font/OpenType TAG_EBSC
java/awt/font/OpenType TAG_LTSH
java/awt/font/OpenType TAG_PCLT
java/awt/font/OpenType TAG_ACNT
java/awt/font/OpenType TAG_AVAR
java/awt/font/OpenType TAG_BDAT
java/awt/font/OpenType TAG_BLOC
java/awt/font/OpenType TAG_CVAR
java/awt/font/OpenType TAG_FEAT
java/awt/font/OpenType TAG_FDSC
java/awt/font/OpenType TAG_FMTX
java/awt/font/OpenType TAG_JUST
java/awt/font/OpenType TAG_LCAR
java/awt/font/OpenType TAG_MORT
java/awt/font/OpenType TAG_OPBD
java/awt/font/OpenType TAG_PROP
java/awt/font/OpenType TAG_TRAK
java/awt/font/OpenType getVersion()I
java/awt/font/OpenType getFontTable(I)[B
java/awt/font/OpenType getFontTable(Ljava/lang/String;)[B
java/awt/font/OpenType
 getFontTable(III)[B
java/awt/font/OpenType getFontTable(Ljava/lang/String;II)[B
java/awt/font/OpenType getFontTableSize(I)I
java/awt/font/OpenType getFontTableSize(Ljava/lang/String;)I
class java/awt/font/ShapeGraphicAttribute java/awt/font/GraphicAttribute
java/awt/font/ShapeGraphicAttribute fShape
java/awt/font/ShapeGraphicAttribute fStroke
java/awt/font/ShapeGraphicAttribute STROKE
java/awt/font/ShapeGraphicAttribute FILL
java/awt/font/ShapeGraphicAttribute fShapeBounds
java/awt/font/ShapeGraphicAttribute <init>(Ljava/awt/Shape;IZ)V
java/awt/font/ShapeGraphicAttribute getAscent()F
java/awt/font/ShapeGraphicAttribute getDescent()F
java/awt/font/ShapeGraphicAttribute getAdvance()F
java/awt/font/ShapeGraphicAttribute draw(Ljava/awt/Graphics2D;FF)V
java/awt/font/ShapeGraphicAttribute getBounds()Ljava/awt/geom/Rectangle2D;
```

```

java/awt/font/ShapeGraphicAttribute hashCode()I
java/awt/font/ShapeGraphicAttribute equals(Ljava/lang/Object;)Z
java/awt/font/ShapeGraphicAttribute
 equals(Ljava/awt/font/ShapeGraphicAttribute;)Z
class java/awt/font/StyledParagraph java/lang/Object
java/awt/font/StyledParagraph length
java/awt/font/StyledParagraph decoration
java/awt/font/StyledParagraph font
java/awt/font/StyledParagraph decorations
java/awt/font/StyledParagraph decorationStarts
java/awt/font/StyledParagraph fonts
java/awt/font/StyledParagraph fontStarts
java/awt/font/StyledParagraph INITIAL_SIZE
java/awt/font/StyledParagraph <init>(Ljava/text/AttributedCharacterIterator;[C)V
java/awt/font/StyledParagraph insertInto(I[II)V
java/awt/font/StyledParagraph
 insertChar(Ljava/text/AttributedCharacterIterator;[CILjava/awt/font/StyledParagraph;)Ljava/awt/font/StyledParagra
 ph;
java/awt/font/StyledParagraph deleteFrom(I[II)V
java/awt/font/StyledParagraph
 deleteChar(Ljava/text/AttributedCharacterIterator;[CILjava/awt/font/StyledParagraph;)Ljava/awt/font/StyledParagra
 ph;
java/awt/font/StyledParagraph getRunLimit(I)I
java/awt/font/StyledParagraph
 getDecorationAt(I)Lsun/font/Decoration;
java/awt/font/StyledParagraph getFontOrGraphicAt(I)Ljava/lang/Object;
java/awt/font/StyledParagraph findRunContaining(I[II)I
java/awt/font/StyledParagraph addToVector(Ljava/lang/Object;ILjava/util/Vector;[I)[I
java/awt/font/StyledParagraph addDecoration(Lsun/font/Decoration;I)V
java/awt/font/StyledParagraph addFont(Ljava/lang/Object;I)V
java/awt/font/StyledParagraph addFonts([CLjava/util/Map;II)V
java/awt/font/StyledParagraph addInputMethodAttrs(Ljava/util/Map;)Ljava/util/Map;
java/awt/font/StyledParagraph getGraphicOrFont(Ljava/util/Map;)Ljava/lang/Object;
java/awt/font/StyledParagraph <clinit>()V
class java/awt/font/TextHitInfo java/lang/Object
java/awt/font/TextHitInfo charIndex
java/awt/font/TextHitInfo isLeadingEdge
java/awt/font/TextHitInfo <init>(IZ)V
java/awt/font/TextHitInfo getCharIndex()I
java/awt/font/TextHitInfo isLeadingEdge()Z
java/awt/font/TextHitInfo getInsertionIndex()I
java/awt/font/TextHitInfo hashCode()I
java/awt/font/TextHitInfo
 equals(Ljava/lang/Object;)Z
java/awt/font/TextHitInfo equals(Ljava/awt/font/TextHitInfo;)Z
java/awt/font/TextHitInfo toString()Ljava/lang/String;
java/awt/font/TextHitInfo leading(I)Ljava/awt/font/TextHitInfo;
java/awt/font/TextHitInfo trailing(I)Ljava/awt/font/TextHitInfo;

```

```

java/awt/font/TextHitInfo beforeOffset(I)Ljava/awt/font/TextHitInfo;
java/awt/font/TextHitInfo afterOffset(I)Ljava/awt/font/TextHitInfo;
java/awt/font/TextHitInfo getOtherHit()Ljava/awt/font/TextHitInfo;
java/awt/font/TextHitInfo getOffsetHit(I)Ljava/awt/font/TextHitInfo;
class java/awt/font/TextJustifier java/lang/Object
java/awt/font/TextJustifier info
java/awt/font/TextJustifier start
java/awt/font/TextJustifier limit
java/awt/font/TextJustifier DEBUG
java/awt/font/TextJustifier MAX_PRIORITY
java/awt/font/TextJustifier <init>([Ljava/awt/font/GlyphJustificationInfo;II)V
java/awt/font/TextJustifier justify(F)[F
java/awt/font/TextJustifier <clinit>()V
class java/awt/font/TextLayout$CaretPolicy java/lang/Object
java/awt/font/TextLayout$CaretPolicy
 <init>()V
java/awt/font/TextLayout$CaretPolicy
getStrongCaret(Ljava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;Ljava/awt/font/TextLayout;)Ljava/awt/font/
TextHitInfo;
class java/awt/font/TextLayout$OptInfo java/lang/Object
java/awt/font/TextLayout$OptInfo MAGIC_ADVANCE
java/awt/font/TextLayout$OptInfo frc
java/awt/font/TextLayout$OptInfo chars
java/awt/font/TextLayout$OptInfo font
java/awt/font/TextLayout$OptInfo metrics
java/awt/font/TextLayout$OptInfo attrs
java/awt/font/TextLayout$OptInfo advance
java/awt/font/TextLayout$OptInfo vb
java/awt/font/TextLayout$OptInfo decoration
java/awt/font/TextLayout$OptInfo str
java/awt/font/TextLayout$OptInfo
 <init>(Ljava/awt/font/FontRenderContext;[CLjava/awt/Font;Lsun/font/CoreMetrics;Ljava/util/Map;)V
java/awt/font/TextLayout$OptInfo createTextLine()Ljava/awt/font/TextLine;
java/awt/font/TextLayout$OptInfo getAdvance()F
java/awt/font/TextLayout$OptInfo getCoreMetrics()Lsun/font/CoreMetrics;
java/awt/font/TextLayout$OptInfo
 getLogicalBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLayout$OptInfo handleDraw(Ljava/awt/Graphics2D;FF)V
java/awt/font/TextLayout$OptInfo handleGetCharVisualBounds(I)Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLayout$OptInfo handleGetVisualBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLayout$OptInfo handleGetOutline(FF)Ljava/awt/Shape;
java/awt/font/TextLayout$OptInfo draw(Ljava/awt/Graphics2D;FF)Z
java/awt/font/TextLayout$OptInfo getVisualBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLayout$OptInfo getDecoration()Lsun/font/Decoration;
java/awt/font/TextLayout$OptInfo
 create(Ljava/awt/font/FontRenderContext;[CLjava/awt/Font;Lsun/font/CoreMetrics;Ljava/util/Map;)Ljava/awt/font/
 TextLayout$OptInfo;
class java/awt/font/TextLayout java/lang/Object

```



```

java/awt/font/TextLayout characterCount
java/awt/font/TextLayout isVerticalLine
java/awt/font/TextLayout baseline
java/awt/font/TextLayout baselineOffsets
java/awt/font/TextLayout textLine
java/awt/font/TextLayout
 lineMetrics
java/awt/font/TextLayout visibleAdvance
java/awt/font/TextLayout hashCodeCache
java/awt/font/TextLayout optInfo
java/awt/font/TextLayout cacheIsValid
java/awt/font/TextLayout justifyRatio
java/awt/font/TextLayout ALREADY_JUSTIFIED
java/awt/font/TextLayout dx
java/awt/font/TextLayout dy
java/awt/font/TextLayout naturalBounds
java/awt/font/TextLayout boundsRect
java/awt/font/TextLayout caretsInLigaturesAreAllowed
java/awt/font/TextLayout DEFAULT_CARET_POLICY
java/awt/font/TextLayout <init>(Ljava/lang/String;Ljava/awt/Font;Ljava/awt/font/FontRenderContext;)V
java/awt/font/TextLayout <init>(Ljava/lang/String;Ljava/util/Map;Ljava/awt/font/FontRenderContext;)V
java/awt/font/TextLayout singleFont([Ljava/util/Map;)Ljava/awt/Font;
java/awt/font/TextLayout <init>(Ljava/text/AttributedCharacterIterator;Ljava/awt/font/FontRenderContext;)V
java/awt/font/TextLayout <init>(Ljava/awt/font/TextLine;B[FF)V
java/awt/font/TextLayout paragraphInit(BLsun/font/CoreMetrics;Ljava/util/Map;[C)V
java/awt/font/TextLayout
 fastInit([CLjava/awt/Font;Ljava/util/Map;Ljava/awt/font/FontRenderContext;)V
java/awt/font/TextLayout initTextLine()V
java/awt/font/TextLayout
 standardInit(Ljava/text/AttributedCharacterIterator;[CLjava/awt/font/FontRenderContext;)V
java/awt/font/TextLayout ensureCache()V
java/awt/font/TextLayout buildCache()V
java/awt/font/TextLayout getNaturalBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLayout clone()Ljava/lang/Object;
java/awt/font/TextLayout checkTextHit(Ljava/awt/font/TextHitInfo;)V
java/awt/font/TextLayout getJustifiedLayout(F)Ljava/awt/font/TextLayout;
java/awt/font/TextLayout handleJustify(F)V
java/awt/font/TextLayout getBaseline()B
java/awt/font/TextLayout getBaselineOffsets()[F
java/awt/font/TextLayout getAdvance()F
java/awt/font/TextLayout getVisibleAdvance()F
java/awt/font/TextLayout getAscent()F
java/awt/font/TextLayout getDescent()F
java/awt/font/TextLayout getLeading()F
java/awt/font/TextLayout getBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLayout
 isLeftToRight()Z
java/awt/font/TextLayout isVertical()Z

```

```

java/awt/font/TextLayout getCharacterCount()I
java/awt/font/TextLayout getCaretInfo(ILjava/awt/geom/Rectangle2D;[F)[F
java/awt/font/TextLayout getCaretInfo(Ljava/awt/font/TextHitInfo;Ljava/awt/geom/Rectangle2D;)[F
java/awt/font/TextLayout getCaretInfoTestInternal(Ljava/awt/font/TextHitInfo;Ljava/awt/geom/Rectangle2D;)[F
java/awt/font/TextLayout getCaretInfo(Ljava/awt/font/TextHitInfo;)[F
java/awt/font/TextLayout hitToCaret(Ljava/awt/font/TextHitInfo;)I
java/awt/font/TextLayout caretToHit(I)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout caretIsValid(I)Z
java/awt/font/TextLayout getNextRightHit(Ljava/awt/font/TextHitInfo;)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout getNextRightHit(ILjava/awt/font/TextLayout$CaretPolicy;)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout getNextRightHit(I)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout getNextLeftHit(Ljava/awt/font/TextHitInfo;)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout
 getNextLeftHit(ILjava/awt/font/TextLayout$CaretPolicy;)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout getNextLeftHit(I)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout getVisualOtherHit(Ljava/awt/font/TextHitInfo;)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout getCaretPath(Ljava/awt/font/TextHitInfo;Ljava/awt/geom/Rectangle2D;)[D
java/awt/font/TextLayout getCaretPath(ILjava/awt/geom/Rectangle2D;Z)[D
java/awt/font/TextLayout pathToShape([DZ)Ljava/awt/geom/GeneralPath;
java/awt/font/TextLayout
 getCaretShape(Ljava/awt/font/TextHitInfo;Ljava/awt/geom/Rectangle2D;)Ljava/awt/Shape;
java/awt/font/TextLayout getCaretShape(Ljava/awt/font/TextHitInfo;)Ljava/awt/Shape;
java/awt/font/TextLayout
 getStrongHit(Ljava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout getCharacterLevel(I)B
java/awt/font/TextLayout
 getCaretShapes(ILjava/awt/geom/Rectangle2D;Ljava/awt/font/TextLayout$CaretPolicy;)[Ljava/awt/Shape;
java/awt/font/TextLayout
 getCaretShapes(ILjava/awt/geom/Rectangle2D;)[Ljava/awt/Shape;
java/awt/font/TextLayout getCaretShapes(I)[Ljava/awt/Shape;
java/awt/font/TextLayout boundingShape([D[D)Ljava/awt/geom/GeneralPath;
java/awt/font/TextLayout caretBoundingShape(ILjava/awt/geom/Rectangle2D;)Ljava/awt/geom/GeneralPath;
java/awt/font/TextLayout leftShape(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/GeneralPath;
java/awt/font/TextLayout rightShape(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/GeneralPath;
java/awt/font/TextLayout
 getLogicalRangesForVisualSelection(Ljava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;)[I
java/awt/font/TextLayout
 getVisualHighlightShape(Ljava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;Ljava/awt/geom/Rectangle2D;)Ljava/awt/Shape;
java/awt/font/TextLayout
 getVisualHighlightShape(Ljava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;)Ljava/awt/Shape;
java/awt/font/TextLayout getLogicalHighlightShape(ILjava/awt/geom/Rectangle2D;)Ljava/awt/Shape;
java/awt/font/TextLayout
 getLogicalHighlightShape(II)Ljava/awt/Shape;
java/awt/font/TextLayout getBlackBoxBounds(II)Ljava/awt/Shape;
java/awt/font/TextLayout caretToPointDistance([FFF)F
java/awt/font/TextLayout hitTestChar(FFLjava/awt/geom/Rectangle2D;)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout hitTestChar(FF)Ljava/awt/font/TextHitInfo;

```

```

java/awt/font/TextLayout hashCode()I
java/awt/font/TextLayout equals(Ljava/lang/Object;)Z
java/awt/font/TextLayout equals(Ljava/awt/font/TextLayout;)Z
java/awt/font/TextLayout toString()Ljava/lang/String;
java/awt/font/TextLayout draw(Ljava/awt/Graphics2D;FF)V
java/awt/font/TextLayout getTextLineForTesting()Ljava/awt/font/TextLine;
java/awt/font/TextLayout sameBaselineUpTo(Ljava/awt/Font;[CII)I
java/awt/font/TextLayout getBaselineFromGraphic(Ljava/awt/font/GraphicAttribute;)B
java/awt/font/TextLayout getOutline(Ljava/awt/geom/AffineTransform;)Ljava/awt/Shape;
java/awt/font/TextLayout
access$000(Ljava/awt/font/TextLayout;Ljava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;)Ljava/awt/font/Text
HitInfo;
java/awt/font/TextLayout
<clinit>()V
class java/awt/font/TextLine$1 java/awt/font/TextLine$Function
java/awt/font/TextLine$1 <init>()V
java/awt/font/TextLine$1 computeFunction(Ljava/awt/font/TextLine;II)F
class java/awt/font/TextLine$2 java/awt/font/TextLine$Function
java/awt/font/TextLine$2 <init>()V
java/awt/font/TextLine$2 computeFunction(Ljava/awt/font/TextLine;II)F
class java/awt/font/TextLine$3 java/awt/font/TextLine$Function
java/awt/font/TextLine$3 <init>()V
java/awt/font/TextLine$3 computeFunction(Ljava/awt/font/TextLine;II)F
class java/awt/font/TextLine$4 java/awt/font/TextLine$Function
java/awt/font/TextLine$4 <init>()V
java/awt/font/TextLine$4 computeFunction(Ljava/awt/font/TextLine;II)F
class java/awt/font/TextLine$Function java/lang/Object
java/awt/font/TextLine$Function <init>()V
java/awt/font/TextLine$Function computeFunction(Ljava/awt/font/TextLine;II)F
java/awt/font/TextLine$Function <init>(Ljava/awt/font/TextLine$1;)V
class
java/awt/font/TextLine$TextLineMetrics java/lang/Object
java/awt/font/TextLine$TextLineMetrics ascent
java/awt/font/TextLine$TextLineMetrics descent
java/awt/font/TextLine$TextLineMetrics leading
java/awt/font/TextLine$TextLineMetrics advance
java/awt/font/TextLine$TextLineMetrics <init>(FFFF)V
class java/awt/font/TextLine java/lang/Object
java/awt/font/TextLine fComponents
java/awt/font/TextLine fBaselineOffsets
java/awt/font/TextLine fComponentVisualOrder
java/awt/font/TextLine locs
java/awt/font/TextLine fChars
java/awt/font/TextLine fCharsStart
java/awt/font/TextLine fCharsLimit
java/awt/font/TextLine fCharVisualOrder
java/awt/font/TextLine fCharLogicalOrder
java/awt/font/TextLine fCharLevels

```

```

java/awt/font/TextLine fIsDirectionLTR
java/awt/font/TextLine fMetrics
java/awt/font/TextLine fgPosAdvF
java/awt/font/TextLine fgAdvanceF
java/awt/font/TextLine fgXPositionF
java/awt/font/TextLine fgYPositionF
java/awt/font/TextLine <init>([Lsun/font/TextLineComponent;[F[CII[I[BZ)V
java/awt/font/TextLine
 checkCtorArgs()V
java/awt/font/TextLine init()V
java/awt/font/TextLine characterCount()I
java/awt/font/TextLine isDirectionLTR()Z
java/awt/font/TextLine getMetrics()Ljava/awt/font/TextLine$TextLineMetrics;
java/awt/font/TextLine visualToLogical(I)I
java/awt/font/TextLine logicalToVisual(I)I
java/awt/font/TextLine getCharLevel(I)B
java/awt/font/TextLine isCharLTR(I)Z
java/awt/font/TextLine getCharType(I)I
java/awt/font/TextLine isCharSpace(I)Z
java/awt/font/TextLine isCharWhitespace(I)Z
java/awt/font/TextLine getCharAngle(I)F
java/awt/font/TextLine getCoreMetricsAt(I)Lsun/font/CoreMetrics;
java/awt/font/TextLine getCharAscent(I)F
java/awt/font/TextLine getCharDescent(I)F
java/awt/font/TextLine getCharShift(I)F
java/awt/font/TextLine applyFunctionAtIndex(ILjava/awt/font/TextLine$Function;)F
java/awt/font/TextLine getCharAdvance(I)F
java/awt/font/TextLine getCharXPosition(I)F
java/awt/font/TextLine getCharYPosition(I)F
java/awt/font/TextLine
 getCharLinePosition(I)F
java/awt/font/TextLine getCharLinePosition(IZ)F
java/awt/font/TextLine caretAtOffsetIsValid(I)Z
java/awt/font/TextLine getCharBounds(I)Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLine getComponentShift(I)F
java/awt/font/TextLine draw(Ljava/awt/Graphics2D;FF)V
java/awt/font/TextLine getBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLine getItalicBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLine getOutline(Ljava/awt/geom/AffineTransform;)Ljava/awt/Shape;
java/awt/font/TextLine hashCode()I
java/awt/font/TextLine toString()Ljava/lang/String;
java/awt/font/TextLine
 fastCreateTextLine(Ljava/awt/font/FontRenderContext;[CLjava/awt/Font;Lsun/font/CoreMetrics;Ljava/util/Map;)Lj
 ava/awt/font/TextLine;
java/awt/font/TextLine expandArray([Lsun/font/TextLineComponent;)[Lsun/font/TextLineComponent;
java/awt/font/TextLine
 createComponentsOnRun(II[C[I[BLsun/font/TextLabelFactory;Ljava/awt/Font;Lsun/font/CoreMetrics;Ljava/awt/fo
 nt/FontRenderContext;Lsun/font/Decoration;[Lsun/font/TextLineComponent;I)[Lsun/font/TextLineComponent;

```

```

java/awt/font/TextLine
getComponents(Ljava/awt/font/StyledParagraph;[CII[I[BLsun/font/TextLabelFactory;])[Lsun/font/TextLineComponent;
java/awt/font/TextLine
createLineFromText([CLjava/awt/font/StyledParagraph;Lsun/font/TextLabelFactory;Z[F)Ljava/awt/font/TextLine;
java/awt/font/TextLine computeComponentOrder([Lsun/font/TextLineComponent;[I)[I
java/awt/font/TextLine
standardCreateTextLine(Ljava/awt/font/FontRenderContext;Ljava/text/AttributedCharacterIterator;[C[F)Ljava/awt/font/TextLine;
java/awt/font/TextLine advanceToFirstFont(Ljava/text/AttributedCharacterIterator;)Z
java/awt/font/TextLine getNormalizedOffsets([FB)[F
java/awt/font/TextLine getFontAtCurrentPos(Ljava/text/AttributedCharacterIterator;)Ljava/awt/Font;
java/awt/font/TextLine getJustifyRatio(Ljava/util/Map;)F
java/awt/font/TextLine firstVisualChunk([I[BII)I
java/awt/font/TextLine getJustifiedLine(FFII)Ljava/awt/font/TextLine;
java/awt/font/TextLine
getAdvanceBetween([Lsun/font/TextLineComponent;II)F
java/awt/font/TextLine access$100(Ljava/awt/font/TextLine;)[Lsun/font/TextLineComponent;
java/awt/font/TextLine access$200(Ljava/awt/font/TextLine;)[I
java/awt/font/TextLine access$300(Ljava/awt/font/TextLine;)[F
java/awt/font/TextLine access$400(Ljava/awt/font/TextLine;I)F
java/awt/font/TextLine <clinit>()V
class java/awt/font/TextMeasurer java/lang/Object
java/awt/font/TextMeasurer EST_LINES
java/awt/font/TextMeasurer fFrc
java/awt/font/TextMeasurer fStart
java/awt/font/TextMeasurer fChars
java/awt/font/TextMeasurer fBidi
java/awt/font/TextMeasurer fLevels
java/awt/font/TextMeasurer fComponents
java/awt/font/TextMeasurer fComponentStart
java/awt/font/TextMeasurer fComponentLimit
java/awt/font/TextMeasurer haveLayoutWindow
java/awt/font/TextMeasurer fLineBreak
java/awt/font/TextMeasurer charIter
java/awt/font/TextMeasurer layoutCount
java/awt/font/TextMeasurer layoutCharCount
java/awt/font/TextMeasurer fParagraph
java/awt/font/TextMeasurer
fIsDirectionLTR
java/awt/font/TextMeasurer fBaseline
java/awt/font/TextMeasurer fBaselineOffsets
java/awt/font/TextMeasurer fJustifyRatio
java/awt/font/TextMeasurer formattedChars
java/awt/font/TextMeasurer wantStats
java/awt/font/TextMeasurer collectStats
java/awt/font/TextMeasurer <init>(Ljava/text/AttributedCharacterIterator;Ljava/awt/font/FontRenderContext;)V
java/awt/font/TextMeasurer clone()Ljava/lang/Object;

```

```

java/awt/font/TextMeasurer invalidateComponents()V
java/awt/font/TextMeasurer initAll(Ljava/text/AttributedCharacterIterator;)V
java/awt/font/TextMeasurer generateComponents(II)V
java/awt/font/TextMeasurer calcLineBreak(IF)I
java/awt/font/TextMeasurer trailingCdWhitespaceStart(II)I
java/awt/font/TextMeasurer makeComponentsOnRange(II)[Lsun/font/TextLineComponent;
java/awt/font/TextMeasurer makeTextLineOnRange(II)Ljava/awt/font/TextLine;
java/awt/font/TextMeasurer ensureComponents(II)V
java/awt/font/TextMeasurer makeLayoutWindow(I)V
java/awt/font/TextMeasurer getLineBreakIndex(IF)I
java/awt/font/TextMeasurer
 getAdvanceBetween(II)F
java/awt/font/TextMeasurer getLayout(II)Ljava/awt/font/TextLayout;
java/awt/font/TextMeasurer printStats()V
java/awt/font/TextMeasurer insertChar(Ljava/text/AttributedCharacterIterator;)I)V
java/awt/font/TextMeasurer deleteChar(Ljava/text/AttributedCharacterIterator;)I)V
java/awt/font/TextMeasurer getChars()[C
java/awt/font/TextMeasurer <clinit>()V
class java/awt/geom/Arc2D$Double java/awt/geom/Arc2D
java/awt/geom/Arc2D$Double x
java/awt/geom/Arc2D$Double y
java/awt/geom/Arc2D$Double width
java/awt/geom/Arc2D$Double height
java/awt/geom/Arc2D$Double start
java/awt/geom/Arc2D$Double extent
java/awt/geom/Arc2D$Double <init>()V
java/awt/geom/Arc2D$Double <init>(I)V
java/awt/geom/Arc2D$Double <init>(DDDDDDI)V
java/awt/geom/Arc2D$Double <init>(Ljava/awt/geom/Rectangle2D;DDI)V
java/awt/geom/Arc2D$Double getX()D
java/awt/geom/Arc2D$Double getY()D
java/awt/geom/Arc2D$Double getWidth()D
java/awt/geom/Arc2D$Double getHeight()D
java/awt/geom/Arc2D$Double
 getAngleStart()D
java/awt/geom/Arc2D$Double getAngleExtent()D
java/awt/geom/Arc2D$Double isEmpty()Z
java/awt/geom/Arc2D$Double setArc(DDDDDDI)V
java/awt/geom/Arc2D$Double setAngleStart(D)V
java/awt/geom/Arc2D$Double setAngleExtent(D)V
java/awt/geom/Arc2D$Double makeBounds(DDDD)Ljava/awt/geom/Rectangle2D;
class java/awt/geom/Arc2D$Float java/awt/geom/Arc2D
java/awt/geom/Arc2D$Float x
java/awt/geom/Arc2D$Float y
java/awt/geom/Arc2D$Float width
java/awt/geom/Arc2D$Float height
java/awt/geom/Arc2D$Float start
java/awt/geom/Arc2D$Float extent

```

```

java/awt/geom/Arc2D$Float <init>()V
java/awt/geom/Arc2D$Float <init>(I)V
java/awt/geom/Arc2D$Float <init>(FFFFFFI)V
java/awt/geom/Arc2D$Float <init>(Ljava/awt/geom/Rectangle2D;FFI)V
java/awt/geom/Arc2D$Float getX()D
java/awt/geom/Arc2D$Float getY()D
java/awt/geom/Arc2D$Float getWidth()D
java/awt/geom/Arc2D$Float getHeight()D
java/awt/geom/Arc2D$Float getAngleStart()D
java/awt/geom/Arc2D$Float getAngleExtent()D
java/awt/geom/Arc2D$Float
isEmpty()Z
java/awt/geom/Arc2D$Float setArc(DDDDDDI)V
java/awt/geom/Arc2D$Float setAngleStart(D)V
java/awt/geom/Arc2D$Float setAngleExtent(D)V
java/awt/geom/Arc2D$Float makeBounds(DDDD)Ljava/awt/geom/Rectangle2D;
class java/awt/geom/Arc2D java/awt/geom/RectangularShape
java/awt/geom/Arc2D OPEN
java/awt/geom/Arc2D CHORD
java/awt/geom/Arc2D PIE
java/awt/geom/Arc2D type
java/awt/geom/Arc2D <init>(I)V
java/awt/geom/Arc2D getAngleStart()D
java/awt/geom/Arc2D getAngleExtent()D
java/awt/geom/Arc2D getArcType()I
java/awt/geom/Arc2D getStartPoint()Ljava/awt/geom/Point2D;
java/awt/geom/Arc2D getEndPoint()Ljava/awt/geom/Point2D;
java/awt/geom/Arc2D setArc(DDDDDDI)V
java/awt/geom/Arc2D setArc(Ljava/awt/geom/Point2D;Ljava/awt/geom/Dimension2D;DDI)V
java/awt/geom/Arc2D setArc(Ljava/awt/geom/Rectangle2D;DDI)V
java/awt/geom/Arc2D setArc(Ljava/awt/geom/Arc2D;)V
java/awt/geom/Arc2D setArcByCenter(DDDDDI)V
java/awt/geom/Arc2D
setArcByTangent(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;D)V
java/awt/geom/Arc2D
setAngleStart(D)V
java/awt/geom/Arc2D setAngleExtent(D)V
java/awt/geom/Arc2D setAngleStart(Ljava/awt/geom/Point2D;)V
java/awt/geom/Arc2D setAngles(DDDD)V
java/awt/geom/Arc2D setAngles(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V
java/awt/geom/Arc2D setArcType(I)V
java/awt/geom/Arc2D setFrame(DDDD)V
java/awt/geom/Arc2D getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/geom/Arc2D makeBounds(DDDD)Ljava/awt/geom/Rectangle2D;
java/awt/geom/Arc2D normalizeDegrees(D)D
java/awt/geom/Arc2D containsAngle(D)Z
java/awt/geom/Arc2D contains(DD)Z
java/awt/geom/Arc2D intersects(DDDD)Z

```

```

java/awt/geom/Arc2D contains(DDDD)Z
java/awt/geom/Arc2D contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/Arc2D contains(DDDDLjava/awt/geom/Rectangle2D;)Z
java/awt/geom/Arc2D getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
class java/awt/geom/ArcIterator java/lang/Object
java/awt/geom/ArcIterator x
java/awt/geom/ArcIterator y
java/awt/geom/ArcIterator w
java/awt/geom/ArcIterator
h
java/awt/geom/ArcIterator angStRad
java/awt/geom/ArcIterator increment
java/awt/geom/ArcIterator cv
java/awt/geom/ArcIterator affine
java/awt/geom/ArcIterator index
java/awt/geom/ArcIterator arcSegs
java/awt/geom/ArcIterator lineSegs
java/awt/geom/ArcIterator <init>(Ljava/awt/geom/Arc2D;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/ArcIterator getWindingRule()I
java/awt/geom/ArcIterator isDone()Z
java/awt/geom/ArcIterator next()V
java/awt/geom/ArcIterator btan(D)D
java/awt/geom/ArcIterator currentSegment([F)I
java/awt/geom/ArcIterator currentSegment([D)I
class java/awt/geom/Area java/lang/Object
java/awt/geom/Area EmptyCurves
java/awt/geom/Area curves
java/awt/geom/Area cachedBounds
java/awt/geom/Area <init>()V
java/awt/geom/Area <init>(Ljava/awt/Shape;)V
java/awt/geom/Area add(Ljava/awt/geom/Area;)V
java/awt/geom/Area subtract(Ljava/awt/geom/Area;)V
java/awt/geom/Area intersect(Ljava/awt/geom/Area;)V
java/awt/geom/Area exclusiveOr(Ljava/awt/geom/Area;)V
java/awt/geom/Area
reset()V
java/awt/geom/Area isEmpty()Z
java/awt/geom/Area isPolygonal()Z
java/awt/geom/Area isRectangular()Z
java/awt/geom/Area isSingular()Z
java/awt/geom/Area invalidateBounds()V
java/awt/geom/Area getCachedBounds()Ljava/awt/geom/Rectangle2D;
java/awt/geom/Area getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/geom/Area getBounds()Ljava/awt/geom/Rectangle;
java/awt/geom/Area clone()Ljava/lang/Object;
java/awt/geom/Area equals(Ljava/awt/geom/Area;)Z
java/awt/geom/Area transform(Ljava/awt/geom/AffineTransform;)V
java/awt/geom/Area createTransformedArea(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/Area;

```



```

java/awt/geom/Area contains(DD)Z
java/awt/geom/Area contains(Ljava/awt/geom/Point2D;)Z
java/awt/geom/Area contains(DDDD)Z
java/awt/geom/Area contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/Area intersects(DDDD)Z
java/awt/geom/Area intersects(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/Area getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
java/awt/geom/Area
 getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
java/awt/geom/Area <clinit>()V
class java/awt/geom/AreaIterator java/lang/Object
java/awt/geom/AreaIterator transform
java/awt/geom/AreaIterator curves
java/awt/geom/AreaIterator index
java/awt/geom/AreaIterator prevcurve
java/awt/geom/AreaIterator thiscurve
java/awt/geom/AreaIterator <init>(Ljava/util/Vector;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/AreaIterator getWindingRule()I
java/awt/geom/AreaIterator isDone()Z
java/awt/geom/AreaIterator next()V
java/awt/geom/AreaIterator currentSegment([F)I
java/awt/geom/AreaIterator currentSegment([D)I
class java/awt/geom/CubicCurve2D$Double java/awt/geom/CubicCurve2D
java/awt/geom/CubicCurve2D$Double x1
java/awt/geom/CubicCurve2D$Double y1
java/awt/geom/CubicCurve2D$Double ctrlx1
java/awt/geom/CubicCurve2D$Double ctrly1
java/awt/geom/CubicCurve2D$Double ctrlx2
java/awt/geom/CubicCurve2D$Double ctrly2
java/awt/geom/CubicCurve2D$Double x2
java/awt/geom/CubicCurve2D$Double
 y2
java/awt/geom/CubicCurve2D$Double <init>()V
java/awt/geom/CubicCurve2D$Double <init>(DDDDDDDD)V
java/awt/geom/CubicCurve2D$Double getX1()D
java/awt/geom/CubicCurve2D$Double getY1()D
java/awt/geom/CubicCurve2D$Double getP1()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Double getCtrlX1()D
java/awt/geom/CubicCurve2D$Double getCtrlY1()D
java/awt/geom/CubicCurve2D$Double getCtrlP1()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Double getCtrlX2()D
java/awt/geom/CubicCurve2D$Double getCtrlY2()D
java/awt/geom/CubicCurve2D$Double getCtrlP2()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Double getX2()D
java/awt/geom/CubicCurve2D$Double getY2()D
java/awt/geom/CubicCurve2D$Double getP2()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Double setCurve(DDDDDDDD)V
java/awt/geom/CubicCurve2D$Double getBounds2D()Ljava/awt/geom/Rectangle2D;

```

```

class java/awt/geom/CubicCurve2D$Float java/awt/geom/CubicCurve2D
java/awt/geom/CubicCurve2D$Float x1
java/awt/geom/CubicCurve2D$Float
y1
java/awt/geom/CubicCurve2D$Float ctrlx1
java/awt/geom/CubicCurve2D$Float ctrly1
java/awt/geom/CubicCurve2D$Float ctrlx2
java/awt/geom/CubicCurve2D$Float ctrly2
java/awt/geom/CubicCurve2D$Float x2
java/awt/geom/CubicCurve2D$Float y2
java/awt/geom/CubicCurve2D$Float <init>()V
java/awt/geom/CubicCurve2D$Float <init>(FFFFFFF)V
java/awt/geom/CubicCurve2D$Float getX1()D
java/awt/geom/CubicCurve2D$Float getY1()D
java/awt/geom/CubicCurve2D$Float getP1()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Float getCtrlX1()D
java/awt/geom/CubicCurve2D$Float getCtrlY1()D
java/awt/geom/CubicCurve2D$Float getCtrlP1()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Float getCtrlX2()D
java/awt/geom/CubicCurve2D$Float getCtrlY2()D
java/awt/geom/CubicCurve2D$Float getCtrlP2()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Float getX2()D
java/awt/geom/CubicCurve2D$Float getY2()D
java/awt/geom/CubicCurve2D$Float getP2()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Float setCurve(DDDDDDDD)V
java/awt/geom/CubicCurve2D$Float
setCurve(FFFFFFF)V
java/awt/geom/CubicCurve2D$Float getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/CubicCurve2D java/lang/Object
java/awt/geom/CubicCurve2D BELOW
java/awt/geom/CubicCurve2D LOWEDGE
java/awt/geom/CubicCurve2D INSIDE
java/awt/geom/CubicCurve2D HIGHEDGE
java/awt/geom/CubicCurve2D ABOVE
java/awt/geom/CubicCurve2D <init>()V
java/awt/geom/CubicCurve2D getX1()D
java/awt/geom/CubicCurve2D getY1()D
java/awt/geom/CubicCurve2D getP1()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D getCtrlX1()D
java/awt/geom/CubicCurve2D getCtrlY1()D
java/awt/geom/CubicCurve2D getCtrlP1()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D getCtrlX2()D
java/awt/geom/CubicCurve2D getCtrlY2()D
java/awt/geom/CubicCurve2D getCtrlP2()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D getX2()D
java/awt/geom/CubicCurve2D getY2()D
java/awt/geom/CubicCurve2D getP2()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D setCurve(DDDDDDDD)V

```

```

java/awt/geom/CubicCurve2D
 setCurve([DI)V
java/awt/geom/CubicCurve2D
 setCurve(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V
java/awt/geom/CubicCurve2D setCurve([Ljava/awt/geom/Point2D;I)V
java/awt/geom/CubicCurve2D setCurve(Ljava/awt/geom/CubicCurve2D;)V
java/awt/geom/CubicCurve2D getFlatnessSq(DDDDDDDD)D
java/awt/geom/CubicCurve2D getFlatness(DDDDDDDD)D
java/awt/geom/CubicCurve2D getFlatnessSq([DI)D
java/awt/geom/CubicCurve2D getFlatness([DI)D
java/awt/geom/CubicCurve2D getFlatnessSq()D
java/awt/geom/CubicCurve2D getFlatness()D
java/awt/geom/CubicCurve2D subdivide(Ljava/awt/geom/CubicCurve2D;Ljava/awt/geom/CubicCurve2D;)V
java/awt/geom/CubicCurve2D
 subdivide(Ljava/awt/geom/CubicCurve2D;Ljava/awt/geom/CubicCurve2D;Ljava/awt/geom/CubicCurve2D;)V
java/awt/geom/CubicCurve2D subdivide([DI[DI[DI)V
java/awt/geom/CubicCurve2D solveCubic([D)I
java/awt/geom/CubicCurve2D solveCubic([D[D)I
java/awt/geom/CubicCurve2D fixRoots([D[D)V
java/awt/geom/CubicCurve2D
 solveEqn([DID)D
java/awt/geom/CubicCurve2D findZero(DD[D)D
java/awt/geom/CubicCurve2D contains(DD)Z
java/awt/geom/CubicCurve2D contains(Ljava/awt/geom/Point2D;)Z
java/awt/geom/CubicCurve2D fillEqn([DDDDDD)V
java/awt/geom/CubicCurve2D evalCubic([DIZZ[DDDDDD)I
java/awt/geom/CubicCurve2D getTag(DDD)I
java/awt/geom/CubicCurve2D inwards(III)Z
java/awt/geom/CubicCurve2D intersects(DDDD)Z
java/awt/geom/CubicCurve2D intersects(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/CubicCurve2D contains(DDDD)Z
java/awt/geom/CubicCurve2D contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/CubicCurve2D getBounds()Ljava/awt/Rectangle;
java/awt/geom/CubicCurve2D getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
java/awt/geom/CubicCurve2D getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
java/awt/geom/CubicCurve2D clone()Ljava/lang/Object;
class java/awt/geom/CubicIterator java/lang/Object
java/awt/geom/CubicIterator cubic
java/awt/geom/CubicIterator affine
java/awt/geom/CubicIterator
 index
java/awt/geom/CubicIterator <init>(Ljava/awt/geom/CubicCurve2D;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/CubicIterator getWindingRule()I
java/awt/geom/CubicIterator isDone()Z
java/awt/geom/CubicIterator next()V
java/awt/geom/CubicIterator currentSegment([F)I
java/awt/geom/CubicIterator currentSegment([D)I
class java/awt/geom/Ellipse2D$Double java/awt/geom/Ellipse2D

```

```

java/awt/geom/Ellipse2D$Double x
java/awt/geom/Ellipse2D$Double y
java/awt/geom/Ellipse2D$Double width
java/awt/geom/Ellipse2D$Double height
java/awt/geom/Ellipse2D$Double <init>()V
java/awt/geom/Ellipse2D$Double <init>(DDDD)V
java/awt/geom/Ellipse2D$Double getX()D
java/awt/geom/Ellipse2D$Double getY()D
java/awt/geom/Ellipse2D$Double getWidth()D
java/awt/geom/Ellipse2D$Double getHeight()D
java/awt/geom/Ellipse2D$Double isEmpty()Z
java/awt/geom/Ellipse2D$Double setFrame(DDDD)V
java/awt/geom/Ellipse2D$Double getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/Ellipse2D$Float
 java/awt/geom/Ellipse2D
java/awt/geom/Ellipse2D$Float x
java/awt/geom/Ellipse2D$Float y
java/awt/geom/Ellipse2D$Float width
java/awt/geom/Ellipse2D$Float height
java/awt/geom/Ellipse2D$Float <init>()V
java/awt/geom/Ellipse2D$Float <init>(FFFF)V
java/awt/geom/Ellipse2D$Float getX()D
java/awt/geom/Ellipse2D$Float getY()D
java/awt/geom/Ellipse2D$Float getWidth()D
java/awt/geom/Ellipse2D$Float getHeight()D
java/awt/geom/Ellipse2D$Float isEmpty()Z
java/awt/geom/Ellipse2D$Float setFrame(FFFF)V
java/awt/geom/Ellipse2D$Float setFrame(DDDD)V
java/awt/geom/Ellipse2D$Float getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/Ellipse2D java/awt/geom/RectangularShape
java/awt/geom/Ellipse2D <init>()V
java/awt/geom/Ellipse2D contains(DD)Z
java/awt/geom/Ellipse2D intersects(DDDD)Z
java/awt/geom/Ellipse2D contains(DDDD)Z
java/awt/geom/Ellipse2D getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
class java/awt/geom/EllipseIterator java/lang/Object
java/awt/geom/EllipseIterator
 x
java/awt/geom/EllipseIterator y
java/awt/geom/EllipseIterator w
java/awt/geom/EllipseIterator h
java/awt/geom/EllipseIterator affine
java/awt/geom/EllipseIterator index
java/awt/geom/EllipseIterator CtrlVal
java/awt/geom/EllipseIterator pcV
java/awt/geom/EllipseIterator ncV
java/awt/geom/EllipseIterator ctrlpts
java/awt/geom/EllipseIterator <init>(Ljava/awt/geom/Ellipse2D;Ljava/awt/geom/AffineTransform;)V

```

```

java/awt/geom/EllipseIterator getWindingRule()I
java/awt/geom/EllipseIterator isDone()Z
java/awt/geom/EllipseIterator next()V
java/awt/geom/EllipseIterator currentSegment([F)I
java/awt/geom/EllipseIterator currentSegment([D)I
java/awt/geom/EllipseIterator <clinit>()V
class java/awt/geom/FlatteningPathIterator java/lang/Object
java/awt/geom/FlatteningPathIterator GROW_SIZE
java/awt/geom/FlatteningPathIterator src
java/awt/geom/FlatteningPathIterator squareflat
java/awt/geom/FlatteningPathIterator limit
java/awt/geom/FlatteningPathIterator hold
java/awt/geom/FlatteningPathIterator
 curx
java/awt/geom/FlatteningPathIterator cury
java/awt/geom/FlatteningPathIterator movx
java/awt/geom/FlatteningPathIterator movy
java/awt/geom/FlatteningPathIterator holdType
java/awt/geom/FlatteningPathIterator holdEnd
java/awt/geom/FlatteningPathIterator holdIndex
java/awt/geom/FlatteningPathIterator levels
java/awt/geom/FlatteningPathIterator levelIndex
java/awt/geom/FlatteningPathIterator done
java/awt/geom/FlatteningPathIterator <init>(Ljava/awt/geom/PathIterator;D)V
java/awt/geom/FlatteningPathIterator <init>(Ljava/awt/geom/PathIterator;D)V
java/awt/geom/FlatteningPathIterator getFlatness()D
java/awt/geom/FlatteningPathIterator getRecursionLimit()I
java/awt/geom/FlatteningPathIterator getWindingRule()I
java/awt/geom/FlatteningPathIterator isDone()Z
java/awt/geom/FlatteningPathIterator ensureHoldCapacity(I)V
java/awt/geom/FlatteningPathIterator next()V
java/awt/geom/FlatteningPathIterator next(Z)V
java/awt/geom/FlatteningPathIterator currentSegment([F)I
java/awt/geom/FlatteningPathIterator
 currentSegment([D)I
class java/awt/geom/GeneralPathIterator java/lang/Object
java/awt/geom/GeneralPathIterator typeIdx
java/awt/geom/GeneralPathIterator pointIdx
java/awt/geom/GeneralPathIterator path
java/awt/geom/GeneralPathIterator affine
java/awt/geom/GeneralPathIterator curvesize
java/awt/geom/GeneralPathIterator <init>(Ljava/awt/geom/GeneralPath;)V
java/awt/geom/GeneralPathIterator <init>(Ljava/awt/geom/GeneralPath;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/GeneralPathIterator getWindingRule()I
java/awt/geom/GeneralPathIterator isDone()Z
java/awt/geom/GeneralPathIterator next()V
java/awt/geom/GeneralPathIterator currentSegment([F)I
java/awt/geom/GeneralPathIterator currentSegment([D)I

```

```

java/awt/geom/GeneralPathIterator <clinit>()V
class java/awt/geom/IllegalPathStateException java/lang/RuntimeException
java/awt/geom/IllegalPathStateException <init>()V
java/awt/geom/IllegalPathStateException <init>(Ljava/lang/String;)V
class java/awt/geom/Line2D$Double java/awt/geom/Line2D
java/awt/geom/Line2D$Double
 x1
java/awt/geom/Line2D$Double y1
java/awt/geom/Line2D$Double x2
java/awt/geom/Line2D$Double y2
java/awt/geom/Line2D$Double <init>()V
java/awt/geom/Line2D$Double <init>(DDDD)V
java/awt/geom/Line2D$Double <init>(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V
java/awt/geom/Line2D$Double getX1()D
java/awt/geom/Line2D$Double getY1()D
java/awt/geom/Line2D$Double getP1()Ljava/awt/geom/Point2D;
java/awt/geom/Line2D$Double getX2()D
java/awt/geom/Line2D$Double getY2()D
java/awt/geom/Line2D$Double getP2()Ljava/awt/geom/Point2D;
java/awt/geom/Line2D$Double setLine(DDDD)V
java/awt/geom/Line2D$Double getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/NoninvertibleTransformException java/lang/Exception
java/awt/geom/NoninvertibleTransformException <init>(Ljava/lang/String;)V
class java/awt/geom/Point2D$Double java/awt/geom/Point2D
java/awt/geom/Point2D$Double x
java/awt/geom/Point2D$Double y
java/awt/geom/Point2D$Double <init>()V
java/awt/geom/Point2D$Double
 <init>(DD)V
java/awt/geom/Point2D$Double getX()D
java/awt/geom/Point2D$Double getY()D
java/awt/geom/Point2D$Double setLocation(DD)V
java/awt/geom/Point2D$Double toString()Ljava/lang/String;
class java/awt/geom/QuadCurve2D$Double java/awt/geom/QuadCurve2D
java/awt/geom/QuadCurve2D$Double x1
java/awt/geom/QuadCurve2D$Double y1
java/awt/geom/QuadCurve2D$Double ctrlx
java/awt/geom/QuadCurve2D$Double ctrly
java/awt/geom/QuadCurve2D$Double x2
java/awt/geom/QuadCurve2D$Double y2
java/awt/geom/QuadCurve2D$Double <init>()V
java/awt/geom/QuadCurve2D$Double <init>(DDDDDD)V
java/awt/geom/QuadCurve2D$Double getX1()D
java/awt/geom/QuadCurve2D$Double getY1()D
java/awt/geom/QuadCurve2D$Double getP1()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D$Double getCtrlX()D
java/awt/geom/QuadCurve2D$Double getCtrlY()D
java/awt/geom/QuadCurve2D$Double getCtrlPt()Ljava/awt/geom/Point2D;

```

```

java/awt/geom/QuadCurve2D$Double getX2()D
java/awt/geom/QuadCurve2D$Double getY2()D
java/awt/geom/QuadCurve2D$Double
 getP2()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D$Double setCurve(DDDDDD)V
java/awt/geom/QuadCurve2D$Double getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/QuadCurve2D$Float java/awt/geom/QuadCurve2D
java/awt/geom/QuadCurve2D$Float x1
java/awt/geom/QuadCurve2D$Float y1
java/awt/geom/QuadCurve2D$Float ctrlx
java/awt/geom/QuadCurve2D$Float ctrly
java/awt/geom/QuadCurve2D$Float x2
java/awt/geom/QuadCurve2D$Float y2
java/awt/geom/QuadCurve2D$Float <init>()V
java/awt/geom/QuadCurve2D$Float <init>(FFFFFF)V
java/awt/geom/QuadCurve2D$Float getX1()D
java/awt/geom/QuadCurve2D$Float getY1()D
java/awt/geom/QuadCurve2D$Float getP1()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D$Float getCtrlX()D
java/awt/geom/QuadCurve2D$Float getCtrlY()D
java/awt/geom/QuadCurve2D$Float getCtrlPt()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D$Float getX2()D
java/awt/geom/QuadCurve2D$Float getY2()D
java/awt/geom/QuadCurve2D$Float getP2()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D$Float
 setCurve(DDDDDD)V
java/awt/geom/QuadCurve2D$Float setCurve(FFFFFF)V
java/awt/geom/QuadCurve2D$Float getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/QuadCurve2D java/lang/Object
java/awt/geom/QuadCurve2D BELOW
java/awt/geom/QuadCurve2D LOWEDGE
java/awt/geom/QuadCurve2D INSIDE
java/awt/geom/QuadCurve2D HIGHEDGE
java/awt/geom/QuadCurve2D ABOVE
java/awt/geom/QuadCurve2D <init>()V
java/awt/geom/QuadCurve2D getX1()D
java/awt/geom/QuadCurve2D getY1()D
java/awt/geom/QuadCurve2D getP1()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D getCtrlX()D
java/awt/geom/QuadCurve2D getCtrlY()D
java/awt/geom/QuadCurve2D getCtrlPt()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D getX2()D
java/awt/geom/QuadCurve2D getY2()D
java/awt/geom/QuadCurve2D getP2()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D setCurve(DDDDDD)V
java/awt/geom/QuadCurve2D setCurve([DI)V
java/awt/geom/QuadCurve2D
 setCurve(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V

```

```

java/awt/geom/QuadCurve2D
 setCurve([Ljava/awt/geom/Point2D;I)V
java/awt/geom/QuadCurve2D setCurve(Ljava/awt/geom/QuadCurve2D;)V
java/awt/geom/QuadCurve2D getFlatnessSq(DDDDDD)D
java/awt/geom/QuadCurve2D getFlatness(DDDDDD)D
java/awt/geom/QuadCurve2D getFlatnessSq([DI)D
java/awt/geom/QuadCurve2D getFlatness([DI)D
java/awt/geom/QuadCurve2D getFlatnessSq()D
java/awt/geom/QuadCurve2D getFlatness()D
java/awt/geom/QuadCurve2D subdivide(Ljava/awt/geom/QuadCurve2D;Ljava/awt/geom/QuadCurve2D;)V
java/awt/geom/QuadCurve2D
 subdivide(Ljava/awt/geom/QuadCurve2D;Ljava/awt/geom/QuadCurve2D;Ljava/awt/geom/QuadCurve2D;)V
java/awt/geom/QuadCurve2D subdivide([DI[DI[DI)V
java/awt/geom/QuadCurve2D solveQuadratic([D)I
java/awt/geom/QuadCurve2D solveQuadratic([D[D)I
java/awt/geom/QuadCurve2D contains(DD)Z
java/awt/geom/QuadCurve2D contains(Ljava/awt/geom/Point2D;)Z
java/awt/geom/QuadCurve2D fillEqn([DDDDDD)V
java/awt/geom/QuadCurve2D evalQuadratic([DIZZ[DDDD)I
java/awt/geom/QuadCurve2D getTag(DDD)I
java/awt/geom/QuadCurve2D
 inwards(III)Z
java/awt/geom/QuadCurve2D intersects(DDDD)Z
java/awt/geom/QuadCurve2D intersects(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/QuadCurve2D contains(DDDD)Z
java/awt/geom/QuadCurve2D contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/QuadCurve2D getBounds()Ljava/awt/Rectangle;
java/awt/geom/QuadCurve2D getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
java/awt/geom/QuadCurve2D getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
java/awt/geom/QuadCurve2D clone()Ljava/lang/Object;
class java/awt/geom/QuadIterator java/lang/Object
java/awt/geom/QuadIterator quad
java/awt/geom/QuadIterator affine
java/awt/geom/QuadIterator index
java/awt/geom/QuadIterator <init>(Ljava/awt/geom/QuadCurve2D;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/QuadIterator getWindingRule()I
java/awt/geom/QuadIterator isDone()Z
java/awt/geom/QuadIterator next()V
java/awt/geom/QuadIterator currentSegment([F)I
java/awt/geom/QuadIterator currentSegment([D)I
class
 java/awt/geom/RectIterator java/lang/Object
java/awt/geom/RectIterator x
java/awt/geom/RectIterator y
java/awt/geom/RectIterator w
java/awt/geom/RectIterator h
java/awt/geom/RectIterator affine
java/awt/geom/RectIterator index

```



```

java/awt/geom/RectIterator <init>(Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/RectIterator getWindingRule()I
java/awt/geom/RectIterator isDone()Z
java/awt/geom/RectIterator next()V
java/awt/geom/RectIterator currentSegment([F)I
java/awt/geom/RectIterator currentSegment([D)I
class java/awt/geom/Rectangle2D$Double java/awt/geom/Rectangle2D
java/awt/geom/Rectangle2D$Double x
java/awt/geom/Rectangle2D$Double y
java/awt/geom/Rectangle2D$Double width
java/awt/geom/Rectangle2D$Double height
java/awt/geom/Rectangle2D$Double <init>()V
java/awt/geom/Rectangle2D$Double <init>(DDDD)V
java/awt/geom/Rectangle2D$Double getX()D
java/awt/geom/Rectangle2D$Double getY()D
java/awt/geom/Rectangle2D$Double getWidth()D
java/awt/geom/Rectangle2D$Double
getHeight()D
java/awt/geom/Rectangle2D$Double isEmpty()Z
java/awt/geom/Rectangle2D$Double setRect(DDDD)V
java/awt/geom/Rectangle2D$Double setRect(Ljava/awt/geom/Rectangle2D;)V
java/awt/geom/Rectangle2D$Double outcode(DD)I
java/awt/geom/Rectangle2D$Double getBounds2D(Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D$Double
createIntersection(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D$Double createUnion(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D$Double toString()Ljava/lang/String;
class java/awt/geom/RoundRectIterator java/lang/Object
java/awt/geom/RoundRectIterator x
java/awt/geom/RoundRectIterator y
java/awt/geom/RoundRectIterator w
java/awt/geom/RoundRectIterator h
java/awt/geom/RoundRectIterator aw
java/awt/geom/RoundRectIterator ah
java/awt/geom/RoundRectIterator affine
java/awt/geom/RoundRectIterator index
java/awt/geom/RoundRectIterator angle
java/awt/geom/RoundRectIterator a
java/awt/geom/RoundRectIterator
b
java/awt/geom/RoundRectIterator c
java/awt/geom/RoundRectIterator cv
java/awt/geom/RoundRectIterator acv
java/awt/geom/RoundRectIterator ctrlpts
java/awt/geom/RoundRectIterator types
java/awt/geom/RoundRectIterator <init>(Ljava/awt/geom/RoundRectangle2D;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/RoundRectIterator getWindingRule()I
java/awt/geom/RoundRectIterator isDone()Z

```

```

java/awt/geom/RoundRectIterator next()V
java/awt/geom/RoundRectIterator currentSegment([F)I
java/awt/geom/RoundRectIterator currentSegment([D)I
java/awt/geom/RoundRectIterator <clinit>()V
class java/awt/geom/RoundRectangle2D$Double java/awt/geom/RoundRectangle2D
java/awt/geom/RoundRectangle2D$Double x
java/awt/geom/RoundRectangle2D$Double y
java/awt/geom/RoundRectangle2D$Double width
java/awt/geom/RoundRectangle2D$Double height
java/awt/geom/RoundRectangle2D$Double arcwidth
java/awt/geom/RoundRectangle2D$Double archeight
java/awt/geom/RoundRectangle2D$Double <init>()V
java/awt/geom/RoundRectangle2D$Double
<init>(DDDDDD)V
java/awt/geom/RoundRectangle2D$Double getX()D
java/awt/geom/RoundRectangle2D$Double getY()D
java/awt/geom/RoundRectangle2D$Double getWidth()D
java/awt/geom/RoundRectangle2D$Double getHeight()D
java/awt/geom/RoundRectangle2D$Double getArcWidth()D
java/awt/geom/RoundRectangle2D$Double getArcHeight()D
java/awt/geom/RoundRectangle2D$Double isEmpty()Z
java/awt/geom/RoundRectangle2D$Double setRoundRect(DDDDDD)V
java/awt/geom/RoundRectangle2D$Double setRoundRect(Ljava/awt/geom/RoundRectangle2D;)V
java/awt/geom/RoundRectangle2D$Double getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/RoundRectangle2D$Float java/awt/geom/RoundRectangle2D
java/awt/geom/RoundRectangle2D$Float x
java/awt/geom/RoundRectangle2D$Float y
java/awt/geom/RoundRectangle2D$Float width
java/awt/geom/RoundRectangle2D$Float height
java/awt/geom/RoundRectangle2D$Float arcwidth
java/awt/geom/RoundRectangle2D$Float archeight
java/awt/geom/RoundRectangle2D$Float <init>()V
java/awt/geom/RoundRectangle2D$Float
<init>(FFFFFF)V
java/awt/geom/RoundRectangle2D$Float getX()D
java/awt/geom/RoundRectangle2D$Float getY()D
java/awt/geom/RoundRectangle2D$Float getWidth()D
java/awt/geom/RoundRectangle2D$Float getHeight()D
java/awt/geom/RoundRectangle2D$Float getArcWidth()D
java/awt/geom/RoundRectangle2D$Float getArcHeight()D
java/awt/geom/RoundRectangle2D$Float isEmpty()Z
java/awt/geom/RoundRectangle2D$Float setRoundRect(FFFFFF)V
java/awt/geom/RoundRectangle2D$Float setRoundRect(DDDDDD)V
java/awt/geom/RoundRectangle2D$Float setRoundRect(Ljava/awt/geom/RoundRectangle2D;)V
java/awt/geom/RoundRectangle2D$Float getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/RoundRectangle2D java/awt/geom/RectangularShape
java/awt/geom/RoundRectangle2D <init>()V
java/awt/geom/RoundRectangle2D getArcWidth()D

```

```

java/awt/geom/RoundRectangle2D getArcHeight()D
java/awt/geom/RoundRectangle2D setRoundRect(DDDDDD)V
java/awt/geom/RoundRectangle2D setRoundRect(Ljava/awt/geom/RoundRectangle2D;)V
java/awt/geom/RoundRectangle2D
 setFrame(DDDD)V
java/awt/geom/RoundRectangle2D contains(DD)Z
java/awt/geom/RoundRectangle2D classify(DDDD)I
java/awt/geom/RoundRectangle2D intersects(DDDD)Z
java/awt/geom/RoundRectangle2D contains(DDDD)Z
java/awt/geom/RoundRectangle2D getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
class java/awt/im/InputSubset java/lang/Character$Subset
java/awt/im/InputSubset LATIN
java/awt/im/InputSubset LATIN_DIGITS
java/awt/im/InputSubset TRADITIONAL_HANZI
java/awt/im/InputSubset SIMPLIFIED_HANZI
java/awt/im/InputSubset KANJI
java/awt/im/InputSubset HANJA
java/awt/im/InputSubset HALFWIDTH_KATAKANA
java/awt/im/InputSubset FULLWIDTH_LATIN
java/awt/im/InputSubset FULLWIDTH_DIGITS
java/awt/im/InputSubset <init>(Ljava/lang/String;)V
java/awt/im/InputSubset <clinit>()V
class java/awt/image/AffineTransformOp java/lang/Object
java/awt/image/AffineTransformOp xform
java/awt/image/AffineTransformOp hints
java/awt/image/AffineTransformOp TYPE_NEAREST_NEIGHBOR
java/awt/image/AffineTransformOp
 TYPE_BILINEAR
java/awt/image/AffineTransformOp TYPE_BICUBIC
java/awt/image/AffineTransformOp interpolationType
java/awt/image/AffineTransformOp <init>(Ljava/awt/geom/AffineTransform;Ljava/awt/RenderingHints;)V
java/awt/image/AffineTransformOp <init>(Ljava/awt/geom/AffineTransform;)V
java/awt/image/AffineTransformOp getInterpolationType()I
java/awt/image/AffineTransformOp
 filter(Ljava/awt/image/BufferedImage;Ljava/awt/image/BufferedImage;)Ljava/awt/image/BufferedImage;
java/awt/image/AffineTransformOp
 filter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/AffineTransformOp getBounds2D(Ljava/awt/image/BufferedImage;)Ljava/awt/geom/Rectangle2D;
java/awt/image/AffineTransformOp getBounds2D(Ljava/awt/image/Raster;)Ljava/awt/geom/Rectangle2D;
java/awt/image/AffineTransformOp
 createCompatibleDestImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/ColorModel;)Ljava/awt/image/BufferedImage;
java/awt/image/AffineTransformOp
 createCompatibleDestRaster(Ljava/awt/image/Raster;)Ljava/awt/image/WritableRaster;
java/awt/image/AffineTransformOp
 getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/AffineTransformOp getTransform()Ljava/awt/geom/AffineTransform;
java/awt/image/AffineTransformOp getRenderingHints()Ljava/awt/RenderingHints;

```

```

java/awt/image/AffineTransformOp validateTransform(Ljava/awt/geom/AffineTransform;)V
class java/awt/image/AreaAveragingScaleFilter java/awt/image/ReplicateScaleFilter
java/awt/image/AreaAveragingScaleFilter rgbmodel
java/awt/image/AreaAveragingScaleFilter neededHints
java/awt/image/AreaAveragingScaleFilter passthrough
java/awt/image/AreaAveragingScaleFilter reds
java/awt/image/AreaAveragingScaleFilter greens
java/awt/image/AreaAveragingScaleFilter blues
java/awt/image/AreaAveragingScaleFilter alphas
java/awt/image/AreaAveragingScaleFilter savedy
java/awt/image/AreaAveragingScaleFilter savedyrem
java/awt/image/AreaAveragingScaleFilter
 <init>(II)V
java/awt/image/AreaAveragingScaleFilter setHints(I)V
java/awt/image/AreaAveragingScaleFilter makeAccumBuffers()V
java/awt/image/AreaAveragingScaleFilter calcRow()[I
java/awt/image/AreaAveragingScaleFilter accumPixels(IIILjava/awt/image/ColorModel;Ljava/lang/Object;II)V
java/awt/image/AreaAveragingScaleFilter setPixels(IIILjava/awt/image/ColorModel;[BII)V
java/awt/image/AreaAveragingScaleFilter setPixels(IIILjava/awt/image/ColorModel;[III)V
java/awt/image/AreaAveragingScaleFilter <clinit>()V
class java/awt/image/BandCombineOp java/lang/Object
java/awt/image/BandCombineOp matrix
java/awt/image/BandCombineOp nrows
java/awt/image/BandCombineOp ncols
java/awt/image/BandCombineOp hints
java/awt/image/BandCombineOp <init>([[FLjava/awt/RenderingHints;)V
java/awt/image/BandCombineOp getMatrix()[[F
java/awt/image/BandCombineOp
 filter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/BandCombineOp getBounds2D(Ljava/awt/image/Raster;)Ljava/awt/geom/Rectangle2D;
java/awt/image/BandCombineOp
 createCompatibleDestRaster(Ljava/awt/image/Raster;)Ljava/awt/image/WritableRaster;
java/awt/image/BandCombineOp
 getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/BandCombineOp getRenderingHints()Ljava/awt/RenderingHints;
class java/awt/image/BandedSampleModel java/awt/image/ComponentSampleModel
java/awt/image/BandedSampleModel <init>(III)V
java/awt/image/BandedSampleModel <init>(III[I)V
java/awt/image/BandedSampleModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/BandedSampleModel createSubsetSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/BandedSampleModel createDataBuffer()Ljava/awt/image/DataBuffer;
java/awt/image/BandedSampleModel
 getDataElements(IIIjava/lang/Object;Ljava/awt/image/DataBuffer;)Ljava/lang/Object;
java/awt/image/BandedSampleModel getPixel(II[ILjava/awt/image/DataBuffer;)I
java/awt/image/BandedSampleModel
 getPixels(III[ILjava/awt/image/DataBuffer;)I
java/awt/image/BandedSampleModel getSample(IIILjava/awt/image/DataBuffer;)I
java/awt/image/BandedSampleModel getSampleFloat(IIILjava/awt/image/DataBuffer;)F

```

```

java/awt/image/BandedSampleModel getSampleDouble(IIILjava/awt/image/DataBuffer;)D
java/awt/image/BandedSampleModel getSamples(IIII[ILjava/awt/image/DataBuffer;)[I
java/awt/image/BandedSampleModel setDataElements(IILjava/lang/Object;Ljava/awt/image/DataBuffer;)V
java/awt/image/BandedSampleModel setPixel(II[ILjava/awt/image/DataBuffer;)V
java/awt/image/BandedSampleModel setPixels(IIII[ILjava/awt/image/DataBuffer;)V
java/awt/image/BandedSampleModel setSample(IIIIILjava/awt/image/DataBuffer;)V
java/awt/image/BandedSampleModel setSample(IIIFLjava/awt/image/DataBuffer;)V
java/awt/image/BandedSampleModel setSample(IIIDLjava/awt/image/DataBuffer;)V
java/awt/image/BandedSampleModel setSamples(IIII[ILjava/awt/image/DataBuffer;)V
java/awt/image/BandedSampleModel createOffsetArray(I)[I
java/awt/image/BandedSampleModel
 createIndicesArray(I)[I
java/awt/image/BandedSampleModel hashCode()I
class java/awt/image/BufferedImageFilter java/awt/image/ImageFilter
java/awt/image/BufferedImageFilter bufferedImageOp
java/awt/image/BufferedImageFilter model
java/awt/image/BufferedImageFilter width
java/awt/image/BufferedImageFilter height
java/awt/image/BufferedImageFilter bytePixels
java/awt/image/BufferedImageFilter intPixels
java/awt/image/BufferedImageFilter <init>(Ljava/awt/image/BufferedImageOp;)V
java/awt/image/BufferedImageFilter getBufferedImageOp()Ljava/awt/image/BufferedImageOp;
java/awt/image/BufferedImageFilter setDimensions(II)V
java/awt/image/BufferedImageFilter setColorModel(Ljava/awt/image/ColorModel;)V
java/awt/image/BufferedImageFilter convertToRGB()V
java/awt/image/BufferedImageFilter setPixels(IIIIILjava/awt/image/ColorModel;[BII)V
java/awt/image/BufferedImageFilter setPixels(IIIIILjava/awt/image/ColorModel;[III)V
java/awt/image/BufferedImageFilter imageComplete(I)V
java/awt/image/BufferedImageFilter
 createDCMraster()Ljava/awt/image/WritableRaster;
class java/awt/image/BufferedImageOp java/lang/Object
java/awt/image/BufferedImageOp
 filter(Ljava/awt/image/BufferedImage;Ljava/awt/image/BufferedImage;)Ljava/awt/image/BufferedImage;
java/awt/image/BufferedImageOp getBounds2D(Ljava/awt/image/BufferedImage;)Ljava/awt/geom/Rectangle2D;
java/awt/image/BufferedImageOp
 createCompatibleDestImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/ColorModel;)Ljava/awt/image/BufferedImage;
java/awt/image/BufferedImageOp
 getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/BufferedImageOp getRenderingHints()Ljava/awt/RenderingHints;
class java/awt/image/ByteLookupTable java/awt/image/LookupTable
java/awt/image/ByteLookupTable data
java/awt/image/ByteLookupTable <init>([B)V
java/awt/image/ByteLookupTable <init>([B)V
java/awt/image/ByteLookupTable getTable()[B
java/awt/image/ByteLookupTable lookupPixel([I)[I
java/awt/image/ByteLookupTable

```

```

lookupPixel([B[B][B
class java/awt/image/ColorConvertOp java/lang/Object
java/awt/image/ColorConvertOp profileList
java/awt/image/ColorConvertOp CSList
java/awt/image/ColorConvertOp thisTransform
java/awt/image/ColorConvertOp thisRasterTransform
java/awt/image/ColorConvertOp thisSrcProfile
java/awt/image/ColorConvertOp thisDestProfile
java/awt/image/ColorConvertOp hints
java/awt/image/ColorConvertOp gotProfiles
java/awt/image/ColorConvertOp srcMinVals
java/awt/image/ColorConvertOp srcMaxVals
java/awt/image/ColorConvertOp dstMinVals
java/awt/image/ColorConvertOp dstMaxVals
java/awt/image/ColorConvertOp <init>(Ljava/awt/RenderingHints;)V
java/awt/image/ColorConvertOp <init>(Ljava/awt/color/ColorSpace;Ljava/awt/RenderingHints;)V
java/awt/image/ColorConvertOp
<init>(Ljava/awt/color/ColorSpace;Ljava/awt/color/ColorSpace;Ljava/awt/RenderingHints;)V
java/awt/image/ColorConvertOp <init>([Ljava/awt/color/ICC_Profile;Ljava/awt/RenderingHints;)V
java/awt/image/ColorConvertOp getICC_Profiles()[Ljava/awt/color/ICC_Profile;
java/awt/image/ColorConvertOp
filter(Ljava/awt/image/BufferedImage;Ljava/awt/image/BufferedImage;)Ljava/awt/image/BufferedImage;
java/awt/image/ColorConvertOp
ICCBIFilter(Ljava/awt/image/BufferedImage;Ljava/awt/color/ColorSpace;Ljava/awt/image/BufferedImage;Ljava/a
wt/color/ColorSpace;)Ljava/awt/image/BufferedImage;
java/awt/image/ColorConvertOp updateBITransform(Ljava/awt/color/ICC_Profile;Ljava/awt/color/ICC_Profile;)V
java/awt/image/ColorConvertOp
filter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/ColorConvertOp getBounds2D(Ljava/awt/image/BufferedImage;)Ljava/awt/geom/Rectangle2D;
java/awt/image/ColorConvertOp getBounds2D(Ljava/awt/image/Raster;)Ljava/awt/geom/Rectangle2D;
java/awt/image/ColorConvertOp
createCompatibleDestImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/ColorModel;)Ljava/awt/image/Buf
feredImage;
java/awt/image/ColorConvertOp
createCompatibleDestImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/ColorModel;Ljava/awt/color/ColorS
pace;)Ljava/awt/image/BufferedImage;
java/awt/image/ColorConvertOp
createCompatibleDestRaster(Ljava/awt/image/Raster;)Ljava/awt/image/WritableRaster;
java/awt/image/ColorConvertOp
getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/ColorConvertOp getRenderingIntent(Ljava/awt/color/ICC_Profile;)I
java/awt/image/ColorConvertOp getRenderingHints()[Ljava/awt/RenderingHints;
java/awt/image/ColorConvertOp
nonICCBIFilter(Ljava/awt/image/BufferedImage;Ljava/awt/color/ColorSpace;Ljava/awt/image/BufferedImage;Ljav
a/awt/color/ColorSpace;)Ljava/awt/image/BufferedImage;
java/awt/image/ColorConvertOp
nonICCRasterFilter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/ColorConvertOp

```

```

getMinMaxValsFromProfiles(Ljava/awt/color/ICC_Profile;Ljava/awt/color/ICC_Profile;)V
java/awt/image/ColorConvertOp setMinMax(II[F[F)V
java/awt/image/ColorConvertOp
 getMinMaxValsFromColorSpaces(Ljava/awt/color/ColorSpace;Ljava/awt/color/ColorSpace;)V
java/awt/image/ColorConvertOp <clinit>()V
class java/awt/image/ComponentColorModel java/awt/image/ColorModel
java/awt/image/ComponentColorModel signed
java/awt/image/ComponentColorModel is_sRGB_stdScale
java/awt/image/ComponentColorModel is_LinearRGB_stdScale
java/awt/image/ComponentColorModel is_LinearGray_stdScale
java/awt/image/ComponentColorModel is_ICCGray_stdScale
java/awt/image/ComponentColorModel tosRGB8LUT
java/awt/image/ComponentColorModel fromsRGB8LUT8
java/awt/image/ComponentColorModel fromsRGB8LUT16
java/awt/image/ComponentColorModel fromLinearGray16ToOtherGray8LUT
java/awt/image/ComponentColorModel fromLinearGray16ToOtherGray16LUT
java/awt/image/ComponentColorModel needScaleInit
java/awt/image/ComponentColorModel noUnnorm
java/awt/image/ComponentColorModel nonStdScale
java/awt/image/ComponentColorModel min
java/awt/image/ComponentColorModel diffMinMax
java/awt/image/ComponentColorModel
 compOffset
java/awt/image/ComponentColorModel compScale
java/awt/image/ComponentColorModel <init>(Ljava/awt/color/ColorSpace;[IZZII)V
java/awt/image/ComponentColorModel <init>(Ljava/awt/color/ColorSpace;ZZII)V
java/awt/image/ComponentColorModel bitsHelper(ILjava/awt/color/ColorSpace;Z)I
java/awt/image/ComponentColorModel bitsArrayHelper([IILjava/awt/color/ColorSpace;Z)[I
java/awt/image/ComponentColorModel setupLUTs()V
java/awt/image/ComponentColorModel initScale()V
java/awt/image/ComponentColorModel getRGBComponent(II)I
java/awt/image/ComponentColorModel getRed(I)I
java/awt/image/ComponentColorModel getGreen(I)I
java/awt/image/ComponentColorModel getBlue(I)I
java/awt/image/ComponentColorModel getAlpha(I)I
java/awt/image/ComponentColorModel getRGB(I)I
java/awt/image/ComponentColorModel extractComponent(Ljava/lang/Object;II)I
java/awt/image/ComponentColorModel getRGBComponent(Ljava/lang/Object;I)I
java/awt/image/ComponentColorModel getRed(Ljava/lang/Object;)I
java/awt/image/ComponentColorModel
 getGreen(Ljava/lang/Object;)I
java/awt/image/ComponentColorModel getBlue(Ljava/lang/Object;)I
java/awt/image/ComponentColorModel getAlpha(Ljava/lang/Object;)I
java/awt/image/ComponentColorModel getRGB(Ljava/lang/Object;)I
java/awt/image/ComponentColorModel getDataElements(ILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/ComponentColorModel getComponents(I[II)[I
java/awt/image/ComponentColorModel getComponents(Ljava/lang/Object;[II)[I
java/awt/image/ComponentColorModel getUnnormalizedComponents([FI[II)[I

```

```

java/awt/image/ComponentColorModel getNormalizedComponents([II][FI])[F
java/awt/image/ComponentColorModel getDataElement([II])I
java/awt/image/ComponentColorModel getDataElements([IILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/ComponentColorModel getDataElement([FI])I
java/awt/image/ComponentColorModel getDataElements([FILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/ComponentColorModel getNormalizedComponents(Ljava/lang/Object;[FI])[F
java/awt/image/ComponentColorModel
 coerceData(Ljava/awt/image/WritableRaster;Z)Ljava/awt/image/ColorModel;
java/awt/image/ComponentColorModel isCompatibleRaster(Ljava/awt/image/Raster;)Z
java/awt/image/ComponentColorModel createCompatibleWritableRaster(II)Ljava/awt/image/WritableRaster;
java/awt/image/ComponentColorModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/ComponentColorModel isCompatibleSampleModel(Ljava/awt/image/SampleModel;)Z
java/awt/image/ComponentColorModel
 getAlphaRaster(Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/ComponentColorModel equals(Ljava/lang/Object;)Z
class java/awt/image/ConvolveOp java/lang/Object
java/awt/image/ConvolveOp kernel
java/awt/image/ConvolveOp edgeHint
java/awt/image/ConvolveOp hints
java/awt/image/ConvolveOp EDGE_ZERO_FILL
java/awt/image/ConvolveOp EDGE_NO_OP
java/awt/image/ConvolveOp <init>(Ljava/awt/image/Kernel;ILjava/awt/RenderingHints;)V
java/awt/image/ConvolveOp <init>(Ljava/awt/image/Kernel;)V
java/awt/image/ConvolveOp
 getEdgeCondition()I
java/awt/image/ConvolveOp getKernel()Ljava/awt/image/Kernel;
java/awt/image/ConvolveOp
 filter(Ljava/awt/image/BufferedImage;Ljava/awt/image/BufferedImage;)Ljava/awt/image/BufferedImage;
java/awt/image/ConvolveOp
 filter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/ConvolveOp
 createCompatibleDestImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/ColorModel;)Ljava/awt/image/BufferedImage;
java/awt/image/ConvolveOp
 createCompatibleDestRaster(Ljava/awt/image/Raster;)Ljava/awt/image/WritableRaster;
java/awt/image/ConvolveOp getBounds2D(Ljava/awt/image/BufferedImage;)Ljava/awt/geom/Rectangle2D;
java/awt/image/ConvolveOp getBounds2D(Ljava/awt/image/Raster;)Ljava/awt/geom/Rectangle2D;
java/awt/image/ConvolveOp
 getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/ConvolveOp getRenderingHints()Ljava/awt/RenderingHints;
class java/awt/image/CropImageFilter
 java/awt/image/ImageFilter
java/awt/image/CropImageFilter cropX
java/awt/image/CropImageFilter cropY
java/awt/image/CropImageFilter cropW
java/awt/image/CropImageFilter cropH
java/awt/image/CropImageFilter <init>([III)V
java/awt/image/CropImageFilter setProperties(Ljava/util/Hashtable;)V

```



```

java/awt/image/CropImageFilter setDimensions(II)V
java/awt/image/CropImageFilter setPixels(IIII,java/awt/image/ColorModel;[BII)V
java/awt/image/CropImageFilter setPixels(IIII,java/awt/image/ColorModel;[III)V
java/awt/image/CropImageFilter addWithoutOverflow(II)I
class java/awt/image/DataBufferDouble java/awt/image/DataBuffer
java/awt/image/DataBufferDouble bankdata
java/awt/image/DataBufferDouble data
java/awt/image/DataBufferDouble <init>(I)V
java/awt/image/DataBufferDouble <init>(II)V
java/awt/image/DataBufferDouble <init>([DI)V
java/awt/image/DataBufferDouble <init>([DII)V
java/awt/image/DataBufferDouble <init>([[[DI)V
java/awt/image/DataBufferDouble <init>([[[DI[I)V
java/awt/image/DataBufferDouble
 getData()[D
java/awt/image/DataBufferDouble getData(I)[D
java/awt/image/DataBufferDouble getBankData()[[D
java/awt/image/DataBufferDouble getElem(I)I
java/awt/image/DataBufferDouble getElem(II)I
java/awt/image/DataBufferDouble setElem(II)V
java/awt/image/DataBufferDouble setElem(III)V
java/awt/image/DataBufferDouble getElemFloat(I)F
java/awt/image/DataBufferDouble getElemFloat(II)F
java/awt/image/DataBufferDouble setElemFloat(IF)V
java/awt/image/DataBufferDouble setElemFloat(IIF)V
java/awt/image/DataBufferDouble getElemDouble(I)D
java/awt/image/DataBufferDouble getElemDouble(II)D
java/awt/image/DataBufferDouble setElemDouble(ID)V
java/awt/image/DataBufferDouble setElemDouble(IID)V
class java/awt/image/DataBufferFloat java/awt/image/DataBuffer
java/awt/image/DataBufferFloat bankdata
java/awt/image/DataBufferFloat data
java/awt/image/DataBufferFloat <init>(I)V
java/awt/image/DataBufferFloat <init>(II)V
java/awt/image/DataBufferFloat <init>([FI)V
java/awt/image/DataBufferFloat <init>([FII)V
java/awt/image/DataBufferFloat
 <init>([[[FI)V
java/awt/image/DataBufferFloat <init>([[[FI[I)V
java/awt/image/DataBufferFloat getData()[F
java/awt/image/DataBufferFloat getData(I)[F
java/awt/image/DataBufferFloat getBankData()[[F
java/awt/image/DataBufferFloat getElem(I)I
java/awt/image/DataBufferFloat getElem(II)I
java/awt/image/DataBufferFloat setElem(II)V
java/awt/image/DataBufferFloat setElem(III)V
java/awt/image/DataBufferFloat getElemFloat(I)F
java/awt/image/DataBufferFloat getElemFloat(II)F

```

```

java/awt/image/DataBufferFloat setElemFloat(IF)V
java/awt/image/DataBufferFloat setElemFloat(IIF)V
java/awt/image/DataBufferFloat getElemDouble(I)D
java/awt/image/DataBufferFloat getElemDouble(II)D
java/awt/image/DataBufferFloat setElemDouble(ID)V
java/awt/image/DataBufferFloat setElemDouble(IID)V
class java/awt/image/DataBufferShort java/awt/image/DataBuffer
java/awt/image/DataBufferShort data
java/awt/image/DataBufferShort bankdata
java/awt/image/DataBufferShort <init>(I)V
java/awt/image/DataBufferShort
 <init>(II)V
java/awt/image/DataBufferShort <init>([SI)V
java/awt/image/DataBufferShort <init>([SII)V
java/awt/image/DataBufferShort <init>([[SI)V
java/awt/image/DataBufferShort <init>([[SI[I)V
java/awt/image/DataBufferShort getData()[S
java/awt/image/DataBufferShort getData(I)[S
java/awt/image/DataBufferShort getBankData()[[S
java/awt/image/DataBufferShort getElem(I)I
java/awt/image/DataBufferShort getElem(II)I
java/awt/image/DataBufferShort setElem(II)V
java/awt/image/DataBufferShort setElem(III)V
class java/awt/image/DataBufferUShort java/awt/image/DataBuffer
java/awt/image/DataBufferUShort data
java/awt/image/DataBufferUShort bankdata
java/awt/image/DataBufferUShort <init>(I)V
java/awt/image/DataBufferUShort <init>(II)V
java/awt/image/DataBufferUShort <init>([SI)V
java/awt/image/DataBufferUShort <init>([SII)V
java/awt/image/DataBufferUShort <init>([[SI)V
java/awt/image/DataBufferUShort <init>([[SI[I)V
java/awt/image/DataBufferUShort getData()[S
java/awt/image/DataBufferUShort
 getData(I)[S
java/awt/image/DataBufferUShort getBankData()[[S
java/awt/image/DataBufferUShort getElem(I)I
java/awt/image/DataBufferUShort getElem(II)I
java/awt/image/DataBufferUShort setElem(II)V
java/awt/image/DataBufferUShort setElem(III)V
class java/awt/image/ImagingOpException java/lang/RuntimeException
java/awt/image/ImagingOpException <init>(Ljava/lang/String;)V
class java/awt/image/Kernel java/lang/Object
java/awt/image/Kernel width
java/awt/image/Kernel height
java/awt/image/Kernel xOrigin
java/awt/image/Kernel yOrigin
java/awt/image/Kernel data

```

```

java/awt/image/Kernel initIDs()V
java/awt/image/Kernel <init>(II[F)V
java/awt/image/Kernel getXOrigin()I
java/awt/image/Kernel getYOrigin()I
java/awt/image/Kernel getWidth()I
java/awt/image/Kernel getHeight()I
java/awt/image/Kernel getKernelData([F)[F
java/awt/image/Kernel clone()Ljava/lang/Object;
java/awt/image/Kernel <clinit>()V
class java/awt/image/LookupOp java/lang/Object
java/awt/image/LookupOp ltable
java/awt/image/LookupOp
 numComponents
java/awt/image/LookupOp hints
java/awt/image/LookupOp <init>(Ljava/awt/image/LookupTable;Ljava/awt/RenderingHints;)V
java/awt/image/LookupOp getTable()Ljava/awt/image/LookupTable;
java/awt/image/LookupOp
 filter(Ljava/awt/image/BufferedImage;Ljava/awt/image/BufferedImage;)Ljava/awt/image/BufferedImage;
java/awt/image/LookupOp
 filter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/LookupOp getBounds2D(Ljava/awt/image/BufferedImage;)Ljava/awt/geom/Rectangle2D;
java/awt/image/LookupOp getBounds2D(Ljava/awt/image/Raster;)Ljava/awt/geom/Rectangle2D;
java/awt/image/LookupOp
 createCompatibleDestImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/ColorModel;)Ljava/awt/image/BufferedImage;
java/awt/image/LookupOp createCompatibleDestRaster(Ljava/awt/image/Raster;)Ljava/awt/image/WritableRaster;
java/awt/image/LookupOp
 getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/LookupOp getRenderingHints()Ljava/awt/RenderingHints;
java/awt/image/LookupOp
 byteFilter(Ljava/awt/image/ByteLookupTable;Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;III)V
java/awt/image/LookupOp
 shortFilter(Ljava/awt/image/ShortLookupTable;Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;III)V
class java/awt/image/LookupTable java/lang/Object
java/awt/image/LookupTable numComponents
java/awt/image/LookupTable offset
java/awt/image/LookupTable numEntries
java/awt/image/LookupTable <init>(II)V
java/awt/image/LookupTable getNumComponents()I
java/awt/image/LookupTable getOffset()I
java/awt/image/LookupTable lookupPixel([I[I][I
class java/awt/image/MemoryImageSource java/lang/Object
java/awt/image/MemoryImageSource width
java/awt/image/MemoryImageSource height
java/awt/image/MemoryImageSource model
java/awt/image/MemoryImageSource pixels
java/awt/image/MemoryImageSource pixeloffset
java/awt/image/MemoryImageSource pixelscan

```

```

java/awt/image/MemoryImageSource properties
java/awt/image/MemoryImageSource
 theConsumers
java/awt/image/MemoryImageSource animating
java/awt/image/MemoryImageSource fullbuffers
java/awt/image/MemoryImageSource <init>(IILjava/awt/image/ColorModel;[BII)V
java/awt/image/MemoryImageSource <init>(IILjava/awt/image/ColorModel;[BIILjava/util/Hashtable;)V
java/awt/image/MemoryImageSource <init>(IILjava/awt/image/ColorModel;[III)V
java/awt/image/MemoryImageSource <init>(IILjava/awt/image/ColorModel;[IIILjava/util/Hashtable;)V
java/awt/image/MemoryImageSource
 initialize(IILjava/awt/image/ColorModel;Ljava/lang/Object;IILjava/util/Hashtable;)V
java/awt/image/MemoryImageSource <init>(II[III)V
java/awt/image/MemoryImageSource <init>(II[IIILjava/util/Hashtable;)V
java/awt/image/MemoryImageSource addConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/MemoryImageSource isConsumer(Ljava/awt/image/ImageConsumer;)Z
java/awt/image/MemoryImageSource removeConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/MemoryImageSource startProduction(Ljava/awt/image/ImageConsumer;)V
java/awt/image/MemoryImageSource
 requestTopDownLeftRightResend(Ljava/awt/image/ImageConsumer;)V
java/awt/image/MemoryImageSource setAnimated(Z)V
java/awt/image/MemoryImageSource setFullBufferUpdates(Z)V
java/awt/image/MemoryImageSource newPixels()V
java/awt/image/MemoryImageSource newPixels(III)V
java/awt/image/MemoryImageSource newPixels(IIIZ)V
java/awt/image/MemoryImageSource newPixels([BLjava/awt/image/ColorModel;II)V
java/awt/image/MemoryImageSource newPixels([ILjava/awt/image/ColorModel;II)V
java/awt/image/MemoryImageSource initConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/MemoryImageSource sendPixels(Ljava/awt/image/ImageConsumer;IIII)V
class java/awt/image/MultiPixelPackedSampleModel java/awt/image/SampleModel
java/awt/image/MultiPixelPackedSampleModel pixelBitStride
java/awt/image/MultiPixelPackedSampleModel bitMask
java/awt/image/MultiPixelPackedSampleModel pixelsPerDataElement
java/awt/image/MultiPixelPackedSampleModel dataElementSize
java/awt/image/MultiPixelPackedSampleModel
 dataBitOffset
java/awt/image/MultiPixelPackedSampleModel scanlineStride
java/awt/image/MultiPixelPackedSampleModel <init>(IIII)V
java/awt/image/MultiPixelPackedSampleModel <init>(IIIIII)V
java/awt/image/MultiPixelPackedSampleModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/MultiPixelPackedSampleModel createDataBuffer()Ljava/awt/image/DataBuffer;
java/awt/image/MultiPixelPackedSampleModel getNumDataElements()I
java/awt/image/MultiPixelPackedSampleModel getSampleSize()[I
java/awt/image/MultiPixelPackedSampleModel getSampleSize(I)I
java/awt/image/MultiPixelPackedSampleModel getOffset(II)I
java/awt/image/MultiPixelPackedSampleModel getBitOffset(I)I
java/awt/image/MultiPixelPackedSampleModel getScanlineStride()I
java/awt/image/MultiPixelPackedSampleModel getPixelBitStride()I
java/awt/image/MultiPixelPackedSampleModel getDataBitOffset()I

```

```

java/awt/image/MultiPixelPackedSampleModel getTransferType()I
java/awt/image/MultiPixelPackedSampleModel
 createSubsetSampleModel([I)Ljava/awt/image/SampleModel;
java/awt/image/MultiPixelPackedSampleModel getSample(IIILjava/awt/image/DataBuffer;)I
java/awt/image/MultiPixelPackedSampleModel setSample(IIILjava/awt/image/DataBuffer;)V
java/awt/image/MultiPixelPackedSampleModel
 getDataElements(IIILjava/lang/Object;Ljava/awt/image/DataBuffer;)Ljava/lang/Object;
java/awt/image/MultiPixelPackedSampleModel getPixel(II[ILjava/awt/image/DataBuffer;)I
java/awt/image/MultiPixelPackedSampleModel
 setDataElements(IIILjava/lang/Object;Ljava/awt/image/DataBuffer;)V
java/awt/image/MultiPixelPackedSampleModel setPixel(II[ILjava/awt/image/DataBuffer;)V
java/awt/image/MultiPixelPackedSampleModel equals(Ljava/lang/Object;)Z
java/awt/image/MultiPixelPackedSampleModel hashCode()I
class java/awt/image/PixelGrabber java/lang/Object
java/awt/image/PixelGrabber producer
java/awt/image/PixelGrabber dstX
java/awt/image/PixelGrabber dstY
java/awt/image/PixelGrabber dstW
java/awt/image/PixelGrabber dstH
java/awt/image/PixelGrabber
 imageModel
java/awt/image/PixelGrabber bytePixels
java/awt/image/PixelGrabber intPixels
java/awt/image/PixelGrabber dstOff
java/awt/image/PixelGrabber dstScan
java/awt/image/PixelGrabber grabbing
java/awt/image/PixelGrabber flags
java/awt/image/PixelGrabber GRABBEDBITS
java/awt/image/PixelGrabber DONEBITS
java/awt/image/PixelGrabber <init>(Ljava/awt/Image;IIII[III)V
java/awt/image/PixelGrabber <init>(Ljava/awt/image/ImageProducer;IIII[III)V
java/awt/image/PixelGrabber <init>(Ljava/awt/Image;IIIIZ)V
java/awt/image/PixelGrabber startGrabbing()V
java/awt/image/PixelGrabber abortGrabbing()V
java/awt/image/PixelGrabber grabPixels()Z
java/awt/image/PixelGrabber grabPixels(J)Z
java/awt/image/PixelGrabber getStatus()I
java/awt/image/PixelGrabber getWidth()I
java/awt/image/PixelGrabber getHeight()I
java/awt/image/PixelGrabber getPixels()Ljava/lang/Object;
java/awt/image/PixelGrabber getColorModel()Ljava/awt/image/ColorModel;
java/awt/image/PixelGrabber setDimensions(II)V
java/awt/image/PixelGrabber
 setHints(I)V
java/awt/image/PixelGrabber setProperties(Ljava/util/Hashtable;)V
java/awt/image/PixelGrabber setColorModel(Ljava/awt/image/ColorModel;)V
java/awt/image/PixelGrabber convertToRGB()V
java/awt/image/PixelGrabber setPixels(IIILjava/awt/image/ColorModel;[BII)V

```

```

java/awt/image/PixelGrabber setPixels(IIIIILjava/awt/image/ColorModel;[III)V
java/awt/image/PixelGrabber imageComplete(I)V
java/awt/image/PixelGrabber status()I
class java/awt/image/RasterFormatException java/lang/RuntimeException
java/awt/image/RasterFormatException <init>(Ljava/lang/String;)V
class java/awt/image/RasterOp java/lang/Object
java/awt/image/RasterOp
filter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/RasterOp getBounds2D(Ljava/awt/image/Raster;)Ljava/awt/geom/Rectangle2D;
java/awt/image/RasterOp createCompatibleDestRaster(Ljava/awt/image/Raster;)Ljava/awt/image/WritableRaster;
java/awt/image/RasterOp
getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/RasterOp
getRenderingHints()Ljava/awt/RenderingHints;
class java/awt/image/ReplicateScaleFilter java/awt/image/ImageFilter
java/awt/image/ReplicateScaleFilter srcWidth
java/awt/image/ReplicateScaleFilter srcHeight
java/awt/image/ReplicateScaleFilter destWidth
java/awt/image/ReplicateScaleFilter destHeight
java/awt/image/ReplicateScaleFilter srcrows
java/awt/image/ReplicateScaleFilter srccols
java/awt/image/ReplicateScaleFilter outpixbuf
java/awt/image/ReplicateScaleFilter <init>(II)V
java/awt/image/ReplicateScaleFilter setProperties(Ljava/util/Hashtable;)V
java/awt/image/ReplicateScaleFilter setDimensions(II)V
java/awt/image/ReplicateScaleFilter calculateMaps()V
java/awt/image/ReplicateScaleFilter setPixels(IIIIILjava/awt/image/ColorModel;[BII)V
java/awt/image/ReplicateScaleFilter setPixels(IIIIILjava/awt/image/ColorModel;[III)V
class java/awt/image/RescaleOp java/lang/Object
java/awt/image/RescaleOp scaleFactors
java/awt/image/RescaleOp
offsets
java/awt/image/RescaleOp length
java/awt/image/RescaleOp hints
java/awt/image/RescaleOp srcNbits
java/awt/image/RescaleOp dstNbits
java/awt/image/RescaleOp <init>([F[FLjava/awt/RenderingHints;)V
java/awt/image/RescaleOp <init>(F[FLjava/awt/RenderingHints;)V
java/awt/image/RescaleOp getScaleFactors([F)[F
java/awt/image/RescaleOp getOffsets([F)[F
java/awt/image/RescaleOp getNumFactors()I
java/awt/image/RescaleOp createByteLut([F[FII)Ljava/awt/image/ByteLookupTable;
java/awt/image/RescaleOp createShortLut([F[FII)Ljava/awt/image/ShortLookupTable;
java/awt/image/RescaleOp canUseLookup(Ljava/awt/image/Raster;Ljava/awt/image/Raster;)Z
java/awt/image/RescaleOp
filter(Ljava/awt/image/BufferedImage;Ljava/awt/image/BufferedImage;)Ljava/awt/image/BufferedImage;
java/awt/image/RescaleOp
filter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;

```

```

java/awt/image/RescaleOp getBounds2D(Ljava/awt/image/BufferedImage;)Ljava/awt/geom/Rectangle2D;
java/awt/image/RescaleOp
 getBounds2D(Ljava/awt/image/Raster;)Ljava/awt/geom/Rectangle2D;
java/awt/image/RescaleOp
 createCompatibleDestImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/ColorModel;)Ljava/awt/image/BufferedImage;
java/awt/image/RescaleOp createCompatibleDestRaster(Ljava/awt/image/Raster;)Ljava/awt/image/WritableRaster;
java/awt/image/RescaleOp
 getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/RescaleOp getRenderingHints()Ljava/awt/RenderingHints;
class java/awt/image/ShortLookupTable java/awt/image/LookupTable
java/awt/image/ShortLookupTable data
java/awt/image/ShortLookupTable <init>(I[[S)V
java/awt/image/ShortLookupTable <init>(I[S)V
java/awt/image/ShortLookupTable getTable()[[S
java/awt/image/ShortLookupTable lookupPixel([I[I]I
java/awt/image/ShortLookupTable lookupPixel([S[S][S
class java/awt/image/TileObserver java/lang/Object
java/awt/image/TileObserver tileUpdate(Ljava/awt/image/WritableRenderedImage;IIZ)V
class
 java/awt/image/renderable/ContextualRenderedImageFactory java/lang/Object
java/awt/image/renderable/ContextualRenderedImageFactory
 mapRenderContext(ILjava/awt/image/renderable/RenderContext;Ljava/awt/image/renderable/ParameterBlock;Ljava/awt/image/renderable/RenderableImage;)Ljava/awt/image/renderable/RenderContext;
java/awt/image/renderable/ContextualRenderedImageFactory
 create(Ljava/awt/image/renderable/RenderContext;Ljava/awt/image/renderable/ParameterBlock;)Ljava/awt/image/RenderedImage;
java/awt/image/renderable/ContextualRenderedImageFactory
 getBounds2D(Ljava/awt/image/renderable/ParameterBlock;)Ljava/awt/geom/Rectangle2D;
java/awt/image/renderable/ContextualRenderedImageFactory
 getProperty(Ljava/awt/image/renderable/ParameterBlock;Ljava/lang/String;)Ljava/lang/Object;
java/awt/image/renderable/ContextualRenderedImageFactory getPropertyNames()[Ljava/lang/String;
java/awt/image/renderable/ContextualRenderedImageFactory isDynamic()Z
class java/awt/image/renderable/ParameterBlock
 java/lang/Object
java/awt/image/renderable/ParameterBlock sources
java/awt/image/renderable/ParameterBlock parameters
java/awt/image/renderable/ParameterBlock <init>()V
java/awt/image/renderable/ParameterBlock <init>(Ljava/util/Vector;)V
java/awt/image/renderable/ParameterBlock <init>(Ljava/util/Vector;Ljava/util/Vector;)V
java/awt/image/renderable/ParameterBlock shallowClone()Ljava/lang/Object;
java/awt/image/renderable/ParameterBlock clone()Ljava/lang/Object;
java/awt/image/renderable/ParameterBlock
 addSource(Ljava/lang/Object;)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock getSource(I)Ljava/lang/Object;
java/awt/image/renderable/ParameterBlock
 setSource(Ljava/lang/Object;I)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock getRenderedSource(I)Ljava/awt/image/RenderedImage;

```

```

java/awt/image/renderable/ParameterBlock getRenderableSource(I)Ljava/awt/image/renderable/RenderableImage;
java/awt/image/renderable/ParameterBlock
 getNumSources()I
java/awt/image/renderable/ParameterBlock getSources()Ljava/util/Vector;
java/awt/image/renderable/ParameterBlock setSources(Ljava/util/Vector;)V
java/awt/image/renderable/ParameterBlock removeSources()V
java/awt/image/renderable/ParameterBlock getNumParameters()I
java/awt/image/renderable/ParameterBlock getParameters()Ljava/util/Vector;
java/awt/image/renderable/ParameterBlock setParameters(Ljava/util/Vector;)V
java/awt/image/renderable/ParameterBlock removeParameters()V
java/awt/image/renderable/ParameterBlock add(Ljava/lang/Object;)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock add(B)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock add(C)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock add(S)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock add(I)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock
 add(J)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock add(F)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock add(D)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(Ljava/lang/Object;I)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(BI)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(CI)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(SI)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(II)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(JI)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(FI)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(DI)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock
 getObjectParameter(I)Ljava/lang/Object;
java/awt/image/renderable/ParameterBlock getByteParameter(I)B
java/awt/image/renderable/ParameterBlock getCharParameter(I)C
java/awt/image/renderable/ParameterBlock getShortParameter(I)S
java/awt/image/renderable/ParameterBlock getIntParameter(I)I
java/awt/image/renderable/ParameterBlock getLongParameter(I)J
java/awt/image/renderable/ParameterBlock getFloatParameter(I)F
java/awt/image/renderable/ParameterBlock getDoubleParameter(I)D
java/awt/image/renderable/ParameterBlock getParamClasses()[Ljava/lang/Class;
class java/awt/image/renderable/RenderContext java/lang/Object
java/awt/image/renderable/RenderContext hints
java/awt/image/renderable/RenderContext usr2dev
java/awt/image/renderable/RenderContext aoi
java/awt/image/renderable/RenderContext
 <init>(Ljava/awt/geom/AffineTransform;Ljava/awt/Shape;Ljava/awt/RenderingHints;)V
java/awt/image/renderable/RenderContext <init>(Ljava/awt/geom/AffineTransform;)V
java/awt/image/renderable/RenderContext
 <init>(Ljava/awt/geom/AffineTransform;Ljava/awt/RenderingHints;)V
java/awt/image/renderable/RenderContext <init>(Ljava/awt/geom/AffineTransform;Ljava/awt/Shape;)V
java/awt/image/renderable/RenderContext getRenderingHints()Ljava/awt/RenderingHints;

```



```

java/awt/image/renderable/RenderContext setRenderingHints(Ljava/awt/RenderingHints;)V
java/awt/image/renderable/RenderContext setTransform(Ljava/awt/geom/AffineTransform;)V
java/awt/image/renderable/RenderContext preConcatenateTransform(Ljava/awt/geom/AffineTransform;)V
java/awt/image/renderable/RenderContext preConcetenateTransform(Ljava/awt/geom/AffineTransform;)V
java/awt/image/renderable/RenderContext concatenateTransform(Ljava/awt/geom/AffineTransform;)V
java/awt/image/renderable/RenderContext concetenateTransform(Ljava/awt/geom/AffineTransform;)V
java/awt/image/renderable/RenderContext getTransform()Ljava/awt/geom/AffineTransform;
java/awt/image/renderable/RenderContext setAreaOfInterest(Ljava/awt/Shape;)V
java/awt/image/renderable/RenderContext
 getAreaOfInterest()Ljava/awt/Shape;
java/awt/image/renderable/RenderContext clone()Ljava/lang/Object;
class java/awt/image/renderable/RenderableImage java/lang/Object
java/awt/image/renderable/RenderableImage HINTS_OBSERVED
java/awt/image/renderable/RenderableImage getSources()Ljava/util/Vector;
java/awt/image/renderable/RenderableImage getProperty(Ljava/lang/String;)Ljava/lang/Object;
java/awt/image/renderable/RenderableImage getPropertyNames()[Ljava/lang/String;
java/awt/image/renderable/RenderableImage isDynamic()Z
java/awt/image/renderable/RenderableImage getWidth()F
java/awt/image/renderable/RenderableImage getHeight()F
java/awt/image/renderable/RenderableImage getMinX()F
java/awt/image/renderable/RenderableImage getMinY()F
java/awt/image/renderable/RenderableImage
 createScaledRendering(IILjava/awt/RenderingHints;)Ljava/awt/image/RenderedImage;
java/awt/image/renderable/RenderableImage createDefaultRendering()Ljava/awt/image/RenderedImage;
java/awt/image/renderable/RenderableImage
 createRendering(Ljava/awt/image/renderable/RenderContext;)Ljava/awt/image/RenderedImage;
class java/awt/image/renderable/RenderableImageOp java/lang/Object
java/awt/image/renderable/RenderableImageOp paramBlock
java/awt/image/renderable/RenderableImageOp myCRIF
java/awt/image/renderable/RenderableImageOp boundingBox
java/awt/image/renderable/RenderableImageOp
 <init>(Ljava/awt/image/renderable/ContextualRenderedImageFactory;Ljava/awt/image/renderable/ParameterBlock;
)V
java/awt/image/renderable/RenderableImageOp getSources()Ljava/util/Vector;
java/awt/image/renderable/RenderableImageOp getRenderableSources()Ljava/util/Vector;
java/awt/image/renderable/RenderableImageOp getProperty(Ljava/lang/String;)Ljava/lang/Object;
java/awt/image/renderable/RenderableImageOp getPropertyNames()[Ljava/lang/String;
java/awt/image/renderable/RenderableImageOp isDynamic()Z
java/awt/image/renderable/RenderableImageOp getWidth()F
java/awt/image/renderable/RenderableImageOp getHeight()F
java/awt/image/renderable/RenderableImageOp
 getMinX()F
java/awt/image/renderable/RenderableImageOp getMinY()F
java/awt/image/renderable/RenderableImageOp
 setParameterBlock(Ljava/awt/image/renderable/ParameterBlock;)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/RenderableImageOp getParameterBlock()Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/RenderableImageOp
 createScaledRendering(IILjava/awt/RenderingHints;)Ljava/awt/image/RenderedImage;

```

```

java/awt/image/renderable/RenderableImageOp createDefaultRendering()Ljava/awt/image/RenderedImage;
java/awt/image/renderable/RenderableImageOp
createRendering(Ljava/awt/image/renderable/RenderContext;)Ljava/awt/image/RenderedImage;
class java/awt/image/renderable/RenderableImageProducer java/lang/Object
java/awt/image/renderable/RenderableImageProducer rdblImage
java/awt/image/renderable/RenderableImageProducer rc
java/awt/image/renderable/RenderableImageProducer ics
java/awt/image/renderable/RenderableImageProducer
<init>(Ljava/awt/image/renderable/RenderableImage;Ljava/awt/image/renderable/RenderContext;)V
java/awt/image/renderable/RenderableImageProducer
setRenderContext(Ljava/awt/image/renderable/RenderContext;)V
java/awt/image/renderable/RenderableImageProducer addConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/renderable/RenderableImageProducer isConsumer(Ljava/awt/image/ImageConsumer;)Z
java/awt/image/renderable/RenderableImageProducer removeConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/renderable/RenderableImageProducer startProduction(Ljava/awt/image/ImageConsumer;)V
java/awt/image/renderable/RenderableImageProducer
requestTopDownLeftRightResend(Ljava/awt/image/ImageConsumer;)V
java/awt/image/renderable/RenderableImageProducer run()V
class java/awt/image/renderable/RenderedImageFactory java/lang/Object
java/awt/image/renderable/RenderedImageFactory
create(Ljava/awt/image/renderable/ParameterBlock;Ljava/awt/RenderingHints;)Ljava/awt/image/RenderedImage;
class
java/awt/peer/ButtonPeer java/lang/Object
java/awt/peer/ButtonPeer setLabel(Ljava/lang/String;)V
class java/awt/peer/CheckboxMenuItemPeer java/lang/Object
java/awt/peer/CheckboxMenuItemPeer setState(Z)V
class java/awt/peer/CheckboxPeer java/lang/Object
java/awt/peer/CheckboxPeer setState(Z)V
java/awt/peer/CheckboxPeer setCheckboxGroup(Ljava/awt/CheckboxGroup;)V
java/awt/peer/CheckboxPeer setLabel(Ljava/lang/String;)V
class java/awt/peer/ChoicePeer java/lang/Object
java/awt/peer/ChoicePeer add(Ljava/lang/String;I)V
java/awt/peer/ChoicePeer remove(I)V
java/awt/peer/ChoicePeer removeAll()V
java/awt/peer/ChoicePeer select(I)V
java/awt/peer/ChoicePeer addItem(Ljava/lang/String;I)V
class java/awt/peer/ListPeer java/lang/Object
java/awt/peer/ListPeer getSelectedIndexes()[I
java/awt/peer/ListPeer add(Ljava/lang/String;I)V
java/awt/peer/ListPeer delItems(II)V
java/awt/peer/ListPeer removeAll()V
java/awt/peer/ListPeer select(I)V
java/awt/peer/ListPeer deselect(I)V
java/awt/peer/ListPeer
makeVisible(I)V
java/awt/peer/ListPeer setMultipleMode(Z)V
java/awt/peer/ListPeer getPreferredSize()Ljava/awt/Dimension;
java/awt/peer/ListPeer getMinimumSize()Ljava/awt/Dimension;

```

```

java/awt/peer/ListPeer addItem(Ljava/lang/String;I)V
java/awt/peer/ListPeer clear()V
java/awt/peer/ListPeer setMultipleSelections(Z)V
java/awt/peer/ListPeer preferredSize(I)Ljava/awt/Dimension;
java/awt/peer/ListPeer minimumSize(I)Ljava/awt/Dimension;
class java/awt/peer/MenuBarPeer java/lang/Object
java/awt/peer/MenuBarPeer addMenu(Ljava/awt/Menu;)V
java/awt/peer/MenuBarPeer delMenu(I)V
java/awt/peer/MenuBarPeer addHelpMenu(Ljava/awt/Menu;)V
class java/awt/peer/MenuItemPeer java/lang/Object
java/awt/peer/MenuItemPeer setLabel(Ljava/lang/String;)V
java/awt/peer/MenuItemPeer setEnabled(Z)V
java/awt/peer/MenuItemPeer enable()V
java/awt/peer/MenuItemPeer disable()V
class java/awt/peer/MenuPeer java/lang/Object
java/awt/peer/MenuPeer addSeparator()V
java/awt/peer/MenuPeer addItem(Ljava/awt/MenuItem;)V
java/awt/peer/MenuPeer
 delItem(I)V
class java/awt/peer/MouseInfoPeer java/lang/Object
java/awt/peer/MouseInfoPeer fillPointWithCoords(Ljava/awt/Point;)I
java/awt/peer/MouseInfoPeer isWindowUnderMouse(Ljava/awt/Window;)Z
class java/awt/peer/PopupMenuPeer java/lang/Object
java/awt/peer/PopupMenuPeer show(Ljava/awt/Event;)V
class java/awt/peer/RobotPeer java/lang/Object
java/awt/peer/RobotPeer mouseMove(II)V
java/awt/peer/RobotPeer mousePress(I)V
java/awt/peer/RobotPeer mouseRelease(I)V
java/awt/peer/RobotPeer mouseWheel(I)V
java/awt/peer/RobotPeer keyPress(I)V
java/awt/peer/RobotPeer keyRelease(I)V
java/awt/peer/RobotPeer getRGBPixel(II)I
java/awt/peer/RobotPeer getRGBPixels(Ljava/awt/Rectangle;)I
class java/awt/peer/ScrollPanePeer java/lang/Object
java/awt/peer/ScrollPanePeer getHScrollbarHeight()I
java/awt/peer/ScrollPanePeer getVScrollbarWidth()I
java/awt/peer/ScrollPanePeer setScrollPosition(II)V
java/awt/peer/ScrollPanePeer childResized(II)V
java/awt/peer/ScrollPanePeer setUnitIncrement(Ljava/awt/Adjustable;I)V
java/awt/peer/ScrollPanePeer
 setValue(Ljava/awt/Adjustable;I)V
class java/awt/peer/ScrollbarPeer java/lang/Object
java/awt/peer/ScrollbarPeer setValues(III)V
java/awt/peer/ScrollbarPeer setLineIncrement(I)V
java/awt/peer/ScrollbarPeer setPageIncrement(I)V
class java/awt/peer/TextAreaPeer java/lang/Object
java/awt/peer/TextAreaPeer insert(Ljava/lang/String;I)V
java/awt/peer/TextAreaPeer replaceRange(Ljava/lang/String;II)V

```

```

java/awt/peer/TextAreaPeer getPreferredSize(II)Ljava/awt/Dimension;
java/awt/peer/TextAreaPeer getMinimumSize(II)Ljava/awt/Dimension;
java/awt/peer/TextAreaPeer insertText(Ljava/lang/String;I)V
java/awt/peer/TextAreaPeer replaceText(Ljava/lang/String;II)V
java/awt/peer/TextAreaPeer preferredSize(II)Ljava/awt/Dimension;
java/awt/peer/TextAreaPeer minimumSize(II)Ljava/awt/Dimension;
class java/awt/peer/TextComponentPeer java/lang/Object
java/awt/peer/TextComponentPeer setEditable(Z)V
java/awt/peer/TextComponentPeer getText()Ljava/lang/String;
java/awt/peer/TextComponentPeer
 setText(Ljava/lang/String;)V
java/awt/peer/TextComponentPeer getSelectionStart()I
java/awt/peer/TextComponentPeer getSelectionEnd()I
java/awt/peer/TextComponentPeer select(II)V
java/awt/peer/TextComponentPeer setCaretPosition(I)V
java/awt/peer/TextComponentPeer getCaretPosition()I
java/awt/peer/TextComponentPeer getIndexAtPoint(II)I
java/awt/peer/TextComponentPeer getCharacterBounds(I)Ljava/awt/Rectangle;
java/awt/peer/TextComponentPeer filterEvents(J)J
java/awt/peer/TextComponentPeer getInputMethodRequests()Ljava/awt/im/InputMethodRequests;
class java/awt/peer/TextFieldPeer java/lang/Object
java/awt/peer/TextFieldPeer setEchoChar(C)V
java/awt/peer/TextFieldPeer getPreferredSize(I)Ljava/awt/Dimension;
java/awt/peer/TextFieldPeer getMinimumSize(I)Ljava/awt/Dimension;
java/awt/peer/TextFieldPeer setEchoCharacter(C)V
java/awt/peer/TextFieldPeer preferredSize(I)Ljava/awt/Dimension;
java/awt/peer/TextFieldPeer minimumSize(I)Ljava/awt/Dimension;
class java/awt/print/Book$BookPage
 java/lang/Object
java/awt/print/Book$BookPage mFormat
java/awt/print/Book$BookPage mPainter
java/awt/print/Book$BookPage this$0
java/awt/print/Book$BookPage
 <init>(Ljava/awt/print/Book;Ljava/awt/print/Printable;Ljava/awt/print/PageFormat;)V
java/awt/print/Book$BookPage getPrintable()Ljava/awt/print/Printable;
java/awt/print/Book$BookPage getPageFormat()Ljava/awt/print/PageFormat;
class java/awt/print/Book java/lang/Object
java/awt/print/Book mPages
java/awt/print/Book <init>()V
java/awt/print/Book getNumberOfPages()I
java/awt/print/Book getPageFormat(I)Ljava/awt/print/PageFormat;
java/awt/print/Book getPrintable(I)Ljava/awt/print/Printable;
java/awt/print/Book setPage(ILjava/awt/print/Printable;Ljava/awt/print/PageFormat;)V
java/awt/print/Book append(Ljava/awt/print/Printable;Ljava/awt/print/PageFormat;)V
java/awt/print/Book append(Ljava/awt/print/Printable;Ljava/awt/print/PageFormat;I)V
java/awt/print/Book getPage(I)Ljava/awt/print/Book$BookPage;
class java/awt/print/Pageable

```

```

java/lang/Object
java/awt/print/Pageable UNKNOWN_NUMBER_OF_PAGES
java/awt/print/Pageable getNumberOfPages()I
java/awt/print/Pageable getPageFormat(I)Ljava/awt/print/PageFormat;
java/awt/print/Pageable getPrintable(I)Ljava/awt/print/Printable;
class java/awt/print/Paper java/lang/Object
java/awt/print/Paper INCH
java/awt/print/Paper LETTER_WIDTH
java/awt/print/Paper LETTER_HEIGHT
java/awt/print/Paper mHeight
java/awt/print/Paper mWidth
java/awt/print/Paper mImageableArea
java/awt/print/Paper <init>()V
java/awt/print/Paper clone()Ljava/lang/Object;
java/awt/print/Paper getHeight()D
java/awt/print/Paper setSize(DD)V
java/awt/print/Paper getWidth()D
java/awt/print/Paper setImageableArea(DDDD)V
java/awt/print/Paper getImageableX()D
java/awt/print/Paper getImageableY()D
java/awt/print/Paper getImageableWidth()D
java/awt/print/Paper getImageableHeight()D
class java/awt/print/Printable java/lang/Object
java/awt/print/Printable PAGE_EXISTS
java/awt/print/Printable NO_SUCH_PAGE
java/awt/print/Printable
 print(Ljava/awt/Graphics;Ljava/awt/print/PageFormat;I)I
class java/awt/print/PrinterIOException java/awt/print/PrinterException
java/awt/print/PrinterIOException serialVersionUID
java/awt/print/PrinterIOException mException
java/awt/print/PrinterIOException <init>(Ljava/io/IOException;)V
java/awt/print/PrinterIOException getIOException()Ljava/io/IOException;
java/awt/print/PrinterIOException getCause()Ljava/lang/Throwable;
class java/awt/print/PrinterJob$1 java/lang/Object
java/awt/print/PrinterJob$1 <init>()V
java/awt/print/PrinterJob$1 run()Ljava/lang/Object;
class java/beans/AppletInitializer java/lang/Object
java/beans/AppletInitializer initialize(Ljava/applet/Applet;Ljava/beans/beancontext/BeanContext;)V
java/beans/AppletInitializer activate(Ljava/applet/Applet;)V
class java/beans/ArrayPersistenceDelegate java/beans/PersistenceDelegate
java/beans/ArrayPersistenceDelegate <init>()V
java/beans/ArrayPersistenceDelegate mutatesTo(Ljava/lang/Object;Ljava/lang/Object;)Z
java/beans/ArrayPersistenceDelegate
 instantiate(Ljava/lang/Object;Ljava/beans/Encoder;Ljava/beans/Expression;
java/beans/ArrayPersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/Beans$1 java/lang/Object
java/beans/Beans$1 val$loader

```

```

java/beans/Beans$1 val$serName
java/beans/Beans$1 <init>(Ljava/lang/ClassLoader;Ljava/lang/String;)V
java/beans/Beans$1 run(Ljava/lang/Object;
class java/beans/Beans$2 java/lang/Object
java/beans/Beans$2 val$cloader
java/beans/Beans$2 val$resourceName
java/beans/Beans$2 <init>(Ljava/lang/ClassLoader;Ljava/lang/String;)V
java/beans/Beans$2 run(Ljava/lang/Object;
class java/beans/BeansAppletContext java/lang/Object
java/beans/BeansAppletContext target
java/beans/BeansAppletContext imageCache
java/beans/BeansAppletContext <init>(Ljava/applet/Applet;)V
java/beans/BeansAppletContext getAudioClip(Ljava/net/URL;)Ljava/applet/AudioClip;
java/beans/BeansAppletContext getImage(Ljava/net/URL;)Ljava/awt/Image;
java/beans/BeansAppletContext
 getApplet(Ljava/lang/String;)Ljava/applet/Applet;
java/beans/BeansAppletContext getApplets()Ljava/util/Enumeration;
java/beans/BeansAppletContext showDocument(Ljava/net/URL;)V
java/beans/BeansAppletContext showDocument(Ljava/net/URL;Ljava/lang/String;)V
java/beans/BeansAppletContext showStatus(Ljava/lang/String;)V
java/beans/BeansAppletContext setStream(Ljava/lang/String;Ljava/io/InputStream;)V
java/beans/BeansAppletContext getStream(Ljava/lang/String;)Ljava/io/InputStream;
java/beans/BeansAppletContext getStreamKeys()Ljava/util/Iterator;
class java/beans/BeansAppletStub java/lang/Object
java/beans/BeansAppletStub active
java/beans/BeansAppletStub target
java/beans/BeansAppletStub context
java/beans/BeansAppletStub codeBase
java/beans/BeansAppletStub docBase
java/beans/BeansAppletStub
 <init>(Ljava/applet/Applet;Ljava/applet/AppletContext;Ljava/net/URL;Ljava/net/URL;)V
java/beans/BeansAppletStub isActive()Z
java/beans/BeansAppletStub getDocumentBase()Ljava/net/URL;
java/beans/BeansAppletStub
 getCodeBase()Ljava/net/URL;
java/beans/BeansAppletStub getParameter(Ljava/lang/String;)Ljava/lang/String;
java/beans/BeansAppletStub getAppletContext()Ljava/applet/AppletContext;
java/beans/BeansAppletStub appletResize(II)V
class java/beans/Customizer java/lang/Object
java/beans/Customizer setObject(Ljava/lang/Object;)V
java/beans/Customizer addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/beans/Customizer removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
class java/beans/DefaultPersistenceDelegate java/beans/PersistenceDelegate
java/beans/DefaultPersistenceDelegate constructor
java/beans/DefaultPersistenceDelegate definesEquals
java/beans/DefaultPersistenceDelegate <init>()V
java/beans/DefaultPersistenceDelegate <init>([Ljava/lang/String;)V
java/beans/DefaultPersistenceDelegate definesEquals(Ljava/lang/Class;)Z

```

```

java/beans/DefaultPersistenceDelegate definesEquals(Ljava/lang/Object;)Z
java/beans/DefaultPersistenceDelegate
 mutatesTo(Ljava/lang/Object;Ljava/lang/Object;)Z
java/beans/DefaultPersistenceDelegate instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
java/beans/DefaultPersistenceDelegate isTransient(Ljava/lang/Class;Ljava/beans/PropertyDescriptor;)Z
java/beans/DefaultPersistenceDelegate equals(Ljava/lang/Object;Ljava/lang/Object;)Z
java/beans/DefaultPersistenceDelegate
 doProperty(Ljava/lang/Class;Ljava/beans/PropertyDescriptor;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
java/beans/DefaultPersistenceDelegate
 invokeStatement(Ljava/lang/Object;Ljava/lang/String;[Ljava/lang/Object;Ljava/beans/Encoder;)V
java/beans/DefaultPersistenceDelegate
 initBean(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
java/beans/DefaultPersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/Encoder java/lang/Object
java/beans/Encoder bindings
java/beans/Encoder exceptionListener
java/beans/Encoder
 executeStatements
java/beans/Encoder attributes
java/beans/Encoder <init>()V
java/beans/Encoder writeObject(Ljava/lang/Object;)V
java/beans/Encoder setExceptionListener(Ljava/beans/ExceptionListener;)V
java/beans/Encoder getExceptionListener()Ljava/beans/ExceptionListener;
java/beans/Encoder getValue(Ljava/beans/Expression;)Ljava/lang/Object;
java/beans/Encoder getPersistenceDelegate(Ljava/lang/Class;)Ljava/beans/PersistenceDelegate;
java/beans/Encoder setPersistenceDelegate(Ljava/lang/Class;Ljava/beans/PersistenceDelegate;)V
java/beans/Encoder remove(Ljava/lang/Object;)Ljava/lang/Object;
java/beans/Encoder get(Ljava/lang/Object;)Ljava/lang/Object;
java/beans/Encoder writeObject1(Ljava/lang/Object;)Ljava/lang/Object;
java/beans/Encoder cloneStatement(Ljava/beans/Statement;)Ljava/beans/Statement;
java/beans/Encoder writeStatement(Ljava/beans/Statement;)V
java/beans/Encoder writeExpression(Ljava/beans/Expression;)V
java/beans/Encoder clear()V
java/beans/Encoder
 setAttribute(Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/Encoder getAttribute(Ljava/lang/Object;)Ljava/lang/Object;
class java/beans/EventHandler$1 java/lang/Object
java/beans/EventHandler$1 val$proxy
java/beans/EventHandler$1 val$method
java/beans/EventHandler$1 val$arguments
java/beans/EventHandler$1 this$0
java/beans/EventHandler$1
 <init>(Ljava/beans/EventHandler;Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)V
java/beans/EventHandler$1 run()Ljava/lang/Object;
class java/beans/EventHandler java/lang/Object
java/beans/EventHandler empty

```

```

java/beans/EventHandler target
java/beans/EventHandler targetMethod
java/beans/EventHandler action
java/beans/EventHandler eventPropertyName
java/beans/EventHandler listenerMethodName
java/beans/EventHandler acc
java/beans/EventHandler <init>(Ljava/lang/Object;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/beans/EventHandler getTarget()Ljava/lang/Object;
java/beans/EventHandler getAction()Ljava/lang/String;
java/beans/EventHandler
 getEventPropertyName()Ljava/lang/String;
java/beans/EventHandler getListenerMethodName()Ljava/lang/String;
java/beans/EventHandler applyGetters(Ljava/lang/Object;Ljava/lang/String;)Ljava/lang/Object;
java/beans/EventHandler
 invoke(Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/Object;
java/beans/EventHandler
 invokeInternal(Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/Object;
java/beans/EventHandler create(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/String;)Ljava/lang/Object;
java/beans/EventHandler
 create(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/String;Ljava/lang/String;)Ljava/lang/Object;
java/beans/EventHandler
 create(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/lang/Object;
;
java/beans/EventHandler
 access$000(Ljava/beans/EventHandler;Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/
 Object;
java/beans/EventHandler <clinit>()V
class
 java/beans/ExceptionListener java/lang/Object
java/beans/ExceptionListener exceptionThrown(Ljava/lang/Exception;)V
class java/beans/Expression java/beans/Statement
java/beans/Expression unbound
java/beans/Expression value
java/beans/Expression <init>(Ljava/lang/Object;Ljava/lang/String;[Ljava/lang/Object;)V
java/beans/Expression <init>(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/String;[Ljava/lang/Object;)V
java/beans/Expression getValue()Ljava/lang/Object;
java/beans/Expression setValue(Ljava/lang/Object;)V
java/beans/Expression instanceName(Ljava/lang/Object;)Ljava/lang/String;
java/beans/Expression toString()Ljava/lang/String;
java/beans/Expression <clinit>()V
class java/beans/IndexedPropertyChangeEvent java/beans/PropertyChangeEvent
java/beans/IndexedPropertyChangeEvent index
java/beans/IndexedPropertyChangeEvent
 <init>(Ljava/lang/Object;Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)I)V
java/beans/IndexedPropertyChangeEvent getIndex()I
class java/beans/MetaData
 java/lang/Object
java/beans/MetaData internalPersistenceDelegates

```



```

java/beans/MetaData transientProperties
java/beans/MetaData nullPersistenceDelegate
java/beans/MetaData primitivePersistenceDelegate
java/beans/MetaData defaultPersistenceDelegate
java/beans/MetaData arrayPersistenceDelegate
java/beans/MetaData proxyPersistenceDelegate
java/beans/MetaData <init>()V
java/beans/MetaData equals(Ljava/lang/Object;Ljava/lang/Object;)Z
java/beans/MetaData setPersistenceDelegate(Ljava/lang/Class;Ljava/beans/PersistenceDelegate;)V
java/beans/MetaData getPersistenceDelegate(Ljava/lang/Class;)Ljava/beans/PersistenceDelegate;
java/beans/MetaData getBeanInfo(Ljava/lang/Class;)Ljava/beans/BeanInfo;
java/beans/MetaData getPropertyDescriptor(Ljava/lang/Class;Ljava/lang/String;)Ljava/beans/PropertyDescriptor;
java/beans/MetaData
setPropertyAttribute(Ljava/lang/Class;Ljava/lang/String;Ljava/lang/String;Ljava/lang/Object;)V
java/beans/MetaData setBeanAttribute(Ljava/lang/Class;Ljava/lang/String;Ljava/lang/Object;)V
java/beans/MetaData
getBeanAttribute(Ljava/lang/Class;Ljava/lang/String;)Ljava/lang/Object;
java/beans/MetaData registerConstructor(Ljava/lang/String;[Ljava/lang/String;)V
java/beans/MetaData removeProperty(Ljava/lang/String;Ljava/lang/String;)V
java/beans/MetaData <clinit>()V
class java/beans/NullPersistenceDelegate java/beans/PersistenceDelegate
java/beans/NullPersistenceDelegate <init>()V
java/beans/NullPersistenceDelegate
initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
java/beans/NullPersistenceDelegate instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
java/beans/NullPersistenceDelegate writeObject(Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/ObjectInputStreamWithLoader java/io/ObjectInputStream
java/beans/ObjectInputStreamWithLoader loader
java/beans/ObjectInputStreamWithLoader <init>(Ljava/io/InputStream;Ljava/lang/ClassLoader;)V
java/beans/ObjectInputStreamWithLoader primitiveType(C)Ljava/lang/Class;
java/beans/ObjectInputStreamWithLoader
resolveClass(Ljava/io/ObjectStreamClass;)Ljava/lang/Class;
class java/beans/ParameterDescriptor java/beans/FeatureDescriptor
java/beans/ParameterDescriptor <init>()V
java/beans/ParameterDescriptor <init>(Ljava/beans/ParameterDescriptor;)V
class java/beans/PersistenceDelegate java/lang/Object
java/beans/PersistenceDelegate <init>()V
java/beans/PersistenceDelegate writeObject(Ljava/lang/Object;Ljava/beans/Encoder;)V
java/beans/PersistenceDelegate mutatesTo(Ljava/lang/Object;Ljava/lang/Object;)Z
java/beans/PersistenceDelegate instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
java/beans/PersistenceDelegate
initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/PrimitivePersistenceDelegate java/beans/PersistenceDelegate
java/beans/PrimitivePersistenceDelegate <init>()V
java/beans/PrimitivePersistenceDelegate mutatesTo(Ljava/lang/Object;Ljava/lang/Object;)Z
java/beans/PrimitivePersistenceDelegate
instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/ProxyPersistenceDelegate java/beans/PersistenceDelegate

```

```

java/beans/ProxyPersistenceDelegate <init>()V
java/beans/ProxyPersistenceDelegate instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/ReflectionUtils$Signature java/lang/Object
java/beans/ReflectionUtils$Signature targetClass
java/beans/ReflectionUtils$Signature methodName
java/beans/ReflectionUtils$Signature argClasses
java/beans/ReflectionUtils$Signature hashCode
java/beans/ReflectionUtils$Signature <init>(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;)V
java/beans/ReflectionUtils$Signature equals(Ljava/lang/Object;)Z
java/beans/ReflectionUtils$Signature hashCode()I
class java/beans/ReflectionUtils java/lang/Object
java/beans/ReflectionUtils methodCacheRef
java/beans/ReflectionUtils <init>()V
java/beans/ReflectionUtils typeToClass(Ljava/lang/Class;)Ljava/lang/Class;
java/beans/ReflectionUtils
 isPrimitive(Ljava/lang/Class;)Z
java/beans/ReflectionUtils primitiveTypeFor(Ljava/lang/Class;)Ljava/lang/Class;
java/beans/ReflectionUtils matchArguments([Ljava/lang/Class;[Ljava/lang/Class;)Z
java/beans/ReflectionUtils matchExplicitArguments([Ljava/lang/Class;[Ljava/lang/Class;)Z
java/beans/ReflectionUtils matchArguments(Ljava/lang/Class;[Ljava/lang/Class;Z)Z
java/beans/ReflectionUtils
 getPublicMethod(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/beans/ReflectionUtils
 findPublicMethod(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/beans/ReflectionUtils getMostSpecificMethod(Ljava/util/List;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/beans/ReflectionUtils
 findMethod(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/beans/ReflectionUtils
 getMethod(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/beans/ReflectionUtils
 getConstructor(Ljava/lang/Class;[Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/beans/ReflectionUtils
 getPrivateField(Ljava/lang/Object;Ljava/lang/Class;Ljava/lang/String;)Ljava/lang/Object;
java/beans/ReflectionUtils
 getPrivateField(Ljava/lang/Object;Ljava/lang/Class;Ljava/lang/String;Ljava/beans/ExceptionListener;)Ljava/lang/O
bject;
class java/beans/SimpleBeanInfo$1 java/lang/Object
java/beans/SimpleBeanInfo$1 val$c
java/beans/SimpleBeanInfo$1 val$resourceName
java/beans/SimpleBeanInfo$1 this$0
java/beans/SimpleBeanInfo$1 <init>(Ljava/beans/SimpleBeanInfo;Ljava/lang/Class;Ljava/lang/String;)V
java/beans/SimpleBeanInfo$1 run(Ljava/lang/Object;
class java/beans/Statement$1 java/lang/Object
java/beans/Statement$1 <init>()V
java/beans/Statement$1 exceptionThrown(Ljava/lang/Exception;)V
class java/beans/Statement java/lang/Object
java/beans/Statement emptyArray
java/beans/Statement defaultExceptionListener

```

```

java/beans/Statement target
java/beans/Statement methodName
java/beans/Statement
arguments
java/beans/Statement <init>(Ljava/lang/Object;Ljava/lang/String;[Ljava/lang/Object;)V
java/beans/Statement getTarget()Ljava/lang/Object;
java/beans/Statement getMethodName()Ljava/lang/String;
java/beans/Statement getArguments()[Ljava/lang/Object;
java/beans/Statement execute()V
java/beans/Statement invoke()Ljava/lang/Object;
java/beans/Statement instanceName(Ljava/lang/Object;)Ljava/lang/String;
java/beans/Statement toString()Ljava/lang/String;
java/beans/Statement <clinit>()V
class java/beans/StaticFieldsPersistenceDelegate java/beans/PersistenceDelegate
java/beans/StaticFieldsPersistenceDelegate <init>()V
java/beans/StaticFieldsPersistenceDelegate installFields(Ljava/beans/Encoder;Ljava/lang/Class;)V
java/beans/StaticFieldsPersistenceDelegate
instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
java/beans/StaticFieldsPersistenceDelegate writeObject(Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/VetoableChangeListenerProxy
java/util/EventListenerProxy
java/beans/VetoableChangeListenerProxy propertyName
java/beans/VetoableChangeListenerProxy <init>(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/beans/VetoableChangeListenerProxy vetoableChange(Ljava/beans/PropertyChangeEvent;)V
java/beans/VetoableChangeListenerProxy getPropertyName()Ljava/lang/String;
class java/beans/XMLDecoder java/lang/Object
java/beans/XMLDecoder in
java/beans/XMLDecoder owner
java/beans/XMLDecoder exceptionListener
java/beans/XMLDecoder handler
java/beans/XMLDecoder cref
java/beans/XMLDecoder <init>(Ljava/io/InputStream;)V
java/beans/XMLDecoder <init>(Ljava/io/InputStream;Ljava/lang/Object;)V
java/beans/XMLDecoder <init>(Ljava/io/InputStream;Ljava/lang/Object;Ljava/beans/ExceptionListener;)V
java/beans/XMLDecoder
<init>(Ljava/io/InputStream;Ljava/lang/Object;Ljava/beans/ExceptionListener;Ljava/lang/ClassLoader;)V
java/beans/XMLDecoder setClassLoader(Ljava/lang/ClassLoader;)V
java/beans/XMLDecoder getClassLoader()Ljava/lang/ClassLoader;
java/beans/XMLDecoder
close()V
java/beans/XMLDecoder setExceptionListener(Ljava/beans/ExceptionListener;)V
java/beans/XMLDecoder getExceptionListener()Ljava/beans/ExceptionListener;
java/beans/XMLDecoder readObject()Ljava/lang/Object;
java/beans/XMLDecoder setOwner(Ljava/lang/Object;)V
java/beans/XMLDecoder getOwner()Ljava/lang/Object;
class java/beans/XMLEncoder$1 java/lang/Object
class java/beans/XMLEncoder$ValueData java/lang/Object
java/beans/XMLEncoder$ValueData refs

```

```

java/beans/XMLEncoder$ValueData marked
java/beans/XMLEncoder$ValueData name
java/beans/XMLEncoder$ValueData exp
java/beans/XMLEncoder$ValueData this$0
java/beans/XMLEncoder$ValueData <init>(Ljava/beans/XMLEncoder;)V
java/beans/XMLEncoder$ValueData <init>(Ljava/beans/XMLEncoder;Ljava/beans/XMLEncoder$1;)V
class java/beans/XMLEncoder java/beans/Encoder
java/beans/XMLEncoder encoding
java/beans/XMLEncoder out
java/beans/XMLEncoder owner
java/beans/XMLEncoder indentation
java/beans/XMLEncoder internal
java/beans/XMLEncoder
 valueToExpression
java/beans/XMLEncoder targetToStatementList
java/beans/XMLEncoder preambleWritten
java/beans/XMLEncoder nameGenerator
java/beans/XMLEncoder <init>(Ljava/io/OutputStream;)V
java/beans/XMLEncoder setOwner(Ljava/lang/Object;)V
java/beans/XMLEncoder getOwner(Ljava/lang/Object;
java/beans/XMLEncoder writeObject(Ljava/lang/Object;)V
java/beans/XMLEncoder statementList(Ljava/lang/Object;)Ljava/util/Vector;
java/beans/XMLEncoder mark(Ljava/lang/Object;Z)V
java/beans/XMLEncoder mark(Ljava/beans/Statement;)V
java/beans/XMLEncoder writeStatement(Ljava/beans/Statement;)V
java/beans/XMLEncoder writeExpression(Ljava/beans/Expression;)V
java/beans/XMLEncoder flush()V
java/beans/XMLEncoder clear()V
java/beans/XMLEncoder close()V
java/beans/XMLEncoder quote(Ljava/lang/String;)Ljava/lang/String;
java/beans/XMLEncoder getValueData(Ljava/lang/Object;)Ljava/beans/XMLEncoder$ValueData;
java/beans/XMLEncoder quoteCharacters(Ljava/lang/String;)Ljava/lang/String;
java/beans/XMLEncoder
 writeln(Ljava/lang/String;)V
java/beans/XMLEncoder outputValue(Ljava/lang/Object;Ljava/lang/Object;Z)V
java/beans/XMLEncoder outputStatement(Ljava/beans/Statement;Ljava/lang/Object;Z)V
java/beans/XMLEncoder <clinit>()V
class java/beans/beancontext/BeanContextChildComponentProxy java/lang/Object
java/beans/beancontext/BeanContextChildComponentProxy getComponent(Ljava/awt/Component;
class java/beans/beancontext/BeanContextContainerProxy java/lang/Object
java/beans/beancontext/BeanContextContainerProxy getContainer(Ljava/awt/Container;
class java/beans/beancontext/BeanContextMembershipListener java/lang/Object
java/beans/beancontext/BeanContextMembershipListener
 childrenAdded(Ljava/beans/beancontext/BeanContextMembershipEvent;)V
java/beans/beancontext/BeanContextMembershipListener
 childrenRemoved(Ljava/beans/beancontext/BeanContextMembershipEvent;)V
class java/beans/beancontext/BeanContextServiceAvailableEvent java/beans/beancontext/BeanContextEvent
java/beans/beancontext/BeanContextServiceAvailableEvent

```

```

serviceClass
java/beans/beancontext/BeanContextServiceAvailableEvent
<init>(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Class;)V
java/beans/beancontext/BeanContextServiceAvailableEvent
getSourceAsBeanContextServices()Ljava/beans/beancontext/BeanContextServices;
java/beans/beancontext/BeanContextServiceAvailableEvent getServiceClass()Ljava/lang/Class;
java/beans/beancontext/BeanContextServiceAvailableEvent getCurrentServiceSelectors()Ljava/util/Iterator;
class java/beans/beancontext/BeanContextServiceProvider java/lang/Object
java/beans/beancontext/BeanContextServiceProvider
getService(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Object;Ljava/lang/Class;Ljava/lang/Object;)L
java/lang/Object;
java/beans/beancontext/BeanContextServiceProvider
releaseService(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextServiceProvider
getCurrentServiceSelectors(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Class;)Ljava/util/Iterator;
class
java/beans/beancontext/BeanContextServiceProviderBeanInfo java/lang/Object
java/beans/beancontext/BeanContextServiceProviderBeanInfo getServicesBeanInfo()[Ljava/beans/BeanInfo;
class java/beans/beancontext/BeanContextServiceRevokedEvent java/beans/beancontext/BeanContextEvent
java/beans/beancontext/BeanContextServiceRevokedEvent serviceClass
java/beans/beancontext/BeanContextServiceRevokedEvent invalidateRefs
java/beans/beancontext/BeanContextServiceRevokedEvent
<init>(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Class;Z)V
java/beans/beancontext/BeanContextServiceRevokedEvent
getSourceAsBeanContextServices()Ljava/beans/beancontext/BeanContextServices;
java/beans/beancontext/BeanContextServiceRevokedEvent getServiceClass()Ljava/lang/Class;
java/beans/beancontext/BeanContextServiceRevokedEvent isServiceClass(Ljava/lang/Class;)Z
java/beans/beancontext/BeanContextServiceRevokedEvent isCurrentServiceInvalidNow()Z
class
java/beans/beancontext/BeanContextServices java/lang/Object
java/beans/beancontext/BeanContextServices
addService(Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceProvider;)Z
java/beans/beancontext/BeanContextServices
revokeService(Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceProvider;Z)V
java/beans/beancontext/BeanContextServices hasService(Ljava/lang/Class;)Z
java/beans/beancontext/BeanContextServices
getService(Ljava/beans/beancontext/BeanContextChild;Ljava/lang/Object;Ljava/lang/Class;Ljava/lang/Object;Ljava
/beans/beancontext/BeanContextServiceRevokedListener;)Ljava/lang/Object;
java/beans/beancontext/BeanContextServices
releaseService(Ljava/beans/beancontext/BeanContextChild;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextServices getCurrentServiceClasses()Ljava/util/Iterator;
java/beans/beancontext/BeanContextServices getCurrentServiceSelectors(Ljava/lang/Class;)Ljava/util/Iterator;
java/beans/beancontext/BeanContextServices
addBeanContextServicesListener(Ljava/beans/beancontext/BeanContextServicesListener;)V
java/beans/beancontext/BeanContextServices
removeBeanContextServicesListener(Ljava/beans/beancontext/BeanContextServicesListener;)V
class java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef java/lang/Object
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef serviceClass

```

```

java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef serviceProvider
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef serviceRefs
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef delegateProvider
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef delegateRefs
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef requestors
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef this$1
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
<init>(Ljava/beans/beancontext/BeanContextServicesSupport$BCSSChild;Ljava/lang/Class;Ljava/beans/beancon
xt/BeanContextServiceProvider;Z)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
addRequestor(Ljava/lang/Object;Ljava/beans/beancontext/BeanContextServiceRevokedListener;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
removeRequestor(Ljava/lang/Object;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
verifyRequestor(Ljava/lang/Object;Ljava/beans/beancontext/BeanContextServiceRevokedListener;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
verifyAndMaybeSetProvider(Ljava/beans/beancontext/BeanContextServiceProvider;Z)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
cloneOfEntries()Ljava/util/Iterator;
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
entries()Ljava/util/Iterator;
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef isEmpty()Z
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
getServiceClass()Ljava/lang/Class;
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
getServiceProvider()Ljava/beans/beancontext/BeanContextServiceProvider;
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
getDelegateProvider()Ljava/beans/beancontext/BeanContextServiceProvider;
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef isDelegated()Z
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef addRef(Z)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef releaseRef(Z)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef getRefs()I
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
getDelegateRefs()I
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef getServiceRefs()I
class java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef java/lang/Object
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef serviceClassRef
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef refCnt
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef delegated
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef this$1
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef
<init>(Ljava/beans/beancontext/BeanContextServicesSupport$BCSSChild;Ljava/beans/beancontext/BeanContextSe
rvicesSupport$BCSSChild$BCSSServiceClassRef;Z)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef addRef()V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef release()I
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef
getServiceClassRef()Ljava/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef;
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef isDelegated()Z

```

```

class java/beans/beancontext/BeanContextServicesSupport$BCSSChild
java/beans/beancontext/BeanContextSupport$BCSSChild
java/beans/beancontext/BeanContextServicesSupport$BCSSChild serialVersionUID
java/beans/beancontext/BeanContextServicesSupport$BCSSChild serviceClasses
java/beans/beancontext/BeanContextServicesSupport$BCSSChild serviceRequestors
java/beans/beancontext/BeanContextServicesSupport$BCSSChild this$0
java/beans/beancontext/BeanContextServicesSupport$BCSSChild
<init>(Ljava/beans/beancontext/BeanContextServicesSupport;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild
usingService(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceP
rovider;ZLjava/beans/beancontext/BeanContextServiceRevokedListener;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild
releaseService(Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild revokeService(Ljava/lang/Class;ZZ)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild cleanupReferences()V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild revokeAllDelegatedServicesNow()V
class java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider java/lang/Object
java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider nestingCtxt
java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider this$0
java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider
<init>(Ljava/beans/beancontext/BeanContextServicesSupport;Ljava/beans/beancontext/BeanContextServices;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider
getService(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Object;Ljava/lang/Class;Ljava/lang/Object;)L
java/lang/Object;
java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider
releaseService(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider
getCurrentServiceSelectors(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Class;)Ljava/util/Iterator;
java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider
serviceRevoked(Ljava/beans/beancontext/BeanContextServiceRevokedEvent;)V
class java/beans/beancontext/BeanContextServicesSupport$BCSSServiceProvider java/lang/Object
java/beans/beancontext/BeanContextServicesSupport$BCSSServiceProvider serviceProvider
java/beans/beancontext/BeanContextServicesSupport$BCSSServiceProvider
<init>(Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceProvider;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSServiceProvider
getServiceProvider()Ljava/beans/beancontext/BeanContextServiceProvider;
class java/beans/beancontext/BeanContextServicesSupport java/beans/beancontext/BeanContextSupport
java/beans/beancontext/BeanContextServicesSupport services
java/beans/beancontext/BeanContextServicesSupport serializable
java/beans/beancontext/BeanContextServicesSupport proxy
java/beans/beancontext/BeanContextServicesSupport bcsListeners
java/beans/beancontext/BeanContextServicesSupport
<init>(Ljava/beans/beancontext/BeanContextServices;Ljava/util/Locale;ZZ)V
java/beans/beancontext/BeanContextServicesSupport
<init>(Ljava/beans/beancontext/BeanContextServices;Ljava/util/Locale;Z)V
java/beans/beancontext/BeanContextServicesSupport
<init>(Ljava/beans/beancontext/BeanContextServices;Ljava/util/Locale;)V
java/beans/beancontext/BeanContextServicesSupport <init>(Ljava/beans/beancontext/BeanContextServices;)V

```

```

java/beans/beancontext/BeanContextServicesSupport <init>()V
java/beans/beancontext/BeanContextServicesSupport
 initialize()V
java/beans/beancontext/BeanContextServicesSupport
 getBeanContextServicesPeer()Ljava/beans/beancontext/BeanContextServices;
java/beans/beancontext/BeanContextServicesSupport
 createBCSChild(Ljava/lang/Object;Ljava/lang/Object;)Ljava/beans/beancontext/BeanContextSupport$BCSChild;
java/beans/beancontext/BeanContextServicesSupport
 createBCSSServiceProvider(Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceProvider;)Ljava/beans/b
 eancontext/BeanContextServicesSupport$BCSSServiceProvider;
java/beans/beancontext/BeanContextServicesSupport
 addBeanContextServicesListener(Ljava/beans/beancontext/BeanContextServicesListener;)V
java/beans/beancontext/BeanContextServicesSupport
 removeBeanContextServicesListener(Ljava/beans/beancontext/BeanContextServicesListener;)V
java/beans/beancontext/BeanContextServicesSupport
 addService(Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceProvider;)Z
java/beans/beancontext/BeanContextServicesSupport
 addService(Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceProvider;Z)Z
java/beans/beancontext/BeanContextServicesSupport
 revokeService(Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceProvider;Z)V
java/beans/beancontext/BeanContextServicesSupport hasService(Ljava/lang/Class;)Z
java/beans/beancontext/BeanContextServicesSupport
 getService(Ljava/beans/beancontext/BeanContextChild;Ljava/lang/Object;Ljava/lang/Class;Ljava/lang/Object;Ljava
 /beans/beancontext/BeanContextServiceRevokedListener;)Ljava/lang/Object;
java/beans/beancontext/BeanContextServicesSupport
 releaseService(Ljava/beans/beancontext/BeanContextChild;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextServicesSupport getCurrentServiceClasses()Ljava/util/Iterator;
java/beans/beancontext/BeanContextServicesSupport
 getCurrentServiceSelectors(Ljava/lang/Class;)Ljava/util/Iterator;
java/beans/beancontext/BeanContextServicesSupport
 serviceAvailable(Ljava/beans/beancontext/BeanContextServiceAvailableEvent;)V
java/beans/beancontext/BeanContextServicesSupport
 serviceRevoked(Ljava/beans/beancontext/BeanContextServiceRevokedEvent;)V
java/beans/beancontext/BeanContextServicesSupport
 getChildBeanContextServicesListener(Ljava/lang/Object;)Ljava/beans/beancontext/BeanContextServicesListener;
java/beans/beancontext/BeanContextServicesSupport
 childJustRemovedHook(Ljava/lang/Object;Ljava/beans/beancontext/BeanContextSupport$BCSChild;)V
java/beans/beancontext/BeanContextServicesSupport releaseBeanContextResources()V
java/beans/beancontext/BeanContextServicesSupport initializeBeanContextResources()V
java/beans/beancontext/BeanContextServicesSupport fireServiceAdded(Ljava/lang/Class;)V
java/beans/beancontext/BeanContextServicesSupport
 fireServiceAdded(Ljava/beans/beancontext/BeanContextServiceAvailableEvent;)V
java/beans/beancontext/BeanContextServicesSupport
 fireServiceRevoked(Ljava/beans/beancontext/BeanContextServiceRevokedEvent;)V
java/beans/beancontext/BeanContextServicesSupport fireServiceRevoked(Ljava/lang/Class;Z)V
java/beans/beancontext/BeanContextServicesSupport
 bcsPreSerializationHook(Ljava/io/ObjectOutputStream;)V
java/beans/beancontext/BeanContextServicesSupport bcsPreDeserializationHook(Ljava/io/ObjectInputStream;)V

```



```

java/beans/beancontext/BeanContextServicesSupport writeObject(Ljava/io/ObjectOutputStream;)V
java/beans/beancontext/BeanContextServicesSupport readObject(Ljava/io/ObjectInputStream;)V
class java/beans/beancontext/BeanContextSupport$BCSIterator java/lang/Object
java/beans/beancontext/BeanContextSupport$BCSIterator src
java/beans/beancontext/BeanContextSupport$BCSIterator <init>(Ljava/util/Iterator;)V
java/beans/beancontext/BeanContextSupport$BCSIterator hasNext()Z
java/beans/beancontext/BeanContextSupport$BCSIterator next()Ljava/lang/Object;
java/beans/beancontext/BeanContextSupport$BCSIterator remove()V
class java/beans/java_awt_BorderLayout_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_BorderLayout_PersistenceDelegate <init>()V
java/beans/java_awt_BorderLayout_PersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_CardLayout_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_CardLayout_PersistenceDelegate <init>()V
java/beans/java_awt_CardLayout_PersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_Choice_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_Choice_PersistenceDelegate <init>()V
java/beans/java_awt_Choice_PersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_Component_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_Component_PersistenceDelegate <init>()V
java/beans/java_awt_Component_PersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class
 java/beans/java_awt_Container_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_Container_PersistenceDelegate <init>()V
java/beans/java_awt_Container_PersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_GridBagLayout_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_GridBagLayout_PersistenceDelegate <init>()V
java/beans/java_awt_GridBagLayout_PersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_List_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_List_PersistenceDelegate <init>()V
java/beans/java_awt_List_PersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_MenuBar_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_MenuBar_PersistenceDelegate
 <init>()V
java/beans/java_awt_MenuBar_PersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_MenuShortcut_PersistenceDelegate java/beans/PersistenceDelegate
java/beans/java_awt_MenuShortcut_PersistenceDelegate <init>()V
java/beans/java_awt_MenuShortcut_PersistenceDelegate
 instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/java_awt_Menu_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_Menu_PersistenceDelegate <init>()V

```

```

java/beans/java_awt_Menu_PersistenceDelegate
initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_SystemColor_PersistenceDelegate java/beans/StaticFieldsPersistenceDelegate
java/beans/java_awt_SystemColor_PersistenceDelegate <init>()V
class java/beans/java_awt_font_TextAttribute_PersistenceDelegate java/beans/StaticFieldsPersistenceDelegate
java/beans/java_awt_font_TextAttribute_PersistenceDelegate
<init>()V
class java/beans/java_beans_beancontext_BeanContextSupport_PersistenceDelegate
java/beans/java_util_Collection_PersistenceDelegate
java/beans/java_beans_beancontext_BeanContextSupport_PersistenceDelegate <init>()V
class java/beans/java_lang_Class_PersistenceDelegate java/beans/PersistenceDelegate
java/beans/java_lang_Class_PersistenceDelegate <init>()V
java/beans/java_lang_Class_PersistenceDelegate
instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/java_lang_String_PersistenceDelegate java/beans/PersistenceDelegate
java/beans/java_lang_String_PersistenceDelegate <init>()V
java/beans/java_lang_String_PersistenceDelegate
instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
java/beans/java_lang_String_PersistenceDelegate writeObject(Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_lang_reflect_Field_PersistenceDelegate java/beans/PersistenceDelegate
java/beans/java_lang_reflect_Field_PersistenceDelegate
<init>()V
java/beans/java_lang_reflect_Field_PersistenceDelegate
instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/java_lang_reflect_Method_PersistenceDelegate java/beans/PersistenceDelegate
java/beans/java_lang_reflect_Method_PersistenceDelegate <init>()V
java/beans/java_lang_reflect_Method_PersistenceDelegate
instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/java_util_AbstractCollection_PersistenceDelegate
java/beans/java_util_Collection_PersistenceDelegate
java/beans/java_util_AbstractCollection_PersistenceDelegate <init>()V
class java/beans/java_util_AbstractList_PersistenceDelegate java/beans/java_util_List_PersistenceDelegate
java/beans/java_util_AbstractList_PersistenceDelegate <init>()V
class java/beans/java_util_AbstractMap_PersistenceDelegate java/beans/java_util_Map_PersistenceDelegate
java/beans/java_util_AbstractMap_PersistenceDelegate <init>()V
class
java/beans/java_util_Collection_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_util_Collection_PersistenceDelegate <init>()V
java/beans/java_util_Collection_PersistenceDelegate
initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_util_HashTable_PersistenceDelegate java/beans/java_util_Map_PersistenceDelegate
java/beans/java_util_HashTable_PersistenceDelegate <init>()V
class java/beans/java_util_List_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_util_List_PersistenceDelegate <init>()V
java/beans/java_util_List_PersistenceDelegate
initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_util_Map_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_util_Map_PersistenceDelegate <init>()V

```

```

java/beans/java_util_Map_PersistenceDelegate
initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class
 java/beans/javax_swing_Box_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/javax_swing_Box_PersistenceDelegate <init>()V
java/beans/javax_swing_Box_PersistenceDelegate
 instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/javax_swing_DefaultComboBoxModel_PersistenceDelegate
java/beans/DefaultPersistenceDelegate
java/beans/javax_swing_DefaultComboBoxModel_PersistenceDelegate <init>()V
java/beans/javax_swing_DefaultComboBoxModel_PersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/javax_swing_DefaultListModel_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/javax_swing_DefaultListModel_PersistenceDelegate <init>()V
java/beans/javax_swing_DefaultListModel_PersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/javax_swing_JFrame_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/javax_swing_JFrame_PersistenceDelegate
 <init>()V
java/beans/javax_swing_JFrame_PersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/javax_swing_JMenu_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/javax_swing_JMenu_PersistenceDelegate <init>()V
java/beans/javax_swing_JMenu_PersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/javax_swing_JTabbedPane_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/javax_swing_JTabbedPane_PersistenceDelegate <init>()V
java/beans/javax_swing_JTabbedPane_PersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/javax_swing_ToolTipManager_PersistenceDelegate java/beans/PersistenceDelegate
java/beans/javax_swing_ToolTipManager_PersistenceDelegate <init>()V
java/beans/javax_swing_ToolTipManager_PersistenceDelegate
 instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/javax_swing_tree_DefaultMutableTreeNode_PersistenceDelegate
java/beans/DefaultPersistenceDelegate
java/beans/javax_swing_tree_DefaultMutableTreeNode_PersistenceDelegate <init>()V
java/beans/javax_swing_tree_DefaultMutableTreeNode_PersistenceDelegate
 initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/io/CharArrayReader java/io/Reader
java/io/CharArrayReader buf
java/io/CharArrayReader pos
java/io/CharArrayReader markedPos
java/io/CharArrayReader count
java/io/CharArrayReader <init>([C)V
java/io/CharArrayReader <init>([CII)V
java/io/CharArrayReader ensureOpen()V
java/io/CharArrayReader read()I
java/io/CharArrayReader read([CII)I

```

```

java/io/CharArrayReader skip(J)J
java/io/CharArrayReader ready()Z
java/io/CharArrayReader markSupported()Z
java/io/CharArrayReader mark(I)V
java/io/CharArrayReader reset()V
java/io/CharArrayReader
 close()V
class java/io/FilterWriter java/io/Writer
java/io/FilterWriter out
java/io/FilterWriter <init>(Ljava/io/Writer;)V
java/io/FilterWriter write(I)V
java/io/FilterWriter write([CII)V
java/io/FilterWriter write(Ljava/lang/String;II)V
java/io/FilterWriter flush()V
java/io/FilterWriter close()V
class java/io/LineNumberInputStream java/io/FilterInputStream
java/io/LineNumberInputStream pushBack
java/io/LineNumberInputStream lineNumber
java/io/LineNumberInputStream markLineNumber
java/io/LineNumberInputStream markPushBack
java/io/LineNumberInputStream <init>(Ljava/io/InputStream;)V
java/io/LineNumberInputStream read()I
java/io/LineNumberInputStream read([BII)I
java/io/LineNumberInputStream skip(J)J
java/io/LineNumberInputStream setLineNumber(I)V
java/io/LineNumberInputStream getLineNumber()I
java/io/LineNumberInputStream available()I
java/io/LineNumberInputStream mark(I)V
java/io/LineNumberInputStream reset()V
class java/io/LineNumberReader java/io/BufferedReader
java/io/LineNumberReader
 lineNumber
java/io/LineNumberReader markedLineNumber
java/io/LineNumberReader skipLF
java/io/LineNumberReader markedSkipLF
java/io/LineNumberReader maxSkipBufferSize
java/io/LineNumberReader skipBuffer
java/io/LineNumberReader <init>(Ljava/io/Reader;)V
java/io/LineNumberReader <init>(Ljava/io/Reader;I)V
java/io/LineNumberReader setLineNumber(I)V
java/io/LineNumberReader getLineNumber()I
java/io/LineNumberReader read()I
java/io/LineNumberReader read([CII)I
java/io/LineNumberReader readLine()Ljava/lang/String;
java/io/LineNumberReader skip(J)J
java/io/LineNumberReader mark(I)V
java/io/LineNumberReader reset()V
class java/io/NotActiveException java/io/ObjectStreamException

```

```

java/io/NotActiveException <init>(Ljava/lang/String;)V
java/io/NotActiveException <init>()V
class java/io/ObjectInputStream$Caches java/lang/Object
java/io/ObjectInputStream$Caches subclassAudits
java/io/ObjectInputStream$Caches subclassAuditsQueue
java/io/ObjectInputStream$Caches <init>()V
java/io/ObjectInputStream$Caches
 <clinit>()V
class java/io/ObjectInputStream$CallbackContext java/lang/Object
java/io/ObjectInputStream$CallbackContext obj
java/io/ObjectInputStream$CallbackContext desc
java/io/ObjectInputStream$CallbackContext used
java/io/ObjectInputStream$CallbackContext <init>(Ljava/lang/Object;Ljava/io/ObjectStreamClass;)V
java/io/ObjectInputStream$CallbackContext getObj()Ljava/lang/Object;
java/io/ObjectInputStream$CallbackContext getDesc()Ljava/io/ObjectStreamClass;
java/io/ObjectInputStream$CallbackContext checkAndSetUsed()V
java/io/ObjectInputStream$CallbackContext setUsed()V
class java/io/ObjectInputStream$ValidationList$Callback java/lang/Object
java/io/ObjectInputStream$ValidationList$Callback obj
java/io/ObjectInputStream$ValidationList$Callback priority
java/io/ObjectInputStream$ValidationList$Callback next
java/io/ObjectInputStream$ValidationList$Callback
 <init>(Ljava/io/ObjectInputValidation;ILjava/io/ObjectInputStream$ValidationList$Callback;)V
class java/io/ObjectOutputStream$Caches
 java/lang/Object
java/io/ObjectOutputStream$Caches subclassAudits
java/io/ObjectOutputStream$Caches subclassAuditsQueue
java/io/ObjectOutputStream$Caches <init>()V
java/io/ObjectOutputStream$Caches <clinit>()V
class java/io/ObjectOutputStream$PutField java/lang/Object
java/io/ObjectOutputStream$PutField <init>()V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;Z)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;B)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;C)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;S)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;I)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;J)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;F)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;D)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;Ljava/lang/Object;)V
java/io/ObjectOutputStream$PutField write(Ljava/io/ObjectOutput;)V
class java/io/ObjectOutputStream$PutFieldImpl
 java/io/ObjectOutputStream$PutField
java/io/ObjectOutputStream$PutFieldImpl desc
java/io/ObjectOutputStream$PutFieldImpl primVals
java/io/ObjectOutputStream$PutFieldImpl objVals
java/io/ObjectOutputStream$PutFieldImpl this$0
java/io/ObjectOutputStream$PutFieldImpl <init>(Ljava/io/ObjectOutputStream;Ljava/io/ObjectStreamClass;)V

```

```

java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;Z)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;B)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;C)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;S)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;I)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;F)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;J)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;D)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;Ljava/lang/Object;)V
java/io/ObjectOutputStream$PutFieldImpl
 write(Ljava/io/ObjectOutput;)V
java/io/ObjectOutputStream$PutFieldImpl writeFields()V
java/io/ObjectOutputStream$PutFieldImpl getFieldOffset(Ljava/lang/String;Ljava/lang/Class;)I
class java/io/ObjectStreamClass$Caches java/lang/Object
java/io/ObjectStreamClass$Caches localDescs
java/io/ObjectStreamClass$Caches reflectors
java/io/ObjectStreamClass$Caches localDescsQueue
java/io/ObjectStreamClass$Caches reflectorsQueue
java/io/ObjectStreamClass$Caches <init>()V
java/io/ObjectStreamClass$Caches access$200()Ljava/lang/ref/ReferenceQueue;
java/io/ObjectStreamClass$Caches access$2500()Ljava/lang/ref/ReferenceQueue;
java/io/ObjectStreamClass$Caches <clinit>()V
class java/io/ObjectStreamClass$EntryFuture$1 java/lang/Object
java/io/ObjectStreamClass$EntryFuture$1 this$0
java/io/ObjectStreamClass$EntryFuture$1 <init>(Ljava/io/ObjectStreamClass$EntryFuture;)V
java/io/ObjectStreamClass$EntryFuture$1 run()Ljava/lang/Object;
class java/io/ObjectStreamClass$WeakClassKey java/lang/ref/WeakReference
java/io/ObjectStreamClass$WeakClassKey
 hash
java/io/ObjectStreamClass$WeakClassKey <init>(Ljava/lang/Class;Ljava/lang/ref/ReferenceQueue;)V
java/io/ObjectStreamClass$WeakClassKey hashCode()I
java/io/ObjectStreamClass$WeakClassKey equals(Ljava/lang/Object;)Z
class java/io/PipedInputStream java/io/InputStream
java/io/PipedInputStream closedByWriter
java/io/PipedInputStream closedByReader
java/io/PipedInputStream connected
java/io/PipedInputStream readSide
java/io/PipedInputStream writeSide
java/io/PipedInputStream PIPE_SIZE
java/io/PipedInputStream buffer
java/io/PipedInputStream in
java/io/PipedInputStream out
java/io/PipedInputStream $assertionsDisabled
java/io/PipedInputStream <init>(Ljava/io/PipedOutputStream;)V
java/io/PipedInputStream <init>()V
java/io/PipedInputStream connect(Ljava/io/PipedOutputStream;)V
java/io/PipedInputStream receive(I)V
java/io/PipedInputStream receive([BII)V

```

```

java/io/PipedInputStream checkStateForReceive()V
java/io/PipedInputStream awaitSpace()V
java/io/PipedInputStream
 receivedLast()V
java/io/PipedInputStream read()I
java/io/PipedInputStream read([BII)I
java/io/PipedInputStream available()I
java/io/PipedInputStream close()V
java/io/PipedInputStream <clinit>()V
class java/io/PipedOutputStream java/io/OutputStream
java/io/PipedOutputStream sink
java/io/PipedOutputStream <init>(Ljava/io/PipedInputStream;)V
java/io/PipedOutputStream <init>()V
java/io/PipedOutputStream connect(Ljava/io/PipedInputStream;)V
java/io/PipedOutputStream write(I)V
java/io/PipedOutputStream write([BII)V
java/io/PipedOutputStream flush()V
java/io/PipedOutputStream close()V
class java/io/PipedReader java/io/Reader
java/io/PipedReader closedByWriter
java/io/PipedReader closedByReader
java/io/PipedReader connected
java/io/PipedReader readSide
java/io/PipedReader writeSide
java/io/PipedReader PIPE_SIZE
java/io/PipedReader buffer
java/io/PipedReader in
java/io/PipedReader out
java/io/PipedReader <init>(Ljava/io/PipedWriter;)V
java/io/PipedReader <init>()V
java/io/PipedReader
 connect(Ljava/io/PipedWriter;)V
java/io/PipedReader receive(I)V
java/io/PipedReader receive([CII)V
java/io/PipedReader receivedLast()V
java/io/PipedReader read()I
java/io/PipedReader read([CII)I
java/io/PipedReader ready()Z
java/io/PipedReader close()V
class java/io/PipedWriter java/io/Writer
java/io/PipedWriter sink
java/io/PipedWriter closed
java/io/PipedWriter <init>(Ljava/io/PipedReader;)V
java/io/PipedWriter <init>()V
java/io/PipedWriter connect(Ljava/io/PipedReader;)V
java/io/PipedWriter write(I)V
java/io/PipedWriter write([CII)V
java/io/PipedWriter flush()V

```

```

java/io/PipedWriter close()V
class java/io/PushbackReader java/io/FilterReader
java/io/PushbackReader buf
java/io/PushbackReader pos
java/io/PushbackReader <init>(Ljava/io/Reader;I)V
java/io/PushbackReader <init>(Ljava/io/Reader;)V
java/io/PushbackReader ensureOpen()V
java/io/PushbackReader read()I
java/io/PushbackReader read([CII)I
java/io/PushbackReader unread(I)V
java/io/PushbackReader unread([CII)V
java/io/PushbackReader
 unread([C)V
java/io/PushbackReader ready()Z
java/io/PushbackReader mark(I)V
java/io/PushbackReader reset()V
java/io/PushbackReader markSupported()Z
java/io/PushbackReader close()V
java/io/PushbackReader skip(J)J
class java/io/SequenceInputStream java/io/InputStream
java/io/SequenceInputStream e
java/io/SequenceInputStream in
java/io/SequenceInputStream <init>(Ljava/util/Enumeration;)V
java/io/SequenceInputStream <init>(Ljava/io/InputStream;Ljava/io/InputStream;)V
java/io/SequenceInputStream nextStream()V
java/io/SequenceInputStream available()I
java/io/SequenceInputStream read()I
java/io/SequenceInputStream read([BII)I
java/io/SequenceInputStream close()V
class java/io/SerializablePermission java/security/BasicPermission
java/io/SerializablePermission actions
java/io/SerializablePermission <init>(Ljava/lang/String;)V
java/io/SerializablePermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/io/StreamCorruptedException java/io/ObjectStreamException
java/io/StreamCorruptedException
 <init>(Ljava/lang/String;)V
java/io/StreamCorruptedException <init>()V
class java/io/StringBufferInputStream java/io/InputStream
java/io/StringBufferInputStream buffer
java/io/StringBufferInputStream pos
java/io/StringBufferInputStream count
java/io/StringBufferInputStream <init>(Ljava/lang/String;)V
java/io/StringBufferInputStream read()I
java/io/StringBufferInputStream read([BII)I
java/io/StringBufferInputStream skip(J)J
java/io/StringBufferInputStream available()I
java/io/StringBufferInputStream reset()V
class java/io/UTFDataFormatException java/io/IOException

```



```

java/io/UTFDataFormatException <init>()V
java/io/UTFDataFormatException <init>(Ljava/lang/String;)V
class java/io/WriteAbortedException java/io/ObjectStreamException
java/io/WriteAbortedException serialVersionUID
java/io/WriteAbortedException detail
java/io/WriteAbortedException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
java/io/WriteAbortedException getMessage()Ljava/lang/String;
java/io/WriteAbortedException
 getCause()Ljava/lang/Throwable;
class java/lang/AbstractMethodError java/lang/IncompatibleClassChangeError
java/lang/AbstractMethodError <init>()V
java/lang/AbstractMethodError <init>(Ljava/lang/String;)V
class java/lang/AssertionError java/lang/Error
java/lang/AssertionError <init>()V
java/lang/AssertionError <init>(Ljava/lang/String;)V
java/lang/AssertionError <init>(Ljava/lang/Object;)V
java/lang/AssertionError <init>(Z)V
java/lang/AssertionError <init>(C)V
java/lang/AssertionError <init>(I)V
java/lang/AssertionError <init>(J)V
java/lang/AssertionError <init>(F)V
java/lang/AssertionError <init>(D)V
class java/lang/AssertionStatusDirectives java/lang/Object
java/lang/AssertionStatusDirectives classes
java/lang/AssertionStatusDirectives classEnabled
java/lang/AssertionStatusDirectives packages
java/lang/AssertionStatusDirectives packageEnabled
java/lang/AssertionStatusDirectives deflt
java/lang/AssertionStatusDirectives <init>()V
class java/lang/Byte$ByteCache java/lang/Object
java/lang/Byte$ByteCache
 cache
java/lang/Byte$ByteCache <init>()V
java/lang/Byte$ByteCache <clinit>()V
class java/lang/Character$CharacterCache java/lang/Object
java/lang/Character$CharacterCache cache
java/lang/Character$CharacterCache <init>()V
java/lang/Character$CharacterCache <clinit>()V
class java/lang/Character$Subset java/lang/Object
java/lang/Character$Subset name
java/lang/Character$Subset <init>(Ljava/lang/String;)V
java/lang/Character$Subset equals(Ljava/lang/Object;)Z
java/lang/Character$Subset hashCode()I
java/lang/Character$Subset toString()Ljava/lang/String;
class java/lang/Character$UnicodeBlock java/lang/Character$Subset
java/lang/Character$UnicodeBlock map
java/lang/Character$UnicodeBlock BASIC_LATIN
java/lang/Character$UnicodeBlock LATIN_1_SUPPLEMENT

```

java/lang/Character\$UnicodeBlock LATIN\_EXTENDED\_A  
java/lang/Character\$UnicodeBlock LATIN\_EXTENDED\_B  
java/lang/Character\$UnicodeBlock IPA\_EXTENSIONS  
java/lang/Character\$UnicodeBlock SPACING\_MODIFIER\_LETTERS  
java/lang/Character\$UnicodeBlock  
COMBINING\_DIACRITICAL\_MARKS  
java/lang/Character\$UnicodeBlock GREEK  
java/lang/Character\$UnicodeBlock CYRILLIC  
java/lang/Character\$UnicodeBlock ARMENIAN  
java/lang/Character\$UnicodeBlock HEBREW  
java/lang/Character\$UnicodeBlock ARABIC  
java/lang/Character\$UnicodeBlock DEVANAGARI  
java/lang/Character\$UnicodeBlock BENGALI  
java/lang/Character\$UnicodeBlock GURMUKHI  
java/lang/Character\$UnicodeBlock GUJARATI  
java/lang/Character\$UnicodeBlock ORIYA  
java/lang/Character\$UnicodeBlock TAMIL  
java/lang/Character\$UnicodeBlock TELUGU  
java/lang/Character\$UnicodeBlock KANNADA  
java/lang/Character\$UnicodeBlock MALAYALAM  
java/lang/Character\$UnicodeBlock THAI  
java/lang/Character\$UnicodeBlock LAO  
java/lang/Character\$UnicodeBlock TIBETAN  
java/lang/Character\$UnicodeBlock GEORGIAN  
java/lang/Character\$UnicodeBlock HANGUL\_JAMO  
java/lang/Character\$UnicodeBlock LATIN\_EXTENDED\_ADDITIONAL  
java/lang/Character\$UnicodeBlock GREEK\_EXTENDED  
java/lang/Character\$UnicodeBlock GENERAL\_PUNCTUATION  
java/lang/Character\$UnicodeBlock  
SUPERSCRIPTS\_AND\_SUBSCRIPTS  
java/lang/Character\$UnicodeBlock CURRENCY\_SYMBOLS  
java/lang/Character\$UnicodeBlock COMBINING\_MARKS\_FOR\_SYMBOLS  
java/lang/Character\$UnicodeBlock LETTERLIKE\_SYMBOLS  
java/lang/Character\$UnicodeBlock NUMBER\_FORMS  
java/lang/Character\$UnicodeBlock ARROWS  
java/lang/Character\$UnicodeBlock MATHEMATICAL\_OPERATORS  
java/lang/Character\$UnicodeBlock MISCELLANEOUS\_TECHNICAL  
java/lang/Character\$UnicodeBlock CONTROL\_PICTURES  
java/lang/Character\$UnicodeBlock OPTICAL\_CHARACTER\_RECOGNITION  
java/lang/Character\$UnicodeBlock ENCLOSED\_ALPHANUMERICS  
java/lang/Character\$UnicodeBlock BOX\_DRAWING  
java/lang/Character\$UnicodeBlock BLOCK\_ELEMENTS  
java/lang/Character\$UnicodeBlock GEOMETRIC\_SHAPES  
java/lang/Character\$UnicodeBlock MISCELLANEOUS\_SYMBOLS  
java/lang/Character\$UnicodeBlock DINGBATS  
java/lang/Character\$UnicodeBlock CJK\_SYMBOLS\_AND\_PUNCTUATION  
java/lang/Character\$UnicodeBlock HIRAGANA  
java/lang/Character\$UnicodeBlock KATAKANA

java/lang/Character\$UnicodeBlock BOPOMOFO  
java/lang/Character\$UnicodeBlock  
HANGUL\_COMPATIBILITY\_JAMO  
java/lang/Character\$UnicodeBlock KANBUN  
java/lang/Character\$UnicodeBlock ENCLOSED\_CJK\_LETTERS\_AND\_MONTHS  
java/lang/Character\$UnicodeBlock CJK\_COMPATIBILITY  
java/lang/Character\$UnicodeBlock CJK\_UNIFIED\_IDEOGRAPHS  
java/lang/Character\$UnicodeBlock HANGUL\_SYLLABLES  
java/lang/Character\$UnicodeBlock PRIVATE\_USE\_AREA  
java/lang/Character\$UnicodeBlock CJK\_COMPATIBILITY\_IDEOGRAPHS  
java/lang/Character\$UnicodeBlock ALPHABETIC\_PRESENTATION\_FORMS  
java/lang/Character\$UnicodeBlock ARABIC\_PRESENTATION\_FORMS\_A  
java/lang/Character\$UnicodeBlock COMBINING\_HALF\_MARKS  
java/lang/Character\$UnicodeBlock CJK\_COMPATIBILITY\_FORMS  
java/lang/Character\$UnicodeBlock SMALL\_FORM\_VARIANTS  
java/lang/Character\$UnicodeBlock ARABIC\_PRESENTATION\_FORMS\_B  
java/lang/Character\$UnicodeBlock HALFWIDTH\_AND\_FULLWIDTH\_FORMS  
java/lang/Character\$UnicodeBlock SPECIALS  
java/lang/Character\$UnicodeBlock SURROGATES\_AREA  
java/lang/Character\$UnicodeBlock SYRIAC  
java/lang/Character\$UnicodeBlock  
THAANA  
java/lang/Character\$UnicodeBlock SINHALA  
java/lang/Character\$UnicodeBlock MYANMAR  
java/lang/Character\$UnicodeBlock ETHIOPIC  
java/lang/Character\$UnicodeBlock CHEROKEE  
java/lang/Character\$UnicodeBlock UNIFIED\_CANADIAN\_ABORIGINAL\_SYLLABICS  
java/lang/Character\$UnicodeBlock OGHAM  
java/lang/Character\$UnicodeBlock RUNIC  
java/lang/Character\$UnicodeBlock KHMER  
java/lang/Character\$UnicodeBlock MONGOLIAN  
java/lang/Character\$UnicodeBlock BRAILLE\_PATTERNS  
java/lang/Character\$UnicodeBlock CJK\_RADICALS\_SUPPLEMENT  
java/lang/Character\$UnicodeBlock KANGXI\_RADICALS  
java/lang/Character\$UnicodeBlock IDEOGRAPHIC\_DESCRIPTION\_CHARACTERS  
java/lang/Character\$UnicodeBlock BOPOMOFO\_EXTENDED  
java/lang/Character\$UnicodeBlock CJK\_UNIFIED\_IDEOGRAPHS\_EXTENSION\_A  
java/lang/Character\$UnicodeBlock YI\_SYLLABLES  
java/lang/Character\$UnicodeBlock YI\_RADICALS  
java/lang/Character\$UnicodeBlock CYRILLIC\_SUPPLEMENTARY  
java/lang/Character\$UnicodeBlock TAGALOG  
java/lang/Character\$UnicodeBlock HANUNOO  
java/lang/Character\$UnicodeBlock  
BUHID  
java/lang/Character\$UnicodeBlock TAGBANWA  
java/lang/Character\$UnicodeBlock LIMBU  
java/lang/Character\$UnicodeBlock TAI\_LE  
java/lang/Character\$UnicodeBlock KHMER\_SYMBOLS

```

java/lang/Character$UnicodeBlock PHONETIC_EXTENSIONS
java/lang/Character$UnicodeBlock MISCELLANEOUS_MATHEMATICAL_SYMBOLS_A
java/lang/Character$UnicodeBlock SUPPLEMENTAL_ARROWS_A
java/lang/Character$UnicodeBlock SUPPLEMENTAL_ARROWS_B
java/lang/Character$UnicodeBlock MISCELLANEOUS_MATHEMATICAL_SYMBOLS_B
java/lang/Character$UnicodeBlock SUPPLEMENTAL_MATHEMATICAL_OPERATORS
java/lang/Character$UnicodeBlock MISCELLANEOUS_SYMBOLS_AND_ARROWS
java/lang/Character$UnicodeBlock KATAKANA_PHONETIC_EXTENSIONS
java/lang/Character$UnicodeBlock YIJING_HEXAGRAM_SYMBOLS
java/lang/Character$UnicodeBlock VARIATION_SELECTORS
java/lang/Character$UnicodeBlock LINEAR_B_SYLLABARY
java/lang/Character$UnicodeBlock LINEAR_B_IDEOGRAMS
java/lang/Character$UnicodeBlock AEGEAN_NUMBERS
java/lang/Character$UnicodeBlock OLD_ITALIC
java/lang/Character$UnicodeBlock
 GOTHIC
java/lang/Character$UnicodeBlock UGARITIC
java/lang/Character$UnicodeBlock DESERET
java/lang/Character$UnicodeBlock SHAVIAN
java/lang/Character$UnicodeBlock OSMANYA
java/lang/Character$UnicodeBlock CYPRIOT_SYLLABARY
java/lang/Character$UnicodeBlock BYZANTINE_MUSICAL_SYMBOLS
java/lang/Character$UnicodeBlock MUSICAL_SYMBOLS
java/lang/Character$UnicodeBlock TAI_XUAN_JING_SYMBOLS
java/lang/Character$UnicodeBlock MATHEMATICAL_ALPHANUMERIC_SYMBOLS
java/lang/Character$UnicodeBlock CJK_UNIFIED_IDEOGRAPHS_EXTENSION_B
java/lang/Character$UnicodeBlock CJK_COMPATIBILITY_IDEOGRAPHS_SUPPLEMENT
java/lang/Character$UnicodeBlock TAGS
java/lang/Character$UnicodeBlock VARIATION_SELECTORS_SUPPLEMENT
java/lang/Character$UnicodeBlock SUPPLEMENTARY_PRIVATE_USE_AREA_A
java/lang/Character$UnicodeBlock SUPPLEMENTARY_PRIVATE_USE_AREA_B
java/lang/Character$UnicodeBlock HIGH_SURROGATES
java/lang/Character$UnicodeBlock HIGH_PRIVATE_USE_SURROGATES
java/lang/Character$UnicodeBlock
 LOW_SURROGATES
java/lang/Character$UnicodeBlock blockStarts
java/lang/Character$UnicodeBlock blocks
java/lang/Character$UnicodeBlock <init>(Ljava/lang/String;)V
java/lang/Character$UnicodeBlock <init>(Ljava/lang/String;Ljava/lang/String;)V
java/lang/Character$UnicodeBlock <init>(Ljava/lang/String;[Ljava/lang/String;)V
java/lang/Character$UnicodeBlock of(C)Ljava/lang/Character$UnicodeBlock;
java/lang/Character$UnicodeBlock of(I)Ljava/lang/Character$UnicodeBlock;
java/lang/Character$UnicodeBlock forName(Ljava/lang/String;)Ljava/lang/Character$UnicodeBlock;
java/lang/Character$UnicodeBlock <clinit>()V
class java/lang/CharacterData00 java/lang/Object
java/lang/CharacterData00 charMap
java/lang/CharacterData00 X
java/lang/CharacterData00 Y

```

```

java/lang/CharacterData00 A
java/lang/CharacterData00 A_DATA
java/lang/CharacterData00 $assertionsDisabled
java/lang/CharacterData00 <init>()V
java/lang/CharacterData00 getProperties(I)I
java/lang/CharacterData00 getType(I)I
java/lang/CharacterData00
 isLowerCase(I)Z
java/lang/CharacterData00 isUpperCase(I)Z
java/lang/CharacterData00 isTitleCase(I)Z
java/lang/CharacterData00 isDigit(I)Z
java/lang/CharacterData00 isDefined(I)Z
java/lang/CharacterData00 isLetter(I)Z
java/lang/CharacterData00 isLetterOrDigit(I)Z
java/lang/CharacterData00 isSpaceChar(I)Z
java/lang/CharacterData00 isJavaIdentifierStart(I)Z
java/lang/CharacterData00 isJavaIdentifierPart(I)Z
java/lang/CharacterData00 isUnicodeIdentifierStart(I)Z
java/lang/CharacterData00 isUnicodeIdentifierPart(I)Z
java/lang/CharacterData00 isIdentifierIgnorable(I)Z
java/lang/CharacterData00 toLowerCase(I)I
java/lang/CharacterData00 toUpperCase(I)I
java/lang/CharacterData00 toTitleCase(I)I
java/lang/CharacterData00 digit(II)I
java/lang/CharacterData00 getNumericValue(I)I
java/lang/CharacterData00 isWhitespace(I)Z
java/lang/CharacterData00 getDirectionality(I)B
java/lang/CharacterData00 isMirrored(I)Z
java/lang/CharacterData00 toUpperCaseEx(I)I
java/lang/CharacterData00 toUpperCaseCharArray(I)[C
java/lang/CharacterData00
 findInCharMap(I)I
java/lang/CharacterData00 <clinit>()V
class java/lang/CharacterData01 java/lang/Object
java/lang/CharacterData01 X
java/lang/CharacterData01 Y
java/lang/CharacterData01 A
java/lang/CharacterData01 A_DATA
java/lang/CharacterData01 $assertionsDisabled
java/lang/CharacterData01 <init>()V
java/lang/CharacterData01 getProperties(I)I
java/lang/CharacterData01 getType(I)I
java/lang/CharacterData01 isLowerCase(I)Z
java/lang/CharacterData01 isUpperCase(I)Z
java/lang/CharacterData01 isTitleCase(I)Z
java/lang/CharacterData01 isDigit(I)Z
java/lang/CharacterData01 isDefined(I)Z
java/lang/CharacterData01 isLetter(I)Z

```

```

java/lang/CharacterData01 isLetterOrDigit(I)Z
java/lang/CharacterData01 isSpaceChar(I)Z
java/lang/CharacterData01 isJavaIdentifierStart(I)Z
java/lang/CharacterData01 isJavaIdentifierPart(I)Z
java/lang/CharacterData01 isUnicodeIdentifierStart(I)Z
java/lang/CharacterData01 isUnicodeIdentifierPart(I)Z
java/lang/CharacterData01 isIdentifierIgnorable(I)Z
java/lang/CharacterData01
 toLowerCase(I)I
java/lang/CharacterData01 toUpperCase(I)I
java/lang/CharacterData01 toTitleCase(I)I
java/lang/CharacterData01 digit(II)I
java/lang/CharacterData01 getNumericValue(I)I
java/lang/CharacterData01 isWhitespace(I)Z
java/lang/CharacterData01 getDirectionality(I)B
java/lang/CharacterData01 isMirrored(I)Z
java/lang/CharacterData01 <clinit>()V
class java/lang/CharacterData02 java/lang/Object
java/lang/CharacterData02 X
java/lang/CharacterData02 Y
java/lang/CharacterData02 A
java/lang/CharacterData02 A_DATA
java/lang/CharacterData02 $assertionsDisabled
java/lang/CharacterData02 <init>()V
java/lang/CharacterData02 getProperties(I)I
java/lang/CharacterData02 getType(I)I
java/lang/CharacterData02 isLowerCase(I)Z
java/lang/CharacterData02 isUpperCase(I)Z
java/lang/CharacterData02 isTitleCase(I)Z
java/lang/CharacterData02 isDigit(I)Z
java/lang/CharacterData02 isDefined(I)Z
java/lang/CharacterData02 isLetter(I)Z
java/lang/CharacterData02 isLetterOrDigit(I)Z
java/lang/CharacterData02
 isSpaceChar(I)Z
java/lang/CharacterData02 isJavaIdentifierStart(I)Z
java/lang/CharacterData02 isJavaIdentifierPart(I)Z
java/lang/CharacterData02 isUnicodeIdentifierStart(I)Z
java/lang/CharacterData02 isUnicodeIdentifierPart(I)Z
java/lang/CharacterData02 isIdentifierIgnorable(I)Z
java/lang/CharacterData02 toLowerCase(I)I
java/lang/CharacterData02 toUpperCase(I)I
java/lang/CharacterData02 toTitleCase(I)I
java/lang/CharacterData02 digit(II)I
java/lang/CharacterData02 getNumericValue(I)I
java/lang/CharacterData02 isWhitespace(I)Z
java/lang/CharacterData02 getDirectionality(I)B
java/lang/CharacterData02 isMirrored(I)Z

```

```

java/lang/CharacterData02 <clinit>()V
class java/lang/CharacterData0E java/lang/Object
java/lang/CharacterData0E X
java/lang/CharacterData0E Y
java/lang/CharacterData0E A
java/lang/CharacterData0E A_DATA
java/lang/CharacterData0E $assertionsDisabled
java/lang/CharacterData0E <init>()V
java/lang/CharacterData0E getProperties(I)I
java/lang/CharacterData0E
 getType(I)I
java/lang/CharacterData0E isLowerCase(I)Z
java/lang/CharacterData0E isUpperCase(I)Z
java/lang/CharacterData0E isTitleCase(I)Z
java/lang/CharacterData0E isDigit(I)Z
java/lang/CharacterData0E isDefined(I)Z
java/lang/CharacterData0E isLetter(I)Z
java/lang/CharacterData0E isLetterOrDigit(I)Z
java/lang/CharacterData0E isSpaceChar(I)Z
java/lang/CharacterData0E isJavaIdentifierStart(I)Z
java/lang/CharacterData0E isJavaIdentifierPart(I)Z
java/lang/CharacterData0E isUnicodeIdentifierStart(I)Z
java/lang/CharacterData0E isUnicodeIdentifierPart(I)Z
java/lang/CharacterData0E isIdentifierIgnorable(I)Z
java/lang/CharacterData0E toLowerCase(I)I
java/lang/CharacterData0E toUpperCase(I)I
java/lang/CharacterData0E toTitleCase(I)I
java/lang/CharacterData0E digit(II)I
java/lang/CharacterData0E getNumericValue(I)I
java/lang/CharacterData0E isWhitespace(I)Z
java/lang/CharacterData0E getDirectionality(I)B
java/lang/CharacterData0E isMirrored(I)Z
java/lang/CharacterData0E <clinit>()V
class
 java/lang/CharacterDataPrivateUse java/lang/Object
 java/lang/CharacterDataPrivateUse <init>()V
 java/lang/CharacterDataPrivateUse getProperties(I)I
 java/lang/CharacterDataPrivateUse getType(I)I
 java/lang/CharacterDataPrivateUse isLowerCase(I)Z
 java/lang/CharacterDataPrivateUse isUpperCase(I)Z
 java/lang/CharacterDataPrivateUse isTitleCase(I)Z
 java/lang/CharacterDataPrivateUse isDigit(I)Z
 java/lang/CharacterDataPrivateUse isDefined(I)Z
 java/lang/CharacterDataPrivateUse isLetter(I)Z
 java/lang/CharacterDataPrivateUse isLetterOrDigit(I)Z
 java/lang/CharacterDataPrivateUse isSpaceChar(I)Z
 java/lang/CharacterDataPrivateUse isJavaIdentifierStart(I)Z
 java/lang/CharacterDataPrivateUse isJavaIdentifierPart(I)Z

```

```

java/lang/CharacterDataPrivateUse isUnicodeIdentifierStart(I)Z
java/lang/CharacterDataPrivateUse isUnicodeIdentifierPart(I)Z
java/lang/CharacterDataPrivateUse isIdentifierIgnorable(I)Z
java/lang/CharacterDataPrivateUse toLowerCase(I)I
java/lang/CharacterDataPrivateUse toUpperCase(I)I
java/lang/CharacterDataPrivateUse
 toTitleCase(I)I
java/lang/CharacterDataPrivateUse digit(II)I
java/lang/CharacterDataPrivateUse getNumericValue(I)I
java/lang/CharacterDataPrivateUse isWhitespace(I)Z
java/lang/CharacterDataPrivateUse getDirectionality(I)B
java/lang/CharacterDataPrivateUse isMirrored(I)Z
class java/lang/CharacterDataUndefined java/lang/Object
java/lang/CharacterDataUndefined <init>()V
java/lang/CharacterDataUndefined getProperties(I)I
java/lang/CharacterDataUndefined getType(I)I
java/lang/CharacterDataUndefined isLowerCase(I)Z
java/lang/CharacterDataUndefined isUpperCase(I)Z
java/lang/CharacterDataUndefined isTitleCase(I)Z
java/lang/CharacterDataUndefined isDigit(I)Z
java/lang/CharacterDataUndefined isDefined(I)Z
java/lang/CharacterDataUndefined isLetter(I)Z
java/lang/CharacterDataUndefined isLetterOrDigit(I)Z
java/lang/CharacterDataUndefined isSpaceChar(I)Z
java/lang/CharacterDataUndefined isJavaIdentifierStart(I)Z
java/lang/CharacterDataUndefined isJavaIdentifierPart(I)Z
java/lang/CharacterDataUndefined
 isUnicodeIdentifierStart(I)Z
java/lang/CharacterDataUndefined isUnicodeIdentifierPart(I)Z
java/lang/CharacterDataUndefined isIdentifierIgnorable(I)Z
java/lang/CharacterDataUndefined toLowerCase(I)I
java/lang/CharacterDataUndefined toUpperCase(I)I
java/lang/CharacterDataUndefined toTitleCase(I)I
java/lang/CharacterDataUndefined digit(II)I
java/lang/CharacterDataUndefined getNumericValue(I)I
java/lang/CharacterDataUndefined isWhitespace(I)Z
java/lang/CharacterDataUndefined getDirectionality(I)B
java/lang/CharacterDataUndefined isMirrored(I)Z
class java/lang/Class$2 java/lang/Object
java/lang/Class$2 this$0
java/lang/Class$2 <init>(Ljava/lang/Class;)V
java/lang/Class$2 run()Ljava/lang/Object;
class java/lang/Class$4 java/lang/Object
java/lang/Class$4 val$values
java/lang/Class$4 this$0
java/lang/Class$4 <init>(Ljava/lang/Class;Ljava/lang/reflect/Method;)V
java/lang/Class$4 run()Ljava/lang/Object;
class java/lang/Class$EnclosingMethodInfo java/lang/Object

```



```

java/lang/Class$EnclosingMethodInfo
 enclosingClass
java/lang/Class$EnclosingMethodInfo name
java/lang/Class$EnclosingMethodInfo descriptor
java/lang/Class$EnclosingMethodInfo $assertionsDisabled
java/lang/Class$EnclosingMethodInfo <init>([Ljava/lang/Object;)V
java/lang/Class$EnclosingMethodInfo isPartial()Z
java/lang/Class$EnclosingMethodInfo isConstructor()Z
java/lang/Class$EnclosingMethodInfo isMethod()Z
java/lang/Class$EnclosingMethodInfo getEnclosingClass()Ljava/lang/Class;
java/lang/Class$EnclosingMethodInfo getName()Ljava/lang/String;
java/lang/Class$EnclosingMethodInfo getDescriptor()Ljava/lang/String;
java/lang/Class$EnclosingMethodInfo <init>([Ljava/lang/Object;Ljava/lang/Class$1;)V
java/lang/Class$EnclosingMethodInfo <clinit>()V
class java/lang/ClassCircularityError java/lang/LinkageError
java/lang/ClassCircularityError <init>()V
java/lang/ClassCircularityError <init>(Ljava/lang/String;)V
class java/lang/ConditionalSpecialCasing$Entry java/lang/Object
java/lang/ConditionalSpecialCasing$Entry
 ch
java/lang/ConditionalSpecialCasing$Entry lower
java/lang/ConditionalSpecialCasing$Entry upper
java/lang/ConditionalSpecialCasing$Entry lang
java/lang/ConditionalSpecialCasing$Entry condition
java/lang/ConditionalSpecialCasing$Entry <init>([C[CLjava/lang/String;I)V
java/lang/ConditionalSpecialCasing$Entry getCodePoint()I
java/lang/ConditionalSpecialCasing$Entry getLowerCase()[C
java/lang/ConditionalSpecialCasing$Entry getUpperCase()[C
java/lang/ConditionalSpecialCasing$Entry getLanguage()Ljava/lang/String;
java/lang/ConditionalSpecialCasing$Entry getCondition()I
class java/lang/ConditionalSpecialCasing java/lang/Object
java/lang/ConditionalSpecialCasing FINAL_CASED
java/lang/ConditionalSpecialCasing AFTER_SOFT_DOTTED
java/lang/ConditionalSpecialCasing MORE_ABOVE
java/lang/ConditionalSpecialCasing AFTER_I
java/lang/ConditionalSpecialCasing NOT_BEFORE_DOT
java/lang/ConditionalSpecialCasing COMBINING_CLASS_ABOVE
java/lang/ConditionalSpecialCasing entry
java/lang/ConditionalSpecialCasing
 entryTable
java/lang/ConditionalSpecialCasing <init>()V
java/lang/ConditionalSpecialCasing toLowerCaseEx(Ljava/lang/String;ILjava/util/Locale;)I
java/lang/ConditionalSpecialCasing toUpperCaseEx(Ljava/lang/String;ILjava/util/Locale;)I
java/lang/ConditionalSpecialCasing toLowerCaseCharArray(Ljava/lang/String;ILjava/util/Locale;)[C
java/lang/ConditionalSpecialCasing toUpperCaseCharArray(Ljava/lang/String;ILjava/util/Locale;)[C
java/lang/ConditionalSpecialCasing lookUpTable(Ljava/lang/String;ILjava/util/Locale;Z)[C
java/lang/ConditionalSpecialCasing isConditionMet(Ljava/lang/String;ILjava/util/Locale;I)Z
java/lang/ConditionalSpecialCasing isFinalCased(Ljava/lang/String;ILjava/util/Locale;I)Z

```

```

java/lang/ConditionalSpecialCasing isAfterI(Ljava/lang/String;I)Z
java/lang/ConditionalSpecialCasing isAfterSoftDotted(Ljava/lang/String;I)Z
java/lang/ConditionalSpecialCasing isMoreAbove(Ljava/lang/String;I)Z
java/lang/ConditionalSpecialCasing isBeforeDot(Ljava/lang/String;I)Z
java/lang/ConditionalSpecialCasing
 isCased(I)Z
java/lang/ConditionalSpecialCasing isSoftDotted(I)Z
java/lang/ConditionalSpecialCasing <clinit>()V
class java/lang/Deprecated java/lang/Object
class java/lang/EnumConstantNotPresentException java/lang/RuntimeException
java/lang/EnumConstantNotPresentException enumType
java/lang/EnumConstantNotPresentException constantName
java/lang/EnumConstantNotPresentException <init>(Ljava/lang/Class;Ljava/lang/String;)V
java/lang/EnumConstantNotPresentException enumType()Ljava/lang/Class;
java/lang/EnumConstantNotPresentException constantName()Ljava/lang/String;
class java/lang/IllegalMonitorStateException java/lang/RuntimeException
java/lang/IllegalMonitorStateException <init>()V
java/lang/IllegalMonitorStateException <init>(Ljava/lang/String;)V
class java/lang/InstantiationError java/lang/IncompatibleClassChangeError
java/lang/InstantiationError <init>()V
java/lang/InstantiationError <init>(Ljava/lang/String;)V
class java/lang/Long$LongCache java/lang/Object
java/lang/Long$LongCache
 cache
java/lang/Long$LongCache <init>()V
java/lang/Long$LongCache <clinit>()V
class java/lang/NegativeArraySizeException java/lang/RuntimeException
java/lang/NegativeArraySizeException <init>()V
java/lang/NegativeArraySizeException <init>(Ljava/lang/String;)V
class java/lang/NoSuchFieldError java/lang/IncompatibleClassChangeError
java/lang/NoSuchFieldError <init>()V
java/lang/NoSuchFieldError <init>(Ljava/lang/String;)V
class java/lang/Override java/lang/Object
class java/lang/Package$1 java/lang/Object
java/lang/Package$1 val$name
java/lang/Package$1 val$fn
java/lang/Package$1 <init>(Ljava/lang/String;Ljava/lang/String;)V
java/lang/Package$1 run()Ljava/lang/Object;
class java/lang/Package$1PackageInfoProxy java/lang/Object
java/lang/Package$1PackageInfoProxy this$0
java/lang/Package$1PackageInfoProxy <init>(Ljava/lang/Package;)V
class java/lang/ProcessBuilder java/lang/Object
java/lang/ProcessBuilder command
java/lang/ProcessBuilder directory
java/lang/ProcessBuilder
 environment
java/lang/ProcessBuilder redirectErrorStream
java/lang/ProcessBuilder $assertionsDisabled

```

```

java/lang/ProcessBuilder <init>(Ljava/util/List;)V
java/lang/ProcessBuilder <init>([Ljava/lang/String;)V
java/lang/ProcessBuilder command(Ljava/util/List;)Ljava/lang/ProcessBuilder;
java/lang/ProcessBuilder command([Ljava/lang/String;)Ljava/lang/ProcessBuilder;
java/lang/ProcessBuilder command()Ljava/util/List;
java/lang/ProcessBuilder environment()Ljava/util/Map;
java/lang/ProcessBuilder environment([Ljava/lang/String;)Ljava/lang/ProcessBuilder;
java/lang/ProcessBuilder directory()Ljava/io/File;
java/lang/ProcessBuilder directory(Ljava/io/File;)Ljava/lang/ProcessBuilder;
java/lang/ProcessBuilder redirectErrorStream()Z
java/lang/ProcessBuilder redirectErrorStream(Z)Ljava/lang/ProcessBuilder;
java/lang/ProcessBuilder start()Ljava/lang/Process;
java/lang/ProcessBuilder <clinit>()V
class java/lang/ProcessEnvironment$1 java/lang/Object
class java/lang/ProcessEnvironment$CheckedEntry
 java/lang/Object
 java/lang/ProcessEnvironment$CheckedEntry e
 java/lang/ProcessEnvironment$CheckedEntry <init>(Ljava/util/Map$Entry;)V
 java/lang/ProcessEnvironment$CheckedEntry getKey()Ljava/lang/String;
 java/lang/ProcessEnvironment$CheckedEntry getValue()Ljava/lang/String;
 java/lang/ProcessEnvironment$CheckedEntry setValue(Ljava/lang/String;)Ljava/lang/String;
 java/lang/ProcessEnvironment$CheckedEntry toString()Ljava/lang/String;
 java/lang/ProcessEnvironment$CheckedEntry equals(Ljava/lang/Object;)Z
 java/lang/ProcessEnvironment$CheckedEntry hashCode()I
 java/lang/ProcessEnvironment$CheckedEntry setValue(Ljava/lang/Object;)Ljava/lang/Object;
 java/lang/ProcessEnvironment$CheckedEntry getValue()Ljava/lang/Object;
 java/lang/ProcessEnvironment$CheckedEntry getKey()Ljava/lang/Object;
 class java/lang/ProcessEnvironment$CheckedEntrySet$1 java/lang/Object
 java/lang/ProcessEnvironment$CheckedEntrySet$1 i
 java/lang/ProcessEnvironment$CheckedEntrySet$1 this$0
 java/lang/ProcessEnvironment$CheckedEntrySet$1
 <init>(Ljava/lang/ProcessEnvironment$CheckedEntrySet;)V
 java/lang/ProcessEnvironment$CheckedEntrySet$1 hasNext()Z
 java/lang/ProcessEnvironment$CheckedEntrySet$1 next()Ljava/util/Map$Entry;
 java/lang/ProcessEnvironment$CheckedEntrySet$1 remove()V
 java/lang/ProcessEnvironment$CheckedEntrySet$1 next()Ljava/lang/Object;
 class java/lang/ProcessEnvironment$CheckedEntrySet java/util/AbstractSet
 java/lang/ProcessEnvironment$CheckedEntrySet s
 java/lang/ProcessEnvironment$CheckedEntrySet <init>(Ljava/util/Set;)V
 java/lang/ProcessEnvironment$CheckedEntrySet size()I
 java/lang/ProcessEnvironment$CheckedEntrySet isEmpty()Z
 java/lang/ProcessEnvironment$CheckedEntrySet clear()V
 java/lang/ProcessEnvironment$CheckedEntrySet iterator()Ljava/util/Iterator;
 java/lang/ProcessEnvironment$CheckedEntrySet checkedEntry(Ljava/lang/Object;)Ljava/util/Map$Entry;
 java/lang/ProcessEnvironment$CheckedEntrySet contains(Ljava/lang/Object;)Z
 java/lang/ProcessEnvironment$CheckedEntrySet remove(Ljava/lang/Object;)Z
 java/lang/ProcessEnvironment$CheckedEntrySet

```

```

 access$100(Ljava/lang/ProcessEnvironment$CheckedEntrySet;)Ljava/util/Set;
class java/lang/ProcessEnvironment$CheckedKeySet java/util/AbstractSet
java/lang/ProcessEnvironment$CheckedKeySet s
java/lang/ProcessEnvironment$CheckedKeySet <init>(Ljava/util/Set;)V
java/lang/ProcessEnvironment$CheckedKeySet size()I
java/lang/ProcessEnvironment$CheckedKeySet isEmpty()Z
java/lang/ProcessEnvironment$CheckedKeySet clear()V
java/lang/ProcessEnvironment$CheckedKeySet iterator()Ljava/util/Iterator;
java/lang/ProcessEnvironment$CheckedKeySet contains(Ljava/lang/Object;)Z
java/lang/ProcessEnvironment$CheckedKeySet remove(Ljava/lang/Object;)Z
class java/lang/ProcessEnvironment$CheckedValues java/util/AbstractCollection
java/lang/ProcessEnvironment$CheckedValues c
java/lang/ProcessEnvironment$CheckedValues <init>(Ljava/util/Collection;)V
java/lang/ProcessEnvironment$CheckedValues size()I
java/lang/ProcessEnvironment$CheckedValues isEmpty()Z
java/lang/ProcessEnvironment$CheckedValues
 clear()V
java/lang/ProcessEnvironment$CheckedValues iterator()Ljava/util/Iterator;
java/lang/ProcessEnvironment$CheckedValues contains(Ljava/lang/Object;)Z
java/lang/ProcessEnvironment$CheckedValues remove(Ljava/lang/Object;)Z
class java/lang/ProcessEnvironment$EntryComparator java/lang/Object
java/lang/ProcessEnvironment$EntryComparator <init>()V
java/lang/ProcessEnvironment$EntryComparator compare(Ljava/util/Map$Entry;Ljava/util/Map$Entry;)I
java/lang/ProcessEnvironment$EntryComparator compare(Ljava/lang/Object;Ljava/lang/Object;)I
java/lang/ProcessEnvironment$EntryComparator <init>(Ljava/lang/ProcessEnvironment$1;)V
class java/lang/ProcessEnvironment$NameComparator java/lang/Object
java/lang/ProcessEnvironment$NameComparator <init>()V
java/lang/ProcessEnvironment$NameComparator compare(Ljava/lang/String;Ljava/lang/String;)I
java/lang/ProcessEnvironment$NameComparator compare(Ljava/lang/Object;Ljava/lang/Object;)I
java/lang/ProcessEnvironment$NameComparator
 <init>(Ljava/lang/ProcessEnvironment$1;)V
class java/lang/ProcessEnvironment java/util/HashMap
java/lang/ProcessEnvironment MIN_NAME_LENGTH
java/lang/ProcessEnvironment nameComparator
java/lang/ProcessEnvironment entryComparator
java/lang/ProcessEnvironment theEnvironment
java/lang/ProcessEnvironment theUnmodifiableEnvironment
java/lang/ProcessEnvironment theCaseInsensitiveEnvironment
java/lang/ProcessEnvironment validateName(Ljava/lang/String;)Ljava/lang/String;
java/lang/ProcessEnvironment validateValue(Ljava/lang/String;)Ljava/lang/String;
java/lang/ProcessEnvironment nonNullString(Ljava/lang/Object;)Ljava/lang/String;
java/lang/ProcessEnvironment put(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/lang/ProcessEnvironment get(Ljava/lang/Object;)Ljava/lang/String;
java/lang/ProcessEnvironment containsKey(Ljava/lang/Object;)Z
java/lang/ProcessEnvironment containsValue(Ljava/lang/Object;)Z
java/lang/ProcessEnvironment remove(Ljava/lang/Object;)Ljava/lang/String;
java/lang/ProcessEnvironment

```

```

keySet()Ljava/util/Set;
java/lang/ProcessEnvironment values()Ljava/util/Collection;
java/lang/ProcessEnvironment entrySet()Ljava/util/Set;
java/lang/ProcessEnvironment <init>()V
java/lang/ProcessEnvironment <init>(I)V
java/lang/ProcessEnvironment getenv(Ljava/lang/String;)Ljava/lang/String;
java/lang/ProcessEnvironment getenv()Ljava/util/Map;
java/lang/ProcessEnvironment environment()Ljava/util/Map;
java/lang/ProcessEnvironment emptyEnvironment(I)Ljava/util/Map;
java/lang/ProcessEnvironment environmentBlock()Ljava/lang/String;
java/lang/ProcessEnvironment toEnvironmentBlock(Ljava/lang/String;
java/lang/ProcessEnvironment toEnvironmentBlock(Ljava/util/Map;)Ljava/lang/String;
java/lang/ProcessEnvironment remove(Ljava/lang/Object;)Ljava/lang/Object;
java/lang/ProcessEnvironment put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/lang/ProcessEnvironment get(Ljava/lang/Object;)Ljava/lang/Object;
java/lang/ProcessEnvironment access$000(Ljava/lang/String;)Ljava/lang/String;
java/lang/ProcessEnvironment
 access$200(Ljava/lang/Object;)Ljava/lang/String;
java/lang/ProcessEnvironment access$300(Ljava/lang/ProcessEnvironment$NameComparator;
java/lang/ProcessEnvironment <clinit>()V
class java/lang/ProcessImpl$1 java/lang/Object
java/lang/ProcessImpl$1 this$0
java/lang/ProcessImpl$1 <init>(Ljava/lang/ProcessImpl;)V
java/lang/ProcessImpl$1 run()Ljava/lang/Object;
class java/lang/ProcessImpl java/lang/Process
java/lang/ProcessImpl handle
java/lang/ProcessImpl stdin_fd
java/lang/ProcessImpl stdout_fd
java/lang/ProcessImpl stderr_fd
java/lang/ProcessImpl stdin_stream
java/lang/ProcessImpl stdout_stream
java/lang/ProcessImpl stderr_stream
java/lang/ProcessImpl start([Ljava/lang/String;Ljava/util/Map;Ljava/lang/String;Z)Ljava/lang/Process;
java/lang/ProcessImpl <init>([Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Z)V
java/lang/ProcessImpl getOutputStream()Ljava/io/OutputStream;
java/lang/ProcessImpl getInputStream()Ljava/io/InputStream;
java/lang/ProcessImpl
 getErrorStream()Ljava/io/InputStream;
java/lang/ProcessImpl finalize()V
java/lang/ProcessImpl exitValue(I
java/lang/ProcessImpl wait()I
java/lang/ProcessImpl destroy()V
java/lang/ProcessImpl
 create(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;ZLjava/io/FileDescriptor;Ljava/io/FileDescriptor;Ljava
 /io/FileDescriptor;)J
java/lang/ProcessImpl close()V
java/lang/ProcessImpl access$002(Ljava/lang/ProcessImpl;Ljava/io/OutputStream;)Ljava/io/OutputStream;
java/lang/ProcessImpl access$100(Ljava/lang/ProcessImpl;)Ljava/io/FileDescriptor;

```

```

java/lang/ProcessImpl access$202(Ljava/lang/ProcessImpl;Ljava/io/InputStream;)Ljava/io/InputStream;
java/lang/ProcessImpl access$300(Ljava/lang/ProcessImpl;)Ljava/io/FileDescriptor;
java/lang/ProcessImpl access$402(Ljava/lang/ProcessImpl;Ljava/io/InputStream;)Ljava/io/InputStream;
java/lang/ProcessImpl access$500(Ljava/lang/ProcessImpl;)Ljava/io/FileDescriptor;
class java/lang/SecurityManager$2 java/lang/Object
java/lang/SecurityManager$2
 this$0
java/lang/SecurityManager$2 <init>(Ljava/lang/SecurityManager;)V
java/lang/SecurityManager$2 run()Ljava/lang/Object;
class java/lang/Shutdown$1 java/lang/Object
class java/lang/String$1 java/lang/Object
class java/lang/StringCoding$1 java/lang/Object
class java/lang/StringCoding$ConverterSD java/lang/StringCoding$StringDecoder
java/lang/StringCoding$ConverterSD btc
java/lang/StringCoding$ConverterSD <init>(Lsun/io/ByteToCharConverter;Ljava/lang/String;)V
java/lang/StringCoding$ConverterSD charsetName()Ljava/lang/String;
java/lang/StringCoding$ConverterSD decode([BII)[C
java/lang/StringCoding$ConverterSD
 <init>(Lsun/io/ByteToCharConverter;Ljava/lang/String;Ljava/lang/StringCoding$1;)V
class java/lang/StringCoding$ConverterSE java/lang/StringCoding$StringEncoder
java/lang/StringCoding$ConverterSE ctb
java/lang/StringCoding$ConverterSE <init>(Lsun/io/CharToByteConverter;Ljava/lang/String;)V
java/lang/StringCoding$ConverterSE charsetName()Ljava/lang/String;
java/lang/StringCoding$ConverterSE
 encode([CII)[B
java/lang/StringCoding$ConverterSE
 <init>(Lsun/io/CharToByteConverter;Ljava/lang/String;Ljava/lang/StringCoding$1;)V
class java/lang/SuppressWarnings java/lang/Object
java/lang/SuppressWarnings value()[Ljava/lang/String;
class java/lang/ThreadLocal$1 java/lang/Object
class java/lang/TypeNotPresentException java/lang/RuntimeException
java/lang/TypeNotPresentException typeName
java/lang/TypeNotPresentException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/TypeNotPresentException typeName()Ljava/lang/String;
class java/lang/UnknownError java/lang/VirtualMachineError
java/lang/UnknownError <init>()V
java/lang/UnknownError <init>(Ljava/lang/String;)V
class java/lang/UnsupportedClassVersionError java/lang/ClassFormatError
java/lang/UnsupportedClassVersionError <init>()V
java/lang/UnsupportedClassVersionError <init>(Ljava/lang/String;)V
class java/lang/VerifyError java/lang/LinkageError
java/lang/VerifyError <init>()V
java/lang/VerifyError <init>(Ljava/lang/String;)V
class
 java/lang/annotation/AnnotationFormatError java/lang/Error
java/lang/annotation/AnnotationFormatError <init>(Ljava/lang/String;)V
java/lang/annotation/AnnotationFormatError <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/annotation/AnnotationFormatError <init>(Ljava/lang/Throwable;)V

```

```

class java/lang/annotation/AnnotationTypeMismatchException java/lang/RuntimeException
java/lang/annotation/AnnotationTypeMismatchException element
java/lang/annotation/AnnotationTypeMismatchException foundType
java/lang/annotation/AnnotationTypeMismatchException <init>(Ljava/lang/reflect/Method;Ljava/lang/String;)V
java/lang/annotation/AnnotationTypeMismatchException element()Ljava/lang/reflect/Method;
java/lang/annotation/AnnotationTypeMismatchException foundType()Ljava/lang/String;
class java/lang/annotation/Documented java/lang/Object
class java/lang/annotation/ElementType java/lang/Enum
java/lang/annotation/ElementType TYPE
java/lang/annotation/ElementType FIELD
java/lang/annotation/ElementType
 METHOD
java/lang/annotation/ElementType PARAMETER
java/lang/annotation/ElementType CONSTRUCTOR
java/lang/annotation/ElementType LOCAL_VARIABLE
java/lang/annotation/ElementType ANNOTATION_TYPE
java/lang/annotation/ElementType PACKAGE
java/lang/annotation/ElementType $VALUES
java/lang/annotation/ElementType values()[Ljava/lang/annotation/ElementType;
java/lang/annotation/ElementType valueOf(Ljava/lang/String;)Ljava/lang/annotation/ElementType;
java/lang/annotation/ElementType <init>(Ljava/lang/String;I)V
java/lang/annotation/ElementType <clinit>()V
class java/lang/annotation/IncompleteAnnotationException java/lang/RuntimeException
java/lang/annotation/IncompleteAnnotationException annotationType
java/lang/annotation/IncompleteAnnotationException elementName
java/lang/annotation/IncompleteAnnotationException <init>(Ljava/lang/Class;Ljava/lang/String;)V
java/lang/annotation/IncompleteAnnotationException annotationType()Ljava/lang/Class;
java/lang/annotation/IncompleteAnnotationException
 elementName()Ljava/lang/String;
class java/lang/annotation/Inherited java/lang/Object
class java/lang/annotation/Retention java/lang/Object
java/lang/annotation/Retention value()Ljava/lang/annotation/RetentionPolicy;
class java/lang/annotation/RetentionPolicy java/lang/Enum
java/lang/annotation/RetentionPolicy SOURCE
java/lang/annotation/RetentionPolicy CLASS
java/lang/annotation/RetentionPolicy RUNTIME
java/lang/annotation/RetentionPolicy $VALUES
java/lang/annotation/RetentionPolicy values()[Ljava/lang/annotation/RetentionPolicy;
java/lang/annotation/RetentionPolicy valueOf(Ljava/lang/String;)Ljava/lang/annotation/RetentionPolicy;
java/lang/annotation/RetentionPolicy <init>(Ljava/lang/String;I)V
java/lang/annotation/RetentionPolicy <clinit>()V
class java/lang/annotation/Target java/lang/Object
java/lang/annotation/Target value()[Ljava/lang/annotation/ElementType;
class java/lang/instrument/ClassDefinition java/lang/Object
java/lang/instrument/ClassDefinition
 mClass
java/lang/instrument/ClassDefinition mClassFile
java/lang/instrument/ClassDefinition <init>(Ljava/lang/Class;[B)V

```

```

java/lang/instrument/ClassDefinition getDefinitionClass()Ljava/lang/Class;
java/lang/instrument/ClassDefinition getDefinitionClassFile()[B
class java/lang/instrument/ClassFileTransformer java/lang/Object
java/lang/instrument/ClassFileTransformer
transform(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/lang/Class;Ljava/security/ProtectionDomain;[B)[B
class java/lang/instrument/IllegalClassFormatException java/lang/Exception
java/lang/instrument/IllegalClassFormatException <init>()V
java/lang/instrument/IllegalClassFormatException <init>(Ljava/lang/String;)V
class java/lang/instrument/Instrumentation java/lang/Object
java/lang/instrument/Instrumentation addTransformer(Ljava/lang/instrument/ClassFileTransformer;)V
java/lang/instrument/Instrumentation removeTransformer(Ljava/lang/instrument/ClassFileTransformer;)Z
java/lang/instrument/Instrumentation isRedefineClassesSupported()Z
java/lang/instrument/Instrumentation
 redefineClasses([Ljava/lang/instrument/ClassDefinition;)V
java/lang/instrument/Instrumentation getAllLoadedClasses()[Ljava/lang/Class;
java/lang/instrument/Instrumentation getInitiatedClasses(Ljava/lang/ClassLoader;)[Ljava/lang/Class;
java/lang/instrument/Instrumentation getObjectSize(Ljava/lang/Object;)J
class java/lang/instrument/UnmodifiableClassException java/lang/Exception
java/lang/instrument/UnmodifiableClassException <init>()V
java/lang/instrument/UnmodifiableClassException <init>(Ljava/lang/String;)V
class java/lang/management/ClassLoadingMXBean java/lang/Object
java/lang/management/ClassLoadingMXBean getTotalLoadedClassCount()J
java/lang/management/ClassLoadingMXBean getLoadedClassCount()I
java/lang/management/ClassLoadingMXBean getUnloadedClassCount()J
java/lang/management/ClassLoadingMXBean isVerbose()Z
java/lang/management/ClassLoadingMXBean setVerbose(Z)V
class java/lang/management/CompilationMXBean java/lang/Object
java/lang/management/CompilationMXBean
 getName()Ljava/lang/String;
java/lang/management/CompilationMXBean isCompilationTimeMonitoringSupported()Z
java/lang/management/CompilationMXBean getTotalCompilationTime()J
class java/lang/management/GarbageCollectorMXBean java/lang/Object
java/lang/management/GarbageCollectorMXBean getCollectionCount()J
java/lang/management/GarbageCollectorMXBean getCollectionTime()J
class java/lang/management/ManagementFactory$1 java/lang/Object
java/lang/management/ManagementFactory$1 val$interfaceClass
java/lang/management/ManagementFactory$1 <init>(Ljava/lang/Class;)V
java/lang/management/ManagementFactory$1 run()Ljava/lang/Object;
class java/lang/management/ManagementFactory java/lang/Object
java/lang/management/ManagementFactory CLASS_LOADING_MXBEAN_NAME
java/lang/management/ManagementFactory COMPILATION_MXBEAN_NAME
java/lang/management/ManagementFactory MEMORY_MXBEAN_NAME
java/lang/management/ManagementFactory OPERATING_SYSTEM_MXBEAN_NAME
java/lang/management/ManagementFactory
 RUNTIME_MXBEAN_NAME
java/lang/management/ManagementFactory THREAD_MXBEAN_NAME
java/lang/management/ManagementFactory GARBAGE_COLLECTOR_MXBEAN_DOMAIN_TYPE
java/lang/management/ManagementFactory MEMORY_MANAGER_MXBEAN_DOMAIN_TYPE

```



```

java/lang/management/ManagementFactory MEMORY_POOL_MXBEAN_DOMAIN_TYPE
java/lang/management/ManagementFactory platformMBeanServer
java/lang/management/ManagementFactory NOTIF_EMITTER
java/lang/management/ManagementFactory <init>()V
java/lang/management/ManagementFactory
getClassLoadingMXBean()Ljava/lang/management/ClassLoadingMXBean;
java/lang/management/ManagementFactory getMemoryMXBean()Ljava/lang/management/MemoryMXBean;
java/lang/management/ManagementFactory getThreadMXBean()Ljava/lang/management/ThreadMXBean;
java/lang/management/ManagementFactory getRuntimeMXBean()Ljava/lang/management/RuntimeMXBean;
java/lang/management/ManagementFactory
getCompilationMXBean()Ljava/lang/management/CompilationMXBean;
java/lang/management/ManagementFactory
getOperatingSystemMXBean()Ljava/lang/management/OperatingSystemMXBean;
java/lang/management/ManagementFactory getMemoryPoolMXBeans()Ljava/util/List;
java/lang/management/ManagementFactory getMemoryManagerMXBeans()Ljava/util/List;
java/lang/management/ManagementFactory getGarbageCollectorMXBeans()Ljava/util/List;
java/lang/management/ManagementFactory getPlatformMBeanServer()Ljavax/management/MBeanServer;
java/lang/management/ManagementFactory
newPlatformMXBeanProxy(Ljavax/management/MBeanServerConnection;Ljava/lang/String;Ljava/lang/Class;)Ljava/lang/Object;
class java/lang/management/ManagementPermission java/security/BasicPermission
java/lang/management/ManagementPermission <init>(Ljava/lang/String;)V
java/lang/management/ManagementPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/lang/management/MemoryMXBean java/lang/Object
java/lang/management/MemoryMXBean getObjectPendingFinalizationCount()I
java/lang/management/MemoryMXBean getHeapMemoryUsage()Ljava/lang/management/MemoryUsage;
java/lang/management/MemoryMXBean
getNonHeapMemoryUsage()Ljava/lang/management/MemoryUsage;
java/lang/management/MemoryMXBean isVerbose()Z
java/lang/management/MemoryMXBean setVerbose(Z)V
java/lang/management/MemoryMXBean gc()V
class java/lang/management/MemoryManagerMXBean java/lang/Object
java/lang/management/MemoryManagerMXBean getName()Ljava/lang/String;
java/lang/management/MemoryManagerMXBean isValid()Z
java/lang/management/MemoryManagerMXBean getMemoryPoolNames()[Ljava/lang/String;
class java/lang/management/MemoryNotificationInfo java/lang/Object
java/lang/management/MemoryNotificationInfo poolName
java/lang/management/MemoryNotificationInfo usage
java/lang/management/MemoryNotificationInfo count
java/lang/management/MemoryNotificationInfo MEMORY_THRESHOLD_EXCEEDED
java/lang/management/MemoryNotificationInfo MEMORY_COLLECTION_THRESHOLD_EXCEEDED
java/lang/management/MemoryNotificationInfo
<init>(Ljava/lang/String;Ljava/lang/management/MemoryUsage;J)V
java/lang/management/MemoryNotificationInfo
<init>(Ljavax/management/openmbean/CompositeData;)V
java/lang/management/MemoryNotificationInfo getPoolName()Ljava/lang/String;
java/lang/management/MemoryNotificationInfo getUsage()Ljava/lang/management/MemoryUsage;
java/lang/management/MemoryNotificationInfo getCount()J

```

```

java/lang/management/MemoryNotificationInfo
from(Ljavax/management/openmbean/CompositeData;)Ljava/lang/management/MemoryNotificationInfo;
class java/lang/management/MemoryPoolMXBean java/lang/Object
java/lang/management/MemoryPoolMXBean getName()Ljava/lang/String;
java/lang/management/MemoryPoolMXBean getType()Ljava/lang/management/MemoryType;
java/lang/management/MemoryPoolMXBean getUsage()Ljava/lang/management/MemoryUsage;
java/lang/management/MemoryPoolMXBean getPeakUsage()Ljava/lang/management/MemoryUsage;
java/lang/management/MemoryPoolMXBean resetPeakUsage()V
java/lang/management/MemoryPoolMXBean isValid()Z
java/lang/management/MemoryPoolMXBean getMemoryManagerNames()[Ljava/lang/String;
java/lang/management/MemoryPoolMXBean
 getUsageThreshold()J
java/lang/management/MemoryPoolMXBean setUsageThreshold(J)V
java/lang/management/MemoryPoolMXBean isUsageThresholdExceeded()Z
java/lang/management/MemoryPoolMXBean getUsageThresholdCount()J
java/lang/management/MemoryPoolMXBean isUsageThresholdSupported()Z
java/lang/management/MemoryPoolMXBean getCollectionUsageThreshold()J
java/lang/management/MemoryPoolMXBean setCollectionUsageThreshold(J)V
java/lang/management/MemoryPoolMXBean isCollectionUsageThresholdExceeded()Z
java/lang/management/MemoryPoolMXBean getCollectionUsageThresholdCount()J
java/lang/management/MemoryPoolMXBean getCollectionUsage()Ljava/lang/management/MemoryUsage;
java/lang/management/MemoryPoolMXBean isCollectionUsageThresholdSupported()Z
class java/lang/management/MemoryType java/lang/Enum
java/lang/management/MemoryType HEAP
java/lang/management/MemoryType NON_HEAP
java/lang/management/MemoryType description
java/lang/management/MemoryType serialVersionUID
java/lang/management/MemoryType
 $VALUES
java/lang/management/MemoryType values()[Ljava/lang/management/MemoryType;
java/lang/management/MemoryType valueOf(Ljava/lang/String;)Ljava/lang/management/MemoryType;
java/lang/management/MemoryType <init>(Ljava/lang/String;ILjava/lang/String;)V
java/lang/management/MemoryType toString()Ljava/lang/String;
java/lang/management/MemoryType <clinit>()V
class java/lang/management/OperatingSystemMXBean java/lang/Object
java/lang/management/OperatingSystemMXBean getName()Ljava/lang/String;
java/lang/management/OperatingSystemMXBean getArch()Ljava/lang/String;
java/lang/management/OperatingSystemMXBean getVersion()Ljava/lang/String;
java/lang/management/OperatingSystemMXBean getAvailableProcessors()I
class java/lang/management/RuntimeMXBean java/lang/Object
java/lang/management/RuntimeMXBean getName()Ljava/lang/String;
java/lang/management/RuntimeMXBean getVmName()Ljava/lang/String;
java/lang/management/RuntimeMXBean getVmVendor()Ljava/lang/String;
java/lang/management/RuntimeMXBean
 getVmVersion()Ljava/lang/String;
java/lang/management/RuntimeMXBean getSpecName()Ljava/lang/String;
java/lang/management/RuntimeMXBean getSpecVendor()Ljava/lang/String;
java/lang/management/RuntimeMXBean getSpecVersion()Ljava/lang/String;

```

```

java/lang/management/RuntimeMXBean getManagementSpecVersion()Ljava/lang/String;
java/lang/management/RuntimeMXBean getClassPath()Ljava/lang/String;
java/lang/management/RuntimeMXBean getLibraryPath()Ljava/lang/String;
java/lang/management/RuntimeMXBean isBootClassPathSupported()Z
java/lang/management/RuntimeMXBean getBootClassPath()Ljava/lang/String;
java/lang/management/RuntimeMXBean getInputArguments()Ljava/util/List;
java/lang/management/RuntimeMXBean getUptime()J
java/lang/management/RuntimeMXBean getStartTime()J
java/lang/management/RuntimeMXBean getSystemProperties()Ljava/util/Map;
class java/lang/management/ThreadInfo java/lang/Object
java/lang/management/ThreadInfo threadName
java/lang/management/ThreadInfo
 threadId
java/lang/management/ThreadInfo blockedTime
java/lang/management/ThreadInfo blockedCount
java/lang/management/ThreadInfo waitedTime
java/lang/management/ThreadInfo waitedCount
java/lang/management/ThreadInfo lockName
java/lang/management/ThreadInfo lockOwnerId
java/lang/management/ThreadInfo lockOwnerName
java/lang/management/ThreadInfo inNative
java/lang/management/ThreadInfo suspended
java/lang/management/ThreadInfo threadState
java/lang/management/ThreadInfo stackTrace
java/lang/management/ThreadInfo NO_STACK_TRACE
java/lang/management/ThreadInfo
 <init>(Ljava/lang/Thread;ILjava/lang/Object;Ljava/lang/Thread;JJJJ[Ljava/lang/StackTraceElement;)V
java/lang/management/ThreadInfo <init>(Ljavax/management/openmbean/CompositeData;)V
java/lang/management/ThreadInfo getThreadId()J
java/lang/management/ThreadInfo getThreadName()Ljava/lang/String;
java/lang/management/ThreadInfo getThreadState()Ljava/lang/Thread$State;
java/lang/management/ThreadInfo getBlockedTime()J
java/lang/management/ThreadInfo
 getBlockedCount()J
java/lang/management/ThreadInfo getWaitedTime()J
java/lang/management/ThreadInfo getWaitedCount()J
java/lang/management/ThreadInfo getLockName()Ljava/lang/String;
java/lang/management/ThreadInfo getLockOwnerId()J
java/lang/management/ThreadInfo getLockOwnerName()Ljava/lang/String;
java/lang/management/ThreadInfo getStackTrace()[Ljava/lang/StackTraceElement;
java/lang/management/ThreadInfo isSuspended()Z
java/lang/management/ThreadInfo isInNative()Z
java/lang/management/ThreadInfo toString()Ljava/lang/String;
java/lang/management/ThreadInfo
 from(Ljavax/management/openmbean/CompositeData;)Ljava/lang/management/ThreadInfo;
java/lang/management/ThreadInfo <clinit>()V
class java/lang/management/ThreadMXBean java/lang/Object
java/lang/management/ThreadMXBean getThreadCount()I

```

```

java/lang/management/ThreadMXBean getPeakThreadCount()I
java/lang/management/ThreadMXBean getTotalStartedThreadCount()J
java/lang/management/ThreadMXBean getDaemonThreadCount()I
java/lang/management/ThreadMXBean
 getAllThreadIds()[J
java/lang/management/ThreadMXBean getThreadInfo(J)Ljava/lang/management/ThreadInfo;
java/lang/management/ThreadMXBean getThreadInfo([J][Ljava/lang/management/ThreadInfo;
java/lang/management/ThreadMXBean getThreadInfo(JI)Ljava/lang/management/ThreadInfo;
java/lang/management/ThreadMXBean getThreadInfo([JI][Ljava/lang/management/ThreadInfo;
java/lang/management/ThreadMXBean isThreadContentionMonitoringSupported()Z
java/lang/management/ThreadMXBean isThreadContentionMonitoringEnabled()Z
java/lang/management/ThreadMXBean setThreadContentionMonitoringEnabled(Z)V
java/lang/management/ThreadMXBean getCurrentThreadCpuTime()J
java/lang/management/ThreadMXBean getCurrentThreadUserTime()J
java/lang/management/ThreadMXBean getThreadCpuTime(J)J
java/lang/management/ThreadMXBean getThreadUserTime(J)J
java/lang/management/ThreadMXBean isThreadCpuTimeSupported()Z
java/lang/management/ThreadMXBean isCurrentThreadCpuTimeSupported()Z
java/lang/management/ThreadMXBean
 isThreadCpuTimeEnabled()Z
java/lang/management/ThreadMXBean setThreadCpuTimeEnabled(Z)V
java/lang/management/ThreadMXBean findMonitorDeadlockedThreads()[J
java/lang/management/ThreadMXBean resetPeakThreadCount()V
class java/lang/ref/Finalizer$1 java/lang/Object
java/lang/ref/Finalizer$1 val$proc
java/lang/ref/Finalizer$1 <init>(Ljava/lang/Runnable;)V
java/lang/ref/Finalizer$1 run()Ljava/lang/Object;
class java/lang/ref/Finalizer$2 java/lang/Object
java/lang/ref/Finalizer$2 <init>()V
java/lang/ref/Finalizer$2 run()V
class java/lang/ref/Finalizer$3 java/lang/Object
java/lang/ref/Finalizer$3 <init>()V
java/lang/ref/Finalizer$3 run()V
class java/lang/ref/Reference$1 java/lang/Object
class java/lang/ref/ReferenceQueue$1 java/lang/Object
class java/lang/reflect/GenericArrayType java/lang/Object
java/lang/reflect/GenericArrayType getGenericComponentType()Ljava/lang/reflect/Type;
class java/lang/reflect/GenericSignatureFormatError java/lang/ClassFormatError
java/lang/reflect/GenericSignatureFormatError
 <init>()V
class java/lang/reflect/MalformedParameterizedTypeException java/lang/RuntimeException
java/lang/reflect/MalformedParameterizedTypeException <init>()V
class java/lang/reflect/ParameterizedType java/lang/Object
java/lang/reflect/ParameterizedType getActualTypeArguments()[Ljava/lang/reflect/Type;
java/lang/reflect/ParameterizedType getRawType()Ljava/lang/reflect/Type;
java/lang/reflect/ParameterizedType getOwnerType()Ljava/lang/reflect/Type;
class java/lang/reflect/TypeVariable java/lang/Object
java/lang/reflect/TypeVariable getBounds()[Ljava/lang/reflect/Type;

```

```

java/lang/reflect/TypeVariable getGenericDeclaration()Ljava/lang/reflect/GenericDeclaration;
java/lang/reflect/TypeVariable getName()Ljava/lang/String;
class java/lang/reflect/WildcardType java/lang/Object
java/lang/reflect/WildcardType getUpperBounds()[Ljava/lang/reflect/Type;
java/lang/reflect/WildcardType getLowerBounds()[Ljava/lang/reflect/Type;
class java/math/BigDecimal java/lang/Number
java/math/BigDecimal
 intVal
java/math/BigDecimal scale
java/math/BigDecimal precision
java/math/BigDecimal stringCache
java/math/BigDecimal INFLATED
java/math/BigDecimal intCompact
java/math/BigDecimal MAX_COMPACT_DIGITS
java/math/BigDecimal MAX_BIGINT_BITS
java/math/BigDecimal serialVersionUID
java/math/BigDecimal zeroThroughTen
java/math/BigDecimal ZERO
java/math/BigDecimal ONE
java/math/BigDecimal TEN
java/math/BigDecimal ROUND_UP
java/math/BigDecimal ROUND_DOWN
java/math/BigDecimal ROUND_CEILING
java/math/BigDecimal ROUND_FLOOR
java/math/BigDecimal ROUND_HALF_UP
java/math/BigDecimal ROUND_HALF_DOWN
java/math/BigDecimal ROUND_HALF_EVEN
java/math/BigDecimal ROUND_UNNECESSARY
java/math/BigDecimal LONGMIN
java/math/BigDecimal LONGMAX
java/math/BigDecimal TENPOWERS
java/math/BigDecimal thresholds
java/math/BigDecimal ilogTable
java/math/BigDecimal $assertionsDisabled
java/math/BigDecimal <init>([CII)V
java/math/BigDecimal <init>([CIIILjava/math/MathContext;)V
java/math/BigDecimal <init>([C)V
java/math/BigDecimal
 <init>([CLjava/math/MathContext;)V
java/math/BigDecimal <init>(Ljava/lang/String;)V
java/math/BigDecimal <init>(Ljava/lang/String;Ljava/math/MathContext;)V
java/math/BigDecimal <init>(D)V
java/math/BigDecimal <init>(DLjava/math/MathContext;)V
java/math/BigDecimal <init>(Ljava/math/BigInteger;)V
java/math/BigDecimal <init>(Ljava/math/BigInteger;Ljava/math/MathContext;)V
java/math/BigDecimal <init>(Ljava/math/BigInteger;I)V
java/math/BigDecimal <init>(Ljava/math/BigInteger;ILjava/math/MathContext;)V
java/math/BigDecimal <init>(I)V

```

```

java/math/BigDecimal <init>(ILjava/math/MathContext;)V
java/math/BigDecimal <init>(J)V
java/math/BigDecimal <init>(JLjava/math/MathContext;)V
java/math/BigDecimal <init>(JI)V
java/math/BigDecimal <init>(Ljava/math/BigInteger;JI)V
java/math/BigDecimal valueOf(JI)Ljava/math/BigDecimal;
java/math/BigDecimal valueOf(J)Ljava/math/BigDecimal;
java/math/BigDecimal valueOf(D)Ljava/math/BigDecimal;
java/math/BigDecimal add(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal
 add(Ljava/math/BigDecimal;Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal
 preAlign(Ljava/math/BigDecimal;Ljava/math/BigDecimal;JLjava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal subtract(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal subtract(Ljava/math/BigDecimal;Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal multiply(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal multiply(Ljava/math/BigDecimal;Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal divide(Ljava/math/BigDecimal;I)Ljava/math/BigDecimal;
java/math/BigDecimal divide(Ljava/math/BigDecimal;ILjava/math/RoundingMode;)Ljava/math/BigDecimal;
java/math/BigDecimal divide(Ljava/math/BigDecimal;I)Ljava/math/BigDecimal;
java/math/BigDecimal divide(Ljava/math/BigDecimal;Ljava/math/RoundingMode;)Ljava/math/BigDecimal;
java/math/BigDecimal divide(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal
 divide(Ljava/math/BigDecimal;Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal divideToIntegralValue(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal
 divideToIntegralValue(Ljava/math/BigDecimal;Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal remainder(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal remainder(Ljava/math/BigDecimal;Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal divideAndRemainder(Ljava/math/BigDecimal;)[Ljava/math/BigDecimal;
java/math/BigDecimal
 divideAndRemainder(Ljava/math/BigDecimal;Ljava/math/MathContext;)[Ljava/math/BigDecimal;
java/math/BigDecimal pow(I)Ljava/math/BigDecimal;
java/math/BigDecimal pow(ILjava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal abs(Ljava/math/BigDecimal;
java/math/BigDecimal abs(Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal negate()Ljava/math/BigDecimal;
java/math/BigDecimal
 negate(Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal plus()Ljava/math/BigDecimal;
java/math/BigDecimal plus(Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal signum()I
java/math/BigDecimal scale()I
java/math/BigDecimal precision()I
java/math/BigDecimal unscaledValue()Ljava/math/BigInteger;
java/math/BigDecimal round(Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal setScale(ILjava/math/RoundingMode;)Ljava/math/BigDecimal;
java/math/BigDecimal setScale(II)Ljava/math/BigDecimal;

```

```

java/math/BigDecimal setScale(I)Ljava/math/BigDecimal;
java/math/BigDecimal movePointLeft(I)Ljava/math/BigDecimal;
java/math/BigDecimal movePointRight(I)Ljava/math/BigDecimal;
java/math/BigDecimal scaleByPowerOfTen(I)Ljava/math/BigDecimal;
java/math/BigDecimal stripTrailingZeros()Ljava/math/BigDecimal;
java/math/BigDecimal compareTo(Ljava/math/BigDecimal;)I
java/math/BigDecimal equals(Ljava/lang/Object;)Z
java/math/BigDecimal min(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal
 max(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal hashCode()I
java/math/BigDecimal toString()Ljava/lang/String;
java/math/BigDecimal toEngineeringString()Ljava/lang/String;
java/math/BigDecimal toPlainString()Ljava/lang/String;
java/math/BigDecimal getValueString(ILjava/lang/String;)Ljava/lang/String;
java/math/BigDecimal toBigInteger()Ljava/math/BigInteger;
java/math/BigDecimal toBigIntegerExact()Ljava/math/BigInteger;
java/math/BigDecimal longValue()J
java/math/BigDecimal longValueExact()J
java/math/BigDecimal intValue()I
java/math/BigDecimal intValueExact()I
java/math/BigDecimal shortValueExact()S
java/math/BigDecimal byteValueExact()B
java/math/BigDecimal floatValue()F
java/math/BigDecimal doubleValue()D
java/math/BigDecimal ulp()Ljava/math/BigDecimal;
java/math/BigDecimal layoutChars(Z)Ljava/lang/String;
java/math/BigDecimal tenToThe(I)Ljava/math/BigInteger;
java/math/BigDecimal longTenToThe(JI)J
java/math/BigDecimal
 compactLong(J)Z
java/math/BigDecimal inflate()Ljava/math/BigDecimal;
java/math/BigDecimal matchScale([Ljava/math/BigDecimal;)V
java/math/BigDecimal readObject(Ljava/io/ObjectInputStream;)V
java/math/BigDecimal writeObject(Ljava/io/ObjectOutputStream;)V
java/math/BigDecimal digitLength()I
java/math/BigDecimal intLength()I
java/math/BigDecimal stripZerosToMatchScale(J)Ljava/math/BigDecimal;
java/math/BigDecimal checkScale(J)I
java/math/BigDecimal roundOp(Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal roundThis(Ljava/math/MathContext;)V
java/math/BigDecimal doRound(Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal dropDigits(Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal longCompareTo(JJ)I
java/math/BigDecimal print(Ljava/lang/String;Ljava/math/BigDecimal;)V
java/math/BigDecimal audit(Ljava/math/BigDecimal;
java/math/BigDecimal compareTo(Ljava/lang/Object;)I
java/math/BigDecimal <clinit>()V

```

```

class java/math/BitSieve java/lang/Object
java/math/BitSieve
 bits
java/math/BitSieve length
java/math/BitSieve smallSieve
java/math/BitSieve <init>()V
java/math/BitSieve <init>(Ljava/math/BigInteger;I)V
java/math/BitSieve unitIndex(I)I
java/math/BitSieve bit(I)J
java/math/BitSieve get(I)Z
java/math/BitSieve set(I)V
java/math/BitSieve sieveSearch(II)I
java/math/BitSieve sieveSingle(III)V
java/math/BitSieve retrieve(Ljava/math/BigInteger;I)Ljava/math/BigInteger;
java/math/BitSieve <clinit>()V
class java/math/MathContext java/lang/Object
java/math/MathContext DEFAULT_DIGITS
java/math/MathContext DEFAULT_ROUNDINGMODE
java/math/MathContext MIN_DIGITS
java/math/MathContext serialVersionUID
java/math/MathContext UNLIMITED
java/math/MathContext DECIMAL32
java/math/MathContext DECIMAL64
java/math/MathContext DECIMAL128
java/math/MathContext precision
java/math/MathContext roundingMode
java/math/MathContext roundingMax
java/math/MathContext roundingMin
java/math/MathContext MAX_LOOKASIDE
java/math/MathContext <init>(I)V
java/math/MathContext
 <init>(ILjava/math/RoundingMode;)V
java/math/MathContext <init>(Ljava/lang/String;)V
java/math/MathContext getPrecision()I
java/math/MathContext getRoundingMode()Ljava/math/RoundingMode;
java/math/MathContext equals(Ljava/lang/Object;)Z
java/math/MathContext hashCode()I
java/math/MathContext toString()Ljava/lang/String;
java/math/MathContext readObject(Ljava/io/ObjectInputStream;)V
java/math/MathContext <clinit>()V
class java/math/RoundingMode java/lang/Enum
java/math/RoundingMode UP
java/math/RoundingMode DOWN
java/math/RoundingMode CEILING
java/math/RoundingMode FLOOR
java/math/RoundingMode HALF_UP
java/math/RoundingMode HALF_DOWN
java/math/RoundingMode HALF_EVEN

```



```

java/math/RoundingMode UNNECESSARY
java/math/RoundingMode oldMode
java/math/RoundingMode $VALUES
java/math/RoundingMode values()[Ljava/math/RoundingMode;
java/math/RoundingMode valueOf(Ljava/lang/String;)Ljava/math/RoundingMode;
java/math/RoundingMode <init>(Ljava/lang/String;I)V
java/math/RoundingMode valueOf(I)Ljava/math/RoundingMode;
java/math/RoundingMode
 <clinit>()V
class java/net/Authenticator$RequestorType java/lang/Enum
java/net/Authenticator$RequestorType PROXY
java/net/Authenticator$RequestorType SERVER
java/net/Authenticator$RequestorType $VALUES
java/net/Authenticator$RequestorType values()[Ljava/net/Authenticator$RequestorType;
java/net/Authenticator$RequestorType valueOf(Ljava/lang/String;)Ljava/net/Authenticator$RequestorType;
java/net/Authenticator$RequestorType <init>(Ljava/lang/String;I)V
java/net/Authenticator$RequestorType <clinit>()V
class java/net/CacheRequest java/lang/Object
java/net/CacheRequest <init>()V
java/net/CacheRequest getBody()Ljava/io/OutputStream;
java/net/CacheRequest abort()V
class java/net/CacheResponse java/lang/Object
java/net/CacheResponse <init>()V
java/net/CacheResponse getHeaders()Ljava/util/Map;
java/net/CacheResponse getBody()Ljava/io/InputStream;
class java/net/ContentHandlerFactory java/lang/Object
java/net/ContentHandlerFactory createContentHandler(Ljava/lang/String;)Ljava/net/ContentHandler;
class
 java/net/DatagramSocket$1 java/lang/Object
java/net/DatagramSocket$1 this$0
java/net/DatagramSocket$1 <init>(Ljava/net/DatagramSocket;)V
java/net/DatagramSocket$1 run()Ljava/lang/Object;
class java/net/DatagramSocketImplFactory java/lang/Object
java/net/DatagramSocketImplFactory createDatagramSocketImpl()Ljava/net/DatagramSocketImpl;
class java/net/FactoryURLClassLoader java/net/URLClassLoader
java/net/FactoryURLClassLoader <init>([Ljava/net/URL;Ljava/lang/ClassLoader;)V
java/net/FactoryURLClassLoader <init>([Ljava/net/URL;)V
java/net/FactoryURLClassLoader loadClass(Ljava/lang/String;Z)Ljava/lang/Class;
class java/net/HttpRetryException java/io/IOException
java/net/HttpRetryException responseCode
java/net/HttpRetryException location
java/net/HttpRetryException <init>(Ljava/lang/String;I)V
java/net/HttpRetryException <init>(Ljava/lang/String;ILjava/lang/String;)V
java/net/HttpRetryException responseCode()I
java/net/HttpRetryException
 getReason()Ljava/lang/String;
java/net/HttpRetryException getLocation()Ljava/lang/String;
class java/net/Inet6AddressImpl java/lang/Object

```

```

java/net/Inet6AddressImpl anyLocalAddress
java/net/Inet6AddressImpl loopbackAddress
java/net/Inet6AddressImpl <init>()V
java/net/Inet6AddressImpl getLocalHostName()Ljava/lang/String;
java/net/Inet6AddressImpl lookupAllHostAddr(Ljava/lang/String;)[[B
java/net/Inet6AddressImpl getHostByAddr([B)Ljava/lang/String;
java/net/Inet6AddressImpl isReachable0([BII[BII)Z
java/net/Inet6AddressImpl isReachable(Ljava/net/InetAddress;ILjava/net/NetworkInterface;I)Z
java/net/Inet6AddressImpl anyLocalAddress()Ljava/net/InetAddress;
java/net/Inet6AddressImpl loopbackAddress()Ljava/net/InetAddress;
class java/net/InetAddress$2 java/lang/Object
java/net/InetAddress$2 val$providerName
java/net/InetAddress$2 <init>(Ljava/lang/String;)V
java/net/InetAddress$2 run()Ljava/lang/Object;
class java/net/InetAddressContainer java/lang/Object
java/net/InetAddressContainer addr
java/net/InetAddressContainer
<init>()V
class java/net/NetworkInterface$1 java/lang/Object
java/net/NetworkInterface$1 i
java/net/NetworkInterface$1 val$netifs
java/net/NetworkInterface$1 <init>([Ljava/net/NetworkInterface;)V
java/net/NetworkInterface$1 nextElement()Ljava/net/NetworkInterface;
java/net/NetworkInterface$1 hasMoreElements()Z
java/net/NetworkInterface$1 nextElement()Ljava/lang/Object;
class java/net/NetworkInterface$1checkedAddresses java/lang/Object
java/net/NetworkInterface$1checkedAddresses i
java/net/NetworkInterface$1checkedAddresses count
java/net/NetworkInterface$1checkedAddresses local_addrs
java/net/NetworkInterface$1checkedAddresses this$0
java/net/NetworkInterface$1checkedAddresses <init>(Ljava/net/NetworkInterface;)V
java/net/NetworkInterface$1checkedAddresses nextElement()Ljava/net/InetAddress;
java/net/NetworkInterface$1checkedAddresses hasMoreElements()Z
java/net/NetworkInterface$1checkedAddresses nextElement()Ljava/lang/Object;
class java/net/NetworkInterface
java/lang/Object
java/net/NetworkInterface name
java/net/NetworkInterface displayName
java/net/NetworkInterface index
java/net/NetworkInterface addrs
java/net/NetworkInterface <init>()V
java/net/NetworkInterface <init>(Ljava/lang/String;I[Ljava/net/InetAddress;)V
java/net/NetworkInterface getName()Ljava/lang/String;
java/net/NetworkInterface getInetAddresses()Ljava/util/Enumeration;
java/net/NetworkInterface getIndex()I
java/net/NetworkInterface getDisplayName()Ljava/lang/String;
java/net/NetworkInterface getByName(Ljava/lang/String;)Ljava/net/NetworkInterface;
java/net/NetworkInterface getByIndex(I)Ljava/net/NetworkInterface;

```

```

java/net/NetworkInterface getByInetAddress(Ljava/net/InetAddress;)Ljava/net/NetworkInterface;
java/net/NetworkInterface getNetworkInterfaces()Ljava/util/Enumeration;
java/net/NetworkInterface getAll()[Ljava/net/NetworkInterface;
java/net/NetworkInterface getName0(Ljava/lang/String;)Ljava/net/NetworkInterface;
java/net/NetworkInterface getByInetAddress0(Ljava/net/InetAddress;)Ljava/net/NetworkInterface;
java/net/NetworkInterface
 equals(Ljava/lang/Object;)Z
java/net/NetworkInterface hashCode()I
java/net/NetworkInterface toString()Ljava/lang/String;
java/net/NetworkInterface init()V
java/net/NetworkInterface access$000(Ljava/net/NetworkInterface;)[Ljava/net/InetAddress;
java/net/NetworkInterface <clinit>()V
class java/net/PasswordAuthentication java/lang/Object
java/net/PasswordAuthentication userName
java/net/PasswordAuthentication password
java/net/PasswordAuthentication <init>(Ljava/lang/String;[C)V
java/net/PasswordAuthentication getUsername()Ljava/lang/String;
java/net/PasswordAuthentication getPassword()[C
class java/net/PortUnreachableException java/net/SocketException
java/net/PortUnreachableException <init>(Ljava/lang/String;)V
java/net/PortUnreachableException <init>()V
class java/net/ProtocolException java/io/IOException
java/net/ProtocolException <init>(Ljava/lang/String;)V
java/net/ProtocolException <init>()V
class java/net/SecureCacheResponse
 java/net/CacheResponse
java/net/SecureCacheResponse <init>()V
java/net/SecureCacheResponse getCipherSuite()Ljava/lang/String;
java/net/SecureCacheResponse getLocalCertificateChain()Ljava/util/List;
java/net/SecureCacheResponse getServerCertificateChain()Ljava/util/List;
java/net/SecureCacheResponse getPeerPrincipal()Ljava/security/Principal;
java/net/SecureCacheResponse getLocalPrincipal()Ljava/security/Principal;
class java/net/ServerSocket$1 java/lang/Object
java/net/ServerSocket$1 this$0
java/net/ServerSocket$1 <init>(Ljava/net/ServerSocket;)V
java/net/ServerSocket$1 run()Ljava/lang/Object;
class java/net/Socket$1 java/lang/Object
java/net/Socket$1 this$0
java/net/Socket$1 <init>(Ljava/net/Socket;)V
java/net/Socket$1 run()Ljava/lang/Boolean;
java/net/Socket$1 run()Ljava/lang/Object;
class java/net/Socket$2 java/lang/Object
java/net/Socket$2 this$0
java/net/Socket$2 <init>(Ljava/net/Socket;)V
java/net/Socket$2 run()Ljava/lang/Object;
class java/net/Socket$3 java/lang/Object
java/net/Socket$3

```

```

this$0
java/net/Socket$3 <init>(Ljava/net/Socket;)V
java/net/Socket$3 run()Ljava/lang/Object;
class java/net/SocketInputStream java/io/FileInputStream
java/net/SocketInputStream eof
java/net/SocketInputStream impl
java/net/SocketInputStream temp
java/net/SocketInputStream socket
java/net/SocketInputStream closing
java/net/SocketInputStream <init>(Ljava/net/PlainSocketImpl;)V
java/net/SocketInputStream getChannel()Ljava/nio/channels/FileChannel;
java/net/SocketInputStream socketRead0(Ljava/io/FileDescriptor;[BIII)I
java/net/SocketInputStream read([B)I
java/net/SocketInputStream read([BII)I
java/net/SocketInputStream read()I
java/net/SocketInputStream skip(J)J
java/net/SocketInputStream available()I
java/net/SocketInputStream close()V
java/net/SocketInputStream setEOF(Z)V
java/net/SocketInputStream finalize()V
java/net/SocketInputStream init()V
java/net/SocketInputStream <clinit>()V
class java/net/SocketOutputStream java/io/FileOutputStream
java/net/SocketOutputStream
 impl
java/net/SocketOutputStream temp
java/net/SocketOutputStream socket
java/net/SocketOutputStream closing
java/net/SocketOutputStream <init>(Ljava/net/PlainSocketImpl;)V
java/net/SocketOutputStream getChannel()Ljava/nio/channels/FileChannel;
java/net/SocketOutputStream socketWrite0(Ljava/io/FileDescriptor;[BII)V
java/net/SocketOutputStream socketWrite([BII)V
java/net/SocketOutputStream write(I)V
java/net/SocketOutputStream write([B)V
java/net/SocketOutputStream write([BII)V
java/net/SocketOutputStream close()V
java/net/SocketOutputStream finalize()V
java/net/SocketOutputStream init()V
java/net/SocketOutputStream <clinit>()V
class java/net/SocksSocketImpl$1 java/lang/Object
java/net/SocksSocketImpl$1 val$host
java/net/SocksSocketImpl$1 val$port
java/net/SocksSocketImpl$1 val$timeout
java/net/SocksSocketImpl$1 this$0
java/net/SocksSocketImpl$1 <init>(Ljava/net/SocksSocketImpl;Ljava/lang/String;II)V
java/net/SocksSocketImpl$1 run()Ljava/lang/Object;
class java/net/SocksSocketImpl$2

```

```

java/lang/Object
java/net/SocksSocketImpl$2 val$addr
java/net/SocksSocketImpl$2 this$0
java/net/SocksSocketImpl$2 <init>(Ljava/net/SocksSocketImpl;Ljava/net/InetAddress;)V
java/net/SocksSocketImpl$2 run()Ljava/lang/Object;
class java/net/SocksSocketImpl$3 java/lang/Object
java/net/SocksSocketImpl$3 val$prefs
java/net/SocksSocketImpl$3 this$0
java/net/SocksSocketImpl$3 <init>(Ljava/net/SocksSocketImpl;Ljava/util/prefs/Preferences;)V
java/net/SocksSocketImpl$3 run()Ljava/lang/Object;
class java/net/SocksSocketImpl$4 java/lang/Object
java/net/SocksSocketImpl$4 val$prefs
java/net/SocksSocketImpl$4 this$0
java/net/SocksSocketImpl$4 <init>(Ljava/net/SocksSocketImpl;Ljava/util/prefs/Preferences;)V
java/net/SocksSocketImpl$4 run()Ljava/lang/Object;
class java/net/SocksSocketImpl$6 java/lang/Object
java/net/SocksSocketImpl$6 this$0
java/net/SocksSocketImpl$6 <init>(Ljava/net/SocksSocketImpl;)V
java/net/SocksSocketImpl$6 run()Ljava/lang/Object;
class java/net/SocksSocketImpl$7 java/lang/Object
java/net/SocksSocketImpl$7
this$0
java/net/SocksSocketImpl$7 <init>(Ljava/net/SocksSocketImpl;)V
java/net/SocksSocketImpl$7 run()Ljava/lang/Object;
class java/net/SocksSocketImpl$8 java/lang/Object
java/net/SocksSocketImpl$8 this$0
java/net/SocksSocketImpl$8 <init>(Ljava/net/SocksSocketImpl;)V
java/net/SocksSocketImpl$8 run()Ljava/lang/Object;
class java/net/URLClassLoader$4 java/lang/Object
java/net/URLClassLoader$4 val$sm
java/net/URLClassLoader$4 val$fp
java/net/URLClassLoader$4 this$0
java/net/URLClassLoader$4
<init>(Ljava/net/URLClassLoader;Ljava/lang/SecurityManager;Ljava/security/Permission;)V
java/net/URLClassLoader$4 run()Ljava/lang/Object;
class java/net/URLClassLoader$5 java/lang/Object
java/net/URLClassLoader$5 val$urls
java/net/URLClassLoader$5 val$parent
java/net/URLClassLoader$5 <init>([Ljava/net/URL;Ljava/lang/ClassLoader;)V
java/net/URLClassLoader$5 run()Ljava/lang/Object;
class java/net/URLClassLoader$6 java/lang/Object
java/net/URLClassLoader$6 val$urls
java/net/URLClassLoader$6
<init>([Ljava/net/URL;)V
java/net/URLClassLoader$6 run()Ljava/lang/Object;
class java/net/URLDecoder java/lang/Object
java/net/URLDecoder dfltEncName
java/net/URLDecoder <init>()V

```

```

java/net/URLDecoder decode(Ljava/lang/String;)Ljava/lang/String;
java/net/URLDecoder decode(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/net/URLDecoder <clinit>()V
class java/net/URLEncoder java/lang/Object
java/net/URLEncoder dontNeedEncoding
java/net/URLEncoder caseDiff
java/net/URLEncoder dfltEncName
java/net/URLEncoder <init>()V
java/net/URLEncoder encode(Ljava/lang/String;)Ljava/lang/String;
java/net/URLEncoder encode(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/net/URLEncoder <clinit>()V
class java/nio/BufferOverflowException java/lang/RuntimeException
java/nio/BufferOverflowException <init>()V
class java/nio/BufferUnderflowException java/lang/RuntimeException
java/nio/BufferUnderflowException <init>()V
class java/nio/ByteBufferAsCharBufferL java/nio/CharBuffer
java/nio/ByteBufferAsCharBufferL
 bb
java/nio/ByteBufferAsCharBufferL offset
java/nio/ByteBufferAsCharBufferL $assertionsDisabled
java/nio/ByteBufferAsCharBufferL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsCharBufferL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsCharBufferL slice()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferL duplicate()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferL asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferL ix()I
java/nio/ByteBufferAsCharBufferL get()C
java/nio/ByteBufferAsCharBufferL get(I)C
java/nio/ByteBufferAsCharBufferL put(C)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferL put(IC)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferL compact()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferL isDirect()Z
java/nio/ByteBufferAsCharBufferL isReadOnly()Z
java/nio/ByteBufferAsCharBufferL toString()Ljava/lang/String;
java/nio/ByteBufferAsCharBufferL subSequence(II)Ljava/lang/CharSequence;
java/nio/ByteBufferAsCharBufferL
 order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsCharBufferL <clinit>()V
class java/nio/ByteBufferAsCharBufferRB java/nio/ByteBufferAsCharBufferB
java/nio/ByteBufferAsCharBufferRB $assertionsDisabled
java/nio/ByteBufferAsCharBufferRB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsCharBufferRB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsCharBufferRB slice()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRB duplicate()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRB asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRB put(C)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRB put(IC)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRB compact()Ljava/nio/CharBuffer;

```

```

java/nio/ByteBufferAsCharBufferRB isDirect()Z
java/nio/ByteBufferAsCharBufferRB isReadOnly()Z
java/nio/ByteBufferAsCharBufferRB toString()Ljava/lang/String;
java/nio/ByteBufferAsCharBufferRB subSequence(II)Ljava/lang/CharSequence;
java/nio/ByteBufferAsCharBufferRB
 order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsCharBufferRB <clinit>()V
class java/nio/ByteBufferAsCharBufferRL java/nio/ByteBufferAsCharBufferL
java/nio/ByteBufferAsCharBufferRL $assertionsDisabled
java/nio/ByteBufferAsCharBufferRL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsCharBufferRL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsCharBufferRL slice()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRL duplicate()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRL asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRL put(C)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRL put(IC)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRL compact()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRL isDirect()Z
java/nio/ByteBufferAsCharBufferRL isReadOnly()Z
java/nio/ByteBufferAsCharBufferRL toString()Ljava/lang/String;
java/nio/ByteBufferAsCharBufferRL subSequence(II)Ljava/lang/CharSequence;
java/nio/ByteBufferAsCharBufferRL
 order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsCharBufferRL <clinit>()V
class java/nio/ByteBufferAsDoubleBufferB java/nio/DoubleBuffer
java/nio/ByteBufferAsDoubleBufferB bb
java/nio/ByteBufferAsDoubleBufferB offset
java/nio/ByteBufferAsDoubleBufferB $assertionsDisabled
java/nio/ByteBufferAsDoubleBufferB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsDoubleBufferB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsDoubleBufferB slice()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferB duplicate()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferB asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferB ix(I)I
java/nio/ByteBufferAsDoubleBufferB get()D
java/nio/ByteBufferAsDoubleBufferB get(I)D
java/nio/ByteBufferAsDoubleBufferB put(D)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferB put(ID)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferB compact()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferB
 isDirect()Z
java/nio/ByteBufferAsDoubleBufferB isReadOnly()Z
java/nio/ByteBufferAsDoubleBufferB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsDoubleBufferB <clinit>()V
class java/nio/ByteBufferAsDoubleBufferL java/nio/DoubleBuffer
java/nio/ByteBufferAsDoubleBufferL bb
java/nio/ByteBufferAsDoubleBufferL offset
java/nio/ByteBufferAsDoubleBufferL $assertionsDisabled

```

```

java/nio/ByteBufferAsDoubleBufferL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsDoubleBufferL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsDoubleBufferL slice()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferL duplicate()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferL asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferL ix(I)I
java/nio/ByteBufferAsDoubleBufferL get()D
java/nio/ByteBufferAsDoubleBufferL get(I)D
java/nio/ByteBufferAsDoubleBufferL put(D)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferL put(ID)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferL
 compact()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferL isDirect()Z
java/nio/ByteBufferAsDoubleBufferL isReadOnly()Z
java/nio/ByteBufferAsDoubleBufferL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsDoubleBufferL <clinit>()V
class java/nio/ByteBufferAsDoubleBufferRB java/nio/ByteBufferAsDoubleBufferB
java/nio/ByteBufferAsDoubleBufferRB $assertionsDisabled
java/nio/ByteBufferAsDoubleBufferRB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsDoubleBufferRB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsDoubleBufferRB slice()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRB duplicate()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRB asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRB put(D)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRB put(ID)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRB compact()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRB isDirect()Z
java/nio/ByteBufferAsDoubleBufferRB
 isReadOnly()Z
java/nio/ByteBufferAsDoubleBufferRB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsDoubleBufferRB <clinit>()V
class java/nio/ByteBufferAsDoubleBufferRL java/nio/ByteBufferAsDoubleBufferL
java/nio/ByteBufferAsDoubleBufferRL $assertionsDisabled
java/nio/ByteBufferAsDoubleBufferRL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsDoubleBufferRL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsDoubleBufferRL slice()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRL duplicate()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRL asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRL put(D)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRL put(ID)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRL compact()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRL isDirect()Z
java/nio/ByteBufferAsDoubleBufferRL isReadOnly()Z
java/nio/ByteBufferAsDoubleBufferRL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsDoubleBufferRL
 <clinit>()V
class java/nio/ByteBufferAsFloatBufferB java/nio/FloatBuffer
java/nio/ByteBufferAsFloatBufferB bb

```



```

java/nio/ByteBufferAsFloatBufferB offset
java/nio/ByteBufferAsFloatBufferB $assertionsDisabled
java/nio/ByteBufferAsFloatBufferB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsFloatBufferB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsFloatBufferB slice()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferB duplicate()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferB asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferB ix(I)I
java/nio/ByteBufferAsFloatBufferB get(F)F
java/nio/ByteBufferAsFloatBufferB get(I)F
java/nio/ByteBufferAsFloatBufferB put(F)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferB put(IF)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferB compact()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferB isDirect()Z
java/nio/ByteBufferAsFloatBufferB
 isReadOnly()Z
java/nio/ByteBufferAsFloatBufferB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsFloatBufferB <clinit>()V
class java/nio/ByteBufferAsFloatBufferL java/nio/FloatBuffer
java/nio/ByteBufferAsFloatBufferL bb
java/nio/ByteBufferAsFloatBufferL offset
java/nio/ByteBufferAsFloatBufferL $assertionsDisabled
java/nio/ByteBufferAsFloatBufferL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsFloatBufferL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsFloatBufferL slice()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferL duplicate()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferL asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferL ix(I)I
java/nio/ByteBufferAsFloatBufferL get(F)F
java/nio/ByteBufferAsFloatBufferL get(I)F
java/nio/ByteBufferAsFloatBufferL put(F)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferL put(IF)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferL compact()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferL
 isDirect()Z
java/nio/ByteBufferAsFloatBufferL isReadOnly()Z
java/nio/ByteBufferAsFloatBufferL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsFloatBufferL <clinit>()V
class java/nio/ByteBufferAsFloatBufferRB java/nio/ByteBufferAsFloatBufferB
java/nio/ByteBufferAsFloatBufferRB $assertionsDisabled
java/nio/ByteBufferAsFloatBufferRB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsFloatBufferRB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsFloatBufferRB slice()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRB duplicate()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRB asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRB put(F)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRB put(IF)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRB compact()Ljava/nio/FloatBuffer;

```

```

java/nio/ByteBufferAsFloatBufferRB isDirect()Z
java/nio/ByteBufferAsFloatBufferRB isReadOnly()Z
java/nio/ByteBufferAsFloatBufferRB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsFloatBufferRB
 <clinit>()V
class java/nio/ByteBufferAsFloatBufferRL java/nio/ByteBufferAsFloatBufferL
java/nio/ByteBufferAsFloatBufferRL $assertionsDisabled
java/nio/ByteBufferAsFloatBufferRL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsFloatBufferRL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsFloatBufferRL slice()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRL duplicate()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRL asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRL put(F)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRL put(IF)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRL compact()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRL isDirect()Z
java/nio/ByteBufferAsFloatBufferRL isReadOnly()Z
java/nio/ByteBufferAsFloatBufferRL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsFloatBufferRL <clinit>()V
class java/nio/ByteBufferAsIntBufferL java/nio/IntBuffer
java/nio/ByteBufferAsIntBufferL
 bb
java/nio/ByteBufferAsIntBufferL offset
java/nio/ByteBufferAsIntBufferL $assertionsDisabled
java/nio/ByteBufferAsIntBufferL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsIntBufferL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsIntBufferL slice()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferL duplicate()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferL asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferL ix(I)I
java/nio/ByteBufferAsIntBufferL get()I
java/nio/ByteBufferAsIntBufferL get(I)I
java/nio/ByteBufferAsIntBufferL put(I)Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferL put(II)Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferL compact()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferL isDirect()Z
java/nio/ByteBufferAsIntBufferL isReadOnly()Z
java/nio/ByteBufferAsIntBufferL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsIntBufferL <clinit>()V
class java/nio/ByteBufferAsIntBufferRB java/nio/ByteBufferAsIntBufferB
java/nio/ByteBufferAsIntBufferRB
 $assertionsDisabled
java/nio/ByteBufferAsIntBufferRB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsIntBufferRB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsIntBufferRB slice()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRB duplicate()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRB asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRB put(I)Ljava/nio/IntBuffer;

```

```

java/nio/ByteBufferAsIntBufferRB put(II)Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRB compact()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRB isDirect()Z
java/nio/ByteBufferAsIntBufferRB isReadOnly()Z
java/nio/ByteBufferAsIntBufferRB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsIntBufferRB <clinit>()V
class java/nio/ByteBufferAsIntBufferRL java/nio/ByteBufferAsIntBufferL
java/nio/ByteBufferAsIntBufferRL $assertionsDisabled
java/nio/ByteBufferAsIntBufferRL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsIntBufferRL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsIntBufferRL
 slice()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRL duplicate()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRL asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRL put(I)Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRL put(II)Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRL compact()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRL isDirect()Z
java/nio/ByteBufferAsIntBufferRL isReadOnly()Z
java/nio/ByteBufferAsIntBufferRL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsIntBufferRL <clinit>()V
class java/nio/ByteBufferAsLongBufferB java/nio/LongBuffer
java/nio/ByteBufferAsLongBufferB bb
java/nio/ByteBufferAsLongBufferB offset
java/nio/ByteBufferAsLongBufferB $assertionsDisabled
java/nio/ByteBufferAsLongBufferB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsLongBufferB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsLongBufferB slice()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferB
 duplicate()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferB asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferB ix(I)I
java/nio/ByteBufferAsLongBufferB get()J
java/nio/ByteBufferAsLongBufferB get(I)J
java/nio/ByteBufferAsLongBufferB put(J)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferB put(IJ)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferB compact()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferB isDirect()Z
java/nio/ByteBufferAsLongBufferB isReadOnly()Z
java/nio/ByteBufferAsLongBufferB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsLongBufferB <clinit>()V
class java/nio/ByteBufferAsLongBufferL java/nio/LongBuffer
java/nio/ByteBufferAsLongBufferL bb
java/nio/ByteBufferAsLongBufferL offset
java/nio/ByteBufferAsLongBufferL $assertionsDisabled
java/nio/ByteBufferAsLongBufferL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsLongBufferL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsLongBufferL slice()Ljava/nio/LongBuffer;

```

```

java/nio/ByteBufferAsLongBufferL
 duplicate()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferL asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferL ix(I)I
java/nio/ByteBufferAsLongBufferL get(J)
java/nio/ByteBufferAsLongBufferL get(I)J
java/nio/ByteBufferAsLongBufferL put(J)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferL put(IJ)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferL compact()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferL isDirect()Z
java/nio/ByteBufferAsLongBufferL isReadOnly()Z
java/nio/ByteBufferAsLongBufferL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsLongBufferL <clinit>()V
class java/nio/ByteBufferAsLongBufferRB java/nio/ByteBufferAsLongBufferB
java/nio/ByteBufferAsLongBufferRB $assertionsDisabled
java/nio/ByteBufferAsLongBufferRB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsLongBufferRB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsLongBufferRB slice()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRB
 duplicate()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRB asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRB put(J)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRB put(IJ)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRB compact()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRB isDirect()Z
java/nio/ByteBufferAsLongBufferRB isReadOnly()Z
java/nio/ByteBufferAsLongBufferRB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsLongBufferRB <clinit>()V
class java/nio/ByteBufferAsLongBufferRL java/nio/ByteBufferAsLongBufferL
java/nio/ByteBufferAsLongBufferRL $assertionsDisabled
java/nio/ByteBufferAsLongBufferRL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsLongBufferRL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsLongBufferRL slice()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRL duplicate()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRL asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRL
 put(J)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRL put(IJ)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRL compact()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRL isDirect()Z
java/nio/ByteBufferAsLongBufferRL isReadOnly()Z
java/nio/ByteBufferAsLongBufferRL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsLongBufferRL <clinit>()V
class java/nio/ByteBufferAsShortBufferL java/nio/ShortBuffer
java/nio/ByteBufferAsShortBufferL bb
java/nio/ByteBufferAsShortBufferL offset
java/nio/ByteBufferAsShortBufferL $assertionsDisabled
java/nio/ByteBufferAsShortBufferL <init>(Ljava/nio/ByteBuffer;)V

```

```

java/nio/ByteBufferAsShortBufferL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsShortBufferL slice()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferL duplicate()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferL asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferL ix(I)I
java/nio/ByteBufferAsShortBufferL get(S
java/nio/ByteBufferAsShortBufferL
 get(I)S
java/nio/ByteBufferAsShortBufferL put(S)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferL put(IS)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferL compact()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferL isDirect()Z
java/nio/ByteBufferAsShortBufferL isReadOnly()Z
java/nio/ByteBufferAsShortBufferL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsShortBufferL <clinit>()V
class java/nio/ByteBufferAsShortBufferRB java/nio/ByteBufferAsShortBufferB
java/nio/ByteBufferAsShortBufferRB $assertionsDisabled
java/nio/ByteBufferAsShortBufferRB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsShortBufferRB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsShortBufferRB slice()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRB duplicate()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRB asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRB put(S)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRB
 put(IS)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRB compact()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRB isDirect()Z
java/nio/ByteBufferAsShortBufferRB isReadOnly()Z
java/nio/ByteBufferAsShortBufferRB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsShortBufferRB <clinit>()V
class java/nio/ByteBufferAsShortBufferRL java/nio/ByteBufferAsShortBufferL
java/nio/ByteBufferAsShortBufferRL $assertionsDisabled
java/nio/ByteBufferAsShortBufferRL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsShortBufferRL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsShortBufferRL slice()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRL duplicate()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRL asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRL put(S)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRL put(IS)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRL compact()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRL
 isDirect()Z
java/nio/ByteBufferAsShortBufferRL isReadOnly()Z
java/nio/ByteBufferAsShortBufferRL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsShortBufferRL <clinit>()V
class java/nio/DirectByteBuffer$1 java/lang/Object
class java/nio/DirectByteBufferR java/nio/DirectByteBuffer
java/nio/DirectByteBufferR $assertionsDisabled

```

```

java/nio/DirectByteBufferR <init>(I)V
java/nio/DirectByteBufferR <init>(IJLjava/lang/Runnable;)V
java/nio/DirectByteBufferR <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectByteBufferR slice()Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR duplicate()Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR asReadOnlyBuffer()Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR put(B)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR put(IB)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR put(Ljava/nio/ByteBuffer;)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR put([BII)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR compact()Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR
 isDirect()Z
java/nio/DirectByteBufferR isReadOnly()Z
java/nio/DirectByteBufferR _get(I)B
java/nio/DirectByteBufferR _put(IB)V
java/nio/DirectByteBufferR putChar(JC)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putChar(C)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putChar(IC)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR asCharBuffer()Ljava/nio/CharBuffer;
java/nio/DirectByteBufferR putShort(JS)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putShort(S)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putShort(IS)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR asShortBuffer()Ljava/nio/ShortBuffer;
java/nio/DirectByteBufferR putInt(JI)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putInt(I)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putInt(II)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR asIntBuffer()Ljava/nio/IntBuffer;
java/nio/DirectByteBufferR putLong(JJ)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putLong(J)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR
 putLong(IJ)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR asLongBuffer()Ljava/nio/LongBuffer;
java/nio/DirectByteBufferR putFloat(JF)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putFloat(F)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putFloat(IF)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR asFloatBuffer()Ljava/nio/FloatBuffer;
java/nio/DirectByteBufferR putDouble(JD)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putDouble(D)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putDouble(ID)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR asDoubleBuffer()Ljava/nio/DoubleBuffer;
java/nio/DirectByteBufferR <clinit>()V
class java/nio/DirectCharBufferRS java/nio/DirectCharBufferS
java/nio/DirectCharBufferRS $assertionsDisabled
java/nio/DirectCharBufferRS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectCharBufferRS slice()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRS duplicate()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRS asReadOnlyBuffer()Ljava/nio/CharBuffer;

```

```

java/nio/DirectCharBufferRS
 put(C)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRS put(IC)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRS put(Ljava/nio/CharBuffer;)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRS put([CII)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRS compact()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRS isDirect()Z
java/nio/DirectCharBufferRS isReadOnly()Z
java/nio/DirectCharBufferRS toString(II)Ljava/lang/String;
java/nio/DirectCharBufferRS subSequence(II)Ljava/lang/CharSequence;
java/nio/DirectCharBufferRS order()Ljava/nio/ByteOrder;
java/nio/DirectCharBufferRS <clinit>()V
class java/nio/DirectCharBufferRU java/nio/DirectCharBufferU
java/nio/DirectCharBufferRU $assertionsDisabled
java/nio/DirectCharBufferRU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectCharBufferRU slice()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU duplicate()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU
 put(C)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU put(IC)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU put(Ljava/nio/CharBuffer;)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU put([CII)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU compact()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU isDirect()Z
java/nio/DirectCharBufferRU isReadOnly()Z
java/nio/DirectCharBufferRU toString(II)Ljava/lang/String;
java/nio/DirectCharBufferRU subSequence(II)Ljava/lang/CharSequence;
java/nio/DirectCharBufferRU order()Ljava/nio/ByteOrder;
java/nio/DirectCharBufferRU <clinit>()V
class java/nio/DirectCharBufferS java/nio/CharBuffer
java/nio/DirectCharBufferS unsafe
java/nio/DirectCharBufferS unaligned
java/nio/DirectCharBufferS viewedBuffer
java/nio/DirectCharBufferS $assertionsDisabled
java/nio/DirectCharBufferS viewedBuffer()Ljava/lang/Object;
java/nio/DirectCharBufferS cleaner()Lsun/misc/Cleaner;
java/nio/DirectCharBufferS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectCharBufferS
 slice()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS duplicate()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS address()J
java/nio/DirectCharBufferS ix(I)J
java/nio/DirectCharBufferS get()C
java/nio/DirectCharBufferS get(I)C
java/nio/DirectCharBufferS get([CII)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS put(C)Ljava/nio/CharBuffer;

```

```

java/nio/DirectCharBufferS put(IC)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS put(Ljava/nio/CharBuffer;)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS put([CII)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS compact(Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS isDirect()Z
java/nio/DirectCharBufferS isReadOnly()Z
java/nio/DirectCharBufferS toString(II)Ljava/lang/String;
java/nio/DirectCharBufferS subSequence(II)Ljava/lang/CharSequence;
java/nio/DirectCharBufferS order(Ljava/nio/ByteOrder;
java/nio/DirectCharBufferS <clinit>()V
class java/nio/DirectCharBufferU
 java/nio/CharBuffer
java/nio/DirectCharBufferU unsafe
java/nio/DirectCharBufferU unaligned
java/nio/DirectCharBufferU viewedBuffer
java/nio/DirectCharBufferU $assertionsDisabled
java/nio/DirectCharBufferU viewedBuffer(Ljava/lang/Object;
java/nio/DirectCharBufferU cleaner()Lsun/misc/Cleaner;
java/nio/DirectCharBufferU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectCharBufferU slice(Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU duplicate(Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU asReadOnlyBuffer(Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU address()J
java/nio/DirectCharBufferU ix(I)J
java/nio/DirectCharBufferU get()C
java/nio/DirectCharBufferU get(I)C
java/nio/DirectCharBufferU get([CII)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU put(C)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU put(IC)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU put(Ljava/nio/CharBuffer;)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU put([CII)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU
 compact(Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU isDirect()Z
java/nio/DirectCharBufferU isReadOnly()Z
java/nio/DirectCharBufferU toString(II)Ljava/lang/String;
java/nio/DirectCharBufferU subSequence(II)Ljava/lang/CharSequence;
java/nio/DirectCharBufferU order(Ljava/nio/ByteOrder;
java/nio/DirectCharBufferU <clinit>()V
class java/nio/DirectDoubleBufferRS java/nio/DirectDoubleBufferS
java/nio/DirectDoubleBufferRS $assertionsDisabled
java/nio/DirectDoubleBufferRS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectDoubleBufferRS slice(Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRS duplicate(Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRS asReadOnlyBuffer(Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRS put(D)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRS put(ID)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRS put(Ljava/nio/DoubleBuffer;)Ljava/nio/DoubleBuffer;

```



```

java/nio/DirectDoubleBufferRS put([DII)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRS
 compact()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRS isDirect()Z
java/nio/DirectDoubleBufferRS isReadOnly()Z
java/nio/DirectDoubleBufferRS order()Ljava/nio/ByteOrder;
java/nio/DirectDoubleBufferRS <clinit>()V
class java/nio/DirectDoubleBufferRU java/nio/DirectDoubleBufferU
java/nio/DirectDoubleBufferRU $assertionsDisabled
java/nio/DirectDoubleBufferRU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectDoubleBufferRU slice()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU duplicate()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU put(D)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU put(ID)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU put(Ljava/nio/DoubleBuffer;)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU put([DII)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU compact()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU
 isDirect()Z
java/nio/DirectDoubleBufferRU isReadOnly()Z
java/nio/DirectDoubleBufferRU order()Ljava/nio/ByteOrder;
java/nio/DirectDoubleBufferRU <clinit>()V
class java/nio/DirectDoubleBufferS java/nio/DoubleBuffer
java/nio/DirectDoubleBufferS unsafe
java/nio/DirectDoubleBufferS unaligned
java/nio/DirectDoubleBufferS viewedBuffer
java/nio/DirectDoubleBufferS $assertionsDisabled
java/nio/DirectDoubleBufferS viewedBuffer()Ljava/lang/Object;
java/nio/DirectDoubleBufferS cleaner()Lsun/misc/Cleaner;
java/nio/DirectDoubleBufferS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectDoubleBufferS slice()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS duplicate()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS address()J
java/nio/DirectDoubleBufferS ix(I)J
java/nio/DirectDoubleBufferS get()D
java/nio/DirectDoubleBufferS get(I)D
java/nio/DirectDoubleBufferS get([DII)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS
 put(D)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS put(ID)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS put(Ljava/nio/DoubleBuffer;)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS put([DII)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS compact()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS isDirect()Z
java/nio/DirectDoubleBufferS isReadOnly()Z
java/nio/DirectDoubleBufferS order()Ljava/nio/ByteOrder;

```

```

java/nio/DirectDoubleBufferS <clinit>()V
class java/nio/DirectDoubleBufferU java/nio/DoubleBuffer
java/nio/DirectDoubleBufferU unsafe
java/nio/DirectDoubleBufferU unaligned
java/nio/DirectDoubleBufferU viewedBuffer
java/nio/DirectDoubleBufferU $assertionsDisabled
java/nio/DirectDoubleBufferU viewedBuffer()Ljava/lang/Object;
java/nio/DirectDoubleBufferU cleaner()Lsun/misc/Cleaner;
java/nio/DirectDoubleBufferU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectDoubleBufferU slice()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU duplicate()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU
 asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU address()J
java/nio/DirectDoubleBufferU ix(I)J
java/nio/DirectDoubleBufferU get()D
java/nio/DirectDoubleBufferU get(I)D
java/nio/DirectDoubleBufferU get([DII)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU put(D)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU put(ID)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU put(Ljava/nio/DoubleBuffer;)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU put([DII)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU compact(Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU isDirect()Z
java/nio/DirectDoubleBufferU isReadOnly()Z
java/nio/DirectDoubleBufferU order()Ljava/nio/ByteOrder;
java/nio/DirectDoubleBufferU <clinit>()V
class java/nio/DirectFloatBufferRS java/nio/DirectFloatBufferS
java/nio/DirectFloatBufferRS $assertionsDisabled
java/nio/DirectFloatBufferRS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectFloatBufferRS
 slice()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRS duplicate()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRS asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRS put(F)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRS put(IF)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRS put(Ljava/nio/FloatBuffer;)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRS put([FII)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRS compact()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRS isDirect()Z
java/nio/DirectFloatBufferRS isReadOnly()Z
java/nio/DirectFloatBufferRS order()Ljava/nio/ByteOrder;
java/nio/DirectFloatBufferRS <clinit>()V
class java/nio/DirectFloatBufferRU java/nio/DirectFloatBufferU
java/nio/DirectFloatBufferRU $assertionsDisabled
java/nio/DirectFloatBufferRU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectFloatBufferRU slice()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRU duplicate()Ljava/nio/FloatBuffer;

```

```

java/nio/DirectFloatBufferRU
 asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRU put(F)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRU put(IF)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRU put(Ljava/nio/FloatBuffer;)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRU put([FII)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRU compact()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRU isDirect()Z
java/nio/DirectFloatBufferRU isReadOnly()Z
java/nio/DirectFloatBufferRU order()Ljava/nio/ByteOrder;
java/nio/DirectFloatBufferRU <clinit>()V
class java/nio/DirectFloatBufferS java/nio/FloatBuffer
java/nio/DirectFloatBufferS unsafe
java/nio/DirectFloatBufferS unaligned
java/nio/DirectFloatBufferS viewedBuffer
java/nio/DirectFloatBufferS $assertionsDisabled
java/nio/DirectFloatBufferS viewedBuffer()Ljava/lang/Object;
java/nio/DirectFloatBufferS cleaner()Lsun/misc/Cleaner;
java/nio/DirectFloatBufferS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectFloatBufferS slice()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS
 duplicate()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS address()J
java/nio/DirectFloatBufferS ix(I)J
java/nio/DirectFloatBufferS get()F
java/nio/DirectFloatBufferS get(I)F
java/nio/DirectFloatBufferS get([FII)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS put(F)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS put(IF)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS put(Ljava/nio/FloatBuffer;)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS put([FII)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS compact()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS isDirect()Z
java/nio/DirectFloatBufferS isReadOnly()Z
java/nio/DirectFloatBufferS order()Ljava/nio/ByteOrder;
java/nio/DirectFloatBufferS <clinit>()V
class java/nio/DirectFloatBufferU java/nio/FloatBuffer
java/nio/DirectFloatBufferU unsafe
java/nio/DirectFloatBufferU unaligned
java/nio/DirectFloatBufferU viewedBuffer
java/nio/DirectFloatBufferU
 $assertionsDisabled
java/nio/DirectFloatBufferU viewedBuffer()Ljava/lang/Object;
java/nio/DirectFloatBufferU cleaner()Lsun/misc/Cleaner;
java/nio/DirectFloatBufferU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectFloatBufferU slice()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU duplicate()Ljava/nio/FloatBuffer;

```

```

java/nio/DirectFloatBufferU asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU address()J
java/nio/DirectFloatBufferU ix(I)J
java/nio/DirectFloatBufferU get()F
java/nio/DirectFloatBufferU get(I)F
java/nio/DirectFloatBufferU get([FII)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU put(F)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU put(IF)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU put(Ljava/nio/FloatBuffer;)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU put([FII)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU compact()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU isDirect()Z
java/nio/DirectFloatBufferU
isReadOnly()Z
java/nio/DirectFloatBufferU order()Ljava/nio/ByteOrder;
java/nio/DirectFloatBufferU <clinit>()V
class java/nio/DirectIntBufferRS java/nio/DirectIntBufferS
java/nio/DirectIntBufferRS $assertionsDisabled
java/nio/DirectIntBufferRS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectIntBufferRS slice()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS duplicate()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS put(I)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS put(II)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS put(Ljava/nio/IntBuffer;)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS put([III)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS compact()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS isDirect()Z
java/nio/DirectIntBufferRS isReadOnly()Z
java/nio/DirectIntBufferRS order()Ljava/nio/ByteOrder;
java/nio/DirectIntBufferRS <clinit>()V
class java/nio/DirectIntBufferRU java/nio/DirectIntBufferU
java/nio/DirectIntBufferRU
$assertionsDisabled
java/nio/DirectIntBufferRU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectIntBufferRU slice()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU duplicate()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU put(I)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU put(II)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU put(Ljava/nio/IntBuffer;)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU put([III)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU compact()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU isDirect()Z
java/nio/DirectIntBufferRU isReadOnly()Z
java/nio/DirectIntBufferRU order()Ljava/nio/ByteOrder;
java/nio/DirectIntBufferRU <clinit>()V
class java/nio/DirectIntBufferS java/nio/IntBuffer

```

```

java/nio/DirectIntBufferS unsafe
java/nio/DirectIntBufferS unaligned
java/nio/DirectIntBufferS viewedBuffer
java/nio/DirectIntBufferS $assertionsDisabled
java/nio/DirectIntBufferS
 viewedBuffer()Ljava/lang/Object;
java/nio/DirectIntBufferS cleaner()Lsun/misc/Cleaner;
java/nio/DirectIntBufferS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectIntBufferS slice()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS duplicate()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS address()J
java/nio/DirectIntBufferS ix(I)J
java/nio/DirectIntBufferS get(I)I
java/nio/DirectIntBufferS get(I)I
java/nio/DirectIntBufferS get([III)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS put(I)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS put(II)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS put(Ljava/nio/IntBuffer;)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS put([III)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS compact()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS isDirect()Z
java/nio/DirectIntBufferS isReadOnly()Z
java/nio/DirectIntBufferS order()Ljava/nio/ByteOrder;
java/nio/DirectIntBufferS <clinit>()V
class java/nio/DirectIntBufferU
 java/nio/IntBuffer
java/nio/DirectIntBufferU unsafe
java/nio/DirectIntBufferU unaligned
java/nio/DirectIntBufferU viewedBuffer
java/nio/DirectIntBufferU $assertionsDisabled
java/nio/DirectIntBufferU viewedBuffer()Ljava/lang/Object;
java/nio/DirectIntBufferU cleaner()Lsun/misc/Cleaner;
java/nio/DirectIntBufferU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectIntBufferU slice()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU duplicate()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU address()J
java/nio/DirectIntBufferU ix(I)J
java/nio/DirectIntBufferU get(I)I
java/nio/DirectIntBufferU get(I)I
java/nio/DirectIntBufferU get([III)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU put(I)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU put(II)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU put(Ljava/nio/IntBuffer;)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU put([III)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU

```

```

compact()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU isDirect()Z
java/nio/DirectIntBufferU isReadOnly()Z
java/nio/DirectIntBufferU order()Ljava/nio/ByteOrder;
java/nio/DirectIntBufferU <clinit>()V
class java/nio/DirectLongBufferRS java/nio/DirectLongBufferS
java/nio/DirectLongBufferRS $assertionsDisabled
java/nio/DirectLongBufferRS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectLongBufferRS slice()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS duplicate()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS put(J)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS put(IJ)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS put(Ljava/nio/LongBuffer;)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS put([JII)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS compact()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS isDirect()Z
java/nio/DirectLongBufferRS isReadOnly()Z
java/nio/DirectLongBufferRS order()Ljava/nio/ByteOrder;
java/nio/DirectLongBufferRS
<clinit>()V
class java/nio/DirectLongBufferRU java/nio/DirectLongBufferU
java/nio/DirectLongBufferRU $assertionsDisabled
java/nio/DirectLongBufferRU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectLongBufferRU slice()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU duplicate()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU put(J)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU put(IJ)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU put(Ljava/nio/LongBuffer;)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU put([JII)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU compact()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU isDirect()Z
java/nio/DirectLongBufferRU isReadOnly()Z
java/nio/DirectLongBufferRU order()Ljava/nio/ByteOrder;
java/nio/DirectLongBufferRU <clinit>()V
class java/nio/DirectLongBufferS java/nio/LongBuffer
java/nio/DirectLongBufferS unsafe
java/nio/DirectLongBufferS
unaligned
java/nio/DirectLongBufferS viewedBuffer
java/nio/DirectLongBufferS $assertionsDisabled
java/nio/DirectLongBufferS viewedBuffer()Ljava/lang/Object;
java/nio/DirectLongBufferS cleaner()Lsun/misc/Cleaner;
java/nio/DirectLongBufferS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectLongBufferS slice()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS duplicate()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS asReadOnlyBuffer()Ljava/nio/LongBuffer;

```

```

java/nio/DirectLongBufferS address()J
java/nio/DirectLongBufferS ix(I)J
java/nio/DirectLongBufferS get()J
java/nio/DirectLongBufferS get(I)J
java/nio/DirectLongBufferS get([JII)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS put(J)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS put(IJ)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS put(Ljava/nio/LongBuffer;)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS put([JII)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS compact()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS
 isDirect()Z
java/nio/DirectLongBufferS isReadOnly()Z
java/nio/DirectLongBufferS order()Ljava/nio/ByteOrder;
java/nio/DirectLongBufferS <clinit>()V
class java/nio/DirectLongBufferU java/nio/LongBuffer
java/nio/DirectLongBufferU unsafe
java/nio/DirectLongBufferU unaligned
java/nio/DirectLongBufferU viewedBuffer
java/nio/DirectLongBufferU $assertionsDisabled
java/nio/DirectLongBufferU viewedBuffer()Ljava/lang/Object;
java/nio/DirectLongBufferU cleaner()Lsun/misc/Cleaner;
java/nio/DirectLongBufferU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectLongBufferU slice()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU duplicate()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU address()J
java/nio/DirectLongBufferU ix(I)J
java/nio/DirectLongBufferU get()J
java/nio/DirectLongBufferU get(I)J
java/nio/DirectLongBufferU get([JII)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU put(J)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU
 put(IJ)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU put(Ljava/nio/LongBuffer;)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU put([JII)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU compact()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU isDirect()Z
java/nio/DirectLongBufferU isReadOnly()Z
java/nio/DirectLongBufferU order()Ljava/nio/ByteOrder;
java/nio/DirectLongBufferU <clinit>()V
class java/nio/DirectShortBufferRS java/nio/DirectShortBufferS
java/nio/DirectShortBufferRS $assertionsDisabled
java/nio/DirectShortBufferRS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectShortBufferRS slice()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRS duplicate()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRS asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRS put(S)Ljava/nio/ShortBuffer;

```

```

java/nio/DirectShortBufferRS put(IS)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRS put(Ljava/nio/ShortBuffer;)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRS put([SII)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRS
 compact()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRS isDirect()Z
java/nio/DirectShortBufferRS isReadOnly()Z
java/nio/DirectShortBufferRS order()Ljava/nio/ByteOrder;
java/nio/DirectShortBufferRS <clinit>()V
class java/nio/DirectShortBufferRU java/nio/DirectShortBufferU
java/nio/DirectShortBufferRU $assertionsDisabled
java/nio/DirectShortBufferRU <init>(Lsun/nio/ch/DirectBuffer;IIIII)V
java/nio/DirectShortBufferRU slice()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU duplicate()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU put(S)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU put(IS)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU put(Ljava/nio/ShortBuffer;)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU put([SII)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU compact()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU isDirect()Z
java/nio/DirectShortBufferRU
 isReadOnly()Z
java/nio/DirectShortBufferRU order()Ljava/nio/ByteOrder;
java/nio/DirectShortBufferRU <clinit>()V
class java/nio/DirectShortBufferS java/nio/ShortBuffer
java/nio/DirectShortBufferS unsafe
java/nio/DirectShortBufferS unaligned
java/nio/DirectShortBufferS viewedBuffer
java/nio/DirectShortBufferS $assertionsDisabled
java/nio/DirectShortBufferS viewedBuffer()Ljava/lang/Object;
java/nio/DirectShortBufferS cleaner()Lsun/misc/Cleaner;
java/nio/DirectShortBufferS <init>(Lsun/nio/ch/DirectBuffer;IIIII)V
java/nio/DirectShortBufferS slice()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS duplicate()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS address()J
java/nio/DirectShortBufferS ix(I)J
java/nio/DirectShortBufferS get()S
java/nio/DirectShortBufferS get(I)S
java/nio/DirectShortBufferS get([SII)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS put(S)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS
 put(IS)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS put(Ljava/nio/ShortBuffer;)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS put([SII)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS compact()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS isDirect()Z

```



```

java/nio/DirectShortBufferS isReadOnly()Z
java/nio/DirectShortBufferS order()Ljava/nio/ByteOrder;
java/nio/DirectShortBufferS <clinit>()V
class java/nio/DirectShortBufferU java/nio/ShortBuffer
java/nio/DirectShortBufferU unsafe
java/nio/DirectShortBufferU unaligned
java/nio/DirectShortBufferU viewedBuffer
java/nio/DirectShortBufferU $assertionsDisabled
java/nio/DirectShortBufferU viewedBuffer(Ljava/lang/Object;
java/nio/DirectShortBufferU cleaner()Lsun/misc/Cleaner;
java/nio/DirectShortBufferU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectShortBufferU slice(Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU duplicate(Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU
 address()J
java/nio/DirectShortBufferU ix(I)J
java/nio/DirectShortBufferU get()S
java/nio/DirectShortBufferU get(I)S
java/nio/DirectShortBufferU get([SII)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU put(S)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU put(IS)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU put(Ljava/nio/ShortBuffer;)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU put([SII)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU compact(Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU isDirect()Z
java/nio/DirectShortBufferU isReadOnly()Z
java/nio/DirectShortBufferU order()Ljava/nio/ByteOrder;
java/nio/DirectShortBufferU <clinit>()V
class java/nio/DoubleBuffer java/nio/Buffer
java/nio/DoubleBuffer hb
java/nio/DoubleBuffer offset
java/nio/DoubleBuffer isReadOnly
java/nio/DoubleBuffer <init>(IIII[DI)V
java/nio/DoubleBuffer <init>(IIII)V
java/nio/DoubleBuffer allocate(I)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer
 wrap([DII)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer wrap([D)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer slice(Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer duplicate(Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer get()D
java/nio/DoubleBuffer put(D)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer get(I)D
java/nio/DoubleBuffer put(ID)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer get([DII)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer get([D)Ljava/nio/DoubleBuffer;

```

```

java/nio/DoubleBuffer put(Ljava/nio/DoubleBuffer;)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer put([DII)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer put([D)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer hasArray()Z
java/nio/DoubleBuffer array()[D
java/nio/DoubleBuffer arrayOffset()I
java/nio/DoubleBuffer compact()Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer isDirect()Z
java/nio/DoubleBuffer toString()Ljava/lang/String;
java/nio/DoubleBuffer hashCode()I
java/nio/DoubleBuffer
 equals(Ljava/lang/Object;)Z
java/nio/DoubleBuffer compareTo(Ljava/nio/DoubleBuffer;)I
java/nio/DoubleBuffer order()Ljava/nio/ByteOrder;
java/nio/DoubleBuffer compareTo(Ljava/lang/Object;)I
class java/nio/FloatBuffer java/nio/Buffer
java/nio/FloatBuffer hb
java/nio/FloatBuffer offset
java/nio/FloatBuffer isReadOnly
java/nio/FloatBuffer <init>([III[FI)V
java/nio/FloatBuffer <init>([III)V
java/nio/FloatBuffer allocate(I)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer wrap([FII)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer wrap([F)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer slice()Ljava/nio/FloatBuffer;
java/nio/FloatBuffer duplicate()Ljava/nio/FloatBuffer;
java/nio/FloatBuffer asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/FloatBuffer get()F
java/nio/FloatBuffer put(F)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer get(I)F
java/nio/FloatBuffer put(IF)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer get([FII)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer get([F)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer
 put(Ljava/nio/FloatBuffer;)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer put([FII)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer put([F)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer hasArray()Z
java/nio/FloatBuffer array()[F
java/nio/FloatBuffer arrayOffset()I
java/nio/FloatBuffer compact()Ljava/nio/FloatBuffer;
java/nio/FloatBuffer isDirect()Z
java/nio/FloatBuffer toString()Ljava/lang/String;
java/nio/FloatBuffer hashCode()I
java/nio/FloatBuffer equals(Ljava/lang/Object;)Z
java/nio/FloatBuffer compareTo(Ljava/nio/FloatBuffer;)I
java/nio/FloatBuffer order()Ljava/nio/ByteOrder;
java/nio/FloatBuffer compareTo(Ljava/lang/Object;)I

```

```

class java/nio/HeapByteBufferR java/nio/HeapByteBuffer
java/nio/HeapByteBufferR <init>(II)V
java/nio/HeapByteBufferR <init>([BII)V
java/nio/HeapByteBufferR <init>([BIIII)V
java/nio/HeapByteBufferR slice()Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR duplicate()Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR asReadOnlyBuffer()Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR
 isReadOnly()Z
java/nio/HeapByteBufferR put(B)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR put(IB)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR put([BII)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR put(Ljava/nio/ByteBuffer;)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR compact()Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR _get(I)B
java/nio/HeapByteBufferR _put(IB)V
java/nio/HeapByteBufferR putChar(C)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR putChar(IC)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR asCharBuffer()Ljava/nio/CharBuffer;
java/nio/HeapByteBufferR putShort(S)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR putShort(IS)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR asShortBuffer()Ljava/nio/ShortBuffer;
java/nio/HeapByteBufferR putInt(I)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR putInt(II)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR asIntBuffer()Ljava/nio/IntBuffer;
java/nio/HeapByteBufferR putLong(J)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR
 putLong(IJ)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR asLongBuffer()Ljava/nio/LongBuffer;
java/nio/HeapByteBufferR putFloat(F)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR putFloat(IF)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR asFloatBuffer()Ljava/nio/FloatBuffer;
java/nio/HeapByteBufferR putDouble(D)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR putDouble(ID)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR asDoubleBuffer()Ljava/nio/DoubleBuffer;
class java/nio/HeapCharBufferR java/nio/HeapCharBuffer
java/nio/HeapCharBufferR <init>(II)V
java/nio/HeapCharBufferR <init>([CII)V
java/nio/HeapCharBufferR <init>([CIIII)V
java/nio/HeapCharBufferR slice()Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR duplicate()Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR isReadOnly()Z
java/nio/HeapCharBufferR put(C)Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR put(IC)Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR put([CII)Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR

```

```

 put(Ljava/nio/CharBuffer;)Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR compact()Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR toString(II)Ljava/lang/String;
java/nio/HeapCharBufferR subSequence(II)Ljava/lang/CharSequence;
java/nio/HeapCharBufferR order()Ljava/nio/ByteOrder;
class java/nio/HeapDoubleBuffer java/nio/DoubleBuffer
java/nio/HeapDoubleBuffer <init>(II)V
java/nio/HeapDoubleBuffer <init>([DII)V
java/nio/HeapDoubleBuffer <init>([DIIII)V
java/nio/HeapDoubleBuffer slice()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer duplicate()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer ix(I)I
java/nio/HeapDoubleBuffer get()D
java/nio/HeapDoubleBuffer get(I)D
java/nio/HeapDoubleBuffer get([DII)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer isDirect()Z
java/nio/HeapDoubleBuffer isReadOnly()Z
java/nio/HeapDoubleBuffer put(D)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer
 put(ID)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer put([DII)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer put(Ljava/nio/DoubleBuffer;)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer compact()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer order()Ljava/nio/ByteOrder;
class java/nio/HeapDoubleBufferR java/nio/HeapDoubleBuffer
java/nio/HeapDoubleBufferR <init>(II)V
java/nio/HeapDoubleBufferR <init>([DII)V
java/nio/HeapDoubleBufferR <init>([DIIII)V
java/nio/HeapDoubleBufferR slice()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBufferR duplicate()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBufferR asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBufferR isReadOnly()Z
java/nio/HeapDoubleBufferR put(D)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBufferR put(ID)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBufferR put([DII)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBufferR put(Ljava/nio/DoubleBuffer;)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBufferR compact()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBufferR
 order()Ljava/nio/ByteOrder;
class java/nio/HeapFloatBuffer java/nio/FloatBuffer
java/nio/HeapFloatBuffer <init>(II)V
java/nio/HeapFloatBuffer <init>([FII)V
java/nio/HeapFloatBuffer <init>([FIIII)V
java/nio/HeapFloatBuffer slice()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer duplicate()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer ix(I)I

```

```

java/nio/HeapFloatBuffer get()F
java/nio/HeapFloatBuffer get(I)F
java/nio/HeapFloatBuffer get([FII)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer isDirect()Z
java/nio/HeapFloatBuffer isReadOnly()Z
java/nio/HeapFloatBuffer put(F)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer put(IF)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer put([FII)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer put(Ljava/nio/FloatBuffer;)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer compact()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer order()Ljava/nio/ByteOrder;
class
 java/nio/HeapFloatBufferR java/nio/HeapFloatBuffer
java/nio/HeapFloatBufferR <init>(II)V
java/nio/HeapFloatBufferR <init>([FII)V
java/nio/HeapFloatBufferR <init>([FIIII)V
java/nio/HeapFloatBufferR slice()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR duplicate()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR isReadOnly()Z
java/nio/HeapFloatBufferR put(F)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR put(IF)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR put([FII)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR put(Ljava/nio/FloatBuffer;)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR compact()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR order()Ljava/nio/ByteOrder;
class java/nio/HeapIntBuffer java/nio/IntBuffer
java/nio/HeapIntBuffer <init>(II)V
java/nio/HeapIntBuffer <init>([III)V
java/nio/HeapIntBuffer <init>([IIII)V
java/nio/HeapIntBuffer slice()Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer duplicate()Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer
 asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer ix(I)I
java/nio/HeapIntBuffer get()I
java/nio/HeapIntBuffer get(I)I
java/nio/HeapIntBuffer get([III)Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer isDirect()Z
java/nio/HeapIntBuffer isReadOnly()Z
java/nio/HeapIntBuffer put(I)Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer put(II)Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer put([III)Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer put(Ljava/nio/IntBuffer;)Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer compact()Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer order()Ljava/nio/ByteOrder;
class java/nio/HeapIntBufferR java/nio/HeapIntBuffer
java/nio/HeapIntBufferR <init>(II)V

```

```

java/nio/HeapIntBufferR <init>([III)V
java/nio/HeapIntBufferR <init>([IIII)V
java/nio/HeapIntBufferR slice()Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR duplicate()Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR isReadOnly()Z
java/nio/HeapIntBufferR
 put(I)Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR put(II)Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR put([III)Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR put(Ljava/nio/IntBuffer;)Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR compact(Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR order(Ljava/nio/ByteOrder;
class java/nio/HeapLongBuffer java/nio/LongBuffer
java/nio/HeapLongBuffer <init>(II)V
java/nio/HeapLongBuffer <init>([JII)V
java/nio/HeapLongBuffer <init>([JIIII)V
java/nio/HeapLongBuffer slice()Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer duplicate()Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer ix(I)I
java/nio/HeapLongBuffer get()J
java/nio/HeapLongBuffer get(I)J
java/nio/HeapLongBuffer get([JII)Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer isDirect()Z
java/nio/HeapLongBuffer isReadOnly()Z
java/nio/HeapLongBuffer put(J)Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer put(IJ)Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer
 put([JII)Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer put(Ljava/nio/LongBuffer;)Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer compact()Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer order(Ljava/nio/ByteOrder;
class java/nio/HeapLongBufferR java/nio/HeapLongBuffer
java/nio/HeapLongBufferR <init>(II)V
java/nio/HeapLongBufferR <init>([JII)V
java/nio/HeapLongBufferR <init>([JIIII)V
java/nio/HeapLongBufferR slice()Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR duplicate()Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR isReadOnly()Z
java/nio/HeapLongBufferR put(J)Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR put(IJ)Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR put([JII)Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR put(Ljava/nio/LongBuffer;)Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR compact()Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR order(Ljava/nio/ByteOrder;
class java/nio/HeapShortBuffer

```

```

java/nio/ShortBuffer
java/nio/HeapShortBuffer <init>(II)V
java/nio/HeapShortBuffer <init>([SII)V
java/nio/HeapShortBuffer <init>([SIIII)V
java/nio/HeapShortBuffer slice()Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer duplicate()Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer ix(I)I
java/nio/HeapShortBuffer get()S
java/nio/HeapShortBuffer get(I)S
java/nio/HeapShortBuffer get([SII)Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer isDirect()Z
java/nio/HeapShortBuffer isReadOnly()Z
java/nio/HeapShortBuffer put(S)Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer put(IS)Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer put([SII)Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer put(Ljava/nio/ShortBuffer;)Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer compact()Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer order()Ljava/nio/ByteOrder;
class java/nio/HeapShortBufferR java/nio/HeapShortBuffer
java/nio/HeapShortBufferR <init>(II)V
java/nio/HeapShortBufferR
 <init>([SII)V
java/nio/HeapShortBufferR <init>([SIIII)V
java/nio/HeapShortBufferR slice()Ljava/nio/ShortBuffer;
java/nio/HeapShortBufferR duplicate()Ljava/nio/ShortBuffer;
java/nio/HeapShortBufferR asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/HeapShortBufferR isReadOnly()Z
java/nio/HeapShortBufferR put(S)Ljava/nio/ShortBuffer;
java/nio/HeapShortBufferR put(IS)Ljava/nio/ShortBuffer;
java/nio/HeapShortBufferR put([SII)Ljava/nio/ShortBuffer;
java/nio/HeapShortBufferR put(Ljava/nio/ShortBuffer;)Ljava/nio/ShortBuffer;
java/nio/HeapShortBufferR compact()Ljava/nio/ShortBuffer;
java/nio/HeapShortBufferR order()Ljava/nio/ByteOrder;
class java/nio/InvalidMarkException java/lang/IllegalStateException
java/nio/InvalidMarkException <init>()V
class java/nio/LongBuffer java/nio/Buffer
java/nio/LongBuffer hb
java/nio/LongBuffer offset
java/nio/LongBuffer isReadOnly
java/nio/LongBuffer <init>(III[JI)V
java/nio/LongBuffer <init>(III)V
java/nio/LongBuffer allocate(I)Ljava/nio/LongBuffer;
java/nio/LongBuffer
 wrap([JII)Ljava/nio/LongBuffer;
java/nio/LongBuffer wrap([J)Ljava/nio/LongBuffer;
java/nio/LongBuffer slice()Ljava/nio/LongBuffer;
java/nio/LongBuffer duplicate()Ljava/nio/LongBuffer;

```

```

java/nio/LongBuffer asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/LongBuffer get()J
java/nio/LongBuffer put(J)Ljava/nio/LongBuffer;
java/nio/LongBuffer get(I)J
java/nio/LongBuffer put(IJ)Ljava/nio/LongBuffer;
java/nio/LongBuffer get([JII)Ljava/nio/LongBuffer;
java/nio/LongBuffer get([J)Ljava/nio/LongBuffer;
java/nio/LongBuffer put(Ljava/nio/LongBuffer;)Ljava/nio/LongBuffer;
java/nio/LongBuffer put([JII)Ljava/nio/LongBuffer;
java/nio/LongBuffer put([J)Ljava/nio/LongBuffer;
java/nio/LongBuffer hasArray()Z
java/nio/LongBuffer array()[J
java/nio/LongBuffer arrayOffset()I
java/nio/LongBuffer compact()Ljava/nio/LongBuffer;
java/nio/LongBuffer isDirect()Z
java/nio/LongBuffer toString()Ljava/lang/String;
java/nio/LongBuffer hashCode()I
java/nio/LongBuffer equals(Ljava/lang/Object;)Z
java/nio/LongBuffer
 compareTo(Ljava/nio/LongBuffer;)I
java/nio/LongBuffer order()Ljava/nio/ByteOrder;
java/nio/LongBuffer compareTo(Ljava/lang/Object;)I
class java/nio/ReadOnlyBufferException java/lang/UnsupportedOperationException
java/nio/ReadOnlyBufferException <init>()V
class java/nio/StringCharBuffer java/nio/CharBuffer
java/nio/StringCharBuffer str
java/nio/StringCharBuffer <init>(Ljava/lang/CharSequence;II)V
java/nio/StringCharBuffer slice()Ljava/nio/CharBuffer;
java/nio/StringCharBuffer <init>(Ljava/lang/CharSequence;IIII)V
java/nio/StringCharBuffer duplicate()Ljava/nio/CharBuffer;
java/nio/StringCharBuffer asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/StringCharBuffer get()C
java/nio/StringCharBuffer get(I)C
java/nio/StringCharBuffer put(C)Ljava/nio/CharBuffer;
java/nio/StringCharBuffer put(IC)Ljava/nio/CharBuffer;
java/nio/StringCharBuffer compact()Ljava/nio/CharBuffer;
java/nio/StringCharBuffer isReadOnly()Z
java/nio/StringCharBuffer toString(II)Ljava/lang/String;
java/nio/StringCharBuffer
 subSequence(II)Ljava/lang/CharSequence;
java/nio/StringCharBuffer isDirect()Z
java/nio/StringCharBuffer order()Ljava/nio/ByteOrder;
class java/nio/channels/AlreadyConnectedException java/lang/IllegalStateException
java/nio/channels/AlreadyConnectedException <init>()V
class java/nio/channels/AsynchronousCloseException java/nio/channels/ClosedChannelException
java/nio/channels/AsynchronousCloseException <init>()V
class java/nio/channels/CancelledKeyException java/lang/IllegalStateException
java/nio/channels/CancelledKeyException <init>()V

```



```

class java/nio/channels/Channels$1 java/io/OutputStream
java/nio/channels/Channels$1 bb
java/nio/channels/Channels$1 bs
java/nio/channels/Channels$1 b1
java/nio/channels/Channels$1 val$ch
java/nio/channels/Channels$1 <init>(Ljava/nio/channels/WritableByteChannel;)V
java/nio/channels/Channels$1 write(I)V
java/nio/channels/Channels$1 write([BII)V
java/nio/channels/Channels$1 close()V
class java/nio/channels/Channels$ReadableByteChannelImpl
java/nio/channels/spi/AbstractInterruptibleChannel
java/nio/channels/Channels$ReadableByteChannelImpl in
java/nio/channels/Channels$ReadableByteChannelImpl TRANSFER_SIZE
java/nio/channels/Channels$ReadableByteChannelImpl buf
java/nio/channels/Channels$ReadableByteChannelImpl open
java/nio/channels/Channels$ReadableByteChannelImpl readLock
java/nio/channels/Channels$ReadableByteChannelImpl <init>(Ljava/io/InputStream;)V
java/nio/channels/Channels$ReadableByteChannelImpl read(Ljava/nio/ByteBuffer;)I
java/nio/channels/Channels$ReadableByteChannelImpl implCloseChannel()V
class java/nio/channels/Channels$WritableByteChannelImpl java/nio/channels/spi/AbstractInterruptibleChannel
java/nio/channels/Channels$WritableByteChannelImpl out
java/nio/channels/Channels$WritableByteChannelImpl TRANSFER_SIZE
java/nio/channels/Channels$WritableByteChannelImpl buf
java/nio/channels/Channels$WritableByteChannelImpl open
java/nio/channels/Channels$WritableByteChannelImpl writeLock
java/nio/channels/Channels$WritableByteChannelImpl
 <init>(Ljava/io/OutputStream;)V
java/nio/channels/Channels$WritableByteChannelImpl write(Ljava/nio/ByteBuffer;)I
java/nio/channels/Channels$WritableByteChannelImpl implCloseChannel()V
class java/nio/channels/Channels java/lang/Object
java/nio/channels/Channels <init>()V
java/nio/channels/Channels write(Ljava/nio/channels/WritableByteChannel;Ljava/nio/ByteBuffer;)I
java/nio/channels/Channels newInputStream(Ljava/nio/channels/ReadableByteChannel;)Ljava/io/InputStream;
java/nio/channels/Channels newOutputStream(Ljava/nio/channels/WritableByteChannel;)Ljava/io/OutputStream;
java/nio/channels/Channels newChannel(Ljava/io/InputStream;)Ljava/nio/channels/ReadableByteChannel;
java/nio/channels/Channels newChannel(Ljava/io/OutputStream;)Ljava/nio/channels/WritableByteChannel;
java/nio/channels/Channels
 newReader(Ljava/nio/channels/ReadableByteChannel;Ljava/nio/charset/CharsetDecoder;)Ljava/io/Reader;
java/nio/channels/Channels
 newReader(Ljava/nio/channels/ReadableByteChannel;Ljava/lang/String;)Ljava/io/Reader;
java/nio/channels/Channels
 newWriter(Ljava/nio/channels/WritableByteChannel;Ljava/nio/charset/CharsetEncoder;)Ljava/io/Writer;
java/nio/channels/Channels
 newWriter(Ljava/nio/channels/WritableByteChannel;Ljava/lang/String;)Ljava/io/Writer;
java/nio/channels/Channels access$000(Ljava/nio/channels/WritableByteChannel;Ljava/nio/ByteBuffer;)I
class java/nio/channels/ClosedByInterruptException java/nio/channels/AsynchronousCloseException
java/nio/channels/ClosedByInterruptException <init>()V
class java/nio/channels/ClosedChannelException java/io/IOException

```

```

java/nio/channels/ClosedChannelException <init>()V
class java/nio/channels/ClosedSelectorException java/lang/IllegalStateException
java/nio/channels/ClosedSelectorException <init>()V
class java/nio/channels/ConnectionPendingException java/lang/IllegalStateException
java/nio/channels/ConnectionPendingException <init>()V
class java/nio/channels/DatagramChannel java/nio/channels/spi/AbstractSelectableChannel
java/nio/channels/DatagramChannel
 <init>(Ljava/nio/channels/spi/SelectorProvider;)V
java/nio/channels/DatagramChannel open()Ljava/nio/channels/DatagramChannel;
java/nio/channels/DatagramChannel validOps()I
java/nio/channels/DatagramChannel socket()Ljava/net/DatagramSocket;
java/nio/channels/DatagramChannel isConnected()Z
java/nio/channels/DatagramChannel connect(Ljava/net/SocketAddress;)Ljava/nio/channels/DatagramChannel;
java/nio/channels/DatagramChannel disconnect()Ljava/nio/channels/DatagramChannel;
java/nio/channels/DatagramChannel receive(Ljava/nio/ByteBuffer;)Ljava/net/SocketAddress;
java/nio/channels/DatagramChannel send(Ljava/nio/ByteBuffer;Ljava/net/SocketAddress;)I
java/nio/channels/DatagramChannel read(Ljava/nio/ByteBuffer;)I
java/nio/channels/DatagramChannel read([Ljava/nio/ByteBuffer;II)J
java/nio/channels/DatagramChannel read([Ljava/nio/ByteBuffer;)J
java/nio/channels/DatagramChannel write(Ljava/nio/ByteBuffer;)I
java/nio/channels/DatagramChannel write([Ljava/nio/ByteBuffer;II)J
java/nio/channels/DatagramChannel
 write([Ljava/nio/ByteBuffer;)J
class java/nio/channels/FileChannel$MapMode java/lang/Object
java/nio/channels/FileChannel$MapMode READ_ONLY
java/nio/channels/FileChannel$MapMode READ_WRITE
java/nio/channels/FileChannel$MapMode PRIVATE
java/nio/channels/FileChannel$MapMode name
java/nio/channels/FileChannel$MapMode <init>(Ljava/lang/String;)V
java/nio/channels/FileChannel$MapMode toString()Ljava/lang/String;
java/nio/channels/FileChannel$MapMode <clinit>()V
class java/nio/channels/FileLock java/lang/Object
java/nio/channels/FileLock channel
java/nio/channels/FileLock position
java/nio/channels/FileLock size
java/nio/channels/FileLock shared
java/nio/channels/FileLock <init>(Ljava/nio/channels/FileChannel;JJ)V
java/nio/channels/FileLock channel()Ljava/nio/channels/FileChannel;
java/nio/channels/FileLock position()J
java/nio/channels/FileLock size()J
java/nio/channels/FileLock isShared()Z
java/nio/channels/FileLock overlaps(JJ)Z
java/nio/channels/FileLock
 isValid()Z
java/nio/channels/FileLock release()V
java/nio/channels/FileLock toString()Ljava/lang/String;
class java/nio/channels/FileLockInterruptedException java/io/IOException
java/nio/channels/FileLockInterruptedException <init>()V

```

```

class java/nio/channels/IllegalBlockingModeException java/lang/IllegalStateException
java/nio/channels/IllegalBlockingModeException <init>()V
class java/nio/channels/IllegalSelectorException java/lang/IllegalArgumentException
java/nio/channels/IllegalSelectorException <init>()V
class java/nio/channels/NoConnectionPendingException java/lang/IllegalStateException
java/nio/channels/NoConnectionPendingException <init>()V
class java/nio/channels/NonReadableChannelException java/lang/IllegalStateException
java/nio/channels/NonReadableChannelException <init>()V
class java/nio/channels/NonWritableChannelException java/lang/IllegalStateException
java/nio/channels/NonWritableChannelException <init>()V
class java/nio/channels/NotYetBoundException
 java/lang/IllegalStateException
java/nio/channels/NotYetBoundException <init>()V
class java/nio/channels/NotYetConnectedException java/lang/IllegalStateException
java/nio/channels/NotYetConnectedException <init>()V
class java/nio/channels/OverlappingFileLockException java/lang/IllegalStateException
java/nio/channels/OverlappingFileLockException <init>()V
class java/nio/channels/Pipe$SinkChannel java/nio/channels/spi/AbstractSelectableChannel
java/nio/channels/Pipe$SinkChannel <init>(Ljava/nio/channels/spi/SelectorProvider;)V
java/nio/channels/Pipe$SinkChannel validOps()I
class java/nio/channels/Pipe$SourceChannel java/nio/channels/spi/AbstractSelectableChannel
java/nio/channels/Pipe$SourceChannel <init>(Ljava/nio/channels/spi/SelectorProvider;)V
java/nio/channels/Pipe$SourceChannel validOps()I
class java/nio/channels/Pipe java/lang/Object
java/nio/channels/Pipe <init>()V
java/nio/channels/Pipe source()Ljava/nio/channels/Pipe$SourceChannel;
java/nio/channels/Pipe sink()Ljava/nio/channels/Pipe$SinkChannel;
java/nio/channels/Pipe
 open()Ljava/nio/channels/Pipe;
class java/nio/channels/SelectionKey java/lang/Object
java/nio/channels/SelectionKey OP_READ
java/nio/channels/SelectionKey OP_WRITE
java/nio/channels/SelectionKey OP_CONNECT
java/nio/channels/SelectionKey OP_ACCEPT
java/nio/channels/SelectionKey attachment
java/nio/channels/SelectionKey <init>()V
java/nio/channels/SelectionKey channel()Ljava/nio/channels/SelectableChannel;
java/nio/channels/SelectionKey selector()Ljava/nio/channels/Selector;
java/nio/channels/SelectionKey isValid()Z
java/nio/channels/SelectionKey cancel()V
java/nio/channels/SelectionKey interestOps()I
java/nio/channels/SelectionKey interestOps(I)Ljava/nio/channels/SelectionKey;
java/nio/channels/SelectionKey readyOps()I
java/nio/channels/SelectionKey isReadable()Z
java/nio/channels/SelectionKey isWritable()Z
java/nio/channels/SelectionKey isConnectable()Z
java/nio/channels/SelectionKey isAcceptable()Z
java/nio/channels/SelectionKey

```

```

attach(Ljava/lang/Object;)Ljava/lang/Object;
java/nio/channels/SelectionKey attachment()Ljava/lang/Object;
class java/nio/channels/Selector java/lang/Object
java/nio/channels/Selector <init>()V
java/nio/channels/Selector open()Ljava/nio/channels/Selector;
java/nio/channels/Selector isOpen()Z
java/nio/channels/Selector provider()Ljava/nio/channels/spi/SelectorProvider;
java/nio/channels/Selector keys()Ljava/util/Set;
java/nio/channels/Selector selectedKeys()Ljava/util/Set;
java/nio/channels/Selector selectNow()I
java/nio/channels/Selector select(J)I
java/nio/channels/Selector select()I
java/nio/channels/Selector wakeup()Ljava/nio/channels/Selector;
java/nio/channels/Selector close()V
class java/nio/channels/ServerSocketChannel java/nio/channels/spi/AbstractSelectableChannel
java/nio/channels/ServerSocketChannel <init>(Ljava/nio/channels/spi/SelectorProvider;)V
java/nio/channels/ServerSocketChannel open()Ljava/nio/channels/ServerSocketChannel;
java/nio/channels/ServerSocketChannel validOps()I
java/nio/channels/ServerSocketChannel
socket()Ljava/net/ServerSocket;
java/nio/channels/ServerSocketChannel accept()Ljava/nio/channels/SocketChannel;
class java/nio/channels/UnresolvedAddressException java/lang/IllegalArgumentException
java/nio/channels/UnresolvedAddressException <init>()V
class java/nio/channels/UnsupportedAddressTypeException java/lang/IllegalArgumentException
java/nio/channels/UnsupportedAddressTypeException <init>()V
class java/nio/channels/spi/AbstractSelectionKey java/nio/channels/SelectionKey
java/nio/channels/spi/AbstractSelectionKey valid
java/nio/channels/spi/AbstractSelectionKey <init>()V
java/nio/channels/spi/AbstractSelectionKey isValid()Z
java/nio/channels/spi/AbstractSelectionKey invalidate()V
java/nio/channels/spi/AbstractSelectionKey cancel()V
class java/nio/channels/spi/AbstractSelector$1 java/lang/Object
java/nio/channels/spi/AbstractSelector$1 this$0
java/nio/channels/spi/AbstractSelector$1 <init>(Ljava/nio/channels/spi/AbstractSelector;)V
java/nio/channels/spi/AbstractSelector$1
interrupt()V
class java/nio/channels/spi/AbstractSelector java/nio/channels/Selector
java/nio/channels/spi/AbstractSelector selectorOpen
java/nio/channels/spi/AbstractSelector provider
java/nio/channels/spi/AbstractSelector cancelledKeys
java/nio/channels/spi/AbstractSelector interruptor
java/nio/channels/spi/AbstractSelector <init>(Ljava/nio/channels/spi/SelectorProvider;)V
java/nio/channels/spi/AbstractSelector cancel(Ljava/nio/channels/SelectionKey;)V
java/nio/channels/spi/AbstractSelector close()V
java/nio/channels/spi/AbstractSelector implCloseSelector()V
java/nio/channels/spi/AbstractSelector isOpen()Z
java/nio/channels/spi/AbstractSelector provider()Ljava/nio/channels/spi/SelectorProvider;
java/nio/channels/spi/AbstractSelector cancelledKeys()Ljava/util/Set;

```

```

java/nio/channels/spi/AbstractSelector
register(Ljava/nio/channels/spi/AbstractSelectableChannel;ILjava/lang/Object;)Ljava/nio/channels/SelectionKey;
java/nio/channels/spi/AbstractSelector
deregister(Ljava/nio/channels/spi/AbstractSelectionKey;)V
java/nio/channels/spi/AbstractSelector begin()V
java/nio/channels/spi/AbstractSelector end()V
class java/nio/channels/spi/SelectorProvider$1 java/lang/Object
java/nio/channels/spi/SelectorProvider$1 <init>()V
java/nio/channels/spi/SelectorProvider$1 run()Ljava/lang/Object;
class java/nio/channels/spi/SelectorProvider java/lang/Object
java/nio/channels/spi/SelectorProvider lock
java/nio/channels/spi/SelectorProvider provider
java/nio/channels/spi/SelectorProvider <init>()V
java/nio/channels/spi/SelectorProvider loadProviderFromProperty()Z
java/nio/channels/spi/SelectorProvider loadProviderAsService()Z
java/nio/channels/spi/SelectorProvider provider()Ljava/nio/channels/spi/SelectorProvider;
java/nio/channels/spi/SelectorProvider openDatagramChannel(Ljava/nio/channels/DatagramChannel;
java/nio/channels/spi/SelectorProvider openPipe()Ljava/nio/channels/Pipe;
java/nio/channels/spi/SelectorProvider openSelector()Ljava/nio/channels/spi/AbstractSelector;
java/nio/channels/spi/SelectorProvider
openServerSocketChannel()Ljava/nio/channels/ServerSocketChannel;
java/nio/channels/spi/SelectorProvider openSocketChannel()Ljava/nio/channels/SocketChannel;
java/nio/channels/spi/SelectorProvider inheritedChannel()Ljava/nio/channels/Channel;
java/nio/channels/spi/SelectorProvider access$000()Z
java/nio/channels/spi/SelectorProvider access$100()Ljava/nio/channels/spi/SelectorProvider;
java/nio/channels/spi/SelectorProvider access$200()Z
java/nio/channels/spi/SelectorProvider
access$102(Ljava/nio/channels/spi/SelectorProvider;)Ljava/nio/channels/spi/SelectorProvider;
java/nio/channels/spi/SelectorProvider <clinit>()V
class java/nio/charset/CharacterCodingException java/io/IOException
java/nio/charset/CharacterCodingException <init>()V
class java/nio/charset/Charset$1 java/lang/Object
java/nio/charset/Charset$1 c
java/nio/charset/Charset$1 cl
java/nio/charset/Charset$1 i
java/nio/charset/Charset$1 next
java/nio/charset/Charset$1
<init>()V
java/nio/charset/Charset$1 getNext()Z
java/nio/charset/Charset$1 hasNext()Z
java/nio/charset/Charset$1 next()Ljava/lang/Object;
java/nio/charset/Charset$1 remove()V
class java/nio/charset/Charset$2 java/lang/Object
java/nio/charset/Charset$2 val$charsetName
java/nio/charset/Charset$2 <init>(Ljava/lang/String;)V
java/nio/charset/Charset$2 run()Ljava/lang/Object;
class java/nio/charset/Charset$3 java/lang/Object
java/nio/charset/Charset$3 <init>()V

```

```

java/nio/charset/Charset$3 run()Ljava/lang/Object;
class java/nio/charset/Charset$4 java/lang/Object
java/nio/charset/Charset$4 <init>()V
java/nio/charset/Charset$4 run()Ljava/lang/Object;
class java/nio/charset/CoderMalfunctionError java/lang/Error
java/nio/charset/CoderMalfunctionError <init>(Ljava/lang/Exception;)V
class java/nio/charset/IllegalCharsetNameException java/lang/IllegalArgumentException
java/nio/charset/IllegalCharsetNameException charsetName
java/nio/charset/IllegalCharsetNameException <init>(Ljava/lang/String;)V
java/nio/charset/IllegalCharsetNameException
 getCharsetName()Ljava/lang/String;
class java/nio/charset/MalformedInputException java/nio/charset/CharacterCodingException
java/nio/charset/MalformedInputException inputLength
java/nio/charset/MalformedInputException <init>(I)V
java/nio/charset/MalformedInputException getInputLength()I
java/nio/charset/MalformedInputException getMessage()Ljava/lang/String;
class java/nio/charset/UnmappableCharacterException java/nio/charset/CharacterCodingException
java/nio/charset/UnmappableCharacterException inputLength
java/nio/charset/UnmappableCharacterException <init>(I)V
java/nio/charset/UnmappableCharacterException getInputLength()I
java/nio/charset/UnmappableCharacterException getMessage()Ljava/lang/String;
class java/nio/charset/UnsupportedCharsetException java/lang/IllegalArgumentException
java/nio/charset/UnsupportedCharsetException charsetName
java/nio/charset/UnsupportedCharsetException <init>(Ljava/lang/String;)V
java/nio/charset/UnsupportedCharsetException
 getCharsetName()Ljava/lang/String;
class java/rmi/AccessException java/rmi/RemoteException
java/rmi/AccessException serialVersionUID
java/rmi/AccessException <init>(Ljava/lang/String;)V
java/rmi/AccessException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/AlreadyBoundException java/lang/Exception
java/rmi/AlreadyBoundException serialVersionUID
java/rmi/AlreadyBoundException <init>()V
java/rmi/AlreadyBoundException <init>(Ljava/lang/String;)V
class java/rmi/ConnectException java/rmi/RemoteException
java/rmi/ConnectException serialVersionUID
java/rmi/ConnectException <init>(Ljava/lang/String;)V
java/rmi/ConnectException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/ConnectIOException java/rmi/RemoteException
java/rmi/ConnectIOException serialVersionUID
java/rmi/ConnectIOException <init>(Ljava/lang/String;)V
java/rmi/ConnectIOException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/MarshalException java/rmi/RemoteException
java/rmi/MarshalException
 serialVersionUID
java/rmi/MarshalException <init>(Ljava/lang/String;)V
java/rmi/MarshalException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/MarshaledObject$MarshaledObjectInputStream sun/rmi/server/MarshallInputStream

```

```

java/rmi/MarshaledObject$MarshaledObjectInputStream locIn
java/rmi/MarshaledObject$MarshaledObjectInputStream <init>(Ljava/io/InputStream;Ljava/io/InputStream;)V
java/rmi/MarshaledObject$MarshaledObjectInputStream readLocation()Ljava/lang/Object;
class java/rmi/MarshaledObject$MarshaledObjectOutputStream sun/rmi/server/MarshOutputStream
java/rmi/MarshaledObject$MarshaledObjectOutputStream locOut
java/rmi/MarshaledObject$MarshaledObjectOutputStream hadAnnotations
java/rmi/MarshaledObject$MarshaledObjectOutputStream
<init>(Ljava/io/OutputStream;Ljava/io/OutputStream;)V
java/rmi/MarshaledObject$MarshaledObjectOutputStream hadAnnotations()Z
java/rmi/MarshaledObject$MarshaledObjectOutputStream writeLocation(Ljava/lang/String;)V
java/rmi/MarshaledObject$MarshaledObjectOutputStream
flush()V
class java/rmi/MarshaledObject java/lang/Object
java/rmi/MarshaledObject objBytes
java/rmi/MarshaledObject locBytes
java/rmi/MarshaledObject hash
java/rmi/MarshaledObject serialVersionUID
java/rmi/MarshaledObject <init>(Ljava/lang/Object;)V
java/rmi/MarshaledObject get()Ljava/lang/Object;
java/rmi/MarshaledObject hashCode()I
java/rmi/MarshaledObject equals(Ljava/lang/Object;)Z
class java/rmi/Naming$ParsedNamingURL java/lang/Object
java/rmi/Naming$ParsedNamingURL host
java/rmi/Naming$ParsedNamingURL port
java/rmi/Naming$ParsedNamingURL name
java/rmi/Naming$ParsedNamingURL <init>(Ljava/lang/String;ILjava/lang/String;)V
class java/rmi/Naming java/lang/Object
java/rmi/Naming <init>()V
java/rmi/Naming lookup(Ljava/lang/String;)Ljava/rmi/Remote;
java/rmi/Naming bind(Ljava/lang/String;Ljava/rmi/Remote;)V
java/rmi/Naming unbind(Ljava/lang/String;)V
java/rmi/Naming rebind(Ljava/lang/String;Ljava/rmi/Remote;)V
java/rmi/Naming
list(Ljava/lang/String;)[Ljava/lang/String;
java/rmi/Naming getRegistry(Ljava/rmi/Naming$ParsedNamingURL;)Ljava/rmi/registry/Registry;
java/rmi/Naming parseURL(Ljava/lang/String;)Ljava/rmi/Naming$ParsedNamingURL;
class java/rmi/NoSuchObjectException java/rmi/RemoteException
java/rmi/NoSuchObjectException serialVersionUID
java/rmi/NoSuchObjectException <init>(Ljava/lang/String;)V
class java/rmi/NotBoundException java/lang/Exception
java/rmi/NotBoundException serialVersionUID
java/rmi/NotBoundException <init>()V
java/rmi/NotBoundException <init>(Ljava/lang/String;)V
class java/rmi/RMISecurityException java/lang/SecurityException
java/rmi/RMISecurityException serialVersionUID
java/rmi/RMISecurityException <init>(Ljava/lang/String;)V
java/rmi/RMISecurityException <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/rmi/RMISecurityManager java/lang/SecurityManager

```

```

java/rmi/RMISecurityManager <init>()V
class java/rmi/RemoteException java/io/IOException
java/rmi/RemoteException
 serialVersionUID
java/rmi/RemoteException detail
java/rmi/RemoteException <init>()V
java/rmi/RemoteException <init>(Ljava/lang/String;)V
java/rmi/RemoteException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/rmi/RemoteException getMessage()Ljava/lang/String;
java/rmi/RemoteException getCause()Ljava/lang/Throwable;
class java/rmi/ServerError java/rmi/RemoteException
java/rmi/ServerError serialVersionUID
java/rmi/ServerError <init>(Ljava/lang/String;Ljava/lang/Error;)V
class java/rmi/ServerException java/rmi/RemoteException
java/rmi/ServerException serialVersionUID
java/rmi/ServerException <init>(Ljava/lang/String;)V
java/rmi/ServerException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/ServerRuntimeException java/rmi/RemoteException
java/rmi/ServerRuntimeException serialVersionUID
java/rmi/ServerRuntimeException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/StubNotFoundException java/rmi/RemoteException
java/rmi/StubNotFoundException
 serialVersionUID
java/rmi/StubNotFoundException <init>(Ljava/lang/String;)V
java/rmi/StubNotFoundException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/UnexpectedException java/rmi/RemoteException
java/rmi/UnexpectedException serialVersionUID
java/rmi/UnexpectedException <init>(Ljava/lang/String;)V
java/rmi/UnexpectedException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/UnknownHostException java/rmi/RemoteException
java/rmi/UnknownHostException serialVersionUID
java/rmi/UnknownHostException <init>(Ljava/lang/String;)V
java/rmi/UnknownHostException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/UnmarshalException java/rmi/RemoteException
java/rmi/UnmarshalException serialVersionUID
java/rmi/UnmarshalException <init>(Ljava/lang/String;)V
java/rmi/UnmarshalException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/activation/Activatable java/rmi/server/RemoteServer
java/rmi/activation/Activatable id
java/rmi/activation/Activatable
 serialVersionUID
java/rmi/activation/Activatable <init>(Ljava/lang/String;Ljava/rmi/MarshalledObject;ZI)V
java/rmi/activation/Activatable
 <init>(Ljava/lang/String;Ljava/rmi/MarshalledObject;ZILjava/rmi/server/RMIClientSocketFactory;Ljava/rmi/server/
 RMIServerSocketFactory;)V
java/rmi/activation/Activatable <init>(Ljava/rmi/activation/ActivationID;I)V
java/rmi/activation/Activatable
 <init>(Ljava/rmi/activation/ActivationID;ILjava/rmi/server/RMIClientSocketFactory;Ljava/rmi/server/RMIServerS

```



```

ocketFactory;)V
java/rmi/activation/Activatable getID()Ljava/rmi/activation/ActivationID;
java/rmi/activation/Activatable register(Ljava/rmi/activation/ActivationDesc;)Ljava/rmi/Remote;
java/rmi/activation/Activatable inactive(Ljava/rmi/activation/ActivationID;)Z
java/rmi/activation/Activatable unregister(Ljava/rmi/activation/ActivationID;)V
java/rmi/activation/Activatable
exportObject(Ljava/rmi/Remote;Ljava/lang/String;Ljava/rmi/MarshaledObject;ZI)Ljava/rmi/activation/ActivationID;
java/rmi/activation/Activatable
exportObject(Ljava/rmi/Remote;Ljava/lang/String;Ljava/rmi/MarshaledObject;ZILjava/rmi/server/RMIClientSocketFactory;Ljava/rmi/server/RMIServerSocketFactory;)Ljava/rmi/activation/ActivationID;
java/rmi/activation/Activatable
exportObject(Ljava/rmi/Remote;Ljava/rmi/activation/ActivationID;I)Ljava/rmi/Remote;
java/rmi/activation/Activatable
exportObject(Ljava/rmi/Remote;Ljava/rmi/activation/ActivationID;ILjava/rmi/server/RMIClientSocketFactory;Ljava/rmi/server/RMIServerSocketFactory;)Ljava/rmi/Remote;
java/rmi/activation/Activatable unexportObject(Ljava/rmi/Remote;Z)Z
java/rmi/activation/Activatable
exportObject(Ljava/rmi/Remote;Lsun/rmi/server/ActivatableServerRef;)Ljava/rmi/Remote;
class java/rmi/activation/ActivateFailedException java/rmi/RemoteException
java/rmi/activation/ActivateFailedException serialVersionUID
java/rmi/activation/ActivateFailedException <init>(Ljava/lang/String;)V
java/rmi/activation/ActivateFailedException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class
java/rmi/activation/ActivationDesc java/lang/Object
java/rmi/activation/ActivationDesc groupId
java/rmi/activation/ActivationDesc className
java/rmi/activation/ActivationDesc location
java/rmi/activation/ActivationDesc data
java/rmi/activation/ActivationDesc restart
java/rmi/activation/ActivationDesc serialVersionUID
java/rmi/activation/ActivationDesc <init>(Ljava/lang/String;Ljava/lang/String;Ljava/rmi/MarshaledObject;)V
java/rmi/activation/ActivationDesc <init>(Ljava/lang/String;Ljava/lang/String;Ljava/rmi/MarshaledObject;Z)V
java/rmi/activation/ActivationDesc
<init>(Ljava/rmi/activation/ActivationGroupID;Ljava/lang/String;Ljava/lang/String;Ljava/rmi/MarshaledObject;)V
java/rmi/activation/ActivationDesc
<init>(Ljava/rmi/activation/ActivationGroupID;Ljava/lang/String;Ljava/lang/String;Ljava/rmi/MarshaledObject;Z)V
V
java/rmi/activation/ActivationDesc getGroupID()Ljava/rmi/activation/ActivationGroupID;
java/rmi/activation/ActivationDesc getClassName()Ljava/lang/String;
java/rmi/activation/ActivationDesc
getLocation()Ljava/lang/String;
java/rmi/activation/ActivationDesc getData()Ljava/rmi/MarshaledObject;
java/rmi/activation/ActivationDesc getRestartMode()Z
java/rmi/activation/ActivationDesc equals(Ljava/lang/Object;)Z
java/rmi/activation/ActivationDesc hashCode()I
class java/rmi/activation/ActivationException java/lang/Exception
java/rmi/activation/ActivationException detail

```

```

java/rmi/activation/ActivationException serialVersionUID
java/rmi/activation/ActivationException <init>()V
java/rmi/activation/ActivationException <init>(Ljava/lang/String;)V
java/rmi/activation/ActivationException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/rmi/activation/ActivationException getMessage()Ljava/lang/String;
java/rmi/activation/ActivationException getCause()Ljava/lang/Throwable;
class java/rmi/activation/ActivationGroup$1 java/lang/Object
java/rmi/activation/ActivationGroup$1 val$desc
java/rmi/activation/ActivationGroup$1 val$className
java/rmi/activation/ActivationGroup$1
 <init>(Ljava/rmi/activation/ActivationGroupDesc;Ljava/lang/String;)V
java/rmi/activation/ActivationGroup$1 run()Ljava/lang/Object;
class java/rmi/activation/ActivationGroup java/rmi/server/UnicastRemoteObject
java/rmi/activation/ActivationGroup groupID
java/rmi/activation/ActivationGroup monitor
java/rmi/activation/ActivationGroup incarnation
java/rmi/activation/ActivationGroup currGroup
java/rmi/activation/ActivationGroup currGroupID
java/rmi/activation/ActivationGroup currSystem
java/rmi/activation/ActivationGroup canCreate
java/rmi/activation/ActivationGroup groupConstrParams
java/rmi/activation/ActivationGroup serialVersionUID
java/rmi/activation/ActivationGroup <init>(Ljava/rmi/activation/ActivationGroupID;)V
java/rmi/activation/ActivationGroup inactiveObject(Ljava/rmi/activation/ActivationID;)Z
java/rmi/activation/ActivationGroup activeObject(Ljava/rmi/activation/ActivationID;Ljava/rmi/Remote;)V
java/rmi/activation/ActivationGroup
 createGroup(Ljava/rmi/activation/ActivationGroupID;Ljava/rmi/activation/ActivationGroupDesc;J)Ljava/rmi/activation/ActivationGroup;
java/rmi/activation/ActivationGroup
 currentGroupID()Ljava/rmi/activation/ActivationGroupID;
java/rmi/activation/ActivationGroup internalCurrentGroupID()Ljava/rmi/activation/ActivationGroupID;
java/rmi/activation/ActivationGroup setSystem(Ljava/rmi/activation/ActivationSystem;)V
java/rmi/activation/ActivationGroup getSystem()Ljava/rmi/activation/ActivationSystem;
java/rmi/activation/ActivationGroup
 activeObject(Ljava/rmi/activation/ActivationID;Ljava/rmi/MarshaledObject;)V
java/rmi/activation/ActivationGroup inactiveGroup()V
java/rmi/activation/ActivationGroup getMonitor()Ljava/rmi/activation/ActivationMonitor;
java/rmi/activation/ActivationGroup destroyGroup()V
java/rmi/activation/ActivationGroup currentGroup()Ljava/rmi/activation/ActivationGroup;
java/rmi/activation/ActivationGroup <clinit>()V
class java/rmi/activation/ActivationGroupDesc$CommandEnvironment java/lang/Object
java/rmi/activation/ActivationGroupDesc$CommandEnvironment
 serialVersionUID
java/rmi/activation/ActivationGroupDesc$CommandEnvironment command
java/rmi/activation/ActivationGroupDesc$CommandEnvironment options
java/rmi/activation/ActivationGroupDesc$CommandEnvironment <init>(Ljava/lang/String:[Ljava/lang/String;)V
java/rmi/activation/ActivationGroupDesc$CommandEnvironment getCommandPath()Ljava/lang/String;
java/rmi/activation/ActivationGroupDesc$CommandEnvironment getCommandOptions()[Ljava/lang/String;

```

```

java/rmi/activation/ActivationGroupDesc$CommandEnvironment equals(Ljava/lang/Object;)Z
java/rmi/activation/ActivationGroupDesc$CommandEnvironment hashCode()I
class java/rmi/activation/ActivationGroupDesc java/lang/Object
java/rmi/activation/ActivationGroupDesc className
java/rmi/activation/ActivationGroupDesc location
java/rmi/activation/ActivationGroupDesc data
java/rmi/activation/ActivationGroupDesc env
java/rmi/activation/ActivationGroupDesc props
java/rmi/activation/ActivationGroupDesc
serialVersionUID
java/rmi/activation/ActivationGroupDesc
<init>(Ljava/util/Properties;Ljava/rmi/activation/ActivationGroupDesc$CommandEnvironment;)V
java/rmi/activation/ActivationGroupDesc
<init>(Ljava/lang/String;Ljava/lang/String;Ljava/rmi/MarshallableObject;Ljava/util/Properties;Ljava/rmi/activation/A
ctivationGroupDesc$CommandEnvironment;)V
java/rmi/activation/ActivationGroupDesc getClassName()Ljava/lang/String;
java/rmi/activation/ActivationGroupDesc getLocation()Ljava/lang/String;
java/rmi/activation/ActivationGroupDesc getData()Ljava/rmi/MarshallableObject;
java/rmi/activation/ActivationGroupDesc getPropertyOverrides()Ljava/util/Properties;
java/rmi/activation/ActivationGroupDesc
getCommandEnvironment()Ljava/rmi/activation/ActivationGroupDesc$CommandEnvironment;
java/rmi/activation/ActivationGroupDesc equals(Ljava/lang/Object;)Z
java/rmi/activation/ActivationGroupDesc hashCode()I
class java/rmi/activation/ActivationGroupID java/lang/Object
java/rmi/activation/ActivationGroupID
system
java/rmi/activation/ActivationGroupID uid
java/rmi/activation/ActivationGroupID serialVersionUID
java/rmi/activation/ActivationGroupID <init>(Ljava/rmi/activation/ActivationSystem;)V
java/rmi/activation/ActivationGroupID getSystem()Ljava/rmi/activation/ActivationSystem;
java/rmi/activation/ActivationGroupID hashCode()I
java/rmi/activation/ActivationGroupID equals(Ljava/lang/Object;)Z
class java/rmi/activation/ActivationGroup_Stub java/rmi/server/RemoteStub
java/rmi/activation/ActivationGroup_Stub serialVersionUID
java/rmi/activation/ActivationGroup_Stub $method_newInstance_0
java/rmi/activation/ActivationGroup_Stub class$java$rmi$activation$ActivationInstantiator
java/rmi/activation/ActivationGroup_Stub class$java$rmi$activation$ActivationID
java/rmi/activation/ActivationGroup_Stub class$java$rmi$activation$ActivationDesc
java/rmi/activation/ActivationGroup_Stub <clinit>()V
java/rmi/activation/ActivationGroup_Stub <init>(Ljava/rmi/server/RemoteRef;)V
java/rmi/activation/ActivationGroup_Stub
class$(Ljava/lang/String;)Ljava/lang/Class;
java/rmi/activation/ActivationGroup_Stub
newInstance(Ljava/rmi/activation/ActivationID;Ljava/rmi/activation/ActivationDesc;)Ljava/rmi/MarshallableObject;
class java/rmi/activation/ActivationID java/lang/Object
java/rmi/activation/ActivationID activator
java/rmi/activation/ActivationID uid
java/rmi/activation/ActivationID serialVersionUID

```

```

java/rmi/activation/ActivationID <init>(Ljava/rmi/activation/Activator;)V
java/rmi/activation/ActivationID activate(Z)Ljava/rmi/Remote;
java/rmi/activation/ActivationID hashCode()I
java/rmi/activation/ActivationID equals(Ljava/lang/Object;)Z
java/rmi/activation/ActivationID writeObject(Ljava/io/ObjectOutputStream;)V
java/rmi/activation/ActivationID readObject(Ljava/io/ObjectInputStream;)V
class java/rmi/activation/ActivationInstantiator java/lang/Object
java/rmi/activation/ActivationInstantiator
newInstance(Ljava/rmi/activation/ActivationID;Ljava/rmi/activation/ActivationDesc;)Ljava/rmi/MarshaledObject;
class
java/rmi/activation/ActivationMonitor java/lang/Object
java/rmi/activation/ActivationMonitor inactiveObject(Ljava/rmi/activation/ActivationID;)V
java/rmi/activation/ActivationMonitor
activeObject(Ljava/rmi/activation/ActivationID;Ljava/rmi/MarshaledObject;)V
java/rmi/activation/ActivationMonitor inactiveGroup(Ljava/rmi/activation/ActivationGroupID;J)V
class java/rmi/activation/ActivationSystem java/lang/Object
java/rmi/activation/ActivationSystem SYSTEM_PORT
java/rmi/activation/ActivationSystem
registerObject(Ljava/rmi/activation/ActivationDesc;)Ljava/rmi/activation/ActivationID;
java/rmi/activation/ActivationSystem unregisterObject(Ljava/rmi/activation/ActivationID;)V
java/rmi/activation/ActivationSystem
registerGroup(Ljava/rmi/activation/ActivationGroupDesc;)Ljava/rmi/activation/ActivationGroupID;
java/rmi/activation/ActivationSystem
activeGroup(Ljava/rmi/activation/ActivationGroupID;Ljava/rmi/activation/ActivationInstantiator;J)Ljava/rmi/activation/ActivationMonitor;
java/rmi/activation/ActivationSystem
unregisterGroup(Ljava/rmi/activation/ActivationGroupID;)V
java/rmi/activation/ActivationSystem shutdown()V
java/rmi/activation/ActivationSystem
setActivationDesc(Ljava/rmi/activation/ActivationID;Ljava/rmi/activation/ActivationDesc;)Ljava/rmi/activation/ActivationDesc;
java/rmi/activation/ActivationSystem
setActivationGroupDesc(Ljava/rmi/activation/ActivationGroupID;Ljava/rmi/activation/ActivationGroupDesc;)Ljava/rmi/activation/ActivationGroupDesc;
java/rmi/activation/ActivationSystem
getActivationDesc(Ljava/rmi/activation/ActivationID;)Ljava/rmi/activation/ActivationDesc;
java/rmi/activation/ActivationSystem
getActivationGroupDesc(Ljava/rmi/activation/ActivationGroupID;)Ljava/rmi/activation/ActivationGroupDesc;
class java/rmi/activation/Activator java/lang/Object
java/rmi/activation/Activator activate(Ljava/rmi/activation/ActivationID;Z)Ljava/rmi/MarshaledObject;
class java/rmi/activation/UnknownGroupException java/rmi/activation/ActivationException
java/rmi/activation/UnknownGroupException
serialVersionUID
java/rmi/activation/UnknownGroupException <init>(Ljava/lang/String;)V
class java/rmi/activation/UnknownObjectException java/rmi/activation/ActivationException
java/rmi/activation/UnknownObjectException serialVersionUID
java/rmi/activation/UnknownObjectException <init>(Ljava/lang/String;)V
class java/rmi/dgc/DGC java/lang/Object

```

```

java/rmi/dgc/DGC dirty([Ljava/rmi/server/ObjID;JLjava/rmi/dgc/Lease;)Ljava/rmi/dgc/Lease;
java/rmi/dgc/DGC clean([Ljava/rmi/server/ObjID;JLjava/rmi/dgc/VMID;Z)V
class java/rmi/dgc/Lease java/lang/Object
java/rmi/dgc/Lease vmid
java/rmi/dgc/Lease value
java/rmi/dgc/Lease serialVersionUID
java/rmi/dgc/Lease <init>(Ljava/rmi/dgc/VMID;J)V
java/rmi/dgc/Lease getVMID()Ljava/rmi/dgc/VMID;
java/rmi/dgc/Lease getValue()J
class java/rmi/dgc/VMID$1 java/lang/Object
java/rmi/dgc/VMID$1 <init>()V
java/rmi/dgc/VMID$1 run()Ljava/lang/Object;
class java/rmi/dgc/VMID java/lang/Object
java/rmi/dgc/VMID localAddr
java/rmi/dgc/VMID
 addr
java/rmi/dgc/VMID uid
java/rmi/dgc/VMID serialVersionUID
java/rmi/dgc/VMID <init>()V
java/rmi/dgc/VMID isUnique()Z
java/rmi/dgc/VMID hashCode()I
java/rmi/dgc/VMID equals(Ljava/lang/Object;)Z
java/rmi/dgc/VMID toString()Ljava/lang/String;
java/rmi/dgc/VMID computeAddressHash()[B
java/rmi/dgc/VMID <clinit>()V
class java/rmi/registry/LocateRegistry java/lang/Object
java/rmi/registry/LocateRegistry <init>()V
java/rmi/registry/LocateRegistry getRegistry()Ljava/rmi/registry/Registry;
java/rmi/registry/LocateRegistry getRegistry(I)Ljava/rmi/registry/Registry;
java/rmi/registry/LocateRegistry getRegistry(Ljava/lang/String;)Ljava/rmi/registry/Registry;
java/rmi/registry/LocateRegistry getRegistry(Ljava/lang/String;I)Ljava/rmi/registry/Registry;
java/rmi/registry/LocateRegistry
 getRegistry(Ljava/lang/String;ILjava/rmi/server/RMIClientSocketFactory;)Ljava/rmi/registry/Registry;
java/rmi/registry/LocateRegistry createRegistry(I)Ljava/rmi/registry/Registry;
java/rmi/registry/LocateRegistry
 createRegistry(ILjava/rmi/server/RMIClientSocketFactory;Ljava/rmi/server/RMIServerSocketFactory;)Ljava/rmi/registry/Registry;
class java/rmi/registry/Registry java/lang/Object
java/rmi/registry/Registry REGISTRY_PORT
java/rmi/registry/Registry lookup(Ljava/lang/String;)Ljava/rmi/Remote;
java/rmi/registry/Registry bind(Ljava/lang/String;Ljava/rmi/Remote;)V
java/rmi/registry/Registry unbind(Ljava/lang/String;)V
java/rmi/registry/Registry rebind(Ljava/lang/String;Ljava/rmi/Remote;)V
java/rmi/registry/Registry list()[Ljava/lang/String;
class java/rmi/registry/RegistryHandler java/lang/Object
java/rmi/registry/RegistryHandler registryStub(Ljava/lang/String;I)Ljava/rmi/registry/Registry;
java/rmi/registry/RegistryHandler registryImpl(I)Ljava/rmi/registry/Registry;
class java/rmi/server/ExportException java/rmi/RemoteException

```

```

java/rmi/server/ExportException serialVersionUID
java/rmi/server/ExportException <init>(Ljava/lang/String;)V
java/rmi/server/ExportException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class
 java/rmi/server/LoaderHandler java/lang/Object
 java/rmi/server/LoaderHandler packagePrefix
 java/rmi/server/LoaderHandler loadClass(Ljava/lang/String;)Ljava/lang/Class;
 java/rmi/server/LoaderHandler loadClass(Ljava/net/URL;Ljava/lang/String;)Ljava/lang/Class;
 java/rmi/server/LoaderHandler getSecurityContext(Ljava/lang/ClassLoader;)Ljava/lang/Object;
class java/rmi/server/LogStream java/io/PrintStream
 java/rmi/server/LogStream known
 java/rmi/server/LogStream defaultStream
 java/rmi/server/LogStream name
 java/rmi/server/LogStream logOut
 java/rmi/server/LogStream logWriter
 java/rmi/server/LogStream buffer
 java/rmi/server/LogStream bufOut
 java/rmi/server/LogStream SILENT
 java/rmi/server/LogStream BRIEF
 java/rmi/server/LogStream VERBOSE
 java/rmi/server/LogStream <init>(Ljava/lang/String;Ljava/io/OutputStream;)V
 java/rmi/server/LogStream log(Ljava/lang/String;Ljava/rmi/server/LogStream;
 java/rmi/server/LogStream getDefaultStream()Ljava/io/PrintStream;
 java/rmi/server/LogStream
 setDefaultStream(Ljava/io/PrintStream;)V
 java/rmi/server/LogStream getOutputStream()Ljava/io/OutputStream;
 java/rmi/server/LogStream setOutputStream(Ljava/io/OutputStream;)V
 java/rmi/server/LogStream write(I)V
 java/rmi/server/LogStream write([BII)V
 java/rmi/server/LogStream toString()Ljava/lang/String;
 java/rmi/server/LogStream parseLevel(Ljava/lang/String;)I
 java/rmi/server/LogStream <clinit>()V
class java/rmi/server/ObjID$1 java/lang/Object
class java/rmi/server/ObjID$InsecureRandom java/util/Random
 java/rmi/server/ObjID$InsecureRandom serialVersionUID
 java/rmi/server/ObjID$InsecureRandom nextNum
 java/rmi/server/ObjID$InsecureRandom <init>()V
 java/rmi/server/ObjID$InsecureRandom nextLong()J
 java/rmi/server/ObjID$InsecureRandom <init>(Ljava/rmi/server/ObjID$1;)V
class java/rmi/server/ObjID java/lang/Object
 java/rmi/server/ObjID REGISTRY_ID
 java/rmi/server/ObjID ACTIVATOR_ID
 java/rmi/server/ObjID DGC_ID
 java/rmi/server/ObjID serialVersionUID
 java/rmi/server/ObjID
 mySpace
 java/rmi/server/ObjID generator
 java/rmi/server/ObjID objNum

```

```

java/rmi/server/ObjID space
java/rmi/server/ObjID <init>()V
java/rmi/server/ObjID <init>(I)V
java/rmi/server/ObjID <init>(Ljava/rmi/server/UID;)V
java/rmi/server/ObjID write(Ljava/io/ObjectOutput;)V
java/rmi/server/ObjID read(Ljava/io/ObjectInput;)Ljava/rmi/server/ObjID;
java/rmi/server/ObjID hashCode()I
java/rmi/server/ObjID equals(Ljava/lang/Object;)Z
java/rmi/server/ObjID toString()Ljava/lang/String;
java/rmi/server/ObjID <clinit>()V
class java/rmi/server/Operation java/lang/Object
java/rmi/server/Operation operation
java/rmi/server/Operation <init>(Ljava/lang/String;)V
java/rmi/server/Operation getOperation()Ljava/lang/String;
java/rmi/server/Operation toString()Ljava/lang/String;
class java/rmi/server/RMICClassLoader$1 java/lang/Object
java/rmi/server/RMICClassLoader$1 <init>()V
java/rmi/server/RMICClassLoader$1 run()Ljava/lang/Object;
class java/rmi/server/RMICClassLoader$2 java/rmi/server/RMICClassLoaderSpi
java/rmi/server/RMICClassLoader$2
 <init>()V
java/rmi/server/RMICClassLoader$2
loadClass(Ljava/lang/String;Ljava/lang/String;Ljava/lang/ClassLoader;)Ljava/lang/Class;
java/rmi/server/RMICClassLoader$2
loadProxyClass(Ljava/lang/String;[Ljava/lang/String;Ljava/lang/ClassLoader;)Ljava/lang/Class;
java/rmi/server/RMICClassLoader$2 getClassLoader(Ljava/lang/String;)Ljava/lang/ClassLoader;
java/rmi/server/RMICClassLoader$2 getClassAnnotation(Ljava/lang/Class;)Ljava/lang/String;
class java/rmi/server/RMICClassLoader java/lang/Object
java/rmi/server/RMICClassLoader defaultProvider
java/rmi/server/RMICClassLoader provider
java/rmi/server/RMICClassLoader <init>()V
java/rmi/server/RMICClassLoader loadClass(Ljava/lang/String;)Ljava/lang/Class;
java/rmi/server/RMICClassLoader loadClass(Ljava/net/URL;Ljava/lang/String;)Ljava/lang/Class;
java/rmi/server/RMICClassLoader loadClass(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/Class;
java/rmi/server/RMICClassLoader
loadClass(Ljava/lang/String;Ljava/lang/String;Ljava/lang/ClassLoader;)Ljava/lang/Class;
java/rmi/server/RMICClassLoader
loadProxyClass(Ljava/lang/String;[Ljava/lang/String;Ljava/lang/ClassLoader;)Ljava/lang/Class;
java/rmi/server/RMICClassLoader getClassLoader(Ljava/lang/String;)Ljava/lang/ClassLoader;
java/rmi/server/RMICClassLoader getClassAnnotation(Ljava/lang/Class;)Ljava/lang/String;
java/rmi/server/RMICClassLoader getDefaultProviderInstance()Ljava/rmi/server/RMICClassLoaderSpi;
java/rmi/server/RMICClassLoader getSecurityContext(Ljava/lang/ClassLoader;)Ljava/lang/Object;
java/rmi/server/RMICClassLoader newDefaultProviderInstance()Ljava/rmi/server/RMICClassLoaderSpi;
java/rmi/server/RMICClassLoader initializeProvider()Ljava/rmi/server/RMICClassLoaderSpi;
java/rmi/server/RMICClassLoader access$000()Ljava/rmi/server/RMICClassLoaderSpi;
java/rmi/server/RMICClassLoader <clinit>()V
class java/rmi/server/RMICClassLoaderSpi java/lang/Object
java/rmi/server/RMICClassLoaderSpi <init>()V

```

```

java/rmi/server/RMIClassLoaderSpi
loadClass(Ljava/lang/String;Ljava/lang/String;Ljava/lang/ClassLoader;)Ljava/lang/Class;
java/rmi/server/RMIClassLoaderSpi
loadProxyClass(Ljava/lang/String;[Ljava/lang/String;Ljava/lang/ClassLoader;)Ljava/lang/Class;
java/rmi/server/RMIClassLoaderSpi getClassLoader(Ljava/lang/String;)Ljava/lang/ClassLoader;
java/rmi/server/RMIClassLoaderSpi getClassAnnotation(Ljava/lang/Class;)Ljava/lang/String;
class java/rmi/server/RMIClientSocketFactory java/lang/Object
java/rmi/server/RMIClientSocketFactory createSocket(Ljava/lang/String;I)Ljava/net/Socket;
class java/rmi/server/RMIFailureHandler java/lang/Object
java/rmi/server/RMIFailureHandler failure(Ljava/lang/Exception;)Z
class java/rmi/server/RMIServerSocketFactory java/lang/Object
java/rmi/server/RMIServerSocketFactory createServerSocket(I)Ljava/net/ServerSocket;
class java/rmi/server/RMISocketFactory java/lang/Object
java/rmi/server/RMISocketFactory factory
java/rmi/server/RMISocketFactory defaultSocketFactory
java/rmi/server/RMISocketFactory handler
java/rmi/server/RMISocketFactory
<init>()V
java/rmi/server/RMISocketFactory createSocket(Ljava/lang/String;I)Ljava/net/Socket;
java/rmi/server/RMISocketFactory createServerSocket(I)Ljava/net/ServerSocket;
java/rmi/server/RMISocketFactory setSocketFactory(Ljava/rmi/server/RMISocketFactory;)V
java/rmi/server/RMISocketFactory getSocketFactory()Ljava/rmi/server/RMISocketFactory;
java/rmi/server/RMISocketFactory getDefaultSocketFactory()Ljava/rmi/server/RMISocketFactory;
java/rmi/server/RMISocketFactory setFailureHandler(Ljava/rmi/server/RMIFailureHandler;)V
java/rmi/server/RMISocketFactory getFailureHandler()Ljava/rmi/server/RMIFailureHandler;
java/rmi/server/RMISocketFactory <clinit>()V
class java/rmi/server/RemoteCall java/lang/Object
java/rmi/server/RemoteCall getOutputStream()Ljava/io/ObjectOutput;
java/rmi/server/RemoteCall releaseOutputStream()V
java/rmi/server/RemoteCall getInputStream()Ljava/io/ObjectInput;
java/rmi/server/RemoteCall releaseInputStream()V
java/rmi/server/RemoteCall getResultStream(Z)Ljava/io/ObjectOutput;
java/rmi/server/RemoteCall
executeCall()V
java/rmi/server/RemoteCall done()V
class java/rmi/server/RemoteObject java/lang/Object
java/rmi/server/RemoteObject ref
java/rmi/server/RemoteObject serialVersionUID
java/rmi/server/RemoteObject <init>()V
java/rmi/server/RemoteObject <init>(Ljava/rmi/server/RemoteRef;)V
java/rmi/server/RemoteObject getRef()Ljava/rmi/server/RemoteRef;
java/rmi/server/RemoteObject toStub(Ljava/rmi/Remote;)Ljava/rmi/Remote;
java/rmi/server/RemoteObject hashCode()I
java/rmi/server/RemoteObject equals(Ljava/lang/Object;)Z
java/rmi/server/RemoteObject toString()Ljava/lang/String;
java/rmi/server/RemoteObject writeObject(Ljava/io/ObjectOutputStream;)V
java/rmi/server/RemoteObject readObject(Ljava/io/ObjectInputStream;)V
class java/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps$1 java/util/WeakHashMap

```



```

java/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps$1 this$0
java/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps$1
<init>(Ljava/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps;)V
java/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps$1
get(Ljava/lang/Object;)Ljava/lang/Object;
class java/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps sun/rmi/server/WeakClassHashMap
java/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps <init>()V
java/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps
createMap(Ljava/lang/Class;)Ljava/util/Map;
class java/rmi/server/RemoteObjectInvocationHandler java/rmi/server/RemoteObject
java/rmi/server/RemoteObjectInvocationHandler serialVersionUID
java/rmi/server/RemoteObjectInvocationHandler methodToHash_Maps
java/rmi/server/RemoteObjectInvocationHandler <init>(Ljava/rmi/server/RemoteRef;)V
java/rmi/server/RemoteObjectInvocationHandler
invoke(Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/Object;
java/rmi/server/RemoteObjectInvocationHandler
invokeObjectMethod(Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/Object;
java/rmi/server/RemoteObjectInvocationHandler
invokeRemoteMethod(Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/Object;
java/rmi/server/RemoteObjectInvocationHandler proxyToString(Ljava/lang/Object;)Ljava/lang/String;
java/rmi/server/RemoteObjectInvocationHandler readObjectNoData()V
java/rmi/server/RemoteObjectInvocationHandler getMethodHash(Ljava/lang/reflect/Method;)J
java/rmi/server/RemoteObjectInvocationHandler <clinit>()V
class java/rmi/server/RemoteRef java/lang/Object
java/rmi/server/RemoteRef serialVersionUID
java/rmi/server/RemoteRef packagePrefix
java/rmi/server/RemoteRef
invoke(Ljava/rmi/Remote;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/Object;
java/rmi/server/RemoteRef
newCall(Ljava/rmi/server/RemoteObject;[Ljava/rmi/server/Operation;IJ)Ljava/rmi/server/RemoteCall;
java/rmi/server/RemoteRef invoke(Ljava/rmi/server/RemoteCall;)V
java/rmi/server/RemoteRef done(Ljava/rmi/server/RemoteCall;)V
java/rmi/server/RemoteRef
getRefClass(Ljava/io/ObjectOutput;)Ljava/lang/String;
java/rmi/server/RemoteRef remoteHashCode()I
java/rmi/server/RemoteRef remoteEquals(Ljava/rmi/server/RemoteRef;)Z
java/rmi/server/RemoteRef remoteToString()Ljava/lang/String;
class java/rmi/server/RemoteServer java/rmi/server/RemoteObject
java/rmi/server/RemoteServer serialVersionUID
java/rmi/server/RemoteServer logNull
java/rmi/server/RemoteServer <init>()V
java/rmi/server/RemoteServer <init>(Ljava/rmi/server/RemoteRef;)V
java/rmi/server/RemoteServer getClientHost()Ljava/lang/String;
java/rmi/server/RemoteServer setLog(Ljava/io/OutputStream;)V
java/rmi/server/RemoteServer getLog()Ljava/io/PrintStream;
java/rmi/server/RemoteServer <clinit>()V
class java/rmi/server/RemoteStub java/rmi/server/RemoteObject
java/rmi/server/RemoteStub serialVersionUID

```

```

java/rmi/server/RemoteStub <init>()V
java/rmi/server/RemoteStub <init>(Ljava/rmi/server/RemoteRef;)V
java/rmi/server/RemoteStub setRef(Ljava/rmi/server/RemoteStub;Ljava/rmi/server/RemoteRef;)V
class
 java/rmi/server/ServerCloneException java/lang/CloneNotSupportedException
java/rmi/server/ServerCloneException detail
java/rmi/server/ServerCloneException serialVersionUID
java/rmi/server/ServerCloneException <init>(Ljava/lang/String;)V
java/rmi/server/ServerCloneException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
java/rmi/server/ServerCloneException getMessage()Ljava/lang/String;
java/rmi/server/ServerCloneException getCause()Ljava/lang/Throwable;
class java/rmi/server/ServerNotActiveException java/lang/Exception
java/rmi/server/ServerNotActiveException serialVersionUID
java/rmi/server/ServerNotActiveException <init>()V
java/rmi/server/ServerNotActiveException <init>(Ljava/lang/String;)V
class java/rmi/server/ServerRef java/lang/Object
java/rmi/server/ServerRef serialVersionUID
java/rmi/server/ServerRef exportObject(Ljava/rmi/Remote;Ljava/lang/Object;)Ljava/rmi/server/RemoteStub;
java/rmi/server/ServerRef getClientHost()Ljava/lang/String;
class
 java/rmi/server/Skeleton java/lang/Object
java/rmi/server/Skeleton dispatch(Ljava/rmi/Remote;Ljava/rmi/server/RemoteCall;IJ)V
java/rmi/server/Skeleton getOperations()[Ljava/rmi/server/Operation;
class java/rmi/server/SkeletonMismatchException java/rmi/RemoteException
java/rmi/server/SkeletonMismatchException serialVersionUID
java/rmi/server/SkeletonMismatchException <init>(Ljava/lang/String;)V
class java/rmi/server/SkeletonNotFoundException java/rmi/RemoteException
java/rmi/server/SkeletonNotFoundException serialVersionUID
java/rmi/server/SkeletonNotFoundException <init>(Ljava/lang/String;)V
java/rmi/server/SkeletonNotFoundException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/server/SocketSecurityException java/rmi/server/ExportException
java/rmi/server/SocketSecurityException serialVersionUID
java/rmi/server/SocketSecurityException <init>(Ljava/lang/String;)V
java/rmi/server/SocketSecurityException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/server/UID
 java/lang/Object
java/rmi/server/UID ONE_SECOND
java/rmi/server/UID hostUnique
java/rmi/server/UID hostUniqueSet
java/rmi/server/UID lock
java/rmi/server/UID lastTime
java/rmi/server/UID lastCount
java/rmi/server/UID serialVersionUID
java/rmi/server/UID unique
java/rmi/server/UID time
java/rmi/server/UID count
java/rmi/server/UID <init>()V
java/rmi/server/UID <init>(S)V

```

```

java/rmi/server/UID <init>(IJS)V
java/rmi/server/UID hashCode()I
java/rmi/server/UID equals(Ljava/lang/Object;)Z
java/rmi/server/UID toString()Ljava/lang/String;
java/rmi/server/UID write(Ljava/io/DataOutput;)V
java/rmi/server/UID read(Ljava/io/DataInput;)Ljava/rmi/server/UID;
java/rmi/server/UID <clinit>()V
class java/rmi/server/UnicastRemoteObject java/rmi/server/RemoteServer
java/rmi/server/UnicastRemoteObject port
java/rmi/server/UnicastRemoteObject csf
java/rmi/server/UnicastRemoteObject ssf
java/rmi/server/UnicastRemoteObject serialVersionUID
java/rmi/server/UnicastRemoteObject <init>()V
java/rmi/server/UnicastRemoteObject
 <init>(I)V
java/rmi/server/UnicastRemoteObject
 <init>(ILjava/rmi/server/RMIClientSocketFactory;Ljava/rmi/server/RMIServerSocketFactory;)V
java/rmi/server/UnicastRemoteObject readObject(Ljava/io/ObjectInputStream;)V
java/rmi/server/UnicastRemoteObject clone()Ljava/lang/Object;
java/rmi/server/UnicastRemoteObject reexport()V
java/rmi/server/UnicastRemoteObject exportObject(Ljava/rmi/Remote;)Ljava/rmi/server/RemoteStub;
java/rmi/server/UnicastRemoteObject exportObject(Ljava/rmi/Remote;I)Ljava/rmi/Remote;
java/rmi/server/UnicastRemoteObject
 exportObject(Ljava/rmi/Remote;ILjava/rmi/server/RMIClientSocketFactory;Ljava/rmi/server/RMIServerSocketFact
 ory;)Ljava/rmi/Remote;
java/rmi/server/UnicastRemoteObject unexportObject(Ljava/rmi/Remote;Z)Z
java/rmi/server/UnicastRemoteObject
 exportObject(Ljava/rmi/Remote;Lsun/rmi/server/UnicastServerRef;)Ljava/rmi/Remote;
class java/rmi/server/Unreferenced java/lang/Object
java/rmi/server/Unreferenced unreferenced()V
class java/security/AccessControlContext$1
 java/lang/Object
java/security/AccessControlContext$1 val$db
java/security/AccessControlContext$1 val$pd
java/security/AccessControlContext$1 this$0
java/security/AccessControlContext$1
 <init>(Ljava/security/AccessControlContext;Lsun/security/util/Debug;Ljava/security/ProtectionDomain;)V
java/security/AccessControlContext$1 run()Ljava/lang/Object;
class java/security/AccessControlException java/lang/SecurityException
java/security/AccessControlException serialVersionUID
java/security/AccessControlException perm
java/security/AccessControlException <init>(Ljava/lang/String;)V
java/security/AccessControlException <init>(Ljava/lang/String;Ljava/security/Permission;)V
java/security/AccessControlException getPermission()Ljava/security/Permission;
class java/security/AlgorithmParameterGenerator java/lang/Object
java/security/AlgorithmParameterGenerator provider
java/security/AlgorithmParameterGenerator paramGenSpi
java/security/AlgorithmParameterGenerator algorithm

```

```

java/security/AlgorithmParameterGenerator
<init>(Ljava/security/AlgorithmParameterGeneratorSpi;Ljava/security/Provider;Ljava/lang/String;)V
java/security/AlgorithmParameterGenerator getAlgorithm(Ljava/lang/String;
java/security/AlgorithmParameterGenerator
getInstance(Ljava/lang/String;)Ljava/security/AlgorithmParameterGenerator;
java/security/AlgorithmParameterGenerator
getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/AlgorithmParameterGenerator;
java/security/AlgorithmParameterGenerator
getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/AlgorithmParameterGenerator;
java/security/AlgorithmParameterGenerator getProvider(Ljava/security/Provider;
java/security/AlgorithmParameterGenerator init(I)V
java/security/AlgorithmParameterGenerator init(ILjava/security/SecureRandom;)V
java/security/AlgorithmParameterGenerator init(Ljava/security/spec/AlgorithmParameterSpec;)V
java/security/AlgorithmParameterGenerator
init(Ljava/security/spec/AlgorithmParameterSpec;Ljava/security/SecureRandom;)V
java/security/AlgorithmParameterGenerator
generateParameters()Ljava/security/AlgorithmParameters;
class java/security/AlgorithmParameterGeneratorSpi java/lang/Object
java/security/AlgorithmParameterGeneratorSpi <init>()V
java/security/AlgorithmParameterGeneratorSpi engineInit(ILjava/security/SecureRandom;)V
java/security/AlgorithmParameterGeneratorSpi
engineInit(Ljava/security/spec/AlgorithmParameterSpec;Ljava/security/SecureRandom;)V
java/security/AlgorithmParameterGeneratorSpi engineGenerateParameters()Ljava/security/AlgorithmParameters;
class java/security/AllPermissionCollection$1 java/lang/Object
java/security/AllPermissionCollection$1 hasMore
java/security/AllPermissionCollection$1 this$0
java/security/AllPermissionCollection$1 <init>(Ljava/security/AllPermissionCollection;)V
java/security/AllPermissionCollection$1 hasMoreElements()Z
java/security/AllPermissionCollection$1 nextElement()Ljava/lang/Object;
class java/security/AuthProvider java/security/Provider
java/security/AuthProvider
<init>(Ljava/lang/String;DLjava/lang/String;)V
java/security/AuthProvider login(Ljavax/security/auth/Subject;Ljavax/security/auth/callback/CallbackHandler;)V
java/security/AuthProvider logout()V
java/security/AuthProvider setCallbackHandler(Ljavax/security/auth/callback/CallbackHandler;)V
class java/security/Certificate java/lang/Object
java/security/Certificate getGuarantor()Ljava/security/Principal;
java/security/Certificate getPrincipal()Ljava/security/Principal;
java/security/Certificate getPublicKey()Ljava/security/PublicKey;
java/security/Certificate encode(Ljava/io/OutputStream;)V
java/security/Certificate decode(Ljava/io/InputStream;)V
java/security/Certificate getFormat()Ljava/lang/String;
java/security/Certificate toString(Z)Ljava/lang/String;
class java/security/DigestException java/security/GeneralSecurityException
java/security/DigestException serialVersionUID
java/security/DigestException <init>()V
java/security/DigestException <init>(Ljava/lang/String;)V
java/security/DigestException

```

```

<init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/DigestException <init>(Ljava/lang/Throwable;)V
class java/security/DigestInputStream java/io/FilterInputStream
java/security/DigestInputStream on
java/security/DigestInputStream digest
java/security/DigestInputStream <init>(Ljava/io/InputStream;Ljava/security/MessageDigest;)V
java/security/DigestInputStream getMessageDigest()Ljava/security/MessageDigest;
java/security/DigestInputStream setMessageDigest(Ljava/security/MessageDigest;)V
java/security/DigestInputStream read()I
java/security/DigestInputStream read([BII)I
java/security/DigestInputStream on(Z)V
java/security/DigestInputStream toString()Ljava/lang/String;
class java/security/DigestOutputStream java/io/FilterOutputStream
java/security/DigestOutputStream on
java/security/DigestOutputStream digest
java/security/DigestOutputStream <init>(Ljava/io/OutputStream;Ljava/security/MessageDigest;)V
java/security/DigestOutputStream
 getMessageDigest()Ljava/security/MessageDigest;
java/security/DigestOutputStream setMessageDigest(Ljava/security/MessageDigest;)V
java/security/DigestOutputStream write(I)V
java/security/DigestOutputStream write([BII)V
java/security/DigestOutputStream on(Z)V
java/security/DigestOutputStream toString()Ljava/lang/String;
class java/security/GuardedObject java/lang/Object
java/security/GuardedObject serialVersionUID
java/security/GuardedObject object
java/security/GuardedObject guard
java/security/GuardedObject <init>(Ljava/lang/Object;Ljava/security/Guard;)V
java/security/GuardedObject getObject()Ljava/lang/Object;
java/security/GuardedObject writeObject(Ljava/io/ObjectOutputStream;)V
class java/security/Identity java/lang/Object
java/security/Identity serialVersionUID
java/security/Identity name
java/security/Identity publicKey
java/security/Identity info
java/security/Identity scope
java/security/Identity certificates
java/security/Identity <init>()V
java/security/Identity <init>(Ljava/lang/String;Ljava/security/IdentityScope;)V
java/security/Identity
 <init>(Ljava/lang/String;)V
java/security/Identity getName()Ljava/lang/String;
java/security/Identity getScope()Ljava/security/IdentityScope;
java/security/Identity getPublicKey()Ljava/security/PublicKey;
java/security/Identity setPublicKey(Ljava/security/PublicKey;)V
java/security/Identity setInfo(Ljava/lang/String;)V
java/security/Identity getInfo()Ljava/lang/String;
java/security/Identity addCertificate(Ljava/security/Certificate;)V

```

```

java/security/Identity keyEquals(Ljava/security/Key;Ljava/security/Key;)Z
java/security/Identity removeCertificate(Ljava/security/Certificate;)V
java/security/Identity certificates()[Ljava/security/Certificate;
java/security/Identity equals(Ljava/lang/Object;)Z
java/security/Identity identityEquals(Ljava/security/Identity;)Z
java/security/Identity fullName()Ljava/lang/String;
java/security/Identity toString()Ljava/lang/String;
java/security/Identity toString(Z)Ljava/lang/String;
java/security/Identity
 printKeys()Ljava/lang/String;
java/security/Identity printCertificates()Ljava/lang/String;
java/security/Identity hashCode()I
java/security/Identity check(Ljava/lang/String;)V
class java/security/IdentityScope$1 java/lang/Object
java/security/IdentityScope$1 <init>()V
java/security/IdentityScope$1 run()Ljava/lang/Object;
class java/security/IdentityScope java/security/Identity
java/security/IdentityScope serialVersionUID
java/security/IdentityScope scope
java/security/IdentityScope initializeSystemScope()V
java/security/IdentityScope <init>()V
java/security/IdentityScope <init>(Ljava/lang/String;)V
java/security/IdentityScope <init>(Ljava/lang/String;Ljava/security/IdentityScope;)V
java/security/IdentityScope getSystemScope()Ljava/security/IdentityScope;
java/security/IdentityScope setSystemScope(Ljava/security/IdentityScope;)V
java/security/IdentityScope size()I
java/security/IdentityScope getIdentity(Ljava/lang/String;)Ljava/security/Identity;
java/security/IdentityScope
 getIdentity(Ljava/security/Principal;)Ljava/security/Identity;
java/security/IdentityScope getIdentity(Ljava/security/PublicKey;)Ljava/security/Identity;
java/security/IdentityScope addIdentity(Ljava/security/Identity;)V
java/security/IdentityScope removeIdentity(Ljava/security/Identity;)V
java/security/IdentityScope identities()Ljava/util/Enumeration;
java/security/IdentityScope toString()Ljava/lang/String;
java/security/IdentityScope check(Ljava/lang/String;)V
class java/security/InvalidAlgorithmParameterException java/security/GeneralSecurityException
java/security/InvalidAlgorithmParameterException serialVersionUID
java/security/InvalidAlgorithmParameterException <init>()V
java/security/InvalidAlgorithmParameterException <init>(Ljava/lang/String;)V
java/security/InvalidAlgorithmParameterException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/InvalidAlgorithmParameterException <init>(Ljava/lang/Throwable;)V
class java/security/InvalidParameterException java/lang/IllegalArgumentException
java/security/InvalidParameterException
 serialVersionUID
java/security/InvalidParameterException <init>()V
java/security/InvalidParameterException <init>(Ljava/lang/String;)V
class java/security/KeyManagementException java/security/KeyException
java/security/KeyManagementException serialVersionUID

```

```

java/security/KeyManagementException <init>()V
java/security/KeyManagementException <init>(Ljava/lang/String;)V
java/security/KeyManagementException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/KeyManagementException <init>(Ljava/lang/Throwable;)V
class java/security/KeyPair java/lang/Object
java/security/KeyPair serialVersionUID
java/security/KeyPair privateKey
java/security/KeyPair publicKey
java/security/KeyPair <init>(Ljava/security/PublicKey;Ljava/security/PrivateKey;)V
java/security/KeyPair getPublic()Ljava/security/PublicKey;
java/security/KeyPair getPrivate()Ljava/security/PrivateKey;
class java/security/KeyPairGenerator$Delegate java/security/KeyPairGenerator
java/security/KeyPairGenerator$Delegate
 spi
java/security/KeyPairGenerator$Delegate lock
java/security/KeyPairGenerator$Delegate serviceIterator
java/security/KeyPairGenerator$Delegate I_NONE
java/security/KeyPairGenerator$Delegate I_SIZE
java/security/KeyPairGenerator$Delegate I_PARAMS
java/security/KeyPairGenerator$Delegate initType
java/security/KeyPairGenerator$Delegate initKeySize
java/security/KeyPairGenerator$Delegate initParams
java/security/KeyPairGenerator$Delegate initRandom
java/security/KeyPairGenerator$Delegate <init>(Ljava/security/KeyPairGeneratorSpi;Ljava/lang/String;)V
java/security/KeyPairGenerator$Delegate
 <init>(Lsun/security/jca/GetInstance$Instance;Ljava/util/Iterator;Ljava/lang/String;)V
java/security/KeyPairGenerator$Delegate
 nextSpi(Ljava/security/KeyPairGeneratorSpi;Z)Ljava/security/KeyPairGeneratorSpi;
java/security/KeyPairGenerator$Delegate disableFailover()V
java/security/KeyPairGenerator$Delegate initialize(ILjava/security/SecureRandom;)V
java/security/KeyPairGenerator$Delegate
 initialize(Ljava/security/spec/AlgorithmParameterSpec;Ljava/security/SecureRandom;)V
java/security/KeyPairGenerator$Delegate generateKeyPair()Ljava/security/KeyPair;
class java/security/KeyPairGenerator java/security/KeyPairGeneratorSpi
java/security/KeyPairGenerator algorithm
java/security/KeyPairGenerator provider
java/security/KeyPairGenerator <init>(Ljava/lang/String;)V
java/security/KeyPairGenerator getAlgorithm()Ljava/lang/String;
java/security/KeyPairGenerator
 getInstance(Lsun/security/jca/GetInstance$Instance;Ljava/lang/String;)Ljava/security/KeyPairGenerator;
java/security/KeyPairGenerator getInstance(Ljava/lang/String;)Ljava/security/KeyPairGenerator;
java/security/KeyPairGenerator getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/KeyPairGenerator;
java/security/KeyPairGenerator
 getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/KeyPairGenerator;
java/security/KeyPairGenerator getProvider()Ljava/security/Provider;
java/security/KeyPairGenerator
 disableFailover()V
java/security/KeyPairGenerator initialize(I)V

```

```

java/security/KeyPairGenerator initialize(ILjava/security/SecureRandom;)V
java/security/KeyPairGenerator initialize(Ljava/security/spec/AlgorithmParameterSpec;)V
java/security/KeyPairGenerator
initialize(Ljava/security/spec/AlgorithmParameterSpec;Ljava/security/SecureRandom;)V
java/security/KeyPairGenerator genKeyPair()Ljava/security/KeyPair;
java/security/KeyPairGenerator generateKeyPair()Ljava/security/KeyPair;
class java/security/KeyPairGeneratorSpi java/lang/Object
java/security/KeyPairGeneratorSpi <init>()V
java/security/KeyPairGeneratorSpi initialize(ILjava/security/SecureRandom;)V
java/security/KeyPairGeneratorSpi
initialize(Ljava/security/spec/AlgorithmParameterSpec;Ljava/security/SecureRandom;)V
java/security/KeyPairGeneratorSpi generateKeyPair()Ljava/security/KeyPair;
class java/security/KeyRep$Type java/lang/Enum
java/security/KeyRep$Type SECRET
java/security/KeyRep$Type
PUBLIC
java/security/KeyRep$Type PRIVATE
java/security/KeyRep$Type $VALUES
java/security/KeyRep$Type values()[Ljava/security/KeyRep$Type;
java/security/KeyRep$Type valueOf(Ljava/lang/String;)Ljava/security/KeyRep$Type;
java/security/KeyRep$Type <init>(Ljava/lang/String;I)V
java/security/KeyRep$Type <clinit>()V
class java/security/KeyRep java/lang/Object
java/security/KeyRep serialVersionUID
java/security/KeyRep PKCS8
java/security/KeyRep X509
java/security/KeyRep RAW
java/security/KeyRep type
java/security/KeyRep algorithm
java/security/KeyRep format
java/security/KeyRep encoded
java/security/KeyRep <init>(Ljava/security/KeyRep$Type;Ljava/lang/String;Ljava/lang/String;[B)V
java/security/KeyRep readResolve()Ljava/lang/Object;
class java/security/KeyStore$1 java/lang/Object
java/security/KeyStore$1 <init>()V
java/security/KeyStore$1 run()Ljava/lang/Object;
class java/security/KeyStore$Builder$1 java/security/KeyStore$Builder
java/security/KeyStore$Builder$1 getCalled
java/security/KeyStore$Builder$1
val$keyStore
java/security/KeyStore$Builder$1 val$protectionParameter
java/security/KeyStore$Builder$1 <init>(Ljava/security/KeyStore;Ljava/security/KeyStore$ProtectionParameter;)V
java/security/KeyStore$Builder$1 getKeyStore()Ljava/security/KeyStore;
java/security/KeyStore$Builder$1
getProtectionParameter(Ljava/lang/String;)Ljava/security/KeyStore$ProtectionParameter;
class java/security/KeyStore$Builder$2$1 java/lang/Object
java/security/KeyStore$Builder$2$1 this$0
java/security/KeyStore$Builder$2$1 <init>(Ljava/security/KeyStore$Builder$2;)V

```



```

java/security/KeyStore$Builder$2$1 run()Ljava/lang/Object;
class java/security/KeyStore$Builder$2 java/security/KeyStore$Builder
java/security/KeyStore$Builder$2 getCalled
java/security/KeyStore$Builder$2 action
java/security/KeyStore$Builder$2 val$provider
java/security/KeyStore$Builder$2 val$type
java/security/KeyStore$Builder$2 val$protection
java/security/KeyStore$Builder$2
<init>(Ljava/security/Provider;Ljava/lang/String;Ljava/security/KeyStore$ProtectionParameter;)V
java/security/KeyStore$Builder$2
 getKeyStore()Ljava/security/KeyStore;
java/security/KeyStore$Builder$2
 getProtectionParameter(Ljava/lang/String;)Ljava/security/KeyStore$ProtectionParameter;
java/security/KeyStore$Builder$2 access$502(Ljava/security/KeyStore$Builder$2;Z)Z
class java/security/KeyStore$Builder$FileBuilder$1 java/lang/Object
java/security/KeyStore$Builder$FileBuilder$1 this$0
java/security/KeyStore$Builder$FileBuilder$1 <init>(Ljava/security/KeyStore$Builder$FileBuilder;)V
java/security/KeyStore$Builder$FileBuilder$1 run()Ljava/lang/Object;
class java/security/KeyStore$Builder$FileBuilder java/security/KeyStore$Builder
java/security/KeyStore$Builder$FileBuilder type
java/security/KeyStore$Builder$FileBuilder provider
java/security/KeyStore$Builder$FileBuilder file
java/security/KeyStore$Builder$FileBuilder protection
java/security/KeyStore$Builder$FileBuilder context
java/security/KeyStore$Builder$FileBuilder keyStore
java/security/KeyStore$Builder$FileBuilder
 oldException
java/security/KeyStore$Builder$FileBuilder
<init>(Ljava/lang/String;Ljava/security/Provider;Ljava/io/File;Ljava/security/KeyStore$ProtectionParameter;Ljava/
security/AccessControlContext;)V
java/security/KeyStore$Builder$FileBuilder getKeyStore()Ljava/security/KeyStore;
java/security/KeyStore$Builder$FileBuilder
 getProtectionParameter(Ljava/lang/String;)Ljava/security/KeyStore$ProtectionParameter;
java/security/KeyStore$Builder$FileBuilder
 access$100(Ljava/security/KeyStore$Builder$FileBuilder;)Ljava/security/Provider;
java/security/KeyStore$Builder$FileBuilder
 access$200(Ljava/security/KeyStore$Builder$FileBuilder;)Ljava/lang/String;
java/security/KeyStore$Builder$FileBuilder
 access$300(Ljava/security/KeyStore$Builder$FileBuilder;)Ljava/io/File;
java/security/KeyStore$Builder$FileBuilder
 access$400(Ljava/security/KeyStore$Builder$FileBuilder;)Ljava/security/KeyStore$ProtectionParameter;
java/security/KeyStore$Builder$FileBuilder
 access$402(Ljava/security/KeyStore$Builder$FileBuilder;Ljava/security/KeyStore$ProtectionParameter;)Ljava/sec
urity/KeyStore$ProtectionParameter;
class
 java/security/KeyStore$Builder java/lang/Object
java/security/KeyStore$Builder <init>()V
java/security/KeyStore$Builder getKeyStore()Ljava/security/KeyStore;

```

```

java/security/KeyStore$Builder
getProtectionParameter(Ljava/lang/String;)Ljava/security/KeyStore$ProtectionParameter;
java/security/KeyStore$Builder
newInstance(Ljava/security/KeyStore;Ljava/security/KeyStore$ProtectionParameter;)Ljava/security/KeyStore$Builder;
java/security/KeyStore$Builder
newInstance(Ljava/lang/String;Ljava/security/Provider;Ljava/io/File;Ljava/security/KeyStore$ProtectionParameter;)Ljava/security/KeyStore$Builder;
java/security/KeyStore$Builder
newInstance(Ljava/lang/String;Ljava/security/Provider;Ljava/security/KeyStore$ProtectionParameter;)Ljava/security/KeyStore$Builder;
class java/security/KeyStore$CallbackHandlerProtection java/lang/Object
java/security/KeyStore$CallbackHandlerProtection
handler
java/security/KeyStore$CallbackHandlerProtection <init>(Ljavax/security/auth/callback/CallbackHandler;)V
java/security/KeyStore$CallbackHandlerProtection
getCallbackHandler()Ljavax/security/auth/callback/CallbackHandler;
class java/security/KeyStore$Entry java/lang/Object
class java/security/KeyStore$LoadStoreParameter java/lang/Object
java/security/KeyStore$LoadStoreParameter
getProtectionParameter()Ljava/security/KeyStore$ProtectionParameter;
class java/security/KeyStore$PasswordProtection java/lang/Object
java/security/KeyStore$PasswordProtection password
java/security/KeyStore$PasswordProtection destroyed
java/security/KeyStore$PasswordProtection <init>([C)V
java/security/KeyStore$PasswordProtection getPassword()[C
java/security/KeyStore$PasswordProtection destroy()V
java/security/KeyStore$PasswordProtection isDestroyed()Z
class java/security/KeyStore$PrivateKeyEntry java/lang/Object
java/security/KeyStore$PrivateKeyEntry privKey
java/security/KeyStore$PrivateKeyEntry
chain
java/security/KeyStore$PrivateKeyEntry <init>(Ljava/security/PrivateKey;[Ljava/security/cert/Certificate;)V
java/security/KeyStore$PrivateKeyEntry getPrivateKey()Ljava/security/PrivateKey;
java/security/KeyStore$PrivateKeyEntry getCertificateChain()[Ljava/security/cert/Certificate;
java/security/KeyStore$PrivateKeyEntry getCertificate()Ljava/security/cert/Certificate;
java/security/KeyStore$PrivateKeyEntry toString()Ljava/lang/String;
class java/security/KeyStore$ProtectionParameter java/lang/Object
class java/security/KeyStore$SecretKeyEntry java/lang/Object
java/security/KeyStore$SecretKeyEntry sKey
java/security/KeyStore$SecretKeyEntry <init>(Ljavax/crypto/SecretKey;)V
java/security/KeyStore$SecretKeyEntry getSecretKey()Ljavax/crypto/SecretKey;
java/security/KeyStore$SecretKeyEntry toString()Ljava/lang/String;
class java/security/KeyStore$SimpleLoadStoreParameter java/lang/Object
java/security/KeyStore$SimpleLoadStoreParameter protection
java/security/KeyStore$SimpleLoadStoreParameter
<init>(Ljava/security/KeyStore$ProtectionParameter;)V
java/security/KeyStore$SimpleLoadStoreParameter

```

```

getProtectionParameter()Ljava/security/KeyStore$ProtectionParameter;
class java/security/KeyStore$TrustedCertificateEntry java/lang/Object
java/security/KeyStore$TrustedCertificateEntry cert
java/security/KeyStore$TrustedCertificateEntry <init>(Ljava/security/cert/Certificate;)V
java/security/KeyStore$TrustedCertificateEntry getTrustedCertificate(Ljava/security/cert/Certificate;
java/security/KeyStore$TrustedCertificateEntry toString()Ljava/lang/String;
class java/security/KeyStore java/lang/Object
java/security/KeyStore KEYSTORE_TYPE
java/security/KeyStore type
java/security/KeyStore provider
java/security/KeyStore keyStoreSpi
java/security/KeyStore initialized
java/security/KeyStore <init>(Ljava/security/KeyStoreSpi;Ljava/security/Provider;Ljava/lang/String;)V
java/security/KeyStore getInstance(Ljava/lang/String;)Ljava/security/KeyStore;
java/security/KeyStore
 getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/KeyStore;
java/security/KeyStore getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/KeyStore;
java/security/KeyStore getDefaultType()Ljava/lang/String;
java/security/KeyStore getProvider()Ljava/security/Provider;
java/security/KeyStore getType()Ljava/lang/String;
java/security/KeyStore getKey(Ljava/lang/String;[C)Ljava/security/Key;
java/security/KeyStore getCertificateChain(Ljava/lang/String;)[Ljava/security/cert/Certificate;
java/security/KeyStore getCertificate(Ljava/lang/String;)Ljava/security/cert/Certificate;
java/security/KeyStore getCreationDate(Ljava/lang/String;)Ljava/util/Date;
java/security/KeyStore setKeyEntry(Ljava/lang/String;Ljava/security/Key;[C[Ljava/security/cert/Certificate;)V
java/security/KeyStore setKeyEntry(Ljava/lang/String;[B[Ljava/security/cert/Certificate;)V
java/security/KeyStore setCertificateEntry(Ljava/lang/String;Ljava/security/cert/Certificate;)V
java/security/KeyStore
 deleteEntry(Ljava/lang/String;)V
java/security/KeyStore aliases()Ljava/util/Enumeration;
java/security/KeyStore containsAlias(Ljava/lang/String;)Z
java/security/KeyStore size()I
java/security/KeyStore isKeyEntry(Ljava/lang/String;)Z
java/security/KeyStore isCertificateEntry(Ljava/lang/String;)Z
java/security/KeyStore getCertificateAlias(Ljava/security/cert/Certificate;)Ljava/lang/String;
java/security/KeyStore store(Ljava/io/OutputStream;[C)V
java/security/KeyStore store(Ljava/security/KeyStore$LoadStoreParameter;)V
java/security/KeyStore load(Ljava/io/InputStream;[C)V
java/security/KeyStore load(Ljava/security/KeyStore$LoadStoreParameter;)V
java/security/KeyStore
 getEntry(Ljava/lang/String;Ljava/security/KeyStore$ProtectionParameter;)Ljava/security/KeyStore$Entry;
java/security/KeyStore
 setEntry(Ljava/lang/String;Ljava/security/KeyStore$Entry;Ljava/security/KeyStore$ProtectionParameter;)V
java/security/KeyStore entryInstanceOf(Ljava/lang/String;Ljava/lang/Class;)Z
java/security/KeyStore
 access$000(Ljava/security/KeyStore;)Z
class java/security/KeyStoreException java/security/GeneralSecurityException
java/security/KeyStoreException serialVersionUID

```

```

java/security/KeyStoreException <init>()V
java/security/KeyStoreException <init>(Ljava/lang/String;)V
java/security/KeyStoreException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/KeyStoreException <init>(Ljava/lang/Throwable;)V
class java/security/KeyStoreSpi java/lang/Object
java/security/KeyStoreSpi <init>()V
java/security/KeyStoreSpi engineGetKey(Ljava/lang/String;[C)Ljava/security/Key;
java/security/KeyStoreSpi engineGetCertificateChain(Ljava/lang/String;)[Ljava/security/cert/Certificate;
java/security/KeyStoreSpi engineGetCertificate(Ljava/lang/String;)Ljava/security/cert/Certificate;
java/security/KeyStoreSpi engineGetCreationDate(Ljava/lang/String;)Ljava/util/Date;
java/security/KeyStoreSpi
engineSetKeyEntry(Ljava/lang/String;Ljava/security/Key;[C[Ljava/security/cert/Certificate;)V
java/security/KeyStoreSpi
engineSetKeyEntry(Ljava/lang/String;[B[Ljava/security/cert/Certificate;)V
java/security/KeyStoreSpi engineSetCertificateEntry(Ljava/lang/String;Ljava/security/cert/Certificate;)V
java/security/KeyStoreSpi engineDeleteEntry(Ljava/lang/String;)V
java/security/KeyStoreSpi engineAliases()Ljava/util/Enumeration;
java/security/KeyStoreSpi engineContainsAlias(Ljava/lang/String;)Z
java/security/KeyStoreSpi engineSize()I
java/security/KeyStoreSpi engineIsKeyEntry(Ljava/lang/String;)Z
java/security/KeyStoreSpi engineIsCertificateEntry(Ljava/lang/String;)Z
java/security/KeyStoreSpi engineGetCertificateAlias(Ljava/security/cert/Certificate;)Ljava/lang/String;
java/security/KeyStoreSpi engineStore(Ljava/io/OutputStream;[C)V
java/security/KeyStoreSpi engineStore(Ljava/security/KeyStore$LoadStoreParameter;)V
java/security/KeyStoreSpi engineLoad(Ljava/io/InputStream;[C)V
java/security/KeyStoreSpi engineLoad(Ljava/security/KeyStore$LoadStoreParameter;)V
java/security/KeyStoreSpi
engineGetEntry(Ljava/lang/String;Ljava/security/KeyStore$ProtectionParameter;)Ljava/security/KeyStore$Entry;
java/security/KeyStoreSpi
engineSetEntry(Ljava/lang/String;Ljava/security/KeyStore$Entry;Ljava/security/KeyStore$ProtectionParameter;)V
java/security/KeyStoreSpi engineEntryInstanceOf(Ljava/lang/String;Ljava/lang/Class;)Z
class java/security/NoSuchProviderException java/security/GeneralSecurityException
java/security/NoSuchProviderException serialVersionUID
java/security/NoSuchProviderException <init>()V
java/security/NoSuchProviderException <init>(Ljava/lang/String;)V
class java/security/PermissionsHash java/security/PermissionCollection
java/security/PermissionsHash permsMap
java/security/PermissionsHash serialVersionUID
java/security/PermissionsHash serialPersistentFields
java/security/PermissionsHash <init>()V
java/security/PermissionsHash add(Ljava/security/Permission;)V
java/security/PermissionsHash implies(Ljava/security/Permission;)Z
java/security/PermissionsHash elements()Ljava/util/Enumeration;
java/security/PermissionsHash
writeObject(Ljava/io/ObjectOutputStream;)V
java/security/PermissionsHash readObject(Ljava/io/ObjectInputStream;)V
java/security/PermissionsHash <clinit>()V
class java/security/Policy$2 java/lang/Object

```

```

java/security/Policy$2 val$pc
java/security/Policy$2 <init>(Ljava/lang/String;)V
java/security/Policy$2 run()Ljava/lang/Object;
class java/security/Policy$3 java/lang/Object
java/security/Policy$3 val$p
java/security/Policy$3 <init>(Ljava/security/Policy;)V
java/security/Policy$3 run()Ljava/lang/Object;
class java/security/ProtectionDomain$1 java/lang/Object
java/security/ProtectionDomain$1 this$0
java/security/ProtectionDomain$1 <init>(Ljava/security/ProtectionDomain;)V
java/security/ProtectionDomain$1 run()Ljava/lang/Object;
class java/security/Provider$1 java/lang/Object
class java/security/Provider$EngineDescription java/lang/Object
java/security/Provider$EngineDescription name
java/security/Provider$EngineDescription constructor
java/security/Provider$EngineDescription
 supportsParameter
java/security/Provider$EngineDescription <init>(Ljava/lang/String;ZZ)V
class java/security/Provider$UString java/lang/Object
java/security/Provider$UString string
java/security/Provider$UString lowerString
java/security/Provider$UString <init>(Ljava/lang/String;)V
java/security/Provider$UString hashCode()I
java/security/Provider$UString equals(Ljava/lang/Object;)Z
java/security/Provider$UString toString()Ljava/lang/String;
class java/security/ProviderException java/lang/RuntimeException
java/security/ProviderException serialVersionUID
java/security/ProviderException <init>()V
java/security/ProviderException <init>(Ljava/lang/String;)V
java/security/ProviderException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/ProviderException <init>(Ljava/lang/Throwable;)V
class java/security/SecureRandom java/util/Random
java/security/SecureRandom provider
java/security/SecureRandom secureRandomSpi
java/security/SecureRandom
 algorithm
java/security/SecureRandom seedGenerator
java/security/SecureRandom serialVersionUID
java/security/SecureRandom state
java/security/SecureRandom digest
java/security/SecureRandom randomBytes
java/security/SecureRandom randomBytesUsed
java/security/SecureRandom counter
java/security/SecureRandom <init>()V
java/security/SecureRandom <init>([B)V
java/security/SecureRandom getDefaultPRNG(Z[B)V
java/security/SecureRandom <init>(Ljava/security/SecureRandomSpi;Ljava/security/Provider;)V
java/security/SecureRandom <init>(Ljava/security/SecureRandomSpi;Ljava/security/Provider;Ljava/lang/String;)V

```

```

java/security/SecureRandom getInstance(Ljava/lang/String;)Ljava/security/SecureRandom;
java/security/SecureRandom getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/SecureRandom;
java/security/SecureRandom getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/SecureRandom;
java/security/SecureRandom getSecureRandomSpi()Ljava/security/SecureRandomSpi;
java/security/SecureRandom
 getProvider()Ljava/security/Provider;
java/security/SecureRandom getAlgorithm(Ljava/lang/String;
java/security/SecureRandom setSeed([B)V
java/security/SecureRandom setSeed(J)V
java/security/SecureRandom nextBytes([B)V
java/security/SecureRandom next()I
java/security/SecureRandom getSeed()[B
java/security/SecureRandom generateSeed()[B
java/security/SecureRandom longToByteArray(J)[B
java/security/SecureRandom getPrngAlgorithm(Ljava/lang/String;
java/security/SecureRandom <clinit>()V
class java/security/SecureRandomSpi java/lang/Object
java/security/SecureRandomSpi serialVersionUID
java/security/SecureRandomSpi <init>()V
java/security/SecureRandomSpi engineSetSeed([B)V
java/security/SecureRandomSpi engineNextBytes([B)V
java/security/SecureRandomSpi engineGenerateSeed()[B
class java/security/Security$2 java/lang/Object
java/security/Security$2 val$pa
java/security/Security$2 <init>(Z)V
java/security/Security$2 run(Ljava/lang/Object;
class java/security/Security$ProviderProperty
 java/lang/Object
java/security/Security$ProviderProperty className
java/security/Security$ProviderProperty provider
java/security/Security$ProviderProperty <init>()V
java/security/Security$ProviderProperty <init>(Ljava/security/Security$1;)V
class java/security/Signature$CipherAdapter java/security/SignatureSpi
java/security/Signature$CipherAdapter cipher
java/security/Signature$CipherAdapter data
java/security/Signature$CipherAdapter <init>(Ljavax/crypto/Cipher;)V
java/security/Signature$CipherAdapter engineInitVerify(Ljava/security/PublicKey;)V
java/security/Signature$CipherAdapter engineInitSign(Ljava/security/PrivateKey;)V
java/security/Signature$CipherAdapter engineInitSign(Ljava/security/PrivateKey;Ljava/security/SecureRandom;)V
java/security/Signature$CipherAdapter engineUpdate(B)V
java/security/Signature$CipherAdapter engineUpdate([B)V
java/security/Signature$CipherAdapter engineSign()[B
java/security/Signature$CipherAdapter engineVerify([B)Z
java/security/Signature$CipherAdapter
 engineSetParameter(Ljava/lang/String;Ljava/lang/Object;)V
java/security/Signature$CipherAdapter engineGetParameter(Ljava/lang/String;)Ljava/lang/Object;
class java/security/SignedObject java/lang/Object
java/security/SignedObject serialVersionUID

```

```

java/security/SignedObject content
java/security/SignedObject signature
java/security/SignedObject thealgorithm
java/security/SignedObject <init>(Ljava/io/Serializable;Ljava/security/PrivateKey;Ljava/security/Signature;)V
java/security/SignedObject getObject()Ljava/lang/Object;
java/security/SignedObject getSignature()[B
java/security/SignedObject getAlgorithm()Ljava/lang/String;
java/security/SignedObject verify(Ljava/security/PublicKey;Ljava/security/Signature;)Z
java/security/SignedObject sign(Ljava/security/PrivateKey;Ljava/security/Signature;)V
java/security/SignedObject readObject(Ljava/io/ObjectInputStream;)V
class java/security/Signer$1 java/lang/Object
java/security/Signer$1 val$pub
java/security/Signer$1 this$0
java/security/Signer$1
 <init>(Ljava/security/Signer;Ljava/security/PublicKey;)V
java/security/Signer$1 run()Ljava/lang/Object;
class java/security/Signer java/security/Identity
java/security/Signer serialVersionUID
java/security/Signer privateKey
java/security/Signer <init>()V
java/security/Signer <init>(Ljava/lang/String;)V
java/security/Signer <init>(Ljava/lang/String;Ljava/security/IdentityScope;)V
java/security/Signer getPrivateKey()Ljava/security/PrivateKey;
java/security/Signer setKeyPair(Ljava/security/KeyPair;)V
java/security/Signer printKeys()Ljava/lang/String;
java/security/Signer toString()Ljava/lang/String;
java/security/Signer check(Ljava/lang/String;)V
class java/security/Timestamp java/lang/Object
java/security/Timestamp serialVersionUID
java/security/Timestamp timestamp
java/security/Timestamp signerCertPath
java/security/Timestamp myhash
java/security/Timestamp <init>(Ljava/util/Date;Ljava/security/cert/CertPath;)V
java/security/Timestamp getTimestamp()Ljava/util/Date;
java/security/Timestamp
 getSignerCertPath()Ljava/security/cert/CertPath;
java/security/Timestamp hashCode()I
java/security/Timestamp equals(Ljava/lang/Object;)Z
java/security/Timestamp toString()Ljava/lang/String;
class java/security/UnrecoverableEntryException java/security/GeneralSecurityException
java/security/UnrecoverableEntryException serialVersionUID
java/security/UnrecoverableEntryException <init>()V
java/security/UnrecoverableEntryException <init>(Ljava/lang/String;)V
class java/security/UnrecoverableKeyException java/security/GeneralSecurityException
java/security/UnrecoverableKeyException serialVersionUID
java/security/UnrecoverableKeyException <init>()V
java/security/UnrecoverableKeyException <init>(Ljava/lang/String;)V
class java/security/UnresolvedPermissionCollection java/security/PermissionCollection

```

```

java/security/UnresolvedPermissionCollection perms
java/security/UnresolvedPermissionCollection serialVersionUID
java/security/UnresolvedPermissionCollection serialPersistentFields
java/security/UnresolvedPermissionCollection
<init>()V
java/security/UnresolvedPermissionCollection add(Ljava/security/Permission;)V
java/security/UnresolvedPermissionCollection
getUnresolvedPermissions(Ljava/security/Permission;)Ljava/util/List;
java/security/UnresolvedPermissionCollection implies(Ljava/security/Permission;)Z
java/security/UnresolvedPermissionCollection elements()Ljava/util/Enumeration;
java/security/UnresolvedPermissionCollection writeObject(Ljava/io/ObjectOutputStream;)V
java/security/UnresolvedPermissionCollection readObject(Ljava/io/ObjectInputStream;)V
java/security/UnresolvedPermissionCollection <clinit>()V
class java/security/acl/Acl java/lang/Object
java/security/acl/Acl setName(Ljava/security/Principal;Ljava/lang/String;)V
java/security/acl/Acl getName()Ljava/lang/String;
java/security/acl/Acl addEntry(Ljava/security/Principal;Ljava/security/acl/AclEntry;)Z
java/security/acl/Acl removeEntry(Ljava/security/Principal;Ljava/security/acl/AclEntry;)Z
java/security/acl/Acl
getPermissions(Ljava/security/Principal;)Ljava/util/Enumeration;
java/security/acl/Acl entries()Ljava/util/Enumeration;
java/security/acl/Acl checkPermission(Ljava/security/Principal;Ljava/security/acl/Permission;)Z
java/security/acl/Acl toString()Ljava/lang/String;
class java/security/acl/AclEntry java/lang/Object
java/security/acl/AclEntry setPrincipal(Ljava/security/Principal;)Z
java/security/acl/AclEntry getPrincipal()Ljava/security/Principal;
java/security/acl/AclEntry setNegativePermissions()V
java/security/acl/AclEntry isNegative()Z
java/security/acl/AclEntry addPermission(Ljava/security/acl/Permission;)Z
java/security/acl/AclEntry removePermission(Ljava/security/acl/Permission;)Z
java/security/acl/AclEntry checkPermission(Ljava/security/acl/Permission;)Z
java/security/acl/AclEntry permissions()Ljava/util/Enumeration;
java/security/acl/AclEntry toString()Ljava/lang/String;
java/security/acl/AclEntry clone()Ljava/lang/Object;
class java/security/acl/AclNotFoundException
java/lang/Exception
java/security/acl/AclNotFoundException serialVersionUID
java/security/acl/AclNotFoundException <init>()V
class java/security/acl/Group java/lang/Object
java/security/acl/Group addMember(Ljava/security/Principal;)Z
java/security/acl/Group removeMember(Ljava/security/Principal;)Z
java/security/acl/Group isMember(Ljava/security/Principal;)Z
java/security/acl/Group members()Ljava/util/Enumeration;
class java/security/acl/LastOwnerException java/lang/Exception
java/security/acl/LastOwnerException serialVersionUID
java/security/acl/LastOwnerException <init>()V
class java/security/acl/NotOwnerException java/lang/Exception
java/security/acl/NotOwnerException serialVersionUID

```



```

java/security/acl/NotOwnerException <init>()V
class java/security/acl/Owner java/lang/Object
java/security/acl/Owner addOwner(Ljava/security/Principal;Ljava/security/Principal;)Z
java/security/acl/Owner deleteOwner(Ljava/security/Principal;Ljava/security/Principal;)Z
java/security/acl/Owner isOwner(Ljava/security/Principal;)Z
class
 java/security/acl/Permission java/lang/Object
java/security/acl/Permission equals(Ljava/lang/Object;)Z
java/security/acl/Permission toString()Ljava/lang/String;
class java/security/cert/CRL java/lang/Object
java/security/cert/CRL type
java/security/cert/CRL <init>(Ljava/lang/String;)V
java/security/cert/CRL getType()Ljava/lang/String;
java/security/cert/CRL toString()Ljava/lang/String;
java/security/cert/CRL isRevoked(Ljava/security/cert/Certificate;)Z
class java/security/cert/CRLException java/security/GeneralSecurityException
java/security/cert/CRLException serialVersionUID
java/security/cert/CRLException <init>()V
java/security/cert/CRLException <init>(Ljava/lang/String;)V
java/security/cert/CRLException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/cert/CRLException <init>(Ljava/lang/Throwable;)V
class java/security/cert/CRLSelector java/lang/Object
java/security/cert/CRLSelector match(Ljava/security/cert/CRL;)Z
java/security/cert/CRLSelector
 clone()Ljava/lang/Object;
class java/security/cert/CertPath$CertPathRep java/lang/Object
java/security/cert/CertPath$CertPathRep serialVersionUID
java/security/cert/CertPath$CertPathRep type
java/security/cert/CertPath$CertPathRep data
java/security/cert/CertPath$CertPathRep <init>(Ljava/lang/String;[B)V
java/security/cert/CertPath$CertPathRep readResolve()Ljava/lang/Object;
class java/security/cert/CertPathBuilder$1 java/lang/Object
java/security/cert/CertPathBuilder$1 <init>()V
java/security/cert/CertPathBuilder$1 run()Ljava/lang/Object;
class java/security/cert/CertPathBuilder java/lang/Object
java/security/cert/CertPathBuilder CPB_TYPE
java/security/cert/CertPathBuilder debug
java/security/cert/CertPathBuilder builderSpi
java/security/cert/CertPathBuilder provider
java/security/cert/CertPathBuilder algorithm
java/security/cert/CertPathBuilder
 <init>(Ljava/security/cert/CertPathBuilderSpi;Ljava/security/Provider;Ljava/lang/String;)V
java/security/cert/CertPathBuilder getInstance(Ljava/lang/String;)Ljava/security/cert/CertPathBuilder;
java/security/cert/CertPathBuilder
 getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/cert/CertPathBuilder;
java/security/cert/CertPathBuilder
 getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/cert/CertPathBuilder;
java/security/cert/CertPathBuilder getProvider()Ljava/security/Provider;

```

```

java/security/cert/CertPathBuilder getAlgorithm()Ljava/lang/String;
java/security/cert/CertPathBuilder
build(Ljava/security/cert/CertPathParameters;)Ljava/security/cert/CertPathBuilderResult;
java/security/cert/CertPathBuilder getDefaultType()Ljava/lang/String;
java/security/cert/CertPathBuilder <clinit>()V
class java/security/cert/CertPathBuilderException java/security/GeneralSecurityException
java/security/cert/CertPathBuilderException serialVersionUID
java/security/cert/CertPathBuilderException <init>()V
java/security/cert/CertPathBuilderException <init>(Ljava/lang/String;)V
java/security/cert/CertPathBuilderException
 <init>(Ljava/lang/Throwable;)V
java/security/cert/CertPathBuilderException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
class java/security/cert/CertPathBuilderResult java/lang/Object
java/security/cert/CertPathBuilderResult getCertPath()Ljava/security/cert/CertPath;
java/security/cert/CertPathBuilderResult clone()Ljava/lang/Object;
class java/security/cert/CertPathBuilderSpi java/lang/Object
java/security/cert/CertPathBuilderSpi <init>()V
java/security/cert/CertPathBuilderSpi
engineBuild(Ljava/security/cert/CertPathParameters;)Ljava/security/cert/CertPathBuilderResult;
class java/security/cert/CertPathHelperImpl sun/security/provider/certpath/CertPathHelper
java/security/cert/CertPathHelperImpl <init>()V
java/security/cert/CertPathHelperImpl initialize()V
java/security/cert/CertPathHelperImpl
implSetSubject(Ljava/security/cert/X509CertSelector;Ljavax/security/auth/x500/X500Principal;)V
java/security/cert/CertPathHelperImpl
implGetSubject(Ljava/security/cert/X509CertSelector;)Ljavax/security/auth/x500/X500Principal;
java/security/cert/CertPathHelperImpl
 implSetIssuer(Ljava/security/cert/X509CertSelector;Ljavax/security/auth/x500/X500Principal;)V
java/security/cert/CertPathHelperImpl
implGetIssuer(Ljava/security/cert/X509CertSelector;)Ljavax/security/auth/x500/X500Principal;
java/security/cert/CertPathHelperImpl
implGetCA(Ljava/security/cert/TrustAnchor;)Ljavax/security/auth/x500/X500Principal;
java/security/cert/CertPathHelperImpl implSetPathToNames(Ljava/security/cert/X509CertSelector;Ljava/util/Set;)V
java/security/cert/CertPathHelperImpl
implAddIssuer(Ljava/security/cert/X509CRLSelector;Ljavax/security/auth/x500/X500Principal;)V
java/security/cert/CertPathHelperImpl implGetIssuers(Ljava/security/cert/X509CRLSelector;)Ljava/util/Collection;
class java/security/cert/CertPathParameters java/lang/Object
java/security/cert/CertPathParameters clone()Ljava/lang/Object;
class java/security/cert/CertPathValidator$1 java/lang/Object
java/security/cert/CertPathValidator$1
 <init>()V
java/security/cert/CertPathValidator$1 run()Ljava/lang/Object;
class java/security/cert/CertPathValidator java/lang/Object
java/security/cert/CertPathValidator CPV_TYPE
java/security/cert/CertPathValidator debug
java/security/cert/CertPathValidator validatorSpi
java/security/cert/CertPathValidator provider
java/security/cert/CertPathValidator algorithm

```

```

java/security/cert/CertPathValidator
<init>(Ljava/security/cert/CertPathValidatorSpi;Ljava/security/Provider;Ljava/lang/String;)V
java/security/cert/CertPathValidator getInstance(Ljava/lang/String;)Ljava/security/cert/CertPathValidator;
java/security/cert/CertPathValidator
getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/cert/CertPathValidator;
java/security/cert/CertPathValidator
getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/cert/CertPathValidator;
java/security/cert/CertPathValidator getProvider()Ljava/security/Provider;
java/security/cert/CertPathValidator getAlgorithm()Ljava/lang/String;
java/security/cert/CertPathValidator
validate(Ljava/security/cert/CertPath;Ljava/security/cert/CertPathParameters;)Ljava/security/cert/CertPathValidator
Result;
java/security/cert/CertPathValidator getDefaultType()Ljava/lang/String;
java/security/cert/CertPathValidator <clinit>()V
class java/security/cert/CertPathValidatorException java/security/GeneralSecurityException
java/security/cert/CertPathValidatorException serialVersionUID
java/security/cert/CertPathValidatorException index
java/security/cert/CertPathValidatorException certPath
java/security/cert/CertPathValidatorException <init>()V
java/security/cert/CertPathValidatorException <init>(Ljava/lang/String;)V
java/security/cert/CertPathValidatorException <init>(Ljava/lang/Throwable;)V
java/security/cert/CertPathValidatorException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/cert/CertPathValidatorException
<init>(Ljava/lang/String;Ljava/lang/Throwable;Ljava/security/cert/CertPath;I)V
java/security/cert/CertPathValidatorException
getCertPath()Ljava/security/cert/CertPath;
java/security/cert/CertPathValidatorException getIndex()I
class java/security/cert/CertPathValidatorResult java/lang/Object
java/security/cert/CertPathValidatorResult clone()Ljava/lang/Object;
class java/security/cert/CertPathValidatorSpi java/lang/Object
java/security/cert/CertPathValidatorSpi <init>()V
java/security/cert/CertPathValidatorSpi
engineValidate(Ljava/security/cert/CertPath;Ljava/security/cert/CertPathParameters;)Ljava/security/cert/CertPathVa
lidatorResult;
class java/security/cert/CertSelector java/lang/Object
java/security/cert/CertSelector match(Ljava/security/cert/Certificate;)Z
java/security/cert/CertSelector clone()Ljava/lang/Object;
class java/security/cert/CertStore$1 java/lang/Object
java/security/cert/CertStore$1 <init>()V
java/security/cert/CertStore$1 run()Ljava/lang/Object;
class java/security/cert/CertStore java/lang/Object
java/security/cert/CertStore CERTSTORE_TYPE
java/security/cert/CertStore
storeSpi
java/security/cert/CertStore provider
java/security/cert/CertStore type
java/security/cert/CertStore params
java/security/cert/CertStore

```

```

<init>(Ljava/security/cert/CertStoreSpi;Ljava/security/Provider;Ljava/lang/String;Ljava/security/cert/CertStoreParameters;)V
java/security/cert/CertStore getCertificates(Ljava/security/cert/CertSelector;)Ljava/util/Collection;
java/security/cert/CertStore getCRLs(Ljava/security/cert/CRLSelector;)Ljava/util/Collection;
java/security/cert/CertStore
getInstance(Ljava/lang/String;Ljava/security/cert/CertStoreParameters;)Ljava/security/cert/CertStore;
java/security/cert/CertStore
handleException(Ljava/security/NoSuchAlgorithmException;)Ljava/security/cert/CertStore;
java/security/cert/CertStore
getInstance(Ljava/lang/String;Ljava/security/cert/CertStoreParameters;Ljava/lang/String;)Ljava/security/cert/CertStore;
java/security/cert/CertStore
getInstance(Ljava/lang/String;Ljava/security/cert/CertStoreParameters;Ljava/security/Provider;)Ljava/security/cert/CertStore;
java/security/cert/CertStore
getCertStoreParameters()Ljava/security/cert/CertStoreParameters;
java/security/cert/CertStore getType()Ljava/lang/String;
java/security/cert/CertStore getProvider()Ljava/security/Provider;
java/security/cert/CertStore getDefaultType()Ljava/lang/String;
class java/security/cert/CertStoreException java/security/GeneralSecurityException
java/security/cert/CertStoreException serialVersionUID
java/security/cert/CertStoreException <init>()V
java/security/cert/CertStoreException <init>(Ljava/lang/String;)V
java/security/cert/CertStoreException <init>(Ljava/lang/Throwable;)V
java/security/cert/CertStoreException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
class java/security/cert/CertStoreParameters java/lang/Object
java/security/cert/CertStoreParameters clone()Ljava/lang/Object;
class java/security/cert/CertStoreSpi java/lang/Object
java/security/cert/CertStoreSpi <init>(Ljava/security/cert/CertStoreParameters;)V
java/security/cert/CertStoreSpi
engineGetCertificates(Ljava/security/cert/CertSelector;)Ljava/util/Collection;
java/security/cert/CertStoreSpi engineGetCRLs(Ljava/security/cert/CRLSelector;)Ljava/util/Collection;
class java/security/cert/Certificate$CertificateRep java/lang/Object
java/security/cert/Certificate$CertificateRep serialVersionUID
java/security/cert/Certificate$CertificateRep type
java/security/cert/Certificate$CertificateRep data
java/security/cert/Certificate$CertificateRep <init>(Ljava/lang/String;[B)V
java/security/cert/Certificate$CertificateRep readResolve()Ljava/lang/Object;
class java/security/cert/CertificateEncodingException java/security/cert/CertificateException
java/security/cert/CertificateEncodingException serialVersionUID
java/security/cert/CertificateEncodingException <init>()V
java/security/cert/CertificateEncodingException <init>(Ljava/lang/String;)V
java/security/cert/CertificateEncodingException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/cert/CertificateEncodingException
<init>(Ljava/lang/Throwable;)V
class java/security/cert/CertificateException java/security/GeneralSecurityException
java/security/cert/CertificateException serialVersionUID
java/security/cert/CertificateException <init>()V

```

```

java/security/cert/CertificateException <init>(Ljava/lang/String;)V
java/security/cert/CertificateException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/cert/CertificateException <init>(Ljava/lang/Throwable;)V
class java/security/cert/CertificateExpiredException java/security/cert/CertificateException
java/security/cert/CertificateExpiredException serialVersionUID
java/security/cert/CertificateExpiredException <init>()V
java/security/cert/CertificateExpiredException <init>(Ljava/lang/String;)V
class java/security/cert/CertificateNotYetValidException java/security/cert/CertificateException
java/security/cert/CertificateNotYetValidException serialVersionUID
java/security/cert/CertificateNotYetValidException <init>()V
java/security/cert/CertificateNotYetValidException
 <init>(Ljava/lang/String;)V
class java/security/cert/CertificateParsingException java/security/cert/CertificateException
java/security/cert/CertificateParsingException serialVersionUID
java/security/cert/CertificateParsingException <init>()V
java/security/cert/CertificateParsingException <init>(Ljava/lang/String;)V
java/security/cert/CertificateParsingException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/cert/CertificateParsingException <init>(Ljava/lang/Throwable;)V
class java/security/cert/CollectionCertStoreParameters java/lang/Object
java/security/cert/CollectionCertStoreParameters coll
java/security/cert/CollectionCertStoreParameters <init>(Ljava/util/Collection;)V
java/security/cert/CollectionCertStoreParameters <init>()V
java/security/cert/CollectionCertStoreParameters getCollection()Ljava/util/Collection;
java/security/cert/CollectionCertStoreParameters clone()Ljava/lang/Object;
java/security/cert/CollectionCertStoreParameters
 toString()Ljava/lang/String;
class java/security/cert/LDAPCertStoreParameters java/lang/Object
java/security/cert/LDAPCertStoreParameters LDAP_DEFAULT_PORT
java/security/cert/LDAPCertStoreParameters port
java/security/cert/LDAPCertStoreParameters serverName
java/security/cert/LDAPCertStoreParameters <init>(Ljava/lang/String;I)V
java/security/cert/LDAPCertStoreParameters <init>(Ljava/lang/String;)V
java/security/cert/LDAPCertStoreParameters <init>()V
java/security/cert/LDAPCertStoreParameters getServerName()Ljava/lang/String;
java/security/cert/LDAPCertStoreParameters getPort()I
java/security/cert/LDAPCertStoreParameters clone()Ljava/lang/Object;
java/security/cert/LDAPCertStoreParameters toString()Ljava/lang/String;
class java/security/cert/PKIXBuilderParameters java/security/cert/PKIXParameters
java/security/cert/PKIXBuilderParameters maxPathLength
java/security/cert/PKIXBuilderParameters <init>(Ljava/util/Set;Ljava/security/cert/CertSelector;)V
java/security/cert/PKIXBuilderParameters
 <init>(Ljava/security/KeyStore;Ljava/security/cert/CertSelector;)V
java/security/cert/PKIXBuilderParameters setMaxPathLength(I)V
java/security/cert/PKIXBuilderParameters getMaxPathLength()I
java/security/cert/PKIXBuilderParameters toString()Ljava/lang/String;
class java/security/cert/PKIXCertPathBuilderResult java/security/cert/PKIXCertPathValidatorResult
java/security/cert/PKIXCertPathBuilderResult certPath
java/security/cert/PKIXCertPathBuilderResult

```

```

<init>(Ljava/security/cert/CertPath;Ljava/security/cert/TrustAnchor;Ljava/security/cert/PolicyNode;Ljava/security/
PublicKey;)V
java/security/cert/PKIXCertPathBuilderResult getCertPath()Ljava/security/cert/CertPath;
java/security/cert/PKIXCertPathBuilderResult toString()Ljava/lang/String;
class java/security/cert/PKIXCertPathChecker java/lang/Object
java/security/cert/PKIXCertPathChecker <init>()V
java/security/cert/PKIXCertPathChecker init(Z)V
java/security/cert/PKIXCertPathChecker isForwardCheckingSupported()Z
java/security/cert/PKIXCertPathChecker
 getSupportedExtensions()Ljava/util/Set;
java/security/cert/PKIXCertPathChecker check(Ljava/security/cert/Certificate;Ljava/util/Collection;)V
java/security/cert/PKIXCertPathChecker clone()Ljava/lang/Object;
class java/security/cert/PKIXCertPathValidatorResult java/lang/Object
java/security/cert/PKIXCertPathValidatorResult trustAnchor
java/security/cert/PKIXCertPathValidatorResult policyTree
java/security/cert/PKIXCertPathValidatorResult subjectPublicKey
java/security/cert/PKIXCertPathValidatorResult
 <init>(Ljava/security/cert/TrustAnchor;Ljava/security/cert/PolicyNode;Ljava/security/PublicKey;)V
java/security/cert/PKIXCertPathValidatorResult getTrustAnchor()Ljava/security/cert/TrustAnchor;
java/security/cert/PKIXCertPathValidatorResult getPolicyTree()Ljava/security/cert/PolicyNode;
java/security/cert/PKIXCertPathValidatorResult getPublicKey()Ljava/security/PublicKey;
java/security/cert/PKIXCertPathValidatorResult clone()Ljava/lang/Object;
java/security/cert/PKIXCertPathValidatorResult
 toString()Ljava/lang/String;
class java/security/cert/PKIXParameters java/lang/Object
java/security/cert/PKIXParameters unmodTrustAnchors
java/security/cert/PKIXParameters date
java/security/cert/PKIXParameters certPathCheckers
java/security/cert/PKIXParameters sigProvider
java/security/cert/PKIXParameters revocationEnabled
java/security/cert/PKIXParameters unmodInitialPolicies
java/security/cert/PKIXParameters explicitPolicyRequired
java/security/cert/PKIXParameters policyMappingInhibited
java/security/cert/PKIXParameters anyPolicyInhibited
java/security/cert/PKIXParameters policyQualifiersRejected
java/security/cert/PKIXParameters certStores
java/security/cert/PKIXParameters certSelector
java/security/cert/PKIXParameters <init>(Ljava/util/Set;)V
java/security/cert/PKIXParameters <init>(Ljava/security/KeyStore;)V
java/security/cert/PKIXParameters getTrustAnchors()Ljava/util/Set;
java/security/cert/PKIXParameters setTrustAnchors(Ljava/util/Set;)V
java/security/cert/PKIXParameters
 getInitialPolicies()Ljava/util/Set;
java/security/cert/PKIXParameters setInitialPolicies(Ljava/util/Set;)V
java/security/cert/PKIXParameters setCertStores(Ljava/util/List;)V
java/security/cert/PKIXParameters addCertStore(Ljava/security/cert/CertStore;)V
java/security/cert/PKIXParameters getCertStores()Ljava/util/List;
java/security/cert/PKIXParameters setRevocationEnabled(Z)V

```

```

java/security/cert/PKIXParameters isRevocationEnabled()Z
java/security/cert/PKIXParameters setExplicitPolicyRequired(Z)V
java/security/cert/PKIXParameters isExplicitPolicyRequired()Z
java/security/cert/PKIXParameters setPolicyMappingInhibited(Z)V
java/security/cert/PKIXParameters isPolicyMappingInhibited()Z
java/security/cert/PKIXParameters setAnyPolicyInhibited(Z)V
java/security/cert/PKIXParameters isAnyPolicyInhibited()Z
java/security/cert/PKIXParameters setPolicyQualifiersRejected(Z)V
java/security/cert/PKIXParameters getPolicyQualifiersRejected()Z
java/security/cert/PKIXParameters getDate()Ljava/util/Date;
java/security/cert/PKIXParameters
 setDate(Ljava/util/Date;)V
java/security/cert/PKIXParameters setCertPathCheckers(Ljava/util/List;)V
java/security/cert/PKIXParameters getCertPathCheckers()Ljava/util/List;
java/security/cert/PKIXParameters addCertPathChecker(Ljava/security/cert/PKIXCertPathChecker;)V
java/security/cert/PKIXParameters getSigProvider()Ljava/lang/String;
java/security/cert/PKIXParameters setSigProvider(Ljava/lang/String;)V
java/security/cert/PKIXParameters getTargetCertConstraints()Ljava/security/cert/CertSelector;
java/security/cert/PKIXParameters setTargetCertConstraints(Ljava/security/cert/CertSelector;)V
java/security/cert/PKIXParameters clone()Ljava/lang/Object;
java/security/cert/PKIXParameters toString()Ljava/lang/String;
class java/security/cert/PolicyNode java/lang/Object
java/security/cert/PolicyNode getParent()Ljava/security/cert/PolicyNode;
java/security/cert/PolicyNode getChildren()Ljava/util/Iterator;
java/security/cert/PolicyNode getDepth()I
java/security/cert/PolicyNode
 getValidPolicy()Ljava/lang/String;
java/security/cert/PolicyNode getPolicyQualifiers()Ljava/util/Set;
java/security/cert/PolicyNode getExpectedPolicies()Ljava/util/Set;
java/security/cert/PolicyNode isCritical()Z
class java/security/cert/PolicyQualifierInfo java/lang/Object
java/security/cert/PolicyQualifierInfo mEncoded
java/security/cert/PolicyQualifierInfo mId
java/security/cert/PolicyQualifierInfo mData
java/security/cert/PolicyQualifierInfo pqiString
java/security/cert/PolicyQualifierInfo <init>([B)V
java/security/cert/PolicyQualifierInfo getPolicyQualifierId()Ljava/lang/String;
java/security/cert/PolicyQualifierInfo getEncoded()[B
java/security/cert/PolicyQualifierInfo getPolicyQualifier()[B
java/security/cert/PolicyQualifierInfo toString()Ljava/lang/String;
class java/security/cert/TrustAnchor java/lang/Object
java/security/cert/TrustAnchor pubKey
java/security/cert/TrustAnchor caName
java/security/cert/TrustAnchor caPrincipal
java/security/cert/TrustAnchor
 trustedCert
java/security/cert/TrustAnchor ncBytes
java/security/cert/TrustAnchor nc

```

```

java/security/cert/TrustAnchor <init>(Ljava/security/cert/X509Certificate;[B)V
java/security/cert/TrustAnchor <init>(Ljava/security/auth/x500/X500Principal;Ljava/security/PublicKey;[B)V
java/security/cert/TrustAnchor <init>(Ljava/lang/String;Ljava/security/PublicKey;[B)V
java/security/cert/TrustAnchor getTrustedCert()Ljava/security/cert/X509Certificate;
java/security/cert/TrustAnchor getCA()Ljava/security/auth/x500/X500Principal;
java/security/cert/TrustAnchor getCAName()Ljava/lang/String;
java/security/cert/TrustAnchor getCAPublicKey()Ljava/security/PublicKey;
java/security/cert/TrustAnchor setNameConstraints([B)V
java/security/cert/TrustAnchor getNameConstraints()[B
java/security/cert/TrustAnchor toString()Ljava/lang/String;
java/security/cert/TrustAnchor <clinit>()V
class java/security/cert/X509CRL java/security/cert/CRL
java/security/cert/X509CRL issuerPrincipal
java/security/cert/X509CRL
 <init>()V
java/security/cert/X509CRL equals(Ljava/lang/Object;)Z
java/security/cert/X509CRL hashCode()I
java/security/cert/X509CRL getEncoded()[B
java/security/cert/X509CRL verify(Ljava/security/PublicKey;)V
java/security/cert/X509CRL verify(Ljava/security/PublicKey;Ljava/lang/String;)V
java/security/cert/X509CRL getVersion()I
java/security/cert/X509CRL getIssuerDN()Ljava/security/Principal;
java/security/cert/X509CRL getIssuerX500Principal()Ljava/security/auth/x500/X500Principal;
java/security/cert/X509CRL getThisUpdate()Ljava/util/Date;
java/security/cert/X509CRL getNextUpdate()Ljava/util/Date;
java/security/cert/X509CRL getRevokedCertificate(Ljava/math/BigInteger;)Ljava/security/cert/X509CRLEntry;
java/security/cert/X509CRL
 getRevokedCertificate(Ljava/security/cert/X509Certificate;)Ljava/security/cert/X509CRLEntry;
java/security/cert/X509CRL getRevokedCertificates()Ljava/util/Set;
java/security/cert/X509CRL getTBSCertList()[B
java/security/cert/X509CRL getSignature()[B
java/security/cert/X509CRL
 getSigAlgName()Ljava/lang/String;
java/security/cert/X509CRL getSigAlgOID()Ljava/lang/String;
java/security/cert/X509CRL getSigAlgParams()[B
class java/security/cert/X509CRLEntry java/lang/Object
java/security/cert/X509CRLEntry <init>()V
java/security/cert/X509CRLEntry equals(Ljava/lang/Object;)Z
java/security/cert/X509CRLEntry hashCode()I
java/security/cert/X509CRLEntry getEncoded()[B
java/security/cert/X509CRLEntry getSerialNumber()Ljava/math/BigInteger;
java/security/cert/X509CRLEntry getCertificateIssuer()Ljava/security/auth/x500/X500Principal;
java/security/cert/X509CRLEntry getRevocationDate()Ljava/util/Date;
java/security/cert/X509CRLEntry hasExtensions()Z
java/security/cert/X509CRLEntry toString()Ljava/lang/String;
class java/security/cert/X509CRLSelector java/lang/Object
java/security/cert/X509CRLSelector debug
java/security/cert/X509CRLSelector issuerNames

```



```

java/security/cert/X509CRLSelector issuerX500Principals
java/security/cert/X509CRLSelector minCRL
java/security/cert/X509CRLSelector
 maxCRL
java/security/cert/X509CRLSelector dateAndTime
java/security/cert/X509CRLSelector certChecking
java/security/cert/X509CRLSelector <init>()V
java/security/cert/X509CRLSelector setIssuers(Ljava/util/Collection;)V
java/security/cert/X509CRLSelector setIssuerNames(Ljava/util/Collection;)V
java/security/cert/X509CRLSelector addIssuer(Ljavax/security/auth/x500/X500Principal;)V
java/security/cert/X509CRLSelector addIssuerName(Ljava/lang/String;)V
java/security/cert/X509CRLSelector addIssuerName([B)V
java/security/cert/X509CRLSelector
 addIssuerNameInternal(Ljava/lang/Object;Ljavax/security/auth/x500/X500Principal;)V
java/security/cert/X509CRLSelector cloneAndCheckIssuerNames(Ljava/util/Collection;)Ljava/util/HashSet;
java/security/cert/X509CRLSelector cloneIssuerNames(Ljava/util/Collection;)Ljava/util/HashSet;
java/security/cert/X509CRLSelector parseIssuerNames(Ljava/util/Collection;)Ljava/util/HashSet;
java/security/cert/X509CRLSelector setMinCRLNumber(Ljava/math/BigInteger;)V
java/security/cert/X509CRLSelector
 setMaxCRLNumber(Ljava/math/BigInteger;)V
java/security/cert/X509CRLSelector setDateAndTime(Ljava/util/Date;)V
java/security/cert/X509CRLSelector setCertificateChecking(Ljava/security/cert/X509Certificate;)V
java/security/cert/X509CRLSelector getIssuers()Ljava/util/Collection;
java/security/cert/X509CRLSelector getIssuerNames()Ljava/util/Collection;
java/security/cert/X509CRLSelector getMinCRL()Ljava/math/BigInteger;
java/security/cert/X509CRLSelector getMaxCRL()Ljava/math/BigInteger;
java/security/cert/X509CRLSelector getDateAndTime()Ljava/util/Date;
java/security/cert/X509CRLSelector getCertificateChecking()Ljava/security/cert/X509Certificate;
java/security/cert/X509CRLSelector toString()Ljava/lang/String;
java/security/cert/X509CRLSelector match(Ljava/security/cert/CRL;)Z
java/security/cert/X509CRLSelector clone()Ljava/lang/Object;
java/security/cert/X509CRLSelector <clinit>()V
class java/security/cert/X509CertSelector java/lang/Object
java/security/cert/X509CertSelector
 debug
java/security/cert/X509CertSelector ANY_EXTENDED_KEY_USAGE
java/security/cert/X509CertSelector serialNumber
java/security/cert/X509CertSelector issuer
java/security/cert/X509CertSelector subject
java/security/cert/X509CertSelector subjectKeyID
java/security/cert/X509CertSelector authorityKeyID
java/security/cert/X509CertSelector certificateValid
java/security/cert/X509CertSelector privateKeyValid
java/security/cert/X509CertSelector subjectPublicKeyAlgID
java/security/cert/X509CertSelector subjectPublicKey
java/security/cert/X509CertSelector subjectPublicKeyBytes
java/security/cert/X509CertSelector keyUsage
java/security/cert/X509CertSelector keyPurposeSet

```

java/security/cert/X509CertSelector keyPurposeOIDSet  
java/security/cert/X509CertSelector subjectAlternativeNames  
java/security/cert/X509CertSelector subjectAlternativeGeneralNames  
java/security/cert/X509CertSelector policy  
java/security/cert/X509CertSelector policySet  
java/security/cert/X509CertSelector  
    pathToNames  
java/security/cert/X509CertSelector pathToGeneralNames  
java/security/cert/X509CertSelector nc  
java/security/cert/X509CertSelector ncBytes  
java/security/cert/X509CertSelector basicConstraints  
java/security/cert/X509CertSelector x509Cert  
java/security/cert/X509CertSelector matchAllSubjectAltNames  
java/security/cert/X509CertSelector FALSE  
java/security/cert/X509CertSelector PRIVATE\_KEY\_USAGE\_ID  
java/security/cert/X509CertSelector SUBJECT\_ALT\_NAME\_ID  
java/security/cert/X509CertSelector NAME\_CONSTRAINTS\_ID  
java/security/cert/X509CertSelector CERT\_POLICIES\_ID  
java/security/cert/X509CertSelector EXTENDED\_KEY\_USAGE\_ID  
java/security/cert/X509CertSelector NUM\_OF\_EXTENSIONS  
java/security/cert/X509CertSelector EXTENSION\_OIDS  
java/security/cert/X509CertSelector NAME\_ANY  
java/security/cert/X509CertSelector NAME\_RFC822  
java/security/cert/X509CertSelector NAME\_DNS  
java/security/cert/X509CertSelector NAME\_X400  
java/security/cert/X509CertSelector NAME\_DIRECTORY  
java/security/cert/X509CertSelector  
    NAME\_EDI  
java/security/cert/X509CertSelector NAME\_URI  
java/security/cert/X509CertSelector NAME\_IP  
java/security/cert/X509CertSelector NAME\_OID  
java/security/cert/X509CertSelector <init>()V  
java/security/cert/X509CertSelector setCertificate(Ljava/security/cert/X509Certificate;)V  
java/security/cert/X509CertSelector setSerialNumber(Ljava/math/BigInteger;)V  
java/security/cert/X509CertSelector setIssuer(Ljavax/security/auth/x500/X500Principal;)V  
java/security/cert/X509CertSelector setIssuer(Ljava/lang/String;)V  
java/security/cert/X509CertSelector setIssuer([B)V  
java/security/cert/X509CertSelector setSubject(Ljavax/security/auth/x500/X500Principal;)V  
java/security/cert/X509CertSelector setSubject(Ljava/lang/String;)V  
java/security/cert/X509CertSelector setSubject([B)V  
java/security/cert/X509CertSelector setSubjectKeyIdentifier([B)V  
java/security/cert/X509CertSelector setAuthorityKeyIdentifier([B)V  
java/security/cert/X509CertSelector setCertificateValid(Ljava/util/Date;)V  
java/security/cert/X509CertSelector  
    setPrivateKeyValid(Ljava/util/Date;)V  
java/security/cert/X509CertSelector setSubjectPublicKeyAlgID(Ljava/lang/String;)V  
java/security/cert/X509CertSelector setSubjectPublicKey(Ljava/security/PublicKey;)V  
java/security/cert/X509CertSelector setSubjectPublicKey([B)V

```

java/security/cert/X509CertSelector setKeyUsage([Z)V
java/security/cert/X509CertSelector setExtendedKeyUsage(Ljava/util/Set;)V
java/security/cert/X509CertSelector setMatchAllSubjectAltNames(Z)V
java/security/cert/X509CertSelector setSubjectAlternativeNames(Ljava/util/Collection;)V
java/security/cert/X509CertSelector addSubjectAlternativeName(ILjava/lang/String;)V
java/security/cert/X509CertSelector addSubjectAlternativeName(I[B)V
java/security/cert/X509CertSelector addSubjectAlternativeNameInternal(ILjava/lang/Object;)V
java/security/cert/X509CertSelector parseNames(Ljava/util/Collection;)Ljava/util/Set;
java/security/cert/X509CertSelector equalNames(Ljava/util/Collection;Ljava/util/Collection;)Z
java/security/cert/X509CertSelector
 makeGeneralNameInterface(ILjava/lang/Object;)Lsun/security/x509/GeneralNameInterface;
java/security/cert/X509CertSelector setNameConstraints([B)V
java/security/cert/X509CertSelector setBasicConstraints(I)V
java/security/cert/X509CertSelector setPolicy(Ljava/util/Set;)V
java/security/cert/X509CertSelector setPathToNames(Ljava/util/Collection;)V
java/security/cert/X509CertSelector setPathToNamesInternal(Ljava/util/Set;)V
java/security/cert/X509CertSelector addPathToName(ILjava/lang/String;)V
java/security/cert/X509CertSelector addPathToName(I[B)V
java/security/cert/X509CertSelector addPathToNameInternal(ILjava/lang/Object;)V
java/security/cert/X509CertSelector getCertificate()Ljava/security/cert/X509Certificate;
java/security/cert/X509CertSelector getSerialNumber()Ljava/math/BigInteger;
java/security/cert/X509CertSelector getIssuer()Ljava/security/auth/x500/X500Principal;
java/security/cert/X509CertSelector getIssuerAsString(Ljava/lang/String;
java/security/cert/X509CertSelector
 getIssuerAsBytes()[B
java/security/cert/X509CertSelector getSubject()Ljava/security/auth/x500/X500Principal;
java/security/cert/X509CertSelector getSubjectAsString(Ljava/lang/String;
java/security/cert/X509CertSelector getSubjectAsBytes()[B
java/security/cert/X509CertSelector getSubjectKeyIdentifier()[B
java/security/cert/X509CertSelector getAuthorityKeyIdentifier()[B
java/security/cert/X509CertSelector getCertificateValid()Ljava/util/Date;
java/security/cert/X509CertSelector getPrivateKeyValid()Ljava/util/Date;
java/security/cert/X509CertSelector getSubjectPublicKeyAlgID(Ljava/lang/String;
java/security/cert/X509CertSelector getSubjectPublicKey()Ljava/security/PublicKey;
java/security/cert/X509CertSelector getKeyUsage([Z
java/security/cert/X509CertSelector getExtendedKeyUsage()Ljava/util/Set;
java/security/cert/X509CertSelector getMatchAllSubjectAltNames(Z
java/security/cert/X509CertSelector getSubjectAlternativeNames()Ljava/util/Collection;
java/security/cert/X509CertSelector
 cloneNames(Ljava/util/Collection;)Ljava/util/Set;
java/security/cert/X509CertSelector cloneAndCheckNames(Ljava/util/Collection;)Ljava/util/Set;
java/security/cert/X509CertSelector getNameConstraints()[B
java/security/cert/X509CertSelector getBasicConstraints()I
java/security/cert/X509CertSelector getPolicy()Ljava/util/Set;
java/security/cert/X509CertSelector getPathToNames()Ljava/util/Collection;
java/security/cert/X509CertSelector toString()Ljava/lang/String;
java/security/cert/X509CertSelector keyUsageToString([Z)Ljava/lang/String;
java/security/cert/X509CertSelector

```

```

getExtensionObject(Ljava/security/cert/X509Certificate;I)Lsun/security/x509/Extension;
java/security/cert/X509CertSelector match(Ljava/security/cert/Certificate;)Z
java/security/cert/X509CertSelector matchSubjectKeyID(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchAuthorityKeyID(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector
 matchPrivateKeyValid(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchSubjectPublicKeyAlgID(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchKeyUsage(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchExtendedKeyUsage(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchSubjectAlternativeNames(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchNameConstraints(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchPolicy(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchPathToNames(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchExcluded(Lsun/security/x509/GeneralSubtrees;)Z
java/security/cert/X509CertSelector matchPermitted(Lsun/security/x509/GeneralSubtrees;)Z
java/security/cert/X509CertSelector matchBasicConstraints(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector
 cloneSet(Ljava/util/Set;)Ljava/util/Set;
java/security/cert/X509CertSelector clone()Ljava/lang/Object;
java/security/cert/X509CertSelector <clinit>()V
class java/security/interfaces/DSAKeyPairGenerator java/lang/Object
java/security/interfaces/DSAKeyPairGenerator
 initialize(Ljava/security/interfaces/DSPParams;Ljava/security/SecureRandom;)V
java/security/interfaces/DSAKeyPairGenerator initialize(IZLjava/security/SecureRandom;)V
class java/security/interfaces/ECKKey java/lang/Object
java/security/interfaces/ECKKey getParams()Ljava/security/spec/ECPParameterSpec;
class java/security/interfaces/ECPrivateKey java/lang/Object
java/security/interfaces/ECPrivateKey serialVersionUID
java/security/interfaces/ECPrivateKey getS()Ljava/math/BigInteger;
class java/security/interfaces/ECPublicKey java/lang/Object
java/security/interfaces/ECPublicKey serialVersionUID
java/security/interfaces/ECPublicKey getW()Ljava/security/spec/ECPPoint;
class java/security/interfaces/RSAMultiPrimePrivateCrtKey
 java/lang/Object
java/security/interfaces/RSAMultiPrimePrivateCrtKey serialVersionUID
java/security/interfaces/RSAMultiPrimePrivateCrtKey getPublicExponent()Ljava/math/BigInteger;
java/security/interfaces/RSAMultiPrimePrivateCrtKey getPrimeP()Ljava/math/BigInteger;
java/security/interfaces/RSAMultiPrimePrivateCrtKey getPrimeQ()Ljava/math/BigInteger;
java/security/interfaces/RSAMultiPrimePrivateCrtKey getPrimeExponentP()Ljava/math/BigInteger;
java/security/interfaces/RSAMultiPrimePrivateCrtKey getPrimeExponentQ()Ljava/math/BigInteger;
java/security/interfaces/RSAMultiPrimePrivateCrtKey getCrtCoefficient()Ljava/math/BigInteger;
java/security/interfaces/RSAMultiPrimePrivateCrtKey
 getOtherPrimeInfo()[Ljava/security/spec/RSASOtherPrimeInfo;
class java/security/spec/DSPPrivateKeySpec java/lang/Object
java/security/spec/DSPPrivateKeySpec x
java/security/spec/DSPPrivateKeySpec p
java/security/spec/DSPPrivateKeySpec q
java/security/spec/DSPPrivateKeySpec g

```

```

java/security/spec/DSAPrivateKeySpec
<init>(Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/DSAPrivateKeySpec getX()Ljava/math/BigInteger;
java/security/spec/DSAPrivateKeySpec getP()Ljava/math/BigInteger;
java/security/spec/DSAPrivateKeySpec getQ()Ljava/math/BigInteger;
java/security/spec/DSAPrivateKeySpec getG()Ljava/math/BigInteger;
class java/security/spec/ECField java/lang/Object
java/security/spec/ECField getFieldSize()I
class java/security/spec/ECFieldF2m java/lang/Object
java/security/spec/ECFieldF2m m
java/security/spec/ECFieldF2m ks
java/security/spec/ECFieldF2m rp
java/security/spec/ECFieldF2m <init>(I)V
java/security/spec/ECFieldF2m <init>(ILjava/math/BigInteger;)V
java/security/spec/ECFieldF2m <init>(II)V
java/security/spec/ECFieldF2m getFieldSize()I
java/security/spec/ECFieldF2m getM()I
java/security/spec/ECFieldF2m getReductionPolynomial()Ljava/math/BigInteger;
java/security/spec/ECFieldF2m getMidTermsOfReductionPolynomial()[I
java/security/spec/ECFieldF2m
equals(Ljava/lang/Object;)Z
java/security/spec/ECFieldF2m hashCode()I
class java/security/spec/ECFieldFp java/lang/Object
java/security/spec/ECFieldFp p
java/security/spec/ECFieldFp <init>(Ljava/math/BigInteger;)V
java/security/spec/ECFieldFp getFieldSize()I
java/security/spec/ECFieldFp getP()Ljava/math/BigInteger;
java/security/spec/ECFieldFp equals(Ljava/lang/Object;)Z
java/security/spec/ECFieldFp hashCode()I
class java/security/spec/ECGenParameterSpec java/lang/Object
java/security/spec/ECGenParameterSpec name
java/security/spec/ECGenParameterSpec <init>(Ljava/lang/String;)V
java/security/spec/ECGenParameterSpec getName()Ljava/lang/String;
class java/security/spec/ECPParameterSpec java/lang/Object
java/security/spec/ECPParameterSpec curve
java/security/spec/ECPParameterSpec g
java/security/spec/ECPParameterSpec n
java/security/spec/ECPParameterSpec h
java/security/spec/ECPParameterSpec
<init>(Ljava/security/spec/EllipticCurve;Ljava/security/spec/ECPoint;Ljava/math/BigInteger;I)V
java/security/spec/ECPParameterSpec
getCurve()Ljava/security/spec/EllipticCurve;
java/security/spec/ECPParameterSpec getGenerator()Ljava/security/spec/ECPoint;
java/security/spec/ECPParameterSpec getOrder()Ljava/math/BigInteger;
java/security/spec/ECPParameterSpec getCofactor()I
class java/security/spec/ECPoint java/lang/Object
java/security/spec/ECPoint x
java/security/spec/ECPoint y

```

```

java/security/spec/ECPublicKeySpec POINT_INFINITY
java/security/spec/ECPublicKeySpec <init>()V
java/security/spec/ECPublicKeySpec <init>(Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/ECPublicKeySpec getAffineX()Ljava/math/BigInteger;
java/security/spec/ECPublicKeySpec getAffineY()Ljava/math/BigInteger;
java/security/spec/ECPublicKeySpec equals(Ljava/lang/Object;)Z
java/security/spec/ECPublicKeySpec hashCode()I
java/security/spec/ECPublicKeySpec <clinit>()V
class java/security/spec/ECPublicKeySpec java/lang/Object
java/security/spec/ECPublicKeySpec s
java/security/spec/ECPublicKeySpec params
java/security/spec/ECPublicKeySpec
 <init>(Ljava/math/BigInteger;Ljava/security/spec/ECPublicKeySpec;)V
java/security/spec/ECPublicKeySpec getS()Ljava/math/BigInteger;
java/security/spec/ECPublicKeySpec getParams()Ljava/security/spec/ECPublicKeySpec;
class java/security/spec/ECPublicKeySpec java/lang/Object
java/security/spec/ECPublicKeySpec w
java/security/spec/ECPublicKeySpec params
java/security/spec/ECPublicKeySpec <init>(Ljava/security/spec/ECPublicKey;Ljava/security/spec/ECPublicKeySpec;)V
java/security/spec/ECPublicKeySpec getW()Ljava/security/spec/ECPublicKey;
java/security/spec/ECPublicKeySpec getParams()Ljava/security/spec/ECPublicKeySpec;
class java/security/spec/ECPublicKeySpec java/lang/Object
java/security/spec/ECPublicKeySpec field
java/security/spec/ECPublicKeySpec a
java/security/spec/ECPublicKeySpec b
java/security/spec/ECPublicKeySpec seed
java/security/spec/ECPublicKeySpec
 checkValidity(Ljava/security/spec/ECPublicKey;Ljava/math/BigInteger;Ljava/lang/String;)V
java/security/spec/ECPublicKeySpec
 <init>(Ljava/security/spec/ECPublicKey;Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/ECPublicKeySpec
 <init>(Ljava/security/spec/ECPublicKey;Ljava/math/BigInteger;Ljava/math/BigInteger;[B)V
java/security/spec/ECPublicKeySpec getField()Ljava/security/spec/ECPublicKey;
java/security/spec/ECPublicKeySpec getA()Ljava/math/BigInteger;
java/security/spec/ECPublicKeySpec getB()Ljava/math/BigInteger;
java/security/spec/ECPublicKeySpec getSeed()[B
java/security/spec/ECPublicKeySpec equals(Ljava/lang/Object;)Z
java/security/spec/ECPublicKeySpec hashCode()I
class java/security/spec/ECPublicKeySpecException java/security/GeneralSecurityException
java/security/spec/ECPublicKeySpecException serialVersionUID
java/security/spec/ECPublicKeySpecException <init>()V
java/security/spec/ECPublicKeySpecException <init>(Ljava/lang/String;)V
java/security/spec/ECPublicKeySpecException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/spec/ECPublicKeySpecException <init>(Ljava/lang/Throwable;)V
class java/security/spec/ECPublicKeySpecException
 java/security/GeneralSecurityException
java/security/spec/ECPublicKeySpecException serialVersionUID
java/security/spec/ECPublicKeySpecException <init>()V

```

```

java/security/spec/InvalidParameterSpecException <init>(Ljava/lang/String;)V
class java/security/spec/MGF1ParameterSpec java/lang/Object
java/security/spec/MGF1ParameterSpec SHA1
java/security/spec/MGF1ParameterSpec SHA256
java/security/spec/MGF1ParameterSpec SHA384
java/security/spec/MGF1ParameterSpec SHA512
java/security/spec/MGF1ParameterSpec mdName
java/security/spec/MGF1ParameterSpec <init>(Ljava/lang/String;)V
java/security/spec/MGF1ParameterSpec getDigestAlgorithm()Ljava/lang/String;
java/security/spec/MGF1ParameterSpec <clinit>()V
class java/security/spec/PSSParameterSpec java/lang/Object
java/security/spec/PSSParameterSpec mdName
java/security/spec/PSSParameterSpec mgfName
java/security/spec/PSSParameterSpec mgfSpec
java/security/spec/PSSParameterSpec saltLen
java/security/spec/PSSParameterSpec
 trailerField
java/security/spec/PSSParameterSpec DEFAULT
java/security/spec/PSSParameterSpec <init>()V
java/security/spec/PSSParameterSpec
 <init>(Ljava/lang/String;Ljava/lang/String;Ljava/security/spec/AlgorithmParameterSpec;I)V
java/security/spec/PSSParameterSpec <init>(I)V
java/security/spec/PSSParameterSpec getDigestAlgorithm()Ljava/lang/String;
java/security/spec/PSSParameterSpec getMGFAlgorithm()Ljava/lang/String;
java/security/spec/PSSParameterSpec getMGFParameters()Ljava/security/spec/AlgorithmParameterSpec;
java/security/spec/PSSParameterSpec getSaltLength()I
java/security/spec/PSSParameterSpec getTrailerField()I
java/security/spec/PSSParameterSpec <clinit>()V
class java/security/spec/RSAPublicKeyParameterSpec java/lang/Object
java/security/spec/RSAPublicKeyParameterSpec keySize
java/security/spec/RSAPublicKeyParameterSpec publicExponent
java/security/spec/RSAPublicKeyParameterSpec F0
java/security/spec/RSAPublicKeyParameterSpec F4
java/security/spec/RSAPublicKeyParameterSpec <init>(ILjava/math/BigInteger;)V
java/security/spec/RSAPublicKeyParameterSpec
 getKeySize()I
java/security/spec/RSAPublicKeyParameterSpec getPublicExponent()Ljava/math/BigInteger;
java/security/spec/RSAPublicKeyParameterSpec <clinit>()V
class java/security/spec/RSAPrivateKeyParameterSpec java/lang/Object
java/security/spec/RSAPrivateKeyParameterSpec publicExponent
java/security/spec/RSAPrivateKeyParameterSpec primeP
java/security/spec/RSAPrivateKeyParameterSpec primeQ
java/security/spec/RSAPrivateKeyParameterSpec primeExponentP
java/security/spec/RSAPrivateKeyParameterSpec primeExponentQ
java/security/spec/RSAPrivateKeyParameterSpec crtCoefficient
java/security/spec/RSAPrivateKeyParameterSpec otherPrimeInfo
java/security/spec/RSAPrivateKeyParameterSpec
 <init>(Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/Big

```

```

Integer;Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;[Ljava/security/spec/RSASOtherPrimeI
nfo;)V
java/security/spec/RSAMultiPrimePrivateCrtKeySpec
 getPublicExponent()Ljava/math/BigInteger;
java/security/spec/RSAMultiPrimePrivateCrtKeySpec getPrimeP()Ljava/math/BigInteger;
java/security/spec/RSAMultiPrimePrivateCrtKeySpec getPrimeQ()Ljava/math/BigInteger;
java/security/spec/RSAMultiPrimePrivateCrtKeySpec getPrimeExponentP()Ljava/math/BigInteger;
java/security/spec/RSAMultiPrimePrivateCrtKeySpec getPrimeExponentQ()Ljava/math/BigInteger;
java/security/spec/RSAMultiPrimePrivateCrtKeySpec getCrtCoefficient()Ljava/math/BigInteger;
java/security/spec/RSAMultiPrimePrivateCrtKeySpec
 getOtherPrimeInfo()[Ljava/security/spec/RSASOtherPrimeInfo;
class java/security/spec/RSASOtherPrimeInfo java/lang/Object
java/security/spec/RSASOtherPrimeInfo prime
java/security/spec/RSASOtherPrimeInfo primeExponent
java/security/spec/RSASOtherPrimeInfo crtCoefficient
java/security/spec/RSASOtherPrimeInfo
 <init>(Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/RSASOtherPrimeInfo
 getPrime()Ljava/math/BigInteger;
java/security/spec/RSASOtherPrimeInfo getExponent()Ljava/math/BigInteger;
java/security/spec/RSASOtherPrimeInfo getCrtCoefficient()Ljava/math/BigInteger;
class java/sql/Array java/lang/Object
java/sql/Array getBaseTypeName()Ljava/lang/String;
java/sql/Array getBaseType()I
java/sql/Array getArray()Ljava/lang/Object;
java/sql/Array getArray(Ljava/util/Map;)Ljava/lang/Object;
java/sql/Array getArray(JI)Ljava/lang/Object;
java/sql/Array getArray(JILjava/util/Map;)Ljava/lang/Object;
java/sql/Array getResultSet()Ljava/sql/ResultSet;
java/sql/Array getResultSet(Ljava/util/Map;)Ljava/sql/ResultSet;
java/sql/Array getResultSet(JI)Ljava/sql/ResultSet;
java/sql/Array getResultSet(JILjava/util/Map;)Ljava/sql/ResultSet;
class java/sql/BatchUpdateException java/sql/SQLException
java/sql/BatchUpdateException updateCounts
java/sql/BatchUpdateException <init>(Ljava/lang/String;Ljava/lang/String;II)V
java/sql/BatchUpdateException <init>(Ljava/lang/String;Ljava/lang/String;[I)V
java/sql/BatchUpdateException
 <init>(Ljava/lang/String;[I)V
java/sql/BatchUpdateException <init>([I)V
java/sql/BatchUpdateException <init>()V
java/sql/BatchUpdateException getUpdateCounts()[I
class java/sql/Blob java/lang/Object
java/sql/Blob length()J
java/sql/Blob getBytes(JI)[B
java/sql/Blob getBinaryStream()Ljava/io/InputStream;
java/sql/Blob position([BJ)J
java/sql/Blob position(Ljava/sql/Blob;J)J
java/sql/Blob setBytes(J[B)I

```



```

java/sql/Blob setBytes(J[BII)I
java/sql/Blob setBinaryStream(J)Ljava/io/OutputStream;
java/sql/Blob truncate(J)V
class java/sql/CallableStatement java/lang/Object
java/sql/CallableStatement registerOutParameter(II)V
java/sql/CallableStatement registerOutParameter(III)V
java/sql/CallableStatement wasNull()Z
java/sql/CallableStatement getString(I)Ljava/lang/String;
java/sql/CallableStatement getBoolean(I)Z
java/sql/CallableStatement getByte(I)B
java/sql/CallableStatement getShort(I)S
java/sql/CallableStatement getInt(I)I
java/sql/CallableStatement
 getLong(I)J
java/sql/CallableStatement getFloat(I)F
java/sql/CallableStatement getDouble(I)D
java/sql/CallableStatement getBigDecimal(II)Ljava/math/BigDecimal;
java/sql/CallableStatement getBytes(I)[B
java/sql/CallableStatement getDate(I)Ljava/sql/Date;
java/sql/CallableStatement getTime(I)Ljava/sql/Time;
java/sql/CallableStatement getTimestamp(I)Ljava/sql/Timestamp;
java/sql/CallableStatement getObject(I)Ljava/lang/Object;
java/sql/CallableStatement getBigDecimal(I)Ljava/math/BigDecimal;
java/sql/CallableStatement getObject(ILjava/util/Map;)Ljava/lang/Object;
java/sql/CallableStatement getRef(I)Ljava/sql/Ref;
java/sql/CallableStatement getBlob(I)Ljava/sql/Blob;
java/sql/CallableStatement getClob(I)Ljava/sql/Clob;
java/sql/CallableStatement getArray(I)Ljava/sql/Array;
java/sql/CallableStatement getDate(ILjava/util/Calendar;)Ljava/sql/Date;
java/sql/CallableStatement getTime(ILjava/util/Calendar;)Ljava/sql/Time;
java/sql/CallableStatement getTimestamp(ILjava/util/Calendar;)Ljava/sql/Timestamp;
java/sql/CallableStatement
 registerOutParameter(III)Ljava/lang/String;)V
java/sql/CallableStatement registerOutParameter(Ljava/lang/String;I)V
java/sql/CallableStatement registerOutParameter(Ljava/lang/String;II)V
java/sql/CallableStatement registerOutParameter(Ljava/lang/String;ILjava/lang/String;)V
java/sql/CallableStatement getURL(I)Ljava/net/URL;
java/sql/CallableStatement setURL(Ljava/lang/String;Ljava/net/URL;)V
java/sql/CallableStatement setNull(Ljava/lang/String;I)V
java/sql/CallableStatement setBoolean(Ljava/lang/String;Z)V
java/sql/CallableStatement setByte(Ljava/lang/String;B)V
java/sql/CallableStatement setShort(Ljava/lang/String;S)V
java/sql/CallableStatement setInt(Ljava/lang/String;I)V
java/sql/CallableStatement setLong(Ljava/lang/String;J)V
java/sql/CallableStatement setFloat(Ljava/lang/String;F)V
java/sql/CallableStatement setDouble(Ljava/lang/String;D)V
java/sql/CallableStatement setBigDecimal(Ljava/lang/String;Ljava/math/BigDecimal;)V
java/sql/CallableStatement

```

```

 setString(Ljava/lang/String;Ljava/lang/String;)V
java/sql/CallableStatement setBytes(Ljava/lang/String:[B)V
java/sql/CallableStatement setDate(Ljava/lang/String;Ljava/sql/Date;)V
java/sql/CallableStatement setTime(Ljava/lang/String;Ljava/sql/Time;)V
java/sql/CallableStatement setTimestamp(Ljava/lang/String;Ljava/sql/Timestamp;)V
java/sql/CallableStatement setAsciiStream(Ljava/lang/String;Ljava/io/InputStream;I)V
java/sql/CallableStatement setBinaryStream(Ljava/lang/String;Ljava/io/InputStream;I)V
java/sql/CallableStatement setObject(Ljava/lang/String;Ljava/lang/Object;I)V
java/sql/CallableStatement setObject(Ljava/lang/String;Ljava/lang/Object;I)V
java/sql/CallableStatement setObject(Ljava/lang/String;Ljava/lang/Object;)V
java/sql/CallableStatement setCharacterStream(Ljava/lang/String;Ljava/io/Reader;I)V
java/sql/CallableStatement setDate(Ljava/lang/String;Ljava/sql/Date;Ljava/util/Calendar;)V
java/sql/CallableStatement setTime(Ljava/lang/String;Ljava/sql/Time;Ljava/util/Calendar;)V
java/sql/CallableStatement
 setTimestamp(Ljava/lang/String;Ljava/sql/Timestamp;Ljava/util/Calendar;)V
java/sql/CallableStatement setNull(Ljava/lang/String;ILjava/lang/String;)V
java/sql/CallableStatement getString(Ljava/lang/String;)Ljava/lang/String;
java/sql/CallableStatement getBoolean(Ljava/lang/String;)Z
java/sql/CallableStatement getByte(Ljava/lang/String;)B
java/sql/CallableStatement getShort(Ljava/lang/String;)S
java/sql/CallableStatement getInt(Ljava/lang/String;)I
java/sql/CallableStatement getLong(Ljava/lang/String;)J
java/sql/CallableStatement getFloat(Ljava/lang/String;)F
java/sql/CallableStatement getDouble(Ljava/lang/String;)D
java/sql/CallableStatement getBytes(Ljava/lang/String;)[B
java/sql/CallableStatement getDate(Ljava/lang/String;)Ljava/sql/Date;
java/sql/CallableStatement getTime(Ljava/lang/String;)Ljava/sql/Time;
java/sql/CallableStatement getTimestamp(Ljava/lang/String;)Ljava/sql/Timestamp;
java/sql/CallableStatement getObject(Ljava/lang/String;)Ljava/lang/Object;
java/sql/CallableStatement
 getBigDecimal(Ljava/lang/String;)Ljava/math/BigDecimal;
java/sql/CallableStatement getObject(Ljava/lang/String;Ljava/util/Map;)Ljava/lang/Object;
java/sql/CallableStatement getRef(Ljava/lang/String;)Ljava/sql/Ref;
java/sql/CallableStatement getBlob(Ljava/lang/String;)Ljava/sql/Blob;
java/sql/CallableStatement getClob(Ljava/lang/String;)Ljava/sql/Clob;
java/sql/CallableStatement getArray(Ljava/lang/String;)Ljava/sql/Array;
java/sql/CallableStatement getDate(Ljava/lang/String;Ljava/util/Calendar;)Ljava/sql/Date;
java/sql/CallableStatement getTime(Ljava/lang/String;Ljava/util/Calendar;)Ljava/sql/Time;
java/sql/CallableStatement getTimestamp(Ljava/lang/String;Ljava/util/Calendar;)Ljava/sql/Timestamp;
java/sql/CallableStatement getURL(Ljava/lang/String;)Ljava/net/URL;
class java/sql/Clob java/lang/Object
java/sql/Clob length()J
java/sql/Clob getSubString(JI)Ljava/lang/String;
java/sql/Clob getCharacterStream()Ljava/io/Reader;
java/sql/Clob getAsciiStream()Ljava/io/InputStream;
java/sql/Clob
 position(Ljava/lang/String;J)J
java/sql/Clob position(Ljava/sql/Clob;J)J

```

```

java/sql/Clob setString(JL java/lang/String;)I
java/sql/Clob setString(JL java/lang/String;II)I
java/sql/Clob setAsciiStream(J)L java/io/OutputStream;
java/sql/Clob setCharacterStream(J)L java/io/Writer;
java/sql/Clob truncate(J)V
class java/sql/Connection java/lang/Object
java/sql/Connection TRANSACTION_NONE
java/sql/Connection TRANSACTION_READ_UNCOMMITTED
java/sql/Connection TRANSACTION_READ_COMMITTED
java/sql/Connection TRANSACTION_REPEATABLE_READ
java/sql/Connection TRANSACTION_SERIALIZABLE
java/sql/Connection createStatement()L java/sql/Statement;
java/sql/Connection prepareStatement(L java/lang/String;)L java/sql/PreparedStatement;
java/sql/Connection prepareCall(L java/lang/String;)L java/sql/CallableStatement;
java/sql/Connection nativeSQL(L java/lang/String;)L java/lang/String;
java/sql/Connection setAutoCommit(Z)V
java/sql/Connection getAutoCommit()Z
java/sql/Connection commit()V
java/sql/Connection
 rollback()V
java/sql/Connection close()V
java/sql/Connection isClosed()Z
java/sql/Connection getMetaData()L java/sql/DatabaseMetaData;
java/sql/Connection setReadOnly(Z)V
java/sql/Connection isReadOnly()Z
java/sql/Connection setCatalog(L java/lang/String;)V
java/sql/Connection getCatalog()L java/lang/String;
java/sql/Connection setTransactionIsolation(I)V
java/sql/Connection getTransactionIsolation()I
java/sql/Connection getWarnings()L java/sql/SQLWarning;
java/sql/Connection clearWarnings()V
java/sql/Connection createStatement(II)L java/sql/Statement;
java/sql/Connection prepareStatement(L java/lang/String;II)L java/sql/PreparedStatement;
java/sql/Connection prepareCall(L java/lang/String;II)L java/sql/CallableStatement;
java/sql/Connection getTypeMap()L java/util/Map;
java/sql/Connection setTypeMap(L java/util/Map;)V
java/sql/Connection setHoldability(I)V
java/sql/Connection getHoldability()I
java/sql/Connection setSavepoint()L java/sql/Savepoint;
java/sql/Connection setSavepoint(L java/lang/String;)L java/sql/Savepoint;
java/sql/Connection
 rollback(L java/sql/Savepoint;)V
java/sql/Connection releaseSavepoint(L java/sql/Savepoint;)V
java/sql/Connection createStatement(III)L java/sql/Statement;
java/sql/Connection prepareStatement(L java/lang/String;III)L java/sql/PreparedStatement;
java/sql/Connection prepareCall(L java/lang/String;III)L java/sql/CallableStatement;
java/sql/Connection prepareStatement(L java/lang/String;I)L java/sql/PreparedStatement;
java/sql/Connection prepareStatement(L java/lang/String;I)L java/sql/PreparedStatement;

```

java/sql/Connection prepareStatement(Ljava/lang/String;[Ljava/lang/String;)Ljava/sql/PreparedStatement;  
 class java/sql/DataTruncation java/sql/SQLWarning  
 java/sql/DataTruncation index  
 java/sql/DataTruncation parameter  
 java/sql/DataTruncation read  
 java/sql/DataTruncation dataSize  
 java/sql/DataTruncation transferSize  
 java/sql/DataTruncation <init>(IZZII)V  
 java/sql/DataTruncation getIndex()I  
 java/sql/DataTruncation getParameter()Z  
 java/sql/DataTruncation  
   getRead()Z  
 java/sql/DataTruncation getDataSize()I  
 java/sql/DataTruncation getTransferSize()I  
 class java/sql/DatabaseMetaData java/lang/Object  
 java/sql/DatabaseMetaData procedureResultUnknown  
 java/sql/DatabaseMetaData procedureNoResult  
 java/sql/DatabaseMetaData procedureReturnsResult  
 java/sql/DatabaseMetaData procedureColumnUnknown  
 java/sql/DatabaseMetaData procedureColumnIn  
 java/sql/DatabaseMetaData procedureColumnInOut  
 java/sql/DatabaseMetaData procedureColumnOut  
 java/sql/DatabaseMetaData procedureColumnReturn  
 java/sql/DatabaseMetaData procedureColumnResult  
 java/sql/DatabaseMetaData procedureNoNulls  
 java/sql/DatabaseMetaData procedureNullable  
 java/sql/DatabaseMetaData procedureNullableUnknown  
 java/sql/DatabaseMetaData columnNoNulls  
 java/sql/DatabaseMetaData columnNullable  
 java/sql/DatabaseMetaData columnNullableUnknown  
 java/sql/DatabaseMetaData bestRowTemporary  
 java/sql/DatabaseMetaData bestRowTransaction  
 java/sql/DatabaseMetaData bestRowSession  
 java/sql/DatabaseMetaData  
   bestRowUnknown  
 java/sql/DatabaseMetaData bestRowNotPseudo  
 java/sql/DatabaseMetaData bestRowPseudo  
 java/sql/DatabaseMetaData versionColumnUnknown  
 java/sql/DatabaseMetaData versionColumnNotPseudo  
 java/sql/DatabaseMetaData versionColumnPseudo  
 java/sql/DatabaseMetaData importedKeyCascade  
 java/sql/DatabaseMetaData importedKeyRestrict  
 java/sql/DatabaseMetaData importedKeySetNull  
 java/sql/DatabaseMetaData importedKeyNoAction  
 java/sql/DatabaseMetaData importedKeySetDefault  
 java/sql/DatabaseMetaData importedKeyInitiallyDeferred  
 java/sql/DatabaseMetaData importedKeyInitiallyImmediate  
 java/sql/DatabaseMetaData importedKeyNotDeferrable

```

java/sql/DatabaseMetaData typeNoNulls
java/sql/DatabaseMetaData typeNullable
java/sql/DatabaseMetaData typeNullableUnknown
java/sql/DatabaseMetaData typePredNone
java/sql/DatabaseMetaData typePredChar
java/sql/DatabaseMetaData typePredBasic
java/sql/DatabaseMetaData typeSearchable
java/sql/DatabaseMetaData tableIndexStatistic
java/sql/DatabaseMetaData tableIndexClustered
java/sql/DatabaseMetaData
 tableIndexHashed
java/sql/DatabaseMetaData tableIndexOther
java/sql/DatabaseMetaData attributeNoNulls
java/sql/DatabaseMetaData attributeNullable
java/sql/DatabaseMetaData attributeNullableUnknown
java/sql/DatabaseMetaData sqlStateXOpen
java/sql/DatabaseMetaData sqlStateSQL99
java/sql/DatabaseMetaData allProceduresAreCallable()Z
java/sql/DatabaseMetaData allTablesAreSelectable()Z
java/sql/DatabaseMetaData getURL()Ljava/lang/String;
java/sql/DatabaseMetaData getUsername()Ljava/lang/String;
java/sql/DatabaseMetaData isReadOnly()Z
java/sql/DatabaseMetaData nullsAreSortedHigh()Z
java/sql/DatabaseMetaData nullsAreSortedLow()Z
java/sql/DatabaseMetaData nullsAreSortedAtStart()Z
java/sql/DatabaseMetaData nullsAreSortedAtEnd()Z
java/sql/DatabaseMetaData getDatabaseProductName()Ljava/lang/String;
java/sql/DatabaseMetaData getDatabaseProductVersion()Ljava/lang/String;
java/sql/DatabaseMetaData getDriverName()Ljava/lang/String;
java/sql/DatabaseMetaData getDriverVersion()Ljava/lang/String;
java/sql/DatabaseMetaData
 getDriverMajorVersion()I
java/sql/DatabaseMetaData getDriverMinorVersion()I
java/sql/DatabaseMetaData usesLocalFiles()Z
java/sql/DatabaseMetaData usesLocalFilePerTable()Z
java/sql/DatabaseMetaData supportsMixedCaseIdentifiers()Z
java/sql/DatabaseMetaData storesUpperCaseIdentifiers()Z
java/sql/DatabaseMetaData storesLowerCaseIdentifiers()Z
java/sql/DatabaseMetaData storesMixedCaseIdentifiers()Z
java/sql/DatabaseMetaData supportsMixedCaseQuotedIdentifiers()Z
java/sql/DatabaseMetaData storesUpperCaseQuotedIdentifiers()Z
java/sql/DatabaseMetaData storesLowerCaseQuotedIdentifiers()Z
java/sql/DatabaseMetaData storesMixedCaseQuotedIdentifiers()Z
java/sql/DatabaseMetaData getIdentifierQuoteString()Ljava/lang/String;
java/sql/DatabaseMetaData getSQLKeywords()Ljava/lang/String;
java/sql/DatabaseMetaData getNumericFunctions()Ljava/lang/String;
java/sql/DatabaseMetaData getStringFunctions()Ljava/lang/String;
java/sql/DatabaseMetaData getSystemFunctions()Ljava/lang/String;

```

```

java/sql/DatabaseMetaData
 getTimeDateFunctions()Ljava/lang/String;
java/sql/DatabaseMetaData getSearchStringEscape()Ljava/lang/String;
java/sql/DatabaseMetaData getExtraNameCharacters()Ljava/lang/String;
java/sql/DatabaseMetaData supportsAlterTableWithAddColumn()Z
java/sql/DatabaseMetaData supportsAlterTableWithDropColumn()Z
java/sql/DatabaseMetaData supportsColumnAliasing()Z
java/sql/DatabaseMetaData nullPlusNonNullIsNull()Z
java/sql/DatabaseMetaData supportsConvert()Z
java/sql/DatabaseMetaData supportsConvert(II)Z
java/sql/DatabaseMetaData supportsTableCorrelationNames()Z
java/sql/DatabaseMetaData supportsDifferentTableCorrelationNames()Z
java/sql/DatabaseMetaData supportsExpressionsInOrderBy()Z
java/sql/DatabaseMetaData supportsOrderByUnrelated()Z
java/sql/DatabaseMetaData supportsGroupBy()Z
java/sql/DatabaseMetaData supportsGroupByUnrelated()Z
java/sql/DatabaseMetaData supportsGroupByBeyondSelect()Z
java/sql/DatabaseMetaData supportsLikeEscapeClause()Z
java/sql/DatabaseMetaData
 supportsMultipleResultSets()Z
java/sql/DatabaseMetaData supportsMultipleTransactions()Z
java/sql/DatabaseMetaData supportsNonNullableColumns()Z
java/sql/DatabaseMetaData supportsMinimumSQLGrammar()Z
java/sql/DatabaseMetaData supportsCoreSQLGrammar()Z
java/sql/DatabaseMetaData supportsExtendedSQLGrammar()Z
java/sql/DatabaseMetaData supportsANSI92EntryLevelSQL()Z
java/sql/DatabaseMetaData supportsANSI92IntermediateSQL()Z
java/sql/DatabaseMetaData supportsANSI92FullSQL()Z
java/sql/DatabaseMetaData supportsIntegrityEnhancementFacility()Z
java/sql/DatabaseMetaData supportsOuterJoins()Z
java/sql/DatabaseMetaData supportsFullOuterJoins()Z
java/sql/DatabaseMetaData supportsLimitedOuterJoins()Z
java/sql/DatabaseMetaData getSchemaTerm()Ljava/lang/String;
java/sql/DatabaseMetaData getProcedureTerm()Ljava/lang/String;
java/sql/DatabaseMetaData getCatalogTerm()Ljava/lang/String;
java/sql/DatabaseMetaData isCatalogAtStart()Z
java/sql/DatabaseMetaData getCatalogSeparator()Ljava/lang/String;
java/sql/DatabaseMetaData
 supportsSchemasInDataManipulation()Z
java/sql/DatabaseMetaData supportsSchemasInProcedureCalls()Z
java/sql/DatabaseMetaData supportsSchemasInTableDefinitions()Z
java/sql/DatabaseMetaData supportsSchemasInIndexDefinitions()Z
java/sql/DatabaseMetaData supportsSchemasInPrivilegeDefinitions()Z
java/sql/DatabaseMetaData supportsCatalogsInDataManipulation()Z
java/sql/DatabaseMetaData supportsCatalogsInProcedureCalls()Z
java/sql/DatabaseMetaData supportsCatalogsInTableDefinitions()Z
java/sql/DatabaseMetaData supportsCatalogsInIndexDefinitions()Z
java/sql/DatabaseMetaData supportsCatalogsInPrivilegeDefinitions()Z

```

```

java/sql/DatabaseMetaData supportsPositionedDelete()Z
java/sql/DatabaseMetaData supportsPositionedUpdate()Z
java/sql/DatabaseMetaData supportsSelectForUpdate()Z
java/sql/DatabaseMetaData supportsStoredProcedures()Z
java/sql/DatabaseMetaData supportsSubqueriesInComparisons()Z
java/sql/DatabaseMetaData supportsSubqueriesInExists()Z
java/sql/DatabaseMetaData
 supportsSubqueriesInIns()Z
java/sql/DatabaseMetaData supportsSubqueriesInQuantifieds()Z
java/sql/DatabaseMetaData supportsCorrelatedSubqueries()Z
java/sql/DatabaseMetaData supportsUnion()Z
java/sql/DatabaseMetaData supportsUnionAll()Z
java/sql/DatabaseMetaData supportsOpenCursorsAcrossCommit()Z
java/sql/DatabaseMetaData supportsOpenCursorsAcrossRollback()Z
java/sql/DatabaseMetaData supportsOpenStatementsAcrossCommit()Z
java/sql/DatabaseMetaData supportsOpenStatementsAcrossRollback()Z
java/sql/DatabaseMetaData getMaxBinaryLiteralLength()I
java/sql/DatabaseMetaData getMaxCharLiteralLength()I
java/sql/DatabaseMetaData getMaxColumnNameLength()I
java/sql/DatabaseMetaData getMaxColumnsInGroupBy()I
java/sql/DatabaseMetaData getMaxColumnsInIndex()I
java/sql/DatabaseMetaData getMaxColumnsInOrderBy()I
java/sql/DatabaseMetaData getMaxColumnsInSelect()I
java/sql/DatabaseMetaData getMaxColumnsInTable()I
java/sql/DatabaseMetaData getMaxConnections()I
java/sql/DatabaseMetaData getMaxCursorNameLength()I
java/sql/DatabaseMetaData
 getMaxIndexLength()I
java/sql/DatabaseMetaData getMaxSchemaNameLength()I
java/sql/DatabaseMetaData getMaxProcedureNameLength()I
java/sql/DatabaseMetaData getMaxCatalogNameLength()I
java/sql/DatabaseMetaData getMaxRowSize()I
java/sql/DatabaseMetaData doesMaxRowSizeIncludeBlobs()Z
java/sql/DatabaseMetaData getMaxStatementLength()I
java/sql/DatabaseMetaData getMaxStatements()I
java/sql/DatabaseMetaData getMaxTableNameLength()I
java/sql/DatabaseMetaData getMaxTablesInSelect()I
java/sql/DatabaseMetaData getMaxUserNameLength()I
java/sql/DatabaseMetaData getDefaultTransactionIsolation()I
java/sql/DatabaseMetaData supportsTransactions()Z
java/sql/DatabaseMetaData supportsTransactionIsolationLevel(I)Z
java/sql/DatabaseMetaData supportsDataDefinitionAndDataManipulationTransactions()Z
java/sql/DatabaseMetaData supportsDataManipulationTransactionsOnly()Z
java/sql/DatabaseMetaData dataDefinitionCausesTransactionCommit()Z
java/sql/DatabaseMetaData dataDefinitionIgnoredInTransactions()Z
java/sql/DatabaseMetaData
 getProcedures(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData

```

```

getProcedureColumns(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
getTables(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;[Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData getSchemas()Ljava/sql/ResultSet;
java/sql/DatabaseMetaData getCatalogs()Ljava/sql/ResultSet;
java/sql/DatabaseMetaData getTableTypes()Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
getColumns(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
getColumnPrivileges(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
getTablePrivileges(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
getBestRowIdentifier(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;I)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
getVersionColumns(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
getPrimaryKeys(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
getImportedKeys(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
getExportedKeys(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
getCrossReference(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData getTypeInfo()Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
getIndexInfo(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;ZZ)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData supportsResultSetType(I)Z
java/sql/DatabaseMetaData
 supportsResultSetConcurrency(I)Z
java/sql/DatabaseMetaData ownUpdatesAreVisible(I)Z
java/sql/DatabaseMetaData ownDeletesAreVisible(I)Z
java/sql/DatabaseMetaData ownInsertsAreVisible(I)Z
java/sql/DatabaseMetaData othersUpdatesAreVisible(I)Z
java/sql/DatabaseMetaData othersDeletesAreVisible(I)Z
java/sql/DatabaseMetaData othersInsertsAreVisible(I)Z
java/sql/DatabaseMetaData updatesAreDetected(I)Z
java/sql/DatabaseMetaData deletesAreDetected(I)Z
java/sql/DatabaseMetaData insertsAreDetected(I)Z
java/sql/DatabaseMetaData supportsBatchUpdates()Z
java/sql/DatabaseMetaData getUDTs(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;I)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData getConnection()Ljava/sql/Connection;
java/sql/DatabaseMetaData supportsSavepoints()Z
java/sql/DatabaseMetaData supportsNamedParameters()Z
java/sql/DatabaseMetaData supportsMultipleOpenResults()Z
java/sql/DatabaseMetaData supportsGetGeneratedKeys()Z
java/sql/DatabaseMetaData

```



```

getSuperTypes(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
 getSuperTables(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
getAttributes(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData supportsResultSetHoldability(I)Z
java/sql/DatabaseMetaData getResultSetHoldability()I
java/sql/DatabaseMetaData getDatabaseMajorVersion()I
java/sql/DatabaseMetaData getDatabaseMinorVersion()I
java/sql/DatabaseMetaData getJDBCMinorVersion()I
java/sql/DatabaseMetaData getJDBCMajorVersion()I
java/sql/DatabaseMetaData getSQLStateType()I
java/sql/DatabaseMetaData locatorsUpdateCopy()Z
java/sql/DatabaseMetaData supportsStatementPooling()Z
class java/sql/Date java/util/Date
java/sql/Date serialVersionUID
java/sql/Date <init>(III)V
java/sql/Date <init>(J)V
java/sql/Date setTime(J)V
java/sql/Date valueOf(Ljava/lang/String;)Ljava/sql/Date;
java/sql/Date
 toString()Ljava/lang/String;
java/sql/Date getHours()I
java/sql/Date getMinutes()I
java/sql/Date getSeconds()I
java/sql/Date setHours(I)V
java/sql/Date setMinutes(I)V
java/sql/Date setSeconds(I)V
class java/sql/Driver java/lang/Object
java/sql/Driver connect(Ljava/lang/String;Ljava/util/Properties;)Ljava/sql/Connection;
java/sql/Driver acceptsURL(Ljava/lang/String;)Z
java/sql/Driver getPropertyInfo(Ljava/lang/String;Ljava/util/Properties;)[Ljava/sql/DriverPropertyInfo;
java/sql/Driver getMajorVersion()I
java/sql/Driver getMinorVersion()I
java/sql/Driver jdbcCompliant()Z
class java/sql/DriverInfo java/lang/Object
java/sql/DriverInfo driver
java/sql/DriverInfo driverClass
java/sql/DriverInfo driverClassName
java/sql/DriverInfo <init>()V
java/sql/DriverInfo toString()Ljava/lang/String;
class java/sql/DriverManager java/lang/Object
java/sql/DriverManager SET_LOG_PERMISSION
java/sql/DriverManager drivers
java/sql/DriverManager loginTimeout
java/sql/DriverManager logWriter
java/sql/DriverManager

```

```

logStream
java/sql/DriverManager initialized
java/sql/DriverManager logSync
java/sql/DriverManager getLogWriter()Ljava/io/PrintWriter;
java/sql/DriverManager setLogWriter(Ljava/io/PrintWriter;)V
java/sql/DriverManager getConnection(Ljava/lang/String;Ljava/util/Properties;)Ljava/sql/Connection;
java/sql/DriverManager
getConnection(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/Connection;
java/sql/DriverManager getConnection(Ljava/lang/String;)Ljava/sql/Connection;
java/sql/DriverManager getDriver(Ljava/lang/String;)Ljava/sql/Driver;
java/sql/DriverManager registerDriver(Ljava/sql/Driver;)V
java/sql/DriverManager deregisterDriver(Ljava/sql/Driver;)V
java/sql/DriverManager getDrivers()Ljava/util/Enumeration;
java/sql/DriverManager setLoginTimeout(I)V
java/sql/DriverManager getLoginTimeout()I
java/sql/DriverManager setLogStream(Ljava/io/PrintStream;)V
java/sql/DriverManager getLogStream()Ljava/io/PrintStream;
java/sql/DriverManager println(Ljava/lang/String;)V
java/sql/DriverManager
getCallerClass(Ljava/lang/ClassLoader;Ljava/lang/String;)Ljava/lang/Class;
java/sql/DriverManager loadInitialDrivers()V
java/sql/DriverManager
getConnection(Ljava/lang/String;Ljava/util/Properties;Ljava/lang/ClassLoader;)Ljava/sql/Connection;
java/sql/DriverManager initialize()V
java/sql/DriverManager <init>()V
java/sql/DriverManager getCallerClassLoader()Ljava/lang/ClassLoader;
java/sql/DriverManager <clinit>()V
class java/sql/DriverPropertyInfo java/lang/Object
java/sql/DriverPropertyInfo name
java/sql/DriverPropertyInfo description
java/sql/DriverPropertyInfo required
java/sql/DriverPropertyInfo value
java/sql/DriverPropertyInfo choices
java/sql/DriverPropertyInfo <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/sql/ParameterMetaData java/lang/Object
java/sql/ParameterMetaData parameterNoNulls
java/sql/ParameterMetaData parameterNullable
java/sql/ParameterMetaData parameterNullableUnknown
java/sql/ParameterMetaData parameterModeUnknown
java/sql/ParameterMetaData
parameterModeIn
java/sql/ParameterMetaData parameterModeInOut
java/sql/ParameterMetaData parameterModeOut
java/sql/ParameterMetaData getParameterCount()I
java/sql/ParameterMetaData isNullable(I)I
java/sql/ParameterMetaData isSigned(I)Z
java/sql/ParameterMetaData getPrecision(I)I
java/sql/ParameterMetaData getScale(I)I

```

```

java/sql/ParameterMetaData getParameterType(I)I
java/sql/ParameterMetaData getParameterTypeName(I)Ljava/lang/String;
java/sql/ParameterMetaData getParameterClassName(I)Ljava/lang/String;
java/sql/ParameterMetaData getParameterMode(I)I
class java/sql/PreparedStatement java/lang/Object
java/sql/PreparedStatement executeQuery()Ljava/sql/ResultSet;
java/sql/PreparedStatement executeUpdate(I)
java/sql/PreparedStatement setNull(II)V
java/sql/PreparedStatement setBoolean(IZ)V
java/sql/PreparedStatement setByte(IB)V
java/sql/PreparedStatement setShort(IS)V
java/sql/PreparedStatement setInt(II)V
java/sql/PreparedStatement setLong(IJ)V
java/sql/PreparedStatement setFloat(IF)V
java/sql/PreparedStatement
 setDouble(ID)V
java/sql/PreparedStatement setBigDecimal(ILjava/math/BigDecimal;)V
java/sql/PreparedStatement setString(ILjava/lang/String;)V
java/sql/PreparedStatement setBytes(II[B)V
java/sql/PreparedStatement setDate(ILjava/sql/Date;)V
java/sql/PreparedStatement setTime(ILjava/sql/Time;)V
java/sql/PreparedStatement setTimestamp(ILjava/sql/Timestamp;)V
java/sql/PreparedStatement setAsciiStream(ILjava/io/InputStream;I)V
java/sql/PreparedStatement setUnicodeStream(ILjava/io/InputStream;I)V
java/sql/PreparedStatement setBinaryStream(ILjava/io/InputStream;I)V
java/sql/PreparedStatement clearParameters()V
java/sql/PreparedStatement setObject(ILjava/lang/Object;II)V
java/sql/PreparedStatement setObject(ILjava/lang/Object;I)V
java/sql/PreparedStatement setObject(ILjava/lang/Object;)V
java/sql/PreparedStatement execute()Z
java/sql/PreparedStatement addBatch()V
java/sql/PreparedStatement setCharacterStream(ILjava/io/Reader;I)V
java/sql/PreparedStatement setRef(ILjava/sql/Ref;)V
java/sql/PreparedStatement
 setBlob(ILjava/sql/Blob;)V
java/sql/PreparedStatement setClob(ILjava/sql/Clob;)V
java/sql/PreparedStatement setArray(ILjava/sql/Array;)V
java/sql/PreparedStatement getMetaData()Ljava/sql/ResultSetMetaData;
java/sql/PreparedStatement setDate(ILjava/sql/Date;Ljava/util/Calendar;)V
java/sql/PreparedStatement setTime(ILjava/sql/Time;Ljava/util/Calendar;)V
java/sql/PreparedStatement setTimestamp(ILjava/sql/Timestamp;Ljava/util/Calendar;)V
java/sql/PreparedStatement setNull(IIIjava/lang/String;)V
java/sql/PreparedStatement setURL(ILjava/net/URL;)V
java/sql/PreparedStatement getParameterMetaData()Ljava/sql/ParameterMetaData;
class java/sql/Ref java/lang/Object
java/sql/Ref getBaseTypeName()Ljava/lang/String;
java/sql/Ref getObject(Ljava/util/Map;)Ljava/lang/Object;
java/sql/Ref getObject()Ljava/lang/Object;

```

```

java/sql/Ref setObject(Ljava/lang/Object;)V
class java/sql/ResultSet java/lang/Object
java/sql/ResultSet FETCH_FORWARD
java/sql/ResultSet FETCH_REVERSE
java/sql/ResultSet
 FETCH_UNKNOWN
java/sql/ResultSet TYPE_FORWARD_ONLY
java/sql/ResultSet TYPE_SCROLL_INSENSITIVE
java/sql/ResultSet TYPE_SCROLL_SENSITIVE
java/sql/ResultSet CONCUR_READ_ONLY
java/sql/ResultSet CONCUR_UPDATABLE
java/sql/ResultSet HOLD_CURSORS_OVER_COMMIT
java/sql/ResultSet CLOSE_CURSORS_AT_COMMIT
java/sql/ResultSet next()Z
java/sql/ResultSet close()V
java/sql/ResultSet wasNull()Z
java/sql/ResultSet getString(I)Ljava/lang/String;
java/sql/ResultSet getBoolean(I)Z
java/sql/ResultSet getByte(I)B
java/sql/ResultSet getShort(I)S
java/sql/ResultSet getInt(I)I
java/sql/ResultSet getLong(I)J
java/sql/ResultSet getFloat(I)F
java/sql/ResultSet getDouble(I)D
java/sql/ResultSet getBigDecimal(II)Ljava/math/BigDecimal;
java/sql/ResultSet getBytes(I)[B
java/sql/ResultSet getDate(I)Ljava/sql/Date;
java/sql/ResultSet getTime(I)Ljava/sql/Time;
java/sql/ResultSet getTimestamp(I)Ljava/sql/Timestamp;
java/sql/ResultSet getAsciiStream(I)Ljava/io/InputStream;
java/sql/ResultSet getUnicodeStream(I)Ljava/io/InputStream;
java/sql/ResultSet
 getBinaryStream(I)Ljava/io/InputStream;
java/sql/ResultSet getString(Ljava/lang/String;)Ljava/lang/String;
java/sql/ResultSet getBoolean(Ljava/lang/String;)Z
java/sql/ResultSet getByte(Ljava/lang/String;)B
java/sql/ResultSet getShort(Ljava/lang/String;)S
java/sql/ResultSet getInt(Ljava/lang/String;)I
java/sql/ResultSet getLong(Ljava/lang/String;)J
java/sql/ResultSet getFloat(Ljava/lang/String;)F
java/sql/ResultSet getDouble(Ljava/lang/String;)D
java/sql/ResultSet getBigDecimal(Ljava/lang/String;)Ljava/math/BigDecimal;
java/sql/ResultSet getBytes(Ljava/lang/String;)[B
java/sql/ResultSet getDate(Ljava/lang/String;)Ljava/sql/Date;
java/sql/ResultSet getTime(Ljava/lang/String;)Ljava/sql/Time;
java/sql/ResultSet getTimestamp(Ljava/lang/String;)Ljava/sql/Timestamp;
java/sql/ResultSet getAsciiStream(Ljava/lang/String;)Ljava/io/InputStream;
java/sql/ResultSet getUnicodeStream(Ljava/lang/String;)Ljava/io/InputStream;

```

```

java/sql/ResultSet getBinaryStream(Ljava/lang/String;)Ljava/io/InputStream;
java/sql/ResultSet
 getWarnings()Ljava/sql/SQLWarning;
java/sql/ResultSet clearWarnings()V
java/sql/ResultSet getCursorName()Ljava/lang/String;
java/sql/ResultSet getMetaData()Ljava/sql/ResultSetMetaData;
java/sql/ResultSet getObject(I)Ljava/lang/Object;
java/sql/ResultSet getObject(Ljava/lang/String;)Ljava/lang/Object;
java/sql/ResultSet findColumn(Ljava/lang/String;)I
java/sql/ResultSet getCharacterStream(I)Ljava/io/Reader;
java/sql/ResultSet getCharacterStream(Ljava/lang/String;)Ljava/io/Reader;
java/sql/ResultSet getBigDecimal(I)Ljava/math/BigDecimal;
java/sql/ResultSet getBigDecimal(Ljava/lang/String;)Ljava/math/BigDecimal;
java/sql/ResultSet isBeforeFirst()Z
java/sql/ResultSet isAfterLast()Z
java/sql/ResultSet isFirst()Z
java/sql/ResultSet isLast()Z
java/sql/ResultSet beforeFirst()V
java/sql/ResultSet afterLast()V
java/sql/ResultSet first()Z
java/sql/ResultSet last()Z
java/sql/ResultSet getRow()I
java/sql/ResultSet absolute(I)Z
java/sql/ResultSet
 relative(I)Z
java/sql/ResultSet previous()Z
java/sql/ResultSet setFetchDirection(I)V
java/sql/ResultSet getFetchDirection()I
java/sql/ResultSet setFetchSize(I)V
java/sql/ResultSet getFetchSize()I
java/sql/ResultSet getType()I
java/sql/ResultSet getConcurrency()I
java/sql/ResultSet rowUpdated()Z
java/sql/ResultSet rowInserted()Z
java/sql/ResultSet rowDeleted()Z
java/sql/ResultSet updateNull(I)V
java/sql/ResultSet updateBoolean(IZ)V
java/sql/ResultSet updateByte(IB)V
java/sql/ResultSet updateShort(IS)V
java/sql/ResultSet updateInt(II)V
java/sql/ResultSet updateLong(IJ)V
java/sql/ResultSet updateFloat(IF)V
java/sql/ResultSet updateDouble(ID)V
java/sql/ResultSet updateBigDecimal(ILjava/math/BigDecimal;)V
java/sql/ResultSet updateString(ILjava/lang/String;)V
java/sql/ResultSet updateBytes(I[B)V
java/sql/ResultSet updateDate(ILjava/sql/Date;)V
java/sql/ResultSet updateTime(ILjava/sql/Time;)V

```

```

java/sql/ResultSet updateTimestamp(ILjava/sql/Timestamp;)V
java/sql/ResultSet updateAsciiStream(ILjava/io/InputStream;I)V
java/sql/ResultSet
 updateBinaryStream(ILjava/io/InputStream;I)V
java/sql/ResultSet updateCharacterStream(ILjava/io/Reader;I)V
java/sql/ResultSet updateObject(ILjava/lang/Object;I)V
java/sql/ResultSet updateObject(ILjava/lang/Object;)V
java/sql/ResultSet updateNull(Ljava/lang/String;)V
java/sql/ResultSet updateBoolean(Ljava/lang/String;Z)V
java/sql/ResultSet updateByte(Ljava/lang/String;B)V
java/sql/ResultSet updateShort(Ljava/lang/String;S)V
java/sql/ResultSet updateInt(Ljava/lang/String;I)V
java/sql/ResultSet updateLong(Ljava/lang/String;J)V
java/sql/ResultSet updateFloat(Ljava/lang/String;F)V
java/sql/ResultSet updateDouble(Ljava/lang/String;D)V
java/sql/ResultSet updateBigDecimal(Ljava/lang/String;Ljava/math/BigDecimal;)V
java/sql/ResultSet updateString(Ljava/lang/String;Ljava/lang/String;)V
java/sql/ResultSet updateBytes(Ljava/lang/String;[B)V
java/sql/ResultSet updateDate(Ljava/lang/String;Ljava/sql/Date;)V
java/sql/ResultSet updateTime(Ljava/lang/String;Ljava/sql/Time;)V
java/sql/ResultSet
 updateTimestamp(Ljava/lang/String;Ljava/sql/Timestamp;)V
java/sql/ResultSet updateAsciiStream(Ljava/lang/String;Ljava/io/InputStream;I)V
java/sql/ResultSet updateBinaryStream(Ljava/lang/String;Ljava/io/InputStream;I)V
java/sql/ResultSet updateCharacterStream(Ljava/lang/String;Ljava/io/Reader;I)V
java/sql/ResultSet updateObject(Ljava/lang/String;Ljava/lang/Object;I)V
java/sql/ResultSet updateObject(Ljava/lang/String;Ljava/lang/Object;)V
java/sql/ResultSet insertRow()V
java/sql/ResultSet updateRow()V
java/sql/ResultSet deleteRow()V
java/sql/ResultSet refreshRow()V
java/sql/ResultSet cancelRowUpdates()V
java/sql/ResultSet moveToInsertRow()V
java/sql/ResultSet moveToCurrentRow()V
java/sql/ResultSet getStatement()Ljava/sql/Statement;
java/sql/ResultSet getObject(ILjava/util/Map;)Ljava/lang/Object;
java/sql/ResultSet getRef(I)Ljava/sql/Ref;
java/sql/ResultSet getBlob(I)Ljava/sql/Blob;
java/sql/ResultSet getClob(I)Ljava/sql/Clob;
java/sql/ResultSet
 getArray(I)Ljava/sql/Array;
java/sql/ResultSet getObject(Ljava/lang/String;Ljava/util/Map;)Ljava/lang/Object;
java/sql/ResultSet getRef(Ljava/lang/String;)Ljava/sql/Ref;
java/sql/ResultSet getBlob(Ljava/lang/String;)Ljava/sql/Blob;
java/sql/ResultSet getClob(Ljava/lang/String;)Ljava/sql/Clob;
java/sql/ResultSet getArray(Ljava/lang/String;)Ljava/sql/Array;
java/sql/ResultSet getDate(ILjava/util/Calendar;)Ljava/sql/Date;
java/sql/ResultSet getDate(Ljava/lang/String;Ljava/util/Calendar;)Ljava/sql/Date;

```

```

java/sql/ResultSet getTime(ILjava/util/Calendar;)Ljava/sql/Time;
java/sql/ResultSet getTime(Ljava/lang/String;Ljava/util/Calendar;)Ljava/sql/Time;
java/sql/ResultSet getTimestamp(ILjava/util/Calendar;)Ljava/sql/Timestamp;
java/sql/ResultSet getTimestamp(Ljava/lang/String;Ljava/util/Calendar;)Ljava/sql/Timestamp;
java/sql/ResultSet getURL(I)Ljava/net/URL;
java/sql/ResultSet getURL(Ljava/lang/String;)Ljava/net/URL;
java/sql/ResultSet updateRef(ILjava/sql/Ref;)V
java/sql/ResultSet updateRef(Ljava/lang/String;Ljava/sql/Ref;)V
java/sql/ResultSet
 updateBlob(ILjava/sql/Blob;)V
java/sql/ResultSet updateBlob(Ljava/lang/String;Ljava/sql/Blob;)V
java/sql/ResultSet updateClob(ILjava/sql/Clob;)V
java/sql/ResultSet updateClob(Ljava/lang/String;Ljava/sql/Clob;)V
java/sql/ResultSet updateArray(ILjava/sql/Array;)V
java/sql/ResultSet updateArray(Ljava/lang/String;Ljava/sql/Array;)V
class java/sql/ResultSetMetaData java/lang/Object
java/sql/ResultSetMetaData columnNoNulls
java/sql/ResultSetMetaData columnNullable
java/sql/ResultSetMetaData columnNullableUnknown
java/sql/ResultSetMetaData getColumnCount()I
java/sql/ResultSetMetaData isAutoIncrement()Z
java/sql/ResultSetMetaData isCaseSensitive()Z
java/sql/ResultSetMetaData isSearchable()Z
java/sql/ResultSetMetaData isCurrency()Z
java/sql/ResultSetMetaData isNullable()I
java/sql/ResultSetMetaData isSigned()Z
java/sql/ResultSetMetaData getColumnDisplaySize()I
java/sql/ResultSetMetaData getColumnLabel(I)Ljava/lang/String;
java/sql/ResultSetMetaData
 getColumnName(I)Ljava/lang/String;
java/sql/ResultSetMetaData getSchemaName(I)Ljava/lang/String;
java/sql/ResultSetMetaData getPrecision()I
java/sql/ResultSetMetaData getScale()I
java/sql/ResultSetMetaData getTableName(I)Ljava/lang/String;
java/sql/ResultSetMetaData getCatalogName(I)Ljava/lang/String;
java/sql/ResultSetMetaData getColumnType()I
java/sql/ResultSetMetaData getColumnName(I)Ljava/lang/String;
java/sql/ResultSetMetaData isReadOnly()Z
java/sql/ResultSetMetaData isWritable()Z
java/sql/ResultSetMetaData isDefinitelyWritable()Z
java/sql/ResultSetMetaData getColumnClassName(I)Ljava/lang/String;
class java/sql/SQLData java/lang/Object
java/sql/SQLData getSQLTypeName()Ljava/lang/String;
java/sql/SQLData readSQL(Ljava/sql/SQLInput;Ljava/lang/String;)V
java/sql/SQLData writeSQL(Ljava/sql/SQLOutput;)V
class java/sql/SQLException java/lang/Exception
java/sql/SQLException SQLState
java/sql/SQLException vendorCode

```

```

java/sql/SQLException next
java/sql/SQLException
 <init>(Ljava/lang/String;Ljava/lang/String;I)V
java/sql/SQLException <init>(Ljava/lang/String;Ljava/lang/String;)V
java/sql/SQLException <init>(Ljava/lang/String;)V
java/sql/SQLException <init>()V
java/sql/SQLException getSQLState()Ljava/lang/String;
java/sql/SQLException getErrorCode()I
java/sql/SQLException getNextException()Ljava/sql/SQLException;
java/sql/SQLException setNextException(Ljava/sql/SQLException;)V
class java/sql/SQLInput java/lang/Object
java/sql/SQLInput readString()Ljava/lang/String;
java/sql/SQLInput readBoolean()Z
java/sql/SQLInput readByte()B
java/sql/SQLInput readShort()S
java/sql/SQLInput readInt()I
java/sql/SQLInput readLong()J
java/sql/SQLInput readFloat()F
java/sql/SQLInput readDouble()D
java/sql/SQLInput readBigDecimal()Ljava/math/BigDecimal;
java/sql/SQLInput readBytes()[B
java/sql/SQLInput readDate()Ljava/sql/Date;
java/sql/SQLInput readTime()Ljava/sql/Time;
java/sql/SQLInput readTimestamp()Ljava/sql/Timestamp;
java/sql/SQLInput readCharacterStream()Ljava/io/Reader;
java/sql/SQLInput
 readAsciiStream()Ljava/io/InputStream;
java/sql/SQLInput readBinaryStream()Ljava/io/InputStream;
java/sql/SQLInput readObject()Ljava/lang/Object;
java/sql/SQLInput readRef()Ljava/sql/Ref;
java/sql/SQLInput readBlob()Ljava/sql/Blob;
java/sql/SQLInput readClob()Ljava/sql/Clob;
java/sql/SQLInput readArray()Ljava/sql/Array;
java/sql/SQLInput wasNull()Z
java/sql/SQLInput readURL()Ljava/net/URL;
class java/sql/SQLOutput java/lang/Object
java/sql/SQLOutput writeString(Ljava/lang/String;)V
java/sql/SQLOutput writeBoolean(Z)V
java/sql/SQLOutput writeByte(B)V
java/sql/SQLOutput writeShort(S)V
java/sql/SQLOutput writeInt(I)V
java/sql/SQLOutput writeLong(J)V
java/sql/SQLOutput writeFloat(F)V
java/sql/SQLOutput writeDouble(D)V
java/sql/SQLOutput writeBigDecimal(Ljava/math/BigDecimal;)V
java/sql/SQLOutput writeBytes([B)V
java/sql/SQLOutput writeDate(Ljava/sql/Date;)V
java/sql/SQLOutput writeTime(Ljava/sql/Time;)V

```



```

java/sql/SQLOutput writeTimestamp(Ljava/sql/Timestamp;)V
java/sql/SQLOutput
 writeCharacterStream(Ljava/io/Reader;)V
java/sql/SQLOutput writeAsciiStream(Ljava/io/InputStream;)V
java/sql/SQLOutput writeBinaryStream(Ljava/io/InputStream;)V
java/sql/SQLOutput writeObject(Ljava/sql/SQLData;)V
java/sql/SQLOutput writeRef(Ljava/sql/Ref;)V
java/sql/SQLOutput writeBlob(Ljava/sql/Blob;)V
java/sql/SQLOutput writeClob(Ljava/sql/Clob;)V
java/sql/SQLOutput writeStruct(Ljava/sql/Struct;)V
java/sql/SQLOutput writeArray(Ljava/sql/Array;)V
java/sql/SQLOutput writeURL(Ljava/net/URL;)V
class java/sql/SQLPermission java/security/BasicPermission
java/sql/SQLPermission serialVersionUID
java/sql/SQLPermission <init>(Ljava/lang/String;)V
java/sql/SQLPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/sql/SQLWarning java/sql/SQLException
java/sql/SQLWarning <init>(Ljava/lang/String;Ljava/lang/String;I)V
java/sql/SQLWarning <init>(Ljava/lang/String;Ljava/lang/String;)V
java/sql/SQLWarning <init>(Ljava/lang/String;)V
java/sql/SQLWarning <init>()V
java/sql/SQLWarning
 getNextWarning()Ljava/sql/SQLWarning;
java/sql/SQLWarning setNextWarning(Ljava/sql/SQLWarning;)V
class java/sql/Savepoint java/lang/Object
java/sql/Savepoint getSavepointId()I
java/sql/Savepoint getSavepointName()Ljava/lang/String;
class java/sql/Statement java/lang/Object
java/sql/Statement CLOSE_CURRENT_RESULT
java/sql/Statement KEEP_CURRENT_RESULT
java/sql/Statement CLOSE_ALL_RESULTS
java/sql/Statement SUCCESS_NO_INFO
java/sql/Statement EXECUTE_FAILED
java/sql/Statement RETURN_GENERATED_KEYS
java/sql/Statement NO_GENERATED_KEYS
java/sql/Statement executeQuery(Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/Statement executeUpdate(Ljava/lang/String;)I
java/sql/Statement close()V
java/sql/Statement getMaxFieldSize()I
java/sql/Statement setMaxFieldSize(I)V
java/sql/Statement getMaxRows()I
java/sql/Statement setMaxRows(I)V
java/sql/Statement setEscapeProcessing(Z)V
java/sql/Statement getQueryTimeout()I
java/sql/Statement setQueryTimeout(I)V
java/sql/Statement cancel()V
java/sql/Statement

```

```

 getWarnings()Ljava/sql/SQLWarning;
java/sql/Statement clearWarnings()V
java/sql/Statement setCursorName(Ljava/lang/String;)V
java/sql/Statement execute(Ljava/lang/String;)Z
java/sql/Statement getResultSet()Ljava/sql/ResultSet;
java/sql/Statement getUpdateCount()I
java/sql/Statement getMoreResults()Z
java/sql/Statement setFetchDirection(I)V
java/sql/Statement getFetchDirection()I
java/sql/Statement setFetchSize(I)V
java/sql/Statement getFetchSize()I
java/sql/Statement getResultSetConcurrency()I
java/sql/Statement getResultSetType()I
java/sql/Statement addBatch(Ljava/lang/String;)V
java/sql/Statement clearBatch()V
java/sql/Statement executeBatch()[I
java/sql/Statement getConnection()Ljava/sql/Connection;
java/sql/Statement getMoreResults(I)Z
java/sql/Statement getGeneratedKeys()Ljava/sql/ResultSet;
java/sql/Statement executeUpdate(Ljava/lang/String;)I
java/sql/Statement executeUpdate(Ljava/lang/String;[I)I
java/sql/Statement executeUpdate(Ljava/lang/String;[Ljava/lang/String;)I
java/sql/Statement
 execute(Ljava/lang/String;I)Z
java/sql/Statement execute(Ljava/lang/String;[I)Z
java/sql/Statement execute(Ljava/lang/String;[Ljava/lang/String;)Z
java/sql/Statement getResultSetHoldability()I
class java/sql/Struct java/lang/Object
java/sql/Struct getSQLTypeName()Ljava/lang/String;
java/sql/Struct getAttributes()[Ljava/lang/Object;
java/sql/Struct getAttributes(Ljava/util/Map;)[Ljava/lang/Object;
class java/sql/Time java/util/Date
java/sql/Time serialVersionUID
java/sql/Time <init>(III)V
java/sql/Time <init>(J)V
java/sql/Time setTime(J)V
java/sql/Time valueOf(Ljava/lang/String;)Ljava/sql/Time;
java/sql/Time toString()Ljava/lang/String;
java/sql/Time getYear()I
java/sql/Time getMonth()I
java/sql/Time getDay()I
java/sql/Time getDate()I
java/sql/Time setYear(I)V
java/sql/Time setMonth(I)V
java/sql/Time setDate(I)V
class java/sql/Timestamp java/util/Date
java/sql/Timestamp nanos
java/sql/Timestamp serialVersionUID

```

```

java/sql/Timestamp <init>(IIIIII)V
java/sql/Timestamp
 <init>(J)V
java/sql/Timestamp setTime(J)V
java/sql/Timestamp getTime()J
java/sql/Timestamp valueOf(Ljava/lang/String;)Ljava/sql/Timestamp;
java/sql/Timestamp toString()Ljava/lang/String;
java/sql/Timestamp getNanos()I
java/sql/Timestamp setNanos(I)V
java/sql/Timestamp equals(Ljava/sql/Timestamp;)Z
java/sql/Timestamp equals(Ljava/lang/Object;)Z
java/sql/Timestamp before(Ljava/sql/Timestamp;)Z
java/sql/Timestamp after(Ljava/sql/Timestamp;)Z
java/sql/Timestamp compareTo(Ljava/sql/Timestamp;)I
java/sql/Timestamp compareTo(Ljava/util/Date;)I
java/sql/Timestamp compareTo(Ljava/lang/Object;)I
class java/sql/Types java/lang/Object
java/sql/Types BIT
java/sql/Types TINYINT
java/sql/Types SMALLINT
java/sql/Types INTEGER
java/sql/Types BIGINT
java/sql/Types FLOAT
java/sql/Types REAL
java/sql/Types DOUBLE
java/sql/Types NUMERIC
java/sql/Types DECIMAL
java/sql/Types CHAR
java/sql/Types VARCHAR
java/sql/Types LONGVARCHAR
java/sql/Types DATE
java/sql/Types TIME
java/sql/Types TIMESTAMP
java/sql/Types
 BINARY
java/sql/Types VARBINARY
java/sql/Types LONGVARBINARY
java/sql/Types NULL
java/sql/Types OTHER
java/sql/Types JAVA_OBJECT
java/sql/Types DISTINCT
java/sql/Types STRUCT
java/sql/Types ARRAY
java/sql/Types BLOB
java/sql/Types CLOB
java/sql/Types REF
java/sql/Types DATALINK
java/sql/Types BOOLEAN

```

```

java/sql/Types <init>()V
class java/text/Annotation java/lang/Object
java/text/Annotation value
java/text/Annotation <init>(Ljava/lang/Object;)V
java/text/Annotation getValue()Ljava/lang/Object;
java/text/Annotation toString()Ljava/lang/String;
class java/text/AttributeEntry java/lang/Object
java/text/AttributeEntry key
java/text/AttributeEntry value
java/text/AttributeEntry <init>(Ljava/text/AttributedCharacterIterator$Attribute;Ljava/lang/Object;)V
java/text/AttributeEntry equals(Ljava/lang/Object;)Z
java/text/AttributeEntry getKey()Ljava/lang/Object;
java/text/AttributeEntry getValue()Ljava/lang/Object;
java/text/AttributeEntry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/text/AttributeEntry
 hashCode()I
java/text/AttributeEntry toString()Ljava/lang/String;
class java/text/AttributedString$AttributeMap java/util/AbstractMap
java/text/AttributedString$AttributeMap runIndex
java/text/AttributedString$AttributeMap beginIndex
java/text/AttributedString$AttributeMap endIndex
java/text/AttributedString$AttributeMap this$0
java/text/AttributedString$AttributeMap <init>(Ljava/text/AttributedString;III)V
java/text/AttributedString$AttributeMap entrySet()Ljava/util/Set;
java/text/AttributedString$AttributeMap get(Ljava/lang/Object;)Ljava/lang/Object;
class java/text/BreakDictionary$1 java/lang/Object
java/text/BreakDictionary$1 val$dictionaryName
java/text/BreakDictionary$1 this$0
java/text/BreakDictionary$1 <init>(Ljava/text/BreakDictionary;Ljava/lang/String;)V
java/text/BreakDictionary$1 run()Ljava/lang/Object;
class java/text/BreakDictionary java/lang/Object
java/text/BreakDictionary supportedVersion
java/text/BreakDictionary columnMap
java/text/BreakDictionary
 supplementaryCharColumnMap
java/text/BreakDictionary numCols
java/text/BreakDictionary numColGroups
java/text/BreakDictionary table
java/text/BreakDictionary rowIndex
java/text/BreakDictionary rowIndexFlags
java/text/BreakDictionary rowIndexFlagsIndex
java/text/BreakDictionary rowIndexShifts
java/text/BreakDictionary <init>(Ljava/lang/String;)V
java/text/BreakDictionary readDictionaryFile(Ljava/lang/String;)V
java/text/BreakDictionary getNextStateFromCharacter(II)S
java/text/BreakDictionary getNextState(II)S
java/text/BreakDictionary cellIsPopulated(II)Z
java/text/BreakDictionary internalAt(II)S

```

```

java/text/BreakDictionary <clinit>()V
class java/text/BreakIterator$1 java/lang/Object
java/text/BreakIterator$1 val$baseName
java/text/BreakIterator$1 val$locale
java/text/BreakIterator$1 <init>(Ljava/lang/String;Ljava/util/Locale;)V
java/text/BreakIterator$1 run()Ljava/lang/Object;
class java/text/BreakIterator$BreakIteratorCache java/lang/Object
java/text/BreakIterator$BreakIteratorCache
 iter
java/text/BreakIterator$BreakIteratorCache where
java/text/BreakIterator$BreakIteratorCache <init>(Ljava/util/Locale;Ljava/text/BreakIterator;)V
java/text/BreakIterator$BreakIteratorCache getLocale()Ljava/util/Locale;
java/text/BreakIterator$BreakIteratorCache createBreakInstance()Ljava/text/BreakIterator;
class java/text/CharacterIteratorFieldDelegate java/lang/Object
java/text/CharacterIteratorFieldDelegate attributedStrings
java/text/CharacterIteratorFieldDelegate size
java/text/CharacterIteratorFieldDelegate <init>()V
java/text/CharacterIteratorFieldDelegate
 formatted(Ljava/text/Format$Field;Ljava/lang/Object;IILjava/lang/StringBuffer;)V
java/text/CharacterIteratorFieldDelegate
 formatted(ILjava/text/Format$Field;Ljava/lang/Object;IILjava/lang/StringBuffer;)V
java/text/CharacterIteratorFieldDelegate getIterator(Ljava/lang/String;)Ljava/text/AttributedCharacterIterator;
class java/text/ChoiceFormat java/text/NumberFormat
java/text/ChoiceFormat serialVersionUID
java/text/ChoiceFormat
 choiceLimits
java/text/ChoiceFormat choiceFormats
java/text/ChoiceFormat SIGN
java/text/ChoiceFormat EXPONENT
java/text/ChoiceFormat POSITIVEINFINITY
java/text/ChoiceFormat applyPattern(Ljava/lang/String;)V
java/text/ChoiceFormat toPattern()Ljava/lang/String;
java/text/ChoiceFormat <init>(Ljava/lang/String;)V
java/text/ChoiceFormat <init>([D[Ljava/lang/String;)V
java/text/ChoiceFormat setChoices([D[Ljava/lang/String;)V
java/text/ChoiceFormat getLimits()[D
java/text/ChoiceFormat getFormats()[Ljava/lang/Object;
java/text/ChoiceFormat format(JLjava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/ChoiceFormat format(DLjava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/ChoiceFormat parse(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/lang/Number;
java/text/ChoiceFormat nextDouble(D)D
java/text/ChoiceFormat previousDouble(D)D
java/text/ChoiceFormat clone()Ljava/lang/Object;
java/text/ChoiceFormat hashCode()I
java/text/ChoiceFormat
 equals(Ljava/lang/Object;)Z
java/text/ChoiceFormat readObject(Ljava/io/ObjectInputStream;)V
java/text/ChoiceFormat nextDouble(DZ)D

```

```

java/text/ChoiceFormat doubleArraySize([D][D
java/text/ChoiceFormat doubleArraySize([Ljava/lang/String;)[Ljava/lang/String;
class java/text/CollationElementIterator java/lang/Object
java/text/CollationElementIterator NULLORDER
java/text/CollationElementIterator UNMAPPEDCHARVALUE
java/text/CollationElementIterator text
java/text/CollationElementIterator buffer
java/text/CollationElementIterator expIndex
java/text/CollationElementIterator key
java/text/CollationElementIterator swapOrder
java/text/CollationElementIterator ordering
java/text/CollationElementIterator owner
java/text/CollationElementIterator <init>(Ljava/lang/String;Ljava/text/RuleBasedCollator;)V
java/text/CollationElementIterator <init>(Ljava/text/CharacterIterator;Ljava/text/RuleBasedCollator;)V
java/text/CollationElementIterator reset()V
java/text/CollationElementIterator next()I
java/text/CollationElementIterator
previous()I
java/text/CollationElementIterator primaryOrder(I)I
java/text/CollationElementIterator secondaryOrder(I)S
java/text/CollationElementIterator tertiaryOrder(I)S
java/text/CollationElementIterator strengthOrder(I)I
java/text/CollationElementIterator setOffset(I)V
java/text/CollationElementIterator getOffset()I
java/text/CollationElementIterator getMaxExpansion()I
java/text/CollationElementIterator setText(Ljava/lang/String;)V
java/text/CollationElementIterator setText(Ljava/text/CharacterIterator;)V
java/text/CollationElementIterator isThaiPreVowel(I)Z
java/text/CollationElementIterator isThaiBaseConsonant(I)Z
java/text/CollationElementIterator isLaoPreVowel(I)Z
java/text/CollationElementIterator isLaoBaseConsonant(I)Z
java/text/CollationElementIterator makeReorderedBuffer(II[IZ)[I
java/text/CollationElementIterator isIgnorable(I)Z
java/text/CollationElementIterator nextContractChar(I)I
java/text/CollationElementIterator prevContractChar(I)I
class
java/text/CollationKey java/lang/Object
java/text/CollationKey source
java/text/CollationKey key
java/text/CollationKey compareTo(Ljava/text/CollationKey;)I
java/text/CollationKey equals(Ljava/lang/Object;)Z
java/text/CollationKey hashCode()I
java/text/CollationKey getSourceString()Ljava/lang/String;
java/text/CollationKey toByteArray()[B
java/text/CollationKey <init>(Ljava/lang/String;Ljava/lang/String;)V
java/text/CollationKey compareTo(Ljava/lang/Object;)I
class java/text/DictionaryBasedBreakIterator java/text/RuleBasedBreakIterator
java/text/DictionaryBasedBreakIterator dictionary

```

```

java/text/DictionaryBasedBreakIterator categoryFlags
java/text/DictionaryBasedBreakIterator dictionaryCharCount
java/text/DictionaryBasedBreakIterator cachedBreakPositions
java/text/DictionaryBasedBreakIterator positionInCache
java/text/DictionaryBasedBreakIterator <init>(Ljava/lang/String;Ljava/lang/String;)V
java/text/DictionaryBasedBreakIterator prepareCategoryFlags([B)V
java/text/DictionaryBasedBreakIterator
 setText(Ljava/text/CharacterIterator;)V
java/text/DictionaryBasedBreakIterator first()I
java/text/DictionaryBasedBreakIterator last()I
java/text/DictionaryBasedBreakIterator previous()I
java/text/DictionaryBasedBreakIterator preceding()I
java/text/DictionaryBasedBreakIterator following()I
java/text/DictionaryBasedBreakIterator handleNext()I
java/text/DictionaryBasedBreakIterator lookupCategory()I
java/text/DictionaryBasedBreakIterator divideUpDictionaryRange(II)V
class java/text/FieldPosition$1 java/lang/Object
class java/text/FieldPosition$Delegate java/lang/Object
java/text/FieldPosition$Delegate encounteredField
java/text/FieldPosition$Delegate this$0
java/text/FieldPosition$Delegate <init>(Ljava/text/FieldPosition;)V
java/text/FieldPosition$Delegate formatted(Ljava/text/Format$Field;Ljava/lang/Object;IILjava/lang/StringBuffer;)V
java/text/FieldPosition$Delegate
 formatted(ILjava/text/Format$Field;Ljava/lang/Object;IILjava/lang/StringBuffer;)V
java/text/FieldPosition$Delegate
 <init>(Ljava/text/FieldPosition;Ljava/text/FieldPosition$1;)V
class java/text/ParsePosition java/lang/Object
java/text/ParsePosition index
java/text/ParsePosition errorIndex
java/text/ParsePosition getIndex()I
java/text/ParsePosition setIndex(I)V
java/text/ParsePosition <init>(I)V
java/text/ParsePosition setErrorIndex(I)V
java/text/ParsePosition getErrorIndex()I
java/text/ParsePosition equals(Ljava/lang/Object;)Z
java/text/ParsePosition hashCode()I
java/text/ParsePosition toString()Ljava/lang/String;
class java/text/RBCollationTables$1 java/lang/Object
class java/text/RuleBasedBreakIterator$1 java/lang/Object
java/text/RuleBasedBreakIterator$1 val$datafile
java/text/RuleBasedBreakIterator$1 this$0
java/text/RuleBasedBreakIterator$1 <init>(Ljava/text/RuleBasedBreakIterator;Ljava/lang/String;)V
java/text/RuleBasedBreakIterator$1 run()Ljava/lang/Object;
class java/text/RuleBasedBreakIterator$SafeCharIterator java/lang/Object
java/text/RuleBasedBreakIterator$SafeCharIterator base
java/text/RuleBasedBreakIterator$SafeCharIterator
 rangeStart
java/text/RuleBasedBreakIterator$SafeCharIterator rangeLimit

```

```

java/text/RuleBasedBreakIterator$SafeCharIterator currentIndex
java/text/RuleBasedBreakIterator$SafeCharIterator <init>(Ljava/text/CharacterIterator;)V
java/text/RuleBasedBreakIterator$SafeCharIterator first()C
java/text/RuleBasedBreakIterator$SafeCharIterator last()C
java/text/RuleBasedBreakIterator$SafeCharIterator current()C
java/text/RuleBasedBreakIterator$SafeCharIterator next()C
java/text/RuleBasedBreakIterator$SafeCharIterator previous()C
java/text/RuleBasedBreakIterator$SafeCharIterator setIndex(I)C
java/text/RuleBasedBreakIterator$SafeCharIterator getBeginIndex()I
java/text/RuleBasedBreakIterator$SafeCharIterator getEndIndex()I
java/text/RuleBasedBreakIterator$SafeCharIterator getIndex()I
java/text/RuleBasedBreakIterator$SafeCharIterator clone()Ljava/lang/Object;
class java/text/RuleBasedBreakIterator java/text/BreakIterator
java/text/RuleBasedBreakIterator
 IGNORE
java/text/RuleBasedBreakIterator START_STATE
java/text/RuleBasedBreakIterator STOP_STATE
java/text/RuleBasedBreakIterator LABEL
java/text/RuleBasedBreakIterator LABEL_LENGTH
java/text/RuleBasedBreakIterator supportedVersion
java/text/RuleBasedBreakIterator HEADER_LENGTH
java/text/RuleBasedBreakIterator BMP_INDICES_LENGTH
java/text/RuleBasedBreakIterator charCategoryTable
java/text/RuleBasedBreakIterator supplementaryCharCategoryTable
java/text/RuleBasedBreakIterator stateTable
java/text/RuleBasedBreakIterator backwardsStateTable
java/text/RuleBasedBreakIterator endStates
java/text/RuleBasedBreakIterator lookaheadStates
java/text/RuleBasedBreakIterator additionalData
java/text/RuleBasedBreakIterator numCategories
java/text/RuleBasedBreakIterator text
java/text/RuleBasedBreakIterator checksum
java/text/RuleBasedBreakIterator <init>(Ljava/lang/String;)V
java/text/RuleBasedBreakIterator readTables(Ljava/lang/String;)V
java/text/RuleBasedBreakIterator readFile(Ljava/lang/String;)[B
java/text/RuleBasedBreakIterator
 getAdditionalData()[B
java/text/RuleBasedBreakIterator setAdditionalData([B)V
java/text/RuleBasedBreakIterator clone()Ljava/lang/Object;
java/text/RuleBasedBreakIterator equals(Ljava/lang/Object;)Z
java/text/RuleBasedBreakIterator toString()Ljava/lang/String;
java/text/RuleBasedBreakIterator hashCode()I
java/text/RuleBasedBreakIterator first()I
java/text/RuleBasedBreakIterator last()I
java/text/RuleBasedBreakIterator next(I)I
java/text/RuleBasedBreakIterator next()I
java/text/RuleBasedBreakIterator previous()I
java/text/RuleBasedBreakIterator getPrevious()I

```



```

java/text/RuleBasedBreakIterator getCurrent()I
java/text/RuleBasedBreakIterator getCurrentCodePointCount()I
java/text/RuleBasedBreakIterator getNext()I
java/text/RuleBasedBreakIterator getNextIndex()I
java/text/RuleBasedBreakIterator checkOffset(ILjava/text/CharacterIterator;)V
java/text/RuleBasedBreakIterator following(I)I
java/text/RuleBasedBreakIterator preceding(I)I
java/text/RuleBasedBreakIterator
 isBoundary(I)Z
java/text/RuleBasedBreakIterator current()I
java/text/RuleBasedBreakIterator getText()Ljava/text/CharacterIterator;
java/text/RuleBasedBreakIterator setText(Ljava/text/CharacterIterator;)V
java/text/RuleBasedBreakIterator handleNext()I
java/text/RuleBasedBreakIterator handlePrevious()I
java/text/RuleBasedBreakIterator lookupCategory(I)I
java/text/RuleBasedBreakIterator lookupState(II)I
java/text/RuleBasedBreakIterator lookupBackwardState(II)I
java/text/RuleBasedBreakIterator <clinit>()V
class java/text/StringCharacterIterator java/lang/Object
java/text/StringCharacterIterator text
java/text/StringCharacterIterator begin
java/text/StringCharacterIterator end
java/text/StringCharacterIterator pos
java/text/StringCharacterIterator <init>(Ljava/lang/String;)V
java/text/StringCharacterIterator <init>(Ljava/lang/String;I)V
java/text/StringCharacterIterator <init>(Ljava/lang/String;III)V
java/text/StringCharacterIterator setText(Ljava/lang/String;)V
java/text/StringCharacterIterator
 first()C
java/text/StringCharacterIterator last()C
java/text/StringCharacterIterator setIndex(I)C
java/text/StringCharacterIterator current()C
java/text/StringCharacterIterator next()C
java/text/StringCharacterIterator previous()C
java/text/StringCharacterIterator getBeginIndex()I
java/text/StringCharacterIterator getEndIndex()I
java/text/StringCharacterIterator getIndex()I
java/text/StringCharacterIterator equals(Ljava/lang/Object;)Z
java/text/StringCharacterIterator hashCode()I
java/text/StringCharacterIterator clone()Ljava/lang/Object;
class java/util/AbstractList$1 java/lang/Object
class java/util/AbstractMap$1$1 java/lang/Object
java/util/AbstractMap$1$1 i
java/util/AbstractMap$1$1 this$1
java/util/AbstractMap$1$1 <init>(Ljava/util/AbstractMap$1;)V
java/util/AbstractMap$1$1 hasNext()Z
java/util/AbstractMap$1$1 next()Ljava/lang/Object;
java/util/AbstractMap$1$1 remove()V

```

```

class java/util/AbstractMap$1 java/util/AbstractSet
java/util/AbstractMap$1 this$0
java/util/AbstractMap$1
 <init>(Ljava/util/AbstractMap;)V
java/util/AbstractMap$1 iterator()Ljava/util/Iterator;
java/util/AbstractMap$1 size()I
java/util/AbstractMap$1 contains(Ljava/lang/Object;)Z
class java/util/AbstractMap$2$1 java/lang/Object
java/util/AbstractMap$2$1 i
java/util/AbstractMap$2$1 this$1
java/util/AbstractMap$2$1 <init>(Ljava/util/AbstractMap$2;)V
java/util/AbstractMap$2$1 hasNext()Z
java/util/AbstractMap$2$1 next()Ljava/lang/Object;
java/util/AbstractMap$2$1 remove()V
class java/util/AbstractMap$2 java/util/AbstractCollection
java/util/AbstractMap$2 this$0
java/util/AbstractMap$2 <init>(Ljava/util/AbstractMap;)V
java/util/AbstractMap$2 iterator()Ljava/util/Iterator;
java/util/AbstractMap$2 size()I
java/util/AbstractMap$2 contains(Ljava/lang/Object;)Z
class java/util/AbstractMap$SimpleEntry java/lang/Object
java/util/AbstractMap$SimpleEntry key
java/util/AbstractMap$SimpleEntry value
java/util/AbstractMap$SimpleEntry <init>(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/AbstractMap$SimpleEntry
 <init>(Ljava/util/Map$Entry;)V
java/util/AbstractMap$SimpleEntry getKey()Ljava/lang/Object;
java/util/AbstractMap$SimpleEntry getValue()Ljava/lang/Object;
java/util/AbstractMap$SimpleEntry setValue(Ljava/lang/Object;Ljava/lang/Object;)
java/util/AbstractMap$SimpleEntry equals(Ljava/lang/Object;)Z
java/util/AbstractMap$SimpleEntry hashCode()I
java/util/AbstractMap$SimpleEntry toString()Ljava/lang/String;
java/util/AbstractMap$SimpleEntry eq(Ljava/lang/Object;Ljava/lang/Object;)Z
class java/util/AbstractQueue java/util/AbstractCollection
java/util/AbstractQueue <init>()V
java/util/AbstractQueue add(Ljava/lang/Object;)Z
java/util/AbstractQueue remove()Ljava/lang/Object;
java/util/AbstractQueue element()Ljava/lang/Object;
java/util/AbstractQueue clear()V
java/util/AbstractQueue addAll(Ljava/util/Collection;)Z
class java/util/Calendar$1 java/lang/Object
java/util/Calendar$1 val$Input
java/util/Calendar$1 this$0
java/util/Calendar$1 <init>(Ljava/util/Calendar;Ljava/io/ObjectInputStream;)V
java/util/Calendar$1
 run()Ljava/lang/Object;
class java/util/Collections$CheckedCollection$1 java/lang/Object
java/util/Collections$CheckedCollection$1 it

```

```

java/util/Collections$CheckedCollection$1 this$0
java/util/Collections$CheckedCollection$1 <init>(Ljava/util/Collections$CheckedCollection;)V
java/util/Collections$CheckedCollection$1 hasNext()Z
java/util/Collections$CheckedCollection$1 next()Ljava/lang/Object;
java/util/Collections$CheckedCollection$1 remove()V
class java/util/Collections$CheckedCollection java/lang/Object
java/util/Collections$CheckedCollection serialVersionUID
java/util/Collections$CheckedCollection c
java/util/Collections$CheckedCollection type
java/util/Collections$CheckedCollection zeroLengthElementArray
java/util/Collections$CheckedCollection typeCheck(Ljava/lang/Object;)V
java/util/Collections$CheckedCollection <init>(Ljava/util/Collection;Ljava/lang/Class;)V
java/util/Collections$CheckedCollection size()I
java/util/Collections$CheckedCollection isEmpty()Z
java/util/Collections$CheckedCollection
contains(Ljava/lang/Object;)Z
java/util/Collections$CheckedCollection toArray()[Ljava/lang/Object;
java/util/Collections$CheckedCollection toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/Collections$CheckedCollection toString()Ljava/lang/String;
java/util/Collections$CheckedCollection remove(Ljava/lang/Object;)Z
java/util/Collections$CheckedCollection containsAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedCollection removeAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedCollection retainAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedCollection clear()V
java/util/Collections$CheckedCollection iterator()Ljava/util/Iterator;
java/util/Collections$CheckedCollection add(Ljava/lang/Object;)Z
java/util/Collections$CheckedCollection addAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedCollection zeroLengthElementArray()[Ljava/lang/Object;
class java/util/Collections$CheckedList$1 java/lang/Object
java/util/Collections$CheckedList$1
i
java/util/Collections$CheckedList$1 val$index
java/util/Collections$CheckedList$1 this$0
java/util/Collections$CheckedList$1 <init>(Ljava/util/Collections$CheckedList;I)V
java/util/Collections$CheckedList$1 hasNext()Z
java/util/Collections$CheckedList$1 next()Ljava/lang/Object;
java/util/Collections$CheckedList$1 hasPrevious()Z
java/util/Collections$CheckedList$1 previous()Ljava/lang/Object;
java/util/Collections$CheckedList$1 nextIndex()I
java/util/Collections$CheckedList$1 previousIndex()I
java/util/Collections$CheckedList$1 remove()V
java/util/Collections$CheckedList$1 set(Ljava/lang/Object;)V
java/util/Collections$CheckedList$1 add(Ljava/lang/Object;)V
class java/util/Collections$CheckedList java/util/Collections$CheckedCollection
java/util/Collections$CheckedList serialVersionUID
java/util/Collections$CheckedList list
java/util/Collections$CheckedList <init>(Ljava/util/List;Ljava/lang/Class;)V
java/util/Collections$CheckedList equals(Ljava/lang/Object;)Z

```

```

java/util/Collections$CheckedList
 hashCode()I
java/util/Collections$CheckedList get(I)Ljava/lang/Object;
java/util/Collections$CheckedList remove(I)Ljava/lang/Object;
java/util/Collections$CheckedList indexOf(Ljava/lang/Object;)I
java/util/Collections$CheckedList lastIndexOf(Ljava/lang/Object;)I
java/util/Collections$CheckedList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/Collections$CheckedList add(ILjava/lang/Object;)V
java/util/Collections$CheckedList addAll(ILjava/util/Collection;)Z
java/util/Collections$CheckedList listIterator()Ljava/util/ListIterator;
java/util/Collections$CheckedList listIterator(I)Ljava/util/ListIterator;
java/util/Collections$CheckedList subList(II)Ljava/util/List;
class java/util/Collections$CheckedMap$CheckedEntrySet$1 java/lang/Object
java/util/Collections$CheckedMap$CheckedEntrySet$1 i
java/util/Collections$CheckedMap$CheckedEntrySet$1 this$0
java/util/Collections$CheckedMap$CheckedEntrySet$1
 <init>(Ljava/util/Collections$CheckedMap$CheckedEntrySet;)V
java/util/Collections$CheckedMap$CheckedEntrySet$1
 hasNext()Z
java/util/Collections$CheckedMap$CheckedEntrySet$1 remove()V
java/util/Collections$CheckedMap$CheckedEntrySet$1 next()Ljava/util/Map$Entry;
java/util/Collections$CheckedMap$CheckedEntrySet$1 next()Ljava/lang/Object;
class java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry java/lang/Object
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry e
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry valueType
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry
 <init>(Ljava/util/Map$Entry;Ljava/lang/Class;)V
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry getKey()Ljava/lang/Object;
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry getValue()Ljava/lang/Object;
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry hashCode()I
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry toString()Ljava/lang/String;
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry
 setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry equals(Ljava/lang/Object;)Z
class java/util/Collections$CheckedMap$CheckedEntrySet java/lang/Object
java/util/Collections$CheckedMap$CheckedEntrySet s
java/util/Collections$CheckedMap$CheckedEntrySet valueType
java/util/Collections$CheckedMap$CheckedEntrySet <init>(Ljava/util/Set;Ljava/lang/Class;)V
java/util/Collections$CheckedMap$CheckedEntrySet size()I
java/util/Collections$CheckedMap$CheckedEntrySet isEmpty()Z
java/util/Collections$CheckedMap$CheckedEntrySet toString()Ljava/lang/String;
java/util/Collections$CheckedMap$CheckedEntrySet hashCode()I
java/util/Collections$CheckedMap$CheckedEntrySet remove(Ljava/lang/Object;)Z
java/util/Collections$CheckedMap$CheckedEntrySet removeAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedMap$CheckedEntrySet retainAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedMap$CheckedEntrySet clear()V
java/util/Collections$CheckedMap$CheckedEntrySet

```

```

 add(Ljava/util/Map$Entry;)Z
java/util/Collections$CheckedMap$CheckedEntrySet addAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedMap$CheckedEntrySet iterator()Ljava/util/Iterator;
java/util/Collections$CheckedMap$CheckedEntrySet toArray()[Ljava/lang/Object;
java/util/Collections$CheckedMap$CheckedEntrySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/Collections$CheckedMap$CheckedEntrySet contains(Ljava/lang/Object;)Z
java/util/Collections$CheckedMap$CheckedEntrySet containsAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedMap$CheckedEntrySet equals(Ljava/lang/Object;)Z
java/util/Collections$CheckedMap$CheckedEntrySet add(Ljava/lang/Object;)Z
class java/util/Collections$CheckedMap java/lang/Object
java/util/Collections$CheckedMap serialVersionUID
java/util/Collections$CheckedMap m
java/util/Collections$CheckedMap keyType
java/util/Collections$CheckedMap valueType
java/util/Collections$CheckedMap zeroLengthKeyArray
java/util/Collections$CheckedMap
 zeroLengthValueArray
java/util/Collections$CheckedMap entrySet
java/util/Collections$CheckedMap typeCheck(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/Collections$CheckedMap <init>(Ljava/util/Map;Ljava/lang/Class;Ljava/lang/Class;)V
java/util/Collections$CheckedMap size()I
java/util/Collections$CheckedMap isEmpty()Z
java/util/Collections$CheckedMap containsKey(Ljava/lang/Object;)Z
java/util/Collections$CheckedMap containsValue(Ljava/lang/Object;)Z
java/util/Collections$CheckedMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$CheckedMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$CheckedMap clear()V
java/util/Collections$CheckedMap keySet()Ljava/util/Set;
java/util/Collections$CheckedMap values()Ljava/util/Collection;
java/util/Collections$CheckedMap equals(Ljava/lang/Object;)Z
java/util/Collections$CheckedMap hashCode()I
java/util/Collections$CheckedMap toString()Ljava/lang/String;
java/util/Collections$CheckedMap
 put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$CheckedMap putAll(Ljava/util/Map;)V
java/util/Collections$CheckedMap zeroLengthKeyArray()[Ljava/lang/Object;
java/util/Collections$CheckedMap zeroLengthValueArray()[Ljava/lang/Object;
java/util/Collections$CheckedMap entrySet()Ljava/util/Set;
class java/util/Collections$CheckedRandomAccessList java/util/Collections$CheckedList
java/util/Collections$CheckedRandomAccessList serialVersionUID
java/util/Collections$CheckedRandomAccessList <init>(Ljava/util/List;Ljava/lang/Class;)V
java/util/Collections$CheckedRandomAccessList subList(I)Ljava/util/List;
class java/util/Collections$CheckedSet java/util/Collections$CheckedCollection
java/util/Collections$CheckedSet serialVersionUID
java/util/Collections$CheckedSet <init>(Ljava/util/Set;Ljava/lang/Class;)V
java/util/Collections$CheckedSet equals(Ljava/lang/Object;)Z
java/util/Collections$CheckedSet hashCode()I
class java/util/Collections$CheckedSortedMap

```

```

java/util/Collections$CheckedMap
java/util/Collections$CheckedSortedMap serialVersionUID
java/util/Collections$CheckedSortedMap sm
java/util/Collections$CheckedSortedMap <init>(Ljava/util/SortedMap;Ljava/lang/Class;Ljava/lang/Class;)V
java/util/Collections$CheckedSortedMap comparator()Ljava/util/Comparator;
java/util/Collections$CheckedSortedMap firstKey()Ljava/lang/Object;
java/util/Collections$CheckedSortedMap lastKey()Ljava/lang/Object;
java/util/Collections$CheckedSortedMap subMap(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/Collections$CheckedSortedMap headMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/Collections$CheckedSortedMap tailMap(Ljava/lang/Object;)Ljava/util/SortedMap;
class java/util/Collections$CheckedSortedSet java/util/Collections$CheckedSet
java/util/Collections$CheckedSortedSet serialVersionUID
java/util/Collections$CheckedSortedSet ss
java/util/Collections$CheckedSortedSet <init>(Ljava/util/SortedSet;Ljava/lang/Class;)V
java/util/Collections$CheckedSortedSet
 comparator()Ljava/util/Comparator;
java/util/Collections$CheckedSortedSet first()Ljava/lang/Object;
java/util/Collections$CheckedSortedSet last()Ljava/lang/Object;
java/util/Collections$CheckedSortedSet subSet(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$CheckedSortedSet headSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$CheckedSortedSet tailSet(Ljava/lang/Object;)Ljava/util/SortedSet;
class java/util/Collections$CopiesList java/util/AbstractList
java/util/Collections$CopiesList serialVersionUID
java/util/Collections$CopiesList n
java/util/Collections$CopiesList element
java/util/Collections$CopiesList <init>(ILjava/lang/Object;)V
java/util/Collections$CopiesList size()I
java/util/Collections$CopiesList contains(Ljava/lang/Object;)Z
java/util/Collections$CopiesList get(I)Ljava/lang/Object;
class java/util/Collections$ReverseComparator2 java/lang/Object
java/util/Collections$ReverseComparator2 serialVersionUID
java/util/Collections$ReverseComparator2
 cmp
java/util/Collections$ReverseComparator2 $assertionsDisabled
java/util/Collections$ReverseComparator2 <init>(Ljava/util/Comparator;)V
java/util/Collections$ReverseComparator2 compare(Ljava/lang/Object;Ljava/lang/Object;)I
java/util/Collections$ReverseComparator2 <clinit>()V
class java/util/Collections$SelfComparable java/lang/Object
class java/util/Collections$SingletonList java/util/AbstractList
java/util/Collections$SingletonList serialVersionUID
java/util/Collections$SingletonList element
java/util/Collections$SingletonList <init>(Ljava/lang/Object;)V
java/util/Collections$SingletonList size()I
java/util/Collections$SingletonList contains(Ljava/lang/Object;)Z
java/util/Collections$SingletonList get(I)Ljava/lang/Object;
class java/util/Collections$SingletonMap$ImmutableEntry java/lang/Object
java/util/Collections$SingletonMap$ImmutableEntry k
java/util/Collections$SingletonMap$ImmutableEntry v

```

```

java/util/Collections$SingletonMap$ImmutableEntry
 <init>(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/Collections$SingletonMap$ImmutableEntry getKey()Ljava/lang/Object;
java/util/Collections$SingletonMap$ImmutableEntry getValue()Ljava/lang/Object;
java/util/Collections$SingletonMap$ImmutableEntry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$SingletonMap$ImmutableEntry equals(Ljava/lang/Object;)Z
java/util/Collections$SingletonMap$ImmutableEntry hashCode()I
java/util/Collections$SingletonMap$ImmutableEntry toString()Ljava/lang/String;
class java/util/Collections$SingletonMap java/util/AbstractMap
java/util/Collections$SingletonMap serialVersionUID
java/util/Collections$SingletonMap k
java/util/Collections$SingletonMap v
java/util/Collections$SingletonMap keySet
java/util/Collections$SingletonMap entrySet
java/util/Collections$SingletonMap values
java/util/Collections$SingletonMap <init>(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/Collections$SingletonMap size()I
java/util/Collections$SingletonMap
 isEmpty()Z
java/util/Collections$SingletonMap containsKey(Ljava/lang/Object;)Z
java/util/Collections$SingletonMap containsValue(Ljava/lang/Object;)Z
java/util/Collections$SingletonMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$SingletonMap keySet()Ljava/util/Set;
java/util/Collections$SingletonMap entrySet()Ljava/util/Set;
java/util/Collections$SingletonMap values()Ljava/util/Collection;
class java/util/Collections$SynchronizedSortedMap java/util/Collections$SynchronizedMap
java/util/Collections$SynchronizedSortedMap serialVersionUID
java/util/Collections$SynchronizedSortedMap sm
java/util/Collections$SynchronizedSortedMap <init>(Ljava/util/SortedMap;)V
java/util/Collections$SynchronizedSortedMap <init>(Ljava/util/SortedMap;Ljava/lang/Object;)V
java/util/Collections$SynchronizedSortedMap comparator()Ljava/util/Comparator;
java/util/Collections$SynchronizedSortedMap subMap(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/Collections$SynchronizedSortedMap
 headMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/Collections$SynchronizedSortedMap tailMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/Collections$SynchronizedSortedMap firstKey()Ljava/lang/Object;
java/util/Collections$SynchronizedSortedMap lastKey()Ljava/lang/Object;
class java/util/Collections$SynchronizedSortedSet java/util/Collections$SynchronizedSet
java/util/Collections$SynchronizedSortedSet serialVersionUID
java/util/Collections$SynchronizedSortedSet ss
java/util/Collections$SynchronizedSortedSet <init>(Ljava/util/SortedSet;)V
java/util/Collections$SynchronizedSortedSet <init>(Ljava/util/SortedSet;Ljava/lang/Object;)V
java/util/Collections$SynchronizedSortedSet comparator()Ljava/util/Comparator;
java/util/Collections$SynchronizedSortedSet subSet(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$SynchronizedSortedSet headSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$SynchronizedSortedSet tailSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$SynchronizedSortedSet

```

```

first()Ljava/lang/Object;
java/util/Collections$SynchronizedSortedSet last()Ljava/lang/Object;
class java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1 java/lang/Object
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1 i
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1 this$0
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1
<init>(Ljava/util/Collections$UnmodifiableMap$UnmodifiableEntrySet;)V
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1 hasNext()Z
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1 next()Ljava/util/Map$Entry;
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1 remove()V
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1 next()Ljava/lang/Object;
class java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry java/lang/Object
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry
e
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry
<init>(Ljava/util/Map$Entry;)V
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry getKey()Ljava/lang/Object;
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry getValue()Ljava/lang/Object;
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry
setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry hashCode()I
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry equals(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry toString()Ljava/lang/String;
class java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet java/util/Collections$UnmodifiableSet
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet serialVersionUID
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet
<init>(Ljava/util/Set;)V
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet iterator()Ljava/util/Iterator;
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet toArray()[Ljava/lang/Object;
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet contains(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet containsAll(Ljava/util/Collection;)Z
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet equals(Ljava/lang/Object;)Z
class java/util/Collections$UnmodifiableSortedMap java/util/Collections$UnmodifiableMap
java/util/Collections$UnmodifiableSortedMap serialVersionUID
java/util/Collections$UnmodifiableSortedMap sm
java/util/Collections$UnmodifiableSortedMap <init>(Ljava/util/SortedMap;)V
java/util/Collections$UnmodifiableSortedMap comparator()Ljava/util/Comparator;
java/util/Collections$UnmodifiableSortedMap subMap(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/Collections$UnmodifiableSortedMap
headMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/Collections$UnmodifiableSortedMap tailMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/Collections$UnmodifiableSortedMap firstKey()Ljava/lang/Object;
java/util/Collections$UnmodifiableSortedMap lastKey()Ljava/lang/Object;
class java/util/Collections$UnmodifiableSortedSet java/util/Collections$UnmodifiableSet
java/util/Collections$UnmodifiableSortedSet serialVersionUID
java/util/Collections$UnmodifiableSortedSet ss
java/util/Collections$UnmodifiableSortedSet <init>(Ljava/util/SortedSet;)V

```



```

java/util/Collections$UnmodifiableSortedSet comparator()Ljava/util/Comparator;
java/util/Collections$UnmodifiableSortedSet subSet(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$UnmodifiableSortedSet headSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$UnmodifiableSortedSet tailSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$UnmodifiableSortedSet
 first()Ljava/lang/Object;
java/util/Collections$UnmodifiableSortedSet last()Ljava/lang/Object;
class java/util/DuplicateFormatFlagsException java/util/IllegalFormatException
java/util/DuplicateFormatFlagsException serialVersionUID
java/util/DuplicateFormatFlagsException flags
java/util/DuplicateFormatFlagsException <init>(Ljava/lang/String;)V
java/util/DuplicateFormatFlagsException getFlags()Ljava/lang/String;
java/util/DuplicateFormatFlagsException getMessage()Ljava/lang/String;
class java/util/EnumMap$1 java/lang/Object
class java/util/EnumMap$EntryIterator java/util/EnumMap$EnumMapIterator
java/util/EnumMap$EntryIterator this$0
java/util/EnumMap$EntryIterator <init>(Ljava/util/EnumMap;)V
java/util/EnumMap$EntryIterator next()Ljava/util/Map$Entry;
java/util/EnumMap$EntryIterator getKey()Ljava/lang/Enum;
java/util/EnumMap$EntryIterator getValue()Ljava/lang/Object;
java/util/EnumMap$EntryIterator setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap$EntryIterator
 equals(Ljava/lang/Object;)Z
java/util/EnumMap$EntryIterator hashCode()I
java/util/EnumMap$EntryIterator toString()Ljava/lang/String;
java/util/EnumMap$EntryIterator checkLastReturnedIndexForEntryUse()V
java/util/EnumMap$EntryIterator next()Ljava/lang/Object;
java/util/EnumMap$EntryIterator getKey()Ljava/lang/Object;
java/util/EnumMap$EntryIterator <init>(Ljava/util/EnumMap;Ljava/util/EnumMap$1;)V
class java/util/EnumMap$EntrySet java/util/AbstractSet
java/util/EnumMap$EntrySet this$0
java/util/EnumMap$EntrySet <init>(Ljava/util/EnumMap;)V
java/util/EnumMap$EntrySet iterator()Ljava/util/Iterator;
java/util/EnumMap$EntrySet contains(Ljava/lang/Object;)Z
java/util/EnumMap$EntrySet remove(Ljava/lang/Object;)Z
java/util/EnumMap$EntrySet size()I
java/util/EnumMap$EntrySet clear()V
java/util/EnumMap$EntrySet toArray()[Ljava/lang/Object;
java/util/EnumMap$EntrySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/EnumMap$EntrySet
 fillEntryArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/EnumMap$EntrySet <init>(Ljava/util/EnumMap;Ljava/util/EnumMap$1;)V
class java/util/EnumMap$EnumMapIterator java/lang/Object
java/util/EnumMap$EnumMapIterator index
java/util/EnumMap$EnumMapIterator lastReturnedIndex
java/util/EnumMap$EnumMapIterator this$0
java/util/EnumMap$EnumMapIterator <init>(Ljava/util/EnumMap;)V
java/util/EnumMap$EnumMapIterator hasNext()Z

```

```

java/util/EnumMap$EnumMapIterator remove()V
java/util/EnumMap$EnumMapIterator checkLastReturnedIndex()V
java/util/EnumMap$EnumMapIterator <init>(Ljava/util/EnumMap;Ljava/util/EnumMap$1;)V
class java/util/EnumMap$KeyIterator java/util/EnumMap$EnumMapIterator
java/util/EnumMap$KeyIterator this$0
java/util/EnumMap$KeyIterator <init>(Ljava/util/EnumMap;)V
java/util/EnumMap$KeyIterator next()Ljava/lang/Enum;
java/util/EnumMap$KeyIterator next()Ljava/lang/Object;
java/util/EnumMap$KeyIterator <init>(Ljava/util/EnumMap;Ljava/util/EnumMap$1;)V
class java/util/EnumMap$KeySet
java/util/AbstractSet
java/util/EnumMap$KeySet this$0
java/util/EnumMap$KeySet <init>(Ljava/util/EnumMap;)V
java/util/EnumMap$KeySet iterator()Ljava/util/Iterator;
java/util/EnumMap$KeySet size()I
java/util/EnumMap$KeySet contains(Ljava/lang/Object;)Z
java/util/EnumMap$KeySet remove(Ljava/lang/Object;)Z
java/util/EnumMap$KeySet clear()V
java/util/EnumMap$KeySet <init>(Ljava/util/EnumMap;Ljava/util/EnumMap$1;)V
class java/util/EnumMap$ValueIterator java/util/EnumMap$EnumMapIterator
java/util/EnumMap$ValueIterator this$0
java/util/EnumMap$ValueIterator <init>(Ljava/util/EnumMap;)V
java/util/EnumMap$ValueIterator next()Ljava/lang/Object;
java/util/EnumMap$ValueIterator <init>(Ljava/util/EnumMap;Ljava/util/EnumMap$1;)V
class java/util/EnumMap$Values java/util/AbstractCollection
java/util/EnumMap$Values this$0
java/util/EnumMap$Values <init>(Ljava/util/EnumMap;)V
java/util/EnumMap$Values iterator()Ljava/util/Iterator;
java/util/EnumMap$Values size()I
java/util/EnumMap$Values contains(Ljava/lang/Object;)Z
java/util/EnumMap$Values
remove(Ljava/lang/Object;)Z
java/util/EnumMap$Values clear()V
java/util/EnumMap$Values <init>(Ljava/util/EnumMap;Ljava/util/EnumMap$1;)V
class java/util/EnumMap java/util/AbstractMap
java/util/EnumMap keyType
java/util/EnumMap keyUniverse
java/util/EnumMap vals
java/util/EnumMap size
java/util/EnumMap NULL
java/util/EnumMap ZERO_LENGTH_ENUM_ARRAY
java/util/EnumMap entrySet
java/util/EnumMap serialVersionUID
java/util/EnumMap maskNull(Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap unmaskNull(Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap <init>(Ljava/lang/Class;)V
java/util/EnumMap <init>(Ljava/util/EnumMap;)V
java/util/EnumMap <init>(Ljava/util/Map;)V

```

```

java/util/EnumMap size()I
java/util/EnumMap containsValue(Ljava/lang/Object;)Z
java/util/EnumMap containsKey(Ljava/lang/Object;)Z
java/util/EnumMap containsMapping(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/EnumMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap
 put(Ljava/lang/Enum;Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap removeMapping(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/EnumMap isValidKey(Ljava/lang/Object;)Z
java/util/EnumMap putAll(Ljava/util/Map;)V
java/util/EnumMap clear()V
java/util/EnumMap keySet()Ljava/util/Set;
java/util/EnumMap values()Ljava/util/Collection;
java/util/EnumMap entrySet()Ljava/util/Set;
java/util/EnumMap equals(Ljava/lang/Object;)Z
java/util/EnumMap clone()Ljava/util/EnumMap;
java/util/EnumMap typeCheck(Ljava/lang/Enum;)V
java/util/EnumMap writeObject(Ljava/io/ObjectOutputStream;)V
java/util/EnumMap readObject(Ljava/io/ObjectInputStream;)V
java/util/EnumMap clone()Ljava/lang/Object;
java/util/EnumMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap access$200(Ljava/util/EnumMap;)I
java/util/EnumMap access$500(Ljava/util/EnumMap;Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap access$600(Ljava/util/EnumMap;)[Ljava/lang/Object;
java/util/EnumMap
 access$210(Ljava/util/EnumMap;)I
java/util/EnumMap access$900(Ljava/util/EnumMap;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/EnumMap access$1000(Ljava/util/EnumMap;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/EnumMap access$1100(Ljava/util/EnumMap;)[Ljava/lang/Enum;
java/util/EnumMap access$1200(Ljava/util/EnumMap;Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap access$1400(Ljava/lang/Object;
java/util/EnumMap <clinit>()V
class java/util/EnumSet$SerializationProxy java/lang/Object
java/util/EnumSet$SerializationProxy elementType
java/util/EnumSet$SerializationProxy elements
java/util/EnumSet$SerializationProxy serialVersionUID
java/util/EnumSet$SerializationProxy <init>(Ljava/util/EnumSet;)V
java/util/EnumSet$SerializationProxy readResolve()Ljava/lang/Object;
class java/util/EnumSet java/util/AbstractSet
java/util/EnumSet elementType
java/util/EnumSet universe
java/util/EnumSet ZERO_LENGTH_ENUM_ARRAY
java/util/EnumSet
 <init>(Ljava/lang/Class;[Ljava/lang/Enum;)V
java/util/EnumSet noneOf(Ljava/lang/Class;)Ljava/util/EnumSet;
java/util/EnumSet allOf(Ljava/lang/Class;)Ljava/util/EnumSet;
java/util/EnumSet addAll()V

```

```

java/util/EnumSet copyOf(Ljava/util/EnumSet;)Ljava/util/EnumSet;
java/util/EnumSet copyOf(Ljava/util/Collection;)Ljava/util/EnumSet;
java/util/EnumSet complementOf(Ljava/util/EnumSet;)Ljava/util/EnumSet;
java/util/EnumSet of(Ljava/lang/Enum;)Ljava/util/EnumSet;
java/util/EnumSet of(Ljava/lang/Enum;Ljava/lang/Enum;)Ljava/util/EnumSet;
java/util/EnumSet of(Ljava/lang/Enum;Ljava/lang/Enum;Ljava/lang/Enum;)Ljava/util/EnumSet;
java/util/EnumSet of(Ljava/lang/Enum;Ljava/lang/Enum;Ljava/lang/Enum;Ljava/lang/Enum;)Ljava/util/EnumSet;
java/util/EnumSet
of(Ljava/lang/Enum;Ljava/lang/Enum;Ljava/lang/Enum;Ljava/lang/Enum;Ljava/lang/Enum;)Ljava/util/EnumSet;
java/util/EnumSet of(Ljava/lang/Enum;[Ljava/lang/Enum;)Ljava/util/EnumSet;
java/util/EnumSet range(Ljava/lang/Enum;Ljava/lang/Enum;)Ljava/util/EnumSet;
java/util/EnumSet
addRange(Ljava/lang/Enum;Ljava/lang/Enum;)V
java/util/EnumSet clone()Ljava/util/EnumSet;
java/util/EnumSet complement()V
java/util/EnumSet typeCheck(Ljava/lang/Enum;)V
java/util/EnumSet writeReplace()Ljava/lang/Object;
java/util/EnumSet clone()Ljava/lang/Object;
java/util/EnumSet access$000()[Ljava/lang/Enum;
java/util/EnumSet <clinit>()V
class java/util/FormatFlagsConversionMismatchException java/util/IllegalFormatException
java/util/FormatFlagsConversionMismatchException serialVersionUID
java/util/FormatFlagsConversionMismatchException f
java/util/FormatFlagsConversionMismatchException c
java/util/FormatFlagsConversionMismatchException <init>(Ljava/lang/String;C)V
java/util/FormatFlagsConversionMismatchException getFlags()Ljava/lang/String;
java/util/FormatFlagsConversionMismatchException getConversion()C
java/util/FormatFlagsConversionMismatchException getMessage()Ljava/lang/String;
class java/util/Formattable java/lang/Object
java/util/Formattable formatTo(Ljava/util/Formatter;III)V
class
java/util/FormattableFlags java/lang/Object
java/util/FormattableFlags LEFT_JUSTIFY
java/util/FormattableFlags UPPER_CASE
java/util/FormattableFlags ALTERNATE
java/util/FormattableFlags <init>()V
class java/util/Formatter$BigDecimalLayoutForm java/lang/Enum
java/util/Formatter$BigDecimalLayoutForm SCIENTIFIC
java/util/Formatter$BigDecimalLayoutForm DECIMAL_FLOAT
java/util/Formatter$BigDecimalLayoutForm $VALUES
java/util/Formatter$BigDecimalLayoutForm values()[Ljava/util/Formatter$BigDecimalLayoutForm;
java/util/Formatter$BigDecimalLayoutForm
valueOf(Ljava/lang/String;)Ljava/util/Formatter$BigDecimalLayoutForm;
java/util/Formatter$BigDecimalLayoutForm <init>(Ljava/lang/String;I)V
java/util/Formatter$BigDecimalLayoutForm <clinit>()V
class java/util/Formatter$Conversion java/lang/Object
java/util/Formatter$Conversion DECIMAL_INTEGER
java/util/Formatter$Conversion OCTAL_INTEGER

```

java/util/Formatter\$Conversion HEXADECIMAL\_INTEGER  
java/util/Formatter\$Conversion  
HEXADECIMAL\_INTEGER\_UPPER  
java/util/Formatter\$Conversion SCIENTIFIC  
java/util/Formatter\$Conversion SCIENTIFIC\_UPPER  
java/util/Formatter\$Conversion GENERAL  
java/util/Formatter\$Conversion GENERAL\_UPPER  
java/util/Formatter\$Conversion DECIMAL\_FLOAT  
java/util/Formatter\$Conversion HEXADECIMAL\_FLOAT  
java/util/Formatter\$Conversion HEXADECIMAL\_FLOAT\_UPPER  
java/util/Formatter\$Conversion CHARACTER  
java/util/Formatter\$Conversion CHARACTER\_UPPER  
java/util/Formatter\$Conversion DATE\_TIME  
java/util/Formatter\$Conversion DATE\_TIME\_UPPER  
java/util/Formatter\$Conversion BOOLEAN  
java/util/Formatter\$Conversion BOOLEAN\_UPPER  
java/util/Formatter\$Conversion STRING  
java/util/Formatter\$Conversion STRING\_UPPER  
java/util/Formatter\$Conversion HASHCODE  
java/util/Formatter\$Conversion HASHCODE\_UPPER  
java/util/Formatter\$Conversion LINE\_SEPARATOR  
java/util/Formatter\$Conversion PERCENT\_SIGN  
java/util/Formatter\$Conversion <init>()V  
java/util/Formatter\$Conversion isValid(C)Z  
java/util/Formatter\$Conversion isGeneral(C)Z  
java/util/Formatter\$Conversion  
isInteger(C)Z  
java/util/Formatter\$Conversion isFloat(C)Z  
java/util/Formatter\$Conversion isText(C)Z  
class java/util/Formatter\$DateTime java/lang/Object  
java/util/Formatter\$DateTime HOUR\_OF\_DAY\_0  
java/util/Formatter\$DateTime HOUR\_0  
java/util/Formatter\$DateTime HOUR\_OF\_DAY  
java/util/Formatter\$DateTime HOUR  
java/util/Formatter\$DateTime MINUTE  
java/util/Formatter\$DateTime NANOSECOND  
java/util/Formatter\$DateTime MILLISECOND  
java/util/Formatter\$DateTime MILLISECOND\_SINCE\_EPOCH  
java/util/Formatter\$DateTime AM\_PM  
java/util/Formatter\$DateTime SECONDS\_SINCE\_EPOCH  
java/util/Formatter\$DateTime SECOND  
java/util/Formatter\$DateTime TIME  
java/util/Formatter\$DateTime ZONE\_NUMERIC  
java/util/Formatter\$DateTime ZONE  
java/util/Formatter\$DateTime NAME\_OF\_DAY\_ABBREV  
java/util/Formatter\$DateTime NAME\_OF\_DAY  
java/util/Formatter\$DateTime NAME\_OF\_MONTH\_ABBREV  
java/util/Formatter\$DateTime NAME\_OF\_MONTH

```

java/util/Formatter$DateTime CENTURY
java/util/Formatter$DateTime DAY_OF_MONTH_0
java/util/Formatter$DateTime
 DAY_OF_MONTH
java/util/Formatter$DateTime NAME_OF_MONTH_ABBREV_X
java/util/Formatter$DateTime DAY_OF_YEAR
java/util/Formatter$DateTime MONTH
java/util/Formatter$DateTime YEAR_2
java/util/Formatter$DateTime YEAR_4
java/util/Formatter$DateTime TIME_12_HOUR
java/util/Formatter$DateTime TIME_24_HOUR
java/util/Formatter$DateTime DATE_TIME
java/util/Formatter$DateTime DATE
java/util/Formatter$DateTime ISO_STANDARD_DATE
java/util/Formatter$DateTime <init>()V
java/util/Formatter$DateTime isValid(C)Z
class java/util/Formatter$FixedString java/lang/Object
java/util/Formatter$FixedString s
java/util/Formatter$FixedString this$0
java/util/Formatter$FixedString <init>(Ljava/util/Formatter;Ljava/lang/String;)V
java/util/Formatter$FixedString index()I
java/util/Formatter$FixedString print(Ljava/lang/Object;Ljava/util/Locale;)V
java/util/Formatter$FixedString toString()Ljava/lang/String;
class java/util/Formatter$Flags java/lang/Object
java/util/Formatter$Flags flags
java/util/Formatter$Flags
 NONE
java/util/Formatter$Flags LEFT_JUSTIFY
java/util/Formatter$Flags UPPERCASE
java/util/Formatter$Flags ALTERNATE
java/util/Formatter$Flags PLUS
java/util/Formatter$Flags LEADING_SPACE
java/util/Formatter$Flags ZERO_PAD
java/util/Formatter$Flags GROUP
java/util/Formatter$Flags PARENTHESES
java/util/Formatter$Flags PREVIOUS
java/util/Formatter$Flags <init>()V
java/util/Formatter$Flags valueOf(I)I
java/util/Formatter$Flags contains(Ljava/util/Formatter$Flags;)Z
java/util/Formatter$Flags dup()Ljava/util/Formatter$Flags;
java/util/Formatter$Flags add(Ljava/util/Formatter$Flags;)Ljava/util/Formatter$Flags;
java/util/Formatter$Flags remove(Ljava/util/Formatter$Flags;)Ljava/util/Formatter$Flags;
java/util/Formatter$Flags parse(Ljava/lang/String;)Ljava/util/Formatter$Flags;
java/util/Formatter$Flags parse(C)Ljava/util/Formatter$Flags;
java/util/Formatter$Flags toString(Ljava/util/Formatter$Flags;)Ljava/lang/String;
java/util/Formatter$Flags toString()Ljava/lang/String;
java/util/Formatter$Flags

```

```

 access$100(Ljava/util/Formatter$Flags;Ljava/util/Formatter$Flags;)Ljava/util/Formatter$Flags;
java/util/Formatter$Flags <clinit>()V
class java/util/Formatter$FormatSpecifier$BigDecimalLayout java/lang/Object
java/util/Formatter$FormatSpecifier$BigDecimalLayout mant
java/util/Formatter$FormatSpecifier$BigDecimalLayout exp
java/util/Formatter$FormatSpecifier$BigDecimalLayout dot
java/util/Formatter$FormatSpecifier$BigDecimalLayout this$1
java/util/Formatter$FormatSpecifier$BigDecimalLayout
<init>(Ljava/util/Formatter$FormatSpecifier;Ljava/math/BigInteger;ILjava/util/Formatter$BigDecimalLayoutForm;
)V
java/util/Formatter$FormatSpecifier$BigDecimalLayout hasDot()Z
java/util/Formatter$FormatSpecifier$BigDecimalLayout layoutChars()[C
java/util/Formatter$FormatSpecifier$BigDecimalLayout mantissa()[C
java/util/Formatter$FormatSpecifier$BigDecimalLayout exponent()[C
java/util/Formatter$FormatSpecifier$BigDecimalLayout toCharArray(Ljava/lang/StringBuilder;)[C
java/util/Formatter$FormatSpecifier$BigDecimalLayout
 layout(Ljava/math/BigInteger;ILjava/util/Formatter$BigDecimalLayoutForm;)V
class java/util/Formatter$FormatSpecifier java/lang/Object
java/util/Formatter$FormatSpecifier index
java/util/Formatter$FormatSpecifier f
java/util/Formatter$FormatSpecifier width
java/util/Formatter$FormatSpecifier precision
java/util/Formatter$FormatSpecifier dt
java/util/Formatter$FormatSpecifier c
java/util/Formatter$FormatSpecifier formatter
java/util/Formatter$FormatSpecifier ls
java/util/Formatter$FormatSpecifier $assertionsDisabled
java/util/Formatter$FormatSpecifier this$0
java/util/Formatter$FormatSpecifier index(Ljava/lang/String;)I
java/util/Formatter$FormatSpecifier index()I
java/util/Formatter$FormatSpecifier flags(Ljava/lang/String;)Ljava/util/Formatter$Flags;
java/util/Formatter$FormatSpecifier flags()Ljava/util/Formatter$Flags;
java/util/Formatter$FormatSpecifier width(Ljava/lang/String;)I
java/util/Formatter$FormatSpecifier width()I
java/util/Formatter$FormatSpecifier
 precision(Ljava/lang/String;)I
java/util/Formatter$FormatSpecifier precision()I
java/util/Formatter$FormatSpecifier conversion(Ljava/lang/String;)C
java/util/Formatter$FormatSpecifier conversion()C
java/util/Formatter$FormatSpecifier <init>(Ljava/util/Formatter;Ljava/util/Formatter;[Ljava/lang/String;)V
java/util/Formatter$FormatSpecifier print(Ljava/lang/Object;Ljava/util/Locale;)V
java/util/Formatter$FormatSpecifier printInteger(Ljava/lang/Object;Ljava/util/Locale;)V
java/util/Formatter$FormatSpecifier printFloat(Ljava/lang/Object;Ljava/util/Locale;)V
java/util/Formatter$FormatSpecifier printDateTime(Ljava/lang/Object;Ljava/util/Locale;)V
java/util/Formatter$FormatSpecifier printCharacter(Ljava/lang/Object;)V
java/util/Formatter$FormatSpecifier printString(Ljava/lang/Object;Ljava/util/Locale;)V
java/util/Formatter$FormatSpecifier printBoolean(Ljava/lang/Object;)V
java/util/Formatter$FormatSpecifier printHashCode(Ljava/lang/Object;)V

```

```

java/util/Formatter$FormatSpecifier print(Ljava/lang/String;)V
java/util/Formatter$FormatSpecifier
 justify(Ljava/lang/String;)Ljava/lang/String;
java/util/Formatter$FormatSpecifier toString()Ljava/lang/String;
java/util/Formatter$FormatSpecifier checkGeneral()V
java/util/Formatter$FormatSpecifier checkDateTime()V
java/util/Formatter$FormatSpecifier checkCharacter()V
java/util/Formatter$FormatSpecifier checkInteger()V
java/util/Formatter$FormatSpecifier checkBadFlags([Ljava/util/Formatter$Flags;)V
java/util/Formatter$FormatSpecifier checkFloat()V
java/util/Formatter$FormatSpecifier checkNumeric()V
java/util/Formatter$FormatSpecifier checkText()V
java/util/Formatter$FormatSpecifier print(BLjava/util/Locale;)V
java/util/Formatter$FormatSpecifier print(SLjava/util/Locale;)V
java/util/Formatter$FormatSpecifier print(ILjava/util/Locale;)V
java/util/Formatter$FormatSpecifier print(JLjava/util/Locale;)V
java/util/Formatter$FormatSpecifier leadingSign(Ljava/lang/StringBuilder;Z)Ljava/lang/StringBuilder;
java/util/Formatter$FormatSpecifier
 trailingSign(Ljava/lang/StringBuilder;Z)Ljava/lang/StringBuilder;
java/util/Formatter$FormatSpecifier print(Ljava/math/BigInteger;Ljava/util/Locale;)V
java/util/Formatter$FormatSpecifier print(FLjava/util/Locale;)V
java/util/Formatter$FormatSpecifier print(DLjava/util/Locale;)V
java/util/Formatter$FormatSpecifier
 print(Ljava/lang/StringBuilder;DLjava/util/Locale;Ljava/util/Formatter$Flags;CIZ)V
java/util/Formatter$FormatSpecifier mantissa([CI)[C
java/util/Formatter$FormatSpecifier exponent([CI)[C
java/util/Formatter$FormatSpecifier addZeros([CI)[C
java/util/Formatter$FormatSpecifier hexDouble(DI)Ljava/lang/String;
java/util/Formatter$FormatSpecifier print(Ljava/math/BigDecimal;Ljava/util/Locale;)V
java/util/Formatter$FormatSpecifier
 print(Ljava/lang/StringBuilder;Ljava/math/BigDecimal;Ljava/util/Locale;Ljava/util/Formatter$Flags;CIZ)V
java/util/Formatter$FormatSpecifier adjustWidth(ILjava/util/Formatter$Flags;Z)I
java/util/Formatter$FormatSpecifier addDot([C)[C
java/util/Formatter$FormatSpecifier
 trailingZeros([CI)[C
java/util/Formatter$FormatSpecifier print(Ljava/util/Calendar;CLjava/util/Locale;)V
java/util/Formatter$FormatSpecifier
 print(Ljava/lang/StringBuilder;Ljava/util/Calendar;CLjava/util/Locale;)Ljava/lang/Appendable;
java/util/Formatter$FormatSpecifier failMismatch(Ljava/util/Formatter$Flags;C)V
java/util/Formatter$FormatSpecifier failConversion(CLjava/lang/Object;)V
java/util/Formatter$FormatSpecifier getZero(Ljava/util/Locale;)C
java/util/Formatter$FormatSpecifier
 localizedMagnitude(Ljava/lang/StringBuilder;JLjava/util/Formatter$Flags;ILjava/util/Locale;)Ljava/lang/StringBuilder;
java/util/Formatter$FormatSpecifier
 localizedMagnitude(Ljava/lang/StringBuilder;[CLjava/util/Formatter$Flags;ILjava/util/Locale;)Ljava/lang/StringBuilder;
java/util/Formatter$FormatSpecifier <clinit>()V

```



```

class java/util/Formatter$FormatString java/lang/Object
java/util/Formatter$FormatString index()I
java/util/Formatter$FormatString print(Ljava/lang/Object;Ljava/util/Locale;)V
java/util/Formatter$FormatString
 toString()Ljava/lang/String;
class java/util/Formatter java/lang/Object
java/util/Formatter a
java/util/Formatter l
java/util/Formatter lastException
java/util/Formatter zero
java/util/Formatter scaleUp
java/util/Formatter MAX_FD_CHARS
java/util/Formatter formatSpecifier
java/util/Formatter fsPattern
java/util/Formatter init(Ljava/lang/Appendable;Ljava/util/Locale;)V
java/util/Formatter <init>()V
java/util/Formatter <init>(Ljava/lang/Appendable;)V
java/util/Formatter <init>(Ljava/util/Locale;)V
java/util/Formatter <init>(Ljava/lang/Appendable;Ljava/util/Locale;)V
java/util/Formatter <init>(Ljava/lang/String;)V
java/util/Formatter <init>(Ljava/lang/String;Ljava/lang/String;)V
java/util/Formatter <init>(Ljava/lang/String;Ljava/lang/String;Ljava/util/Locale;)V
java/util/Formatter <init>(Ljava/io/File;)V
java/util/Formatter <init>(Ljava/io/File;Ljava/lang/String;)V
java/util/Formatter <init>(Ljava/io/File;Ljava/lang/String;Ljava/util/Locale;)V
java/util/Formatter
 <init>(Ljava/io/PrintStream;)V
java/util/Formatter <init>(Ljava/io/OutputStream;)V
java/util/Formatter <init>(Ljava/io/OutputStream;Ljava/lang/String;)V
java/util/Formatter <init>(Ljava/io/OutputStream;Ljava/lang/String;Ljava/util/Locale;)V
java/util/Formatter setZero()V
java/util/Formatter locale()Ljava/util/Locale;
java/util/Formatter out()Ljava/lang/Appendable;
java/util/Formatter toString()Ljava/lang/String;
java/util/Formatter flush()V
java/util/Formatter close()V
java/util/Formatter ensureOpen()V
java/util/Formatter ioException()Ljava/io/IOException;
java/util/Formatter format(Ljava/lang/String;[Ljava/lang/Object;)Ljava/util/Formatter;
java/util/Formatter format(Ljava/util/Locale;Ljava/lang/String;[Ljava/lang/Object;)Ljava/util/Formatter;
java/util/Formatter parse(Ljava/lang/String;)[Ljava/util/Formatter$FormatString;
java/util/Formatter checkText(Ljava/lang/String;)V
java/util/Formatter access$000(Ljava/util/Formatter;)Ljava/lang/Appendable;
java/util/Formatter access$202(D)D
java/util/Formatter
 access$200()D
java/util/Formatter access$300(Ljava/util/Formatter;)C
java/util/Formatter <clinit>()V

```

```

class java/util/FormatterClosedException java/lang/IllegalStateException
java/util/FormatterClosedException serialVersionUID
java/util/FormatterClosedException <init>()V
class java/util/HashMap$1 java/lang/Object
class java/util/Hashtable$1 java/lang/Object
class java/util/IdentityHashMap$1 java/lang/Object
class java/util/IdentityHashMap$EntryIterator java/util/IdentityHashMap$IdentityHashMapIterator
java/util/IdentityHashMap$EntryIterator this$0
java/util/IdentityHashMap$EntryIterator <init>(Ljava/util/IdentityHashMap;)V
java/util/IdentityHashMap$EntryIterator next()Ljava/util/Map$Entry;
java/util/IdentityHashMap$EntryIterator getKey()Ljava/lang/Object;
java/util/IdentityHashMap$EntryIterator getValue()Ljava/lang/Object;
java/util/IdentityHashMap$EntryIterator setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/IdentityHashMap$EntryIterator equals(Ljava/lang/Object;)Z
java/util/IdentityHashMap$EntryIterator
hashCode()I
java/util/IdentityHashMap$EntryIterator toString()Ljava/lang/String;
java/util/IdentityHashMap$EntryIterator next()Ljava/lang/Object;
java/util/IdentityHashMap$EntryIterator <init>(Ljava/util/IdentityHashMap;Ljava/util/IdentityHashMap$1;)V
class java/util/IdentityHashMap$EntrySet java/util/AbstractSet
java/util/IdentityHashMap$EntrySet this$0
java/util/IdentityHashMap$EntrySet <init>(Ljava/util/IdentityHashMap;)V
java/util/IdentityHashMap$EntrySet iterator()Ljava/util/Iterator;
java/util/IdentityHashMap$EntrySet contains(Ljava/lang/Object;)Z
java/util/IdentityHashMap$EntrySet remove(Ljava/lang/Object;)Z
java/util/IdentityHashMap$EntrySet size()I
java/util/IdentityHashMap$EntrySet clear()V
java/util/IdentityHashMap$EntrySet removeAll(Ljava/util/Collection;)Z
java/util/IdentityHashMap$EntrySet toArray()[Ljava/lang/Object;
java/util/IdentityHashMap$EntrySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/IdentityHashMap$EntrySet
<init>(Ljava/util/IdentityHashMap;Ljava/util/IdentityHashMap$1;)V
class java/util/IdentityHashMap$IdentityHashMapIterator java/lang/Object
java/util/IdentityHashMap$IdentityHashMapIterator index
java/util/IdentityHashMap$IdentityHashMapIterator expectedModCount
java/util/IdentityHashMap$IdentityHashMapIterator lastReturnedIndex
java/util/IdentityHashMap$IdentityHashMapIterator indexValid
java/util/IdentityHashMap$IdentityHashMapIterator traversalTable
java/util/IdentityHashMap$IdentityHashMapIterator this$0
java/util/IdentityHashMap$IdentityHashMapIterator <init>(Ljava/util/IdentityHashMap;)V
java/util/IdentityHashMap$IdentityHashMapIterator hasNext()Z
java/util/IdentityHashMap$IdentityHashMapIterator nextIndex()I
java/util/IdentityHashMap$IdentityHashMapIterator remove()V
java/util/IdentityHashMap$IdentityHashMapIterator
<init>(Ljava/util/IdentityHashMap;Ljava/util/IdentityHashMap$1;)V
class java/util/IdentityHashMap$KeyIterator java/util/IdentityHashMap$IdentityHashMapIterator
java/util/IdentityHashMap$KeyIterator

```

```

this$0
java/util/IdentityHashMap$KeyIterator <init>(Ljava/util/IdentityHashMap;)V
java/util/IdentityHashMap$KeyIterator next()Ljava/lang/Object;
java/util/IdentityHashMap$KeyIterator <init>(Ljava/util/IdentityHashMap;Ljava/util/IdentityHashMap$1;)V
class java/util/IdentityHashMap$KeySet java/util/AbstractSet
java/util/IdentityHashMap$KeySet this$0
java/util/IdentityHashMap$KeySet <init>(Ljava/util/IdentityHashMap;)V
java/util/IdentityHashMap$KeySet iterator()Ljava/util/Iterator;
java/util/IdentityHashMap$KeySet size()I
java/util/IdentityHashMap$KeySet contains(Ljava/lang/Object;)Z
java/util/IdentityHashMap$KeySet remove(Ljava/lang/Object;)Z
java/util/IdentityHashMap$KeySet removeAll(Ljava/util/Collection;)Z
java/util/IdentityHashMap$KeySet clear()V
java/util/IdentityHashMap$KeySet hashCode()I
java/util/IdentityHashMap$KeySet <init>(Ljava/util/IdentityHashMap;Ljava/util/IdentityHashMap$1;)V
class java/util/IdentityHashMap$ValueIterator
 java/util/IdentityHashMap$IdentityHashMapIterator
java/util/IdentityHashMap$ValueIterator this$0
java/util/IdentityHashMap$ValueIterator <init>(Ljava/util/IdentityHashMap;)V
java/util/IdentityHashMap$ValueIterator next()Ljava/lang/Object;
java/util/IdentityHashMap$ValueIterator <init>(Ljava/util/IdentityHashMap;Ljava/util/IdentityHashMap$1;)V
class java/util/IdentityHashMap$Values java/util/AbstractCollection
java/util/IdentityHashMap$Values this$0
java/util/IdentityHashMap$Values <init>(Ljava/util/IdentityHashMap;)V
java/util/IdentityHashMap$Values iterator()Ljava/util/Iterator;
java/util/IdentityHashMap$Values size()I
java/util/IdentityHashMap$Values contains(Ljava/lang/Object;)Z
java/util/IdentityHashMap$Values remove(Ljava/lang/Object;)Z
java/util/IdentityHashMap$Values clear()V
java/util/IdentityHashMap$Values <init>(Ljava/util/IdentityHashMap;Ljava/util/IdentityHashMap$1;)V
class java/util/IdentityHashMap java/util/AbstractMap
java/util/IdentityHashMap DEFAULT_CAPACITY
java/util/IdentityHashMap
 MINIMUM_CAPACITY
java/util/IdentityHashMap MAXIMUM_CAPACITY
java/util/IdentityHashMap table
java/util/IdentityHashMap size
java/util/IdentityHashMap modCount
java/util/IdentityHashMap threshold
java/util/IdentityHashMap NULL_KEY
java/util/IdentityHashMap entrySet
java/util/IdentityHashMap serialVersionUID
java/util/IdentityHashMap maskNull(Ljava/lang/Object;)Ljava/lang/Object;
java/util/IdentityHashMap unmaskNull(Ljava/lang/Object;)Ljava/lang/Object;
java/util/IdentityHashMap <init>()V
java/util/IdentityHashMap <init>(I)V
java/util/IdentityHashMap capacity(I)I
java/util/IdentityHashMap init(I)V

```

```

java/util/IdentityHashMap <init>(Ljava/util/Map;)V
java/util/IdentityHashMap size()I
java/util/IdentityHashMap isEmpty()Z
java/util/IdentityHashMap hash(Ljava/lang/Object;)I
java/util/IdentityHashMap nextKeyIndex(II)I
java/util/IdentityHashMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/IdentityHashMap containsKey(Ljava/lang/Object;)Z
java/util/IdentityHashMap containsValue(Ljava/lang/Object;)Z
java/util/IdentityHashMap
 containsMapping(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/IdentityHashMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/IdentityHashMap resize()V
java/util/IdentityHashMap putAll(Ljava/util/Map;)V
java/util/IdentityHashMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/IdentityHashMap removeMapping(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/IdentityHashMap closeDeletion()V
java/util/IdentityHashMap clear()V
java/util/IdentityHashMap equals(Ljava/lang/Object;)Z
java/util/IdentityHashMap hashCode()I
java/util/IdentityHashMap clone()Ljava/lang/Object;
java/util/IdentityHashMap keySet()Ljava/util/Set;
java/util/IdentityHashMap values()Ljava/util/Collection;
java/util/IdentityHashMap entrySet()Ljava/util/Set;
java/util/IdentityHashMap writeObject(Ljava/io/ObjectOutputStream;)V
java/util/IdentityHashMap readObject(Ljava/io/ObjectInputStream;)V
java/util/IdentityHashMap putForCreate(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/IdentityHashMap
 access$000(Ljava/util/IdentityHashMap;)I
java/util/IdentityHashMap access$100(Ljava/util/IdentityHashMap;)[Ljava/lang/Object;
java/util/IdentityHashMap access$200(Ljava/util/IdentityHashMap;)I
java/util/IdentityHashMap access$204(Ljava/util/IdentityHashMap;)I
java/util/IdentityHashMap access$010(Ljava/util/IdentityHashMap;)I
java/util/IdentityHashMap access$300(II)I
java/util/IdentityHashMap access$400(Ljava/lang/Object;)I
java/util/IdentityHashMap access$600(Ljava/lang/Object;)Ljava/lang/Object;
java/util/IdentityHashMap access$1300(Ljava/util/IdentityHashMap;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/IdentityHashMap access$1400(Ljava/util/IdentityHashMap;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/IdentityHashMap <clinit>()V
class java/util/IllegalFormatCodePointException java/util/IllegalFormatException
java/util/IllegalFormatCodePointException serialVersionUID
java/util/IllegalFormatCodePointException c
java/util/IllegalFormatCodePointException
 <init>(I)V
java/util/IllegalFormatCodePointException getCodePoint()I
java/util/IllegalFormatCodePointException getMessage()Ljava/lang/String;
class java/util/IllegalFormatConversionException java/util/IllegalFormatException
java/util/IllegalFormatConversionException serialVersionUID
java/util/IllegalFormatConversionException c

```

```

java/util/IllegalFormatConversionException arg
java/util/IllegalFormatConversionException <init>(Ljava/lang/Class;)V
java/util/IllegalFormatConversionException getConversion()C
java/util/IllegalFormatConversionException getArgumentClass()Ljava/lang/Class;
java/util/IllegalFormatConversionException getMessage()Ljava/lang/String;
class java/util/IllegalFormatException java/lang/IllegalArgumentException
java/util/IllegalFormatException serialVersionUID
java/util/IllegalFormatException <init>()V
class java/util/IllegalFormatFlagsException java/util/IllegalFormatException
java/util/IllegalFormatFlagsException serialVersionUID
java/util/IllegalFormatFlagsException
 flags
java/util/IllegalFormatFlagsException <init>(Ljava/lang/String;)V
java/util/IllegalFormatFlagsException getFlags()Ljava/lang/String;
java/util/IllegalFormatFlagsException getMessage()Ljava/lang/String;
class java/util/IllegalFormatPrecisionException java/util/IllegalFormatException
java/util/IllegalFormatPrecisionException serialVersionUID
java/util/IllegalFormatPrecisionException p
java/util/IllegalFormatPrecisionException <init>(I)V
java/util/IllegalFormatPrecisionException getPrecision()I
java/util/IllegalFormatPrecisionException getMessage()Ljava/lang/String;
class java/util/IllegalFormatWidthException java/util/IllegalFormatException
java/util/IllegalFormatWidthException serialVersionUID
java/util/IllegalFormatWidthException w
java/util/IllegalFormatWidthException <init>(I)V
java/util/IllegalFormatWidthException getWidth()I
java/util/IllegalFormatWidthException getMessage()Ljava/lang/String;
class java/util/InputMismatchException java/util/NoSuchElementException
java/util/InputMismatchException
 <init>()V
java/util/InputMismatchException <init>(Ljava/lang/String;)V
class java/util/InvalidPropertiesFormatException java/io/IOException
java/util/InvalidPropertiesFormatException <init>(Ljava/lang/Throwable;)V
java/util/InvalidPropertiesFormatException <init>(Ljava/lang/String;)V
java/util/InvalidPropertiesFormatException writeObject(Ljava/io/ObjectOutputStream;)V
java/util/InvalidPropertiesFormatException readObject(Ljava/io/ObjectInputStream;)V
class java/util/JumboEnumSet$EnumSetIterator java/lang/Object
java/util/JumboEnumSet$EnumSetIterator unseen
java/util/JumboEnumSet$EnumSetIterator unseenIndex
java/util/JumboEnumSet$EnumSetIterator lastReturned
java/util/JumboEnumSet$EnumSetIterator lastReturnedIndex
java/util/JumboEnumSet$EnumSetIterator this$0
java/util/JumboEnumSet$EnumSetIterator <init>(Ljava/util/JumboEnumSet;)V
java/util/JumboEnumSet$EnumSetIterator hasNext()Z
java/util/JumboEnumSet$EnumSetIterator next()Ljava/lang/Enum;
java/util/JumboEnumSet$EnumSetIterator
 remove()V
java/util/JumboEnumSet$EnumSetIterator next()Ljava/lang/Object;

```

```

class java/util/JumboEnumSet java/util/EnumSet
java/util/JumboEnumSet elements
java/util/JumboEnumSet size
java/util/JumboEnumSet <init>(Ljava/lang/Class;[Ljava/lang/Enum;)V
java/util/JumboEnumSet addRange(Ljava/lang/Enum;Ljava/lang/Enum;)V
java/util/JumboEnumSet addAll()V
java/util/JumboEnumSet complement()V
java/util/JumboEnumSet iterator()Ljava/util/Iterator;
java/util/JumboEnumSet size()I
java/util/JumboEnumSet isEmpty()Z
java/util/JumboEnumSet contains(Ljava/lang/Object;)Z
java/util/JumboEnumSet add(Ljava/lang/Enum;)Z
java/util/JumboEnumSet remove(Ljava/lang/Object;)Z
java/util/JumboEnumSet containsAll(Ljava/util/Collection;)Z
java/util/JumboEnumSet addAll(Ljava/util/Collection;)Z
java/util/JumboEnumSet removeAll(Ljava/util/Collection;)Z
java/util/JumboEnumSet retainAll(Ljava/util/Collection;)Z
java/util/JumboEnumSet clear()V
java/util/JumboEnumSet equals(Ljava/lang/Object;)Z
java/util/JumboEnumSet
 recalculateSize()Z
java/util/JumboEnumSet clone()Ljava/util/EnumSet;
java/util/JumboEnumSet add(Ljava/lang/Object;)Z
java/util/JumboEnumSet clone()Ljava/lang/Object;
java/util/JumboEnumSet access$000(Ljava/util/JumboEnumSet;)[J
java/util/JumboEnumSet access$110(Ljava/util/JumboEnumSet;)I
class java/util/LinkedHashMap$1 java/lang/Object
class java/util/LinkedHashMap$ValueIterator java/util/LinkedHashMap$LinkedHashIterator
java/util/LinkedHashMap$ValueIterator this$0
java/util/LinkedHashMap$ValueIterator <init>(Ljava/util/LinkedHashMap;)V
java/util/LinkedHashMap$ValueIterator next()Ljava/lang/Object;
java/util/LinkedHashMap$ValueIterator <init>(Ljava/util/LinkedHashMap;Ljava/util/LinkedHashMap$1;)V
class java/util/LinkedHashSet java/util/HashSet
java/util/LinkedHashSet serialVersionUID
java/util/LinkedHashSet <init>(IF)V
java/util/LinkedHashSet <init>(I)V
java/util/LinkedHashSet <init>()V
java/util/LinkedHashSet <init>(Ljava/util/Collection;)V
class java/util/MissingFormatArgumentException
 java/util/IllegalFormatException
java/util/MissingFormatArgumentException serialVersionUID
java/util/MissingFormatArgumentException s
java/util/MissingFormatArgumentException <init>(Ljava/lang/String;)V
java/util/MissingFormatArgumentException getFormatSpecifier()Ljava/lang/String;
java/util/MissingFormatArgumentException getMessage()Ljava/lang/String;
class java/util/MissingFormatWidthException java/util/IllegalFormatException
java/util/MissingFormatWidthException serialVersionUID
java/util/MissingFormatWidthException s

```

```

java/util/MissingFormatWidthException <init>(Ljava/lang/String;)V
java/util/MissingFormatWidthException getFormatSpecifier()Ljava/lang/String;
java/util/MissingFormatWidthException getMessage()Ljava/lang/String;
class java/util/Observable java/lang/Object
java/util/Observable changed
java/util/Observable obs
java/util/Observable <init>()V
java/util/Observable addObserver(Ljava/util/Observer;)V
java/util/Observable deleteObserver(Ljava/util/Observer;)V
java/util/Observable
 notifyObservers()V
java/util/Observable notifyObservers(Ljava/lang/Object;)V
java/util/Observable deleteObservers()V
java/util/Observable setChanged()V
java/util/Observable clearChanged()V
java/util/Observable hasChanged()Z
java/util/Observable countObservers()I
class java/util/Observer java/lang/Object
java/util/Observer update(Ljava/util/Observable;Ljava/lang/Object;)V
class java/util/PriorityQueue$1 java/lang/Object
class java/util/PriorityQueue$Itr java/lang/Object
java/util/PriorityQueue$Itr cursor
java/util/PriorityQueue$Itr lastRet
java/util/PriorityQueue$Itr expectedModCount
java/util/PriorityQueue$Itr forgetMeNot
java/util/PriorityQueue$Itr lastRetElt
java/util/PriorityQueue$Itr this$0
java/util/PriorityQueue$Itr <init>(Ljava/util/PriorityQueue;)V
java/util/PriorityQueue$Itr hasNext()Z
java/util/PriorityQueue$Itr next()Ljava/lang/Object;
java/util/PriorityQueue$Itr remove()V
java/util/PriorityQueue$Itr checkForComodification()V
java/util/PriorityQueue$Itr
 <init>(Ljava/util/PriorityQueue;Ljava/util/PriorityQueue$1;)V
class java/util/PriorityQueue java/util/AbstractQueue
java/util/PriorityQueue serialVersionUID
java/util/PriorityQueue DEFAULT_INITIAL_CAPACITY
java/util/PriorityQueue queue
java/util/PriorityQueue size
java/util/PriorityQueue comparator
java/util/PriorityQueue modCount
java/util/PriorityQueue $assertionsDisabled
java/util/PriorityQueue <init>()V
java/util/PriorityQueue <init>(I)V
java/util/PriorityQueue <init>(Ljava/util/Comparator;)V
java/util/PriorityQueue initializeArray(Ljava/util/Collection;)V
java/util/PriorityQueue fillFromSorted(Ljava/util/Collection;)V
java/util/PriorityQueue fillFromUnsorted(Ljava/util/Collection;)V

```

```

java/util/PriorityQueue <init>(Ljava/util/Collection;)V
java/util/PriorityQueue <init>(Ljava/util/PriorityQueue;)V
java/util/PriorityQueue <init>(Ljava/util/SortedSet;)V
java/util/PriorityQueue grow(I)V
java/util/PriorityQueue offer(Ljava/lang/Object;)Z
java/util/PriorityQueue peek()Ljava/lang/Object;
java/util/PriorityQueue
 add(Ljava/lang/Object;)Z
java/util/PriorityQueue remove(Ljava/lang/Object;)Z
java/util/PriorityQueue iterator()Ljava/util/Iterator;
java/util/PriorityQueue size()I
java/util/PriorityQueue clear()V
java/util/PriorityQueue poll()Ljava/lang/Object;
java/util/PriorityQueue removeAt(I)Ljava/lang/Object;
java/util/PriorityQueue fixUp(I)V
java/util/PriorityQueue fixDown(I)V
java/util/PriorityQueue heapify()V
java/util/PriorityQueue comparator()Ljava/util/Comparator;
java/util/PriorityQueue writeObject(Ljava/io/ObjectOutputStream;)V
java/util/PriorityQueue readObject(Ljava/io/ObjectInputStream;)V
java/util/PriorityQueue access$100(Ljava/util/PriorityQueue;)I
java/util/PriorityQueue access$200(Ljava/util/PriorityQueue;)I
java/util/PriorityQueue access$300(Ljava/util/PriorityQueue;)[Ljava/lang/Object;
java/util/PriorityQueue access$400(Ljava/util/PriorityQueue;I)Ljava/lang/Object;
java/util/PriorityQueue <clinit>()V
class java/util/RegularEnumSet$EnumSetIterator
 java/lang/Object
java/util/RegularEnumSet$EnumSetIterator unseen
java/util/RegularEnumSet$EnumSetIterator lastReturned
java/util/RegularEnumSet$EnumSetIterator this$0
java/util/RegularEnumSet$EnumSetIterator <init>(Ljava/util/RegularEnumSet;)V
java/util/RegularEnumSet$EnumSetIterator hasNext()Z
java/util/RegularEnumSet$EnumSetIterator next()Ljava/lang/Enum;
java/util/RegularEnumSet$EnumSetIterator remove()V
java/util/RegularEnumSet$EnumSetIterator next()Ljava/lang/Object;
class java/util/RegularEnumSet java/util/EnumSet
java/util/RegularEnumSet elements
java/util/RegularEnumSet <init>(Ljava/lang/Class;[Ljava/lang/Enum;)V
java/util/RegularEnumSet addRange(Ljava/lang/Enum;Ljava/lang/Enum;)V
java/util/RegularEnumSet addAll()V
java/util/RegularEnumSet complement()V
java/util/RegularEnumSet iterator()Ljava/util/Iterator;
java/util/RegularEnumSet size()I
java/util/RegularEnumSet isEmpty()Z
java/util/RegularEnumSet contains(Ljava/lang/Object;)Z
java/util/RegularEnumSet add(Ljava/lang/Enum;)Z
java/util/RegularEnumSet

```



```

remove(Ljava/lang/Object;)Z
java/util/RegularEnumSet containsAll(Ljava/util/Collection;)Z
java/util/RegularEnumSet addAll(Ljava/util/Collection;)Z
java/util/RegularEnumSet removeAll(Ljava/util/Collection;)Z
java/util/RegularEnumSet retainAll(Ljava/util/Collection;)Z
java/util/RegularEnumSet clear()V
java/util/RegularEnumSet equals(Ljava/lang/Object;)Z
java/util/RegularEnumSet add(Ljava/lang/Object;)Z
java/util/RegularEnumSet access$000(Ljava/util/RegularEnumSet;)J
java/util/RegularEnumSet access$022(Ljava/util/RegularEnumSet;)J
class java/util/Scanner$1 sun/misc/LRUCache
java/util/Scanner$1 this$0
java/util/Scanner$1 <init>(Ljava/util/Scanner;I)V
java/util/Scanner$1 create(Ljava/lang/String;)Ljava/util/regex/Pattern;
java/util/Scanner$1 hasName(Ljava/util/regex/Pattern;Ljava/lang/String;)Z
java/util/Scanner$1 hasName(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/Scanner$1 create(Ljava/lang/Object;)Ljava/lang/Object;
class java/util/Scanner java/lang/Object
java/util/Scanner
 buf
java/util/Scanner BUFFER_SIZE
java/util/Scanner position
java/util/Scanner matcher
java/util/Scanner delimPattern
java/util/Scanner hasNextPattern
java/util/Scanner hasNextPosition
java/util/Scanner hasNextResult
java/util/Scanner source
java/util/Scanner sourceClosed
java/util/Scanner needInput
java/util/Scanner skipped
java/util/Scanner savedScannerPosition
java/util/Scanner typeCache
java/util/Scanner matchValid
java/util/Scanner closed
java/util/Scanner radix
java/util/Scanner defaultRadix
java/util/Scanner locale
java/util/Scanner patternCache
java/util/Scanner lastException
java/util/Scanner WHITESPACE_PATTERN
java/util/Scanner FIND_ANY_PATTERN
java/util/Scanner NON_ASCII_DIGIT
java/util/Scanner groupSeparator
java/util/Scanner decimalSeparator
java/util/Scanner nanString
java/util/Scanner infinityString
java/util/Scanner positivePrefix

```

```

java/util/Scanner negativePrefix
java/util/Scanner positiveSuffix
java/util/Scanner negativeSuffix
java/util/Scanner
 boolPattern
java/util/Scanner BOOLEAN_PATTERN
java/util/Scanner integerPattern
java/util/Scanner digits
java/util/Scanner non0Digit
java/util/Scanner SIMPLE_GROUP_INDEX
java/util/Scanner separatorPattern
java/util/Scanner LINE_SEPARATOR_PATTERN
java/util/Scanner floatPattern
java/util/Scanner decimalPattern
java/util/Scanner boolPattern()Ljava/util/regex/Pattern;
java/util/Scanner buildIntegerPatternString()Ljava/lang/String;
java/util/Scanner integerPattern()Ljava/util/regex/Pattern;
java/util/Scanner separatorPattern()Ljava/util/regex/Pattern;
java/util/Scanner buildFloatAndDecimalPattern()V
java/util/Scanner floatPattern()Ljava/util/regex/Pattern;
java/util/Scanner decimalPattern()Ljava/util/regex/Pattern;
java/util/Scanner <init>(Ljava/lang/Readable;Ljava/util/regex/Pattern;)V
java/util/Scanner <init>(Ljava/lang/Readable;)V
java/util/Scanner <init>(Ljava/io/InputStream;)V
java/util/Scanner <init>(Ljava/io/InputStream;Ljava/lang/String;)V
java/util/Scanner makeReadable(Ljava/io/InputStream;Ljava/lang/String;)Ljava/lang/Readable;
java/util/Scanner
 <init>(Ljava/io/File;)V
java/util/Scanner <init>(Ljava/io/File;Ljava/lang/String;)V
java/util/Scanner <init>(Ljava/lang/String;)V
java/util/Scanner <init>(Ljava/nio/channels/ReadableByteChannel;)V
java/util/Scanner makeReadable(Ljava/nio/channels/ReadableByteChannel;)Ljava/lang/Readable;
java/util/Scanner <init>(Ljava/nio/channels/ReadableByteChannel;Ljava/lang/String;)V
java/util/Scanner makeReadable(Ljava/nio/channels/ReadableByteChannel;Ljava/lang/String;)Ljava/lang/Readable;
java/util/Scanner saveState()V
java/util/Scanner revertState()V
java/util/Scanner revertState(Z)Z
java/util/Scanner cacheResult(Ljava/util/regex/Pattern;)V
java/util/Scanner clearCaches()V
java/util/Scanner getCachedResult()Ljava/lang/String;
java/util/Scanner useTypeCache()V
java/util/Scanner readInput()V
java/util/Scanner makeSpace()Z
java/util/Scanner translateSavedIndexes(I)V
java/util/Scanner throwFor()V
java/util/Scanner hasTokenInBuffer()Z
java/util/Scanner

```

```

getCompleteTokenInBuffer(Ljava/util/regex/Pattern;)Ljava/lang/String;
java/util/Scanner findPatternInBuffer(Ljava/util/regex/Pattern;I)Ljava/lang/String;
java/util/Scanner matchPatternInBuffer(Ljava/util/regex/Pattern;)Ljava/lang/String;
java/util/Scanner ensureOpen()V
java/util/Scanner close()V
java/util/Scanner ioException()Ljava/io/IOException;
java/util/Scanner delimiter(Ljava/util/regex/Pattern;
java/util/Scanner useDelimiter(Ljava/util/regex/Pattern;)Ljava/util/Scanner;
java/util/Scanner useDelimiter(Ljava/lang/String;)Ljava/util/Scanner;
java/util/Scanner locale(Ljava/util/Locale;
java/util/Scanner useLocale(Ljava/util/Locale;)Ljava/util/Scanner;
java/util/Scanner radix()I
java/util/Scanner useRadix(I)Ljava/util/Scanner;
java/util/Scanner setRadix(I)V
java/util/Scanner match()Ljava/util/regex/MatchResult;
java/util/Scanner toString()Ljava/lang/String;
java/util/Scanner hasNext()Z
java/util/Scanner next()Ljava/lang/String;
java/util/Scanner remove()V
java/util/Scanner
 hasNext(Ljava/lang/String;)Z
java/util/Scanner next(Ljava/lang/String;)Ljava/lang/String;
java/util/Scanner hasNext(Ljava/util/regex/Pattern;)Z
java/util/Scanner next(Ljava/util/regex/Pattern;)Ljava/lang/String;
java/util/Scanner hasNextLine()Z
java/util/Scanner nextLine()Ljava/lang/String;
java/util/Scanner findInLine(Ljava/lang/String;)Ljava/lang/String;
java/util/Scanner findInLine(Ljava/util/regex/Pattern;)Ljava/lang/String;
java/util/Scanner findWithinHorizon(Ljava/lang/String;I)Ljava/lang/String;
java/util/Scanner findWithinHorizon(Ljava/util/regex/Pattern;I)Ljava/lang/String;
java/util/Scanner skip(Ljava/util/regex/Pattern;)Ljava/util/Scanner;
java/util/Scanner skip(Ljava/lang/String;)Ljava/util/Scanner;
java/util/Scanner hasNextBoolean()Z
java/util/Scanner nextBoolean()Z
java/util/Scanner hasNextByte()Z
java/util/Scanner hasNextByte(I)Z
java/util/Scanner nextByte()B
java/util/Scanner nextByte(I)B
java/util/Scanner hasNextShort()Z
java/util/Scanner hasNextShort(I)Z
java/util/Scanner
 nextShort()S
java/util/Scanner nextShort(I)S
java/util/Scanner hasNextInt()Z
java/util/Scanner hasNextInt(I)Z
java/util/Scanner processIntegerToken(Ljava/lang/String;)Ljava/lang/String;
java/util/Scanner nextInt()I
java/util/Scanner nextInt(I)I

```

```

java/util/Scanner hasNextLong()Z
java/util/Scanner hasNextLong(I)Z
java/util/Scanner nextLong()J
java/util/Scanner nextLong(I)J
java/util/Scanner processFloatToken(Ljava/lang/String;)Ljava/lang/String;
java/util/Scanner hasNextFloat()Z
java/util/Scanner nextFloat()F
java/util/Scanner hasNextDouble()Z
java/util/Scanner nextDouble()D
java/util/Scanner hasNextBigInteger()Z
java/util/Scanner hasNextBigInteger(I)Z
java/util/Scanner nextBigInteger()Ljava/math/BigInteger;
java/util/Scanner nextBigInteger(I)Ljava/math/BigInteger;
java/util/Scanner hasNextBigDecimal()Z
java/util/Scanner nextBigDecimal()Ljava/math/BigDecimal;
java/util/Scanner next()Ljava/lang/Object;
java/util/Scanner <clinit>()V
class java/util/SimpleTimeZone java/util/TimeZone
java/util/SimpleTimeZone
 startMonth
java/util/SimpleTimeZone startDay
java/util/SimpleTimeZone startDayOfWeek
java/util/SimpleTimeZone startTime
java/util/SimpleTimeZone startTimeMode
java/util/SimpleTimeZone endMonth
java/util/SimpleTimeZone endDay
java/util/SimpleTimeZone endDayOfWeek
java/util/SimpleTimeZone endTime
java/util/SimpleTimeZone endTimeMode
java/util/SimpleTimeZone startYear
java/util/SimpleTimeZone rawOffset
java/util/SimpleTimeZone useDaylight
java/util/SimpleTimeZone millisPerHour
java/util/SimpleTimeZone millisPerDay
java/util/SimpleTimeZone monthLength
java/util/SimpleTimeZone staticMonthLength
java/util/SimpleTimeZone staticLeapMonthLength
java/util/SimpleTimeZone startMode
java/util/SimpleTimeZone endMode
java/util/SimpleTimeZone dstSavings
java/util/SimpleTimeZone gcal
java/util/SimpleTimeZone cacheYear
java/util/SimpleTimeZone cacheStart
java/util/SimpleTimeZone cacheEnd
java/util/SimpleTimeZone DOM_MODE
java/util/SimpleTimeZone DOW_IN_MONTH_MODE
java/util/SimpleTimeZone

```

```

DOW_GE_DOM_MODE
java/util/TimeZone DOW_LE_DOM_MODE
java/util/TimeZone WALL_TIME
java/util/TimeZone STANDARD_TIME
java/util/TimeZone UTC_TIME
java/util/TimeZone serialVersionUID
java/util/TimeZone currentSerialVersion
java/util/TimeZone serialVersionOnStream
java/util/TimeZone <init>(Ljava/lang/String;)V
java/util/TimeZone <init>(Ljava/lang/String;IIIIII)V
java/util/TimeZone <init>(Ljava/lang/String;IIIIII)V
java/util/TimeZone <init>(Ljava/lang/String;IIIIIIII)V
java/util/TimeZone setStartYear(I)V
java/util/TimeZone setStartRule(III)V
java/util/TimeZone setStartRule(III)V
java/util/TimeZone setStartRule(IIIZ)V
java/util/TimeZone setEndRule(III)V
java/util/TimeZone setEndRule(III)V
java/util/TimeZone setEndRule(IIIZ)V
java/util/TimeZone getOffset(J)I
java/util/TimeZone getOffsets(J[I)I
java/util/TimeZone getOffset(IIII)I
java/util/TimeZone
 getOffset(Lsun/util/calendar/BaseCalendar;Lsun/util/calendar/BaseCalendar$Date;I)I
java/util/TimeZone getStart(Lsun/util/calendar/BaseCalendar;Lsun/util/calendar/BaseCalendar$Date;I)J
java/util/TimeZone getEnd(Lsun/util/calendar/BaseCalendar;Lsun/util/calendar/BaseCalendar$Date;I)J
java/util/TimeZone
 getTransition(Lsun/util/calendar/BaseCalendar;Lsun/util/calendar/BaseCalendar$Date;IIII)J
java/util/TimeZone getRawOffset()I
java/util/TimeZone setRawOffset(I)V
java/util/TimeZone setDSTSavings(I)V
java/util/TimeZone getDSTSavings()I
java/util/TimeZone useDaylightTime()Z
java/util/TimeZone inDaylightTime(Ljava/util/Date;)Z
java/util/TimeZone clone()Ljava/lang/Object;
java/util/TimeZone hashCode()I
java/util/TimeZone equals(Ljava/lang/Object;)Z
java/util/TimeZone hasSameRules(Ljava/util/TimeZone;)Z
java/util/TimeZone toString()Ljava/lang/String;
java/util/TimeZone invalidateCache()V
java/util/TimeZone
 decodeRules()V
java/util/TimeZone decodeStartRule()V
java/util/TimeZone decodeEndRule()V
java/util/TimeZone makeRulesCompatible()V
java/util/TimeZone packRules()[B
java/util/TimeZone unpackRules([B)V
java/util/TimeZone packTimes()[I

```

```

java/util/SimpleTimeZone unpackTimes([I)V
java/util/SimpleTimeZone writeObject(Ljava/io/ObjectOutputStream;)V
java/util/SimpleTimeZone readObject(Ljava/io/ObjectInputStream;)V
java/util/SimpleTimeZone <clinit>()V
class java/util/TimeZone$DisplayNames java/lang/Object
java/util/TimeZone$DisplayNames CACHE
java/util/TimeZone$DisplayNames <init>()V
java/util/TimeZone$DisplayNames access$000()Ljava/util/Map;
java/util/TimeZone$DisplayNames <clinit>()V
class java/util/TooManyListenersException java/lang/Exception
java/util/TooManyListenersException <init>()V
java/util/TooManyListenersException <init>(Ljava/lang/String;)V
class java/util/TreeMap$3 java/util/AbstractSet
java/util/TreeMap$3 this$0
java/util/TreeMap$3
 <init>(Ljava/util/TreeMap;)V
java/util/TreeMap$3 iterator()Ljava/util/Iterator;
java/util/TreeMap$3 contains(Ljava/lang/Object;)Z
java/util/TreeMap$3 remove(Ljava/lang/Object;)Z
java/util/TreeMap$3 size()I
java/util/TreeMap$3 clear()V
class java/util/TreeMap$EntryIterator java/util/TreeMap$PrivateEntryIterator
java/util/TreeMap$EntryIterator this$0
java/util/TreeMap$EntryIterator <init>(Ljava/util/TreeMap;)V
java/util/TreeMap$EntryIterator next()Ljava/util/Map$Entry;
java/util/TreeMap$EntryIterator next()Ljava/lang/Object;
java/util/TreeMap$EntryIterator <init>(Ljava/util/TreeMap;Ljava/util/TreeMap$1;)V
class java/util/TreeMap$SubMap$EntrySetView java/util/AbstractSet
java/util/TreeMap$SubMap$EntrySetView size
java/util/TreeMap$SubMap$EntrySetView sizeModCount
java/util/TreeMap$SubMap$EntrySetView this$1
java/util/TreeMap$SubMap$EntrySetView <init>(Ljava/util/TreeMap$SubMap;)V
java/util/TreeMap$SubMap$EntrySetView size()I
java/util/TreeMap$SubMap$EntrySetView isEmpty()Z
java/util/TreeMap$SubMap$EntrySetView
 contains(Ljava/lang/Object;)Z
java/util/TreeMap$SubMap$EntrySetView remove(Ljava/lang/Object;)Z
java/util/TreeMap$SubMap$EntrySetView iterator()Ljava/util/Iterator;
java/util/TreeMap$SubMap$EntrySetView <init>(Ljava/util/TreeMap$SubMap;Ljava/util/TreeMap$1;)V
class java/util/TreeMap$SubMap java/util/AbstractMap
java/util/TreeMap$SubMap serialVersionUID
java/util/TreeMap$SubMap fromStart
java/util/TreeMap$SubMap toEnd
java/util/TreeMap$SubMap fromKey
java/util/TreeMap$SubMap toKey
java/util/TreeMap$SubMap entrySet
java/util/TreeMap$SubMap this$0
java/util/TreeMap$SubMap <init>(Ljava/util/TreeMap;Ljava/lang/Object;Ljava/lang/Object;)V

```

```

java/util/TreeMap$SubMap <init>(Ljava/util/TreeMap;Ljava/lang/Object;Z)V
java/util/TreeMap$SubMap <init>(Ljava/util/TreeMap;ZLjava/lang/Object;ZLjava/lang/Object;)V
java/util/TreeMap$SubMap isEmpty()Z
java/util/TreeMap$SubMap containsKey(Ljava/lang/Object;)Z
java/util/TreeMap$SubMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/TreeMap$SubMap
 put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/TreeMap$SubMap comparator()Ljava/util/Comparator;
java/util/TreeMap$SubMap firstKey()Ljava/lang/Object;
java/util/TreeMap$SubMap lastKey()Ljava/lang/Object;
java/util/TreeMap$SubMap entrySet()Ljava/util/Set;
java/util/TreeMap$SubMap subMap(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/TreeMap$SubMap headMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/TreeMap$SubMap tailMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/TreeMap$SubMap inRange(Ljava/lang/Object;)Z
java/util/TreeMap$SubMap inRange2(Ljava/lang/Object;)Z
java/util/TreeMap$SubMap access$1700(Ljava/util/TreeMap$SubMap;Ljava/lang/Object;)Z
java/util/TreeMap$SubMap access$1800(Ljava/util/TreeMap$SubMap;)Z
java/util/TreeMap$SubMap access$1900(Ljava/util/TreeMap$SubMap;)Ljava/lang/Object;
java/util/TreeMap$SubMap access$2000(Ljava/util/TreeMap$SubMap;)Z
java/util/TreeMap$SubMap access$2100(Ljava/util/TreeMap$SubMap;)Ljava/lang/Object;
class
 java/util/TreeMap$SubMapEntryIterator java/util/TreeMap$PrivateEntryIterator
java/util/TreeMap$SubMapEntryIterator firstExcludedKey
java/util/TreeMap$SubMapEntryIterator this$0
java/util/TreeMap$SubMapEntryIterator
 <init>(Ljava/util/TreeMap;Ljava/util/TreeMap$Entry;Ljava/util/TreeMap$Entry;)V
java/util/TreeMap$SubMapEntryIterator hasNext()Z
java/util/TreeMap$SubMapEntryIterator next()Ljava/util/Map$Entry;
java/util/TreeMap$SubMapEntryIterator next()Ljava/lang/Object;
class java/util/UUID java/lang/Object
java/util/UUID serialVersionUID
java/util/UUID mostSigBits
java/util/UUID leastSigBits
java/util/UUID version
java/util/UUID variant
java/util/UUID timestamp
java/util/UUID sequence
java/util/UUID node
java/util/UUID hashCode
java/util/UUID numberGenerator
java/util/UUID $assertionsDisabled
java/util/UUID <init>([B)V
java/util/UUID <init>(JJ)V
java/util/UUID randomUUID()Ljava/util/UUID;
java/util/UUID nameUUIDFromBytes([B)Ljava/util/UUID;
java/util/UUID

```

```

 fromString(Ljava/lang/String;)Ljava/util/UUID;
java/util/UUID getLeastSignificantBits()J
java/util/UUID getMostSignificantBits()J
java/util/UUID version()I
java/util/UUID variant()I
java/util/UUID timestamp()J
java/util/UUID clockSequence()I
java/util/UUID node()J
java/util/UUID toString()Ljava/lang/String;
java/util/UUID digits(JI)Ljava/lang/String;
java/util/UUID hashCode()I
java/util/UUID equals(Ljava/lang/Object;)Z
java/util/UUID compareTo(Ljava/util/UUID;)I
java/util/UUID readObject(Ljava/io/ObjectInputStream;)V
java/util/UUID compareTo(Ljava/lang/Object;)I
java/util/UUID <clinit>()V
class java/util/UnknownFormatConversionException java/util/IllegalFormatException
java/util/UnknownFormatConversionException serialVersionUID
java/util/UnknownFormatConversionException s
java/util/UnknownFormatConversionException <init>(Ljava/lang/String;)V
java/util/UnknownFormatConversionException getConversion()Ljava/lang/String;
java/util/UnknownFormatConversionException getMessage()Ljava/lang/String;
class
 java/util/UnknownFormatFlagsException java/util/IllegalFormatException
java/util/UnknownFormatFlagsException serialVersionUID
java/util/UnknownFormatFlagsException flags
java/util/UnknownFormatFlagsException <init>(Ljava/lang/String;)V
java/util/UnknownFormatFlagsException getFlags()Ljava/lang/String;
java/util/UnknownFormatFlagsException getMessage()Ljava/lang/String;
class java/util/WeakHashMap$1 java/lang/Object
class java/util/WeakHashMap$ValueIterator java/util/WeakHashMap$HashIterator
java/util/WeakHashMap$ValueIterator this$0
java/util/WeakHashMap$ValueIterator <init>(Ljava/util/WeakHashMap;)V
java/util/WeakHashMap$ValueIterator next()Ljava/lang/Object;
java/util/WeakHashMap$ValueIterator <init>(Ljava/util/WeakHashMap;Ljava/util/WeakHashMap$1;)V
class java/util/WeakHashMap$Values java/util/AbstractCollection
java/util/WeakHashMap$Values this$0
java/util/WeakHashMap$Values <init>(Ljava/util/WeakHashMap;)V
java/util/WeakHashMap$Values iterator()Ljava/util/Iterator;
java/util/WeakHashMap$Values
 size()I
java/util/WeakHashMap$Values contains(Ljava/lang/Object;)Z
java/util/WeakHashMap$Values clear()V
java/util/WeakHashMap$Values toArray()[Ljava/lang/Object;
java/util/WeakHashMap$Values toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/WeakHashMap$Values <init>(Ljava/util/WeakHashMap;Ljava/util/WeakHashMap$1;)V
class java/util/XMLUtils$1 java/lang/Object
class java/util/XMLUtils$EH java/lang/Object

```



```

java/util/XMLUtils$EH <init>()V
java/util/XMLUtils$EH error(Lorg/xml/sax/SAXParseException;)V
java/util/XMLUtils$EH fatalError(Lorg/xml/sax/SAXParseException;)V
java/util/XMLUtils$EH warning(Lorg/xml/sax/SAXParseException;)V
java/util/XMLUtils$EH <init>(Ljava/util/XMLUtils$1;)V
class java/util/XMLUtils$Resolver java/lang/Object
java/util/XMLUtils$Resolver <init>()V
java/util/XMLUtils$Resolver resolveEntity(Ljava/lang/String;Ljava/lang/String;)Lorg/xml/sax/InputSource;
java/util/XMLUtils$Resolver <init>(Ljava/util/XMLUtils$1;)V
class java/util/XMLUtils
 java/lang/Object
java/util/XMLUtils PROPS_DTD_URI
java/util/XMLUtils PROPS_DTD
java/util/XMLUtils EXTERNAL_XML_VERSION
java/util/XMLUtils $assertionsDisabled
java/util/XMLUtils <init>()V
java/util/XMLUtils load(Ljava/util/Properties;Ljava/io/InputStream;)V
java/util/XMLUtils getLoadingDoc(Ljava/io/InputStream;)Lorg/w3c/dom/Document;
java/util/XMLUtils importProperties(Ljava/util/Properties;Lorg/w3c/dom/Element;)V
java/util/XMLUtils save(Ljava/util/Properties;Ljava/io/OutputStream;Ljava/lang/String;Ljava/lang/String;)V
java/util/XMLUtils emitDocument(Lorg/w3c/dom/Document;Ljava/io/OutputStream;Ljava/lang/String;)V
java/util/XMLUtils <clinit>()V
class java/util/concurrent/AbstractExecutorService java/lang/Object
java/util/concurrent/AbstractExecutorService $assertionsDisabled
java/util/concurrent/AbstractExecutorService <init>()V
java/util/concurrent/AbstractExecutorService submit(Ljava/lang/Runnable;)Ljava/util/concurrent/Future;
java/util/concurrent/AbstractExecutorService
 submit(Ljava/lang/Runnable;Ljava/lang/Object;)Ljava/util/concurrent/Future;
java/util/concurrent/AbstractExecutorService submit(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Future;
java/util/concurrent/AbstractExecutorService doInvokeAny(Ljava/util/Collection;ZZ)Ljava/lang/Object;
java/util/concurrent/AbstractExecutorService invokeAny(Ljava/util/Collection;)Ljava/lang/Object;
java/util/concurrent/AbstractExecutorService
 invokeAny(Ljava/util/Collection;JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/AbstractExecutorService invokeAll(Ljava/util/Collection;)Ljava/util/List;
java/util/concurrent/AbstractExecutorService
 invokeAll(Ljava/util/Collection;JLjava/util/concurrent/TimeUnit;)Ljava/util/List;
java/util/concurrent/AbstractExecutorService <clinit>()V
class java/util/concurrent/ArrayBlockingQueue$Itr java/lang/Object
java/util/concurrent/ArrayBlockingQueue$Itr nextIndex
java/util/concurrent/ArrayBlockingQueue$Itr nextItem
java/util/concurrent/ArrayBlockingQueue$Itr
 lastRet
java/util/concurrent/ArrayBlockingQueue$Itr this$0
java/util/concurrent/ArrayBlockingQueue$Itr <init>(Ljava/util/concurrent/ArrayBlockingQueue;)V
java/util/concurrent/ArrayBlockingQueue$Itr hasNext()Z
java/util/concurrent/ArrayBlockingQueue$Itr checkNext()V
java/util/concurrent/ArrayBlockingQueue$Itr next()Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue$Itr remove()V

```

```

class java/util/concurrent/ArrayBlockingQueue java/util/AbstractQueue
java/util/concurrent/ArrayBlockingQueue serialVersionUID
java/util/concurrent/ArrayBlockingQueue items
java/util/concurrent/ArrayBlockingQueue takeIndex
java/util/concurrent/ArrayBlockingQueue putIndex
java/util/concurrent/ArrayBlockingQueue count
java/util/concurrent/ArrayBlockingQueue lock
java/util/concurrent/ArrayBlockingQueue notEmpty
java/util/concurrent/ArrayBlockingQueue notFull
java/util/concurrent/ArrayBlockingQueue inc(I)I
java/util/concurrent/ArrayBlockingQueue insert(Ljava/lang/Object;)V
java/util/concurrent/ArrayBlockingQueue
 extract(Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue removeAt(I)V
java/util/concurrent/ArrayBlockingQueue <init>(I)V
java/util/concurrent/ArrayBlockingQueue <init>(IZ)V
java/util/concurrent/ArrayBlockingQueue <init>(IZLjava/util/Collection;)V
java/util/concurrent/ArrayBlockingQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/ArrayBlockingQueue offer(Ljava/lang/Object;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/ArrayBlockingQueue poll(Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue remove(Ljava/lang/Object;)Z
java/util/concurrent/ArrayBlockingQueue peek()Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue take()Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue put(Ljava/lang/Object;)V
java/util/concurrent/ArrayBlockingQueue size()I
java/util/concurrent/ArrayBlockingQueue remainingCapacity()I
java/util/concurrent/ArrayBlockingQueue
 contains(Ljava/lang/Object;)Z
java/util/concurrent/ArrayBlockingQueue toArray()[Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue toString()Ljava/lang/String;
java/util/concurrent/ArrayBlockingQueue clear()V
java/util/concurrent/ArrayBlockingQueue drainTo(Ljava/util/Collection;)I
java/util/concurrent/ArrayBlockingQueue drainTo(Ljava/util/Collection;I)I
java/util/concurrent/ArrayBlockingQueue iterator()Ljava/util/Iterator;
java/util/concurrent/ArrayBlockingQueue access$000(Ljava/util/concurrent/ArrayBlockingQueue;)I
java/util/concurrent/ArrayBlockingQueue access$100(Ljava/util/concurrent/ArrayBlockingQueue;)I
java/util/concurrent/ArrayBlockingQueue
 access$200(Ljava/util/concurrent/ArrayBlockingQueue;)[Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue access$300(Ljava/util/concurrent/ArrayBlockingQueue;)I
java/util/concurrent/ArrayBlockingQueue
 access$400(Ljava/util/concurrent/ArrayBlockingQueue;)Ljava/util/concurrent/locks/ReentrantLock;
class
 java/util/concurrent/BlockingQueue java/lang/Object
java/util/concurrent/BlockingQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/BlockingQueue offer(Ljava/lang/Object;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/BlockingQueue poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;

```

```

java/util/concurrent/BlockingQueue take()Ljava/lang/Object;
java/util/concurrent/BlockingQueue put(Ljava/lang/Object;)V
java/util/concurrent/BlockingQueue remainingCapacity()I
java/util/concurrent/BlockingQueue add(Ljava/lang/Object;)Z
java/util/concurrent/BlockingQueue drainTo(Ljava/util/Collection;)I
java/util/concurrent/BlockingQueue drainTo(Ljava/util/Collection;I)I
class java/util/concurrent/BrokenBarrierException java/lang/Exception
java/util/concurrent/BrokenBarrierException serialVersionUID
java/util/concurrent/BrokenBarrierException <init>()V
java/util/concurrent/BrokenBarrierException <init>(Ljava/lang/String;)V
class
java/util/concurrent/Callable java/lang/Object
java/util/concurrent/Callable call()Ljava/lang/Object;
class java/util/concurrent/CancellationException java/lang/IllegalStateException
java/util/concurrent/CancellationException serialVersionUID
java/util/concurrent/CancellationException <init>()V
java/util/concurrent/CancellationException <init>(Ljava/lang/String;)V
class java/util/concurrent/CompletionService java/lang/Object
java/util/concurrent/CompletionService submit(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Future;
java/util/concurrent/CompletionService
submit(Ljava/lang/Runnable;Ljava/lang/Object;)Ljava/util/concurrent/Future;
java/util/concurrent/CompletionService take()Ljava/util/concurrent/Future;
java/util/concurrent/CompletionService poll()Ljava/util/concurrent/Future;
java/util/concurrent/CompletionService poll(JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/Future;
class java/util/concurrent/ConcurrentHashMap$EntryIterator java/util/concurrent/ConcurrentHashMap$HashIterator
java/util/concurrent/ConcurrentHashMap$EntryIterator
this$0
java/util/concurrent/ConcurrentHashMap$EntryIterator <init>(Ljava/util/concurrent/ConcurrentHashMap;)V
java/util/concurrent/ConcurrentHashMap$EntryIterator next()Ljava/util/Map$Entry;
java/util/concurrent/ConcurrentHashMap$EntryIterator getKey()Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$EntryIterator getValue()Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$EntryIterator setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$EntryIterator equals(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$EntryIterator hashCode()I
java/util/concurrent/ConcurrentHashMap$EntryIterator toString()Ljava/lang/String;
java/util/concurrent/ConcurrentHashMap$EntryIterator eq(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$EntryIterator next()Ljava/lang/Object;
class java/util/concurrent/ConcurrentHashMap$EntrySet java/util/AbstractSet
java/util/concurrent/ConcurrentHashMap$EntrySet
this$0
java/util/concurrent/ConcurrentHashMap$EntrySet <init>(Ljava/util/concurrent/ConcurrentHashMap;)V
java/util/concurrent/ConcurrentHashMap$EntrySet iterator()Ljava/util/Iterator;
java/util/concurrent/ConcurrentHashMap$EntrySet contains(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$EntrySet remove(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$EntrySet size()I
java/util/concurrent/ConcurrentHashMap$EntrySet clear()V
java/util/concurrent/ConcurrentHashMap$EntrySet toArray()[Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$EntrySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;

```

```

class java/util/concurrent/ConcurrentHashMap$HashIterator java/lang/Object
java/util/concurrent/ConcurrentHashMap$HashIterator nextSegmentIndex
java/util/concurrent/ConcurrentHashMap$HashIterator nextTableIndex
java/util/concurrent/ConcurrentHashMap$HashIterator currentTable
java/util/concurrent/ConcurrentHashMap$HashIterator
 nextEntry
java/util/concurrent/ConcurrentHashMap$HashIterator lastReturned
java/util/concurrent/ConcurrentHashMap$HashIterator this$0
java/util/concurrent/ConcurrentHashMap$HashIterator <init>(Ljava/util/concurrent/ConcurrentHashMap;)V
java/util/concurrent/ConcurrentHashMap$HashIterator hasMoreElements()Z
java/util/concurrent/ConcurrentHashMap$HashIterator advance()V
java/util/concurrent/ConcurrentHashMap$HashIterator hasNext()Z
java/util/concurrent/ConcurrentHashMap$HashIterator
 nextEntry()Ljava/util/concurrent/ConcurrentHashMap$HashEntry;
java/util/concurrent/ConcurrentHashMap$HashIterator remove()V
class java/util/concurrent/ConcurrentHashMap$KeyIterator java/util/concurrent/ConcurrentHashMap$HashIterator
java/util/concurrent/ConcurrentHashMap$KeyIterator this$0
java/util/concurrent/ConcurrentHashMap$KeyIterator <init>(Ljava/util/concurrent/ConcurrentHashMap;)V
java/util/concurrent/ConcurrentHashMap$KeyIterator next()Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$KeyIterator
 nextElement()Ljava/lang/Object;
class java/util/concurrent/ConcurrentHashMap$KeySet java/util/AbstractSet
java/util/concurrent/ConcurrentHashMap$KeySet this$0
java/util/concurrent/ConcurrentHashMap$KeySet <init>(Ljava/util/concurrent/ConcurrentHashMap;)V
java/util/concurrent/ConcurrentHashMap$KeySet iterator()Ljava/util/Iterator;
java/util/concurrent/ConcurrentHashMap$KeySet size()I
java/util/concurrent/ConcurrentHashMap$KeySet contains(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$KeySet remove(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$KeySet clear()V
java/util/concurrent/ConcurrentHashMap$KeySet toArray()[Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$KeySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
class java/util/concurrent/ConcurrentHashMap$SimpleEntry java/lang/Object
java/util/concurrent/ConcurrentHashMap$SimpleEntry key
java/util/concurrent/ConcurrentHashMap$SimpleEntry value
java/util/concurrent/ConcurrentHashMap$SimpleEntry
 <init>(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/concurrent/ConcurrentHashMap$SimpleEntry <init>(Ljava/util/Map$Entry;)V
java/util/concurrent/ConcurrentHashMap$SimpleEntry getKey()Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$SimpleEntry getValue()Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$SimpleEntry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$SimpleEntry equals(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$SimpleEntry hashCode()I
java/util/concurrent/ConcurrentHashMap$SimpleEntry toString()Ljava/lang/String;
java/util/concurrent/ConcurrentHashMap$SimpleEntry eq(Ljava/lang/Object;Ljava/lang/Object;)Z
class java/util/concurrent/ConcurrentHashMap$ValueIterator java/util/concurrent/ConcurrentHashMap$HashIterator
java/util/concurrent/ConcurrentHashMap$ValueIterator this$0
java/util/concurrent/ConcurrentHashMap$ValueIterator <init>(Ljava/util/concurrent/ConcurrentHashMap;)V
java/util/concurrent/ConcurrentHashMap$ValueIterator

```

```

next()Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$ValueIterator nextElement()Ljava/lang/Object;
class java/util/concurrent/ConcurrentHashMap$Values java/util/AbstractCollection
java/util/concurrent/ConcurrentHashMap$Values this$0
java/util/concurrent/ConcurrentHashMap$Values <init>(Ljava/util/concurrent/ConcurrentHashMap;)V
java/util/concurrent/ConcurrentHashMap$Values iterator()Ljava/util/Iterator;
java/util/concurrent/ConcurrentHashMap$Values size()I
java/util/concurrent/ConcurrentHashMap$Values contains(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$Values clear()V
java/util/concurrent/ConcurrentHashMap$Values toArray()[Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$Values toArray([Ljava/lang/Object;)[Ljava/lang/Object;
class java/util/concurrent/ConcurrentLinkedQueue$Itr java/lang/Object
java/util/concurrent/ConcurrentLinkedQueue$Itr nextNode
java/util/concurrent/ConcurrentLinkedQueue$Itr nextItem
java/util/concurrent/ConcurrentLinkedQueue$Itr
lastRet
java/util/concurrent/ConcurrentLinkedQueue$Itr this$0
java/util/concurrent/ConcurrentLinkedQueue$Itr <init>(Ljava/util/concurrent/ConcurrentLinkedQueue;)V
java/util/concurrent/ConcurrentLinkedQueue$Itr advance()Ljava/lang/Object;
java/util/concurrent/ConcurrentLinkedQueue$Itr hasNext()Z
java/util/concurrent/ConcurrentLinkedQueue$Itr next()Ljava/lang/Object;
java/util/concurrent/ConcurrentLinkedQueue$Itr remove()V
class java/util/concurrent/ConcurrentLinkedQueue$Node java/lang/Object
java/util/concurrent/ConcurrentLinkedQueue$Node item
java/util/concurrent/ConcurrentLinkedQueue$Node next
java/util/concurrent/ConcurrentLinkedQueue$Node nextUpdater
java/util/concurrent/ConcurrentLinkedQueue$Node itemUpdater
java/util/concurrent/ConcurrentLinkedQueue$Node <init>(Ljava/lang/Object;)V
java/util/concurrent/ConcurrentLinkedQueue$Node
<init>(Ljava/lang/Object;Ljava/util/concurrent/ConcurrentLinkedQueue$Node;)V
java/util/concurrent/ConcurrentLinkedQueue$Node
getItem()Ljava/lang/Object;
java/util/concurrent/ConcurrentLinkedQueue$Node casItem(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentLinkedQueue$Node setItem(Ljava/lang/Object;)V
java/util/concurrent/ConcurrentLinkedQueue$Node getNext()Ljava/util/concurrent/ConcurrentLinkedQueue$Node;
java/util/concurrent/ConcurrentLinkedQueue$Node
casNext(Ljava/util/concurrent/ConcurrentLinkedQueue$Node;Ljava/util/concurrent/ConcurrentLinkedQueue$Node;
)Z
java/util/concurrent/ConcurrentLinkedQueue$Node
setNext(Ljava/util/concurrent/ConcurrentLinkedQueue$Node;)V
java/util/concurrent/ConcurrentLinkedQueue$Node <clinit>()V
class java/util/concurrent/ConcurrentLinkedQueue java/util/AbstractQueue
java/util/concurrent/ConcurrentLinkedQueue serialVersionUID
java/util/concurrent/ConcurrentLinkedQueue tailUpdater
java/util/concurrent/ConcurrentLinkedQueue headUpdater
java/util/concurrent/ConcurrentLinkedQueue head
java/util/concurrent/ConcurrentLinkedQueue tail
java/util/concurrent/ConcurrentLinkedQueue

```

```

casTail(Ljava/util/concurrent/ConcurrentLinkedQueue$Node;Ljava/util/concurrent/ConcurrentLinkedQueue$Node;)
Z
java/util/concurrent/ConcurrentLinkedQueue
casHead(Ljava/util/concurrent/ConcurrentLinkedQueue$Node;Ljava/util/concurrent/ConcurrentLinkedQueue$Node
;)Z
java/util/concurrent/ConcurrentLinkedQueue <init>()V
java/util/concurrent/ConcurrentLinkedQueue <init>(Ljava/util/Collection;)V
java/util/concurrent/ConcurrentLinkedQueue add(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentLinkedQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentLinkedQueue poll()Ljava/lang/Object;
java/util/concurrent/ConcurrentLinkedQueue peek()Ljava/lang/Object;
java/util/concurrent/ConcurrentLinkedQueue first()Ljava/util/concurrent/ConcurrentLinkedQueue$Node;
java/util/concurrent/ConcurrentLinkedQueue isEmpty()Z
java/util/concurrent/ConcurrentLinkedQueue size()I
java/util/concurrent/ConcurrentLinkedQueue contains(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentLinkedQueue
remove(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentLinkedQueue toArray()[Ljava/lang/Object;
java/util/concurrent/ConcurrentLinkedQueue toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/ConcurrentLinkedQueue iterator()Ljava/util/Iterator;
java/util/concurrent/ConcurrentLinkedQueue writeObject(Ljava/io/ObjectOutputStream;)V
java/util/concurrent/ConcurrentLinkedQueue readObject(Ljava/io/ObjectInputStream;)V
java/util/concurrent/ConcurrentLinkedQueue <clinit>()V
class java/util/concurrent/CopyOnWriteArrayList$1 java/lang/Object
class java/util/concurrent/CopyOnWriteArrayList$COWIterator java/lang/Object
java/util/concurrent/CopyOnWriteArrayList$COWIterator array
java/util/concurrent/CopyOnWriteArrayList$COWIterator cursor
java/util/concurrent/CopyOnWriteArrayList$COWIterator <init>([Ljava/lang/Object;I)V
java/util/concurrent/CopyOnWriteArrayList$COWIterator hasNext()Z
java/util/concurrent/CopyOnWriteArrayList$COWIterator hasPrevious()Z
java/util/concurrent/CopyOnWriteArrayList$COWIterator
next()Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList$COWIterator previous()Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList$COWIterator nextIndex()I
java/util/concurrent/CopyOnWriteArrayList$COWIterator previousIndex()I
java/util/concurrent/CopyOnWriteArrayList$COWIterator remove()V
java/util/concurrent/CopyOnWriteArrayList$COWIterator set(Ljava/lang/Object;)V
java/util/concurrent/CopyOnWriteArrayList$COWIterator add(Ljava/lang/Object;)V
java/util/concurrent/CopyOnWriteArrayList$COWIterator
<init>([Ljava/lang/Object;ILjava/util/concurrent/CopyOnWriteArrayList$1;)V
class java/util/concurrent/CopyOnWriteArrayList$COWSubList java/util/AbstractList
java/util/concurrent/CopyOnWriteArrayList$COWSubList l
java/util/concurrent/CopyOnWriteArrayList$COWSubList offset
java/util/concurrent/CopyOnWriteArrayList$COWSubList size
java/util/concurrent/CopyOnWriteArrayList$COWSubList expectedArray
java/util/concurrent/CopyOnWriteArrayList$COWSubList
<init>(Ljava/util/concurrent/CopyOnWriteArrayList;I)V
java/util/concurrent/CopyOnWriteArrayList$COWSubList checkForComodification()V

```

```

java/util/concurrent/CopyOnWriteArrayList$COWSubList rangeCheck(I)V
java/util/concurrent/CopyOnWriteArrayList$COWSubList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList$COWSubList get(I)Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList$COWSubList size()I
java/util/concurrent/CopyOnWriteArrayList$COWSubList add(ILjava/lang/Object;)V
java/util/concurrent/CopyOnWriteArrayList$COWSubList clear()V
java/util/concurrent/CopyOnWriteArrayList$COWSubList remove(I)Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList$COWSubList iterator()Ljava/util/Iterator;
java/util/concurrent/CopyOnWriteArrayList$COWSubList listIterator(I)Ljava/util/ListIterator;
java/util/concurrent/CopyOnWriteArrayList$COWSubList subList(II)Ljava/util/List;
java/util/concurrent/CopyOnWriteArrayList$COWSubList
<init>(Ljava/util/concurrent/CopyOnWriteArrayList;IILjava/util/concurrent/CopyOnWriteArrayList$1;)V
class
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator java/lang/Object
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator i
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator index
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator offset
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator size
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator <init>(Ljava/util/List;III)V
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator hasNext()Z
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator next()Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator hasPrevious()Z
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator previous()Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator nextIndex()I
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator previousIndex()I
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator
remove()V
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator set(Ljava/lang/Object;)V
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator add(Ljava/lang/Object;)V
java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator
<init>(Ljava/util/List;IIILjava/util/concurrent/CopyOnWriteArrayList$1;)V
class java/util/concurrent/CopyOnWriteArrayList java/lang/Object
java/util/concurrent/CopyOnWriteArrayList serialVersionUID
java/util/concurrent/CopyOnWriteArrayList array
java/util/concurrent/CopyOnWriteArrayList array()[Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList <init>()V
java/util/concurrent/CopyOnWriteArrayList <init>(Ljava/util/Collection;)V
java/util/concurrent/CopyOnWriteArrayList <init>([Ljava/lang/Object;)V
java/util/concurrent/CopyOnWriteArrayList copyIn([Ljava/lang/Object;II)V
java/util/concurrent/CopyOnWriteArrayList size()I
java/util/concurrent/CopyOnWriteArrayList isEmpty()Z
java/util/concurrent/CopyOnWriteArrayList
contains(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArrayList indexOf(Ljava/lang/Object;)I
java/util/concurrent/CopyOnWriteArrayList indexOf(Ljava/lang/Object;[Ljava/lang/Object;I)I
java/util/concurrent/CopyOnWriteArrayList indexOf(Ljava/lang/Object;I)I
java/util/concurrent/CopyOnWriteArrayList lastIndexOf(Ljava/lang/Object;)I
java/util/concurrent/CopyOnWriteArrayList lastIndexOf(Ljava/lang/Object;[Ljava/lang/Object;I)I

```

```

java/util/concurrent/CopyOnWriteArrayList lastIndexOf(Ljava/lang/Object;)I
java/util/concurrent/CopyOnWriteArrayList clone()Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList toArray()[Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList get(I)Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList add(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArrayList
 add(ILjava/lang/Object;)V
java/util/concurrent/CopyOnWriteArrayList remove(I)Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList remove(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArrayList removeRange(II)V
java/util/concurrent/CopyOnWriteArrayList addIfAbsent(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArrayList containsAll(Ljava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArrayList removeAll(Ljava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArrayList retainAll(Ljava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArrayList addAllAbsent(Ljava/util/Collection;)I
java/util/concurrent/CopyOnWriteArrayList clear()V
java/util/concurrent/CopyOnWriteArrayList addAll(Ljava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArrayList addAll(ILjava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArrayList rangeCheck(II)V
java/util/concurrent/CopyOnWriteArrayList writeObject(Ljava/io/ObjectOutputStream;)V
java/util/concurrent/CopyOnWriteArrayList
 readObject(Ljava/io/ObjectInputStream;)V
java/util/concurrent/CopyOnWriteArrayList toString()Ljava/lang/String;
java/util/concurrent/CopyOnWriteArrayList equals(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArrayList hashCode()I
java/util/concurrent/CopyOnWriteArrayList iterator()Ljava/util/Iterator;
java/util/concurrent/CopyOnWriteArrayList listIterator()Ljava/util/ListIterator;
java/util/concurrent/CopyOnWriteArrayList listIterator(I)Ljava/util/ListIterator;
java/util/concurrent/CopyOnWriteArrayList subList(II)Ljava/util/List;
java/util/concurrent/CopyOnWriteArrayList
 access$200(Ljava/util/concurrent/CopyOnWriteArrayList;)[Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList
 access$300(Ljava/util/concurrent/CopyOnWriteArrayList;)[Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList access$400(Ljava/util/concurrent/CopyOnWriteArrayList;II)V
class java/util/concurrent/CopyOnWriteArraySet java/util/AbstractSet
java/util/concurrent/CopyOnWriteArraySet
 serialVersionUID
java/util/concurrent/CopyOnWriteArraySet al
java/util/concurrent/CopyOnWriteArraySet <init>()V
java/util/concurrent/CopyOnWriteArraySet <init>(Ljava/util/Collection;)V
java/util/concurrent/CopyOnWriteArraySet size()I
java/util/concurrent/CopyOnWriteArraySet isEmpty()Z
java/util/concurrent/CopyOnWriteArraySet contains(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArraySet toArray()[Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArraySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArraySet clear()V

```



```

java/util/concurrent/CopyOnWriteArraySet iterator()Ljava/util/Iterator;
java/util/concurrent/CopyOnWriteArraySet remove(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArraySet add(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArraySet containsAll(Ljava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArraySet addAll(Ljava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArraySet removeAll(Ljava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArraySet
 retainAll(Ljava/util/Collection;)Z
class java/util/concurrent/CountDownLatch$Sync java/util/concurrent/locks/AbstractQueuedSynchronizer
java/util/concurrent/CountDownLatch$Sync <init>(I)V
java/util/concurrent/CountDownLatch$Sync getCount()I
java/util/concurrent/CountDownLatch$Sync tryAcquireShared(I)I
java/util/concurrent/CountDownLatch$Sync tryReleaseShared(I)Z
class java/util/concurrent/CountDownLatch java/lang/Object
java/util/concurrent/CountDownLatch sync
java/util/concurrent/CountDownLatch <init>(I)V
java/util/concurrent/CountDownLatch await()V
java/util/concurrent/CountDownLatch await(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/CountDownLatch countDown()V
java/util/concurrent/CountDownLatch getCount()J
java/util/concurrent/CountDownLatch toString()Ljava/lang/String;
class java/util/concurrent/CyclicBarrier$1 java/lang/Object
class java/util/concurrent/CyclicBarrier$Generation java/lang/Object
java/util/concurrent/CyclicBarrier$Generation
 broken
java/util/concurrent/CyclicBarrier$Generation <init>()V
java/util/concurrent/CyclicBarrier$Generation <init>(Ljava/util/concurrent/CyclicBarrier$1;)V
class java/util/concurrent/CyclicBarrier java/lang/Object
java/util/concurrent/CyclicBarrier lock
java/util/concurrent/CyclicBarrier trip
java/util/concurrent/CyclicBarrier parties
java/util/concurrent/CyclicBarrier barrierCommand
java/util/concurrent/CyclicBarrier generation
java/util/concurrent/CyclicBarrier count
java/util/concurrent/CyclicBarrier nextGeneration()V
java/util/concurrent/CyclicBarrier breakBarrier()V
java/util/concurrent/CyclicBarrier dowait(ZJ)I
java/util/concurrent/CyclicBarrier <init>(ILjava/lang/Runnable;)V
java/util/concurrent/CyclicBarrier <init>(I)V
java/util/concurrent/CyclicBarrier getParties()I
java/util/concurrent/CyclicBarrier await()I
java/util/concurrent/CyclicBarrier await(JLjava/util/concurrent/TimeUnit;)I
java/util/concurrent/CyclicBarrier isBroken()Z
java/util/concurrent/CyclicBarrier
 reset()V
java/util/concurrent/CyclicBarrier getNumberWaiting()I
class java/util/concurrent/DelayQueue$Itr java/lang/Object
java/util/concurrent/DelayQueue$Itr iter

```

```

java/util/concurrent/DelayQueue$Itr this$0
java/util/concurrent/DelayQueue$Itr <init>(Ljava/util/concurrent/DelayQueue;Ljava/util/Iterator;)V
java/util/concurrent/DelayQueue$Itr hasNext()Z
java/util/concurrent/DelayQueue$Itr next()Ljava/lang/Object;
java/util/concurrent/DelayQueue$Itr remove()V
class java/util/concurrent/DelayQueue java/util/AbstractQueue
java/util/concurrent/DelayQueue lock
java/util/concurrent/DelayQueue available
java/util/concurrent/DelayQueue q
java/util/concurrent/DelayQueue $assertionsDisabled
java/util/concurrent/DelayQueue <init>()V
java/util/concurrent/DelayQueue <init>(Ljava/util/Collection;)V
java/util/concurrent/DelayQueue offer(Ljava/util/concurrent/Delayed;)Z
java/util/concurrent/DelayQueue put(Ljava/util/concurrent/Delayed;)V
java/util/concurrent/DelayQueue offer(Ljava/util/concurrent/Delayed;Ljava/util/concurrent/TimeUnit;)Z
java/util/concurrent/DelayQueue
 add(Ljava/util/concurrent/Delayed;)Z
java/util/concurrent/DelayQueue take()Ljava/util/concurrent/Delayed;
java/util/concurrent/DelayQueue poll(JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/Delayed;
java/util/concurrent/DelayQueue poll()Ljava/util/concurrent/Delayed;
java/util/concurrent/DelayQueue peek()Ljava/util/concurrent/Delayed;
java/util/concurrent/DelayQueue size()I
java/util/concurrent/DelayQueue drainTo(Ljava/util/Collection;)I
java/util/concurrent/DelayQueue drainTo(Ljava/util/Collection;I)I
java/util/concurrent/DelayQueue clear()V
java/util/concurrent/DelayQueue remainingCapacity()I
java/util/concurrent/DelayQueue toArray()[Ljava/lang/Object;
java/util/concurrent/DelayQueue toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/DelayQueue remove(Ljava/lang/Object;)Z
java/util/concurrent/DelayQueue iterator()Ljava/util/Iterator;
java/util/concurrent/DelayQueue add(Ljava/lang/Object;)Z
java/util/concurrent/DelayQueue
 peek()Ljava/lang/Object;
java/util/concurrent/DelayQueue poll()Ljava/lang/Object;
java/util/concurrent/DelayQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/DelayQueue put(Ljava/lang/Object;)V
java/util/concurrent/DelayQueue take()Ljava/lang/Object;
java/util/concurrent/DelayQueue poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/DelayQueue offer(Ljava/lang/Object;Ljava/util/concurrent/TimeUnit;)Z
java/util/concurrent/DelayQueue
 access$000(Ljava/util/concurrent/DelayQueue;)Ljava/util/concurrent/locks/ReentrantLock;
java/util/concurrent/DelayQueue <clinit>()V
class java/util/concurrent/Delayed java/lang/Object
java/util/concurrent/Delayed getDelay(Ljava/util/concurrent/TimeUnit;)J
class java/util/concurrent/Exchanger$1 java/lang/Object
class java/util/concurrent/Exchanger$Node java/util/concurrent/atomic/AtomicReference
java/util/concurrent/Exchanger$Node item
java/util/concurrent/Exchanger$Node waiter

```

```

java/util/concurrent/Exchanger$Node
 <init>(Ljava/lang/Object;)V
class java/util/concurrent/Exchanger$Slot java/util/concurrent/atomic/AtomicReference
java/util/concurrent/Exchanger$Slot q0
java/util/concurrent/Exchanger$Slot q1
java/util/concurrent/Exchanger$Slot q2
java/util/concurrent/Exchanger$Slot q3
java/util/concurrent/Exchanger$Slot q4
java/util/concurrent/Exchanger$Slot q5
java/util/concurrent/Exchanger$Slot q6
java/util/concurrent/Exchanger$Slot q7
java/util/concurrent/Exchanger$Slot q8
java/util/concurrent/Exchanger$Slot q9
java/util/concurrent/Exchanger$Slot qa
java/util/concurrent/Exchanger$Slot qb
java/util/concurrent/Exchanger$Slot qc
java/util/concurrent/Exchanger$Slot qd
java/util/concurrent/Exchanger$Slot qe
java/util/concurrent/Exchanger$Slot <init>()V
java/util/concurrent/Exchanger$Slot <init>(Ljava/util/concurrent/Exchanger$1;)V
class java/util/concurrent/Exchanger java/lang/Object
java/util/concurrent/Exchanger NCPU
java/util/concurrent/Exchanger CAPACITY
java/util/concurrent/Exchanger
 FULL
java/util/concurrent/Exchanger SPINS
java/util/concurrent/Exchanger TIMED_SPINS
java/util/concurrent/Exchanger CANCEL
java/util/concurrent/Exchanger NULL_ITEM
java/util/concurrent/Exchanger arena
java/util/concurrent/Exchanger max
java/util/concurrent/Exchanger doExchange(Ljava/lang/Object;ZJ)Ljava/lang/Object;
java/util/concurrent/Exchanger hashIndex()I
java/util/concurrent/Exchanger createSlot(I)V
java/util/concurrent/Exchanger
 tryCancel(Ljava/util/concurrent/Exchanger$Node;Ljava/util/concurrent/Exchanger$Slot;)Z
java/util/concurrent/Exchanger
 spinWait(Ljava/util/concurrent/Exchanger$Node;Ljava/util/concurrent/Exchanger$Slot;)Ljava/lang/Object;
java/util/concurrent/Exchanger
 await(Ljava/util/concurrent/Exchanger$Node;Ljava/util/concurrent/Exchanger$Slot;)Ljava/lang/Object;
java/util/concurrent/Exchanger
 awaitNanos(Ljava/util/concurrent/Exchanger$Node;Ljava/util/concurrent/Exchanger$Slot;J)Ljava/lang/Object;
java/util/concurrent/Exchanger scanOnTimeout(Ljava/util/concurrent/Exchanger$Node;)Ljava/lang/Object;
java/util/concurrent/Exchanger
 <init>()V
java/util/concurrent/Exchanger exchange(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/Exchanger exchange(Ljava/lang/Object;JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/Exchanger <clinit>()V

```

```

class java/util/concurrent/ExecutionException java/lang/Exception
java/util/concurrent/ExecutionException serialVersionUID
java/util/concurrent/ExecutionException <init>()V
java/util/concurrent/ExecutionException <init>(Ljava/lang/String;)V
java/util/concurrent/ExecutionException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/util/concurrent/ExecutionException <init>(Ljava/lang/Throwable;)V
class java/util/concurrent/Executor java/lang/Object
java/util/concurrent/Executor execute(Ljava/lang/Runnable;)V
class java/util/concurrent/ExecutorCompletionService$QueueingFuture java/util/concurrent/FutureTask
java/util/concurrent/ExecutorCompletionService$QueueingFuture
 this$0
java/util/concurrent/ExecutorCompletionService$QueueingFuture
 <init>(Ljava/util/concurrent/ExecutorCompletionService;Ljava/util/concurrent/Callable;)V
java/util/concurrent/ExecutorCompletionService$QueueingFuture
 <init>(Ljava/util/concurrent/ExecutorCompletionService;Ljava/lang/Runnable;Ljava/lang/Object;)V
java/util/concurrent/ExecutorCompletionService$QueueingFuture done()V
class java/util/concurrent/ExecutorCompletionService java/lang/Object
java/util/concurrent/ExecutorCompletionService executor
java/util/concurrent/ExecutorCompletionService completionQueue
java/util/concurrent/ExecutorCompletionService <init>(Ljava/util/concurrent/Executor;)V
java/util/concurrent/ExecutorCompletionService
 <init>(Ljava/util/concurrent/Executor;Ljava/util/concurrent/BlockingQueue;)V
java/util/concurrent/ExecutorCompletionService
 submit(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorCompletionService
 submit(Ljava/lang/Runnable;Ljava/lang/Object;)Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorCompletionService
 take()Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorCompletionService poll()Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorCompletionService
 poll(JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorCompletionService
 access$000(Ljava/util/concurrent/ExecutorCompletionService;)Ljava/util/concurrent/BlockingQueue;
class java/util/concurrent/ExecutorService java/lang/Object
java/util/concurrent/ExecutorService shutdown()V
java/util/concurrent/ExecutorService shutdownNow()Ljava/util/List;
java/util/concurrent/ExecutorService isShutdown()Z
java/util/concurrent/ExecutorService isTerminated()Z
java/util/concurrent/ExecutorService awaitTermination(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/ExecutorService submit(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorService submit(Ljava/lang/Runnable;Ljava/lang/Object;)Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorService
 submit(Ljava/lang/Runnable;)Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorService invokeAll(Ljava/util/Collection;)Ljava/util/List;
java/util/concurrent/ExecutorService
 invokeAll(Ljava/util/Collection;JLjava/util/concurrent/TimeUnit;)Ljava/util/List;
java/util/concurrent/ExecutorService invokeAny(Ljava/util/Collection;)Ljava/lang/Object;
java/util/concurrent/ExecutorService

```

```

invokeAny(Ljava/util/Collection;JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
class java/util/concurrent/Executors$DefaultThreadFactory java/lang/Object
java/util/concurrent/Executors$DefaultThreadFactory poolNumber
java/util/concurrent/Executors$DefaultThreadFactory group
java/util/concurrent/Executors$DefaultThreadFactory threadNumber
java/util/concurrent/Executors$DefaultThreadFactory namePrefix
java/util/concurrent/Executors$DefaultThreadFactory <init>()V
java/util/concurrent/Executors$DefaultThreadFactory newThread(Ljava/lang/Runnable;)Ljava/lang/Thread;
java/util/concurrent/Executors$DefaultThreadFactory
 <clinit>()V
class java/util/concurrent/Executors$DelegatedExecutorService java/util/concurrent/AbstractExecutorService
java/util/concurrent/Executors$DelegatedExecutorService e
java/util/concurrent/Executors$DelegatedExecutorService <init>(Ljava/util/concurrent/ExecutorService;)V
java/util/concurrent/Executors$DelegatedExecutorService execute(Ljava/lang/Runnable;)V
java/util/concurrent/Executors$DelegatedExecutorService shutdown()V
java/util/concurrent/Executors$DelegatedExecutorService shutdownNow()Ljava/util/List;
java/util/concurrent/Executors$DelegatedExecutorService isShutdown()Z
java/util/concurrent/Executors$DelegatedExecutorService isTerminated()Z
java/util/concurrent/Executors$DelegatedExecutorService awaitTermination(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/Executors$DelegatedExecutorService
 submit(Ljava/lang/Runnable;)Ljava/util/concurrent/Future;
java/util/concurrent/Executors$DelegatedExecutorService
 submit(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Future;
java/util/concurrent/Executors$DelegatedExecutorService
 submit(Ljava/lang/Runnable;Ljava/lang/Object;)Ljava/util/concurrent/Future;
java/util/concurrent/Executors$DelegatedExecutorService invokeAll(Ljava/util/Collection;)Ljava/util/List;
java/util/concurrent/Executors$DelegatedExecutorService
 invokeAll(Ljava/util/Collection;JLjava/util/concurrent/TimeUnit;)Ljava/util/List;
java/util/concurrent/Executors$DelegatedExecutorService invokeAny(Ljava/util/Collection;)Ljava/lang/Object;
java/util/concurrent/Executors$DelegatedExecutorService
 invokeAny(Ljava/util/Collection;JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
class java/util/concurrent/Executors$DelegatedScheduledExecutorService
java/util/concurrent/Executors$DelegatedExecutorService
java/util/concurrent/Executors$DelegatedScheduledExecutorService e
java/util/concurrent/Executors$DelegatedScheduledExecutorService
 <init>(Ljava/util/concurrent/ScheduledExecutorService;)V
java/util/concurrent/Executors$DelegatedScheduledExecutorService
 schedule(Ljava/lang/Runnable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/Executors$DelegatedScheduledExecutorService
 schedule(Ljava/util/concurrent/Callable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/Executors$DelegatedScheduledExecutorService
 scheduleAtFixedRate(Ljava/lang/Runnable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/Executors$DelegatedScheduledExecutorService
 scheduleWithFixedDelay(Ljava/lang/Runnable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
class java/util/concurrent/Executors$PrivilegedActionAdapter java/lang/Object
java/util/concurrent/Executors$PrivilegedActionAdapter action

```

```

java/util/concurrent/Executors$PrivilegedActionAdapter <init>(Ljava/security/PrivilegedAction;)V
java/util/concurrent/Executors$PrivilegedActionAdapter
 call(Ljava/lang/Object;
class java/util/concurrent/Executors$PrivilegedCallable$1 java/lang/Object
java/util/concurrent/Executors$PrivilegedCallable$1 this$0
java/util/concurrent/Executors$PrivilegedCallable$1 <init>(Ljava/util/concurrent/Executors$PrivilegedCallable;)V
java/util/concurrent/Executors$PrivilegedCallable$1 run(Ljava/lang/Object;
class java/util/concurrent/Executors$PrivilegedCallable java/lang/Object
java/util/concurrent/Executors$PrivilegedCallable acc
java/util/concurrent/Executors$PrivilegedCallable task
java/util/concurrent/Executors$PrivilegedCallable result
java/util/concurrent/Executors$PrivilegedCallable exception
java/util/concurrent/Executors$PrivilegedCallable <init>(Ljava/util/concurrent/Callable;)V
java/util/concurrent/Executors$PrivilegedCallable call(Ljava/lang/Object;
java/util/concurrent/Executors$PrivilegedCallable
 access$002(Ljava/util/concurrent/Executors$PrivilegedCallable;Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/Executors$PrivilegedCallable
 access$100(Ljava/util/concurrent/Executors$PrivilegedCallable;)Ljava/util/concurrent/Callable;
java/util/concurrent/Executors$PrivilegedCallable
 access$202(Ljava/util/concurrent/Executors$PrivilegedCallable;Ljava/lang/Exception;)Ljava/lang/Exception;
class java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader$1 java/lang/Object
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader$1 this$0
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader$1
 <init>(Ljava/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader;)V
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader$1 run(Ljava/lang/Object;
class java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader java/lang/Object
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader ccl
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader acc
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader
 task
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader result
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader exception
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader
 <init>(Ljava/util/concurrent/Callable;)V
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader call(Ljava/lang/Object;
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader
 access$300(Ljava/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader;)Ljava/lang/ClassLoader;
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader
 access$402(Ljava/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader;Ljava/lang/Object;)Ljava/
 lang/Object;
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader
 access$500(Ljava/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader;)Ljava/util/concurrent/Cal
 lable;
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader
 access$602(Ljava/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader;Ljava/lang/Exception;)Lj
 ava/lang/Exception;
class java/util/concurrent/Executors$PrivilegedExceptionActionAdapter java/lang/Object
java/util/concurrent/Executors$PrivilegedExceptionActionAdapter action

```

```

java/util/concurrent/Executors$PrivilegedExceptionActionAdapter
<init>(Ljava/security/PrivilegedExceptionAction;)V
java/util/concurrent/Executors$PrivilegedExceptionActionAdapter call()Ljava/lang/Object;
class java/util/concurrent/Executors$PrivilegedThreadFactory$1$1 java/lang/Object
java/util/concurrent/Executors$PrivilegedThreadFactory$1$1 this$1
java/util/concurrent/Executors$PrivilegedThreadFactory$1$1
<init>(Ljava/util/concurrent/Executors$PrivilegedThreadFactory$1;)V
java/util/concurrent/Executors$PrivilegedThreadFactory$1$1 run()Ljava/lang/Object;
class java/util/concurrent/Executors$PrivilegedThreadFactory$1 java/lang/Object
java/util/concurrent/Executors$PrivilegedThreadFactory$1
val$r
java/util/concurrent/Executors$PrivilegedThreadFactory$1 this$0
java/util/concurrent/Executors$PrivilegedThreadFactory$1
<init>(Ljava/util/concurrent/Executors$PrivilegedThreadFactory;Ljava/lang/Runnable;)V
java/util/concurrent/Executors$PrivilegedThreadFactory$1 run()V
class java/util/concurrent/Executors$PrivilegedThreadFactory java/util/concurrent/Executors$DefaultThreadFactory
java/util/concurrent/Executors$PrivilegedThreadFactory ccl
java/util/concurrent/Executors$PrivilegedThreadFactory acc
java/util/concurrent/Executors$PrivilegedThreadFactory <init>()V
java/util/concurrent/Executors$PrivilegedThreadFactory newThread(Ljava/lang/Runnable;)Ljava/lang/Thread;
java/util/concurrent/Executors$PrivilegedThreadFactory
access$700(Ljava/util/concurrent/Executors$PrivilegedThreadFactory;)Ljava/lang/ClassLoader;
java/util/concurrent/Executors$PrivilegedThreadFactory
access$800(Ljava/util/concurrent/Executors$PrivilegedThreadFactory;)Ljava/security/AccessControlContext;
class
java/util/concurrent/Executors$RunnableAdapter java/lang/Object
java/util/concurrent/Executors$RunnableAdapter task
java/util/concurrent/Executors$RunnableAdapter result
java/util/concurrent/Executors$RunnableAdapter <init>(Ljava/lang/Runnable;Ljava/lang/Object;)V
java/util/concurrent/Executors$RunnableAdapter call()Ljava/lang/Object;
class java/util/concurrent/Executors java/lang/Object
java/util/concurrent/Executors newFixedThreadPool(I)Ljava/util/concurrent/ExecutorService;
java/util/concurrent/Executors
newFixedThreadPool(ILjava/util/concurrent/ThreadFactory;)Ljava/util/concurrent/ExecutorService;
java/util/concurrent/Executors newSingleThreadExecutor()Ljava/util/concurrent/ExecutorService;
java/util/concurrent/Executors
newSingleThreadExecutor(Ljava/util/concurrent/ThreadFactory;)Ljava/util/concurrent/ExecutorService;
java/util/concurrent/Executors newCachedThreadPool()Ljava/util/concurrent/ExecutorService;
java/util/concurrent/Executors
newCachedThreadPool(Ljava/util/concurrent/ThreadFactory;)Ljava/util/concurrent/ExecutorService;
java/util/concurrent/Executors
newSingleThreadScheduledExecutor()Ljava/util/concurrent/ScheduledExecutorService;
java/util/concurrent/Executors
newSingleThreadScheduledExecutor(Ljava/util/concurrent/ThreadFactory;)Ljava/util/concurrent/ScheduledExecuto
rService;
java/util/concurrent/Executors newScheduledThreadPool(I)Ljava/util/concurrent/ScheduledExecutorService;
java/util/concurrent/Executors
newScheduledThreadPool(ILjava/util/concurrent/ThreadFactory;)Ljava/util/concurrent/ScheduledExecutorService;

```

```

java/util/concurrent/Executors
unconfigurableExecutorService(Ljava/util/concurrent/ExecutorService;)Ljava/util/concurrent/ExecutorService;
java/util/concurrent/Executors
unconfigurableScheduledExecutorService(Ljava/util/concurrent/ScheduledExecutorService;)Ljava/util/concurrent/ScheduledExecutorService;
java/util/concurrent/Executors defaultThreadFactory()Ljava/util/concurrent/ThreadFactory;
java/util/concurrent/Executors
 privilegedThreadFactory()Ljava/util/concurrent/ThreadFactory;
java/util/concurrent/Executors callable(Ljava/lang/Runnable;Ljava/lang/Object;)Ljava/util/concurrent/Callable;
java/util/concurrent/Executors callable(Ljava/lang/Runnable;)Ljava/util/concurrent/Callable;
java/util/concurrent/Executors callable(Ljava/security/PrivilegedAction;)Ljava/util/concurrent/Callable;
java/util/concurrent/Executors callable(Ljava/security/PrivilegedExceptionAction;)Ljava/util/concurrent/Callable;
java/util/concurrent/Executors privilegedCallable(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Callable;
java/util/concurrent/Executors
 privilegedCallableUsingCurrentClassLoader(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Callable;
java/util/concurrent/Executors <init>()V
class java/util/concurrent/Future java/lang/Object
java/util/concurrent/Future cancel(Z)Z
java/util/concurrent/Future isCancelled()Z
java/util/concurrent/Future isDone()Z
java/util/concurrent/Future
 get()Ljava/lang/Object;
java/util/concurrent/Future get(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
class java/util/concurrent/FutureTask$Sync java/util/concurrent/locks/AbstractQueuedSynchronizer
java/util/concurrent/FutureTask$Sync RUNNING
java/util/concurrent/FutureTask$Sync RAN
java/util/concurrent/FutureTask$Sync CANCELLED
java/util/concurrent/FutureTask$Sync callable
java/util/concurrent/FutureTask$Sync result
java/util/concurrent/FutureTask$Sync exception
java/util/concurrent/FutureTask$Sync runner
java/util/concurrent/FutureTask$Sync this$0
java/util/concurrent/FutureTask$Sync <init>(Ljava/util/concurrent/FutureTask;Ljava/util/concurrent/Callable;)V
java/util/concurrent/FutureTask$Sync ranOrCancelled(I)Z
java/util/concurrent/FutureTask$Sync tryAcquireShared(I)I
java/util/concurrent/FutureTask$Sync tryReleaseShared(I)Z
java/util/concurrent/FutureTask$Sync innerIsCancelled()Z
java/util/concurrent/FutureTask$Sync innerIsDone()Z
java/util/concurrent/FutureTask$Sync
 innerGet()Ljava/lang/Object;
java/util/concurrent/FutureTask$Sync innerGet(J)Ljava/lang/Object;
java/util/concurrent/FutureTask$Sync innerSet(Ljava/lang/Object;)V
java/util/concurrent/FutureTask$Sync innerSetException(Ljava/lang/Throwable;)V
java/util/concurrent/FutureTask$Sync innerCancel(Z)Z
java/util/concurrent/FutureTask$Sync innerRun()V
java/util/concurrent/FutureTask$Sync innerRunAndReset()Z
class java/util/concurrent/FutureTask java/lang/Object
java/util/concurrent/FutureTask sync

```



```

java/util/concurrent/FutureTask <init>(Ljava/util/concurrent/Callable;)V
java/util/concurrent/FutureTask <init>(Ljava/lang/Runnable;Ljava/lang/Object;)V
java/util/concurrent/FutureTask isCancelled()Z
java/util/concurrent/FutureTask isDone()Z
java/util/concurrent/FutureTask cancel(Z)Z
java/util/concurrent/FutureTask get()Ljava/lang/Object;
java/util/concurrent/FutureTask get(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/FutureTask done()V
java/util/concurrent/FutureTask
 set(Ljava/lang/Object;)V
java/util/concurrent/FutureTask setException(Ljava/lang/Throwable;)V
java/util/concurrent/FutureTask run()V
java/util/concurrent/FutureTask runAndReset()Z
class java/util/concurrent/LinkedBlockingQueue$Itr java/lang/Object
java/util/concurrent/LinkedBlockingQueue$Itr current
java/util/concurrent/LinkedBlockingQueue$Itr lastRet
java/util/concurrent/LinkedBlockingQueue$Itr currentElement
java/util/concurrent/LinkedBlockingQueue$Itr this$0
java/util/concurrent/LinkedBlockingQueue$Itr <init>(Ljava/util/concurrent/LinkedBlockingQueue;)V
java/util/concurrent/LinkedBlockingQueue$Itr hasNext()Z
java/util/concurrent/LinkedBlockingQueue$Itr next()Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue$Itr remove()V
class java/util/concurrent/LinkedBlockingQueue$Node java/lang/Object
java/util/concurrent/LinkedBlockingQueue$Node item
java/util/concurrent/LinkedBlockingQueue$Node next
java/util/concurrent/LinkedBlockingQueue$Node <init>(Ljava/lang/Object;)V
class
 java/util/concurrent/LinkedBlockingQueue java/util/AbstractQueue
java/util/concurrent/LinkedBlockingQueue serialVersionUID
java/util/concurrent/LinkedBlockingQueue capacity
java/util/concurrent/LinkedBlockingQueue count
java/util/concurrent/LinkedBlockingQueue head
java/util/concurrent/LinkedBlockingQueue last
java/util/concurrent/LinkedBlockingQueue takeLock
java/util/concurrent/LinkedBlockingQueue notEmpty
java/util/concurrent/LinkedBlockingQueue putLock
java/util/concurrent/LinkedBlockingQueue notFull
java/util/concurrent/LinkedBlockingQueue $assertionsDisabled
java/util/concurrent/LinkedBlockingQueue signalNotEmpty()V
java/util/concurrent/LinkedBlockingQueue signalNotFull()V
java/util/concurrent/LinkedBlockingQueue insert(Ljava/lang/Object;)V
java/util/concurrent/LinkedBlockingQueue extract(Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue fullyLock()V
java/util/concurrent/LinkedBlockingQueue fullyUnlock()V
java/util/concurrent/LinkedBlockingQueue <init>()V
java/util/concurrent/LinkedBlockingQueue
 <init>(I)V
java/util/concurrent/LinkedBlockingQueue <init>(Ljava/util/Collection;)V

```

```

java/util/concurrent/LinkedBlockingQueue size()I
java/util/concurrent/LinkedBlockingQueue remainingCapacity()I
java/util/concurrent/LinkedBlockingQueue put(Ljava/lang/Object;)V
java/util/concurrent/LinkedBlockingQueue offer(Ljava/lang/Object;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/LinkedBlockingQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/LinkedBlockingQueue take()Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue poll()Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue peek()Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue remove(Ljava/lang/Object;)Z
java/util/concurrent/LinkedBlockingQueue toArray()[Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue
 toString()Ljava/lang/String;
java/util/concurrent/LinkedBlockingQueue clear()V
java/util/concurrent/LinkedBlockingQueue drainTo(Ljava/util/Collection;)I
java/util/concurrent/LinkedBlockingQueue drainTo(Ljava/util/Collection;I)I
java/util/concurrent/LinkedBlockingQueue iterator()Ljava/util/Iterator;
java/util/concurrent/LinkedBlockingQueue writeObject(Ljava/io/ObjectOutputStream;)V
java/util/concurrent/LinkedBlockingQueue readObject(Ljava/io/ObjectInputStream;)V
java/util/concurrent/LinkedBlockingQueue
 access$000(Ljava/util/concurrent/LinkedBlockingQueue;)Ljava/util/concurrent/locks/ReentrantLock;
java/util/concurrent/LinkedBlockingQueue
 access$100(Ljava/util/concurrent/LinkedBlockingQueue;)Ljava/util/concurrent/locks/ReentrantLock;
java/util/concurrent/LinkedBlockingQueue
 access$200(Ljava/util/concurrent/LinkedBlockingQueue;)Ljava/util/concurrent/LinkedBlockingQueue$Node;
java/util/concurrent/LinkedBlockingQueue
 access$300(Ljava/util/concurrent/LinkedBlockingQueue;)Ljava/util/concurrent/LinkedBlockingQueue$Node;
java/util/concurrent/LinkedBlockingQueue
 access$302(Ljava/util/concurrent/LinkedBlockingQueue;Ljava/util/concurrent/LinkedBlockingQueue$Node;)Ljava/
 util/concurrent/LinkedBlockingQueue$Node;
java/util/concurrent/LinkedBlockingQueue
 access$400(Ljava/util/concurrent/LinkedBlockingQueue;)Ljava/util/concurrent/atomic/AtomicInteger;
java/util/concurrent/LinkedBlockingQueue access$500(Ljava/util/concurrent/LinkedBlockingQueue;)I
java/util/concurrent/LinkedBlockingQueue
 access$600(Ljava/util/concurrent/LinkedBlockingQueue;)Ljava/util/concurrent/locks/Condition;
java/util/concurrent/LinkedBlockingQueue <clinit>()V
class java/util/concurrent/PriorityBlockingQueue$Itr java/lang/Object
java/util/concurrent/PriorityBlockingQueue$Itr iter
java/util/concurrent/PriorityBlockingQueue$Itr this$0
java/util/concurrent/PriorityBlockingQueue$Itr
 <init>(Ljava/util/concurrent/PriorityBlockingQueue;Ljava/util/Iterator;)V
java/util/concurrent/PriorityBlockingQueue$Itr
 hasNext()Z
java/util/concurrent/PriorityBlockingQueue$Itr next()Ljava/lang/Object;
java/util/concurrent/PriorityBlockingQueue$Itr remove()V
class java/util/concurrent/PriorityBlockingQueue java/util/AbstractQueue
java/util/concurrent/PriorityBlockingQueue serialVersionUID

```

```

java/util/concurrent/PriorityBlockingQueue q
java/util/concurrent/PriorityBlockingQueue lock
java/util/concurrent/PriorityBlockingQueue notEmpty
java/util/concurrent/PriorityBlockingQueue $assertionsDisabled
java/util/concurrent/PriorityBlockingQueue <init>()V
java/util/concurrent/PriorityBlockingQueue <init>(I)V
java/util/concurrent/PriorityBlockingQueue <init>(ILjava/util/Comparator;)V
java/util/concurrent/PriorityBlockingQueue <init>(Ljava/util/Collection;)V
java/util/concurrent/PriorityBlockingQueue add(Ljava/lang/Object;)Z
java/util/concurrent/PriorityBlockingQueue comparator()Ljava/util/Comparator;
java/util/concurrent/PriorityBlockingQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/PriorityBlockingQueue
 put(Ljava/lang/Object;)V
java/util/concurrent/PriorityBlockingQueue offer(Ljava/lang/Object;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/PriorityBlockingQueue take()Ljava/lang/Object;
java/util/concurrent/PriorityBlockingQueue poll()Ljava/lang/Object;
java/util/concurrent/PriorityBlockingQueue poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/PriorityBlockingQueue peek()Ljava/lang/Object;
java/util/concurrent/PriorityBlockingQueue size()I
java/util/concurrent/PriorityBlockingQueue remainingCapacity()I
java/util/concurrent/PriorityBlockingQueue remove(Ljava/lang/Object;)Z
java/util/concurrent/PriorityBlockingQueue contains(Ljava/lang/Object;)Z
java/util/concurrent/PriorityBlockingQueue toArray()[Ljava/lang/Object;
java/util/concurrent/PriorityBlockingQueue toString()Ljava/lang/String;
java/util/concurrent/PriorityBlockingQueue drainTo(Ljava/util/Collection;)I
java/util/concurrent/PriorityBlockingQueue drainTo(Ljava/util/Collection;I)I
java/util/concurrent/PriorityBlockingQueue
 clear()V
java/util/concurrent/PriorityBlockingQueue toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/PriorityBlockingQueue iterator()Ljava/util/Iterator;
java/util/concurrent/PriorityBlockingQueue writeObject(Ljava/io/ObjectOutputStream;)V
java/util/concurrent/PriorityBlockingQueue
 access$000(Ljava/util/concurrent/PriorityBlockingQueue;)Ljava/util/concurrent/locks/ReentrantLock;
java/util/concurrent/PriorityBlockingQueue <clinit>()V
class java/util/concurrent/RejectedExecutionException java/lang/RuntimeException
java/util/concurrent/RejectedExecutionException serialVersionUID
java/util/concurrent/RejectedExecutionException <init>()V
java/util/concurrent/RejectedExecutionException <init>(Ljava/lang/String;)V
java/util/concurrent/RejectedExecutionException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/util/concurrent/RejectedExecutionException <init>(Ljava/lang/Throwable;)V
class java/util/concurrent/RejectedExecutionHandler
 java/lang/Object
java/util/concurrent/RejectedExecutionHandler
 rejectedExecution(Ljava/lang/Runnable;Ljava/util/concurrent/ThreadPoolExecutor;)V
class java/util/concurrent/ScheduledExecutorService java/lang/Object
java/util/concurrent/ScheduledExecutorService
 schedule(Ljava/lang/Runnable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/ScheduledExecutorService

```

```

schedule(Ljava/util/concurrent/Callable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/ScheduledExecutorService
scheduleAtFixedRate(Ljava/lang/Runnable;JJLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/ScheduledExecutorService
scheduleWithFixedDelay(Ljava/lang/Runnable;JJLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
class java/util/concurrent/ScheduledFuture java/lang/Object
class java/util/concurrent/ScheduledThreadPoolExecutor$1 java/lang/Object
class java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1
 java/lang/Object
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1 it
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1 this$0
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1
 <init>(Ljava/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue;)V
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1 hasNext()Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1 next()Ljava/lang/Runnable;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1 remove()V
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1 next()Ljava/lang/Object;
class java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue java/util/AbstractCollection
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue dq
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue <init>()V
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
 poll()Ljava/lang/Runnable;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue peek()Ljava/lang/Runnable;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue take()Ljava/lang/Runnable;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
 poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Runnable;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue add(Ljava/lang/Runnable;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue offer(Ljava/lang/Runnable;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue put(Ljava/lang/Runnable;)V
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
 offer(Ljava/lang/Runnable;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue remove()Ljava/lang/Runnable;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue element()Ljava/lang/Runnable;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
 clear()V
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue drainTo(Ljava/util/Collection;)I
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue drainTo(Ljava/util/Collection;I)I
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue remainingCapacity()I
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue remove(Ljava/lang/Object;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue contains(Ljava/lang/Object;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue size()I
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue isEmpty()Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue toArray()[Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
 toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue iterator()Ljava/util/Iterator;

```

```

java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
add(Ljava/lang/Object;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue put(Ljava/lang/Object;)V
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue take()Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
offer(Ljava/lang/Object;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue element()Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue peek()Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue remove()Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue poll()Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
<init>(Ljava/util/concurrent/ScheduledThreadPoolExecutor$1;)V
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
access$500(Ljava/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue;)Ljava/util/concurrent/Delay
Queue;
class java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask java/util/concurrent/FutureTask
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask sequenceNumber
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask time
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask period
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask this$0
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask
<init>(Ljava/util/concurrent/ScheduledThreadPoolExecutor;Ljava/lang/Runnable;Ljava/lang/Object;J)V
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask
<init>(Ljava/util/concurrent/ScheduledThreadPoolExecutor;Ljava/lang/Runnable;Ljava/lang/Object;JJ)V
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask
<init>(Ljava/util/concurrent/ScheduledThreadPoolExecutor;Ljava/util/concurrent/Callable;J)V
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask
getDelay(Ljava/util/concurrent/TimeUnit;)J
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask
compareTo(Ljava/util/concurrent/Delayed;)I
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask isPeriodic()Z
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask runPeriodic()V
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask run()V
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask compareTo(Ljava/lang/Object;)I
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask
access$101(Ljava/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask
access$301(Ljava/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask;)V
class
java/util/concurrent/ScheduledThreadPoolExecutor java/util/concurrent/ThreadPoolExecutor
java/util/concurrent/ScheduledThreadPoolExecutor continueExistingPeriodicTasksAfterShutdown
java/util/concurrent/ScheduledThreadPoolExecutor executeExistingDelayedTasksAfterShutdown
java/util/concurrent/ScheduledThreadPoolExecutor sequencer
java/util/concurrent/ScheduledThreadPoolExecutor NANO_ORIGIN
java/util/concurrent/ScheduledThreadPoolExecutor now()J

```

```

java/util/concurrent/ScheduledThreadPoolExecutor delayedExecute(Ljava/lang/Runnable;)V
java/util/concurrent/ScheduledThreadPoolExecutor cancelUnwantedTasks()V
java/util/concurrent/ScheduledThreadPoolExecutor remove(Ljava/lang/Runnable;)Z
java/util/concurrent/ScheduledThreadPoolExecutor <init>(I)V
java/util/concurrent/ScheduledThreadPoolExecutor <init>(ILjava/util/concurrent/ThreadFactory;)V
java/util/concurrent/ScheduledThreadPoolExecutor <init>(ILjava/util/concurrent/RejectedExecutionHandler;)V
java/util/concurrent/ScheduledThreadPoolExecutor
 <init>(ILjava/util/concurrent/ThreadFactory;Ljava/util/concurrent/RejectedExecutionHandler;)V
java/util/concurrent/ScheduledThreadPoolExecutor
 schedule(Ljava/lang/Runnable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/ScheduledThreadPoolExecutor
 schedule(Ljava/util/concurrent/Callable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/ScheduledThreadPoolExecutor
 scheduleAtFixedRate(Ljava/lang/Runnable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/ScheduledThreadPoolExecutor
 scheduleWithFixedDelay(Ljava/lang/Runnable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/ScheduledThreadPoolExecutor execute(Ljava/lang/Runnable;)V
java/util/concurrent/ScheduledThreadPoolExecutor submit(Ljava/lang/Runnable;)Ljava/util/concurrent/Future;
java/util/concurrent/ScheduledThreadPoolExecutor
 submit(Ljava/lang/Runnable;Ljava/lang/Object;)Ljava/util/concurrent/Future;
java/util/concurrent/ScheduledThreadPoolExecutor
 submit(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Future;
java/util/concurrent/ScheduledThreadPoolExecutor setContinueExistingPeriodicTasksAfterShutdownPolicy(Z)V
java/util/concurrent/ScheduledThreadPoolExecutor getContinueExistingPeriodicTasksAfterShutdownPolicy()Z
java/util/concurrent/ScheduledThreadPoolExecutor setExecuteExistingDelayedTasksAfterShutdownPolicy(Z)V
java/util/concurrent/ScheduledThreadPoolExecutor getExecuteExistingDelayedTasksAfterShutdownPolicy()Z
java/util/concurrent/ScheduledThreadPoolExecutor shutdown()V
java/util/concurrent/ScheduledThreadPoolExecutor shutdownNow()Ljava/util/List;
java/util/concurrent/ScheduledThreadPoolExecutor getQueue()Ljava/util/concurrent/BlockingQueue;
java/util/concurrent/ScheduledThreadPoolExecutor access$000()Ljava/util/concurrent/atomic/AtomicLong;
java/util/concurrent/ScheduledThreadPoolExecutor
 access$201(Ljava/util/concurrent/ScheduledThreadPoolExecutor;)Ljava/util/concurrent/BlockingQueue;
java/util/concurrent/ScheduledThreadPoolExecutor <clinit>()V
class java/util/concurrent/Semaphore$FairSync java/util/concurrent/Semaphore$Sync
java/util/concurrent/Semaphore$FairSync <init>(I)V
java/util/concurrent/Semaphore$FairSync tryAcquireShared(I)I
class java/util/concurrent/Semaphore$NonfairSync java/util/concurrent/Semaphore$Sync
java/util/concurrent/Semaphore$NonfairSync <init>(I)V
java/util/concurrent/Semaphore$NonfairSync tryAcquireShared(I)I
class java/util/concurrent/Semaphore$Sync java/util/concurrent/locks/AbstractQueuedSynchronizer
java/util/concurrent/Semaphore$Sync <init>(I)V
java/util/concurrent/Semaphore$Sync getPermits()I
java/util/concurrent/Semaphore$Sync nonfairTryAcquireShared(I)I
java/util/concurrent/Semaphore$Sync tryReleaseShared(I)Z
java/util/concurrent/Semaphore$Sync reducePermits(I)V
java/util/concurrent/Semaphore$Sync drainPermits()I

```

```

class java/util/concurrent/Semaphore
 java/lang/Object
 java/util/concurrent/Semaphore serialVersionUID
 java/util/concurrent/Semaphore sync
 java/util/concurrent/Semaphore <init>(I)V
 java/util/concurrent/Semaphore <init>(IZ)V
 java/util/concurrent/Semaphore acquire()V
 java/util/concurrent/Semaphore acquireUninterruptibly()V
 java/util/concurrent/Semaphore tryAcquire()Z
 java/util/concurrent/Semaphore tryAcquire(JL java/util/concurrent/TimeUnit;)Z
 java/util/concurrent/Semaphore release()V
 java/util/concurrent/Semaphore acquire(I)V
 java/util/concurrent/Semaphore acquireUninterruptibly(I)V
 java/util/concurrent/Semaphore tryAcquire(I)Z
 java/util/concurrent/Semaphore tryAcquire(IJL java/util/concurrent/TimeUnit;)Z
 java/util/concurrent/Semaphore release(I)V
 java/util/concurrent/Semaphore availablePermits()I
 java/util/concurrent/Semaphore drainPermits()I
 java/util/concurrent/Semaphore reducePermits(I)V
 java/util/concurrent/Semaphore isFair()Z
 java/util/concurrent/Semaphore hasQueuedThreads()Z
 java/util/concurrent/Semaphore
 getQueueLength()I
 java/util/concurrent/Semaphore getQueuedThreads()L java/util/Collection;
 java/util/concurrent/Semaphore toString()L java/lang/String;
class java/util/concurrent/SynchronousQueue$EmptyIterator java/lang/Object
 java/util/concurrent/SynchronousQueue$EmptyIterator <init>()V
 java/util/concurrent/SynchronousQueue$EmptyIterator hasNext()Z
 java/util/concurrent/SynchronousQueue$EmptyIterator next()L java/lang/Object;
 java/util/concurrent/SynchronousQueue$EmptyIterator remove()V
class java/util/concurrent/SynchronousQueue$FifoWaitQueue java/util/concurrent/SynchronousQueue$WaitQueue
 java/util/concurrent/SynchronousQueue$FifoWaitQueue serialVersionUID
 java/util/concurrent/SynchronousQueue$FifoWaitQueue head
 java/util/concurrent/SynchronousQueue$FifoWaitQueue last
 java/util/concurrent/SynchronousQueue$FifoWaitQueue <init>()V
 java/util/concurrent/SynchronousQueue$FifoWaitQueue
 enq(L java/lang/Object;)L java/util/concurrent/SynchronousQueue$Node;
 java/util/concurrent/SynchronousQueue$FifoWaitQueue
 deq()L java/util/concurrent/SynchronousQueue$Node;
class java/util/concurrent/SynchronousQueue$LifoWaitQueue java/util/concurrent/SynchronousQueue$WaitQueue
 java/util/concurrent/SynchronousQueue$LifoWaitQueue serialVersionUID
 java/util/concurrent/SynchronousQueue$LifoWaitQueue head
 java/util/concurrent/SynchronousQueue$LifoWaitQueue <init>()V
 java/util/concurrent/SynchronousQueue$LifoWaitQueue
 enq(L java/lang/Object;)L java/util/concurrent/SynchronousQueue$Node;
 java/util/concurrent/SynchronousQueue$LifoWaitQueue deq()L java/util/concurrent/SynchronousQueue$Node;
class java/util/concurrent/SynchronousQueue$Node java/util/concurrent/locks/AbstractQueuedSynchronizer
 java/util/concurrent/SynchronousQueue$Node ACK

```

```

java/util/concurrent/SynchronousQueue$Node CANCEL
java/util/concurrent/SynchronousQueue$Node item
java/util/concurrent/SynchronousQueue$Node next
java/util/concurrent/SynchronousQueue$Node <init>(Ljava/lang/Object;)V
java/util/concurrent/SynchronousQueue$Node
<init>(Ljava/lang/Object;Ljava/util/concurrent/SynchronousQueue$Node;)V
java/util/concurrent/SynchronousQueue$Node
 tryAcquire(I)Z
java/util/concurrent/SynchronousQueue$Node tryRelease(I)Z
java/util/concurrent/SynchronousQueue$Node extract()Ljava/lang/Object;
java/util/concurrent/SynchronousQueue$Node checkCancellationOnInterrupt(Ljava/lang/InterruptedException;)V
java/util/concurrent/SynchronousQueue$Node setItem(Ljava/lang/Object;)Z
java/util/concurrent/SynchronousQueue$Node getItem()Ljava/lang/Object;
java/util/concurrent/SynchronousQueue$Node waitForTake()V
java/util/concurrent/SynchronousQueue$Node waitForPut()Ljava/lang/Object;
java/util/concurrent/SynchronousQueue$Node waitForTake(J)Z
java/util/concurrent/SynchronousQueue$Node waitForPut(J)Ljava/lang/Object;
class java/util/concurrent/SynchronousQueue$WaitQueue java/lang/Object
java/util/concurrent/SynchronousQueue$WaitQueue <init>()V
java/util/concurrent/SynchronousQueue$WaitQueue
 enq(Ljava/lang/Object;)Ljava/util/concurrent/SynchronousQueue$Node;
java/util/concurrent/SynchronousQueue$WaitQueue
 deq()Ljava/util/concurrent/SynchronousQueue$Node;
class java/util/concurrent/SynchronousQueue java/util/AbstractQueue
java/util/concurrent/SynchronousQueue serialVersionUID
java/util/concurrent/SynchronousQueue qlock
java/util/concurrent/SynchronousQueue waitingProducers
java/util/concurrent/SynchronousQueue waitingConsumers
java/util/concurrent/SynchronousQueue <init>()V
java/util/concurrent/SynchronousQueue <init>(Z)V
java/util/concurrent/SynchronousQueue put(Ljava/lang/Object;)V
java/util/concurrent/SynchronousQueue offer(Ljava/lang/Object;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/SynchronousQueue take()Ljava/lang/Object;
java/util/concurrent/SynchronousQueue poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/SynchronousQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/SynchronousQueue poll()Ljava/lang/Object;
java/util/concurrent/SynchronousQueue isEmpty()Z
java/util/concurrent/SynchronousQueue
 size()I
java/util/concurrent/SynchronousQueue remainingCapacity()I
java/util/concurrent/SynchronousQueue clear()V
java/util/concurrent/SynchronousQueue contains(Ljava/lang/Object;)Z
java/util/concurrent/SynchronousQueue remove(Ljava/lang/Object;)Z
java/util/concurrent/SynchronousQueue containsAll(Ljava/util/Collection;)Z
java/util/concurrent/SynchronousQueue removeAll(Ljava/util/Collection;)Z
java/util/concurrent/SynchronousQueue retainAll(Ljava/util/Collection;)Z
java/util/concurrent/SynchronousQueue peek()Ljava/lang/Object;
java/util/concurrent/SynchronousQueue iterator()Ljava/util/Iterator;

```



```

java/util/concurrent/SynchronousQueue toArray()[Ljava/lang/Object;
java/util/concurrent/SynchronousQueue toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/SynchronousQueue drainTo(Ljava/util/Collection;)I
java/util/concurrent/SynchronousQueue drainTo(Ljava/util/Collection;)I
class java/util/concurrent/ThreadFactory java/lang/Object
java/util/concurrent/ThreadFactory
 newThread(Ljava/lang/Runnable;)Ljava/lang/Thread;
class java/util/concurrent/ThreadPoolExecutor$AbortPolicy java/lang/Object
java/util/concurrent/ThreadPoolExecutor$AbortPolicy <init>()V
java/util/concurrent/ThreadPoolExecutor$AbortPolicy
 rejectedExecution(Ljava/lang/Runnable;Ljava/util/concurrent/ThreadPoolExecutor;)V
class java/util/concurrent/ThreadPoolExecutor$CallerRunsPolicy java/lang/Object
java/util/concurrent/ThreadPoolExecutor$CallerRunsPolicy <init>()V
java/util/concurrent/ThreadPoolExecutor$CallerRunsPolicy
 rejectedExecution(Ljava/lang/Runnable;Ljava/util/concurrent/ThreadPoolExecutor;)V
class java/util/concurrent/ThreadPoolExecutor$DiscardOldestPolicy java/lang/Object
java/util/concurrent/ThreadPoolExecutor$DiscardOldestPolicy <init>()V
java/util/concurrent/ThreadPoolExecutor$DiscardOldestPolicy
 rejectedExecution(Ljava/lang/Runnable;Ljava/util/concurrent/ThreadPoolExecutor;)V
class java/util/concurrent/ThreadPoolExecutor$DiscardPolicy java/lang/Object
java/util/concurrent/ThreadPoolExecutor$DiscardPolicy
 <init>()V
java/util/concurrent/ThreadPoolExecutor$DiscardPolicy
 rejectedExecution(Ljava/lang/Runnable;Ljava/util/concurrent/ThreadPoolExecutor;)V
class java/util/concurrent/ThreadPoolExecutor$Worker java/lang/Object
java/util/concurrent/ThreadPoolExecutor$Worker runLock
java/util/concurrent/ThreadPoolExecutor$Worker firstTask
java/util/concurrent/ThreadPoolExecutor$Worker completedTasks
java/util/concurrent/ThreadPoolExecutor$Worker thread
java/util/concurrent/ThreadPoolExecutor$Worker this$0
java/util/concurrent/ThreadPoolExecutor$Worker
 <init>(Ljava/util/concurrent/ThreadPoolExecutor;Ljava/lang/Runnable;)V
java/util/concurrent/ThreadPoolExecutor$Worker isActive()Z
java/util/concurrent/ThreadPoolExecutor$Worker interruptIfIdle()V
java/util/concurrent/ThreadPoolExecutor$Worker interruptNow()V
java/util/concurrent/ThreadPoolExecutor$Worker runTask(Ljava/lang/Runnable;)V
java/util/concurrent/ThreadPoolExecutor$Worker run()V
class java/util/concurrent/ThreadPoolExecutor
 java/util/concurrent/AbstractExecutorService
 java/util/concurrent/ThreadPoolExecutor EMPTY_RUNNABLE_ARRAY
 java/util/concurrent/ThreadPoolExecutor shutdownPerm
 java/util/concurrent/ThreadPoolExecutor workQueue
 java/util/concurrent/ThreadPoolExecutor mainLock
 java/util/concurrent/ThreadPoolExecutor termination
 java/util/concurrent/ThreadPoolExecutor workers
 java/util/concurrent/ThreadPoolExecutor keepAliveTime
 java/util/concurrent/ThreadPoolExecutor corePoolSize
 java/util/concurrent/ThreadPoolExecutor maximumPoolSize

```

```

java/util/concurrent/ThreadPoolExecutor poolSize
java/util/concurrent/ThreadPoolExecutor runState
java/util/concurrent/ThreadPoolExecutor RUNNING
java/util/concurrent/ThreadPoolExecutor SHUTDOWN
java/util/concurrent/ThreadPoolExecutor STOP
java/util/concurrent/ThreadPoolExecutor TERMINATED
java/util/concurrent/ThreadPoolExecutor handler
java/util/concurrent/ThreadPoolExecutor threadFactory
java/util/concurrent/ThreadPoolExecutor largestPoolSize
java/util/concurrent/ThreadPoolExecutor
 completedTaskCount
java/util/concurrent/ThreadPoolExecutor defaultHandler
java/util/concurrent/ThreadPoolExecutor $assertionsDisabled
java/util/concurrent/ThreadPoolExecutor reject(Ljava/lang/Runnable;)V
java/util/concurrent/ThreadPoolExecutor addThread(Ljava/lang/Runnable;)Ljava/lang/Thread;
java/util/concurrent/ThreadPoolExecutor addIfUnderCorePoolSize(Ljava/lang/Runnable;)Z
java/util/concurrent/ThreadPoolExecutor
 addIfUnderMaximumPoolSize(Ljava/lang/Runnable;)Ljava/lang/Runnable;
java/util/concurrent/ThreadPoolExecutor getTask()Ljava/lang/Runnable;
java/util/concurrent/ThreadPoolExecutor interruptIdleWorkers()V
java/util/concurrent/ThreadPoolExecutor workerDone(Ljava/util/concurrent/ThreadPoolExecutor$Worker;)V
java/util/concurrent/ThreadPoolExecutor
 <init>(IIJLjava/util/concurrent/TimeUnit;Ljava/util/concurrent/BlockingQueue;)V
java/util/concurrent/ThreadPoolExecutor
 <init>(IIJLjava/util/concurrent/TimeUnit;Ljava/util/concurrent/BlockingQueue;Ljava/util/concurrent/ThreadFactory
 ;)V
java/util/concurrent/ThreadPoolExecutor
 <init>(IIJLjava/util/concurrent/TimeUnit;Ljava/util/concurrent/BlockingQueue;Ljava/util/concurrent/RejectedExecu
 tionHandler;)V
java/util/concurrent/ThreadPoolExecutor
 <init>(IIJLjava/util/concurrent/TimeUnit;Ljava/util/concurrent/BlockingQueue;Ljava/util/concurrent/ThreadFactory
 ;Ljava/util/concurrent/RejectedExecutionHandler;)V
java/util/concurrent/ThreadPoolExecutor execute(Ljava/lang/Runnable;)V
java/util/concurrent/ThreadPoolExecutor shutdown()V
java/util/concurrent/ThreadPoolExecutor shutdownNow()Ljava/util/List;
java/util/concurrent/ThreadPoolExecutor isShutdown()Z
java/util/concurrent/ThreadPoolExecutor isTerminating()Z
java/util/concurrent/ThreadPoolExecutor isTerminated()Z
java/util/concurrent/ThreadPoolExecutor awaitTermination(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/ThreadPoolExecutor finalize()V
java/util/concurrent/ThreadPoolExecutor setThreadFactory(Ljava/util/concurrent/ThreadFactory;)V
java/util/concurrent/ThreadPoolExecutor
 getThreadFactory()Ljava/util/concurrent/ThreadFactory;
java/util/concurrent/ThreadPoolExecutor
 setRejectedExecutionHandler(Ljava/util/concurrent/RejectedExecutionHandler;)V
java/util/concurrent/ThreadPoolExecutor
 getRejectedExecutionHandler()Ljava/util/concurrent/RejectedExecutionHandler;
java/util/concurrent/ThreadPoolExecutor getQueue()Ljava/util/concurrent/BlockingQueue;

```

```

java/util/concurrent/ThreadPoolExecutor remove(Ljava/lang/Runnable;)Z
java/util/concurrent/ThreadPoolExecutor purge()V
java/util/concurrent/ThreadPoolExecutor setCorePoolSize(I)V
java/util/concurrent/ThreadPoolExecutor getCorePoolSize()I
java/util/concurrent/ThreadPoolExecutor prestartCoreThread()Z
java/util/concurrent/ThreadPoolExecutor prestartAllCoreThreads()I
java/util/concurrent/ThreadPoolExecutor setMaximumPoolSize(I)V
java/util/concurrent/ThreadPoolExecutor getMaximumPoolSize()I
java/util/concurrent/ThreadPoolExecutor setKeepAliveTime(JLjava/util/concurrent/TimeUnit;)V
java/util/concurrent/ThreadPoolExecutor
 getKeepAliveTime(Ljava/util/concurrent/TimeUnit;)J
java/util/concurrent/ThreadPoolExecutor getPoolSize()I
java/util/concurrent/ThreadPoolExecutor getActiveCount()I
java/util/concurrent/ThreadPoolExecutor getLargestPoolSize()I
java/util/concurrent/ThreadPoolExecutor getTaskCount()J
java/util/concurrent/ThreadPoolExecutor getCompletedTaskCount()J
java/util/concurrent/ThreadPoolExecutor beforeExecute(Ljava/lang/Thread;Ljava/lang/Runnable;)V
java/util/concurrent/ThreadPoolExecutor afterExecute(Ljava/lang/Runnable;Ljava/lang/Throwable;)V
java/util/concurrent/ThreadPoolExecutor terminated()V
java/util/concurrent/ThreadPoolExecutor <clinit>()V
class java/util/concurrent/TimeUnit java/lang/Enum
java/util/concurrent/TimeUnit NANOSECONDS
java/util/concurrent/TimeUnit MICROSECONDS
java/util/concurrent/TimeUnit MILLISECONDS
java/util/concurrent/TimeUnit SECONDS
java/util/concurrent/TimeUnit index
java/util/concurrent/TimeUnit multipliers
java/util/concurrent/TimeUnit
 overflows
java/util/concurrent/TimeUnit $VALUES
java/util/concurrent/TimeUnit values()[Ljava/util/concurrent/TimeUnit;
java/util/concurrent/TimeUnit valueOf(Ljava/lang/String;)Ljava/util/concurrent/TimeUnit;
java/util/concurrent/TimeUnit <init>(Ljava/lang/String;I)V
java/util/concurrent/TimeUnit doConvert(I)J
java/util/concurrent/TimeUnit convert(JLjava/util/concurrent/TimeUnit;)J
java/util/concurrent/TimeUnit toNanos(J)J
java/util/concurrent/TimeUnit toMicros(J)J
java/util/concurrent/TimeUnit toMillis(J)J
java/util/concurrent/TimeUnit toSeconds(J)J
java/util/concurrent/TimeUnit excessNanos(JJ)I
java/util/concurrent/TimeUnit timedWait(Ljava/lang/Object;J)V
java/util/concurrent/TimeUnit timedJoin(Ljava/lang/Thread;J)V
java/util/concurrent/TimeUnit sleep(J)V
java/util/concurrent/TimeUnit <clinit>()V
class java/util/concurrent/TimeoutException java/lang/Exception
java/util/concurrent/TimeoutException serialVersionUID
java/util/concurrent/TimeoutException <init>()V
java/util/concurrent/TimeoutException

```

```

<init>(Ljava/lang/String;)V
class java/util/concurrent/atomic/AtomicBoolean java/lang/Object
java/util/concurrent/atomic/AtomicBoolean serialVersionUID
java/util/concurrent/atomic/AtomicBoolean unsafe
java/util/concurrent/atomic/AtomicBoolean valueOffset
java/util/concurrent/atomic/AtomicBoolean value
java/util/concurrent/atomic/AtomicBoolean <init>(Z)V
java/util/concurrent/atomic/AtomicBoolean <init>()V
java/util/concurrent/atomic/AtomicBoolean get()Z
java/util/concurrent/atomic/AtomicBoolean compareAndSet(ZZ)Z
java/util/concurrent/atomic/AtomicBoolean weakCompareAndSet(ZZ)Z
java/util/concurrent/atomic/AtomicBoolean set(Z)V
java/util/concurrent/atomic/AtomicBoolean getAndSet(Z)Z
java/util/concurrent/atomic/AtomicBoolean toString()Ljava/lang/String;
java/util/concurrent/atomic/AtomicBoolean <clinit>()V
class java/util/concurrent/atomic/AtomicInteger java/lang/Number
java/util/concurrent/atomic/AtomicInteger serialVersionUID
java/util/concurrent/atomic/AtomicInteger
 unsafe
java/util/concurrent/atomic/AtomicInteger valueOffset
java/util/concurrent/atomic/AtomicInteger value
java/util/concurrent/atomic/AtomicInteger <init>(I)V
java/util/concurrent/atomic/AtomicInteger <init>()V
java/util/concurrent/atomic/AtomicInteger get()I
java/util/concurrent/atomic/AtomicInteger set(I)V
java/util/concurrent/atomic/AtomicInteger getAndSet(I)I
java/util/concurrent/atomic/AtomicInteger compareAndSet(II)Z
java/util/concurrent/atomic/AtomicInteger weakCompareAndSet(II)Z
java/util/concurrent/atomic/AtomicInteger getAndIncrement()I
java/util/concurrent/atomic/AtomicInteger getAndDecrement()I
java/util/concurrent/atomic/AtomicInteger getAndAdd(I)I
java/util/concurrent/atomic/AtomicInteger incrementAndGet()I
java/util/concurrent/atomic/AtomicInteger decrementAndGet()I
java/util/concurrent/atomic/AtomicInteger addAndGet(I)I
java/util/concurrent/atomic/AtomicInteger toString()Ljava/lang/String;
java/util/concurrent/atomic/AtomicInteger intValue()I
java/util/concurrent/atomic/AtomicInteger
 longValue()J
java/util/concurrent/atomic/AtomicInteger floatValue()F
java/util/concurrent/atomic/AtomicInteger doubleValue()D
java/util/concurrent/atomic/AtomicInteger <clinit>()V
class java/util/concurrent/atomic/AtomicIntegerArray java/lang/Object
java/util/concurrent/atomic/AtomicIntegerArray serialVersionUID
java/util/concurrent/atomic/AtomicIntegerArray unsafe
java/util/concurrent/atomic/AtomicIntegerArray base
java/util/concurrent/atomic/AtomicIntegerArray scale
java/util/concurrent/atomic/AtomicIntegerArray array
java/util/concurrent/atomic/AtomicIntegerArray rawIndex(I)J

```

```

java/util/concurrent/atomic/AtomicIntegerArray <init>(I)V
java/util/concurrent/atomic/AtomicIntegerArray <init>([I)V
java/util/concurrent/atomic/AtomicIntegerArray length()I
java/util/concurrent/atomic/AtomicIntegerArray get(I)I
java/util/concurrent/atomic/AtomicIntegerArray set(II)V
java/util/concurrent/atomic/AtomicIntegerArray getAndSet(II)I
java/util/concurrent/atomic/AtomicIntegerArray
 compareAndSet(III)Z
java/util/concurrent/atomic/AtomicIntegerArray weakCompareAndSet(III)Z
java/util/concurrent/atomic/AtomicIntegerArray getAndIncrement(I)I
java/util/concurrent/atomic/AtomicIntegerArray getAndDecrement(I)I
java/util/concurrent/atomic/AtomicIntegerArray getAndAdd(II)I
java/util/concurrent/atomic/AtomicIntegerArray incrementAndGet(I)I
java/util/concurrent/atomic/AtomicIntegerArray decrementAndGet(I)I
java/util/concurrent/atomic/AtomicIntegerArray addAndGet(II)I
java/util/concurrent/atomic/AtomicIntegerArray toString()Ljava/lang/String;
java/util/concurrent/atomic/AtomicIntegerArray <clinit>()V
class java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl
java/util/concurrent/atomic/AtomicIntegerFieldUpdater
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl unsafe
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl offset
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl
 tclass
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl cclass
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl
 <init>(Ljava/lang/Class;Ljava/lang/String;)V
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl
 compareAndSet(Ljava/lang/Object;II)Z
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl
 weakCompareAndSet(Ljava/lang/Object;II)Z
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl set(Ljava/lang/Object;I)V
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl get(Ljava/lang/Object;I)I
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl
 ensureProtectedAccess(Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl <clinit>()V
class java/util/concurrent/atomic/AtomicIntegerFieldUpdater
 java/lang/Object
java/util/concurrent/atomic/AtomicIntegerFieldUpdater
 newUpdater(Ljava/lang/Class;Ljava/lang/String;)Ljava/util/concurrent/atomic/AtomicIntegerFieldUpdater;
java/util/concurrent/atomic/AtomicIntegerFieldUpdater <init>()V
java/util/concurrent/atomic/AtomicIntegerFieldUpdater compareAndSet(Ljava/lang/Object;II)Z
java/util/concurrent/atomic/AtomicIntegerFieldUpdater weakCompareAndSet(Ljava/lang/Object;II)Z
java/util/concurrent/atomic/AtomicIntegerFieldUpdater set(Ljava/lang/Object;I)V
java/util/concurrent/atomic/AtomicIntegerFieldUpdater get(Ljava/lang/Object;I)I
java/util/concurrent/atomic/AtomicIntegerFieldUpdater getAndSet(Ljava/lang/Object;I)I
java/util/concurrent/atomic/AtomicIntegerFieldUpdater getAndIncrement(Ljava/lang/Object;I)I
java/util/concurrent/atomic/AtomicIntegerFieldUpdater getAndDecrement(Ljava/lang/Object;I)I
java/util/concurrent/atomic/AtomicIntegerFieldUpdater getAndAdd(Ljava/lang/Object;I)I

```

```

java/util/concurrent/atomic/AtomicIntegerFieldUpdater
 incrementAndGet(Ljava/lang/Object;)I
java/util/concurrent/atomic/AtomicIntegerFieldUpdater decrementAndGet(Ljava/lang/Object;)I
java/util/concurrent/atomic/AtomicIntegerFieldUpdater addAndGet(Ljava/lang/Object;)I
class java/util/concurrent/atomic/AtomicLongArray java/lang/Object
java/util/concurrent/atomic/AtomicLongArray serialVersionUID
java/util/concurrent/atomic/AtomicLongArray unsafe
java/util/concurrent/atomic/AtomicLongArray base
java/util/concurrent/atomic/AtomicLongArray scale
java/util/concurrent/atomic/AtomicLongArray array
java/util/concurrent/atomic/AtomicLongArray rawIndex(I)J
java/util/concurrent/atomic/AtomicLongArray <init>(I)V
java/util/concurrent/atomic/AtomicLongArray <init>([J)V
java/util/concurrent/atomic/AtomicLongArray length()I
java/util/concurrent/atomic/AtomicLongArray get(I)J
java/util/concurrent/atomic/AtomicLongArray set(IJ)V
java/util/concurrent/atomic/AtomicLongArray getAndSet(IJ)J
java/util/concurrent/atomic/AtomicLongArray compareAndSet(IJJ)Z
java/util/concurrent/atomic/AtomicLongArray
 weakCompareAndSet(IJJ)Z
java/util/concurrent/atomic/AtomicLongArray getAndIncrement(I)J
java/util/concurrent/atomic/AtomicLongArray getAndDecrement(I)J
java/util/concurrent/atomic/AtomicLongArray getAndAdd(IJ)J
java/util/concurrent/atomic/AtomicLongArray incrementAndGet(I)J
java/util/concurrent/atomic/AtomicLongArray decrementAndGet(I)J
java/util/concurrent/atomic/AtomicLongArray addAndGet(IJ)J
java/util/concurrent/atomic/AtomicLongArray toString()Ljava/lang/String;
java/util/concurrent/atomic/AtomicLongArray <clinit>()V
class java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater
java/util/concurrent/atomic/AtomicLongFieldUpdater
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater unsafe
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater offset
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater tclass
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater cclass
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater
 <init>(Ljava/lang/Class;Ljava/lang/String;)V
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater compareAndSet(Ljava/lang/Object;JJ)Z
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater weakCompareAndSet(Ljava/lang/Object;JJ)Z
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater set(Ljava/lang/Object;J)V
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater get(Ljava/lang/Object;J)J
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater ensureProtectedAccess(Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater <clinit>()V
class java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater
java/util/concurrent/atomic/AtomicLongFieldUpdater
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater unsafe
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater offset
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater tclass
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater

```

```

class
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater <init>(Ljava/lang/Class;Ljava/lang/String;)V
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater compareAndSet(Ljava/lang/Object;JJ)Z
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater weakCompareAndSet(Ljava/lang/Object;JJ)Z
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater set(Ljava/lang/Object;J)V
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater get(Ljava/lang/Object;)J
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater ensureProtectedAccess(Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater <clinit>()V
class java/util/concurrent/atomic/AtomicLongFieldUpdater java/lang/Object
java/util/concurrent/atomic/AtomicLongFieldUpdater
newUpdater(Ljava/lang/Class;Ljava/lang/String;)Ljava/util/concurrent/atomic/AtomicLongFieldUpdater;
java/util/concurrent/atomic/AtomicLongFieldUpdater <init>()V
java/util/concurrent/atomic/AtomicLongFieldUpdater
compareAndSet(Ljava/lang/Object;JJ)Z
java/util/concurrent/atomic/AtomicLongFieldUpdater weakCompareAndSet(Ljava/lang/Object;JJ)Z
java/util/concurrent/atomic/AtomicLongFieldUpdater set(Ljava/lang/Object;J)V
java/util/concurrent/atomic/AtomicLongFieldUpdater get(Ljava/lang/Object;)J
java/util/concurrent/atomic/AtomicLongFieldUpdater getAndSet(Ljava/lang/Object;JJ)J
java/util/concurrent/atomic/AtomicLongFieldUpdater getAndIncrement(Ljava/lang/Object;)J
java/util/concurrent/atomic/AtomicLongFieldUpdater getAndDecrement(Ljava/lang/Object;)J
java/util/concurrent/atomic/AtomicLongFieldUpdater getAndAdd(Ljava/lang/Object;J)J
java/util/concurrent/atomic/AtomicLongFieldUpdater incrementAndGet(Ljava/lang/Object;)J
java/util/concurrent/atomic/AtomicLongFieldUpdater decrementAndGet(Ljava/lang/Object;)J
java/util/concurrent/atomic/AtomicLongFieldUpdater addAndGet(Ljava/lang/Object;J)J
class java/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair
java/lang/Object
java/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair reference
java/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair bit
java/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair <init>(Ljava/lang/Object;Z)V
java/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair
access$000(Ljava/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair;)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair
access$100(Ljava/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair;)Z
class java/util/concurrent/atomic/AtomicMarkableReference java/lang/Object
java/util/concurrent/atomic/AtomicMarkableReference atomicRef
java/util/concurrent/atomic/AtomicMarkableReference <init>(Ljava/lang/Object;Z)V
java/util/concurrent/atomic/AtomicMarkableReference getReference()Ljava/lang/Object;
java/util/concurrent/atomic/AtomicMarkableReference isMarked()Z
java/util/concurrent/atomic/AtomicMarkableReference
get([Z)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicMarkableReference
weakCompareAndSet(Ljava/lang/Object;Ljava/lang/Object;ZZ)Z
java/util/concurrent/atomic/AtomicMarkableReference compareAndSet(Ljava/lang/Object;Ljava/lang/Object;ZZ)Z
java/util/concurrent/atomic/AtomicMarkableReference set(Ljava/lang/Object;Z)V
java/util/concurrent/atomic/AtomicMarkableReference attemptMark(Ljava/lang/Object;Z)Z
class java/util/concurrent/atomic/AtomicReference java/lang/Object
java/util/concurrent/atomic/AtomicReference serialVersionUID
java/util/concurrent/atomic/AtomicReference unsafe

```

```

java/util/concurrent/atomic/AtomicReference valueOffset
java/util/concurrent/atomic/AtomicReference value
java/util/concurrent/atomic/AtomicReference <init>(Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicReference <init>()V
java/util/concurrent/atomic/AtomicReference get(Ljava/lang/Object;
java/util/concurrent/atomic/AtomicReference set(Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicReference
 compareAndSet(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReference weakCompareAndSet(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReference getAndSet(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicReference toString()Ljava/lang/String;
java/util/concurrent/atomic/AtomicReference <clinit>()V
class java/util/concurrent/atomic/AtomicReferenceArray java/lang/Object
java/util/concurrent/atomic/AtomicReferenceArray serialVersionUID
java/util/concurrent/atomic/AtomicReferenceArray unsafe
java/util/concurrent/atomic/AtomicReferenceArray base
java/util/concurrent/atomic/AtomicReferenceArray scale
java/util/concurrent/atomic/AtomicReferenceArray array
java/util/concurrent/atomic/AtomicReferenceArray rawIndex(I)J
java/util/concurrent/atomic/AtomicReferenceArray <init>(I)V
java/util/concurrent/atomic/AtomicReferenceArray <init>([Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicReferenceArray
 length()I
java/util/concurrent/atomic/AtomicReferenceArray get(I)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicReferenceArray set(ILjava/lang/Object;)V
java/util/concurrent/atomic/AtomicReferenceArray getAndSet(ILjava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicReferenceArray compareAndSet(ILjava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReferenceArray weakCompareAndSet(ILjava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReferenceArray toString()Ljava/lang/String;
java/util/concurrent/atomic/AtomicReferenceArray <clinit>()V
class java/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair java/lang/Object
java/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair reference
java/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair integer
java/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair <init>(Ljava/lang/Object;I)V
java/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair
 access$000(Ljava/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair;)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair
 access$100(Ljava/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair;)I
class java/util/concurrent/atomic/AtomicStampedReference java/lang/Object
java/util/concurrent/atomic/AtomicStampedReference atomicRef
java/util/concurrent/atomic/AtomicStampedReference <init>(Ljava/lang/Object;I)V
java/util/concurrent/atomic/AtomicStampedReference getReference()Ljava/lang/Object;
java/util/concurrent/atomic/AtomicStampedReference getStamp()I
java/util/concurrent/atomic/AtomicStampedReference get(I)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicStampedReference
 weakCompareAndSet(Ljava/lang/Object;Ljava/lang/Object;I)Z
java/util/concurrent/atomic/AtomicStampedReference compareAndSet(Ljava/lang/Object;Ljava/lang/Object;I)Z
java/util/concurrent/atomic/AtomicStampedReference

```



```

set(Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicStampedReference attemptStamp(Ljava/lang/Object;)Z
class java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject java/lang/Object
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject serialVersionUID
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject firstWaiter
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject lastWaiter
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject REINTERRUPT
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject THROW_IE
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject this$0
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject
<init>(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer;)V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject
addConditionWaiter()Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject
doSignal(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject
doSignalAll(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject signal()V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject signalAll()V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject unlinkCancelledWaiters()V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject awaitUninterruptibly()V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject
checkInterruptWhileWaiting(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)I
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject reportInterruptAfterWait(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject await()V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject
awaitNanos(J)J
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject awaitUntil(Ljava/util/Date;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject await(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject
isOwnedBy(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject hasWaiters()Z
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject getWaitQueueLength()I
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject getWaitingThreads(Ljava/util/Collection;)
class java/util/concurrent/locks/Condition java/lang/Object
java/util/concurrent/locks/Condition await()V
java/util/concurrent/locks/Condition awaitUninterruptibly()V
java/util/concurrent/locks/Condition awaitNanos(J)J
java/util/concurrent/locks/Condition await(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/locks/Condition
awaitUntil(Ljava/util/Date;)Z
java/util/concurrent/locks/Condition signal()V
java/util/concurrent/locks/Condition signalAll()V
class java/util/concurrent/locks/LockSupport java/lang/Object
java/util/concurrent/locks/LockSupport unsafe
java/util/concurrent/locks/LockSupport <init>()V
java/util/concurrent/locks/LockSupport unpark(Ljava/lang/Thread;)V
java/util/concurrent/locks/LockSupport park()V

```

```

java/util/concurrent/locks/LockSupport parkNanos(J)V
java/util/concurrent/locks/LockSupport parkUntil(J)V
java/util/concurrent/locks/LockSupport <clinit>()V
class java/util/concurrent/locks/ReadWriteLock java/lang/Object
java/util/concurrent/locks/ReadWriteLock readLock()Ljava/util/concurrent/locks/Lock;
java/util/concurrent/locks/ReadWriteLock writeLock()Ljava/util/concurrent/locks/Lock;
class java/util/concurrent/locks/ReentrantLock$FairSync java/util/concurrent/locks/ReentrantLock$Sync
java/util/concurrent/locks/ReentrantLock$FairSync <init>()V
java/util/concurrent/locks/ReentrantLock$FairSync
 lock()V
java/util/concurrent/locks/ReentrantLock$FairSync tryAcquire(I)Z
class java/util/concurrent/locks/ReentrantReadWriteLock$FairSync
java/util/concurrent/locks/ReentrantReadWriteLock$Sync
java/util/concurrent/locks/ReentrantReadWriteLock$FairSync <init>()V
java/util/concurrent/locks/ReentrantReadWriteLock$FairSync tryAcquire(I)Z
java/util/concurrent/locks/ReentrantReadWriteLock$FairSync tryAcquireShared(I)I
java/util/concurrent/locks/ReentrantReadWriteLock$FairSync wlock()V
class java/util/concurrent/locks/ReentrantReadWriteLock$NonfairSync
java/util/concurrent/locks/ReentrantReadWriteLock$Sync
java/util/concurrent/locks/ReentrantReadWriteLock$NonfairSync <init>()V
java/util/concurrent/locks/ReentrantReadWriteLock$NonfairSync tryAcquire(I)Z
java/util/concurrent/locks/ReentrantReadWriteLock$NonfairSync tryAcquireShared(I)I
java/util/concurrent/locks/ReentrantReadWriteLock$NonfairSync wlock()V
class java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock
 java/lang/Object
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock serialVersionUID
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock sync
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock
 <init>(Ljava/util/concurrent/locks/ReentrantReadWriteLock;)V
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock lock()V
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock lockInterruptibly()V
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock tryLock()Z
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock tryLock(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock unlock()V
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock
 newCondition()Ljava/util/concurrent/locks/Condition;
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock toString()Ljava/lang/String;
class java/util/concurrent/locks/ReentrantReadWriteLock$Sync
java/util/concurrent/locks/AbstractQueuedSynchronizer
java/util/concurrent/locks/ReentrantReadWriteLock$Sync
 owner
java/util/concurrent/locks/ReentrantReadWriteLock$Sync <init>()V
java/util/concurrent/locks/ReentrantReadWriteLock$Sync wlock()V
java/util/concurrent/locks/ReentrantReadWriteLock$Sync nonfairTryAcquire(I)Z
java/util/concurrent/locks/ReentrantReadWriteLock$Sync nonfairTryAcquireShared(I)I
java/util/concurrent/locks/ReentrantReadWriteLock$Sync tryRelease(I)Z
java/util/concurrent/locks/ReentrantReadWriteLock$Sync tryReleaseShared(I)Z
java/util/concurrent/locks/ReentrantReadWriteLock$Sync isHeldExclusively()Z

```

```

java/util/concurrent/locks/ReentrantReadWriteLock$Sync
newCondition()Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject;
java/util/concurrent/locks/ReentrantReadWriteLock$Sync getOwner()Ljava/lang/Thread;
java/util/concurrent/locks/ReentrantReadWriteLock$Sync getReadLockCount()I
java/util/concurrent/locks/ReentrantReadWriteLock$Sync isWriteLocked()Z
java/util/concurrent/locks/ReentrantReadWriteLock$Sync
 getWriteHoldCount()I
java/util/concurrent/locks/ReentrantReadWriteLock$Sync readObject(Ljava/io/ObjectInputStream;)V
java/util/concurrent/locks/ReentrantReadWriteLock$Sync getCount()I
class java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock java/lang/Object
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock serialVersionUID
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock sync
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock
 <init>(Ljava/util/concurrent/locks/ReentrantReadWriteLock;)V
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock lock()V
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock lockInterruptibly()V
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock tryLock()Z
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock tryLock(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock unlock()V
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock
 newCondition()Ljava/util/concurrent/locks/Condition;
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock
 toString()Ljava/lang/String;
class java/util/concurrent/locks/ReentrantReadWriteLock java/lang/Object
java/util/concurrent/locks/ReentrantReadWriteLock serialVersionUID
java/util/concurrent/locks/ReentrantReadWriteLock readerLock
java/util/concurrent/locks/ReentrantReadWriteLock writerLock
java/util/concurrent/locks/ReentrantReadWriteLock sync
java/util/concurrent/locks/ReentrantReadWriteLock SHARED_SHIFT
java/util/concurrent/locks/ReentrantReadWriteLock SHARED_UNIT
java/util/concurrent/locks/ReentrantReadWriteLock EXCLUSIVE_MASK
java/util/concurrent/locks/ReentrantReadWriteLock <init>()V
java/util/concurrent/locks/ReentrantReadWriteLock <init>(Z)V
java/util/concurrent/locks/ReentrantReadWriteLock
 writeLock()Ljava/util/concurrent/locks/ReentrantReadWriteLock$WriteLock;
java/util/concurrent/locks/ReentrantReadWriteLock
 readLock()Ljava/util/concurrent/locks/ReentrantReadWriteLock$ReadLock;
java/util/concurrent/locks/ReentrantReadWriteLock
 sharedCount()I
java/util/concurrent/locks/ReentrantReadWriteLock exclusiveCount()I
java/util/concurrent/locks/ReentrantReadWriteLock isFair()Z
java/util/concurrent/locks/ReentrantReadWriteLock getOwner()Ljava/lang/Thread;
java/util/concurrent/locks/ReentrantReadWriteLock getReadLockCount()I
java/util/concurrent/locks/ReentrantReadWriteLock isWriteLocked()Z
java/util/concurrent/locks/ReentrantReadWriteLock isWriteLockedByCurrentThread()Z
java/util/concurrent/locks/ReentrantReadWriteLock getWriteHoldCount()I
java/util/concurrent/locks/ReentrantReadWriteLock getQueuedWriterThreads()Ljava/util/Collection;
java/util/concurrent/locks/ReentrantReadWriteLock getQueuedReaderThreads()Ljava/util/Collection;

```

```

java/util/concurrent/locks/ReentrantReadWriteLock hasQueuedThreads()Z
java/util/concurrent/locks/ReentrantReadWriteLock hasQueuedThread(Ljava/lang/Thread;)Z
java/util/concurrent/locks/ReentrantReadWriteLock getQueueLength()I
java/util/concurrent/locks/ReentrantReadWriteLock
 getQueuedThreads()Ljava/util/Collection;
java/util/concurrent/locks/ReentrantReadWriteLock hasWaiters(Ljava/util/concurrent/locks/Condition;)Z
java/util/concurrent/locks/ReentrantReadWriteLock getWaitQueueLength(Ljava/util/concurrent/locks/Condition;)I
java/util/concurrent/locks/ReentrantReadWriteLock
 getWaitingThreads(Ljava/util/concurrent/locks/Condition;)Ljava/util/Collection;
java/util/concurrent/locks/ReentrantReadWriteLock toString()Ljava/lang/String;
java/util/concurrent/locks/ReentrantReadWriteLock writeLock()Ljava/util/concurrent/locks/Lock;
java/util/concurrent/locks/ReentrantReadWriteLock readLock()Ljava/util/concurrent/locks/Lock;
java/util/concurrent/locks/ReentrantReadWriteLock
 access$000(Ljava/util/concurrent/locks/ReentrantReadWriteLock;)Ljava/util/concurrent/locks/ReentrantReadWrite
 Lock$Sync;
class java/util/jar/JarException java/util/zip/ZipException
java/util/jar/JarException <init>()V
java/util/jar/JarException <init>(Ljava/lang/String;)V
class
 java/util/jar/JarOutputStream java/util/zip/ZipOutputStream
java/util/jar/JarOutputStream JAR_MAGIC
java/util/jar/JarOutputStream firstEntry
java/util/jar/JarOutputStream <init>(Ljava/io/OutputStream;Ljava/util/jar/Manifest;)V
java/util/jar/JarOutputStream <init>(Ljava/io/OutputStream;)V
java/util/jar/JarOutputStream putNextEntry(Ljava/util/zip/ZipEntry;)V
java/util/jar/JarOutputStream hasMagic([B)Z
java/util/jar/JarOutputStream get16([BI)I
java/util/jar/JarOutputStream set16([BII)V
class java/util/jar/Pack200$Packer java/lang/Object
java/util/jar/Pack200$Packer SEGMENT_LIMIT
java/util/jar/Pack200$Packer KEEP_FILE_ORDER
java/util/jar/Pack200$Packer EFFORT
java/util/jar/Pack200$Packer DEFLATE_HINT
java/util/jar/Pack200$Packer MODIFICATION_TIME
java/util/jar/Pack200$Packer PASS_FILE_PFX
java/util/jar/Pack200$Packer UNKNOWN_ATTRIBUTE
java/util/jar/Pack200$Packer CLASS_ATTRIBUTE_PFX
java/util/jar/Pack200$Packer FIELD_ATTRIBUTE_PFX
java/util/jar/Pack200$Packer METHOD_ATTRIBUTE_PFX
java/util/jar/Pack200$Packer
 CODE_ATTRIBUTE_PFX
java/util/jar/Pack200$Packer PROGRESS
java/util/jar/Pack200$Packer KEEP
java/util/jar/Pack200$Packer PASS
java/util/jar/Pack200$Packer STRIP
java/util/jar/Pack200$Packer ERROR
java/util/jar/Pack200$Packer TRUE
java/util/jar/Pack200$Packer FALSE

```

```

java/util/jar/Pack200$Packer LATEST
java/util/jar/Pack200$Packer properties()Ljava/util/SortedMap;
java/util/jar/Pack200$Packer pack(Ljava/util/jar/JarFile;Ljava/io/OutputStream;)V
java/util/jar/Pack200$Packer pack(Ljava/util/jar/JarInputStream;Ljava/io/OutputStream;)V
java/util/jar/Pack200$Packer addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/util/jar/Pack200$Packer removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
class java/util/jar/Pack200$Unpacker java/lang/Object
java/util/jar/Pack200$Unpacker KEEP
java/util/jar/Pack200$Unpacker TRUE
java/util/jar/Pack200$Unpacker FALSE
java/util/jar/Pack200$Unpacker DEFLATE_HINT
java/util/jar/Pack200$Unpacker PROGRESS
java/util/jar/Pack200$Unpacker
 properties()Ljava/util/SortedMap;
java/util/jar/Pack200$Unpacker unpack(Ljava/io/InputStream;Ljava/util/jar/JarOutputStream;)V
java/util/jar/Pack200$Unpacker unpack(Ljava/io/File;Ljava/util/jar/JarOutputStream;)V
java/util/jar/Pack200$Unpacker addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/util/jar/Pack200$Unpacker removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
class java/util/jar/Pack200 java/lang/Object
java/util/jar/Pack200 PACK_PROVIDER
java/util/jar/Pack200 UNPACK_PROVIDER
java/util/jar/Pack200 packerImpl
java/util/jar/Pack200 unpackerImpl
java/util/jar/Pack200 <init>()V
java/util/jar/Pack200 newPacker()Ljava/util/jar/Pack200$Packer;
java/util/jar/Pack200 newUnpacker()Ljava/util/jar/Pack200$Unpacker;
java/util/jar/Pack200 newInstance(Ljava/lang/String;)Ljava/lang/Object;
class java/util/logging/ConsoleHandler java/util/logging/StreamHandler
java/util/logging/ConsoleHandler configure()V
java/util/logging/ConsoleHandler
 <init>()V
java/util/logging/ConsoleHandler publish(Ljava/util/logging/LogRecord;)V
java/util/logging/ConsoleHandler close()V
class java/util/logging/ErrorHandler java/lang/Object
java/util/logging/ErrorHandler reported
java/util/logging/ErrorHandler GENERIC_FAILURE
java/util/logging/ErrorHandler WRITE_FAILURE
java/util/logging/ErrorHandler FLUSH_FAILURE
java/util/logging/ErrorHandler CLOSE_FAILURE
java/util/logging/ErrorHandler OPEN_FAILURE
java/util/logging/ErrorHandler FORMAT_FAILURE
java/util/logging/ErrorHandler <init>()V
java/util/logging/ErrorHandler error(Ljava/lang/String;Ljava/lang/Exception;)V
class java/util/logging/FileHandler$1 java/lang/Object
java/util/logging/FileHandler$1 this$0
java/util/logging/FileHandler$1 <init>(Ljava/util/logging/FileHandler;)V
java/util/logging/FileHandler$1 run()Ljava/lang/Object;
class java/util/logging/FileHandler$InitializationErrorManager java/util/logging/ErrorHandler

```

```

java/util/logging/FileHandler$InitializationErrorManager
 lastException
java/util/logging/FileHandler$InitializationErrorManager <init>()V
java/util/logging/FileHandler$InitializationErrorManager error(Ljava/lang/String;Ljava/lang/Exception;I)V
java/util/logging/FileHandler$InitializationErrorManager <init>(Ljava/util/logging/FileHandler$1;)V
class java/util/logging/FileHandler$MeteredStream java/io/OutputStream
java/util/logging/FileHandler$MeteredStream out
java/util/logging/FileHandler$MeteredStream written
java/util/logging/FileHandler$MeteredStream this$0
java/util/logging/FileHandler$MeteredStream <init>(Ljava/util/logging/FileHandler;Ljava/io/OutputStream;I)V
java/util/logging/FileHandler$MeteredStream write(I)V
java/util/logging/FileHandler$MeteredStream write([B)V
java/util/logging/FileHandler$MeteredStream write([BII)V
java/util/logging/FileHandler$MeteredStream flush()V
java/util/logging/FileHandler$MeteredStream close()V
class java/util/logging/FileHandler java/util/logging/StreamHandler
java/util/logging/FileHandler meter
java/util/logging/FileHandler
 append
java/util/logging/FileHandler limit
java/util/logging/FileHandler count
java/util/logging/FileHandler pattern
java/util/logging/FileHandler lockFileName
java/util/logging/FileHandler lockStream
java/util/logging/FileHandler files
java/util/logging/FileHandler MAX_LOCKS
java/util/logging/FileHandler locks
java/util/logging/FileHandler open(Ljava/io/File;Z)V
java/util/logging/FileHandler configure()V
java/util/logging/FileHandler <init>()V
java/util/logging/FileHandler <init>(Ljava/lang/String;)V
java/util/logging/FileHandler <init>(Ljava/lang/String;Z)V
java/util/logging/FileHandler <init>(Ljava/lang/String;II)V
java/util/logging/FileHandler <init>(Ljava/lang/String;IIZ)V
java/util/logging/FileHandler openFiles()V
java/util/logging/FileHandler generate(Ljava/lang/String;II)Ljava/io/File;
java/util/logging/FileHandler rotate()V
java/util/logging/FileHandler publish(Ljava/util/logging/LogRecord;)V
java/util/logging/FileHandler close()V
java/util/logging/FileHandler
 isSetUID()Z
java/util/logging/FileHandler access$100(Ljava/util/logging/FileHandler;)V
java/util/logging/FileHandler <clinit>()V
class java/util/logging/Filter java/lang/Object
java/util/logging/Filter isLoggable(Ljava/util/logging/LogRecord;)Z
class java/util/logging/Formatter java/lang/Object
java/util/logging/Formatter <init>()V
java/util/logging/Formatter format(Ljava/util/logging/LogRecord;)Ljava/lang/String;

```

```

java/util/logging/Formatter getHead(Ljava/util/logging/Handler;)Ljava/lang/String;
java/util/logging/Formatter getTail(Ljava/util/logging/Handler;)Ljava/lang/String;
java/util/logging/Formatter formatMessage(Ljava/util/logging/LogRecord;)Ljava/lang/String;
class java/util/logging/LogManager$3 java/lang/Object
java/util/logging/LogManager$3 val$name
java/util/logging/LogManager$3 this$0
java/util/logging/LogManager$3 <init>(Ljava/util/logging/LogManager;Ljava/lang/String;)V
java/util/logging/LogManager$3 run()Ljava/lang/Object;
class java/util/logging/LogManager$4 java/lang/Object
java/util/logging/LogManager$4
 val$name
java/util/logging/LogManager$4 this$0
java/util/logging/LogManager$4 <init>(Ljava/util/logging/LogManager;Ljava/lang/String;)V
java/util/logging/LogManager$4 run()Ljava/lang/Object;
class java/util/logging/LogManager$5 java/lang/Object
java/util/logging/LogManager$5 val$logger
java/util/logging/LogManager$5 val$level
java/util/logging/LogManager$5 <init>(Ljava/util/logging/Logger;Ljava/util/logging/Level;)V
java/util/logging/LogManager$5 run()Ljava/lang/Object;
class java/util/logging/LogManager$6 java/lang/Object
java/util/logging/LogManager$6 val$logger
java/util/logging/LogManager$6 val$parent
java/util/logging/LogManager$6 <init>(Ljava/util/logging/Logger;Ljava/util/logging/Logger;)V
java/util/logging/LogManager$6 run()Ljava/lang/Object;
class java/util/logging/LogManager$7 java/lang/Object
java/util/logging/LogManager$7 this$0
java/util/logging/LogManager$7 <init>(Ljava/util/logging/LogManager;)V
java/util/logging/LogManager$7
 run()Ljava/lang/Object;
class java/util/logging/LogRecord java/lang/Object
java/util/logging/LogRecord globalSequenceNumber
java/util/logging/LogRecord nextThreadId
java/util/logging/LogRecord threadIds
java/util/logging/LogRecord level
java/util/logging/LogRecord sequenceNumber
java/util/logging/LogRecord sourceClassName
java/util/logging/LogRecord sourceMethodName
java/util/logging/LogRecord message
java/util/logging/LogRecord threadID
java/util/logging/LogRecord millis
java/util/logging/LogRecord thrown
java/util/logging/LogRecord loggerName
java/util/logging/LogRecord resourceBundleName
java/util/logging/LogRecord needToInferCaller
java/util/logging/LogRecord parameters
java/util/logging/LogRecord resourceBundle
java/util/logging/LogRecord serialVersionUID
java/util/logging/LogRecord <init>(Ljava/util/logging/Level;Ljava/lang/String;)V

```

```

java/util/logging/LogRecord getLoggerName()Ljava/lang/String;
java/util/logging/LogRecord setLoggerName(Ljava/lang/String;)V
java/util/logging/LogRecord
 getResourceBundle()Ljava/util/ResourceBundle;
java/util/logging/LogRecord setResourceBundle(Ljava/util/ResourceBundle;)V
java/util/logging/LogRecord getResourceBundleName()Ljava/lang/String;
java/util/logging/LogRecord setResourceBundleName(Ljava/lang/String;)V
java/util/logging/LogRecord getLevel()Ljava/util/logging/Level;
java/util/logging/LogRecord setLevel(Ljava/util/logging/Level;)V
java/util/logging/LogRecord getSequenceNumber()J
java/util/logging/LogRecord setSequenceNumber(J)V
java/util/logging/LogRecord getSourceClassName()Ljava/lang/String;
java/util/logging/LogRecord setSourceClassName(Ljava/lang/String;)V
java/util/logging/LogRecord getSourceMethodName()Ljava/lang/String;
java/util/logging/LogRecord setSourceMethodName(Ljava/lang/String;)V
java/util/logging/LogRecord getMessage()Ljava/lang/String;
java/util/logging/LogRecord setMessage(Ljava/lang/String;)V
java/util/logging/LogRecord getParameters()[Ljava/lang/Object;
java/util/logging/LogRecord setParameters([Ljava/lang/Object;)V
java/util/logging/LogRecord
 getThreadID()I
java/util/logging/LogRecord setThreadID(I)V
java/util/logging/LogRecord getMillis()J
java/util/logging/LogRecord setMillis(J)V
java/util/logging/LogRecord getThrown()Ljava/lang/Throwable;
java/util/logging/LogRecord setThrown(Ljava/lang/Throwable;)V
java/util/logging/LogRecord writeObject(Ljava/io/ObjectOutputStream;)V
java/util/logging/LogRecord readObject(Ljava/io/ObjectInputStream;)V
java/util/logging/LogRecord inferCaller()V
java/util/logging/LogRecord <clinit>()V
class java/util/logging/Logging sun/management/MXBeanSupport
java/util/logging/Logging logManager
java/util/logging/Logging EMPTY_STRING
java/util/logging/Logging <init>()V
java/util/logging/Logging getLoggerNames()Ljava/util/List;
java/util/logging/Logging getLoggerLevel(Ljava/lang/String;)Ljava/lang/String;
java/util/logging/Logging setLoggerLevel(Ljava/lang/String;Ljava/lang/String;)V
java/util/logging/Logging getParentLoggerName(Ljava/lang/String;)Ljava/lang/String;
java/util/logging/Logging
 <clinit>()V
class java/util/logging/LoggingMXBean java/lang/Object
java/util/logging/LoggingMXBean getLoggerNames()Ljava/util/List;
java/util/logging/LoggingMXBean getLoggerLevel(Ljava/lang/String;)Ljava/lang/String;
java/util/logging/LoggingMXBean setLoggerLevel(Ljava/lang/String;Ljava/lang/String;)V
java/util/logging/LoggingMXBean getParentLoggerName(Ljava/lang/String;)Ljava/lang/String;
class java/util/logging/MemoryHandler java/util/logging/Handler
java/util/logging/MemoryHandler DEFAULT_SIZE
java/util/logging/MemoryHandler pushLevel

```



```

java/util/logging/MemoryHandler size
java/util/logging/MemoryHandler target
java/util/logging/MemoryHandler buffer
java/util/logging/MemoryHandler start
java/util/logging/MemoryHandler count
java/util/logging/MemoryHandler configure()V
java/util/logging/MemoryHandler <init>()V
java/util/logging/MemoryHandler init()V
java/util/logging/MemoryHandler <init>(Ljava/util/logging/Handler;ILjava/util/logging/Level;)V
java/util/logging/MemoryHandler
 publish(Ljava/util/logging/LogRecord;)V
java/util/logging/MemoryHandler push()V
java/util/logging/MemoryHandler flush()V
java/util/logging/MemoryHandler close()V
java/util/logging/MemoryHandler setPushLevel(Ljava/util/logging/Level;)V
java/util/logging/MemoryHandler getPushLevel()Ljava/util/logging/Level;
java/util/logging/MemoryHandler isLoggable(Ljava/util/logging/LogRecord;)Z
class java/util/logging/SimpleFormatter java/util/logging/Formatter
java/util/logging/SimpleFormatter dat
java/util/logging/SimpleFormatter format
java/util/logging/SimpleFormatter formatter
java/util/logging/SimpleFormatter args
java/util/logging/SimpleFormatter lineSeparator
java/util/logging/SimpleFormatter <init>()V
java/util/logging/SimpleFormatter format(Ljava/util/logging/LogRecord;)Ljava/lang/String;
class java/util/logging/SocketHandler java/util/logging/StreamHandler
java/util/logging/SocketHandler sock
java/util/logging/SocketHandler host
java/util/logging/SocketHandler port
java/util/logging/SocketHandler
 portProperty
java/util/logging/SocketHandler configure()V
java/util/logging/SocketHandler <init>()V
java/util/logging/SocketHandler <init>(Ljava/lang/String;)V
java/util/logging/SocketHandler connect()V
java/util/logging/SocketHandler close()V
java/util/logging/SocketHandler publish(Ljava/util/logging/LogRecord;)V
class java/util/logging/StreamHandler java/util/logging/Handler
java/util/logging/StreamHandler manager
java/util/logging/StreamHandler output
java/util/logging/StreamHandler doneHeader
java/util/logging/StreamHandler writer
java/util/logging/StreamHandler configure()V
java/util/logging/StreamHandler <init>()V
java/util/logging/StreamHandler <init>(Ljava/io/OutputStream;Ljava/util/logging/Formatter;)V
java/util/logging/StreamHandler setOutputStream(Ljava/io/OutputStream;)V
java/util/logging/StreamHandler setEncoding(Ljava/lang/String;)V
java/util/logging/StreamHandler publish(Ljava/util/logging/LogRecord;)V

```

```

java/util/logging/StreamHandler isLoggable(Ljava/util/logging/LogRecord;)Z
java/util/logging/StreamHandler
 flush()V
java/util/logging/StreamHandler flushAndClose()V
java/util/logging/StreamHandler close()V
class java/util/logging/XMLFormatter java/util/logging/Formatter
java/util/logging/XMLFormatter manager
java/util/logging/XMLFormatter <init>()V
java/util/logging/XMLFormatter a2(Ljava/lang/StringBuffer;I)V
java/util/logging/XMLFormatter appendISO8601(Ljava/lang/StringBuffer;J)V
java/util/logging/XMLFormatter escape(Ljava/lang/StringBuffer;Ljava/lang/String;)V
java/util/logging/XMLFormatter format(Ljava/util/logging/LogRecord;)Ljava/lang/String;
java/util/logging/XMLFormatter getHead(Ljava/util/logging/Handler;)Ljava/lang/String;
java/util/logging/XMLFormatter getTail(Ljava/util/logging/Handler;)Ljava/lang/String;
class java/util/prefs/AbstractPreferences$1 java/lang/Object
java/util/prefs/AbstractPreferences$1 this$0
java/util/prefs/AbstractPreferences$1 <init>(Ljava/util/prefs/AbstractPreferences;)V
java/util/prefs/AbstractPreferences$1
 run()Ljava/lang/Object;
class java/util/prefs/AbstractPreferences$EventDispatchThread java/lang/Thread
java/util/prefs/AbstractPreferences$EventDispatchThread <init>()V
java/util/prefs/AbstractPreferences$EventDispatchThread run()V
java/util/prefs/AbstractPreferences$EventDispatchThread <init>(Ljava/util/prefs/AbstractPreferences$1;)V
class java/util/prefs/AbstractPreferences$NodeAddedEvent java/util/prefs/NodeChangeEvent
java/util/prefs/AbstractPreferences$NodeAddedEvent serialVersionUID
java/util/prefs/AbstractPreferences$NodeAddedEvent this$0
java/util/prefs/AbstractPreferences$NodeAddedEvent
 <init>(Ljava/util/prefs/AbstractPreferences;Ljava/util/prefs/Preferences;Ljava/util/prefs/Preferences;)V
class java/util/prefs/AbstractPreferences$NodeRemovedEvent java/util/prefs/NodeChangeEvent
java/util/prefs/AbstractPreferences$NodeRemovedEvent serialVersionUID
java/util/prefs/AbstractPreferences$NodeRemovedEvent this$0
java/util/prefs/AbstractPreferences$NodeRemovedEvent
 <init>(Ljava/util/prefs/AbstractPreferences;Ljava/util/prefs/Preferences;Ljava/util/prefs/Preferences;)V
class
 java/util/prefs/AbstractPreferences java/util/prefs/Preferences
java/util/prefs/AbstractPreferences name
java/util/prefs/AbstractPreferences absolutePath
java/util/prefs/AbstractPreferences parent
java/util/prefs/AbstractPreferences root
java/util/prefs/AbstractPreferences newNode
java/util/prefs/AbstractPreferences kidCache
java/util/prefs/AbstractPreferences removed
java/util/prefs/AbstractPreferences prefListeners
java/util/prefs/AbstractPreferences nodeListeners
java/util/prefs/AbstractPreferences lock
java/util/prefs/AbstractPreferences EMPTY_STRING_ARRAY
java/util/prefs/AbstractPreferences EMPTY_ABSTRACT_PREFS_ARRAY
java/util/prefs/AbstractPreferences eventQueue

```

```

java/util/prefs/AbstractPreferences eventDispatchThread
java/util/prefs/AbstractPreferences <init>(Ljava/util/prefs/AbstractPreferences;Ljava/lang/String;)V
java/util/prefs/AbstractPreferences put(Ljava/lang/String;Ljava/lang/String;)V
java/util/prefs/AbstractPreferences
 get(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/util/prefs/AbstractPreferences remove(Ljava/lang/String;)V
java/util/prefs/AbstractPreferences clear()V
java/util/prefs/AbstractPreferences putInt(Ljava/lang/String;I)V
java/util/prefs/AbstractPreferences getInt(Ljava/lang/String;I)I
java/util/prefs/AbstractPreferences putLong(Ljava/lang/String;J)V
java/util/prefs/AbstractPreferences getLong(Ljava/lang/String;J)J
java/util/prefs/AbstractPreferences putBoolean(Ljava/lang/String;Z)V
java/util/prefs/AbstractPreferences getBoolean(Ljava/lang/String;Z)Z
java/util/prefs/AbstractPreferences putFloat(Ljava/lang/String;F)V
java/util/prefs/AbstractPreferences getFloat(Ljava/lang/String;F)F
java/util/prefs/AbstractPreferences putDouble(Ljava/lang/String;D)V
java/util/prefs/AbstractPreferences getDouble(Ljava/lang/String;D)D
java/util/prefs/AbstractPreferences putByteArray(Ljava/lang/String;[B)V
java/util/prefs/AbstractPreferences
 getByteArray(Ljava/lang/String;[B)[B
java/util/prefs/AbstractPreferences keys()[Ljava/lang/String;
java/util/prefs/AbstractPreferences childrenNames()[Ljava/lang/String;
java/util/prefs/AbstractPreferences cachedChildren()[Ljava/util/prefs/AbstractPreferences;
java/util/prefs/AbstractPreferences parent(Ljava/util/prefs/Preferences;
java/util/prefs/AbstractPreferences node(Ljava/lang/String;)Ljava/util/prefs/Preferences;
java/util/prefs/AbstractPreferences node(Ljava/util/StringTokenizer;)Ljava/util/prefs/Preferences;
java/util/prefs/AbstractPreferences nodeExists(Ljava/lang/String;)Z
java/util/prefs/AbstractPreferences nodeExists(Ljava/util/StringTokenizer;)Z
java/util/prefs/AbstractPreferences removeNode()V
java/util/prefs/AbstractPreferences removeNode2()V
java/util/prefs/AbstractPreferences name()Ljava/lang/String;
java/util/prefs/AbstractPreferences absolutePath()Ljava/lang/String;
java/util/prefs/AbstractPreferences isUserNode()Z
java/util/prefs/AbstractPreferences addPreferenceChangeListener(Ljava/util/prefs/PreferenceChangeListener;)V
java/util/prefs/AbstractPreferences
 removePreferenceChangeListener(Ljava/util/prefs/PreferenceChangeListener;)V
java/util/prefs/AbstractPreferences addNodeChangeListener(Ljava/util/prefs/NodeChangeListener;)V
java/util/prefs/AbstractPreferences removeNodeChangeListener(Ljava/util/prefs/NodeChangeListener;)V
java/util/prefs/AbstractPreferences putSpi(Ljava/lang/String;Ljava/lang/String;)V
java/util/prefs/AbstractPreferences getSpi(Ljava/lang/String;)Ljava/lang/String;
java/util/prefs/AbstractPreferences removeSpi(Ljava/lang/String;)V
java/util/prefs/AbstractPreferences removeNodeSpi()V
java/util/prefs/AbstractPreferences keysSpi()[Ljava/lang/String;
java/util/prefs/AbstractPreferences childrenNamesSpi()[Ljava/lang/String;
java/util/prefs/AbstractPreferences getChild(Ljava/lang/String;)Ljava/util/prefs/AbstractPreferences;
java/util/prefs/AbstractPreferences childSpi(Ljava/lang/String;)Ljava/util/prefs/AbstractPreferences;
java/util/prefs/AbstractPreferences

```

```

toString()Ljava/lang/String;
java/util/prefs/AbstractPreferences sync()V
java/util/prefs/AbstractPreferences sync2()V
java/util/prefs/AbstractPreferences syncSpi()V
java/util/prefs/AbstractPreferences flush()V
java/util/prefs/AbstractPreferences flush2()V
java/util/prefs/AbstractPreferences flushSpi()V
java/util/prefs/AbstractPreferences isRemoved()Z
java/util/prefs/AbstractPreferences startEventDispatchThreadIfNecessary()V
java/util/prefs/AbstractPreferences prefListeners()[Ljava/util/prefs/ChangeListener;
java/util/prefs/AbstractPreferences nodeListeners()[Ljava/util/prefs/NodeChangeListener;
java/util/prefs/AbstractPreferences enqueuePreferenceChangeEvent(Ljava/lang/String;Ljava/lang/String;)V
java/util/prefs/AbstractPreferences enqueueNodeAddedEvent(Ljava/util/prefs/Preferences;)V
java/util/prefs/AbstractPreferences enqueueNodeRemovedEvent(Ljava/util/prefs/Preferences;)V
java/util/prefs/AbstractPreferences exportNode(Ljava/io/OutputStream;)V
java/util/prefs/AbstractPreferences
 exportSubtree(Ljava/io/OutputStream;)V
java/util/prefs/AbstractPreferences
 access$000(Ljava/util/prefs/AbstractPreferences;)Ljava/util/prefs/AbstractPreferences;
java/util/prefs/AbstractPreferences access$100()Ljava/util/List;
java/util/prefs/AbstractPreferences <clinit>()V
class java/util/prefs/BackingStoreException java/lang/Exception
java/util/prefs/BackingStoreException serialVersionUID
java/util/prefs/BackingStoreException <init>(Ljava/lang/String;)V
java/util/prefs/BackingStoreException <init>(Ljava/lang/Throwable;)V
class java/util/prefs/Base64 java/lang/Object
java/util/prefs/Base64 intToBase64
java/util/prefs/Base64 intToAltBase64
java/util/prefs/Base64 base64ToInt
java/util/prefs/Base64 altBase64ToInt
java/util/prefs/Base64 <init>()V
java/util/prefs/Base64 byteArrayToBase64([B)Ljava/lang/String;
java/util/prefs/Base64 byteArrayToAltBase64([B)Ljava/lang/String;
java/util/prefs/Base64 byteArrayToBase64([BZ)Ljava/lang/String;
java/util/prefs/Base64
 base64ToByteArray(Ljava/lang/String;)[B
java/util/prefs/Base64 altBase64ToByteArray(Ljava/lang/String;)[B
java/util/prefs/Base64 base64ToByteArray(Ljava/lang/String;Z)[B
java/util/prefs/Base64 base64toInt(C[B)I
java/util/prefs/Base64 main([Ljava/lang/String;)V
java/util/prefs/Base64 <clinit>()V
class java/util/prefs/InvalidPreferencesFormatException java/lang/Exception
java/util/prefs/InvalidPreferencesFormatException serialVersionUID
java/util/prefs/InvalidPreferencesFormatException <init>(Ljava/lang/Throwable;)V
java/util/prefs/InvalidPreferencesFormatException <init>(Ljava/lang/String;)V
java/util/prefs/InvalidPreferencesFormatException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
class java/util/prefs/NodeChangeEvent java/util/EventObject
java/util/prefs/NodeChangeEvent child

```

```

java/util/prefs/NodeChangeEvent serialVersionUID
java/util/prefs/NodeChangeEvent <init>(Ljava/util/prefs/Preferences;Ljava/util/prefs/Preferences;)V
java/util/prefs/NodeChangeEvent getParent()Ljava/util/prefs/Preferences;
java/util/prefs/NodeChangeEvent
 getChild()Ljava/util/prefs/Preferences;
java/util/prefs/NodeChangeEvent writeObject(Ljava/io/ObjectOutputStream;)V
java/util/prefs/NodeChangeEvent readObject(Ljava/io/ObjectInputStream;)V
class java/util/prefs/NodeChangeListener java/lang/Object
java/util/prefs/NodeChangeListener childAdded(Ljava/util/prefs/NodeChangeEvent;)V
java/util/prefs/NodeChangeListener childRemoved(Ljava/util/prefs/NodeChangeEvent;)V
class java/util/prefs/PreferenceChangeEvent java/util/EventObject
java/util/prefs/PreferenceChangeEvent key
java/util/prefs/PreferenceChangeEvent newValue
java/util/prefs/PreferenceChangeEvent serialVersionUID
java/util/prefs/PreferenceChangeEvent <init>(Ljava/util/prefs/Preferences;Ljava/lang/String;Ljava/lang/String;)V
java/util/prefs/PreferenceChangeEvent getNode()Ljava/util/prefs/Preferences;
java/util/prefs/PreferenceChangeEvent getKey()Ljava/lang/String;
java/util/prefs/PreferenceChangeEvent getNewValue()Ljava/lang/String;
java/util/prefs/PreferenceChangeEvent
 writeObject(Ljava/io/ObjectOutputStream;)V
java/util/prefs/PreferenceChangeEvent readObject(Ljava/io/ObjectInputStream;)V
class java/util/prefs/PreferenceChangeListener java/lang/Object
java/util/prefs/PreferenceChangeListener preferenceChange(Ljava/util/prefs/PreferenceChangeEvent;)V
class java/util/prefs/Preferences$1 java/lang/Object
java/util/prefs/Preferences$1 <init>()V
java/util/prefs/Preferences$1 run()Ljava/lang/String;
java/util/prefs/Preferences$1 run()Ljava/lang/Object;
class java/util/prefs/Preferences$2 java/lang/Object
java/util/prefs/Preferences$2 <init>()V
java/util/prefs/Preferences$2 run()Ljava/util/prefs/PreferencesFactory;
java/util/prefs/Preferences$2 run()Ljava/lang/Object;
class java/util/prefs/Preferences java/lang/Object
java/util/prefs/Preferences factory
java/util/prefs/Preferences MAX_KEY_LENGTH
java/util/prefs/Preferences MAX_VALUE_LENGTH
java/util/prefs/Preferences MAX_NAME_LENGTH
java/util/prefs/Preferences prefsPerm
java/util/prefs/Preferences
 factory()Ljava/util/prefs/PreferencesFactory;
java/util/prefs/Preferences factory1()Ljava/util/prefs/PreferencesFactory;
java/util/prefs/Preferences userNodeForPackage(Ljava/lang/Class;)Ljava/util/prefs/Preferences;
java/util/prefs/Preferences systemNodeForPackage(Ljava/lang/Class;)Ljava/util/prefs/Preferences;
java/util/prefs/Preferences nodeName(Ljava/lang/Class;)Ljava/lang/String;
java/util/prefs/Preferences userRoot()Ljava/util/prefs/Preferences;
java/util/prefs/Preferences systemRoot()Ljava/util/prefs/Preferences;
java/util/prefs/Preferences <init>()V
java/util/prefs/Preferences put(Ljava/lang/String;Ljava/lang/String;)V
java/util/prefs/Preferences get(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;

```

```

java/util/prefs/Preferences remove(Ljava/lang/String;)V
java/util/prefs/Preferences clear()V
java/util/prefs/Preferences putInt(Ljava/lang/String;I)V
java/util/prefs/Preferences getInt(Ljava/lang/String;I)I
java/util/prefs/Preferences putLong(Ljava/lang/String;J)V
java/util/prefs/Preferences
 getLong(Ljava/lang/String;J)J
java/util/prefs/Preferences putBoolean(Ljava/lang/String;Z)V
java/util/prefs/Preferences getBoolean(Ljava/lang/String;Z)Z
java/util/prefs/Preferences putFloat(Ljava/lang/String;F)V
java/util/prefs/Preferences getFloat(Ljava/lang/String;F)F
java/util/prefs/Preferences putDouble(Ljava/lang/String;D)V
java/util/prefs/Preferences getDouble(Ljava/lang/String;D)D
java/util/prefs/Preferences putByteArray(Ljava/lang/String;[B)V
java/util/prefs/Preferences getByteArray(Ljava/lang/String;[B)[B
java/util/prefs/Preferences keys()[Ljava/lang/String;
java/util/prefs/Preferences childrenNames()[Ljava/lang/String;
java/util/prefs/Preferences parent()Ljava/util/prefs/Preferences;
java/util/prefs/Preferences node(Ljava/lang/String;)Ljava/util/prefs/Preferences;
java/util/prefs/Preferences nodeExists(Ljava/lang/String;)Z
java/util/prefs/Preferences removeNode()V
java/util/prefs/Preferences name()Ljava/lang/String;
java/util/prefs/Preferences
 absolutePath(Ljava/lang/String;
java/util/prefs/Preferences isUserNode()Z
java/util/prefs/Preferences toString()Ljava/lang/String;
java/util/prefs/Preferences flush()V
java/util/prefs/Preferences sync()V
java/util/prefs/Preferences addPreferenceChangeListener(Ljava/util/prefs/PreferenceChangeListener;)V
java/util/prefs/Preferences removePreferenceChangeListener(Ljava/util/prefs/PreferenceChangeListener;)V
java/util/prefs/Preferences addNodeChangeListener(Ljava/util/prefs/NodeChangeListener;)V
java/util/prefs/Preferences removeNodeChangeListener(Ljava/util/prefs/NodeChangeListener;)V
java/util/prefs/Preferences exportNode(Ljava/io/OutputStream;)V
java/util/prefs/Preferences exportSubtree(Ljava/io/OutputStream;)V
java/util/prefs/Preferences importPreferences(Ljava/io/InputStream;)V
java/util/prefs/Preferences access$000()Ljava/util/prefs/PreferencesFactory;
java/util/prefs/Preferences <clinit>()V
class java/util/prefs/PreferencesFactory java/lang/Object
java/util/prefs/PreferencesFactory
 systemRoot()Ljava/util/prefs/Preferences;
java/util/prefs/PreferencesFactory userRoot()Ljava/util/prefs/Preferences;
class java/util/prefs/WindowsPreferences java/util/prefs/AbstractPreferences
java/util/prefs/WindowsPreferences logger
java/util/prefs/WindowsPreferences WINDOWS_ROOT_PATH
java/util/prefs/WindowsPreferences HKEY_CURRENT_USER
java/util/prefs/WindowsPreferences HKEY_LOCAL_MACHINE
java/util/prefs/WindowsPreferences USER_ROOT_NATIVE_HANDLE
java/util/prefs/WindowsPreferences SYSTEM_ROOT_NATIVE_HANDLE

```

```

java/util/prefs/WindowsPreferences MAX_WINDOWS_PATH_LENGTH
java/util/prefs/WindowsPreferences userRoot
java/util/prefs/WindowsPreferences systemRoot
java/util/prefs/WindowsPreferences ERROR_SUCCESS
java/util/prefs/WindowsPreferences ERROR_FILE_NOT_FOUND
java/util/prefs/WindowsPreferences ERROR_ACCESS_DENIED
java/util/prefs/WindowsPreferences NATIVE_HANDLE
java/util/prefs/WindowsPreferences ERROR_CODE
java/util/prefs/WindowsPreferences SUBKEYS_NUMBER
java/util/prefs/WindowsPreferences
VALUES_NUMBER
java/util/prefs/WindowsPreferences MAX_KEY_LENGTH
java/util/prefs/WindowsPreferences MAX_VALUE_NAME_LENGTH
java/util/prefs/WindowsPreferences DISPOSITION
java/util/prefs/WindowsPreferences REG_CREATED_NEW_KEY
java/util/prefs/WindowsPreferences REG_OPENED_EXISTING_KEY
java/util/prefs/WindowsPreferences NULL_NATIVE_HANDLE
java/util/prefs/WindowsPreferences DELETE
java/util/prefs/WindowsPreferences KEY_QUERY_VALUE
java/util/prefs/WindowsPreferences KEY_SET_VALUE
java/util/prefs/WindowsPreferences KEY_CREATE_SUB_KEY
java/util/prefs/WindowsPreferences KEY_ENUMERATE_SUB_KEYS
java/util/prefs/WindowsPreferences KEY_READ
java/util/prefs/WindowsPreferences KEY_WRITE
java/util/prefs/WindowsPreferences KEY_ALL_ACCESS
java/util/prefs/WindowsPreferences INIT_SLEEP_TIME
java/util/prefs/WindowsPreferences MAX_ATTEMPTS
java/util/prefs/WindowsPreferences isBackingStoreAvailable
java/util/prefs/WindowsPreferences WindowsRegOpenKey(I[B])I
java/util/prefs/WindowsPreferences
WindowsRegOpenKey1(I[B])I
java/util/prefs/WindowsPreferences WindowsRegCloseKey(I)I
java/util/prefs/WindowsPreferences WindowsRegCreateKeyEx(I[B])I
java/util/prefs/WindowsPreferences WindowsRegCreateKeyEx1(I[B])I
java/util/prefs/WindowsPreferences WindowsRegDeleteKey(I[B])I
java/util/prefs/WindowsPreferences WindowsRegFlushKey(I)I
java/util/prefs/WindowsPreferences WindowsRegFlushKey1(I)I
java/util/prefs/WindowsPreferences WindowsRegQueryValueEx(I[B])B
java/util/prefs/WindowsPreferences WindowsRegSetValueEx(I[B])I
java/util/prefs/WindowsPreferences WindowsRegSetValueEx1(I[B])I
java/util/prefs/WindowsPreferences WindowsRegDeleteValue(I[B])I
java/util/prefs/WindowsPreferences WindowsRegQueryInfoKey(I)I
java/util/prefs/WindowsPreferences WindowsRegQueryInfoKey1(I)I
java/util/prefs/WindowsPreferences WindowsRegEnumKeyEx(III)B
java/util/prefs/WindowsPreferences WindowsRegEnumKeyEx1(III)B
java/util/prefs/WindowsPreferences WindowsRegEnumValue(III)B
java/util/prefs/WindowsPreferences

```

```

WindowsRegEnumValue1(III)[B
java/util/prefs/WindowsPreferences <init>(Ljava/util/prefs/WindowsPreferences;Ljava/lang/String;)V
java/util/prefs/WindowsPreferences <init>([B)V
java/util/prefs/WindowsPreferences windowsAbsolutePath()[B
java/util/prefs/WindowsPreferences openKey(I)I
java/util/prefs/WindowsPreferences openKey(II)I
java/util/prefs/WindowsPreferences openKey([BII)I
java/util/prefs/WindowsPreferences openKey(II[BII)I
java/util/prefs/WindowsPreferences closeKey(I)V
java/util/prefs/WindowsPreferences putSpi(Ljava/lang/String;Ljava/lang/String;)V
java/util/prefs/WindowsPreferences getSpi(Ljava/lang/String;Ljava/lang/String;
java/util/prefs/WindowsPreferences removeSpi(Ljava/lang/String;)V
java/util/prefs/WindowsPreferences keysSpi()[Ljava/lang/String;
java/util/prefs/WindowsPreferences childrenNamesSpi()[Ljava/lang/String;
java/util/prefs/WindowsPreferences flush()V
java/util/prefs/WindowsPreferences sync()V
java/util/prefs/WindowsPreferences childSpi(Ljava/lang/String;)Ljava/util/prefs/AbstractPreferences;
java/util/prefs/WindowsPreferences
 removeNodeSpi()V
java/util/prefs/WindowsPreferences toJavaName([B)Ljava/lang/String;
java/util/prefs/WindowsPreferences toJavaAlt64Name(Ljava/lang/String;)Ljava/lang/String;
java/util/prefs/WindowsPreferences toWindowsName(Ljava/lang/String;)[B
java/util/prefs/WindowsPreferences toWindowsAlt64Name(Ljava/lang/String;)[B
java/util/prefs/WindowsPreferences toJavaValueString([B)Ljava/lang/String;
java/util/prefs/WindowsPreferences toWindowsValueString(Ljava/lang/String;)[B
java/util/prefs/WindowsPreferences rootNativeHandle()I
java/util/prefs/WindowsPreferences stringToByteArray(Ljava/lang/String;)[B
java/util/prefs/WindowsPreferences byteArrayToString([B)Ljava/lang/String;
java/util/prefs/WindowsPreferences flushSpi()V
java/util/prefs/WindowsPreferences syncSpi()V
java/util/prefs/WindowsPreferences logger()Ljava/util/logging/Logger;
java/util/prefs/WindowsPreferences <clinit>()V
class java/util/prefs/WindowsPreferencesFactory
 java/lang/Object
java/util/prefs/WindowsPreferencesFactory <init>()V
java/util/prefs/WindowsPreferencesFactory userRoot()Ljava/util/prefs/Preferences;
java/util/prefs/WindowsPreferencesFactory systemRoot()Ljava/util/prefs/Preferences;
class java/util/prefs/XmlSupport$1 java/lang/Object
class java/util/prefs/XmlSupport$EH java/lang/Object
java/util/prefs/XmlSupport$EH <init>()V
java/util/prefs/XmlSupport$EH error(Lorg/xml/sax/SAXParseException;)V
java/util/prefs/XmlSupport$EH fatalError(Lorg/xml/sax/SAXParseException;)V
java/util/prefs/XmlSupport$EH warning(Lorg/xml/sax/SAXParseException;)V
java/util/prefs/XmlSupport$EH <init>(Ljava/util/prefs/XmlSupport$1;)V
class java/util/prefs/XmlSupport$Resolver java/lang/Object
java/util/prefs/XmlSupport$Resolver <init>()V
java/util/prefs/XmlSupport$Resolver resolveEntity(Ljava/lang/String;Ljava/lang/String;)Lorg/xml/sax/InputSource;
java/util/prefs/XmlSupport$Resolver <init>(Ljava/util/prefs/XmlSupport$1;)V

```



```

class java/util/prefs/XmlSupport
 java/lang/Object
 java/util/prefs/XmlSupport Prefs_DTD_URI
 java/util/prefs/XmlSupport Prefs_DTD
 java/util/prefs/XmlSupport EXTERNAL_XML_VERSION
 java/util/prefs/XmlSupport MAP_XML_VERSION
 java/util/prefs/XmlSupport <init>()V
 java/util/prefs/XmlSupport export(Ljava/io/OutputStream;Ljava/util/prefs/Preferences;Z)V
 java/util/prefs/XmlSupport
 putPreferencesInXml(Lorg/w3c/dom/Element;Lorg/w3c/dom/Document;Ljava/util/prefs/Preferences;Z)V
 java/util/prefs/XmlSupport importPreferences(Ljava/io/InputStream;)V
 java/util/prefs/XmlSupport createPrefsDoc(Ljava/lang/String;)Lorg/w3c/dom/Document;
 java/util/prefs/XmlSupport loadPrefsDoc(Ljava/io/InputStream;)Lorg/w3c/dom/Document;
 java/util/prefs/XmlSupport writeDoc(Lorg/w3c/dom/Document;Ljava/io/OutputStream;)V
 java/util/prefs/XmlSupport ImportSubtree(Ljava/util/prefs/Preferences;Lorg/w3c/dom/Element;)V
 java/util/prefs/XmlSupport ImportPrefs(Ljava/util/prefs/Preferences;Lorg/w3c/dom/Element;)V
 java/util/prefs/XmlSupport exportMap(Ljava/io/OutputStream;Ljava/util/Map;)V
 java/util/prefs/XmlSupport
 importMap(Ljava/io/InputStream;Ljava/util/Map;)V
class java/util/regex/Pattern$Add java/util/regex/Pattern$Node
 java/util/regex/Pattern$Add lhs
 java/util/regex/Pattern$Add rhs
 java/util/regex/Pattern$Add <init>(Ljava/util/regex/Pattern$Node;Ljava/util/regex/Pattern$Node;)V
 java/util/regex/Pattern$Add match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
 java/util/regex/Pattern$Add study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$BackRef java/util/regex/Pattern$Node
 java/util/regex/Pattern$BackRef groupIndex
 java/util/regex/Pattern$BackRef <init>(I)V
 java/util/regex/Pattern$BackRef match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
 java/util/regex/Pattern$BackRef study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Behind java/util/regex/Pattern$Node
 java/util/regex/Pattern$Behind cond
 java/util/regex/Pattern$Behind rmax
 java/util/regex/Pattern$Behind rmin
 java/util/regex/Pattern$Behind
 <init>(Ljava/util/regex/Pattern$Node;II)V
 java/util/regex/Pattern$Behind match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$BehindS java/util/regex/Pattern$Behind
 java/util/regex/Pattern$BehindS <init>(Ljava/util/regex/Pattern$Node;II)V
 java/util/regex/Pattern$BehindS match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$BnM java/util/regex/Pattern$Node
 java/util/regex/Pattern$BnM buffer
 java/util/regex/Pattern$BnM lastOcc
 java/util/regex/Pattern$BnM optoSft
 java/util/regex/Pattern$BnM optimize(Ljava/util/regex/Pattern$Node;)Ljava/util/regex/Pattern$Node;
 java/util/regex/Pattern$BnM <init>([I[ILjava/util/regex/Pattern$Node;)V
 java/util/regex/Pattern$BnM match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
 java/util/regex/Pattern$BnM study(Ljava/util/regex/Pattern$TreeInfo;)Z

```

```

class java/util/regex/Pattern$BnMS java/util/regex/Pattern$BnM
java/util/regex/Pattern$BnMS lengthInChars
java/util/regex/Pattern$BnMS
 <init>([I][I]ILjava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$BnMS match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Both java/util/regex/Pattern$Node
java/util/regex/Pattern$Both lhs
java/util/regex/Pattern$Both rhs
java/util/regex/Pattern$Both <init>(Ljava/util/regex/Pattern$Node;Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$Both match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Both study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Bound java/util/regex/Pattern$Node
java/util/regex/Pattern$Bound LEFT
java/util/regex/Pattern$Bound RIGHT
java/util/regex/Pattern$Bound BOTH
java/util/regex/Pattern$Bound NONE
java/util/regex/Pattern$Bound type
java/util/regex/Pattern$Bound <init>(I)V
java/util/regex/Pattern$Bound check(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)I
java/util/regex/Pattern$Bound match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Bound
 <clinit>()V
class java/util/regex/Pattern$CIBackRef java/util/regex/Pattern$Node
java/util/regex/Pattern$CIBackRef groupIndex
java/util/regex/Pattern$CIBackRef <init>(I)V
java/util/regex/Pattern$CIBackRef match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$CIBackRef study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$CINotRange java/util/regex/Pattern$NotRange
java/util/regex/Pattern$CINotRange lower
java/util/regex/Pattern$CINotRange upper
java/util/regex/Pattern$CINotRange <init>(I)V
java/util/regex/Pattern$CINotRange <init>(II)V
java/util/regex/Pattern$CINotRange dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$CINotRange match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$CIRange java/util/regex/Pattern$Range
java/util/regex/Pattern$CIRange <init>(I)V
java/util/regex/Pattern$CIRange <init>(II)V
java/util/regex/Pattern$CIRange dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$CIRange
 match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Caret java/util/regex/Pattern$Node
java/util/regex/Pattern$Caret <init>()V
java/util/regex/Pattern$Caret match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Conditional java/util/regex/Pattern$Node
java/util/regex/Pattern$Conditional cond
java/util/regex/Pattern$Conditional yes
java/util/regex/Pattern$Conditional not
java/util/regex/Pattern$Conditional

```

```

<init>(Ljava/util/regex/Pattern$Node;Ljava/util/regex/Pattern$Node;Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$Conditional match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Conditional study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Dollar java/util/regex/Pattern$Node
java/util/regex/Pattern$Dollar multiline
java/util/regex/Pattern$Dollar <init>(Z)V
java/util/regex/Pattern$Dollar match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Dollar
 study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Dot java/util/regex/Pattern$Node
java/util/regex/Pattern$Dot <init>()V
java/util/regex/Pattern$Dot match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Dot study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$End java/util/regex/Pattern$Node
java/util/regex/Pattern$End <init>()V
java/util/regex/Pattern$End match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$GroupRef java/util/regex/Pattern$Node
java/util/regex/Pattern$GroupRef head
java/util/regex/Pattern$GroupRef <init>(Ljava/util/regex/Pattern$GroupHead;)V
java/util/regex/Pattern$GroupRef match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$GroupRef study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$LastMatch java/util/regex/Pattern$Node
java/util/regex/Pattern$LastMatch
 <init>()V
java/util/regex/Pattern$LastMatch match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$LazyLoop java/util/regex/Pattern$Loop
java/util/regex/Pattern$LazyLoop <init>(II)V
java/util/regex/Pattern$LazyLoop match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$LazyLoop matchInit(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$LazyLoop study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Loop java/util/regex/Pattern$Node
java/util/regex/Pattern$Loop body
java/util/regex/Pattern$Loop countIndex
java/util/regex/Pattern$Loop beginIndex
java/util/regex/Pattern$Loop cmin
java/util/regex/Pattern$Loop cmax
java/util/regex/Pattern$Loop <init>(II)V
java/util/regex/Pattern$Loop match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Loop matchInit(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Loop study(Ljava/util/regex/Pattern$TreeInfo;)Z
class
 java/util/regex/Pattern$Neg java/util/regex/Pattern$Node
java/util/regex/Pattern$Neg cond
java/util/regex/Pattern$Neg <init>(Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$Neg match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Not java/util/regex/Pattern$Node
java/util/regex/Pattern$Not atom
java/util/regex/Pattern$Not <init>(Ljava/util/regex/Pattern$Node;)V

```

```

java/util/regex/Pattern$Not match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Not study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$NotBehind java/util/regex/Pattern$Node
java/util/regex/Pattern$NotBehind cond
java/util/regex/Pattern$NotBehind rmax
java/util/regex/Pattern$NotBehind rmin
java/util/regex/Pattern$NotBehind <init>(Ljava/util/regex/Pattern$Node;II)V
java/util/regex/Pattern$NotBehind match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$NotBehindS java/util/regex/Pattern$NotBehind
java/util/regex/Pattern$NotBehindS
 <init>(Ljava/util/regex/Pattern$Node;II)V
java/util/regex/Pattern$NotBehindS match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$NotCtype java/util/regex/Pattern$Node
java/util/regex/Pattern$NotCtype ctype
java/util/regex/Pattern$NotCtype <init>(I)V
java/util/regex/Pattern$NotCtype dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$NotCtype match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$NotCtype study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$NotRange java/util/regex/Pattern$Node
java/util/regex/Pattern$NotRange lower
java/util/regex/Pattern$NotRange upper
java/util/regex/Pattern$NotRange <init>()V
java/util/regex/Pattern$NotRange <init>(I)V
java/util/regex/Pattern$NotRange <init>(II)V
java/util/regex/Pattern$NotRange dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$NotRange match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$NotRange
 study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$NotSingle java/util/regex/Pattern$Node
java/util/regex/Pattern$NotSingle ch
java/util/regex/Pattern$NotSingle <init>(I)V
java/util/regex/Pattern$NotSingle dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$NotSingle match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$NotSingle study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$NotSingleA java/util/regex/Pattern$Node
java/util/regex/Pattern$NotSingleA ch
java/util/regex/Pattern$NotSingleA <init>(I)V
java/util/regex/Pattern$NotSingleA dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$NotSingleA match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$NotSingleA study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$NotSingleU java/util/regex/Pattern$Node
java/util/regex/Pattern$NotSingleU ch
java/util/regex/Pattern$NotSingleU
 <init>(I)V
java/util/regex/Pattern$NotSingleU dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$NotSingleU match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$NotSingleU study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Pos java/util/regex/Pattern$Node

```

```

java/util/regex/Pattern$Pos cond
java/util/regex/Pattern$Pos <init>(Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$Pos match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Prolog java/util/regex/Pattern$Node
java/util/regex/Pattern$Prolog loop
java/util/regex/Pattern$Prolog <init>(Ljava/util/regex/Pattern$Loop;)V
java/util/regex/Pattern$Prolog match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Prolog study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$SingleA java/util/regex/Pattern$Node
java/util/regex/Pattern$SingleA ch
java/util/regex/Pattern$SingleA
 <init>(I)V
java/util/regex/Pattern$SingleA dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$SingleA match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$SingleA study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$SingleU java/util/regex/Pattern$Node
java/util/regex/Pattern$SingleU ch
java/util/regex/Pattern$SingleU len
java/util/regex/Pattern$SingleU <init>(I)V
java/util/regex/Pattern$SingleU dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$SingleU match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$SingleU study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$SliceA java/util/regex/Pattern$Node
java/util/regex/Pattern$SliceA buffer
java/util/regex/Pattern$SliceA <init>([I)V
java/util/regex/Pattern$SliceA match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$SliceA study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$SliceS
 java/util/regex/Pattern$Slice
java/util/regex/Pattern$SliceS <init>([I)V
java/util/regex/Pattern$SliceS match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$SliceU java/util/regex/Pattern$Node
java/util/regex/Pattern$SliceU buffer
java/util/regex/Pattern$SliceU <init>([I)V
java/util/regex/Pattern$SliceU match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$SliceU study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Specials java/util/regex/Pattern$Node
java/util/regex/Pattern$Specials <init>()V
java/util/regex/Pattern$Specials dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$Specials match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Specials study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$StartS java/util/regex/Pattern$Start
java/util/regex/Pattern$StartS <init>(Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$StartS
 match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Sub java/util/regex/Pattern$Add
java/util/regex/Pattern$Sub <init>(Ljava/util/regex/Pattern$Node;Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$Sub match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z

```

```

java/util/regex/Pattern$Sub study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$UBlock java/util/regex/Pattern$Node
java/util/regex/Pattern$UBlock block
java/util/regex/Pattern$UBlock complementMe
java/util/regex/Pattern$UBlock <init>()V
java/util/regex/Pattern$UBlock <init>(Ljava/lang/Character$UnicodeBlock;)Z
java/util/regex/Pattern$UBlock dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$UBlock match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$UBlock notMatch(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$UBlock study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$UnixCaret
 java/util/regex/Pattern$Node
 java/util/regex/Pattern$UnixCaret <init>()V
 java/util/regex/Pattern$UnixCaret match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$UnixDollar java/util/regex/Pattern$Node
 java/util/regex/Pattern$UnixDollar multiline
 java/util/regex/Pattern$UnixDollar <init>(Z)V
 java/util/regex/Pattern$UnixDollar match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
 java/util/regex/Pattern$UnixDollar study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$UnixDot java/util/regex/Pattern$Node
 java/util/regex/Pattern$UnixDot <init>()V
 java/util/regex/Pattern$UnixDot match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
 java/util/regex/Pattern$UnixDot study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/PatternSyntaxException java/lang/IllegalArgumentException
 java/util/regex/PatternSyntaxException desc
 java/util/regex/PatternSyntaxException pattern
 java/util/regex/PatternSyntaxException
 index
 java/util/regex/PatternSyntaxException nl
 java/util/regex/PatternSyntaxException <init>(Ljava/lang/String;Ljava/lang/String;I)V
 java/util/regex/PatternSyntaxException getIndex()I
 java/util/regex/PatternSyntaxException getDescription()Ljava/lang/String;
 java/util/regex/PatternSyntaxException getPattern()Ljava/lang/String;
 java/util/regex/PatternSyntaxException getMessage()Ljava/lang/String;
 java/util/regex/PatternSyntaxException <clinit>()V
class java/util/zip/Adler32 java/lang/Object
 java/util/zip/Adler32 adler
 java/util/zip/Adler32 <init>()V
 java/util/zip/Adler32 update(I)V
 java/util/zip/Adler32 update([BII)V
 java/util/zip/Adler32 update([B)V
 java/util/zip/Adler32 reset()V
 java/util/zip/Adler32 getValue()J
 java/util/zip/Adler32 update(II)I
 java/util/zip/Adler32 updateBytes([BII)I
class java/util/zip/CheckedInputStream java/io/FilterInputStream
 java/util/zip/CheckedInputStream cksum
 java/util/zip/CheckedInputStream <init>(Ljava/io/InputStream;Ljava/util/zip/Checksum;)V

```

```

java/util/zip/CheckedInputStream
 read()I
java/util/zip/CheckedInputStream read([BII)I
java/util/zip/CheckedInputStream skip(J)J
java/util/zip/CheckedInputStream getChecksum()Ljava/util/zip/Checksum;
class java/util/zip/CheckedOutputStream java/io/FilterOutputStream
java/util/zip/CheckedOutputStream cksum
java/util/zip/CheckedOutputStream <init>(Ljava/io/OutputStream;Ljava/util/zip/Checksum;)V
java/util/zip/CheckedOutputStream write(I)V
java/util/zip/CheckedOutputStream write([BII)V
java/util/zip/CheckedOutputStream getChecksum()Ljava/util/zip/Checksum;
class java/util/zip/DataFormatException java/lang/Exception
java/util/zip/DataFormatException <init>()V
java/util/zip/DataFormatException <init>(Ljava/lang/String;)V
class java/util/zip/Deflater java/lang/Object
java/util/zip/Deflater strm
java/util/zip/Deflater buf
java/util/zip/Deflater off
java/util/zip/Deflater len
java/util/zip/Deflater level
java/util/zip/Deflater strategy
java/util/zip/Deflater setParams
java/util/zip/Deflater finish
java/util/zip/Deflater
 finished
java/util/zip/Deflater DEFLATED
java/util/zip/Deflater NO_COMPRESSION
java/util/zip/Deflater BEST_SPEED
java/util/zip/Deflater BEST_COMPRESSION
java/util/zip/Deflater DEFAULT_COMPRESSION
java/util/zip/Deflater FILTERED
java/util/zip/Deflater HUFFMAN_ONLY
java/util/zip/Deflater DEFAULT_STRATEGY
java/util/zip/Deflater <init>(IZ)V
java/util/zip/Deflater <init>(I)V
java/util/zip/Deflater <init>()V
java/util/zip/Deflater setInput([BII)V
java/util/zip/Deflater setInput([B)V
java/util/zip/Deflater setDictionary([BII)V
java/util/zip/Deflater setDictionary([B)V
java/util/zip/Deflater setStrategy(I)V
java/util/zip/Deflater setLevel(I)V
java/util/zip/Deflater needsInput()Z
java/util/zip/Deflater finish()V
java/util/zip/Deflater finished()Z
java/util/zip/Deflater deflate([BII)I
java/util/zip/Deflater deflate([B)I
java/util/zip/Deflater getAdler()I

```

```

java/util/zip/Deflater getTotalIn()I
java/util/zip/Deflater getBytesRead()J
java/util/zip/Deflater getTotalOut()I
java/util/zip/Deflater
 getBytesWritten()J
java/util/zip/Deflater reset()V
java/util/zip/Deflater end()V
java/util/zip/Deflater finalize()V
java/util/zip/Deflater ensureOpen()V
java/util/zip/Deflater initIDs()V
java/util/zip/Deflater init(IIZ)J
java/util/zip/Deflater setDictionary(J[BII)V
java/util/zip/Deflater deflateBytes([BII)I
java/util/zip/Deflater getAdler()I
java/util/zip/Deflater getBytesRead()J
java/util/zip/Deflater getBytesWritten()J
java/util/zip/Deflater reset(J)V
java/util/zip/Deflater end(J)V
java/util/zip/Deflater <clinit>()V
class java/util/zip/GZIPOutputStream java/util/zip/DeflaterOutputStream
java/util/zip/GZIPOutputStream crc
java/util/zip/GZIPOutputStream GZIP_MAGIC
java/util/zip/GZIPOutputStream TRAILER_SIZE
java/util/zip/GZIPOutputStream header
java/util/zip/GZIPOutputStream <init>(Ljava/io/OutputStream;I)V
java/util/zip/GZIPOutputStream <init>(Ljava/io/OutputStream;)V
java/util/zip/GZIPOutputStream write([BII)V
java/util/zip/GZIPOutputStream finish()V
java/util/zip/GZIPOutputStream
 writeHeader()V
java/util/zip/GZIPOutputStream writeTrailer([BI)V
java/util/zip/GZIPOutputStream writeInt(I[BI)V
java/util/zip/GZIPOutputStream writeShort(I[BI)V
java/util/zip/GZIPOutputStream <clinit>()V
class java/util/zip/ZipFile$1 java/lang/Object
java/util/zip/ZipFile$1 <init>()V
java/util/zip/ZipFile$1 run()Ljava/lang/Object;
class java/util/zip/ZipFile$MappedZipFileInputStream java/util/zip/ZipFile$ZipFileInputStream
java/util/zip/ZipFile$MappedZipFileInputStream directBuffer
java/util/zip/ZipFile$MappedZipFileInputStream name
java/util/zip/ZipFile$MappedZipFileInputStream this$0
java/util/zip/ZipFile$MappedZipFileInputStream <init>(Ljava/util/zip/ZipFile;Ljava/lang/String;)V
java/util/zip/ZipFile$MappedZipFileInputStream getByteBuffer()Ljava/nio/ByteBuffer;
java/util/zip/ZipFile$MappedZipFileInputStream read([BII)I
java/util/zip/ZipFile$MappedZipFileInputStream read()I
java/util/zip/ZipFile$MappedZipFileInputStream skip(J)J
java/util/zip/ZipFile$MappedZipFileInputStream

```



```

 available()I
java/util/zip/ZipFile$MappedZipFileInputStream size()J
java/util/zip/ZipFile$MappedZipFileInputStream close()V
class java/util/zip/ZipFile$ZipCloser java/lang/Object
java/util/zip/ZipFile$ZipCloser mappedFileID
java/util/zip/ZipFile$ZipCloser <init>()V
java/util/zip/ZipFile$ZipCloser setClosed()V
java/util/zip/ZipFile$ZipCloser run()V
java/util/zip/ZipFile$ZipCloser <init>(Ljava/util/zip/ZipFile$1;)V
class java/util/zip/ZipOutputStream java/util/zip/DeflaterOutputStream
java/util/zip/ZipOutputStream entry
java/util/zip/ZipOutputStream entries
java/util/zip/ZipOutputStream names
java/util/zip/ZipOutputStream crc
java/util/zip/ZipOutputStream written
java/util/zip/ZipOutputStream locoff
java/util/zip/ZipOutputStream comment
java/util/zip/ZipOutputStream method
java/util/zip/ZipOutputStream finished
java/util/zip/ZipOutputStream closed
java/util/zip/ZipOutputStream STORED
java/util/zip/ZipOutputStream DEFLATED
java/util/zip/ZipOutputStream ensureOpen()V
java/util/zip/ZipOutputStream
 <init>(Ljava/io/OutputStream;)V
java/util/zip/ZipOutputStream setComment(Ljava/lang/String;)V
java/util/zip/ZipOutputStream setMethod(I)V
java/util/zip/ZipOutputStream setLevel(I)V
java/util/zip/ZipOutputStream putNextEntry(Ljava/util/zip/ZipEntry;)V
java/util/zip/ZipOutputStream closeEntry()V
java/util/zip/ZipOutputStream write([BII)V
java/util/zip/ZipOutputStream finish()V
java/util/zip/ZipOutputStream close()V
java/util/zip/ZipOutputStream writeLOC(Ljava/util/zip/ZipEntry;)V
java/util/zip/ZipOutputStream writeEXT(Ljava/util/zip/ZipEntry;)V
java/util/zip/ZipOutputStream writeCEN(Ljava/util/zip/ZipEntry;)V
java/util/zip/ZipOutputStream writeEND(JJ)V
java/util/zip/ZipOutputStream writeShort(I)V
java/util/zip/ZipOutputStream writeInt(J)V
java/util/zip/ZipOutputStream writeBytes([BII)V
java/util/zip/ZipOutputStream getUTF8Length(Ljava/lang/String;)I
java/util/zip/ZipOutputStream getUTF8Bytes(Ljava/lang/String;)[B
class java/lang/Thread$1 java/lang/Object
java/lang/Thread$1
 val$subcl
java/lang/Thread$1 <init>(Ljava/lang/Class;)V
java/lang/Thread$1 run()Ljava/lang/Object;
class java/security/DomainCombiner java/lang/Object

```

```

java/security/DomainCombiner
combine([Ljava/security/ProtectionDomain;[Ljava/security/ProtectionDomain;)[Ljava/security/ProtectionDomain;
class java/lang/ClassLoader$1 java/lang/Object
java/lang/ClassLoader$1 val$sm
java/lang/ClassLoader$1 val$name
java/lang/ClassLoader$1 val$i
java/lang/ClassLoader$1 this$0
java/lang/ClassLoader$1 <init>(Ljava/lang/ClassLoader;Ljava/lang/SecurityManager;Ljava/lang/String;)V
java/lang/ClassLoader$1 run()Ljava/lang/Object;
class java/lang/System$1 java/lang/Object
java/lang/System$1 val$s
java/lang/System$1 <init>(Ljava/lang/SecurityManager;)V
java/lang/System$1 run()Ljava/lang/Object;
class java/lang/SecurityManager$1 java/lang/Object
java/lang/SecurityManager$1 this$0
java/lang/SecurityManager$1 <init>(Ljava/lang/SecurityManager;)V
java/lang/SecurityManager$1 run()Ljava/lang/Object;
class java/util/WeakHashMap$KeyIterator
java/util/WeakHashMap$KeyIterator this$0
java/util/WeakHashMap$KeyIterator <init>(Ljava/util/WeakHashMap;)V
java/util/WeakHashMap$KeyIterator next()Ljava/lang/Object;
java/util/WeakHashMap$KeyIterator <init>(Ljava/util/WeakHashMap;Ljava/util/WeakHashMap$1;)V
class java/util/WeakHashMap$KeySet java/util/AbstractSet
java/util/WeakHashMap$KeySet this$0
java/util/WeakHashMap$KeySet <init>(Ljava/util/WeakHashMap;)V
java/util/WeakHashMap$KeySet iterator()Ljava/util/Iterator;
java/util/WeakHashMap$KeySet size()I
java/util/WeakHashMap$KeySet contains(Ljava/lang/Object;)Z
java/util/WeakHashMap$KeySet remove(Ljava/lang/Object;)Z
java/util/WeakHashMap$KeySet clear()V
java/util/WeakHashMap$KeySet toArray()[Ljava/lang/Object;
java/util/WeakHashMap$KeySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/WeakHashMap$KeySet <init>(Ljava/util/WeakHashMap;Ljava/util/WeakHashMap$1;)V
class java/awt/AWTError java/lang/Error
java/awt/AWTError
serialVersionUID
java/awt/AWTError <init>(Ljava/lang/String;)V
class java/awt/im/InputMethodHighlight java/lang/Object
java/awt/im/InputMethodHighlight RAW_TEXT
java/awt/im/InputMethodHighlight CONVERTED_TEXT
java/awt/im/InputMethodHighlight UNSELECTED_RAW_TEXT_HIGHLIGHT
java/awt/im/InputMethodHighlight SELECTED_RAW_TEXT_HIGHLIGHT
java/awt/im/InputMethodHighlight UNSELECTED_CONVERTED_TEXT_HIGHLIGHT
java/awt/im/InputMethodHighlight SELECTED_CONVERTED_TEXT_HIGHLIGHT
java/awt/im/InputMethodHighlight selected
java/awt/im/InputMethodHighlight state
java/awt/im/InputMethodHighlight variation

```

```

java/awt/im/InputMethodHighlight style
java/awt/im/InputMethodHighlight <init>(ZI)V
java/awt/im/InputMethodHighlight <init>(ZII)V
java/awt/im/InputMethodHighlight <init>(ZIIIjava/util/Map;)V
java/awt/im/InputMethodHighlight isSelected()Z
java/awt/im/InputMethodHighlight getState()I
java/awt/im/InputMethodHighlight getVariation()I
java/awt/im/InputMethodHighlight getStyle()Ljava/util/Map;
java/awt/im/InputMethodHighlight
 <clinit>()V
class java/awt/datatransfer/Clipboard java/lang/Object
java/awt/datatransfer/Clipboard name
java/awt/datatransfer/Clipboard owner
java/awt/datatransfer/Clipboard contents
java/awt/datatransfer/Clipboard flavorListeners
java/awt/datatransfer/Clipboard currentDataFlavors
java/awt/datatransfer/Clipboard <init>(Ljava/lang/String;)V
java/awt/datatransfer/Clipboard getName()Ljava/lang/String;
java/awt/datatransfer/Clipboard
 setContents(Ljava/awt/datatransfer/Transferable;Ljava/awt/datatransfer/ClipboardOwner;)V
java/awt/datatransfer/Clipboard getContents(Ljava/lang/Object;)Ljava/awt/datatransfer/Transferable;
java/awt/datatransfer/Clipboard getAvailableDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/Clipboard isDataFlavorAvailable(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/datatransfer/Clipboard getData(Ljava/awt/datatransfer/DataFlavor;)Ljava/lang/Object;
java/awt/datatransfer/Clipboard addFlavorListener(Ljava/awt/datatransfer/FlavorListener;)V
java/awt/datatransfer/Clipboard
 removeFlavorListener(Ljava/awt/datatransfer/FlavorListener;)V
java/awt/datatransfer/Clipboard getFlavorListeners()[Ljava/awt/datatransfer/FlavorListener;
java/awt/datatransfer/Clipboard fireFlavorsChanged()V
java/awt/datatransfer/Clipboard getAvailableDataFlavorSet()Ljava/util/Set;
class java/awt/PrintJob java/lang/Object
java/awt/PrintJob <init>()V
java/awt/PrintJob getGraphics()Ljava/awt/Graphics;
java/awt/PrintJob getPageDimension()Ljava/awt/Dimension;
java/awt/PrintJob getPageResolution()I
java/awt/PrintJob lastPageFirst()Z
java/awt/PrintJob end()V
java/awt/PrintJob finalize()V
class java/awt/PageAttributes java/lang/Object
java/awt/PageAttributes color
java/awt/PageAttributes media
java/awt/PageAttributes orientationRequested
java/awt/PageAttributes origin
java/awt/PageAttributes printQuality
java/awt/PageAttributes printerResolution
java/awt/PageAttributes <init>()V
java/awt/PageAttributes <init>(Ljava/awt/PageAttributes;)V
java/awt/PageAttributes

```

```

<init>(Ljava/awt/PageAttributes$ColorType;Ljava/awt/PageAttributes$MediaType;Ljava/awt/PageAttributes$OrientationRequestedType;Ljava/awt/PageAttributes$OriginType;Ljava/awt/PageAttributes$PrintQualityType;I)V
java/awt/PageAttributes clone()Ljava/lang/Object;
java/awt/PageAttributes set(Ljava/awt/PageAttributes;)V
java/awt/PageAttributes getColor()Ljava/awt/PageAttributes$ColorType;
java/awt/PageAttributes setColor(Ljava/awt/PageAttributes$ColorType;)V
java/awt/PageAttributes getMedia()Ljava/awt/PageAttributes$MediaType;
java/awt/PageAttributes setMedia(Ljava/awt/PageAttributes$MediaType;)V
java/awt/PageAttributes setMediaToDefault()V
java/awt/PageAttributes getOrientationRequested()Ljava/awt/PageAttributes$OrientationRequestedType;
java/awt/PageAttributes setOrientationRequested(Ljava/awt/PageAttributes$OrientationRequestedType;)V
java/awt/PageAttributes setOrientationRequested(I)V
java/awt/PageAttributes setOrientationRequestedToDefault()V
java/awt/PageAttributes getOrigin()Ljava/awt/PageAttributes$OriginType;
java/awt/PageAttributes
 setOrigin(Ljava/awt/PageAttributes$OriginType;)V
java/awt/PageAttributes getPrintQuality()Ljava/awt/PageAttributes$PrintQualityType;
java/awt/PageAttributes setPrintQuality(Ljava/awt/PageAttributes$PrintQualityType;)V
java/awt/PageAttributes setPrintQuality(I)V
java/awt/PageAttributes setPrintQualityToDefault()V
java/awt/PageAttributes getPrinterResolution()[I
java/awt/PageAttributes setPrinterResolution([I)V
java/awt/PageAttributes setPrinterResolution(I)V
java/awt/PageAttributes setPrinterResolutionToDefault()V
java/awt/PageAttributes equals(Ljava/lang/Object;)Z
java/awt/PageAttributes hashCode()I
java/awt/PageAttributes toString()Ljava/lang/String;
class java/awt/JobAttributes java/lang/Object
java/awt/JobAttributes copies
java/awt/JobAttributes defaultSelection
java/awt/JobAttributes destination
java/awt/JobAttributes dialog
java/awt/JobAttributes fileName
java/awt/JobAttributes fromPage
java/awt/JobAttributes maxPage
java/awt/JobAttributes
 minPage
java/awt/JobAttributes multipleDocumentHandling
java/awt/JobAttributes pageRanges
java/awt/JobAttributes prFirst
java/awt/JobAttributes prLast
java/awt/JobAttributes printer
java/awt/JobAttributes sides
java/awt/JobAttributes toPage
java/awt/JobAttributes <init>()V
java/awt/JobAttributes <init>(Ljava/awt/JobAttributes;)V
java/awt/JobAttributes
 <init>(ILjava/awt/JobAttributes$DefaultSelectionType;Ljava/awt/JobAttributes$DestinationType;Ljava/awt/JobAttr

```

```

ibutes$DialogType;Ljava/lang/String;IILjava/awt/JobAttributes$MultipleDocumentHandlingType;[[ILjava/lang/Stri
ng;Ljava/awt/JobAttributes$SidesType;)V
java/awt/JobAttributes clone()Ljava/lang/Object;
java/awt/JobAttributes set(Ljava/awt/JobAttributes;)V
java/awt/JobAttributes getCopies()I
java/awt/JobAttributes setCopies(I)V
java/awt/JobAttributes setCopiesToDefault()V
java/awt/JobAttributes getDefaultSelection(Ljava/awt/JobAttributes$DefaultSelectionType;
java/awt/JobAttributes setDefaultSelection(Ljava/awt/JobAttributes$DefaultSelectionType;)V
java/awt/JobAttributes
 getDestination()Ljava/awt/JobAttributes$DestinationType;
java/awt/JobAttributes setDestination(Ljava/awt/JobAttributes$DestinationType;)V
java/awt/JobAttributes getDialog()Ljava/awt/JobAttributes$DialogType;
java/awt/JobAttributes setDialog(Ljava/awt/JobAttributes$DialogType;)V
java/awt/JobAttributes getFileName()Ljava/lang/String;
java/awt/JobAttributes setFileName(Ljava/lang/String;)V
java/awt/JobAttributes getFromPage()I
java/awt/JobAttributes setFromPage(I)V
java/awt/JobAttributes getMaxPage()I
java/awt/JobAttributes setMaxPage(I)V
java/awt/JobAttributes getMinPage()I
java/awt/JobAttributes setMinPage(I)V
java/awt/JobAttributes getMultipleDocumentHandling(Ljava/awt/JobAttributes$MultipleDocumentHandlingType;
java/awt/JobAttributes
 setMultipleDocumentHandling(Ljava/awt/JobAttributes$MultipleDocumentHandlingType;)V
java/awt/JobAttributes setMultipleDocumentHandlingToDefault()V
java/awt/JobAttributes getPageRanges()[[I
java/awt/JobAttributes
 setPageRanges([[I)V
java/awt/JobAttributes getPrinter()Ljava/lang/String;
java/awt/JobAttributes setPrinter(Ljava/lang/String;)V
java/awt/JobAttributes getSides()Ljava/awt/JobAttributes$SidesType;
java/awt/JobAttributes setSides(Ljava/awt/JobAttributes$SidesType;)V
java/awt/JobAttributes setSidesToDefault()V
java/awt/JobAttributes getToPage()I
java/awt/JobAttributes setToPage(I)V
java/awt/JobAttributes equals(Ljava/lang/Object;)Z
java/awt/JobAttributes hashCode()I
java/awt/JobAttributes toString()Ljava/lang/String;
class java/awt/dnd/InvalidDnDOperationException java/lang/IllegalStateException
java/awt/dnd/InvalidDnDOperationException dft_msg
java/awt/dnd/InvalidDnDOperationException <init>()V
java/awt/dnd/InvalidDnDOperationException <init>(Ljava/lang/String;)V
java/awt/dnd/InvalidDnDOperationException <clinit>()V
class java/awt/dnd/DragGestureEvent java/util/EventObject
java/awt/dnd/DragGestureEvent serialVersionUID
java/awt/dnd/DragGestureEvent events
java/awt/dnd/DragGestureEvent

```

```

dragSource
java/awt/dnd/DragGestureEvent component
java/awt/dnd/DragGestureEvent origin
java/awt/dnd/DragGestureEvent action
java/awt/dnd/DragGestureEvent <init>(Ljava/awt/dnd/DragGestureRecognizer;ILjava/awt/Point;Ljava/util/List;)V
java/awt/dnd/DragGestureEvent getSourceAsDragGestureRecognizer()Ljava/awt/dnd/DragGestureRecognizer;
java/awt/dnd/DragGestureEvent getComponent()Ljava/awt/Component;
java/awt/dnd/DragGestureEvent getDragSource()Ljava/awt/dnd/DragSource;
java/awt/dnd/DragGestureEvent getDragOrigin()Ljava/awt/Point;
java/awt/dnd/DragGestureEvent iterator()Ljava/util/Iterator;
java/awt/dnd/DragGestureEvent toArray()[Ljava/lang/Object;
java/awt/dnd/DragGestureEvent toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/awt/dnd/DragGestureEvent getDragAction()I
java/awt/dnd/DragGestureEvent getTriggerEvent()Ljava/awt/event/InputEvent;
java/awt/dnd/DragGestureEvent startDrag(Ljava/awt/Cursor;Ljava/awt/datatransfer/Transferable;)V
java/awt/dnd/DragGestureEvent
startDrag(Ljava/awt/Cursor;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/DragSourceListener;)V
java/awt/dnd/DragGestureEvent
startDrag(Ljava/awt/Cursor;Ljava/awt/Image;Ljava/awt/Point;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/Dr
agSourceListener;)V
java/awt/dnd/DragGestureEvent writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/dnd/DragGestureEvent readObject(Ljava/io/ObjectInputStream;)V
class java/awt/dnd/DragGestureRecognizer java/lang/Object
java/awt/dnd/DragGestureRecognizer serialVersionUID
java/awt/dnd/DragGestureRecognizer dragSource
java/awt/dnd/DragGestureRecognizer component
java/awt/dnd/DragGestureRecognizer dragGestureListener
java/awt/dnd/DragGestureRecognizer sourceActions
java/awt/dnd/DragGestureRecognizer events
java/awt/dnd/DragGestureRecognizer
<init>(Ljava/awt/dnd/DragSource;Ljava/awt/Component;ILjava/awt/dnd/DragGestureListener;)V
java/awt/dnd/DragGestureRecognizer <init>(Ljava/awt/dnd/DragSource;Ljava/awt/Component;I)V
java/awt/dnd/DragGestureRecognizer
<init>(Ljava/awt/dnd/DragSource;Ljava/awt/Component;)V
java/awt/dnd/DragGestureRecognizer <init>(Ljava/awt/dnd/DragSource;)V
java/awt/dnd/DragGestureRecognizer registerListeners()V
java/awt/dnd/DragGestureRecognizer unregisterListeners()V
java/awt/dnd/DragGestureRecognizer getDragSource()Ljava/awt/dnd/DragSource;
java/awt/dnd/DragGestureRecognizer getComponent()Ljava/awt/Component;
java/awt/dnd/DragGestureRecognizer setComponent(Ljava/awt/Component;)V
java/awt/dnd/DragGestureRecognizer getSourceActions()I
java/awt/dnd/DragGestureRecognizer setSourceActions(I)V
java/awt/dnd/DragGestureRecognizer getTriggerEvent()Ljava/awt/event/InputEvent;
java/awt/dnd/DragGestureRecognizer resetRecognizer()V
java/awt/dnd/DragGestureRecognizer addDragGestureListener(Ljava/awt/dnd/DragGestureListener;)V
java/awt/dnd/DragGestureRecognizer removeDragGestureListener(Ljava/awt/dnd/DragGestureListener;)V
java/awt/dnd/DragGestureRecognizer fireDragGestureRecognized(ILjava/awt/Point;)V
java/awt/dnd/DragGestureRecognizer

```

```

appendEvent(Ljava/awt/event/InputEvent;)V
java/awt/dnd/DragGestureRecognizer writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/dnd/DragGestureRecognizer readObject(Ljava/io/ObjectInputStream;)V
class java/awt/dnd/DragGestureListener java/lang/Object
java/awt/dnd/DragGestureRecognizer dragGestureRecognized(Ljava/awt/dnd/DragGestureEvent;)V
class java/awt/dnd/DragSource java/lang/Object
java/awt/dnd/DragSource serialVersionUID
java/awt/dnd/DragSource DefaultCopyDrop
java/awt/dnd/DragSource DefaultMoveDrop
java/awt/dnd/DragSource DefaultLinkDrop
java/awt/dnd/DragSource DefaultCopyNoDrop
java/awt/dnd/DragSource DefaultMoveNoDrop
java/awt/dnd/DragSource DefaultLinkNoDrop
java/awt/dnd/DragSource dflt
java/awt/dnd/DragSource dragSourceListenerK
java/awt/dnd/DragSource dragSourceMotionListenerK
java/awt/dnd/DragSource flavorMap
java/awt/dnd/DragSource listener
java/awt/dnd/DragSource motionListener
java/awt/dnd/DragSource load(Ljava/lang/String;)Ljava/awt/Cursor;
java/awt/dnd/DragSource
 getDefaultDragSource()Ljava/awt/dnd/DragSource;
java/awt/dnd/DragSource isDragImageSupported()Z
java/awt/dnd/DragSource <init>()V
java/awt/dnd/DragSource
 startDrag(Ljava/awt/dnd/DragGestureEvent;Ljava/awt/Cursor;Ljava/awt/Image;Ljava/awt/Point;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/DragSourceListener;Ljava/awt/datatransfer/FlavorMap;)V
java/awt/dnd/DragSource
 startDrag(Ljava/awt/dnd/DragGestureEvent;Ljava/awt/Cursor;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/DragSourceListener;Ljava/awt/datatransfer/FlavorMap;)V
java/awt/dnd/DragSource
 startDrag(Ljava/awt/dnd/DragGestureEvent;Ljava/awt/Cursor;Ljava/awt/Image;Ljava/awt/Point;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/DragSourceListener;)V
java/awt/dnd/DragSource
 startDrag(Ljava/awt/dnd/DragGestureEvent;Ljava/awt/Cursor;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/DragSourceListener;)V
java/awt/dnd/DragSource
 createDragSourceContext(Ljava/awt/dnd/peer/DragSourceContextPeer;Ljava/awt/dnd/DragGestureEvent;Ljava/awt/Cursor;Ljava/awt/Image;Ljava/awt/Point;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/DragSourceListener;)Ljava/awt/dnd/DragSourceContext;
java/awt/dnd/DragSource
 getFlavorMap()Ljava/awt/datatransfer/FlavorMap;
java/awt/dnd/DragSource
 createDragGestureRecognizer(Ljava/lang/Class;Ljava/awt/Component;ILjava/awt/dnd/DragGestureListener;)Ljava/awt/dnd/DragGestureRecognizer;
java/awt/dnd/DragSource
 createDefaultDragGestureRecognizer(Ljava/awt/Component;ILjava/awt/dnd/DragGestureListener;)Ljava/awt/dnd/DragGestureRecognizer;

```

```

java/awt/dnd/DragSource addDragSourceListener(Ljava/awt/dnd/DragSourceListener;)V
java/awt/dnd/DragSource removeDragSourceListener(Ljava/awt/dnd/DragSourceListener;)V
java/awt/dnd/DragSource getDragSourceListeners()[Ljava/awt/dnd/DragSourceListener;
java/awt/dnd/DragSource addDragSourceMotionListener(Ljava/awt/dnd/DragSourceMotionListener;)V
java/awt/dnd/DragSource removeDragSourceMotionListener(Ljava/awt/dnd/DragSourceMotionListener;)V
java/awt/dnd/DragSource
 getDragSourceMotionListeners()[Ljava/awt/dnd/DragSourceMotionListener;
java/awt/dnd/DragSource getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/dnd/DragSource processDragEnter(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSource processDragOver(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSource processDropActionChanged(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSource processDragExit(Ljava/awt/dnd/DragSourceEvent;)V
java/awt/dnd/DragSource processDragDropEnd(Ljava/awt/dnd/DragSourceDropEvent;)V
java/awt/dnd/DragSource processDragMouseMoved(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSource writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/dnd/DragSource readObject(Ljava/io/ObjectInputStream;)V
java/awt/dnd/DragSource getDragThreshold()I
java/awt/dnd/DragSource <clinit>()V
class java/awt/HeadlessException java/lang/UnsupportedOperationException
java/awt/HeadlessException serialVersionUID
java/awt/HeadlessException <init>()V
java/awt/HeadlessException
 <init>(Ljava/lang/String;)V
java/awt/HeadlessException getMessage()Ljava/lang/String;
class java/awt/Frame$AccessibleAWTFrame java/awt/Window$AccessibleAWTWindow
java/awt/Frame$AccessibleAWTFrame serialVersionUID
java/awt/Frame$AccessibleAWTFrame this$0
java/awt/Frame$AccessibleAWTFrame <init>(Ljava/awt/Frame;)V
java/awt/Frame$AccessibleAWTFrame getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/Frame$AccessibleAWTFrame getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
class java/awt/Window$AccessibleAWTWindow java/awt/Container$AccessibleAWTContainer
java/awt/Window$AccessibleAWTWindow serialVersionUID
java/awt/Window$AccessibleAWTWindow this$0
java/awt/Window$AccessibleAWTWindow <init>(Ljava/awt/Window;)V
java/awt/Window$AccessibleAWTWindow getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/Window$AccessibleAWTWindow getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
class java/util/zip/ZipException java/io/IOException
java/util/zip/ZipException
 <init>()V
java/util/zip/ZipException <init>(Ljava/lang/String;)V
class java/util/Collections$UnmodifiableList$1 java/lang/Object
java/util/Collections$UnmodifiableList$1 i
java/util/Collections$UnmodifiableList$1 val$index
java/util/Collections$UnmodifiableList$1 this$0
java/util/Collections$UnmodifiableList$1 <init>(Ljava/util/Collections$UnmodifiableList;I)V
java/util/Collections$UnmodifiableList$1 hasNext()Z
java/util/Collections$UnmodifiableList$1 next()Ljava/lang/Object;
java/util/Collections$UnmodifiableList$1 hasPrevious()Z

```



```

java/util/Collections$UnmodifiableList$1 previous()Ljava/lang/Object;
java/util/Collections$UnmodifiableList$1 nextIndex()I
java/util/Collections$UnmodifiableList$1 previousIndex()I
java/util/Collections$UnmodifiableList$1 remove()V
java/util/Collections$UnmodifiableList$1 set(Ljava/lang/Object;)V
java/util/Collections$UnmodifiableList$1 add(Ljava/lang/Object;)V
class java/lang/Process java/lang/Object
java/lang/Process
 <init>()V
java/lang/Process getOutputStream()Ljava/io/OutputStream;
java/lang/Process getInputStream()Ljava/io/InputStream;
java/lang/Process getErrorStream()Ljava/io/InputStream;
java/lang/Process waitFor()I
java/lang/Process exitValue()I
java/lang/Process destroy()V
class java/beans/Beans java/lang/Object
java/beans/Beans designTime
java/beans/Beans guiAvailable
java/beans/Beans <init>()V
java/beans/Beans instantiate(Ljava/lang/ClassLoader;Ljava/lang/String;)Ljava/lang/Object;
java/beans/Beans
 instantiate(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/beans/beancontext/BeanContext;)Ljava/lang/Object;
java/beans/Beans
 instantiate(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/beans/beancontext/BeanContext;Ljava/beans/AppletIniti
alizer;)Ljava/lang/Object;
java/beans/Beans getInstanceOf(Ljava/lang/Object;Ljava/lang/Class;)Ljava/lang/Object;
java/beans/Beans isInstanceOf(Ljava/lang/Object;Ljava/lang/Class;)Z
java/beans/Beans isDesignTime()Z
java/beans/Beans isGuiAvailable()Z
java/beans/Beans
 setDesignTime(Z)V
java/beans/Beans setGuiAvailable(Z)V
java/beans/Beans <clinit>()V
class java/beans/GenericBeanInfo java/beans/SimpleBeanInfo
java/beans/GenericBeanInfo beanDescriptor
java/beans/GenericBeanInfo events
java/beans/GenericBeanInfo defaultEvent
java/beans/GenericBeanInfo properties
java/beans/GenericBeanInfo defaultProperty
java/beans/GenericBeanInfo methods
java/beans/GenericBeanInfo targetBeanInfo
java/beans/GenericBeanInfo
 <init>(Ljava/beans/BeanDescriptor;[Ljava/beans/EventSetDescriptor;I[Ljava/beans/PropertyDescriptor;I[Ljava/bea
ns/MethodDescriptor;Ljava/beans/BeanInfo;)V
java/beans/GenericBeanInfo <init>(Ljava/beans/GenericBeanInfo;)V
java/beans/GenericBeanInfo getPropertyDescriptors()[Ljava/beans/PropertyDescriptor;
java/beans/GenericBeanInfo getDefaultPropertyIndex()I
java/beans/GenericBeanInfo getEventSetDescriptors()[Ljava/beans/EventSetDescriptor;

```

```

java/beans/GenericBeanInfo getDefaultEventIndex()I
java/beans/GenericBeanInfo getMethodDescriptors()[Ljava/beans/MethodDescriptor;
java/beans/GenericBeanInfo
 getBeanDescriptor()Ljava/beans/BeanDescriptor;
java/beans/GenericBeanInfo getIcon(I)Ljava/awt/Image;
class java/util/TreeMap$ValueIterator java/util/TreeMap$PrivateEntryIterator
java/util/TreeMap$ValueIterator this$0
java/util/TreeMap$ValueIterator <init>(Ljava/util/TreeMap;)V
java/util/TreeMap$ValueIterator next()Ljava/lang/Object;
java/util/TreeMap$ValueIterator <init>(Ljava/util/TreeMap;Ljava/util/TreeMap$1;)V
class java/util/TreeMap$2 java/util/AbstractCollection
java/util/TreeMap$2 this$0
java/util/TreeMap$2 <init>(Ljava/util/TreeMap;)V
java/util/TreeMap$2 iterator()Ljava/util/Iterator;
java/util/TreeMap$2 size()I
java/util/TreeMap$2 contains(Ljava/lang/Object;)Z
java/util/TreeMap$2 remove(Ljava/lang/Object;)Z
java/util/TreeMap$2 clear()V
class java/beans/NameGenerator java/lang/Object
java/beans/NameGenerator valueToName
java/beans/NameGenerator nameToCount
java/beans/NameGenerator <init>()V
java/beans/NameGenerator clear()V
java/beans/NameGenerator
 unqualifiedClassName(Ljava/lang/Class;)Ljava/lang/String;
java/beans/NameGenerator capitalize(Ljava/lang/String;)Ljava/lang/String;
java/beans/NameGenerator instanceName(Ljava/lang/Object;)Ljava/lang/String;
class java/beans/MethodDescriptor java/beans/FeatureDescriptor
java/beans/MethodDescriptor methodRef
java/beans/MethodDescriptor paramNames
java/beans/MethodDescriptor params
java/beans/MethodDescriptor parameterDescriptors
java/beans/MethodDescriptor <init>(Ljava/lang/reflect/Method;)V
java/beans/MethodDescriptor <init>(Ljava/lang/reflect/Method;[Ljava/beans/ParameterDescriptor;)V
java/beans/MethodDescriptor getMethod()Ljava/lang/reflect/Method;
java/beans/MethodDescriptor setMethod(Ljava/lang/reflect/Method;)V
java/beans/MethodDescriptor getMethod0()Ljava/lang/reflect/Method;
java/beans/MethodDescriptor setParams([Ljava/lang/Class;)V
java/beans/MethodDescriptor getParamNames()[Ljava/lang/String;
java/beans/MethodDescriptor getParams()[Ljava/lang/Class;
java/beans/MethodDescriptor
 getParameterDescriptors()[Ljava/beans/ParameterDescriptor;
java/beans/MethodDescriptor <init>(Ljava/beans/MethodDescriptor;Ljava/beans/MethodDescriptor;)V
java/beans/MethodDescriptor <init>(Ljava/beans/MethodDescriptor;)V
class java/beans/Introspector$1 java/lang/Object
java/beans/Introspector$1 val$fclz
java/beans/Introspector$1 <init>(Ljava/lang/Class;)V
java/beans/Introspector$1 run(Ljava/lang/Object;

```

```

class java/beans/SimpleBeanInfo java/lang/Object
java/beans/SimpleBeanInfo <init>()V
java/beans/SimpleBeanInfo getBeanDescriptor()Ljava/beans/BeanDescriptor;
java/beans/SimpleBeanInfo getPropertyDescriptors()[Ljava/beans/PropertyDescriptor;
java/beans/SimpleBeanInfo getDefaultPropertyIndex()I
java/beans/SimpleBeanInfo getEventSetDescriptors()[Ljava/beans/EventSetDescriptor;
java/beans/SimpleBeanInfo getDefaultEventIndex()I
java/beans/SimpleBeanInfo getMethodDescriptors()[Ljava/beans/MethodDescriptor;
java/beans/SimpleBeanInfo getAdditionalBeanInfo()[Ljava/beans/BeanInfo;
java/beans/SimpleBeanInfo
 getIcon(I)Ljava/awt/Image;
java/beans/SimpleBeanInfo loadImage(Ljava/lang/String;)Ljava/awt/Image;
class java/security/PermissionsEnumerator java/lang/Object
java/security/PermissionsEnumerator perms
java/security/PermissionsEnumerator permset
java/security/PermissionsEnumerator <init>(Ljava/util/Iterator;)V
java/security/PermissionsEnumerator hasMoreElements()Z
java/security/PermissionsEnumerator nextElement()Ljava/security/Permission;
java/security/PermissionsEnumerator getNextEnumWithMore(Ljava/util/Enumeration;
java/security/PermissionsEnumerator nextElement()Ljava/lang/Object;
class java/util/PropertyPermissionCollection java/security/PermissionCollection
java/util/PropertyPermissionCollection perms
java/util/PropertyPermissionCollection all_allowed
java/util/PropertyPermissionCollection serialVersionUID
java/util/PropertyPermissionCollection serialPersistentFields
java/util/PropertyPermissionCollection <init>()V
java/util/PropertyPermissionCollection
 add(Ljava/security/Permission;)V
java/util/PropertyPermissionCollection implies(Ljava/security/Permission;)Z
java/util/PropertyPermissionCollection elements()Ljava/util/Enumeration;
java/util/PropertyPermissionCollection writeObject(Ljava/io/ObjectOutputStream;)V
java/util/PropertyPermissionCollection readObject(Ljava/io/ObjectInputStream;)V
java/util/PropertyPermissionCollection <clinit>()V
class java/net/SocketPermissionCollection java/security/PermissionCollection
java/net/SocketPermissionCollection perms
java/net/SocketPermissionCollection serialVersionUID
java/net/SocketPermissionCollection serialPersistentFields
java/net/SocketPermissionCollection <init>()V
java/net/SocketPermissionCollection add(Ljava/security/Permission;)V
java/net/SocketPermissionCollection implies(Ljava/security/Permission;)Z
java/net/SocketPermissionCollection elements()Ljava/util/Enumeration;
java/net/SocketPermissionCollection writeObject(Ljava/io/ObjectOutputStream;)V
java/net/SocketPermissionCollection
 readObject(Ljava/io/ObjectInputStream;)V
java/net/SocketPermissionCollection <clinit>()V
class java/net/ResponseCache java/lang/Object
java/net/ResponseCache theResponseCache
java/net/ResponseCache <init>()V

```

```

java/net/ResponseCache getDefault()Ljava/net/ResponseCache;
java/net/ResponseCache setDefault(Ljava/net/ResponseCache;)V
java/net/ResponseCache get(Ljava/net/URI;Ljava/lang/String;Ljava/util/Map;)Ljava/net/CacheResponse;
java/net/ResponseCache put(Ljava/net/URI;Ljava/net/URLConnection;)Ljava/net/CacheRequest;
class java/net/CookieHandler java/lang/Object
java/net/CookieHandler cookieHandler
java/net/CookieHandler <init>()V
java/net/CookieHandler getDefault()Ljava/net/CookieHandler;
java/net/CookieHandler setDefault(Ljava/net/CookieHandler;)V
java/net/CookieHandler get(Ljava/net/URI;Ljava/util/Map;)Ljava/util/Map;
java/net/CookieHandler put(Ljava/net/URI;Ljava/util/Map;)V
class java/net/HttpURLConnection java/net/URLConnection
java/net/HttpURLConnection method
java/net/HttpURLConnection
 chunkLength
java/net/HttpURLConnection fixedContentLength
java/net/HttpURLConnection DEFAULT_CHUNK_SIZE
java/net/HttpURLConnection responseCode
java/net/HttpURLConnection responseMessage
java/net/HttpURLConnection followRedirects
java/net/HttpURLConnection instanceFollowRedirects
java/net/HttpURLConnection methods
java/net/HttpURLConnection HTTP_OK
java/net/HttpURLConnection HTTP_CREATED
java/net/HttpURLConnection HTTP_ACCEPTED
java/net/HttpURLConnection HTTP_NOT_AUTHORITY
java/net/HttpURLConnection HTTP_NO_CONTENT
java/net/HttpURLConnection HTTP_RESET
java/net/HttpURLConnection HTTP_PARTIAL
java/net/HttpURLConnection HTTP_MULT_CHOICE
java/net/HttpURLConnection HTTP_MOVED_PERM
java/net/HttpURLConnection HTTP_MOVED_TEMP
java/net/HttpURLConnection HTTP_SEE_OTHER
java/net/HttpURLConnection HTTP_NOT_MODIFIED
java/net/HttpURLConnection HTTP_USE_PROXY
java/net/HttpURLConnection HTTP_BAD_REQUEST
java/net/HttpURLConnection HTTP_UNAUTHORIZED
java/net/HttpURLConnection HTTP_PAYMENT_REQUIRED
java/net/HttpURLConnection
 HTTP_FORBIDDEN
java/net/HttpURLConnection HTTP_NOT_FOUND
java/net/HttpURLConnection HTTP_BAD_METHOD
java/net/HttpURLConnection HTTP_NOT_ACCEPTABLE
java/net/HttpURLConnection HTTP_PROXY_AUTH
java/net/HttpURLConnection HTTP_CLIENT_TIMEOUT
java/net/HttpURLConnection HTTP_CONFLICT
java/net/HttpURLConnection HTTP_GONE
java/net/HttpURLConnection HTTP_LENGTH_REQUIRED

```

```

java/net/URLConnection HTTP_PRECON_FAILED
java/net/URLConnection HTTP_ENTITY_TOO_LARGE
java/net/URLConnection HTTP_REQ_TOO_LONG
java/net/URLConnection HTTP_UNSUPPORTED_TYPE
java/net/URLConnection HTTP_SERVER_ERROR
java/net/URLConnection HTTP_INTERNAL_ERROR
java/net/URLConnection HTTP_NOT_IMPLEMENTED
java/net/URLConnection HTTP_BAD_GATEWAY
java/net/URLConnection HTTP_UNAVAILABLE
java/net/URLConnection HTTP_GATEWAY_TIMEOUT
java/net/URLConnection HTTP_VERSION
java/net/URLConnection getHeaderFieldKey(I)Ljava/lang/String;
java/net/URLConnection
 setFixedLengthStreamingMode(I)V
java/net/URLConnection setChunkedStreamingMode(I)V
java/net/URLConnection getHeaderField(I)Ljava/lang/String;
java/net/URLConnection <init>(Ljava/net/URL;)V
java/net/URLConnection setFollowRedirects(Z)V
java/net/URLConnection getFollowRedirects()Z
java/net/URLConnection setInstanceFollowRedirects(Z)V
java/net/URLConnection getInstanceFollowRedirects()Z
java/net/URLConnection setRequestMethod(Ljava/lang/String;)V
java/net/URLConnection getRequestMethod(Ljava/lang/String;
java/net/URLConnection getResponseCode()I
java/net/URLConnection getResponseMessage(Ljava/lang/String;
java/net/URLConnection getHeaderFieldDate(Ljava/lang/String;J)J
java/net/URLConnection disconnect()V
java/net/URLConnection usingProxy()Z
java/net/URLConnection getPermission()Ljava/security/Permission;
java/net/URLConnection getErrorStream()Ljava/io/InputStream;
java/net/URLConnection <clinit>()V
class java/security/SecurityPermission
 java/security/BasicPermission
java/security/SecurityPermission serialVersionUID
java/security/SecurityPermission <init>(Ljava/lang/String;)V
java/security/SecurityPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/awt/AWTPermission java/security/BasicPermission
java/awt/AWTPermission serialVersionUID
java/awt/AWTPermission <init>(Ljava/lang/String;)V
java/awt/AWTPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/net/NetPermission java/security/BasicPermission
java/net/NetPermission serialVersionUID
java/net/NetPermission <init>(Ljava/lang/String;)V
java/net/NetPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/net/SocketPermission java/security/Permission
java/net/SocketPermission serialVersionUID
java/net/SocketPermission CONNECT
java/net/SocketPermission LISTEN

```

```

java/net/SocketPermission ACCEPT
java/net/SocketPermission RESOLVE
java/net/SocketPermission NONE
java/net/SocketPermission ALL
java/net/SocketPermission PORT_MIN
java/net/SocketPermission
 PORT_MAX
java/net/SocketPermission PRIV_PORT_MAX
java/net/SocketPermission mask
java/net/SocketPermission actions
java/net/SocketPermission hostname
java/net/SocketPermission cname
java/net/SocketPermission addresses
java/net/SocketPermission wildcard
java/net/SocketPermission init_with_ip
java/net/SocketPermission invalid
java/net/SocketPermission portrange
java/net/SocketPermission trustProxy
java/net/SocketPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
java/net/SocketPermission <init>(Ljava/lang/String;)V
java/net/SocketPermission getHost(Ljava/lang/String;)Ljava/lang/String;
java/net/SocketPermission parsePort(Ljava/lang/String;)[I
java/net/SocketPermission init(Ljava/lang/String;)V
java/net/SocketPermission getMask(Ljava/lang/String;)I
java/net/SocketPermission getCanonName()V
java/net/SocketPermission getIP()V
java/net/SocketPermission implies(Ljava/security/Permission;)Z
java/net/SocketPermission impliesIgnoreMask(Ljava/net/SocketPermission;)Z
java/net/SocketPermission
 inProxyWeTrust(Ljava/net/SocketPermission;)Z
java/net/SocketPermission equals(Ljava/lang/Object;)Z
java/net/SocketPermission hashCode()I
java/net/SocketPermission getMask()I
java/net/SocketPermission getActions(I)Ljava/lang/String;
java/net/SocketPermission getActions()Ljava/lang/String;
java/net/SocketPermission newPermissionCollection()Ljava/security/PermissionCollection;
java/net/SocketPermission writeObject(Ljava/io/ObjectOutputStream;)V
java/net/SocketPermission readObject(Ljava/io/ObjectInputStream;)V
java/net/SocketPermission <clinit>()V
class java/io/StreamTokenizer java/lang/Object
java/io/StreamTokenizer reader
java/io/StreamTokenizer input
java/io/StreamTokenizer buf
java/io/StreamTokenizer peekc
java/io/StreamTokenizer NEED_CHAR
java/io/StreamTokenizer SKIP_LF
java/io/StreamTokenizer pushedBack
java/io/StreamTokenizer forceLower

```

```

java/io/StreamTokenizer LINENO
java/io/StreamTokenizer eolIsSignificantP
java/io/StreamTokenizer slashSlashCommentsP
java/io/StreamTokenizer
 slashStarCommentsP
java/io/StreamTokenizer ctype
java/io/StreamTokenizer CT_WHITESPACE
java/io/StreamTokenizer CT_DIGIT
java/io/StreamTokenizer CT_ALPHA
java/io/StreamTokenizer CT_QUOTE
java/io/StreamTokenizer CT_COMMENT
java/io/StreamTokenizer ttype
java/io/StreamTokenizer TT_EOF
java/io/StreamTokenizer TT_EOL
java/io/StreamTokenizer TT_NUMBER
java/io/StreamTokenizer TT_WORD
java/io/StreamTokenizer TT_NOTHING
java/io/StreamTokenizer sval
java/io/StreamTokenizer nval
java/io/StreamTokenizer <init>()V
java/io/StreamTokenizer <init>(Ljava/io/InputStream;)V
java/io/StreamTokenizer <init>(Ljava/io/Reader;)V
java/io/StreamTokenizer resetSyntax()V
java/io/StreamTokenizer wordChars(II)V
java/io/StreamTokenizer whitespaceChars(II)V
java/io/StreamTokenizer ordinaryChars(II)V
java/io/StreamTokenizer ordinaryChar(I)V
java/io/StreamTokenizer commentChar(I)V
java/io/StreamTokenizer quoteChar(I)V
java/io/StreamTokenizer parseNumbers()V
java/io/StreamTokenizer eolIsSignificant(Z)V
java/io/StreamTokenizer
 slashStarComments(Z)V
java/io/StreamTokenizer slashSlashComments(Z)V
java/io/StreamTokenizer lowerCaseMode(Z)V
java/io/StreamTokenizer read()I
java/io/StreamTokenizer nextToken()I
java/io/StreamTokenizer pushBack()V
java/io/StreamTokenizer lineno()I
java/io/StreamTokenizer toString()Ljava/lang/String;
class java/security/Policy$1 java/lang/Object
java/security/Policy$1 <init>()V
java/security/Policy$1 run()Ljava/lang/Object;
class java/security/Policy java/lang/Object
java/security/Policy policy
java/security/Policy debug
java/security/Policy pdMapping
java/security/Policy <init>()V

```

```

java/security/Policy isSet()Z
java/security/Policy getPolicy()Ljava/security/Policy;
java/security/Policy getPolicyNoCheck()Ljava/security/Policy;
java/security/Policy setPolicy(Ljava/security/Policy;)V
java/security/Policy initPolicy(Ljava/security/Policy;)V
java/security/Policy getPermissions(Ljava/security/CodeSource;)Ljava/security/PermissionCollection;
java/security/Policy
 getPermissions(Ljava/security/ProtectionDomain;)Ljava/security/PermissionCollection;
java/security/Policy addStaticPerms(Ljava/security/PermissionCollection;Ljava/security/PermissionCollection;)V
java/security/Policy implies(Ljava/security/ProtectionDomain;Ljava/security/Permission;)Z
java/security/Policy refresh()V
java/security/Policy <clinit>()V
class java/io/PrintWriter java/io/Writer
java/io/PrintWriter out
java/io/PrintWriter autoFlush
java/io/PrintWriter trouble
java/io/PrintWriter formatter
java/io/PrintWriter lineSeparator
java/io/PrintWriter <init>(Ljava/io/Writer;)V
java/io/PrintWriter <init>(Ljava/io/Writer;Z)V
java/io/PrintWriter <init>(Ljava/io/OutputStream;)V
java/io/PrintWriter <init>(Ljava/io/OutputStream;Z)V
java/io/PrintWriter <init>(Ljava/lang/String;)V
java/io/PrintWriter <init>(Ljava/lang/String;Ljava/lang/String;)V
java/io/PrintWriter <init>(Ljava/io/File;)V
java/io/PrintWriter <init>(Ljava/io/File;Ljava/lang/String;)V
java/io/PrintWriter ensureOpen()V
java/io/PrintWriter
 flush()V
java/io/PrintWriter close()V
java/io/PrintWriter checkError()Z
java/io/PrintWriter setError()V
java/io/PrintWriter write(I)V
java/io/PrintWriter write([CII)V
java/io/PrintWriter write([C)V
java/io/PrintWriter write(Ljava/lang/String;II)V
java/io/PrintWriter write(Ljava/lang/String;)V
java/io/PrintWriter newLine()V
java/io/PrintWriter print(Z)V
java/io/PrintWriter print(C)V
java/io/PrintWriter print(I)V
java/io/PrintWriter print(J)V
java/io/PrintWriter print(F)V
java/io/PrintWriter print(D)V
java/io/PrintWriter print([C)V
java/io/PrintWriter print(Ljava/lang/String;)V
java/io/PrintWriter print(Ljava/lang/Object;)V
java/io/PrintWriter println()V

```



```

java/io/PrintWriter println(Z)V
java/io/PrintWriter println(C)V
java/io/PrintWriter println(I)V
java/io/PrintWriter println(J)V
java/io/PrintWriter println(F)V
java/io/PrintWriter println(D)V
java/io/PrintWriter println([C)V
java/io/PrintWriter println(Ljava/lang/String;)V
java/io/PrintWriter println(Ljava/lang/Object;)V
java/io/PrintWriter
 printf(Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintWriter;
java/io/PrintWriter printf(Ljava/util/Locale;Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintWriter;
java/io/PrintWriter format(Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintWriter;
java/io/PrintWriter format(Ljava/util/Locale;Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintWriter;
java/io/PrintWriter append(Ljava/lang/CharSequence;)Ljava/io/PrintWriter;
java/io/PrintWriter append(Ljava/lang/CharSequence;I)Ljava/io/PrintWriter;
java/io/PrintWriter append(C)Ljava/io/PrintWriter;
java/io/PrintWriter append(C)Ljava/io/Writer;
java/io/PrintWriter append(Ljava/lang/CharSequence;I)Ljava/io/Writer;
java/io/PrintWriter append(Ljava/lang/CharSequence;)Ljava/io/Writer;
java/io/PrintWriter append(C)Ljava/lang/Appendable;
java/io/PrintWriter append(Ljava/lang/CharSequence;I)Ljava/lang/Appendable;
java/io/PrintWriter append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
class java/beans/beancontext/BeanContextMembershipEvent
 java/beans/beancontext/BeanContextEvent
java/beans/beancontext/BeanContextMembershipEvent children
java/beans/beancontext/BeanContextMembershipEvent
 <init>(Ljava/beans/beancontext/BeanContext;Ljava/util/Collection;)V
java/beans/beancontext/BeanContextMembershipEvent
 <init>(Ljava/beans/beancontext/BeanContext;[Ljava/lang/Object;)V
java/beans/beancontext/BeanContextMembershipEvent size()I
java/beans/beancontext/BeanContextMembershipEvent contains(Ljava/lang/Object;)Z
java/beans/beancontext/BeanContextMembershipEvent toArray()[Ljava/lang/Object;
java/beans/beancontext/BeanContextMembershipEvent iterator()Ljava/util/Iterator;
class java/beans/beancontext/BeanContextEvent java/util/EventObject
 java/beans/beancontext/BeanContextEvent propagatedFrom
java/beans/beancontext/BeanContextEvent <init>(Ljava/beans/beancontext/BeanContext;)V
java/beans/beancontext/BeanContextEvent getBeanContext()Ljava/beans/beancontext/BeanContext;
java/beans/beancontext/BeanContextEvent
 setPropagatedFrom(Ljava/beans/beancontext/BeanContext;)V
java/beans/beancontext/BeanContextEvent getPropagatedFrom()Ljava/beans/beancontext/BeanContext;
java/beans/beancontext/BeanContextEvent isPropagated()Z
class java/beans/beancontext/BeanContextSupport$BCSChild java/lang/Object
 java/beans/beancontext/BeanContextSupport$BCSChild serialVersionUID
java/beans/beancontext/BeanContextSupport$BCSChild child
java/beans/beancontext/BeanContextSupport$BCSChild proxyPeer
java/beans/beancontext/BeanContextSupport$BCSChild removePending
java/beans/beancontext/BeanContextSupport$BCSChild this$0

```

```

java/beans/beancontext/BeanContextSupport$BCSChild
<init>(Ljava/beans/beancontext/BeanContextSupport;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextSupport$BCSChild getChild()Ljava/lang/Object;
java/beans/beancontext/BeanContextSupport$BCSChild setRemovePending(Z)V
java/beans/beancontext/BeanContextSupport$BCSChild isRemovePending()Z
java/beans/beancontext/BeanContextSupport$BCSChild
 isProxyPeer()Z
java/beans/beancontext/BeanContextSupport$BCSChild getProxyPeer()Ljava/lang/Object;
class java/awt/print/PageFormat java/lang/Object
java/awt/print/PageFormat LANDSCAPE
java/awt/print/PageFormat PORTRAIT
java/awt/print/PageFormat REVERSE_LANDSCAPE
java/awt/print/PageFormat mPaper
java/awt/print/PageFormat mOrientation
java/awt/print/PageFormat <init>()V
java/awt/print/PageFormat clone()Ljava/lang/Object;
java/awt/print/PageFormat getWidth()D
java/awt/print/PageFormat getHeight()D
java/awt/print/PageFormat getImageableX()D
java/awt/print/PageFormat getImageableY()D
java/awt/print/PageFormat getImageableWidth()D
java/awt/print/PageFormat getImageableHeight()D
java/awt/print/PageFormat getPaper()Ljava/awt/print/Paper;
java/awt/print/PageFormat setPaper(Ljava/awt/print/Paper;)V
java/awt/print/PageFormat setOrientation(I)V
java/awt/print/PageFormat getOrientation()I
java/awt/print/PageFormat getMatrix()[D
class java/beans/beancontext/BeanContextSupport$2 java/lang/Object
java/beans/beancontext/BeanContextSupport$2
 this$0
java/beans/beancontext/BeanContextSupport$2 <init>(Ljava/beans/beancontext/BeanContextSupport;)V
java/beans/beancontext/BeanContextSupport$2 vetoableChange(Ljava/beans/PropertyChangeEvent;)V
class java/beans/beancontext/BeanContextSupport$1 java/lang/Object
java/beans/beancontext/BeanContextSupport$1 this$0
java/beans/beancontext/BeanContextSupport$1 <init>(Ljava/beans/beancontext/BeanContextSupport;)V
java/beans/beancontext/BeanContextSupport$1 propertyChange(Ljava/beans/PropertyChangeEvent;)V
class java/beans/VetoableChangeSupport java/lang/Object
java/beans/VetoableChangeSupport listeners
java/beans/VetoableChangeSupport children
java/beans/VetoableChangeSupport source
java/beans/VetoableChangeSupport vetoableChangeSupportSerializedDataVersion
java/beans/VetoableChangeSupport serialVersionUID
java/beans/VetoableChangeSupport <init>(Ljava/lang/Object;)V
java/beans/VetoableChangeSupport addVetoableChangeListener(Ljava/beans/VetoableChangeListener;)V
java/beans/VetoableChangeSupport
 removeVetoableChangeListener(Ljava/beans/VetoableChangeListener;)V
java/beans/VetoableChangeSupport getVetoableChangeListeners()[Ljava/beans/VetoableChangeListener;
java/beans/VetoableChangeSupport

```

```

addVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/beans/VetoableChangeSupport
removeVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/beans/VetoableChangeSupport
getVetoableChangeListeners(Ljava/lang/String;)[Ljava/beans/VetoableChangeListener;
java/beans/VetoableChangeSupport fireVetoableChange(Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/VetoableChangeSupport fireVetoableChange(Ljava/lang/String;I)V
java/beans/VetoableChangeSupport fireVetoableChange(Ljava/lang/String;ZZ)V
java/beans/VetoableChangeSupport fireVetoableChange(Ljava/beans/PropertyChangeEvent;)V
java/beans/VetoableChangeSupport hasListeners(Ljava/lang/String;)Z
java/beans/VetoableChangeSupport
 writeObject(Ljava/io/ObjectOutputStream;)V
java/beans/VetoableChangeSupport readObject(Ljava/io/ObjectInputStream;)V
class java/beans/beancontext/BeanContextSupport java/beans/beancontext/BeanContextChildSupport
java/beans/beancontext/BeanContextSupport serialVersionUID
java/beans/beancontext/BeanContextSupport children
java/beans/beancontext/BeanContextSupport serializable
java/beans/beancontext/BeanContextSupport bcmListeners
java/beans/beancontext/BeanContextSupport locale
java/beans/beancontext/BeanContextSupport okToUseGui
java/beans/beancontext/BeanContextSupport designTime
java/beans/beancontext/BeanContextSupport childPCL
java/beans/beancontext/BeanContextSupport childVCL
java/beans/beancontext/BeanContextSupport serializing
java/beans/beancontext/BeanContextSupport <init>(Ljava/beans/beancontext/BeanContext;Ljava/util/Locale;ZZ)V
java/beans/beancontext/BeanContextSupport <init>(Ljava/beans/beancontext/BeanContext;Ljava/util/Locale;Z)V
java/beans/beancontext/BeanContextSupport
 <init>(Ljava/beans/beancontext/BeanContext;Ljava/util/Locale;)V
java/beans/beancontext/BeanContextSupport <init>(Ljava/beans/beancontext/BeanContext;)V
java/beans/beancontext/BeanContextSupport <init>()V
java/beans/beancontext/BeanContextSupport getBeanContextPeer()Ljava/beans/beancontext/BeanContext;
java/beans/beancontext/BeanContextSupport instantiateChild(Ljava/lang/String;)Ljava/lang/Object;
java/beans/beancontext/BeanContextSupport size()I
java/beans/beancontext/BeanContextSupport isEmpty()Z
java/beans/beancontext/BeanContextSupport contains(Ljava/lang/Object;)Z
java/beans/beancontext/BeanContextSupport containsKey(Ljava/lang/Object;)Z
java/beans/beancontext/BeanContextSupport iterator()Ljava/util/Iterator;
java/beans/beancontext/BeanContextSupport toArray()[Ljava/lang/Object;
java/beans/beancontext/BeanContextSupport toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/beans/beancontext/BeanContextSupport
 createBCSChild(Ljava/lang/Object;Ljava/lang/Object;)Ljava/beans/beancontext/BeanContextSupport$BCSChild;
java/beans/beancontext/BeanContextSupport
 add(Ljava/lang/Object;)Z
java/beans/beancontext/BeanContextSupport remove(Ljava/lang/Object;)Z
java/beans/beancontext/BeanContextSupport remove(Ljava/lang/Object;)Z
java/beans/beancontext/BeanContextSupport containsAll(Ljava/util/Collection;)Z
java/beans/beancontext/BeanContextSupport addAll(Ljava/util/Collection;)Z
java/beans/beancontext/BeanContextSupport removeAll(Ljava/util/Collection;)Z

```

```

java/beans/beancontext/BeanContextSupport retainAll(Ljava/util/Collection;)Z
java/beans/beancontext/BeanContextSupport clear()V
java/beans/beancontext/BeanContextSupport
addBeanContextMembershipListener(Ljava/beans/beancontext/BeanContextMembershipListener;)V
java/beans/beancontext/BeanContextSupport
removeBeanContextMembershipListener(Ljava/beans/beancontext/BeanContextMembershipListener;)V
java/beans/beancontext/BeanContextSupport
getResourceAsStream(Ljava/lang/String;Ljava/beans/beancontext/BeanContextChild;)Ljava/io/InputStream;
java/beans/beancontext/BeanContextSupport
getResource(Ljava/lang/String;Ljava/beans/beancontext/BeanContextChild;)Ljava/net/URL;
java/beans/beancontext/BeanContextSupport setDesignTime(Z)V
java/beans/beancontext/BeanContextSupport isDesignTime()Z
java/beans/beancontext/BeanContextSupport setLocale(Ljava/util/Locale;)V
java/beans/beancontext/BeanContextSupport getLocale()Ljava/util/Locale;
java/beans/beancontext/BeanContextSupport needsGui()Z
java/beans/beancontext/BeanContextSupport dontUseGui()V
java/beans/beancontext/BeanContextSupport okToUseGui()V
java/beans/beancontext/BeanContextSupport avoidingGui()Z
java/beans/beancontext/BeanContextSupport isSerializing()Z
java/beans/beancontext/BeanContextSupport bcsChildren(Ljava/util/Iterator;
java/beans/beancontext/BeanContextSupport bcsPreSerializationHook(Ljava/io/ObjectOutputStream;)V
java/beans/beancontext/BeanContextSupport bcsPreDeserializationHook(Ljava/io/ObjectInputStream;)V
java/beans/beancontext/BeanContextSupport
childDeserializedHook(Ljava/lang/Object;Ljava/beans/beancontext/BeanContextSupport$BCSChild;)V
java/beans/beancontext/BeanContextSupport serialize(Ljava/io/ObjectOutputStream;Ljava/util/Collection;)V
java/beans/beancontext/BeanContextSupport deserialize(Ljava/io/ObjectInputStream;Ljava/util/Collection;)V
java/beans/beancontext/BeanContextSupport writeChildren(Ljava/io/ObjectOutputStream;)V
java/beans/beancontext/BeanContextSupport writeObject(Ljava/io/ObjectOutputStream;)V
java/beans/beancontext/BeanContextSupport readChildren(Ljava/io/ObjectInputStream;)V
java/beans/beancontext/BeanContextSupport readObject(Ljava/io/ObjectInputStream;)V
java/beans/beancontext/BeanContextSupport vetoableChange(Ljava/beans/PropertyChangeEvent;)V
java/beans/beancontext/BeanContextSupport propertyChange(Ljava/beans/PropertyChangeEvent;)V
java/beans/beancontext/BeanContextSupport validatePendingAdd(Ljava/lang/Object;)Z
java/beans/beancontext/BeanContextSupport validatePendingRemove(Ljava/lang/Object;)Z
java/beans/beancontext/BeanContextSupport
childJustAddedHook(Ljava/lang/Object;Ljava/beans/beancontext/BeanContextSupport$BCSChild;)V
java/beans/beancontext/BeanContextSupport
childJustRemovedHook(Ljava/lang/Object;Ljava/beans/beancontext/BeanContextSupport$BCSChild;)V
java/beans/beancontext/BeanContextSupport getChildVisibility(Ljava/lang/Object;)Ljava/beans/Visibility;
java/beans/beancontext/BeanContextSupport getChildSerializable(Ljava/lang/Object;)Ljava/io/Serializable;
java/beans/beancontext/BeanContextSupport
getChildPropertyChangeListener(Ljava/lang/Object;)Ljava/beans/PropertyChangeListener;
java/beans/beancontext/BeanContextSupport
getChildVetoableChangeListener(Ljava/lang/Object;)Ljava/beans/VetoableChangeListener;
java/beans/beancontext/BeanContextSupport
getChildBeanContextMembershipListener(Ljava/lang/Object;)Ljava/beans/beancontext/BeanContextMembershipLi
stener;
java/beans/beancontext/BeanContextSupport

```

```

getChildBeanContextChild(Ljava/lang/Object;)Ljava/beans/beancontext/BeanContextChild;
java/beans/beancontext/BeanContextSupport
 fireChildrenAdded(Ljava/beans/beancontext/BeanContextMembershipEvent;)V
java/beans/beancontext/BeanContextSupport
 fireChildrenRemoved(Ljava/beans/beancontext/BeanContextMembershipEvent;)V
java/beans/beancontext/BeanContextSupport initialize()V
java/beans/beancontext/BeanContextSupport copyChildren()[Ljava/lang/Object;
java/beans/beancontext/BeanContextSupport classEquals(Ljava/lang/Class;Ljava/lang/Class;)Z
class java/beans/beancontext/BeanContextChildSupport java/lang/Object
java/beans/beancontext/BeanContextChildSupport serialVersionUID
java/beans/beancontext/BeanContextChildSupport beanContextChildPeer
java/beans/beancontext/BeanContextChildSupport pcSupport
java/beans/beancontext/BeanContextChildSupport vcSupport
java/beans/beancontext/BeanContextChildSupport beanContext
java/beans/beancontext/BeanContextChildSupport rejectedSetBCOnce
java/beans/beancontext/BeanContextChildSupport <init>()V
java/beans/beancontext/BeanContextChildSupport
 <init>(Ljava/beans/beancontext/BeanContextChild;)V
java/beans/beancontext/BeanContextChildSupport setBeanContext(Ljava/beans/beancontext/BeanContext;)V
java/beans/beancontext/BeanContextChildSupport getBeanContext()Ljava/beans/beancontext/BeanContext;
java/beans/beancontext/BeanContextChildSupport
 addPropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/beans/beancontext/BeanContextChildSupport
 removePropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/beans/beancontext/BeanContextChildSupport
 addVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/beans/beancontext/BeanContextChildSupport
 removeVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/beans/beancontext/BeanContextChildSupport
 serviceRevoked(Ljava/beans/beancontext/BeanContextServiceRevokedEvent;)V
java/beans/beancontext/BeanContextChildSupport
 serviceAvailable(Ljava/beans/beancontext/BeanContextServiceAvailableEvent;)V
java/beans/beancontext/BeanContextChildSupport
 getBeanContextChildPeer()Ljava/beans/beancontext/BeanContextChild;
java/beans/beancontext/BeanContextChildSupport isDelegated()Z
java/beans/beancontext/BeanContextChildSupport
 firePropertyChange(Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextChildSupport
 fireVetoableChange(Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextChildSupport
 validatePendingSetBeanContext(Ljava/beans/beancontext/BeanContext;)Z
java/beans/beancontext/BeanContextChildSupport releaseBeanContextResources()V
java/beans/beancontext/BeanContextChildSupport initializeBeanContextResources()V
java/beans/beancontext/BeanContextChildSupport writeObject(Ljava/io/ObjectOutputStream;)V
java/beans/beancontext/BeanContextChildSupport readObject(Ljava/io/ObjectInputStream;)V
class java/beans/beancontext/BeanContextServicesListener java/lang/Object
java/beans/beancontext/BeanContextServicesListener

```

```

serviceAvailable(Ljava/beans/beancontext/BeanContextServiceAvailableEvent;)V
class java/beans/beancontext/BeanContextServiceRevokedListener java/lang/Object
java/beans/beancontext/BeanContextServiceRevokedListener
serviceRevoked(Ljava/beans/beancontext/BeanContextServiceRevokedEvent;)V
class java/beans/beancontext/BeanContext java/lang/Object
java/beans/beancontext/BeanContext globalHierarchyLock
java/beans/beancontext/BeanContext instantiateChild(Ljava/lang/String;)Ljava/lang/Object;
java/beans/beancontext/BeanContext
getResourceAsStream(Ljava/lang/String;Ljava/beans/beancontext/BeanContextChild;)Ljava/io/InputStream;
java/beans/beancontext/BeanContext
getResource(Ljava/lang/String;Ljava/beans/beancontext/BeanContextChild;)Ljava/net/URL;
java/beans/beancontext/BeanContext
addBeanContextMembershipListener(Ljava/beans/beancontext/BeanContextMembershipListener;)V
java/beans/beancontext/BeanContext
removeBeanContextMembershipListener(Ljava/beans/beancontext/BeanContextMembershipListener;)V
java/beans/beancontext/BeanContext
<clinit>()V
class java/beans/Visibility java/lang/Object
java/beans/Visibility needsGui()Z
java/beans/Visibility dontUseGui()V
java/beans/Visibility okToUseGui()V
java/beans/Visibility avoidingGui()Z
class java/beans/DesignMode java/lang/Object
java/beans/DesignMode PROPERTYNAME
java/beans/DesignMode setDesignTime(Z)V
java/beans/DesignMode isDesignTime()Z
class java/beans/beancontext/BeanContextChild java/lang/Object
java/beans/beancontext/BeanContextChild setBeanContext(Ljava/beans/beancontext/BeanContext;)V
java/beans/beancontext/BeanContextChild getBeanContext()Ljava/beans/beancontext/BeanContext;
java/beans/beancontext/BeanContextChild
addPropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/beans/beancontext/BeanContextChild
removePropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/beans/beancontext/BeanContextChild
addVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/beans/beancontext/BeanContextChild
removeVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
class java/beans/IndexedPropertyDescriptor java/beans/PropertyDescriptor
java/beans/IndexedPropertyDescriptor indexedPropertyTypeRef
java/beans/IndexedPropertyDescriptor indexedReadMethodRef
java/beans/IndexedPropertyDescriptor indexedWriteMethodRef
java/beans/IndexedPropertyDescriptor indexedReadMethodName
java/beans/IndexedPropertyDescriptor indexedWriteMethodName
java/beans/IndexedPropertyDescriptor <init>(Ljava/lang/String;Ljava/lang/Class;)V
java/beans/IndexedPropertyDescriptor
<init>(Ljava/lang/String;Ljava/lang/Class;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)
V
java/beans/IndexedPropertyDescriptor

```

```

<init>(Ljava/lang/String;Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;)V
java/beans/IndexedPropertyDescriptor getIndexedReadMethod()Ljava/lang/reflect/Method;
java/beans/IndexedPropertyDescriptor
 setIndexedReadMethod(Ljava/lang/reflect/Method;)V
java/beans/IndexedPropertyDescriptor setIndexedReadMethod0(Ljava/lang/reflect/Method;)V
java/beans/IndexedPropertyDescriptor getIndexedWriteMethod()Ljava/lang/reflect/Method;
java/beans/IndexedPropertyDescriptor setIndexedWriteMethod(Ljava/lang/reflect/Method;)V
java/beans/IndexedPropertyDescriptor setIndexedWriteMethod0(Ljava/lang/reflect/Method;)V
java/beans/IndexedPropertyDescriptor getIndexedPropertyType()Ljava/lang/Class;
java/beans/IndexedPropertyDescriptor setIndexedPropertyType(Ljava/lang/Class;)V
java/beans/IndexedPropertyDescriptor getIndexedPropertyType0(Ljava/lang/Class;
java/beans/IndexedPropertyDescriptor getIndexedReadMethod0()Ljava/lang/reflect/Method;
java/beans/IndexedPropertyDescriptor getIndexedWriteMethod0()Ljava/lang/reflect/Method;
java/beans/IndexedPropertyDescriptor
 findIndexedPropertyType(Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;)Ljava/lang/Class;
java/beans/IndexedPropertyDescriptor
 equals(Ljava/lang/Object;)Z
java/beans/IndexedPropertyDescriptor <init>(Ljava/beans/PropertyDescriptor;Ljava/beans/PropertyDescriptor;)V
java/beans/IndexedPropertyDescriptor <init>(Ljava/beans/IndexedPropertyDescriptor;)V
java/beans/IndexedPropertyDescriptor hashCode()I
class java/awt/print/PrinterJob java/lang/Object
java/awt/print/PrinterJob getPrinterJob()Ljava/awt/print/PrinterJob;
java/awt/print/PrinterJob lookupPrintServices()[Ljava/awt/print/PrintService;
java/awt/print/PrinterJob lookupStreamPrintServices(Ljava/lang/String;)[Ljava/awt/print/StreamPrintServiceFactory;
java/awt/print/PrinterJob <init>()V
java/awt/print/PrinterJob getPrintService()Ljava/awt/print/PrintService;
java/awt/print/PrinterJob setPrintService(Ljava/awt/print/PrintService;)V
java/awt/print/PrinterJob setPrintable(Ljava/awt/print/Printable;)V
java/awt/print/PrinterJob setPrintable(Ljava/awt/print/Printable;Ljava/awt/print/PageFormat;)V
java/awt/print/PrinterJob
 setPageable(Ljava/awt/print/Pageable;)V
java/awt/print/PrinterJob printDialog()Z
java/awt/print/PrinterJob printDialog(Ljava/awt/print/attribute/PrintRequestAttributeSet;)Z
java/awt/print/PrinterJob pageDialog(Ljava/awt/print/PageFormat;)Ljava/awt/print/PageFormat;
java/awt/print/PrinterJob pageDialog(Ljava/awt/print/attribute/PrintRequestAttributeSet;)Ljava/awt/print/PageFormat;
java/awt/print/PrinterJob defaultPage(Ljava/awt/print/PageFormat;)Ljava/awt/print/PageFormat;
java/awt/print/PrinterJob defaultPage(Ljava/awt/print/PageFormat;)
java/awt/print/PrinterJob validatePage(Ljava/awt/print/PageFormat;)Ljava/awt/print/PageFormat;
java/awt/print/PrinterJob print()V
java/awt/print/PrinterJob print(Ljava/awt/print/attribute/PrintRequestAttributeSet;)V
java/awt/print/PrinterJob setCopies(I)V
java/awt/print/PrinterJob getCopies()I
java/awt/print/PrinterJob getUserName()Ljava/lang/String;
java/awt/print/PrinterJob setJobName(Ljava/lang/String;)V
java/awt/print/PrinterJob getJobName()Ljava/lang/String;
java/awt/print/PrinterJob

```

```

cancel()V
java/awt/print/PrinterJob isCancelled()Z
class java/awt/print/PrinterAbortException java/awt/print/PrinterException
java/awt/print/PrinterAbortException <init>()V
java/awt/print/PrinterAbortException <init>(Ljava/lang/String;)V
class java/awt/print/PrinterException java/lang/Exception
java/awt/print/PrinterException <init>()V
java/awt/print/PrinterException <init>(Ljava/lang/String;)V
class java/text/BreakIterator java/lang/Object
java/text/BreakIterator DONE
java/text/BreakIterator CHARACTER_INDEX
java/text/BreakIterator WORD_INDEX
java/text/BreakIterator LINE_INDEX
java/text/BreakIterator SENTENCE_INDEX
java/text/BreakIterator iterCache
java/text/BreakIterator <init>()V
java/text/BreakIterator clone()Ljava/lang/Object;
java/text/BreakIterator first()I
java/text/BreakIterator last()I
java/text/BreakIterator next()I
java/text/BreakIterator next()I
java/text/BreakIterator previous()I
java/text/BreakIterator following(I)I
java/text/BreakIterator preceding(I)I
java/text/BreakIterator
isBoundary(I)Z
java/text/BreakIterator current()I
java/text/BreakIterator getText()Ljava/text/CharacterIterator;
java/text/BreakIterator setText(Ljava/lang/String;)V
java/text/BreakIterator setText(Ljava/text/CharacterIterator;)V
java/text/BreakIterator getWordInstance()Ljava/text/BreakIterator;
java/text/BreakIterator getWordInstance(Ljava/util/Locale;)Ljava/text/BreakIterator;
java/text/BreakIterator getLineInstance()Ljava/text/BreakIterator;
java/text/BreakIterator getLineInstance(Ljava/util/Locale;)Ljava/text/BreakIterator;
java/text/BreakIterator getCharacterInstance()Ljava/text/BreakIterator;
java/text/BreakIterator getCharacterInstance(Ljava/util/Locale;)Ljava/text/BreakIterator;
java/text/BreakIterator getSentenceInstance()Ljava/text/BreakIterator;
java/text/BreakIterator getSentenceInstance(Ljava/util/Locale;)Ljava/text/BreakIterator;
java/text/BreakIterator
getBreakInstance(Ljava/util/Locale;ILjava/lang/String;Ljava/lang/String;)Ljava/text/BreakIterator;
java/text/BreakIterator
getBundle(Ljava/lang/String;Ljava/util/Locale;)Ljava/util/ResourceBundle;
java/text/BreakIterator
createBreakInstance(Ljava/util/Locale;ILjava/lang/String;Ljava/lang/String;)Ljava/text/BreakIterator;
java/text/BreakIterator getAvailableLocales()[Ljava/util/Locale;
java/text/BreakIterator getLong([BI)J
java/text/BreakIterator getInt([BI)I
java/text/BreakIterator getShort([BI)S

```



```

java/text/BreakIterator <clinit>()V
class java/awt/color/ICC_Profile$3 java/lang/Object
java/awt/color/ICC_Profile$3 val$fileName
java/awt/color/ICC_Profile$3 <init>(Ljava/lang/String;)V
java/awt/color/ICC_Profile$3 run()Ljava/lang/Object;
class java/awt/color/ICC_Profile$2 java/lang/Object
java/awt/color/ICC_Profile$2 val$name
java/awt/color/ICC_Profile$2 <init>(Ljava/lang/String;)V
java/awt/color/ICC_Profile$2 run()Ljava/lang/Object;
class java/lang/reflect/UndeclaredThrowableException java/lang/RuntimeException
java/lang/reflect/UndeclaredThrowableException serialVersionUID
java/lang/reflect/UndeclaredThrowableException
 undeclaredThrowable
java/lang/reflect/UndeclaredThrowableException <init>(Ljava/lang/Throwable;)V
java/lang/reflect/UndeclaredThrowableException <init>(Ljava/lang/Throwable;Ljava/lang/String;)V
java/lang/reflect/UndeclaredThrowableException getUndeclaredThrowable()Ljava/lang/Throwable;
java/lang/reflect/UndeclaredThrowableException getCause()Ljava/lang/Throwable;
class java/beans/BeanDescriptor java/beans/FeatureDescriptor
java/beans/BeanDescriptor beanClassRef
java/beans/BeanDescriptor customizerClassRef
java/beans/BeanDescriptor <init>(Ljava/lang/Class;)V
java/beans/BeanDescriptor <init>(Ljava/lang/Class;Ljava/lang/Class;)V
java/beans/BeanDescriptor getBeanClass()Ljava/lang/Class;
java/beans/BeanDescriptor getCustomizerClass()Ljava/lang/Class;
java/beans/BeanDescriptor <init>(Ljava/beans/BeanDescriptor;)V
class java/util/PropertyPermission java/security/BasicPermission
java/util/PropertyPermission READ
java/util/PropertyPermission WRITE
java/util/PropertyPermission
 ALL
java/util/PropertyPermission NONE
java/util/PropertyPermission mask
java/util/PropertyPermission actions
java/util/PropertyPermission serialVersionUID
java/util/PropertyPermission init(I)V
java/util/PropertyPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
java/util/PropertyPermission implies(Ljava/security/Permission;)Z
java/util/PropertyPermission equals(Ljava/lang/Object;)Z
java/util/PropertyPermission hashCode()I
java/util/PropertyPermission getMask(Ljava/lang/String;)I
java/util/PropertyPermission getActions(I)Ljava/lang/String;
java/util/PropertyPermission getActions(Ljava/lang/String;
java/util/PropertyPermission getMask()I
java/util/PropertyPermission newPermissionCollection(Ljava/security/PermissionCollection;
java/util/PropertyPermission writeObject(Ljava/io/ObjectOutputStream;)V
java/util/PropertyPermission readObject(Ljava/io/ObjectInputStream;)V
class java/io/OptionalDataException java/io/ObjectStreamException
java/io/OptionalDataException

```

```

length
java/io/OptionalDataException eof
java/io/OptionalDataException <init>(I)V
java/io/OptionalDataException <init>(Z)V
class java/util/WeakHashMap$EntryIterator java/util/WeakHashMap$HashIterator
java/util/WeakHashMap$EntryIterator this$0
java/util/WeakHashMap$EntryIterator <init>(Ljava/util/WeakHashMap;)V
java/util/WeakHashMap$EntryIterator next()Ljava/util/Map$Entry;
java/util/WeakHashMap$EntryIterator next()Ljava/lang/Object;
java/util/WeakHashMap$EntryIterator <init>(Ljava/util/WeakHashMap;Ljava/util/WeakHashMap$1;)V
class java/util/WeakHashMap$HashIterator java/lang/Object
java/util/WeakHashMap$HashIterator index
java/util/WeakHashMap$HashIterator entry
java/util/WeakHashMap$HashIterator lastReturned
java/util/WeakHashMap$HashIterator expectedModCount
java/util/WeakHashMap$HashIterator nextKey
java/util/WeakHashMap$HashIterator currentKey
java/util/WeakHashMap$HashIterator this$0
java/util/WeakHashMap$HashIterator <init>(Ljava/util/WeakHashMap;)V
java/util/WeakHashMap$HashIterator
 hasNext()Z
java/util/WeakHashMap$HashIterator nextEntry()Ljava/util/WeakHashMap$Entry;
java/util/WeakHashMap$HashIterator remove()V
class java/util/WeakHashMap$EntrySet java/util/AbstractSet
java/util/WeakHashMap$EntrySet this$0
java/util/WeakHashMap$EntrySet <init>(Ljava/util/WeakHashMap;)V
java/util/WeakHashMap$EntrySet iterator()Ljava/util/Iterator;
java/util/WeakHashMap$EntrySet contains(Ljava/lang/Object;)Z
java/util/WeakHashMap$EntrySet remove(Ljava/lang/Object;)Z
java/util/WeakHashMap$EntrySet size()I
java/util/WeakHashMap$EntrySet clear()V
java/util/WeakHashMap$EntrySet toArray()[Ljava/lang/Object;
java/util/WeakHashMap$EntrySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/WeakHashMap$EntrySet <init>(Ljava/util/WeakHashMap;Ljava/util/WeakHashMap$1;)V
class java/beans/beancontext/BeanContextProxy java/lang/Object
java/beans/beancontext/BeanContextProxy getBeanContextProxy()Ljava/beans/beancontext/BeanContextChild;
class java/io/CharArrayWriter java/io/Writer
java/io/CharArrayWriter
 buf
java/io/CharArrayWriter count
java/io/CharArrayWriter <init>()V
java/io/CharArrayWriter <init>(I)V
java/io/CharArrayWriter write(I)V
java/io/CharArrayWriter write([CII)V
java/io/CharArrayWriter write(Ljava/lang/String;II)V
java/io/CharArrayWriter writeTo(Ljava/io/Writer;)V
java/io/CharArrayWriter append(Ljava/lang/CharSequence;)Ljava/io/CharArrayWriter;
java/io/CharArrayWriter append(Ljava/lang/CharSequence;II)Ljava/io/CharArrayWriter;

```

```

java/io/CharArrayWriter append(C)Ljava/io/CharArrayWriter;
java/io/CharArrayWriter reset()V
java/io/CharArrayWriter toCharArray()[C
java/io/CharArrayWriter size()I
java/io/CharArrayWriter toString()Ljava/lang/String;
java/io/CharArrayWriter flush()V
java/io/CharArrayWriter close()V
java/io/CharArrayWriter append(C)Ljava/io/Writer;
java/io/CharArrayWriter append(Ljava/lang/CharSequence;II)Ljava/io/Writer;
java/io/CharArrayWriter append(Ljava/lang/CharSequence;)Ljava/io/Writer;
java/io/CharArrayWriter append(C)Ljava/lang/Appendable;
java/io/CharArrayWriter
 append(Ljava/lang/CharSequence;II)Ljava/lang/Appendable;
java/io/CharArrayWriter append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
class java/util/jar/JarInputStream java/util/zip/ZipInputStream
java/util/jar/JarInputStream man
java/util/jar/JarInputStream first
java/util/jar/JarInputStream jv
java/util/jar/JarInputStream mev
java/util/jar/JarInputStream <init>(Ljava/io/InputStream;)V
java/util/jar/JarInputStream <init>(Ljava/io/InputStream;Z)V
java/util/jar/JarInputStream getBytes(Ljava/io/InputStream;)[B
java/util/jar/JarInputStream getManifest(Ljava/util/jar/Manifest;
java/util/jar/JarInputStream getNextEntry()Ljava/util/zip/ZipEntry;
java/util/jar/JarInputStream getNextJarEntry()Ljava/util/jar/JarEntry;
java/util/jar/JarInputStream read([BII)I
java/util/jar/JarInputStream createZipEntry(Ljava/lang/String;)Ljava/util/zip/ZipEntry;
class java/io/CharConversionException java/io/IOException
java/io/CharConversionException <init>()V
java/io/CharConversionException
 <init>(Ljava/lang/String;)V
class java/net/UnknownServiceException java/io/IOException
java/net/UnknownServiceException <init>()V
java/net/UnknownServiceException <init>(Ljava/lang/String;)V
class java/util/jar/JarVerifier$VerifierStream java/io/InputStream
java/util/jar/JarVerifier$VerifierStream is
java/util/jar/JarVerifier$VerifierStream jv
java/util/jar/JarVerifier$VerifierStream mev
java/util/jar/JarVerifier$VerifierStream numLeft
java/util/jar/JarVerifier$VerifierStream
 <init>(Ljava/util/jar/Manifest;Ljava/util/jar/JarEntry;Ljava/io/InputStream;Ljava/util/jar/JarVerifier;)V
java/util/jar/JarVerifier$VerifierStream read()I
java/util/jar/JarVerifier$VerifierStream read([BII)I
java/util/jar/JarVerifier$VerifierStream close()V
java/util/jar/JarVerifier$VerifierStream available()I
class java/security/CodeSigner java/lang/Object
java/security/CodeSigner serialVersionUID
java/security/CodeSigner signerCertPath

```

```

java/security/CodeSigner timestamp
java/security/CodeSigner
 myhash
java/security/CodeSigner <init>(Ljava/security/cert/CertPath;Ljava/security/Timestamp;)V
java/security/CodeSigner getSignerCertPath()Ljava/security/cert/CertPath;
java/security/CodeSigner getTimestamp()Ljava/security/Timestamp;
java/security/CodeSigner hashCode()I
java/security/CodeSigner equals(Ljava/lang/Object;)Z
java/security/CodeSigner toString()Ljava/lang/String;
class java/security/cert/CertPath java/lang/Object
java/security/cert/CertPath serialVersionUID
java/security/cert/CertPath type
java/security/cert/CertPath <init>(Ljava/lang/String;)V
java/security/cert/CertPath getType()Ljava/lang/String;
java/security/cert/CertPath getEncodings()Ljava/util/Iterator;
java/security/cert/CertPath equals(Ljava/lang/Object;)Z
java/security/cert/CertPath hashCode()I
java/security/cert/CertPath toString()Ljava/lang/String;
java/security/cert/CertPath getEncoded()[B
java/security/cert/CertPath getEncoded(Ljava/lang/String;)[B
java/security/cert/CertPath getCertificates()Ljava/util/List;
java/security/cert/CertPath
 writeReplace()Ljava/lang/Object;
class java/security/spec/DSAPublicKeySpec java/lang/Object
java/security/spec/DSAPublicKeySpec y
java/security/spec/DSAPublicKeySpec p
java/security/spec/DSAPublicKeySpec q
java/security/spec/DSAPublicKeySpec g
java/security/spec/DSAPublicKeySpec
 <init>(Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/DSAPublicKeySpec getY()Ljava/math/BigInteger;
java/security/spec/DSAPublicKeySpec getP()Ljava/math/BigInteger;
java/security/spec/DSAPublicKeySpec getQ()Ljava/math/BigInteger;
java/security/spec/DSAPublicKeySpec getG()Ljava/math/BigInteger;
class java/security/interfaces/RSAPrivateCrtKey java/lang/Object
java/security/interfaces/RSAPrivateCrtKey serialVersionUID
java/security/interfaces/RSAPrivateCrtKey getPublicExponent()Ljava/math/BigInteger;
java/security/interfaces/RSAPrivateCrtKey getPrimeP()Ljava/math/BigInteger;
java/security/interfaces/RSAPrivateCrtKey getPrimeQ()Ljava/math/BigInteger;
java/security/interfaces/RSAPrivateCrtKey
 getPrimeExponentP()Ljava/math/BigInteger;
java/security/interfaces/RSAPrivateCrtKey getPrimeExponentQ()Ljava/math/BigInteger;
java/security/interfaces/RSAPrivateCrtKey getCrtCoefficient()Ljava/math/BigInteger;
class java/security/interfaces/RSAPrivateKey java/lang/Object
java/security/interfaces/RSAPrivateKey serialVersionUID
java/security/interfaces/RSAPrivateKey getPrivateExponent()Ljava/math/BigInteger;
class java/security/interfaces/RSAPublicKey java/lang/Object
java/security/interfaces/RSAPublicKey serialVersionUID

```

```

java/security/interfaces/RSAPublicKey getPublicExponent()Ljava/math/BigInteger;
class java/security/interfaces/RSAPublicKey java/lang/Object
java/security/interfaces/RSAPublicKey getModulus()Ljava/math/BigInteger;
class java/security/spec/PKCS8EncodedKeySpec java/security/spec/EncodedKeySpec
java/security/spec/PKCS8EncodedKeySpec <init>([B)V
java/security/spec/PKCS8EncodedKeySpec getEncoded()[B
java/security/spec/PKCS8EncodedKeySpec
 getFormat()Ljava/lang/String;
class java/security/spec/RSAPrivateCrtKeySpec java/security/spec/RSAPrivateKeySpec
java/security/spec/RSAPrivateCrtKeySpec publicExponent
java/security/spec/RSAPrivateCrtKeySpec primeP
java/security/spec/RSAPrivateCrtKeySpec primeQ
java/security/spec/RSAPrivateCrtKeySpec primeExponentP
java/security/spec/RSAPrivateCrtKeySpec primeExponentQ
java/security/spec/RSAPrivateCrtKeySpec crtCoefficient
java/security/spec/RSAPrivateCrtKeySpec
 <init>(Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/Big
Integer;Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/RSAPrivateCrtKeySpec getPublicExponent()Ljava/math/BigInteger;
java/security/spec/RSAPrivateCrtKeySpec getPrimeP()Ljava/math/BigInteger;
java/security/spec/RSAPrivateCrtKeySpec getPrimeQ()Ljava/math/BigInteger;
java/security/spec/RSAPrivateCrtKeySpec getPrimeExponentP()Ljava/math/BigInteger;
java/security/spec/RSAPrivateCrtKeySpec
 getPrimeExponentQ()Ljava/math/BigInteger;
java/security/spec/RSAPrivateCrtKeySpec getCrtCoefficient()Ljava/math/BigInteger;
class java/security/spec/RSAPrivateKeySpec java/lang/Object
java/security/spec/RSAPrivateKeySpec modulus
java/security/spec/RSAPrivateKeySpec privateExponent
java/security/spec/RSAPrivateKeySpec <init>(Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/RSAPrivateKeySpec getModulus()Ljava/math/BigInteger;
java/security/spec/RSAPrivateKeySpec getPrivateExponent()Ljava/math/BigInteger;
class java/security/spec/RSAPublicKeySpec java/lang/Object
java/security/spec/RSAPublicKeySpec modulus
java/security/spec/RSAPublicKeySpec publicExponent
java/security/spec/RSAPublicKeySpec <init>(Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/RSAPublicKeySpec getModulus()Ljava/math/BigInteger;
java/security/spec/RSAPublicKeySpec getPublicExponent()Ljava/math/BigInteger;
class java/security/KeyFactorySpi java/lang/Object
java/security/KeyFactorySpi
 <init>()V
java/security/KeyFactorySpi engineGeneratePublic(Ljava/security/spec/KeySpec;)Ljava/security/PublicKey;
java/security/KeyFactorySpi engineGeneratePrivate(Ljava/security/spec/KeySpec;)Ljava/security/PrivateKey;
java/security/KeyFactorySpi
 engineGetKeySpec(Ljava/security/Key;Ljava/lang/Class;)Ljava/security/spec/KeySpec;
java/security/KeyFactorySpi engineTranslateKey(Ljava/security/Key;)Ljava/security/Key;
class java/security/KeyFactory java/lang/Object
java/security/KeyFactory debug
java/security/KeyFactory algorithm

```

```

java/security/KeyFactory provider
java/security/KeyFactory spi
java/security/KeyFactory lock
java/security/KeyFactory serviceIterator
java/security/KeyFactory <init>(Ljava/security/KeyFactorySpi;Ljava/security/Provider;Ljava/lang/String;)V
java/security/KeyFactory <init>(Ljava/lang/String;)V
java/security/KeyFactory getInstance(Ljava/lang/String;)Ljava/security/KeyFactory;
java/security/KeyFactory getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/KeyFactory;
java/security/KeyFactory
 getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/KeyFactory;
java/security/KeyFactory getProvider()Ljava/security/Provider;
java/security/KeyFactory getAlgorithm()Ljava/lang/String;
java/security/KeyFactory nextSpi(Ljava/security/KeyFactorySpi;)Ljava/security/KeyFactorySpi;
java/security/KeyFactory generatePublic(Ljava/security/spec/KeySpec;)Ljava/security/PublicKey;
java/security/KeyFactory generatePrivate(Ljava/security/spec/KeySpec;)Ljava/security/PrivateKey;
java/security/KeyFactory getKeySpec(Ljava/security/Key;Ljava/lang/Class;)Ljava/security/spec/KeySpec;
java/security/KeyFactory translateKey(Ljava/security/Key;)Ljava/security/Key;
java/security/KeyFactory <clinit>()V
class java/security/spec/X509EncodedKeySpec java/security/spec/EncodedKeySpec
java/security/spec/X509EncodedKeySpec <init>([B)V
java/security/spec/X509EncodedKeySpec getEncoded()[B
java/security/spec/X509EncodedKeySpec getFormat()Ljava/lang/String;
class
 java/security/spec/EncodedKeySpec java/lang/Object
java/security/spec/EncodedKeySpec encodedKey
java/security/spec/EncodedKeySpec <init>([B)V
java/security/spec/EncodedKeySpec getEncoded()[B
java/security/spec/EncodedKeySpec getFormat()Ljava/lang/String;
class java/security/spec/KeySpec java/lang/Object
class java/security/cert/X509Certificate java/security/cert/Certificate
java/security/cert/X509Certificate serialVersionUID
java/security/cert/X509Certificate subjectX500Principal
java/security/cert/X509Certificate issuerX500Principal
java/security/cert/X509Certificate <init>()V
java/security/cert/X509Certificate checkValidity()V
java/security/cert/X509Certificate checkValidity(Ljava/util/Date;)V
java/security/cert/X509Certificate getVersion()I
java/security/cert/X509Certificate getSerialNumber()Ljava/math/BigInteger;
java/security/cert/X509Certificate getIssuerDN()Ljava/security/Principal;
java/security/cert/X509Certificate getIssuerX500Principal()Ljava/security/auth/x500/X500Principal;
java/security/cert/X509Certificate
 getSubjectDN()Ljava/security/Principal;
java/security/cert/X509Certificate getSubjectX500Principal()Ljava/security/auth/x500/X500Principal;
java/security/cert/X509Certificate getNotBefore()Ljava/util/Date;
java/security/cert/X509Certificate getNotAfter()Ljava/util/Date;
java/security/cert/X509Certificate getTBSCertificate()[B
java/security/cert/X509Certificate getSignature()[B
java/security/cert/X509Certificate getSigAlgName()Ljava/lang/String;

```

```

java/security/cert/X509Certificate getSigAlgOID()Ljava/lang/String;
java/security/cert/X509Certificate getSigAlgParams()[B
java/security/cert/X509Certificate getIssuerUniqueID()[Z
java/security/cert/X509Certificate getSubjectUniqueID()[Z
java/security/cert/X509Certificate getKeyUsage()[Z
java/security/cert/X509Certificate getExtendedKeyUsage()Ljava/util/List;
java/security/cert/X509Certificate getBasicConstraints()I
java/security/cert/X509Certificate getSubjectAlternativeNames()Ljava/util/Collection;
java/security/cert/X509Certificate
 getIssuerAlternativeNames()Ljava/util/Collection;
class java/security/cert/X509Extension java/lang/Object
java/security/cert/X509Extension hasUnsupportedCriticalExtension()Z
java/security/cert/X509Extension getCriticalExtensionOIDs()Ljava/util/Set;
java/security/cert/X509Extension getNonCriticalExtensionOIDs()Ljava/util/Set;
java/security/cert/X509Extension getExtensionValue(Ljava/lang/String;)[B
class java/security/cert/CertificateFactorySpi java/lang/Object
java/security/cert/CertificateFactorySpi <init>()V
java/security/cert/CertificateFactorySpi
 engineGenerateCertificate(Ljava/io/InputStream;)Ljava/security/cert/Certificate;
java/security/cert/CertificateFactorySpi
 engineGenerateCertPath(Ljava/io/InputStream;)Ljava/security/cert/CertPath;
java/security/cert/CertificateFactorySpi
 engineGenerateCertPath(Ljava/io/InputStream;Ljava/lang/String;)Ljava/security/cert/CertPath;
java/security/cert/CertificateFactorySpi engineGenerateCertPath(Ljava/util/List;)Ljava/security/cert/CertPath;
java/security/cert/CertificateFactorySpi
 engineGetCertPathEncodings()Ljava/util/Iterator;
java/security/cert/CertificateFactorySpi engineGenerateCertificates(Ljava/io/InputStream;)Ljava/util/Collection;
java/security/cert/CertificateFactorySpi engineGenerateCRL(Ljava/io/InputStream;)Ljava/security/cert/CRL;
java/security/cert/CertificateFactorySpi engineGenerateCRLs(Ljava/io/InputStream;)Ljava/util/Collection;
class java/security/cert/CertificateFactory java/lang/Object
java/security/cert/CertificateFactory type
java/security/cert/CertificateFactory provider
java/security/cert/CertificateFactory certFacSpi
java/security/cert/CertificateFactory
 <init>(Ljava/security/cert/CertificateFactorySpi;Ljava/security/Provider;Ljava/lang/String;)V
java/security/cert/CertificateFactory getInstance(Ljava/lang/String;)Ljava/security/cert/CertificateFactory;
java/security/cert/CertificateFactory
 getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/cert/CertificateFactory;
java/security/cert/CertificateFactory
 getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/cert/CertificateFactory;
java/security/cert/CertificateFactory getProvider()Ljava/security/Provider;
java/security/cert/CertificateFactory getType()Ljava/lang/String;
java/security/cert/CertificateFactory generateCertificate(Ljava/io/InputStream;)Ljava/security/cert/Certificate;
java/security/cert/CertificateFactory getCertPathEncodings()Ljava/util/Iterator;
java/security/cert/CertificateFactory generateCertPath(Ljava/io/InputStream;)Ljava/security/cert/CertPath;
java/security/cert/CertificateFactory
 generateCertPath(Ljava/io/InputStream;Ljava/lang/String;)Ljava/security/cert/CertPath;
java/security/cert/CertificateFactory generateCertPath(Ljava/util/List;)Ljava/security/cert/CertPath;

```

```

java/security/cert/CertificateFactory generateCertificates(Ljava/io/InputStream;)Ljava/util/Collection;
java/security/cert/CertificateFactory generateCRL(Ljava/io/InputStream;)Ljava/security/cert/CRL;
java/security/cert/CertificateFactory
 generateCRLs(Ljava/io/InputStream;)Ljava/util/Collection;
class java/lang/IllegalThreadStateException java/lang/IllegalArgumentException
java/lang/IllegalThreadStateException <init>()V
java/lang/IllegalThreadStateException <init>(Ljava/lang/String;)V
class java/beans/BeanInfo java/lang/Object
java/beans/BeanInfo ICON_COLOR_16x16
java/beans/BeanInfo ICON_COLOR_32x32
java/beans/BeanInfo ICON_MONO_16x16
java/beans/BeanInfo ICON_MONO_32x32
java/beans/BeanInfo getBeanDescriptor()Ljava/beans/BeanDescriptor;
java/beans/BeanInfo getEventSetDescriptors()[Ljava/beans/EventSetDescriptor;
java/beans/BeanInfo getDefaultEventIndex()I
java/beans/BeanInfo getPropertyDescriptors()[Ljava/beans/PropertyDescriptor;
java/beans/BeanInfo getDefaultPropertyIndex()I
java/beans/BeanInfo getMethodDescriptors()[Ljava/beans/MethodDescriptor;
java/beans/BeanInfo getAdditionalBeanInfo()[Ljava/beans/BeanInfo;
java/beans/BeanInfo getIcon()Ljava/awt/Image;
class
 java/beans/PropertyEditorSupport java/lang/Object
java/beans/PropertyEditorSupport value
java/beans/PropertyEditorSupport source
java/beans/PropertyEditorSupport listeners
java/beans/PropertyEditorSupport <init>()V
java/beans/PropertyEditorSupport <init>(Ljava/lang/Object;)V
java/beans/PropertyEditorSupport getSource()Ljava/lang/Object;
java/beans/PropertyEditorSupport setSource(Ljava/lang/Object;)V
java/beans/PropertyEditorSupport setValue(Ljava/lang/Object;)V
java/beans/PropertyEditorSupport getValue()Ljava/lang/Object;
java/beans/PropertyEditorSupport isPaintable()Z
java/beans/PropertyEditorSupport paintValue(Ljava/awt/Graphics;Ljava/awt/Rectangle;)V
java/beans/PropertyEditorSupport getJavaInitializationString()Ljava/lang/String;
java/beans/PropertyEditorSupport getAsText()Ljava/lang/String;
java/beans/PropertyEditorSupport setAsText(Ljava/lang/String;)V
java/beans/PropertyEditorSupport getTags()[Ljava/lang/String;
java/beans/PropertyEditorSupport getCustomEditor()Ljava/awt/Component;
java/beans/PropertyEditorSupport
 supportsCustomEditor()Z
java/beans/PropertyEditorSupport addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyEditorSupport removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyEditorSupport firePropertyChange()V
class java/beans/PropertyEditor java/lang/Object
java/beans/PropertyEditor setValue(Ljava/lang/Object;)V
java/beans/PropertyEditor getValue()Ljava/lang/Object;
java/beans/PropertyEditor isPaintable()Z
java/beans/PropertyEditor paintValue(Ljava/awt/Graphics;Ljava/awt/Rectangle;)V

```



```

java/beans/PropertyEditor getJavaInitializationString()Ljava/lang/String;
java/beans/PropertyEditor getAsText()Ljava/lang/String;
java/beans/PropertyEditor setAsText(Ljava/lang/String;)V
java/beans/PropertyEditor getTags()[Ljava/lang/String;
java/beans/PropertyEditor getCustomEditor()Ljava/awt/Component;
java/beans/PropertyEditor supportsCustomEditor()Z
java/beans/PropertyEditor addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyEditor
 removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
class java/beans/PropertyEditorManager java/lang/Object
java/beans/PropertyEditorManager searchPath
java/beans/PropertyEditorManager registry
java/beans/PropertyEditorManager <init>()V
java/beans/PropertyEditorManager registerEditor(Ljava/lang/Class;Ljava/lang/Class;)V
java/beans/PropertyEditorManager findEditor(Ljava/lang/Class;)Ljava/beans/PropertyEditor;
java/beans/PropertyEditorManager getEditorSearchPath()[Ljava/lang/String;
java/beans/PropertyEditorManager setEditorSearchPath([Ljava/lang/String;)V
java/beans/PropertyEditorManager load(Ljava/lang/Class;Ljava/lang/String;)V
java/beans/PropertyEditorManager initialize()V
java/beans/PropertyEditorManager <clinit>()V
class java/beans/EventSetDescriptor java/beans/FeatureDescriptor
java/beans/EventSetDescriptor listenerMethodDescriptors
java/beans/EventSetDescriptor addMethodDescriptor
java/beans/EventSetDescriptor
 removeMethodDescriptor
java/beans/EventSetDescriptor getMethodDescriptor
java/beans/EventSetDescriptor listenerMethodsRef
java/beans/EventSetDescriptor listenerTypeRef
java/beans/EventSetDescriptor unicast
java/beans/EventSetDescriptor inDefaultEventSet
java/beans/EventSetDescriptor <init>(Ljava/lang/Class;Ljava/lang/String;Ljava/lang/Class;Ljava/lang/String;)V
java/beans/EventSetDescriptor getListenerClassName(Ljava/lang/Class;)Ljava/lang/String;
java/beans/EventSetDescriptor
 <init>(Ljava/lang/Class;Ljava/lang/String;Ljava/lang/Class;[Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)
 V
java/beans/EventSetDescriptor
 <init>(Ljava/lang/Class;Ljava/lang/String;Ljava/lang/Class;[Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;
 Ljava/lang/String;)V
java/beans/EventSetDescriptor getMethod(Ljava/lang/Class;Ljava/lang/String;I)Ljava/lang/reflect/Method;
java/beans/EventSetDescriptor
 <init>(Ljava/lang/String;Ljava/lang/Class;[Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;Ljava/lang/reflect/
 Method;)V
java/beans/EventSetDescriptor
 <init>(Ljava/lang/String;Ljava/lang/Class;[Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;Ljava/lang/reflect/
 Method;Ljava/lang/reflect/Method;)V
java/beans/EventSetDescriptor
 <init>(Ljava/lang/String;Ljava/lang/Class;[Ljava/beans/MethodDescriptor;Ljava/lang/reflect/Method;Ljava/lang/ref
 lect/Method;)V

```

```

java/beans/EventSetDescriptor getListenerType()Ljava/lang/Class;
java/beans/EventSetDescriptor setListenerType(Ljava/lang/Class;)V
java/beans/EventSetDescriptor getListenerMethods()[Ljava/lang/reflect/Method;
java/beans/EventSetDescriptor setListenerMethods([Ljava/lang/reflect/Method;)V
java/beans/EventSetDescriptor getListenerMethods0()[Ljava/lang/reflect/Method;
java/beans/EventSetDescriptor getListenerMethodDescriptors()[Ljava/beans/MethodDescriptor;
java/beans/EventSetDescriptor getAddListenerMethod(Ljava/lang/reflect/Method;
java/beans/EventSetDescriptor setAddListenerMethod(Ljava/lang/reflect/Method;)V
java/beans/EventSetDescriptor
 getRemoveListenerMethod(Ljava/lang/reflect/Method;
java/beans/EventSetDescriptor setRemoveListenerMethod(Ljava/lang/reflect/Method;)V
java/beans/EventSetDescriptor getGetListenerMethod(Ljava/lang/reflect/Method;
java/beans/EventSetDescriptor setGetListenerMethod(Ljava/lang/reflect/Method;)V
java/beans/EventSetDescriptor setUnicast(Z)V
java/beans/EventSetDescriptor isUnicast(Z)Z
java/beans/EventSetDescriptor setInDefaultEventSet(Z)V
java/beans/EventSetDescriptor isInDefaultEventSet(Z)Z
java/beans/EventSetDescriptor <init>(Ljava/beans/EventSetDescriptor;Ljava/beans/EventSetDescriptor;)V
java/beans/EventSetDescriptor <init>(Ljava/beans/EventSetDescriptor;)V
class java/beans/Introspector java/lang/Object
java/beans/Introspector USE_ALL_BEANINFO
java/beans/Introspector IGNORE_IMMEDIATE_BEANINFO
java/beans/Introspector IGNORE_ALL_BEANINFO
java/beans/Introspector declaredMethodCache
java/beans/Introspector beanInfoCache
java/beans/Introspector beanClass
java/beans/Introspector
 explicitBeanInfo
java/beans/Introspector superBeanInfo
java/beans/Introspector additionalBeanInfo
java/beans/Introspector propertyChangeSource
java/beans/Introspector eventListenerType
java/beans/Introspector defaultEventName
java/beans/Introspector defaultPropertyName
java/beans/Introspector defaultEventIndex
java/beans/Introspector defaultPropertyIndex
java/beans/Introspector methods
java/beans/Introspector properties
java/beans/Introspector events
java/beans/Introspector DEFAULT_INFO_PATH
java/beans/Introspector searchPath
java/beans/Introspector EMPTY_EVENTSETDESCRIPTORS
java/beans/Introspector ADD_PREFIX
java/beans/Introspector REMOVE_PREFIX
java/beans/Introspector GET_PREFIX
java/beans/Introspector SET_PREFIX
java/beans/Introspector IS_PREFIX
java/beans/Introspector BEANINFO_SUFFIX

```

```

java/beans/Introspector pdStore
java/beans/Introspector getBeanInfo(Ljava/lang/Class;)Ljava/beans/BeanInfo;
java/beans/Introspector getBeanInfo(Ljava/lang/Class;I)Ljava/beans/BeanInfo;
java/beans/Introspector
 getBeanInfo(Ljava/lang/Class;Ljava/lang/Class;)Ljava/beans/BeanInfo;
java/beans/Introspector getBeanInfo(Ljava/lang/Class;Ljava/lang/Class;I)Ljava/beans/BeanInfo;
java/beans/Introspector decapitalize(Ljava/lang/String;)Ljava/lang/String;
java/beans/Introspector getBeanInfoSearchPath()[Ljava/lang/String;
java/beans/Introspector setBeanInfoSearchPath([Ljava/lang/String;)V
java/beans/Introspector flushCaches()V
java/beans/Introspector flushFromCaches(Ljava/lang/Class;)V
java/beans/Introspector <init>(Ljava/lang/Class;Ljava/lang/Class;I)V
java/beans/Introspector getBeanInfo()Ljava/beans/BeanInfo;
java/beans/Introspector findExplicitBeanInfo(Ljava/lang/Class;)Ljava/beans/BeanInfo;
java/beans/Introspector getTargetPropertyInfo()[Ljava/beans/PropertyDescriptor;
java/beans/Introspector addPropertyDescriptor(Ljava/beans/PropertyDescriptor;)V
java/beans/Introspector processPropertyDescriptors()V
java/beans/Introspector
 mergePropertyDescriptor(Ljava/beans/IndexedPropertyDescriptor;Ljava/beans/PropertyDescriptor;)Ljava/beans/PropertyDescriptor;
java/beans/Introspector
 mergePropertyDescriptor(Ljava/beans/PropertyDescriptor;Ljava/beans/PropertyDescriptor;)Ljava/beans/PropertyDescriptor;
java/beans/Introspector
 mergePropertyDescriptor(Ljava/beans/IndexedPropertyDescriptor;Ljava/beans/IndexedPropertyDescriptor;)Ljava/beans/PropertyDescriptor;
java/beans/Introspector getTargetEventInfo()[Ljava/beans/EventSetDescriptor;
java/beans/Introspector addEvent(Ljava/beans/EventSetDescriptor;)V
java/beans/Introspector getTargetMethodInfo()[Ljava/beans/MethodDescriptor;
java/beans/Introspector addMethod(Ljava/beans/MethodDescriptor;)V
java/beans/Introspector makeQualifiedMethodName(Ljava/lang/String;[Ljava/lang/String;)Ljava/lang/String;
java/beans/Introspector getTargetDefaultEventIndex()I
java/beans/Introspector getTargetDefaultPropertyIndex()I
java/beans/Introspector getTargetBeanDescriptor()Ljava/beans/BeanDescriptor;
java/beans/Introspector isEventHandler(Ljava/lang/reflect/Method;)Z
java/beans/Introspector
 getPublicDeclaredMethods(Ljava/lang/Class;)[Ljava/lang/reflect/Method;
java/beans/Introspector
 internalFindMethod(Ljava/lang/Class;Ljava/lang/String;I[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/beans/Introspector findMethod(Ljava/lang/Class;Ljava/lang/String;I)Ljava/lang/reflect/Method;
java/beans/Introspector
 findMethod(Ljava/lang/Class;Ljava/lang/String;I[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/beans/Introspector isSubclass(Ljava/lang/Class;Ljava/lang/Class;)Z
java/beans/Introspector throwsException(Ljava/lang/reflect/Method;Ljava/lang/Class;)Z
java/beans/Introspector instantiate(Ljava/lang/Class;Ljava/lang/String;)Ljava/lang/Object;
java/beans/Introspector <clinit>()V
class java/util/Collections$EmptySet$1 java/lang/Object
java/util/Collections$EmptySet$1 this$0

```

```

java/util/Collections$EmptySet$1 <init>(Ljava/util/Collections$EmptySet;)V
java/util/Collections$EmptySet$1 hasNext()Z
java/util/Collections$EmptySet$1 next()Ljava/lang/Object;
java/util/Collections$EmptySet$1
 remove()V
class java/util/Collections$SynchronizedRandomAccessList java/util/Collections$SynchronizedList
java/util/Collections$SynchronizedRandomAccessList serialVersionUID
java/util/Collections$SynchronizedRandomAccessList <init>(Ljava/util/List;)V
java/util/Collections$SynchronizedRandomAccessList <init>(Ljava/util/List;Ljava/lang/Object;)V
java/util/Collections$SynchronizedRandomAccessList subList(II)Ljava/util/List;
java/util/Collections$SynchronizedRandomAccessList writeReplace()Ljava/lang/Object;
class java/util/Collections$SynchronizedList java/util/Collections$SynchronizedCollection
java/util/Collections$SynchronizedList serialVersionUID
java/util/Collections$SynchronizedList list
java/util/Collections$SynchronizedList <init>(Ljava/util/List;)V
java/util/Collections$SynchronizedList <init>(Ljava/util/List;Ljava/lang/Object;)V
java/util/Collections$SynchronizedList equals(Ljava/lang/Object;)Z
java/util/Collections$SynchronizedList
 hashCode()I
java/util/Collections$SynchronizedList get(I)Ljava/lang/Object;
java/util/Collections$SynchronizedList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/Collections$SynchronizedList add(ILjava/lang/Object;)V
java/util/Collections$SynchronizedList remove(I)Ljava/lang/Object;
java/util/Collections$SynchronizedList indexOf(Ljava/lang/Object;)I
java/util/Collections$SynchronizedList lastIndexOf(Ljava/lang/Object;)I
java/util/Collections$SynchronizedList addAll(ILjava/util/Collection;)Z
java/util/Collections$SynchronizedList listIterator()Ljava/util/ListIterator;
java/util/Collections$SynchronizedList listIterator(I)Ljava/util/ListIterator;
java/util/Collections$SynchronizedList subList(II)Ljava/util/List;
java/util/Collections$SynchronizedList readResolve()Ljava/lang/Object;
class java/util/ConcurrentModificationException java/lang/RuntimeException
java/util/ConcurrentModificationException <init>()V
java/util/ConcurrentModificationException <init>(Ljava/lang/String;)V
class
 java/util/Collections$UnmodifiableRandomAccessList java/util/Collections$UnmodifiableList
java/util/Collections$UnmodifiableRandomAccessList serialVersionUID
java/util/Collections$UnmodifiableRandomAccessList <init>(Ljava/util/List;)V
java/util/Collections$UnmodifiableRandomAccessList subList(II)Ljava/util/List;
java/util/Collections$UnmodifiableRandomAccessList writeReplace()Ljava/lang/Object;
class java/util/Collections$UnmodifiableList java/util/Collections$UnmodifiableCollection
java/util/Collections$UnmodifiableList serialVersionUID
java/util/Collections$UnmodifiableList list
java/util/Collections$UnmodifiableList <init>(Ljava/util/List;)V
java/util/Collections$UnmodifiableList equals(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableList hashCode()I
java/util/Collections$UnmodifiableList get(I)Ljava/lang/Object;
java/util/Collections$UnmodifiableList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/Collections$UnmodifiableList add(ILjava/lang/Object;)V

```

```

java/util/Collections$UnmodifiableList
remove(I)Ljava/lang/Object;
java/util/Collections$UnmodifiableList indexOf(Ljava/lang/Object;)I
java/util/Collections$UnmodifiableList lastIndexOf(Ljava/lang/Object;)I
java/util/Collections$UnmodifiableList addAll(ILjava/util/Collection;)Z
java/util/Collections$UnmodifiableList listIterator()Ljava/util/ListIterator;
java/util/Collections$UnmodifiableList listIterator(I)Ljava/util/ListIterator;
java/util/Collections$UnmodifiableList subList(II)Ljava/util/List;
java/util/Collections$UnmodifiableList readResolve()Ljava/lang/Object;
class java/io/ObjectInputValidation java/lang/Object
java/io/ObjectInputValidation validateObject()V
class java/io/SyncFailedException java/io/IOException
java/io/SyncFailedException <init>(Ljava/lang/String;)V
class java/io/NotSerializableException java/io/ObjectStreamException
java/io/NotSerializableException <init>(Ljava/lang/String;)V
java/io/NotSerializableException <init>()V
class java/beans/PropertyVetoException java/lang/Exception
java/beans/PropertyVetoException
 evt
java/beans/PropertyVetoException <init>(Ljava/lang/String;Ljava/beans/PropertyChangeEvent;)V
java/beans/PropertyVetoException getPropertyChangeEvent()Ljava/beans/PropertyChangeEvent;
class java/util/HashMap$ValueIterator java/util/HashMap$HashIterator
java/util/HashMap$ValueIterator this$0
java/util/HashMap$ValueIterator <init>(Ljava/util/HashMap;)V
java/util/HashMap$ValueIterator next()Ljava/lang/Object;
java/util/HashMap$ValueIterator <init>(Ljava/util/HashMap;Ljava/util/HashMap$1;)V
class java/util/HashMap$Values java/util/AbstractCollection
java/util/HashMap$Values this$0
java/util/HashMap$Values <init>(Ljava/util/HashMap;)V
java/util/HashMap$Values iterator()Ljava/util/Iterator;
java/util/HashMap$Values size()I
java/util/HashMap$Values contains(Ljava/lang/Object;)Z
java/util/HashMap$Values clear()V
java/util/HashMap$Values <init>(Ljava/util/HashMap;Ljava/util/HashMap$1;)V
class java/lang/Class$MethodArray java/lang/Object
java/lang/Class$MethodArray
 methods
java/lang/Class$MethodArray length
java/lang/Class$MethodArray <init>()V
java/lang/Class$MethodArray add(Ljava/lang/reflect/Method;)V
java/lang/Class$MethodArray addAll([Ljava/lang/reflect/Method;)V
java/lang/Class$MethodArray addAll(Ljava/lang/Class$MethodArray;)V
java/lang/Class$MethodArray addIfNotPresent(Ljava/lang/reflect/Method;)V
java/lang/Class$MethodArray addAllIfNotPresent(Ljava/lang/Class$MethodArray;)V
java/lang/Class$MethodArray length()I
java/lang/Class$MethodArray get(I)Ljava/lang/reflect/Method;
java/lang/Class$MethodArray removeByNameAndSignature(Ljava/lang/reflect/Method;)V
java/lang/Class$MethodArray compactAndTrim()V

```

```

java/lang/Class$MethodArray getArray()[Ljava/lang/reflect/Method;
class java/util/Collections$SingletonSet$1 java/lang/Object
java/util/Collections$SingletonSet$1 hasNext
java/util/Collections$SingletonSet$1 this$0
java/util/Collections$SingletonSet$1 <init>(Ljava/util/Collections$SingletonSet;)V
java/util/Collections$SingletonSet$1 hasNext()Z
java/util/Collections$SingletonSet$1
 next()Ljava/lang/Object;
java/util/Collections$SingletonSet$1 remove()V
class java/util/Collections$SingletonSet java/util/AbstractSet
java/util/Collections$SingletonSet serialVersionUID
java/util/Collections$SingletonSet element
java/util/Collections$SingletonSet <init>(Ljava/lang/Object;)V
java/util/Collections$SingletonSet iterator()Ljava/util/Iterator;
java/util/Collections$SingletonSet size()I
java/util/Collections$SingletonSet contains(Ljava/lang/Object;)Z
java/util/Collections$SingletonSet access$400(Ljava/util/Collections$SingletonSet;)Ljava/lang/Object;
class java/util/Collections$1 java/lang/Object
java/util/Collections$1 i
java/util/Collections$1 val$c
java/util/Collections$1 <init>(Ljava/util/Collection;)V
java/util/Collections$1 hasMoreElements()Z
java/util/Collections$1 nextElement()Ljava/lang/Object;
class java/util/Timer$1 java/lang/Object
java/util/Timer$1 this$0
java/util/Timer$1 <init>(Ljava/util/Timer;)V
java/util/Timer$1 finalize()V
class
 java/util/TimerThread java/lang/Thread
java/util/TimerThread newTasksMayBeScheduled
java/util/TimerThread queue
java/util/TimerThread <init>(Ljava/util/TaskQueue;)V
java/util/TimerThread run()V
java/util/TimerThread mainLoop()V
class java/util/TimerTask java/lang/Object
java/util/TimerTask lock
java/util/TimerTask state
java/util/TimerTask VIRGIN
java/util/TimerTask SCHEDULED
java/util/TimerTask EXECUTED
java/util/TimerTask CANCELLED
java/util/TimerTask nextExecutionTime
java/util/TimerTask period
java/util/TimerTask <init>()V
java/util/TimerTask run()V
java/util/TimerTask cancel()Z
java/util/TimerTask scheduledExecutionTime()J
class java/util/TaskQueue java/lang/Object

```

```

java/util/TaskQueue queue
java/util/TaskQueue size
java/util/TaskQueue $assertionsDisabled
java/util/TaskQueue <init>()V
java/util/TaskQueue size()I
java/util/TaskQueue add(Ljava/util/TimerTask;)V
java/util/TaskQueue getMin(Ljava/util/TimerTask;
java/util/TaskQueue get(I)Ljava/util/TimerTask;
java/util/TaskQueue
 removeMin()V
java/util/TaskQueue quickRemove(I)V
java/util/TaskQueue rescheduleMin(J)V
java/util/TaskQueue isEmpty()Z
java/util/TaskQueue clear()V
java/util/TaskQueue fixUp(I)V
java/util/TaskQueue fixDown(I)V
java/util/TaskQueue heapify()V
java/util/TaskQueue <clinit>()V
class java/util/Timer java/lang/Object
java/util/Timer queue
java/util/Timer thread
java/util/Timer threadReaper
java/util/Timer nextSerialNumber
java/util/Timer serialNumber()I
java/util/Timer <init>()V
java/util/Timer <init>(Z)V
java/util/Timer <init>(Ljava/lang/String;)V
java/util/Timer <init>(Ljava/lang/String;Z)V
java/util/Timer schedule(Ljava/util/TimerTask;J)V
java/util/Timer schedule(Ljava/util/TimerTask;Ljava/util/Date;)V
java/util/Timer schedule(Ljava/util/TimerTask;JJ)V
java/util/Timer schedule(Ljava/util/TimerTask;Ljava/util/Date;J)V
java/util/Timer scheduleAtFixedRate(Ljava/util/TimerTask;JJ)V
java/util/Timer scheduleAtFixedRate(Ljava/util/TimerTask;Ljava/util/Date;J)V
java/util/Timer sched(Ljava/util/TimerTask;JJ)V
java/util/Timer
 cancel()V
java/util/Timer purge()I
java/util/Timer access$000(Ljava/util/Timer;)Ljava/util/TaskQueue;
java/util/Timer access$100(Ljava/util/Timer;)Ljava/util/TimerThread;
java/util/Timer <clinit>()V
class java/beans/PropertyDescriptor java/beans/FeatureDescriptor
java/beans/PropertyDescriptor propertyTypeRef
java/beans/PropertyDescriptor readMethodRef
java/beans/PropertyDescriptor writeMethodRef
java/beans/PropertyDescriptor propertyEditorClassRef
java/beans/PropertyDescriptor bound
java/beans/PropertyDescriptor constrained

```

```

java/beans/PropertyDescriptor baseName
java/beans/PropertyDescriptor writeMethodName
java/beans/PropertyDescriptor readMethodName
java/beans/PropertyDescriptor <init>(Ljava/lang/String;Ljava/lang/Class;)V
java/beans/PropertyDescriptor <init>(Ljava/lang/String;Ljava/lang/Class;Ljava/lang/String;Ljava/lang/String;)V
java/beans/PropertyDescriptor <init>(Ljava/lang/String;Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;)V
java/beans/PropertyDescriptor
 getPropertyType()Ljava/lang/Class;
java/beans/PropertyDescriptor setPropertyType(Ljava/lang/Class;)V
java/beans/PropertyDescriptor getPropertyType0(Ljava/lang/Class;
java/beans/PropertyDescriptor getReadMethod()Ljava/lang/reflect/Method;
java/beans/PropertyDescriptor setReadMethod(Ljava/lang/reflect/Method;)V
java/beans/PropertyDescriptor getWriteMethod()Ljava/lang/reflect/Method;
java/beans/PropertyDescriptor setWriteMethod(Ljava/lang/reflect/Method;)V
java/beans/PropertyDescriptor getReadMethod0(Ljava/lang/reflect/Method;
java/beans/PropertyDescriptor getWriteMethod0(Ljava/lang/reflect/Method;
java/beans/PropertyDescriptor setClass0(Ljava/lang/Class;)V
java/beans/PropertyDescriptor isBound()Z
java/beans/PropertyDescriptor setBound(Z)V
java/beans/PropertyDescriptor isConstrained()Z
java/beans/PropertyDescriptor setConstrained(Z)V
java/beans/PropertyDescriptor setPropertyEditorClass(Ljava/lang/Class;)V
java/beans/PropertyDescriptor getPropertyEditorClass(Ljava/lang/Class;
java/beans/PropertyDescriptor
 createPropertyEditor(Ljava/lang/Object;)Ljava/beans/PropertyEditor;
java/beans/PropertyDescriptor equals(Ljava/lang/Object;)Z
java/beans/PropertyDescriptor compareMethods(Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;)Z
java/beans/PropertyDescriptor <init>(Ljava/beans/PropertyDescriptor;Ljava/beans/PropertyDescriptor;)V
java/beans/PropertyDescriptor <init>(Ljava/beans/PropertyDescriptor;)V
java/beans/PropertyDescriptor
 findPropertyType(Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;)Ljava/lang/Class;
java/beans/PropertyDescriptor hashCode()I
java/beans/PropertyDescriptor getBaseName()Ljava/lang/String;
class java/beans/FeatureDescriptor java/lang/Object
java/beans/FeatureDescriptor classRef
java/beans/FeatureDescriptor expert
java/beans/FeatureDescriptor hidden
java/beans/FeatureDescriptor preferred
java/beans/FeatureDescriptor shortDescription
java/beans/FeatureDescriptor name
java/beans/FeatureDescriptor displayName
java/beans/FeatureDescriptor
 table
java/beans/FeatureDescriptor <init>()V
java/beans/FeatureDescriptor getName()Ljava/lang/String;
java/beans/FeatureDescriptor setName(Ljava/lang/String;)V
java/beans/FeatureDescriptor getDisplayName()Ljava/lang/String;
java/beans/FeatureDescriptor setDisplayName(Ljava/lang/String;)V

```



```

java/beans/FeatureDescriptor isExpert()Z
java/beans/FeatureDescriptor setExpert(Z)V
java/beans/FeatureDescriptor isHidden()Z
java/beans/FeatureDescriptor setHidden(Z)V
java/beans/FeatureDescriptor isPreferred()Z
java/beans/FeatureDescriptor setPreferred(Z)V
java/beans/FeatureDescriptor getShortDescription()Ljava/lang/String;
java/beans/FeatureDescriptor setShortDescription(Ljava/lang/String;)V
java/beans/FeatureDescriptor setValue(Ljava/lang/String;Ljava/lang/Object;)V
java/beans/FeatureDescriptor getValue(Ljava/lang/String;)Ljava/lang/Object;
java/beans/FeatureDescriptor attributeNames()Ljava/util/Enumeration;
java/beans/FeatureDescriptor <init>(Ljava/beans/FeatureDescriptor;Ljava/beans/FeatureDescriptor;)V
java/beans/FeatureDescriptor
 <init>(Ljava/beans/FeatureDescriptor;)V
java/beans/FeatureDescriptor addTable(Ljava/util/Hashtable;)V
java/beans/FeatureDescriptor setClass0(Ljava/lang/Class;)V
java/beans/FeatureDescriptor getClass0()Ljava/lang/Class;
java/beans/FeatureDescriptor createReference(Ljava/lang/Object;Z)Ljava/lang/ref/Reference;
java/beans/FeatureDescriptor createReference(Ljava/lang/Object;)Ljava/lang/ref/Reference;
java/beans/FeatureDescriptor getObject(Ljava/lang/ref/Reference;)Ljava/lang/Object;
java/beans/FeatureDescriptor capitalize(Ljava/lang/String;)Ljava/lang/String;
class java/beans/IntrospectionException java/lang/Exception
java/beans/IntrospectionException <init>(Ljava/lang/String;)V
class java/io/InvalidObjectException java/io/ObjectStreamException
java/io/InvalidObjectException <init>(Ljava/lang/String;)V
class java/lang/SecurityManager java/lang/Object
java/lang/SecurityManager inCheck
java/lang/SecurityManager initialized
java/lang/SecurityManager
 rootGroup
java/lang/SecurityManager packageAccessValid
java/lang/SecurityManager packageAccess
java/lang/SecurityManager packageAccessLock
java/lang/SecurityManager packageDefinitionValid
java/lang/SecurityManager packageDefinition
java/lang/SecurityManager packageDefinitionLock
java/lang/SecurityManager hasAllPermission()Z
java/lang/SecurityManager getInCheck()Z
java/lang/SecurityManager <init>()V
java/lang/SecurityManager getClassContext()[Ljava/lang/Class;
java/lang/SecurityManager currentClassLoader()Ljava/lang/ClassLoader;
java/lang/SecurityManager currentClassLoader0()Ljava/lang/ClassLoader;
java/lang/SecurityManager currentLoadedClass()Ljava/lang/Class;
java/lang/SecurityManager classDepth(Ljava/lang/String;)I
java/lang/SecurityManager classLoaderDepth()I
java/lang/SecurityManager classLoaderDepth0()I
java/lang/SecurityManager inClass(Ljava/lang/String;)Z
java/lang/SecurityManager inClassLoader()Z

```

```

java/lang/SecurityManager getSecurityContext()Ljava/lang/Object;
java/lang/SecurityManager
 checkPermission(Ljava/security/Permission;)V
java/lang/SecurityManager checkPermission(Ljava/security/Permission;Ljava/lang/Object;)V
java/lang/SecurityManager checkCreateClassLoader()V
java/lang/SecurityManager getRootGroup()Ljava/lang/ThreadGroup;
java/lang/SecurityManager checkAccess(Ljava/lang/Thread;)V
java/lang/SecurityManager checkAccess(Ljava/lang/ThreadGroup;)V
java/lang/SecurityManager checkExit(I)V
java/lang/SecurityManager checkExec(Ljava/lang/String;)V
java/lang/SecurityManager checkLink(Ljava/lang/String;)V
java/lang/SecurityManager checkRead(Ljava/io/FileDescriptor;)V
java/lang/SecurityManager checkRead(Ljava/lang/String;)V
java/lang/SecurityManager checkRead(Ljava/lang/String;Ljava/lang/Object;)V
java/lang/SecurityManager checkWrite(Ljava/io/FileDescriptor;)V
java/lang/SecurityManager checkWrite(Ljava/lang/String;)V
java/lang/SecurityManager checkDelete(Ljava/lang/String;)V
java/lang/SecurityManager checkConnect(Ljava/lang/String;I)V
java/lang/SecurityManager
 checkConnect(Ljava/lang/String;ILjava/lang/Object;)V
java/lang/SecurityManager checkListen(I)V
java/lang/SecurityManager checkAccept(Ljava/lang/String;I)V
java/lang/SecurityManager checkMulticast(Ljava/net/InetAddress;)V
java/lang/SecurityManager checkMulticast(Ljava/net/InetAddress;B)V
java/lang/SecurityManager checkPropertiesAccess()V
java/lang/SecurityManager checkPropertyAccess(Ljava/lang/String;)V
java/lang/SecurityManager checkTopLevelWindow(Ljava/lang/Object;)Z
java/lang/SecurityManager checkPrintJobAccess()V
java/lang/SecurityManager checkSystemClipboardAccess()V
java/lang/SecurityManager checkAwtEventQueueAccess()V
java/lang/SecurityManager getPackages(Ljava/lang/String;)[Ljava/lang/String;
java/lang/SecurityManager checkPackageAccess(Ljava/lang/String;)V
java/lang/SecurityManager checkPackageDefinition(Ljava/lang/String;)V
java/lang/SecurityManager checkSetFactory()V
java/lang/SecurityManager checkMemberAccess(Ljava/lang/Class;I)V
java/lang/SecurityManager checkSecurityAccess(Ljava/lang/String;)V
java/lang/SecurityManager
 currentLoadedClass0()Ljava/lang/Class;
java/lang/SecurityManager getThreadGroup()Ljava/lang/ThreadGroup;
java/lang/SecurityManager <clinit>()V
class java/lang/UnsupportedOperationException java/lang/RuntimeException
java/lang/UnsupportedOperationException serialVersionUID
java/lang/UnsupportedOperationException <init>()V
java/lang/UnsupportedOperationException <init>(Ljava/lang/String;)V
java/lang/UnsupportedOperationException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/UnsupportedOperationException <init>(Ljava/lang/Throwable;)V
class java/security/AllPermissionCollection java/security/PermissionCollection
java/security/AllPermissionCollection serialVersionUID

```

```

java/security/AllPermissionCollection all_allowed
java/security/AllPermissionCollection <init>()V
java/security/AllPermissionCollection add(Ljava/security/Permission;)V
java/security/AllPermissionCollection implies(Ljava/security/Permission;)Z
java/security/AllPermissionCollection
elements()Ljava/util/Enumeration;
java/security/AllPermissionCollection access$000(Ljava/security/AllPermissionCollection;)Z
class java/net/URISyntaxException java/lang/Exception
java/net/URISyntaxException input
java/net/URISyntaxException index
java/net/URISyntaxException <init>(Ljava/lang/String;Ljava/lang/String;I)V
java/net/URISyntaxException <init>(Ljava/lang/String;Ljava/lang/String;)V
java/net/URISyntaxException getInput()Ljava/lang/String;
java/net/URISyntaxException getReason()Ljava/lang/String;
java/net/URISyntaxException getIndex()I
java/net/URISyntaxException getMessage()Ljava/lang/String;
class java/io/FileFilter java/lang/Object
java/io/FileFilter accept(Ljava/io/File;)Z
class java/util/NoSuchElementException java/lang/RuntimeException
java/util/NoSuchElementException <init>()V
java/util/NoSuchElementException <init>(Ljava/lang/String;)V
class java/awt/geom/LineIterator java/lang/Object
java/awt/geom/LineIterator line
java/awt/geom/LineIterator affine
java/awt/geom/LineIterator
index
java/awt/geom/LineIterator <init>(Ljava/awt/geom/Line2D;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/LineIterator getWindingRule()I
java/awt/geom/LineIterator isDone()Z
java/awt/geom/LineIterator next()V
java/awt/geom/LineIterator currentSegment([F)I
java/awt/geom/LineIterator currentSegment([D)I
class java/awt/geom/PathIterator java/lang/Object
java/awt/geom/PathIterator WIND_EVEN_ODD
java/awt/geom/PathIterator WIND_NON_ZERO
java/awt/geom/PathIterator SEG_MOVETO
java/awt/geom/PathIterator SEG_LINETO
java/awt/geom/PathIterator SEG_QUADTO
java/awt/geom/PathIterator SEG_CUBICTO
java/awt/geom/PathIterator SEG_CLOSE
java/awt/geom/PathIterator getWindingRule()I
java/awt/geom/PathIterator isDone()Z
java/awt/geom/PathIterator next()V
java/awt/geom/PathIterator currentSegment([F)I
java/awt/geom/PathIterator currentSegment([D)I
class java/awt/geom/Line2D$Float java/awt/geom/Line2D
java/awt/geom/Line2D$Float x1
java/awt/geom/Line2D$Float y1

```

```

java/awt/geom/Line2D$Float
 x2
java/awt/geom/Line2D$Float y2
java/awt/geom/Line2D$Float <init>()V
java/awt/geom/Line2D$Float <init>(FFFF)V
java/awt/geom/Line2D$Float <init>(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V
java/awt/geom/Line2D$Float getX1()D
java/awt/geom/Line2D$Float getY1()D
java/awt/geom/Line2D$Float getP1()Ljava/awt/geom/Point2D;
java/awt/geom/Line2D$Float getX2()D
java/awt/geom/Line2D$Float getY2()D
java/awt/geom/Line2D$Float getP2()Ljava/awt/geom/Point2D;
java/awt/geom/Line2D$Float setLine(DDDD)V
java/awt/geom/Line2D$Float setLine(FFFF)V
java/awt/geom/Line2D$Float getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/Line2D java/lang/Object
java/awt/geom/Line2D <init>()V
java/awt/geom/Line2D getX1()D
java/awt/geom/Line2D getY1()D
java/awt/geom/Line2D getP1()Ljava/awt/geom/Point2D;
java/awt/geom/Line2D getX2()D
java/awt/geom/Line2D getY2()D
java/awt/geom/Line2D getP2()Ljava/awt/geom/Point2D;
java/awt/geom/Line2D setLine(DDDD)V
java/awt/geom/Line2D setLine(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V
java/awt/geom/Line2D
 setLine(Ljava/awt/geom/Line2D;)V
java/awt/geom/Line2D relativeCCW(DDDDDD)I
java/awt/geom/Line2D relativeCCW(DD)I
java/awt/geom/Line2D relativeCCW(Ljava/awt/geom/Point2D;)I
java/awt/geom/Line2D linesIntersect(DDDDDDDD)Z
java/awt/geom/Line2D intersectsLine(DDDD)Z
java/awt/geom/Line2D intersectsLine(Ljava/awt/geom/Line2D;)Z
java/awt/geom/Line2D ptSegDistSq(DDDDDD)D
java/awt/geom/Line2D ptSegDist(DDDDDD)D
java/awt/geom/Line2D ptSegDistSq(DD)D
java/awt/geom/Line2D ptSegDistSq(Ljava/awt/geom/Point2D;)D
java/awt/geom/Line2D ptSegDist(DD)D
java/awt/geom/Line2D ptSegDist(Ljava/awt/geom/Point2D;)D
java/awt/geom/Line2D ptLineDistSq(DDDDDD)D
java/awt/geom/Line2D ptLineDist(DDDDDD)D
java/awt/geom/Line2D ptLineDistSq(DD)D
java/awt/geom/Line2D ptLineDistSq(Ljava/awt/geom/Point2D;)D
java/awt/geom/Line2D ptLineDist(DD)D
java/awt/geom/Line2D ptLineDist(Ljava/awt/geom/Point2D;)D
java/awt/geom/Line2D contains(DD)Z
java/awt/geom/Line2D contains(Ljava/awt/geom/Point2D;)Z
java/awt/geom/Line2D

```

```

intersects(DDDD)Z
java/awt/geom/Line2D intersects(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/Line2D contains(DDDD)Z
java/awt/geom/Line2D contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/Line2D getBounds()Ljava/awt/Rectangle;
java/awt/geom/Line2D getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
java/awt/geom/Line2D getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
java/awt/geom/Line2D clone()Ljava/lang/Object;
class java/awt/EventQueue$1AWTInvocationLock java/lang/Object
java/awt/EventQueue$1AWTInvocationLock <init>()V
class java/net/PlainDatagramSocketImpl java/net/DatagramSocketImpl
java/net/PlainDatagramSocketImpl timeout
java/net/PlainDatagramSocketImpl trafficClass
java/net/PlainDatagramSocketImpl connected
java/net/PlainDatagramSocketImpl connectedAddress
java/net/PlainDatagramSocketImpl connectedPort
java/net/PlainDatagramSocketImpl multicastInterface
java/net/PlainDatagramSocketImpl
 loopbackMode
java/net/PlainDatagramSocketImpl ttl
java/net/PlainDatagramSocketImpl fd1
java/net/PlainDatagramSocketImpl fduse
java/net/PlainDatagramSocketImpl lastfd
java/net/PlainDatagramSocketImpl anyLocalBoundAddr
java/net/PlainDatagramSocketImpl <init>()V
java/net/PlainDatagramSocketImpl create()V
java/net/PlainDatagramSocketImpl bind(ILjava/net/InetAddress;)V
java/net/PlainDatagramSocketImpl bind0(ILjava/net/InetAddress;)V
java/net/PlainDatagramSocketImpl send(Ljava/net/DatagramPacket;)V
java/net/PlainDatagramSocketImpl connect(Ljava/net/InetAddress;)I)V
java/net/PlainDatagramSocketImpl disconnect()V
java/net/PlainDatagramSocketImpl peek(Ljava/net/InetAddress;)I
java/net/PlainDatagramSocketImpl peekData(Ljava/net/DatagramPacket;)I
java/net/PlainDatagramSocketImpl receive(Ljava/net/DatagramPacket;)V
java/net/PlainDatagramSocketImpl receive0(Ljava/net/DatagramPacket;)V
java/net/PlainDatagramSocketImpl setTimeToLive(I)V
java/net/PlainDatagramSocketImpl getTimeToLive()I
java/net/PlainDatagramSocketImpl
 setTTL(B)V
java/net/PlainDatagramSocketImpl getTTL()B
java/net/PlainDatagramSocketImpl join(Ljava/net/InetAddress;)V
java/net/PlainDatagramSocketImpl leave(Ljava/net/InetAddress;)V
java/net/PlainDatagramSocketImpl joinGroup(Ljava/net/SocketAddress;Ljava/net/NetworkInterface;)V
java/net/PlainDatagramSocketImpl join(Ljava/net/InetAddress;Ljava/net/NetworkInterface;)V
java/net/PlainDatagramSocketImpl leaveGroup(Ljava/net/SocketAddress;Ljava/net/NetworkInterface;)V
java/net/PlainDatagramSocketImpl leave(Ljava/net/InetAddress;Ljava/net/NetworkInterface;)V
java/net/PlainDatagramSocketImpl close()V
java/net/PlainDatagramSocketImpl finalize()V

```

```

java/net/PlainDatagramSocketImpl setOption(ILjava/lang/Object;)V
java/net/PlainDatagramSocketImpl getOption(I)Ljava/lang/Object;
java/net/PlainDatagramSocketImpl datagramSocketCreate()V
java/net/PlainDatagramSocketImpl datagramSocketClose()V
java/net/PlainDatagramSocketImpl socketSetOption(ILjava/lang/Object;)V
java/net/PlainDatagramSocketImpl
 socketGetOption(I)Ljava/lang/Object;
java/net/PlainDatagramSocketImpl connect0(Ljava/net/InetAddress;I)V
java/net/PlainDatagramSocketImpl disconnect0(I)V
java/net/PlainDatagramSocketImpl init()V
java/net/PlainDatagramSocketImpl <clinit>()V
class java/net/DatagramSocketImpl java/lang/Object
java/net/DatagramSocketImpl localPort
java/net/DatagramSocketImpl fd
java/net/DatagramSocketImpl <init>()V
java/net/DatagramSocketImpl create()V
java/net/DatagramSocketImpl bind(ILjava/net/InetAddress;)V
java/net/DatagramSocketImpl send(Ljava/net/DatagramPacket;)V
java/net/DatagramSocketImpl connect(Ljava/net/InetAddress;I)V
java/net/DatagramSocketImpl disconnect()V
java/net/DatagramSocketImpl peek(Ljava/net/InetAddress;)I
java/net/DatagramSocketImpl peekData(Ljava/net/DatagramPacket;)I
java/net/DatagramSocketImpl receive(Ljava/net/DatagramPacket;)V
java/net/DatagramSocketImpl setTTL(B)V
java/net/DatagramSocketImpl getTTL()B
java/net/DatagramSocketImpl setTimeToLive(I)V
java/net/DatagramSocketImpl
 getTimeToLive()I
java/net/DatagramSocketImpl join(Ljava/net/InetAddress;)V
java/net/DatagramSocketImpl leave(Ljava/net/InetAddress;)V
java/net/DatagramSocketImpl joinGroup(Ljava/net/SocketAddress;Ljava/net/NetworkInterface;)V
java/net/DatagramSocketImpl leaveGroup(Ljava/net/SocketAddress;Ljava/net/NetworkInterface;)V
java/net/DatagramSocketImpl close()V
java/net/DatagramSocketImpl getLocalPort()I
java/net/DatagramSocketImpl getFileDescriptor()Ljava/io/FileDescriptor;
class java/math/SignedMutableBigInteger java/math/MutableBigInteger
java/math/SignedMutableBigInteger sign
java/math/SignedMutableBigInteger <init>()V
java/math/SignedMutableBigInteger <init>(I)V
java/math/SignedMutableBigInteger <init>(Ljava/math/MutableBigInteger;)V
java/math/SignedMutableBigInteger signedAdd(Ljava/math/SignedMutableBigInteger;)V
java/math/SignedMutableBigInteger signedAdd(Ljava/math/MutableBigInteger;)V
java/math/SignedMutableBigInteger signedSubtract(Ljava/math/SignedMutableBigInteger;)V
java/math/SignedMutableBigInteger
 signedSubtract(Ljava/math/MutableBigInteger;)V
java/math/SignedMutableBigInteger toString()Ljava/lang/String;
class java/math/MutableBigInteger java/lang/Object
java/math/MutableBigInteger value

```

```

java/math/MutableBigInteger intLen
java/math/MutableBigInteger offset
java/math/MutableBigInteger LONG_MASK
java/math/MutableBigInteger <init>()V
java/math/MutableBigInteger <init>(I)V
java/math/MutableBigInteger <init>([II)V
java/math/MutableBigInteger <init>([I)V
java/math/MutableBigInteger <init>(Ljava/math/BigInteger;)V
java/math/MutableBigInteger <init>(Ljava/math/MutableBigInteger;)V
java/math/MutableBigInteger clear()V
java/math/MutableBigInteger reset()V
java/math/MutableBigInteger compare(Ljava/math/MutableBigInteger;)I
java/math/MutableBigInteger getLowestSetBit()I
java/math/MutableBigInteger getInt()I
java/math/MutableBigInteger getLong()J
java/math/MutableBigInteger normalize()V
java/math/MutableBigInteger ensureCapacity(I)V
java/math/MutableBigInteger toIntArray()[I
java/math/MutableBigInteger
 setInt(II)V
java/math/MutableBigInteger setValue([II)V
java/math/MutableBigInteger copyValue(Ljava/math/MutableBigInteger;)V
java/math/MutableBigInteger copyValue([I)V
java/math/MutableBigInteger isOne()Z
java/math/MutableBigInteger isZero()Z
java/math/MutableBigInteger isEven()Z
java/math/MutableBigInteger isOdd()Z
java/math/MutableBigInteger isNormal()Z
java/math/MutableBigInteger toString()Ljava/lang/String;
java/math/MutableBigInteger rightShift(I)V
java/math/MutableBigInteger leftShift(I)V
java/math/MutableBigInteger divadd([I[II)I
java/math/MutableBigInteger mulsub([I[III)I
java/math/MutableBigInteger primitiveRightShift(I)V
java/math/MutableBigInteger primitiveLeftShift(I)V
java/math/MutableBigInteger add(Ljava/math/MutableBigInteger;)V
java/math/MutableBigInteger subtract(Ljava/math/MutableBigInteger;)I
java/math/MutableBigInteger difference(Ljava/math/MutableBigInteger;)I
java/math/MutableBigInteger multiply(Ljava/math/MutableBigInteger;Ljava/math/MutableBigInteger;)V
java/math/MutableBigInteger
 mul(ILjava/math/MutableBigInteger;)V
java/math/MutableBigInteger divideOneWord(ILjava/math/MutableBigInteger;)V
java/math/MutableBigInteger
 divide(Ljava/math/MutableBigInteger;Ljava/math/MutableBigInteger;Ljava/math/MutableBigInteger;)V
java/math/MutableBigInteger unsignedLongCompare(JJ)Z
java/math/MutableBigInteger divWord([IJI)V
java/math/MutableBigInteger hybridGCD(Ljava/math/MutableBigInteger;)Ljava/math/MutableBigInteger;
java/math/MutableBigInteger binaryGCD(Ljava/math/MutableBigInteger;)Ljava/math/MutableBigInteger;

```

```

java/math/MutableBigInteger binaryGcd(II)I
java/math/MutableBigInteger mutableModInverse(Ljava/math/MutableBigInteger;)Ljava/math/MutableBigInteger;
java/math/MutableBigInteger modInverseMP2(I)Ljava/math/MutableBigInteger;
java/math/MutableBigInteger inverseMod32(I)I
java/math/MutableBigInteger modInverseBP2(Ljava/math/MutableBigInteger;I)Ljava/math/MutableBigInteger;
java/math/MutableBigInteger modInverse(Ljava/math/MutableBigInteger;)Ljava/math/MutableBigInteger;
java/math/MutableBigInteger
 fixup(Ljava/math/MutableBigInteger;Ljava/math/MutableBigInteger;I)Ljava/math/MutableBigInteger;
java/math/MutableBigInteger euclidModInverse(I)Ljava/math/MutableBigInteger;
class java/security/spec/DSAParameterSpec java/lang/Object
java/security/spec/DSAParameterSpec p
java/security/spec/DSAParameterSpec q
java/security/spec/DSAParameterSpec g
java/security/spec/DSAParameterSpec
 <init>(Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/DSAParameterSpec getP()Ljava/math/BigInteger;
java/security/spec/DSAParameterSpec getQ()Ljava/math/BigInteger;
java/security/spec/DSAParameterSpec getG()Ljava/math/BigInteger;
class java/security/spec/AlgorithmParameterSpec java/lang/Object
class java/security/interfaces/DSPrivateKey java/lang/Object
java/security/interfaces/DSPrivateKey serialVersionUID
java/security/interfaces/DSPrivateKey getX()Ljava/math/BigInteger;
class
 java/security/PrivateKey java/lang/Object
java/security/PrivateKey serialVersionUID
class java/security/Signature$Delegate java/security/Signature
java/security/Signature$Delegate sigSpi
java/security/Signature$Delegate lock
java/security/Signature$Delegate firstService
java/security/Signature$Delegate serviceIterator
java/security/Signature$Delegate warnCount
java/security/Signature$Delegate I_PUB
java/security/Signature$Delegate I_PRIV
java/security/Signature$Delegate I_PRIV_SR
java/security/Signature$Delegate <init>(Ljava/security/SignatureSpi;Ljava/lang/String;)V
java/security/Signature$Delegate <init>(Ljava/security/Provider$Service;Ljava/util/Iterator;Ljava/lang/String;)V
java/security/Signature$Delegate clone()Ljava/lang/Object;
java/security/Signature$Delegate newInstance(Ljava/security/Provider$Service;)Ljava/security/SignatureSpi;
java/security/Signature$Delegate chooseFirstProvider()V
java/security/Signature$Delegate chooseProvider(ILjava/security/Key;Ljava/security/SecureRandom;)V
java/security/Signature$Delegate
 init(Ljava/security/SignatureSpi;ILjava/security/Key;Ljava/security/SecureRandom;)V
java/security/Signature$Delegate engineInitVerify(Ljava/security/PublicKey;)V
java/security/Signature$Delegate engineInitSign(Ljava/security/PrivateKey;)V
java/security/Signature$Delegate engineInitSign(Ljava/security/PrivateKey;Ljava/security/SecureRandom;)V
java/security/Signature$Delegate engineUpdate(B)V
java/security/Signature$Delegate engineUpdate([BII)V
java/security/Signature$Delegate engineUpdate(Ljava/nio/ByteBuffer;)V

```



```

java/security/Signature$Delegate engineSign()[B
java/security/Signature$Delegate engineSign([BII)I
java/security/Signature$Delegate engineVerify([B)Z
java/security/Signature$Delegate engineVerify([BII)Z
java/security/Signature$Delegate engineSetParameter(Ljava/lang/String;Ljava/lang/Object;)V
java/security/Signature$Delegate engineSetParameter(Ljava/security/spec/AlgorithmParameterSpec;)V
java/security/Signature$Delegate engineGetParameter(Ljava/lang/String;)Ljava/lang/Object;
java/security/Signature$Delegate
 engineGetParameters(Ljava/security/AlgorithmParameters;
java/security/Signature$Delegate <clinit>()V
class java/io/ObjectInputStream$GetFieldImpl java/io/ObjectInputStream$GetField
java/io/ObjectInputStream$GetFieldImpl desc
java/io/ObjectInputStream$GetFieldImpl primVals
java/io/ObjectInputStream$GetFieldImpl objVals
java/io/ObjectInputStream$GetFieldImpl objHandles
java/io/ObjectInputStream$GetFieldImpl this$0
java/io/ObjectInputStream$GetFieldImpl <init>(Ljava/io/ObjectInputStream;Ljava/io/ObjectStreamClass;)V
java/io/ObjectInputStream$GetFieldImpl getObjectStreamClass()Ljava/io/ObjectStreamClass;
java/io/ObjectInputStream$GetFieldImpl defaulted(Ljava/lang/String;)Z
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;)Z
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;)B
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;)C
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;)S
java/io/ObjectInputStream$GetFieldImpl
 get(Ljava/lang/String;)I
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;)F
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;)J
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;)D
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;Ljava/lang/Object;)Ljava/lang/Object;
java/io/ObjectInputStream$GetFieldImpl readFields()V
java/io/ObjectInputStream$GetFieldImpl getFieldOffset(Ljava/lang/String;Ljava/lang/Class;)I
class java/io/ObjectInputStream$GetField java/lang/Object
java/io/ObjectInputStream$GetField <init>()V
java/io/ObjectInputStream$GetField getObjectStreamClass()Ljava/io/ObjectStreamClass;
java/io/ObjectInputStream$GetField defaulted(Ljava/lang/String;)Z
java/io/ObjectInputStream$GetField get(Ljava/lang/String;)Z
java/io/ObjectInputStream$GetField get(Ljava/lang/String;)B
java/io/ObjectInputStream$GetField get(Ljava/lang/String;)C
java/io/ObjectInputStream$GetField get(Ljava/lang/String;)S
java/io/ObjectInputStream$GetField
 get(Ljava/lang/String;)I
java/io/ObjectInputStream$GetField get(Ljava/lang/String;)J
java/io/ObjectInputStream$GetField get(Ljava/lang/String;)F
java/io/ObjectInputStream$GetField get(Ljava/lang/String;)D
java/io/ObjectInputStream$GetField get(Ljava/lang/String;Ljava/lang/Object;)Ljava/lang/Object;
class java/io/InvalidClassException java/io/ObjectStreamException
java/io/InvalidClassException classname
java/io/InvalidClassException <init>(Ljava/lang/String;)V

```

```

java/io/InvalidClassException <init>(Ljava/lang/String;Ljava/lang/String;)V
java/io/InvalidClassException getMessage()Ljava/lang/String;
class java/security/AlgorithmParametersSpi java/lang/Object
java/security/AlgorithmParametersSpi <init>()V
java/security/AlgorithmParametersSpi engineInit(Ljava/security/spec/AlgorithmParameterSpec;)V
java/security/AlgorithmParametersSpi engineInit([B)V
java/security/AlgorithmParametersSpi engineInit([BLjava/lang/String;)V
java/security/AlgorithmParametersSpi
 engineGetParameterSpec(Ljava/lang/Class;)Ljava/security/spec/AlgorithmParameterSpec;
java/security/AlgorithmParametersSpi engineGetEncoded()[B
java/security/AlgorithmParametersSpi engineGetEncoded(Ljava/lang/String;)[B
java/security/AlgorithmParametersSpi engineToString()Ljava/lang/String;
class java/security/AlgorithmParameters java/lang/Object
java/security/AlgorithmParameters provider
java/security/AlgorithmParameters paramSpi
java/security/AlgorithmParameters algorithm
java/security/AlgorithmParameters initialized
java/security/AlgorithmParameters
 <init>(Ljava/security/AlgorithmParametersSpi;Ljava/security/Provider;Ljava/lang/String;)V
java/security/AlgorithmParameters getAlgorithm()Ljava/lang/String;
java/security/AlgorithmParameters getInstance(Ljava/lang/String;)Ljava/security/AlgorithmParameters;
java/security/AlgorithmParameters
 getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/AlgorithmParameters;
java/security/AlgorithmParameters
 getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/AlgorithmParameters;
java/security/AlgorithmParameters
 getProvider()Ljava/security/Provider;
java/security/AlgorithmParameters init(Ljava/security/spec/AlgorithmParameterSpec;)V
java/security/AlgorithmParameters init([B)V
java/security/AlgorithmParameters init([BLjava/lang/String;)V
java/security/AlgorithmParameters
 getParameterSpec(Ljava/lang/Class;)Ljava/security/spec/AlgorithmParameterSpec;
java/security/AlgorithmParameters getEncoded()[B
java/security/AlgorithmParameters getEncoded(Ljava/lang/String;)[B
java/security/AlgorithmParameters toString()Ljava/lang/String;
class java/security/interfaces/DSAParams java/lang/Object
java/security/interfaces/DSAParams getP()Ljava/math/BigInteger;
java/security/interfaces/DSAParams getQ()Ljava/math/BigInteger;
java/security/interfaces/DSAParams getG()Ljava/math/BigInteger;
class java/math/BigInteger java/lang/Number
java/math/BigInteger signum
java/math/BigInteger mag
java/math/BigInteger bitCount
java/math/BigInteger
 bitLength
java/math/BigInteger lowestSetBit
java/math/BigInteger firstNonzeroByteNum
java/math/BigInteger firstNonzeroIntNum

```

```

java/math/BigInteger LONG_MASK
java/math/BigInteger bitsPerDigit
java/math/BigInteger SMALL_PRIME_THRESHOLD
java/math/BigInteger DEFAULT_PRIME_CERTAINTY
java/math/BigInteger SMALL_PRIME_PRODUCT
java/math/BigInteger MAX_CONSTANT
java/math/BigInteger posConst
java/math/BigInteger negConst
java/math/BigInteger ZERO
java/math/BigInteger ONE
java/math/BigInteger TWO
java/math/BigInteger TEN
java/math/BigInteger bnExpModThreshTable
java/math/BigInteger trailingZeroTable
java/math/BigInteger zeros
java/math/BigInteger digitsPerLong
java/math/BigInteger longRadix
java/math/BigInteger digitsPerInt
java/math/BigInteger intRadix
java/math/BigInteger serialVersionUID
java/math/BigInteger serialPersistentFields
java/math/BigInteger $assertionsDisabled
java/math/BigInteger <init>([B)V
java/math/BigInteger <init>([I)V
java/math/BigInteger <init>([B)V
java/math/BigInteger
 <init>([I)V
java/math/BigInteger <init>(Ljava/lang/String;I)V
java/math/BigInteger <init>([C)V
java/math/BigInteger parseInt([CII)I
java/math/BigInteger destructiveMulAdd([III)V
java/math/BigInteger <init>(Ljava/lang/String;)V
java/math/BigInteger <init>(ILjava/util/Random;)V
java/math/BigInteger randomBits(ILjava/util/Random;)[B
java/math/BigInteger <init>([IILjava/util/Random;)V
java/math/BigInteger probablePrime(ILjava/util/Random;)Ljava/math/BigInteger;
java/math/BigInteger smallPrime(ILjava/util/Random;)Ljava/math/BigInteger;
java/math/BigInteger largePrime(ILjava/util/Random;)Ljava/math/BigInteger;
java/math/BigInteger nextProbablePrime()Ljava/math/BigInteger;
java/math/BigInteger primeToCertainty(I)Z
java/math/BigInteger passesLucasLehmer()Z
java/math/BigInteger jacobiSymbol(ILjava/math/BigInteger;)I
java/math/BigInteger
lucasLehmerSequence(ILjava/math/BigInteger;Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger passesMillerRabin(I)Z
java/math/BigInteger
 <init>([II)V
java/math/BigInteger <init>([BI)V

```

```

java/math/BigInteger <init>(Ljava/math/MutableBigInteger;I)V
java/math/BigInteger valueOf(J)Ljava/math/BigInteger;
java/math/BigInteger <init>(J)V
java/math/BigInteger valueOf([I)Ljava/math/BigInteger;
java/math/BigInteger add(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger add([I][I]I
java/math/BigInteger subtract(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger subtract([I][I]I
java/math/BigInteger multiply(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger multiplyToLen([I][I][I]I
java/math/BigInteger square()Ljava/math/BigInteger;
java/math/BigInteger squareToLen([I][I]I
java/math/BigInteger divide(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger divideAndRemainder(Ljava/math/BigInteger;)[Ljava/math/BigInteger;
java/math/BigInteger remainder(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger pow(I)Ljava/math/BigInteger;
java/math/BigInteger
 gcd(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger leftShift([III]I
java/math/BigInteger primitiveRightShift([III)V
java/math/BigInteger primitiveLeftShift([III)V
java/math/BigInteger bitLength([II]I
java/math/BigInteger abs()Ljava/math/BigInteger;
java/math/BigInteger negate()Ljava/math/BigInteger;
java/math/BigInteger signum()I
java/math/BigInteger mod(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger modPow(Ljava/math/BigInteger;Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger oddModPow(Ljava/math/BigInteger;Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger montReduce([I][III]I
java/math/BigInteger intArrayCmpToLen([I][II]I
java/math/BigInteger subN([I][II]I
java/math/BigInteger mulAdd([I][III]I
java/math/BigInteger addOne([III]I
java/math/BigInteger modPow2(Ljava/math/BigInteger;I)Ljava/math/BigInteger;
java/math/BigInteger mod2(I)Ljava/math/BigInteger;
java/math/BigInteger modInverse(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger
 shiftLeft(I)Ljava/math/BigInteger;
java/math/BigInteger shiftRight(I)Ljava/math/BigInteger;
java/math/BigInteger javaIncrement([I]I
java/math/BigInteger and(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger or(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger xor(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger not(Ljava/math/BigInteger;
java/math/BigInteger andNot(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger testBit(I)Z
java/math/BigInteger setBit(I)Ljava/math/BigInteger;
java/math/BigInteger clearBit(I)Ljava/math/BigInteger;

```

```

java/math/BigInteger flipBit(I)Ljava/math/BigInteger;
java/math/BigInteger getLowestSetBit()I
java/math/BigInteger bitLength()I
java/math/BigInteger bitLen()I
java/math/BigInteger bitCount()I
java/math/BigInteger bitCnt()I
java/math/BigInteger trailingZeroCnt()I
java/math/BigInteger isProbablePrime(I)Z
java/math/BigInteger compareTo(Ljava/math/BigInteger;)I
java/math/BigInteger
 intArrayCmp([I]I)I
java/math/BigInteger equals(Ljava/lang/Object;)Z
java/math/BigInteger min(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger max(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger hashCode()I
java/math/BigInteger toString()Ljava/lang/String;
java/math/BigInteger toString()Ljava/lang/String;
java/math/BigInteger toByteArray()[B
java/math/BigInteger intValue()I
java/math/BigInteger longValue()J
java/math/BigInteger floatValue()F
java/math/BigInteger doubleValue()D
java/math/BigInteger stripLeadingZeroInts([I][I
java/math/BigInteger trustedStripLeadingZeroInts([I][I
java/math/BigInteger stripLeadingZeroBytes([B][I
java/math/BigInteger makePositive([B)[I
java/math/BigInteger makePositive([I][I
java/math/BigInteger intLength()I
java/math/BigInteger signBit()I
java/math/BigInteger signInt()I
java/math/BigInteger getInt()I
java/math/BigInteger firstNonzeroIntNum()I
java/math/BigInteger readObject(Ljava/io/ObjectInputStream;)V
java/math/BigInteger
 writeObject(Ljava/io/ObjectOutputStream;)V
java/math/BigInteger magSerializedForm()[B
java/math/BigInteger compareTo(Ljava/lang/Object;)I
java/math/BigInteger <clinit>()V
class java/io/ObjectStreamException java/io/IOException
java/io/ObjectStreamException <init>(Ljava/lang/String;)V
java/io/ObjectStreamException <init>()V
class java/security/interfaces/DSAPublicKey java/lang/Object
java/security/interfaces/DSAPublicKey serialVersionUID
java/security/interfaces/DSAPublicKey getY()Ljava/math/BigInteger;
class java/security/PublicKey java/lang/Object
java/security/PublicKey serialVersionUID
class java/security/Key java/lang/Object
java/security/Key serialVersionUID

```

```

java/security/Key getAlgorithm()Ljava/lang/String;
java/security/Key getFormat()Ljava/lang/String;
java/security/Key getEncoded()[B
class java/security/interfaces/DSAKey java/lang/Object
java/security/interfaces/DSAKey getParams()Ljava/security/interfaces/DSAParams;
class java/security/Signature
 java/security/SignatureSpi
java/security/Signature debug
java/security/Signature algorithm
java/security/Signature provider
java/security/Signature UNINITIALIZED
java/security/Signature SIGN
java/security/Signature VERIFY
java/security/Signature state
java/security/Signature RSA_SIGNATURE
java/security/Signature RSA_CIPHER
java/security/Signature rsaIds
java/security/Signature signatureInfo
java/security/Signature <init>(Ljava/lang/String;)V
java/security/Signature getInstance(Ljava/lang/String;)Ljava/security/Signature;
java/security/Signature
 getInstance(Lsun/security/jca/GetInstance$Instance;Ljava/lang/String;)Ljava/security/Signature;
java/security/Signature isSpi(Ljava/security/Provider$Service;)Z
java/security/Signature getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/Signature;
java/security/Signature getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/Signature;
java/security/Signature getInstanceRSA(Ljava/security/Provider;)Ljava/security/Signature;
java/security/Signature
 getProvider()Ljava/security/Provider;
java/security/Signature chooseFirstProvider()V
java/security/Signature initVerify(Ljava/security/PublicKey;)V
java/security/Signature initVerify(Ljava/security/cert/Certificate;)V
java/security/Signature initSign(Ljava/security/PrivateKey;)V
java/security/Signature initSign(Ljava/security/PrivateKey;Ljava/security/SecureRandom;)V
java/security/Signature sign()[B
java/security/Signature sign([BII)I
java/security/Signature verify([B)Z
java/security/Signature verify([BII)Z
java/security/Signature update(B)V
java/security/Signature update([B)V
java/security/Signature update([BII)V
java/security/Signature update(Ljava/nio/ByteBuffer;)V
java/security/Signature getAlgorithm()Ljava/lang/String;
java/security/Signature toString()Ljava/lang/String;
java/security/Signature setParameter(Ljava/lang/String;Ljava/lang/Object;)V
java/security/Signature setParameter(Ljava/security/spec/AlgorithmParameterSpec;)V
java/security/Signature
 getParameters()Ljava/security/AlgorithmParameters;
java/security/Signature getParameter(Ljava/lang/String;)Ljava/lang/Object;

```

```

java/security/Signature clone()Ljava/lang/Object;
java/security/Signature access$000(Ljava/security/Signature;)Ljava/lang/String;
java/security/Signature access$100()Lsun/security/util/Debug;
java/security/Signature access$200(Ljava/security/Provider$Service;)Z
java/security/Signature <clinit>()V
class java/security/SignatureSpi java/lang/Object
java/security/SignatureSpi appRandom
java/security/SignatureSpi <init>()V
java/security/SignatureSpi engineInitVerify(Ljava/security/PublicKey;)V
java/security/SignatureSpi engineInitSign(Ljava/security/PrivateKey;)V
java/security/SignatureSpi engineInitSign(Ljava/security/PrivateKey;Ljava/security/SecureRandom;)V
java/security/SignatureSpi engineUpdate(B)V
java/security/SignatureSpi engineUpdate([BII)V
java/security/SignatureSpi engineUpdate(Ljava/nio/ByteBuffer;)V
java/security/SignatureSpi engineSign()[B
java/security/SignatureSpi
 engineSign([BII)I
java/security/SignatureSpi engineVerify([B)Z
java/security/SignatureSpi engineVerify([BII)Z
java/security/SignatureSpi engineSetParameter(Ljava/lang/String;Ljava/lang/Object;)V
java/security/SignatureSpi engineSetParameter(Ljava/security/spec/AlgorithmParameterSpec;)V
java/security/SignatureSpi engineGetParameters()Ljava/security/AlgorithmParameters;
java/security/SignatureSpi engineGetParameter(Ljava/lang/String;)Ljava/lang/Object;
java/security/SignatureSpi clone()Ljava/lang/Object;
class java/security/InvalidKeyException java/security/KeyException
java/security/InvalidKeyException serialVersionUID
java/security/InvalidKeyException <init>()V
java/security/InvalidKeyException <init>(Ljava/lang/String;)V
java/security/InvalidKeyException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/InvalidKeyException <init>(Ljava/lang/Throwable;)V
class java/security/KeyException java/security/GeneralSecurityException
java/security/KeyException
 serialVersionUID
java/security/KeyException <init>()V
java/security/KeyException <init>(Ljava/lang/String;)V
java/security/KeyException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/KeyException <init>(Ljava/lang/Throwable;)V
class java/security/SignatureException java/security/GeneralSecurityException
java/security/SignatureException serialVersionUID
java/security/SignatureException <init>()V
java/security/SignatureException <init>(Ljava/lang/String;)V
java/security/SignatureException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/SignatureException <init>(Ljava/lang/Throwable;)V
class java/io/ObjectOutputStream$ReplaceTable java/lang/Object
java/io/ObjectOutputStream$ReplaceTable htab
java/io/ObjectOutputStream$ReplaceTable reps
java/io/ObjectOutputStream$ReplaceTable <init>(IF)V
java/io/ObjectOutputStream$ReplaceTable assign(Ljava/lang/Object;Ljava/lang/Object;)V

```

```

java/io/ObjectOutputStream$ReplaceTable lookup(Ljava/lang/Object;)Ljava/lang/Object;
java/io/ObjectOutputStream$ReplaceTable
 clear()V
java/io/ObjectOutputStream$ReplaceTable size()I
java/io/ObjectOutputStream$ReplaceTable grow()V
class java/io/ObjectOutputStream$HandleTable java/lang/Object
java/io/ObjectOutputStream$HandleTable size
java/io/ObjectOutputStream$HandleTable threshold
java/io/ObjectOutputStream$HandleTable loadFactor
java/io/ObjectOutputStream$HandleTable spine
java/io/ObjectOutputStream$HandleTable next
java/io/ObjectOutputStream$HandleTable objs
java/io/ObjectOutputStream$HandleTable <init>(IF)V
java/io/ObjectOutputStream$HandleTable assign(Ljava/lang/Object;)I
java/io/ObjectOutputStream$HandleTable lookup(Ljava/lang/Object;)I
java/io/ObjectOutputStream$HandleTable clear()V
java/io/ObjectOutputStream$HandleTable size()I
java/io/ObjectOutputStream$HandleTable insert(Ljava/lang/Object;I)V
java/io/ObjectOutputStream$HandleTable growSpine()V
java/io/ObjectOutputStream$HandleTable growEntries()V
java/io/ObjectOutputStream$HandleTable hash(Ljava/lang/Object;)I
class
 java/io/ObjectOutputStream$BlockDataOutputStream java/io/OutputStream
java/io/ObjectOutputStream$BlockDataOutputStream MAX_BLOCK_SIZE
java/io/ObjectOutputStream$BlockDataOutputStream MAX_HEADER_SIZE
java/io/ObjectOutputStream$BlockDataOutputStream CHAR_BUF_SIZE
java/io/ObjectOutputStream$BlockDataOutputStream buf
java/io/ObjectOutputStream$BlockDataOutputStream hbuf
java/io/ObjectOutputStream$BlockDataOutputStream cbuf
java/io/ObjectOutputStream$BlockDataOutputStream blkmode
java/io/ObjectOutputStream$BlockDataOutputStream pos
java/io/ObjectOutputStream$BlockDataOutputStream out
java/io/ObjectOutputStream$BlockDataOutputStream dout
java/io/ObjectOutputStream$BlockDataOutputStream <init>(Ljava/io/OutputStream;)V
java/io/ObjectOutputStream$BlockDataOutputStream setBlockDataMode(Z)Z
java/io/ObjectOutputStream$BlockDataOutputStream getBlockDataMode()Z
java/io/ObjectOutputStream$BlockDataOutputStream write(I)V
java/io/ObjectOutputStream$BlockDataOutputStream write([B)V
java/io/ObjectOutputStream$BlockDataOutputStream
 write([BII)V
java/io/ObjectOutputStream$BlockDataOutputStream flush()V
java/io/ObjectOutputStream$BlockDataOutputStream close()V
java/io/ObjectOutputStream$BlockDataOutputStream write([BII)Z)V
java/io/ObjectOutputStream$BlockDataOutputStream drain()V
java/io/ObjectOutputStream$BlockDataOutputStream writeBlockHeader(I)V
java/io/ObjectOutputStream$BlockDataOutputStream writeBoolean(Z)V
java/io/ObjectOutputStream$BlockDataOutputStream writeByte(I)V
java/io/ObjectOutputStream$BlockDataOutputStream writeChar(I)V

```



```

java/io/ObjectOutputStream$BlockDataOutputStream writeShort(I)V
java/io/ObjectOutputStream$BlockDataOutputStream writeInt(I)V
java/io/ObjectOutputStream$BlockDataOutputStream writeFloat(F)V
java/io/ObjectOutputStream$BlockDataOutputStream writeLong(J)V
java/io/ObjectOutputStream$BlockDataOutputStream writeDouble(D)V
java/io/ObjectOutputStream$BlockDataOutputStream writeBytes(Ljava/lang/String;)V
java/io/ObjectOutputStream$BlockDataOutputStream
 writeChars(Ljava/lang/String;)V
java/io/ObjectOutputStream$BlockDataOutputStream writeUTF(Ljava/lang/String;)V
java/io/ObjectOutputStream$BlockDataOutputStream writeBooleans([ZII)V
java/io/ObjectOutputStream$BlockDataOutputStream writeChars([CII)V
java/io/ObjectOutputStream$BlockDataOutputStream writeShorts([SII)V
java/io/ObjectOutputStream$BlockDataOutputStream writeInts([III)V
java/io/ObjectOutputStream$BlockDataOutputStream writeFloats([FII)V
java/io/ObjectOutputStream$BlockDataOutputStream writeLongs([JII)V
java/io/ObjectOutputStream$BlockDataOutputStream writeDoubles([DII)V
java/io/ObjectOutputStream$BlockDataOutputStream getUTFLength(Ljava/lang/String;)J
java/io/ObjectOutputStream$BlockDataOutputStream writeUTF(Ljava/lang/String;)V
java/io/ObjectOutputStream$BlockDataOutputStream writeLongUTF(Ljava/lang/String;)V
java/io/ObjectOutputStream$BlockDataOutputStream writeLongUTF(Ljava/lang/String;J)V
java/io/ObjectOutputStream$BlockDataOutputStream writeUTFBody(Ljava/lang/String;)V
class
 java/io/ObjectOutputStream$1 java/lang/Object
java/io/ObjectOutputStream$1 val$subcl
java/io/ObjectOutputStream$1 <init>(Ljava/lang/Class;)V
java/io/ObjectOutputStream$1 run()Ljava/lang/Object;
class java/io/ObjectStreamClass$ClassDataSlot java/lang/Object
java/io/ObjectStreamClass$ClassDataSlot desc
java/io/ObjectStreamClass$ClassDataSlot hasData
java/io/ObjectStreamClass$ClassDataSlot <init>(Ljava/io/ObjectStreamClass;Z)V
class java/security/MessageDigest$Delegate java/security/MessageDigest
java/security/MessageDigest$Delegate digestSpi
java/security/MessageDigest$Delegate <init>(Ljava/security/MessageDigestSpi;Ljava/lang/String;)V
java/security/MessageDigest$Delegate clone()Ljava/lang/Object;
java/security/MessageDigest$Delegate engineGetDigestLength()I
java/security/MessageDigest$Delegate engineUpdate(B)V
java/security/MessageDigest$Delegate engineUpdate([BII)V
java/security/MessageDigest$Delegate engineUpdate(Ljava/nio/ByteBuffer;)V
java/security/MessageDigest$Delegate
 engineDigest()[B
java/security/MessageDigest$Delegate engineDigest([BII)I
java/security/MessageDigest$Delegate engineReset()V
class java/security/Provider$Service java/lang/Object
java/security/Provider$Service type
java/security/Provider$Service algorithm
java/security/Provider$Service className
java/security/Provider$Service provider
java/security/Provider$Service aliases

```

```

java/security/Provider$Service attributes
java/security/Provider$Service classRef
java/security/Provider$Service hasKeyAttributes
java/security/Provider$Service supportedFormats
java/security/Provider$Service supportedClasses
java/security/Provider$Service CLASSO
java/security/Provider$Service <init>(Ljava/security/Provider;)V
java/security/Provider$Service isValid()Z
java/security/Provider$Service addAlias(Ljava/lang/String;)V
java/security/Provider$Service addAttribute(Ljava/lang/String;Ljava/lang/String;)V
java/security/Provider$Service
<init>(Ljava/security/Provider;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/util/List;Ljava/util/Map;
)V
java/security/Provider$Service
getType()Ljava/lang/String;
java/security/Provider$Service getAlgorithm()Ljava/lang/String;
java/security/Provider$Service getProvider()Ljava/security/Provider;
java/security/Provider$Service getClassName()Ljava/lang/String;
java/security/Provider$Service getAliases()Ljava/util/List;
java/security/Provider$Service getAttribute(Ljava/lang/String;)Ljava/lang/String;
java/security/Provider$Service newInstance(Ljava/lang/Object;)Ljava/lang/Object;
java/security/Provider$Service getImplClass()Ljava/lang/Class;
java/security/Provider$Service newInstanceGeneric(Ljava/lang/Object;)Ljava/lang/Object;
java/security/Provider$Service supportsParameter(Ljava/lang/Object;)Z
java/security/Provider$Service hasKeyAttributes()Z
java/security/Provider$Service getKeyClass(Ljava/lang/String;)Ljava/lang/Class;
java/security/Provider$Service supportsKeyFormat(Ljava/security/Key;)Z
java/security/Provider$Service supportsKeyClass(Ljava/security/Key;)Z
java/security/Provider$Service
toString()Ljava/lang/String;
java/security/Provider$Service access$000(Ljava/security/Provider$Service;)Z
java/security/Provider$Service <init>(Ljava/security/Provider;Ljava/security/Provider$1;)V
java/security/Provider$Service access$302(Ljava/security/Provider$Service;Ljava/lang/String;)Ljava/lang/String;
java/security/Provider$Service access$402(Ljava/security/Provider$Service;Ljava/lang/String;)Ljava/lang/String;
java/security/Provider$Service access$500(Ljava/security/Provider$Service;Ljava/lang/String;)V
java/security/Provider$Service access$602(Ljava/security/Provider$Service;Ljava/lang/String;)Ljava/lang/String;
java/security/Provider$Service access$700(Ljava/security/Provider$Service;)Ljava/util/List;
java/security/Provider$Service access$800(Ljava/security/Provider$Service;)Ljava/util/Map;
java/security/Provider$Service <clinit>()V
class java/util/LinkedHashMap$EntryIterator java/util/LinkedHashMap$LinkedHashIterator
java/util/LinkedHashMap$EntryIterator
this$0
java/util/LinkedHashMap$EntryIterator <init>(Ljava/util/LinkedHashMap;)V
java/util/LinkedHashMap$EntryIterator next()Ljava/util/Map$Entry;
java/util/LinkedHashMap$EntryIterator next()Ljava/lang/Object;
java/util/LinkedHashMap$EntryIterator <init>(Ljava/util/LinkedHashMap;Ljava/util/LinkedHashMap$1;)V
class java/security/MessageDigest java/security/MessageDigestSpi
java/security/MessageDigest algorithm

```

```

java/security/MessageDigest INITIAL
java/security/MessageDigest IN_PROGRESS
java/security/MessageDigest state
java/security/MessageDigest provider
java/security/MessageDigest <init>(Ljava/lang/String;)V
java/security/MessageDigest getInstance(Ljava/lang/String;)Ljava/security/MessageDigest;
java/security/MessageDigest getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/MessageDigest;
java/security/MessageDigest getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/MessageDigest;
java/security/MessageDigest getProvider()Ljava/security/Provider;
java/security/MessageDigest
 update(B)V
java/security/MessageDigest update([BII)V
java/security/MessageDigest update([B)V
java/security/MessageDigest update(Ljava/nio/ByteBuffer;)V
java/security/MessageDigest digest()[B
java/security/MessageDigest digest([BII)I
java/security/MessageDigest digest([B)[B
java/security/MessageDigest toString()Ljava/lang/String;
java/security/MessageDigest isEqual([B[B)Z
java/security/MessageDigest reset()V
java/security/MessageDigest getAlgorithm()Ljava/lang/String;
java/security/MessageDigest getDigestLength()I
java/security/MessageDigest clone()Ljava/lang/Object;
java/security/MessageDigest access$000(Ljava/security/MessageDigest;)Ljava/lang/String;
java/security/MessageDigest
 access$102(Ljava/security/MessageDigest;Ljava/security/Provider;)Ljava/security/Provider;
java/security/MessageDigest access$100(Ljava/security/MessageDigest;)Ljava/security/Provider;
java/security/MessageDigest access$202(Ljava/security/MessageDigest;I)I
java/security/MessageDigest
 access$200(Ljava/security/MessageDigest;I)I
class java/security/MessageDigestSpi java/lang/Object
java/security/MessageDigestSpi <init>()V
java/security/MessageDigestSpi engineGetDigestLength()I
java/security/MessageDigestSpi engineUpdate(B)V
java/security/MessageDigestSpi engineUpdate([BII)V
java/security/MessageDigestSpi engineUpdate(Ljava/nio/ByteBuffer;)V
java/security/MessageDigestSpi engineDigest()[B
java/security/MessageDigestSpi engineDigest([BII)I
java/security/MessageDigestSpi engineReset()V
java/security/MessageDigestSpi clone()Ljava/lang/Object;
class java/io/ObjectStreamClass$5 java/lang/Object
java/io/ObjectStreamClass$5 <init>()V
java/io/ObjectStreamClass$5 compare(Ljava/lang/Object;Ljava/lang/Object;)I
class java/io/ObjectStreamClass$4 java/lang/Object
java/io/ObjectStreamClass$4 <init>()V
java/io/ObjectStreamClass$4 compare(Ljava/lang/Object;Ljava/lang/Object;)I
class java/io/ObjectStreamClass$3 java/lang/Object
java/io/ObjectStreamClass$3 <init>()V

```

```

java/io/ObjectStreamClass$3
 compare(Ljava/lang/Object;Ljava/lang/Object;)I
class java/io/ObjectStreamClass$MemberSignature java/lang/Object
java/io/ObjectStreamClass$MemberSignature member
java/io/ObjectStreamClass$MemberSignature name
java/io/ObjectStreamClass$MemberSignature signature
java/io/ObjectStreamClass$MemberSignature <init>(Ljava/lang/reflect/Field;)V
java/io/ObjectStreamClass$MemberSignature <init>(Ljava/lang/reflect/Constructor;)V
java/io/ObjectStreamClass$MemberSignature <init>(Ljava/lang/reflect/Method;)V
class java/io/DataOutputStream java/io/FilterOutputStream
java/io/DataOutputStream written
java/io/DataOutputStream bytarr
java/io/DataOutputStream writeBuffer
java/io/DataOutputStream <init>(Ljava/io/OutputStream;)V
java/io/DataOutputStream incCount(I)V
java/io/DataOutputStream write(I)V
java/io/DataOutputStream write([B)I)V
java/io/DataOutputStream flush()V
java/io/DataOutputStream writeBoolean(Z)V
java/io/DataOutputStream writeByte(I)V
java/io/DataOutputStream writeShort(I)V
java/io/DataOutputStream
 writeChar(I)V
java/io/DataOutputStream writeInt(I)V
java/io/DataOutputStream writeLong(J)V
java/io/DataOutputStream writeFloat(F)V
java/io/DataOutputStream writeDouble(D)V
java/io/DataOutputStream writeBytes(Ljava/lang/String;)V
java/io/DataOutputStream writeChars(Ljava/lang/String;)V
java/io/DataOutputStream writeUTF(Ljava/lang/String;)V
java/io/DataOutputStream writeUTF(Ljava/lang/String;Ljava/io/DataOutput;)I
java/io/DataOutputStream size()I
class java/io/ObjectStreamClass$1 java/lang/Object
java/io/ObjectStreamClass$1 this$0
java/io/ObjectStreamClass$1 <init>(Ljava/io/ObjectStreamClass;)V
java/io/ObjectStreamClass$1 run()Ljava/lang/Object;
class java/io/ObjectStreamClass$FieldReflector java/lang/Object
java/io/ObjectStreamClass$FieldReflector unsafe
java/io/ObjectStreamClass$FieldReflector fields
java/io/ObjectStreamClass$FieldReflector numPrimFields
java/io/ObjectStreamClass$FieldReflector keys
java/io/ObjectStreamClass$FieldReflector offsets
java/io/ObjectStreamClass$FieldReflector
 typeCodes
java/io/ObjectStreamClass$FieldReflector types
java/io/ObjectStreamClass$FieldReflector <init>([Ljava/io/ObjectStreamField;)V
java/io/ObjectStreamClass$FieldReflector getFields()[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass$FieldReflector getPrimFieldValues(Ljava/lang/Object;[B)V

```

```

java/io/ObjectStreamClass$FieldReflector setPrimFieldValues(Ljava/lang/Object;[B)V
java/io/ObjectStreamClass$FieldReflector getObjFieldValues(Ljava/lang/Object;[Ljava/lang/Object;)V
java/io/ObjectStreamClass$FieldReflector setObjFieldValues(Ljava/lang/Object;[Ljava/lang/Object;)V
java/io/ObjectStreamClass$FieldReflector <clinit>()V
class java/io/ObjectStreamClass$FieldReflectorKey java/lang/ref/WeakReference
java/io/ObjectStreamClass$FieldReflectorKey sigs
java/io/ObjectStreamClass$FieldReflectorKey hash
java/io/ObjectStreamClass$FieldReflectorKey nullClass
java/io/ObjectStreamClass$FieldReflectorKey
<init>(Ljava/lang/Class;[Ljava/io/ObjectStreamField;Ljava/lang/ref/ReferenceQueue;)V
java/io/ObjectStreamClass$FieldReflectorKey
hashCode()I
java/io/ObjectStreamClass$FieldReflectorKey equals(Ljava/lang/Object;)Z
class java/io/ObjectOutputStream java/io/OutputStream
java/io/ObjectOutputStream bout
java/io/ObjectOutputStream handles
java/io/ObjectOutputStream subs
java/io/ObjectOutputStream protocol
java/io/ObjectOutputStream depth
java/io/ObjectOutputStream primVals
java/io/ObjectOutputStream enableOverride
java/io/ObjectOutputStream enableReplace
java/io/ObjectOutputStream curObj
java/io/ObjectOutputStream curDesc
java/io/ObjectOutputStream curPut
java/io/ObjectOutputStream <init>(Ljava/io/OutputStream;)V
java/io/ObjectOutputStream <init>()V
java/io/ObjectOutputStream useProtocolVersion(I)V
java/io/ObjectOutputStream writeObject(Ljava/lang/Object;)V
java/io/ObjectOutputStream writeObjectOverride(Ljava/lang/Object;)V
java/io/ObjectOutputStream writeUnshared(Ljava/lang/Object;)V
java/io/ObjectOutputStream defaultWriteObject()V
java/io/ObjectOutputStream
putFields()Ljava/io/ObjectOutputStream$PutField;
java/io/ObjectOutputStream writeFields()V
java/io/ObjectOutputStream reset()V
java/io/ObjectOutputStream annotateClass(Ljava/lang/Class;)V
java/io/ObjectOutputStream annotateProxyClass(Ljava/lang/Class;)V
java/io/ObjectOutputStream replaceObject(Ljava/lang/Object;)Ljava/lang/Object;
java/io/ObjectOutputStream enableReplaceObject(Z)Z
java/io/ObjectOutputStream writeStreamHeader()V
java/io/ObjectOutputStream writeClassDescriptor(Ljava/io/ObjectStreamClass;)V
java/io/ObjectOutputStream write(I)V
java/io/ObjectOutputStream write([B)V
java/io/ObjectOutputStream write([BII)V
java/io/ObjectOutputStream flush()V
java/io/ObjectOutputStream drain()V
java/io/ObjectOutputStream close()V

```

```

java/io/ObjectOutputStream writeBoolean(Z)V
java/io/ObjectOutputStream writeByte(I)V
java/io/ObjectOutputStream writeShort(I)V
java/io/ObjectOutputStream writeChar(I)V
java/io/ObjectOutputStream writeInt(I)V
java/io/ObjectOutputStream writeLong(J)V
java/io/ObjectOutputStream
 writeFloat(F)V
java/io/ObjectOutputStream writeDouble(D)V
java/io/ObjectOutputStream writeBytes(Ljava/lang/String;)V
java/io/ObjectOutputStream writeChars(Ljava/lang/String;)V
java/io/ObjectOutputStream writeUTF(Ljava/lang/String;)V
java/io/ObjectOutputStream getProtocolVersion()I
java/io/ObjectOutputStream writeTypeString(Ljava/lang/String;)V
java/io/ObjectOutputStream verifySubclass()V
java/io/ObjectOutputStream auditSubclass(Ljava/lang/Class;)Z
java/io/ObjectOutputStream clear()V
java/io/ObjectOutputStream writeObject0(Ljava/lang/Object;Z)V
java/io/ObjectOutputStream writeNull()V
java/io/ObjectOutputStream writeHandle(I)V
java/io/ObjectOutputStream writeClass(Ljava/lang/Class;Z)V
java/io/ObjectOutputStream writeClassDesc(Ljava/io/ObjectStreamClass;Z)V
java/io/ObjectOutputStream writeProxyDesc(Ljava/io/ObjectStreamClass;Z)V
java/io/ObjectOutputStream writeNonProxyDesc(Ljava/io/ObjectStreamClass;Z)V
java/io/ObjectOutputStream writeString(Ljava/lang/String;Z)V
java/io/ObjectOutputStream
 writeArray(Ljava/lang/Object;Ljava/io/ObjectStreamClass;Z)V
java/io/ObjectOutputStream writeEnum(Ljava/lang/Enum;Ljava/io/ObjectStreamClass;Z)V
java/io/ObjectOutputStream writeOrdinaryObject(Ljava/lang/Object;Ljava/io/ObjectStreamClass;Z)V
java/io/ObjectOutputStream writeExternalData(Ljava/io/Externalizable;)V
java/io/ObjectOutputStream writeSerialData(Ljava/lang/Object;Ljava/io/ObjectStreamClass;)V
java/io/ObjectOutputStream defaultWriteFields(Ljava/lang/Object;Ljava/io/ObjectStreamClass;)V
java/io/ObjectOutputStream writeFatalException(Ljava/io/IOException;)V
java/io/ObjectOutputStream floatsToBytes([FI[BII)V
java/io/ObjectOutputStream doublesToBytes([DI[BII)V
java/io/ObjectOutputStream
 access$000(Ljava/io/ObjectOutputStream;)Ljava/io/ObjectOutputStream$BlockDataOutputStream;
java/io/ObjectOutputStream access$100(Ljava/io/ObjectOutputStream;Ljava/lang/Object;Z)V
java/io/ObjectOutputStream access$200([FI[BII)V
java/io/ObjectOutputStream access$300([DI[BII)V
class
 java/io/ObjectOutput java/lang/Object
java/io/ObjectOutput writeObject(Ljava/lang/Object;)V
java/io/ObjectOutput write(I)V
java/io/ObjectOutput write([B)V
java/io/ObjectOutput write([BII)V
java/io/ObjectOutput flush()V
java/io/ObjectOutput close()V

```

```

class java/io/ObjectStreamClass$2 java/lang/Object
java/io/ObjectStreamClass$2 val$cl
java/io/ObjectStreamClass$2 this$0
java/io/ObjectStreamClass$2 <init>(Ljava/io/ObjectStreamClass;Ljava/lang/Class;)V
java/io/ObjectStreamClass$2 run()Ljava/lang/Object;
class java/io/ObjectStreamClass$EntryFuture java/lang/Object
java/io/ObjectStreamClass$EntryFuture unset
java/io/ObjectStreamClass$EntryFuture owner
java/io/ObjectStreamClass$EntryFuture entry
java/io/ObjectStreamClass$EntryFuture <init>()V
java/io/ObjectStreamClass$EntryFuture set(Ljava/lang/Object;)Z
java/io/ObjectStreamClass$EntryFuture get()Ljava/lang/Object;
java/io/ObjectStreamClass$EntryFuture getOwner()Ljava/lang/Thread;
java/io/ObjectStreamClass$EntryFuture <init>(Ljava/io/ObjectStreamClass$1;)V
java/io/ObjectStreamClass$EntryFuture
 <clinit>()V
class java/io/Bits java/lang/Object
java/io/Bits <init>()V
java/io/Bits getBoolean([BI)Z
java/io/Bits getChar([BI)C
java/io/Bits getShort([BI)S
java/io/Bits getInt([BI)I
java/io/Bits getFloat([BI)F
java/io/Bits getLong([BI)J
java/io/Bits getDouble([BI)D
java/io/Bits putBoolean([BIZ)V
java/io/Bits putChar([BIC)V
java/io/Bits putShort([BIS)V
java/io/Bits putInt([BII)V
java/io/Bits putFloat([BIF)V
java/io/Bits putLong([BIJ)V
java/io/Bits putDouble([BID)V
class java/io/ObjectInputStream$ValidationList java/lang/Object
java/io/ObjectInputStream$ValidationList list
java/io/ObjectInputStream$ValidationList <init>()V
java/io/ObjectInputStream$ValidationList register(Ljava/io/ObjectInputValidation;I)V
java/io/ObjectInputStream$ValidationList doCallbacks()V
java/io/ObjectInputStream$ValidationList clear()V
class java/io/ObjectInputStream$HandleTable$HandleList java/lang/Object
java/io/ObjectInputStream$HandleTable$HandleList list
java/io/ObjectInputStream$HandleTable$HandleList
 size
java/io/ObjectInputStream$HandleTable$HandleList <init>()V
java/io/ObjectInputStream$HandleTable$HandleList add(I)V
java/io/ObjectInputStream$HandleTable$HandleList get(I)I
java/io/ObjectInputStream$HandleTable$HandleList size()I
class java/io/ObjectInputStream$HandleTable java/lang/Object
java/io/ObjectInputStream$HandleTable STATUS_OK

```

```

java/io/ObjectInputStream$HandleTable STATUS_UNKNOWN
java/io/ObjectInputStream$HandleTable STATUS_EXCEPTION
java/io/ObjectInputStream$HandleTable status
java/io/ObjectInputStream$HandleTable entries
java/io/ObjectInputStream$HandleTable deps
java/io/ObjectInputStream$HandleTable lowDep
java/io/ObjectInputStream$HandleTable size
java/io/ObjectInputStream$HandleTable <init>(I)V
java/io/ObjectInputStream$HandleTable assign(Ljava/lang/Object;)I
java/io/ObjectInputStream$HandleTable markDependency(II)V
java/io/ObjectInputStream$HandleTable markException(ILjava/lang/ClassNotFoundException;)V
java/io/ObjectInputStream$HandleTable
 finish(I)V
java/io/ObjectInputStream$HandleTable setObject(ILjava/lang/Object;)V
java/io/ObjectInputStream$HandleTable lookupObject(I)Ljava/lang/Object;
java/io/ObjectInputStream$HandleTable lookupException(I)Ljava/lang/ClassNotFoundException;
java/io/ObjectInputStream$HandleTable clear()V
java/io/ObjectInputStream$HandleTable size()I
java/io/ObjectInputStream$HandleTable grow()V
class java/io/ObjectInputStream$PeekInputStream java/io/InputStream
java/io/ObjectInputStream$PeekInputStream in
java/io/ObjectInputStream$PeekInputStream peekb
java/io/ObjectInputStream$PeekInputStream <init>(Ljava/io/InputStream;)V
java/io/ObjectInputStream$PeekInputStream peek()I
java/io/ObjectInputStream$PeekInputStream read()I
java/io/ObjectInputStream$PeekInputStream read([BII)I
java/io/ObjectInputStream$PeekInputStream readFully([BII)V
java/io/ObjectInputStream$PeekInputStream skip(J)J
java/io/ObjectInputStream$PeekInputStream available()I
java/io/ObjectInputStream$PeekInputStream
 close()V
class java/io/ObjectInputStream$BlockDataInputStream java/io/InputStream
java/io/ObjectInputStream$BlockDataInputStream MAX_BLOCK_SIZE
java/io/ObjectInputStream$BlockDataInputStream MAX_HEADER_SIZE
java/io/ObjectInputStream$BlockDataInputStream CHAR_BUF_SIZE
java/io/ObjectInputStream$BlockDataInputStream HEADER_BLOCKED
java/io/ObjectInputStream$BlockDataInputStream buf
java/io/ObjectInputStream$BlockDataInputStream hbuf
java/io/ObjectInputStream$BlockDataInputStream cbuf
java/io/ObjectInputStream$BlockDataInputStream blkmode
java/io/ObjectInputStream$BlockDataInputStream pos
java/io/ObjectInputStream$BlockDataInputStream end
java/io/ObjectInputStream$BlockDataInputStream unread
java/io/ObjectInputStream$BlockDataInputStream in
java/io/ObjectInputStream$BlockDataInputStream din
java/io/ObjectInputStream$BlockDataInputStream this$0
java/io/ObjectInputStream$BlockDataInputStream <init>(Ljava/io/ObjectInputStream;Ljava/io/InputStream;)V
java/io/ObjectInputStream$BlockDataInputStream

```



```

setBlockDataMode(Z)Z
java/io/ObjectInputStream$BlockDataInputStream getBlockDataMode()Z
java/io/ObjectInputStream$BlockDataInputStream skipBlockData()V
java/io/ObjectInputStream$BlockDataInputStream readBlockHeader(Z)I
java/io/ObjectInputStream$BlockDataInputStream refill()V
java/io/ObjectInputStream$BlockDataInputStream currentBlockRemaining()I
java/io/ObjectInputStream$BlockDataInputStream peek()I
java/io/ObjectInputStream$BlockDataInputStream peekByte()B
java/io/ObjectInputStream$BlockDataInputStream read()I
java/io/ObjectInputStream$BlockDataInputStream read([BII)I
java/io/ObjectInputStream$BlockDataInputStream skip(J)J
java/io/ObjectInputStream$BlockDataInputStream available()I
java/io/ObjectInputStream$BlockDataInputStream close()V
java/io/ObjectInputStream$BlockDataInputStream read([BIIZ)I
java/io/ObjectInputStream$BlockDataInputStream readFully([B)V
java/io/ObjectInputStream$BlockDataInputStream readFully([BII)V
java/io/ObjectInputStream$BlockDataInputStream readFully([BIIZ)V
java/io/ObjectInputStream$BlockDataInputStream
 skipBytes(I)I
java/io/ObjectInputStream$BlockDataInputStream readBoolean()Z
java/io/ObjectInputStream$BlockDataInputStream readByte()B
java/io/ObjectInputStream$BlockDataInputStream readUnsignedByte()I
java/io/ObjectInputStream$BlockDataInputStream readChar()C
java/io/ObjectInputStream$BlockDataInputStream readShort()S
java/io/ObjectInputStream$BlockDataInputStream readUnsignedShort()I
java/io/ObjectInputStream$BlockDataInputStream readInt()I
java/io/ObjectInputStream$BlockDataInputStream readFloat()F
java/io/ObjectInputStream$BlockDataInputStream readLong()J
java/io/ObjectInputStream$BlockDataInputStream readDouble()D
java/io/ObjectInputStream$BlockDataInputStream readUTF()Ljava/lang/String;
java/io/ObjectInputStream$BlockDataInputStream readLine()Ljava/lang/String;
java/io/ObjectInputStream$BlockDataInputStream readBooleans([ZII)V
java/io/ObjectInputStream$BlockDataInputStream readChars([CII)V
java/io/ObjectInputStream$BlockDataInputStream
 readShorts([SII)V
java/io/ObjectInputStream$BlockDataInputStream readInts([III)V
java/io/ObjectInputStream$BlockDataInputStream readFloats([FII)V
java/io/ObjectInputStream$BlockDataInputStream readLongs([JII)V
java/io/ObjectInputStream$BlockDataInputStream readDoubles([DII)V
java/io/ObjectInputStream$BlockDataInputStream readLongUTF()Ljava/lang/String;
java/io/ObjectInputStream$BlockDataInputStream readUTFBody(J)Ljava/lang/String;
java/io/ObjectInputStream$BlockDataInputStream readUTFSpan(Ljava/lang/StringBuffer;J)J
java/io/ObjectInputStream$BlockDataInputStream readUTFChar(Ljava/lang/StringBuffer;J)I
class java/io/ObjectInputStream$1 java/lang/Object
java/io/ObjectInputStream$1 val$subcl
java/io/ObjectInputStream$1 <init>(Ljava/lang/Class;)V
java/io/ObjectInputStream$1 run()Ljava/lang/Object;
class java/text/EntryPair java/lang/Object

```

```

java/text/EntryPair entryName
java/text/EntryPair value
java/text/EntryPair fwd
java/text/EntryPair <init>(Ljava/lang/String;)V
java/text/EntryPair
 <init>(Ljava/lang/String;IZ)V
class java/text/PatternEntry java/lang/Object
java/text/PatternEntry RESET
java/text/PatternEntry UNSET
java/text/PatternEntry strength
java/text/PatternEntry chars
java/text/PatternEntry extension
java/text/PatternEntry appendQuotedExtension(Ljava/lang/StringBuffer;)V
java/text/PatternEntry appendQuotedChars(Ljava/lang/StringBuffer;)V
java/text/PatternEntry equals(Ljava/lang/Object;)Z
java/text/PatternEntry hashCode()I
java/text/PatternEntry toString()Ljava/lang/String;
java/text/PatternEntry getStrength()I
java/text/PatternEntry getExtension()Ljava/lang/String;
java/text/PatternEntry getChars()Ljava/lang/String;
java/text/PatternEntry addToBuffer(Ljava/lang/StringBuffer;ZZLjava/text/PatternEntry;)V
java/text/PatternEntry appendQuoted(Ljava/lang/String;Ljava/lang/StringBuffer;)V
java/text/PatternEntry <init>(ILjava/lang/StringBuffer;Ljava/lang/StringBuffer;)V
java/text/PatternEntry isSpecialChar(C)Z
class java/text/PatternEntry$Parser java/lang/Object
java/text/PatternEntry$Parser
 pattern
java/text/PatternEntry$Parser i
java/text/PatternEntry$Parser newChars
java/text/PatternEntry$Parser newExtension
java/text/PatternEntry$Parser <init>(Ljava/lang/String;)V
java/text/PatternEntry$Parser next()Ljava/text/PatternEntry;
class java/text/MergeCollation java/lang/Object
java/text/MergeCollation patterns
java/text/MergeCollation saveEntry
java/text/MergeCollation lastEntry
java/text/MergeCollation excess
java/text/MergeCollation statusArray
java/text/MergeCollation BITARRAYMASK
java/text/MergeCollation BYTEPOWER
java/text/MergeCollation BYTEMASK
java/text/MergeCollation <init>(Ljava/lang/String;)V
java/text/MergeCollation getPattern()Ljava/lang/String;
java/text/MergeCollation getPattern(Z)Ljava/lang/String;
java/text/MergeCollation findLastWithNoExtension(I)Ljava/text/PatternEntry;
java/text/MergeCollation emitPattern()Ljava/lang/String;
java/text/MergeCollation emitPattern(Z)Ljava/lang/String;
java/text/MergeCollation setPattern(Ljava/lang/String;)V

```

```

java/text/MergeCollation
 addPattern(Ljava/lang/String;)V
java/text/MergeCollation getCount()I
java/text/MergeCollation getItemAt(I)Ljava/text/PatternEntry;
java/text/MergeCollation fixEntry(Ljava/text/PatternEntry;)V
java/text/MergeCollation findLastEntry(Ljava/text/PatternEntry;Ljava/lang/StringBuffer;)I
class java/text/RBCollationTables$BuildAPI java/lang/Object
java/text/RBCollationTables$BuildAPI this$0
java/text/RBCollationTables$BuildAPI <init>(Ljava/text/RBCollationTables;)V
java/text/RBCollationTables$BuildAPI
 fillInTables(ZZLsun/text/UCompactIntArray;Ljava/util/Vector;Ljava/util/Vector;Lsun/text/IntHashtable;SS)V
java/text/RBCollationTables$BuildAPI <init>(Ljava/text/RBCollationTables;Ljava/text/RBCollationTables$1;)V
class java/text/RBTableBuilder java/lang/Object
java/text/RBTableBuilder CHARINDEX
java/text/RBTableBuilder IGNORABLEMASK
java/text/RBTableBuilder PRIMARYORDERINCREMENT
java/text/RBTableBuilder SECONDARYORDERINCREMENT
java/text/RBTableBuilder TERTIARYORDERINCREMENT
java/text/RBTableBuilder
 INITIALTABLESIZE
java/text/RBTableBuilder MAXKEYSIZE
java/text/RBTableBuilder tables
java/text/RBTableBuilder mPattern
java/text/RBTableBuilder isOverIgnore
java/text/RBTableBuilder keyBuf
java/text/RBTableBuilder contractFlags
java/text/RBTableBuilder frenchSec
java/text/RBTableBuilder seAsianSwapping
java/text/RBTableBuilder mapping
java/text/RBTableBuilder contractTable
java/text/RBTableBuilder expandTable
java/text/RBTableBuilder maxSecOrder
java/text/RBTableBuilder maxTerOrder
java/text/RBTableBuilder <init>(Ljava/text/RBCollationTables$BuildAPI;)V
java/text/RBTableBuilder build(Ljava/lang/String;)V
java/text/RBTableBuilder addComposedChars()V
java/text/RBTableBuilder commit()V
java/text/RBTableBuilder increment(II)I
java/text/RBTableBuilder addOrder(II)V
java/text/RBTableBuilder addContractOrder(Ljava/lang/String;)V
java/text/RBTableBuilder addContractOrder(Ljava/lang/String;IZ)V
java/text/RBTableBuilder getContractOrder(Ljava/lang/String;)I
java/text/RBTableBuilder
 getCharOrder(I)I
java/text/RBTableBuilder getContractValues(I)Ljava/util/Vector;
java/text/RBTableBuilder getContractValuesImpl(I)Ljava/util/Vector;
java/text/RBTableBuilder addExpandOrder(Ljava/lang/String;Ljava/lang/String;)V
java/text/RBTableBuilder addExpandOrder(ILjava/lang/String;)V

```

```

java/text/RBTableBuilder addExpansion(ILjava/lang/String;)I
java/text/RBTableBuilder addContractFlags(Ljava/lang/String;)V
class java/text/RBCollationTables java/lang/Object
java/text/RBCollationTables EXPANDCHARINDEX
java/text/RBCollationTables CONTRACTCHARINDEX
java/text/RBCollationTables UNMAPPED
java/text/RBCollationTables PRIMARYORDERMASK
java/text/RBCollationTables SECONDARYORDERMASK
java/text/RBCollationTables TERTIARYORDERMASK
java/text/RBCollationTables PRIMARYDIFFERENCEONLY
java/text/RBCollationTables SECONDARYDIFFERENCEONLY
java/text/RBCollationTables PRIMARYORDERSHIFT
java/text/RBCollationTables SECONDARYORDERSHIFT
java/text/RBCollationTables rules
java/text/RBCollationTables
 frenchSec
java/text/RBCollationTables seAsianSwapping
java/text/RBCollationTables mapping
java/text/RBCollationTables contractTable
java/text/RBCollationTables expandTable
java/text/RBCollationTables contractFlags
java/text/RBCollationTables maxSecOrder
java/text/RBCollationTables maxTerOrder
java/text/RBCollationTables <init>(Ljava/lang/String;)V
java/text/RBCollationTables getRules()Ljava/lang/String;
java/text/RBCollationTables isFrenchSec()Z
java/text/RBCollationTables isSEAsianSwapping()Z
java/text/RBCollationTables getContractValues(I)Ljava/util/Vector;
java/text/RBCollationTables getContractValuesImpl(I)Ljava/util/Vector;
java/text/RBCollationTables usedInContractSeq(I)Z
java/text/RBCollationTables getMaxExpansion(I)I
java/text/RBCollationTables getExpandValueList(I)[I
java/text/RBCollationTables getUnicodeOrder(I)I
java/text/RBCollationTables getMaxSecOrder()S
java/text/RBCollationTables getMaxTerOrder()S
java/text/RBCollationTables reverse(Ljava/lang/StringBuffer;II)V
java/text/RBCollationTables
 getEntry(Ljava/util/Vector;Ljava/lang/String;Z)I
java/text/RBCollationTables access$102(Ljava/text/RBCollationTables;Z)Z
java/text/RBCollationTables access$202(Ljava/text/RBCollationTables;Z)Z
java/text/RBCollationTables
 access$302(Ljava/text/RBCollationTables;Lsun/text/UCompactIntArray;)Lsun/text/UCompactIntArray;
java/text/RBCollationTables access$402(Ljava/text/RBCollationTables;Ljava/util/Vector;)Ljava/util/Vector;
java/text/RBCollationTables access$502(Ljava/text/RBCollationTables;Ljava/util/Vector;)Ljava/util/Vector;
java/text/RBCollationTables
 access$602(Ljava/text/RBCollationTables;Lsun/text/IntHashtable;)Lsun/text/IntHashtable;
java/text/RBCollationTables access$702(Ljava/text/RBCollationTables;S)S
java/text/RBCollationTables access$802(Ljava/text/RBCollationTables;S)S

```

```

class java/text/CollationRules java/lang/Object
java/text/CollationRules DEFAULTRULES
java/text/CollationRules <init>()V
java/text/CollationRules <clinit>()V
class java/text/RuleBasedCollator
java/text/Collator
java/text/RuleBasedCollator CHARINDEX
java/text/RuleBasedCollator EXPANDCHARINDEX
java/text/RuleBasedCollator CONTRACTCHARINDEX
java/text/RuleBasedCollator UNMAPPED
java/text/RuleBasedCollator COLLATIONKEYOFFSET
java/text/RuleBasedCollator tables
java/text/RuleBasedCollator primResult
java/text/RuleBasedCollator secResult
java/text/RuleBasedCollator terResult
java/text/RuleBasedCollator sourceCursor
java/text/RuleBasedCollator targetCursor
java/text/RuleBasedCollator <init>(Ljava/lang/String;)V
java/text/RuleBasedCollator <init>(Ljava/lang/String;I)V
java/text/RuleBasedCollator <init>(Ljava/text/RuleBasedCollator;)V
java/text/RuleBasedCollator getRules()Ljava/lang/String;
java/text/RuleBasedCollator getCollationElementIterator(Ljava/lang/String;)Ljava/text/CollationElementIterator;
java/text/RuleBasedCollator
getCollationElementIterator(Ljava/text/CharacterIterator;)Ljava/text/CollationElementIterator;
java/text/RuleBasedCollator compare(Ljava/lang/String;Ljava/lang/String;)I
java/text/RuleBasedCollator
getCollationKey(Ljava/lang/String;)Ljava/text/CollationKey;
java/text/RuleBasedCollator clone()Ljava/lang/Object;
java/text/RuleBasedCollator equals(Ljava/lang/Object;)Z
java/text/RuleBasedCollator hashCode()I
java/text/RuleBasedCollator getTables()Ljava/text/RBCollationTables;
class java/text/Collator java/lang/Object
java/text/Collator PRIMARY
java/text/Collator SECONDARY
java/text/Collator TERTIARY
java/text/Collator IDENTICAL
java/text/Collator NO_DECOMPOSITION
java/text/Collator CANONICAL_DECOMPOSITION
java/text/Collator FULL_DECOMPOSITION
java/text/Collator strength
java/text/Collator decmp
java/text/Collator cache
java/text/Collator LESS
java/text/Collator EQUAL
java/text/Collator GREATER
java/text/Collator getInstance()Ljava/text/Collator;
java/text/Collator getInstance(Ljava/util/Locale;)Ljava/text/Collator;
java/text/Collator compare(Ljava/lang/String;Ljava/lang/String;)I

```

```

java/text/Collator compare(Ljava/lang/Object;Ljava/lang/Object;)I
java/text/Collator
 getCollationKey(Ljava/lang/String;)Ljava/text/CollationKey;
java/text/Collator equals(Ljava/lang/String;Ljava/lang/String;)Z
java/text/Collator getStrength()I
java/text/Collator setStrength(I)V
java/text/Collator getDecomposition()I
java/text/Collator setDecomposition(I)V
java/text/Collator getAvailableLocales()[Ljava/util/Locale;
java/text/Collator clone()Ljava/lang/Object;
java/text/Collator equals(Ljava/lang/Object;)Z
java/text/Collator hashCode()I
java/text/Collator <init>()V
java/text/Collator <clinit>()V
class java/net/DatagramPacket java/lang/Object
java/net/DatagramPacket buf
java/net/DatagramPacket offset
java/net/DatagramPacket length
java/net/DatagramPacket bufLength
java/net/DatagramPacket address
java/net/DatagramPacket port
java/net/DatagramPacket <init>([BII)V
java/net/DatagramPacket <init>([BI)V
java/net/DatagramPacket <init>([BILjava/net/InetAddress;)V
java/net/DatagramPacket <init>([BILjava/net/SocketAddress;)V
java/net/DatagramPacket
 <init>([BILjava/net/InetAddress;)V
java/net/DatagramPacket <init>([BILjava/net/SocketAddress;)V
java/net/DatagramPacket getAddress()Ljava/net/InetAddress;
java/net/DatagramPacket getPort()I
java/net/DatagramPacket getData()[B
java/net/DatagramPacket getOffset()I
java/net/DatagramPacket getLength()I
java/net/DatagramPacket setData([BII)V
java/net/DatagramPacket setAddress(Ljava/net/InetAddress;)V
java/net/DatagramPacket setPort(I)V
java/net/DatagramPacket setSocketAddress(Ljava/net/SocketAddress;)V
java/net/DatagramPacket getSocketAddress()Ljava/net/SocketAddress;
java/net/DatagramPacket setData([B)V
java/net/DatagramPacket setLength(I)V
java/net/DatagramPacket init()V
java/net/DatagramPacket <clinit>()V
class java/net/MulticastSocket java/net/DatagramSocket
java/net/MulticastSocket ttlLock
java/net/MulticastSocket infLock
java/net/MulticastSocket infAddress
java/net/MulticastSocket <init>()V
java/net/MulticastSocket <init>(I)V

```

```

java/net/MulticastSocket <init>(Ljava/net/SocketAddress;)V
java/net/MulticastSocket
 setTTL(B)V
java/net/MulticastSocket setTimeToLive(I)V
java/net/MulticastSocket getTTL()B
java/net/MulticastSocket getTimeToLive()I
java/net/MulticastSocket joinGroup(Ljava/net/InetAddress;)V
java/net/MulticastSocket leaveGroup(Ljava/net/InetAddress;)V
java/net/MulticastSocket joinGroup(Ljava/net/SocketAddress;Ljava/net/NetworkInterface;)V
java/net/MulticastSocket leaveGroup(Ljava/net/SocketAddress;Ljava/net/NetworkInterface;)V
java/net/MulticastSocket setInterface(Ljava/net/InetAddress;)V
java/net/MulticastSocket getInterface()Ljava/net/InetAddress;
java/net/MulticastSocket setNetworkInterface(Ljava/net/NetworkInterface;)V
java/net/MulticastSocket getNetworkInterface()Ljava/net/NetworkInterface;
java/net/MulticastSocket setLoopbackMode(Z)V
java/net/MulticastSocket getLoopbackMode()Z
java/net/MulticastSocket send(Ljava/net/DatagramPacket;B)V
class java/net/DatagramSocket java/lang/Object
java/net/DatagramSocket created
java/net/DatagramSocket bound
java/net/DatagramSocket
 closed
java/net/DatagramSocket closeLock
java/net/DatagramSocket impl
java/net/DatagramSocket oldImpl
java/net/DatagramSocket ST_NOT_CONNECTED
java/net/DatagramSocket ST_CONNECTED
java/net/DatagramSocket ST_CONNECTED_NO_IMPL
java/net/DatagramSocket connectState
java/net/DatagramSocket connectedAddress
java/net/DatagramSocket connectedPort
java/net/DatagramSocket implClass
java/net/DatagramSocket factory
java/net/DatagramSocket connectInternal(Ljava/net/InetAddress;I)V
java/net/DatagramSocket <init>()V
java/net/DatagramSocket <init>(Ljava/net/DatagramSocketImpl;)V
java/net/DatagramSocket <init>(Ljava/net/SocketAddress;)V
java/net/DatagramSocket <init>(I)V
java/net/DatagramSocket <init>(ILjava/net/InetAddress;)V
java/net/DatagramSocket checkOldImpl()V
java/net/DatagramSocket createImpl()V
java/net/DatagramSocket getImpl()Ljava/net/DatagramSocketImpl;
java/net/DatagramSocket bind(Ljava/net/SocketAddress;)V
java/net/DatagramSocket connect(Ljava/net/InetAddress;I)V
java/net/DatagramSocket
 connect(Ljava/net/SocketAddress;)V
java/net/DatagramSocket disconnect()V
java/net/DatagramSocket isBound()Z

```

```

java/net/DatagramSocket isConnected()Z
java/net/DatagramSocket getInetAddress()Ljava/net/InetAddress;
java/net/DatagramSocket getPort()I
java/net/DatagramSocket getRemoteSocketAddress()Ljava/net/SocketAddress;
java/net/DatagramSocket getLocalSocketAddress()Ljava/net/SocketAddress;
java/net/DatagramSocket send(Ljava/net/DatagramPacket;)V
java/net/DatagramSocket receive(Ljava/net/DatagramPacket;)V
java/net/DatagramSocket getLocalAddress()Ljava/net/InetAddress;
java/net/DatagramSocket getLocalPort()I
java/net/DatagramSocket setSoTimeout(I)V
java/net/DatagramSocket getSoTimeout()I
java/net/DatagramSocket setSendBufferSize(I)V
java/net/DatagramSocket getSendBufferSize()I
java/net/DatagramSocket setReceiveBufferSize(I)V
java/net/DatagramSocket getReceiveBufferSize()I
java/net/DatagramSocket setReuseAddress(Z)V
java/net/DatagramSocket getReuseAddress()Z
java/net/DatagramSocket
 setBroadcast(Z)V
java/net/DatagramSocket getBroadcast()Z
java/net/DatagramSocket setTrafficClass(I)V
java/net/DatagramSocket getTrafficClass()I
java/net/DatagramSocket close()V
java/net/DatagramSocket isClosed()Z
java/net/DatagramSocket getChannel()Ljava/nio/channels/DatagramChannel;
java/net/DatagramSocket setDatagramSocketImplFactory(Ljava/net/DatagramSocketImplFactory;)V
java/net/DatagramSocket <clinit>()V
class java/net/BindException java/net/SocketException
java/net/BindException <init>(Ljava/lang/String;)V
java/net/BindException <init>()V
class java/net/NoRouteToHostException java/net/SocketException
java/net/NoRouteToHostException <init>(Ljava/lang/String;)V
java/net/NoRouteToHostException <init>()V
class java/util/Collections$UnmodifiableCollection$1 java/lang/Object
java/util/Collections$UnmodifiableCollection$1 i
java/util/Collections$UnmodifiableCollection$1 this$0
java/util/Collections$UnmodifiableCollection$1 <init>(Ljava/util/Collections$UnmodifiableCollection;)V
java/util/Collections$UnmodifiableCollection$1
 hasNext()Z
java/util/Collections$UnmodifiableCollection$1 next()Ljava/lang/Object;
java/util/Collections$UnmodifiableCollection$1 remove()V
class java/text/NumberFormat$Field java/text/Format$Field
java/text/NumberFormat$Field serialVersionUID
java/text/NumberFormat$Field instanceMap
java/text/NumberFormat$Field INTEGER
java/text/NumberFormat$Field FRACTION
java/text/NumberFormat$Field EXPONENT
java/text/NumberFormat$Field DECIMAL_SEPARATOR

```



```

java/text/NumberFormat$Field SIGN
java/text/NumberFormat$Field GROUPING_SEPARATOR
java/text/NumberFormat$Field EXPONENT_SYMBOL
java/text/NumberFormat$Field PERCENT
java/text/NumberFormat$Field PERMILLE
java/text/NumberFormat$Field CURRENCY
java/text/NumberFormat$Field EXPONENT_SIGN
java/text/NumberFormat$Field <init>(Ljava/lang/String;)V
java/text/NumberFormat$Field readResolve()Ljava/lang/Object;
java/text/NumberFormat$Field <clinit>()V
class java/text/ParseException java/lang/Exception
java/text/ParseException
 errorOffset
java/text/ParseException <init>(Ljava/lang/String;I)V
java/text/ParseException getErrorOffset()I
class java/util/TreeMap$KeyIterator java/util/TreeMap$PrivateEntryIterator
java/util/TreeMap$KeyIterator this$0
java/util/TreeMap$KeyIterator <init>(Ljava/util/TreeMap;)V
java/util/TreeMap$KeyIterator next()Ljava/lang/Object;
java/util/TreeMap$KeyIterator <init>(Ljava/util/TreeMap;Ljava/util/TreeMap$1;)V
class java/util/TreeMap$PrivateEntryIterator java/lang/Object
java/util/TreeMap$PrivateEntryIterator expectedModCount
java/util/TreeMap$PrivateEntryIterator lastReturned
java/util/TreeMap$PrivateEntryIterator next
java/util/TreeMap$PrivateEntryIterator this$0
java/util/TreeMap$PrivateEntryIterator <init>(Ljava/util/TreeMap;)V
java/util/TreeMap$PrivateEntryIterator <init>(Ljava/util/TreeMap;Ljava/util/TreeMap$Entry;)V
java/util/TreeMap$PrivateEntryIterator hasNext()Z
java/util/TreeMap$PrivateEntryIterator nextEntry()Ljava/util/TreeMap$Entry;
java/util/TreeMap$PrivateEntryIterator
 remove()V
class java/util/TreeMap$Entry java/lang/Object
java/util/TreeMap$Entry key
java/util/TreeMap$Entry value
java/util/TreeMap$Entry left
java/util/TreeMap$Entry right
java/util/TreeMap$Entry parent
java/util/TreeMap$Entry color
java/util/TreeMap$Entry <init>(Ljava/lang/Object;Ljava/lang/Object;Ljava/util/TreeMap$Entry;)V
java/util/TreeMap$Entry getKey()Ljava/lang/Object;
java/util/TreeMap$Entry getValue()Ljava/lang/Object;
java/util/TreeMap$Entry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/TreeMap$Entry equals(Ljava/lang/Object;)Z
java/util/TreeMap$Entry hashCode()I
java/util/TreeMap$Entry toString()Ljava/lang/String;
class java/lang/ExceptionInInitializerError java/lang/LinkageError
java/lang/ExceptionInInitializerError serialVersionUID
java/lang/ExceptionInInitializerError exception

```

```

java/lang/ExceptionInInitializerError <init>()V
java/lang/ExceptionInInitializerError <init>(Ljava/lang/Throwable;)V
java/lang/ExceptionInInitializerError <init>(Ljava/lang/String;)V
java/lang/ExceptionInInitializerError
 getException()Ljava/lang/Throwable;
java/lang/ExceptionInInitializerError getCause()Ljava/lang/Throwable;
class java/awt/CardLayout$Card java/lang/Object
java/awt/CardLayout$Card serialVersionUID
java/awt/CardLayout$Card name
java/awt/CardLayout$Card comp
java/awt/CardLayout$Card this$0
java/awt/CardLayout$Card <init>(Ljava/awt/CardLayout;Ljava/lang/String;Ljava/awt/Component;)V
class java/awt/event/ItemEvent java/awt/AWTEvent
java/awt/event/ItemEvent ITEM_FIRST
java/awt/event/ItemEvent ITEM_LAST
java/awt/event/ItemEvent ITEM_STATE_CHANGED
java/awt/event/ItemEvent SELECTED
java/awt/event/ItemEvent DESELECTED
java/awt/event/ItemEvent item
java/awt/event/ItemEvent stateChange
java/awt/event/ItemEvent serialVersionUID
java/awt/event/ItemEvent <init>(Ljava/awt/ItemSelectable;ILjava/lang/Object;I)V
java/awt/event/ItemEvent getItemSelectable()Ljava/awt/ItemSelectable;
java/awt/event/ItemEvent getItem()Ljava/lang/Object;
java/awt/event/ItemEvent
 getStateChange()I
java/awt/event/ItemEvent paramString()Ljava/lang/String;
class java/awt/GridLayout java/lang/Object
java/awt/GridLayout hgap
java/awt/GridLayout vgap
java/awt/GridLayout rows
java/awt/GridLayout cols
java/awt/GridLayout <init>()V
java/awt/GridLayout <init>(II)V
java/awt/GridLayout <init>(III)V
java/awt/GridLayout getRows()I
java/awt/GridLayout setRows(I)V
java/awt/GridLayout getColumns()I
java/awt/GridLayout setColumns(I)V
java/awt/GridLayout getHgap()I
java/awt/GridLayout setHgap(I)V
java/awt/GridLayout getVgap()I
java/awt/GridLayout setVgap(I)V
java/awt/GridLayout addLayoutComponent(Ljava/lang/String;Ljava/awt/Component;)V
java/awt/GridLayout removeLayoutComponent(Ljava/awt/Component;)V
java/awt/GridLayout preferredLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/GridLayout minimumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/GridLayout layoutContainer(Ljava/awt/Container;)V

```

```

java/awt/GridLayout toString()Ljava/lang/String;
class java/lang/StringIndexOutOfBoundsException
 java/lang/IndexOutOfBoundsException
java/lang/StringIndexOutOfBoundsException <init>()V
java/lang/StringIndexOutOfBoundsException <init>(Ljava/lang/String;)V
java/lang/StringIndexOutOfBoundsException <init>(I)V
class java/util/zip/DeflaterOutputStream java/io/FilterOutputStream
 java/util/zip/DeflaterOutputStream def
 java/util/zip/DeflaterOutputStream buf
 java/util/zip/DeflaterOutputStream closed
 java/util/zip/DeflaterOutputStream usesDefaultDeflater
 java/util/zip/DeflaterOutputStream <init>(Ljava/io/OutputStream;Ljava/util/zip/Deflater;)V
 java/util/zip/DeflaterOutputStream <init>(Ljava/io/OutputStream;Ljava/util/zip/Deflater;)V
 java/util/zip/DeflaterOutputStream <init>(Ljava/io/OutputStream;)V
 java/util/zip/DeflaterOutputStream write(I)V
 java/util/zip/DeflaterOutputStream write([BII)V
 java/util/zip/DeflaterOutputStream finish()V
 java/util/zip/DeflaterOutputStream close()V
 java/util/zip/DeflaterOutputStream deflate()V
class java/util/zip/GZIPInputStream
 java/util/zip/InflaterInputStream
 java/util/zip/GZIPInputStream crc
 java/util/zip/GZIPInputStream eos
 java/util/zip/GZIPInputStream closed
 java/util/zip/GZIPInputStream GZIP_MAGIC
 java/util/zip/GZIPInputStream FTEXT
 java/util/zip/GZIPInputStream FHCRC
 java/util/zip/GZIPInputStream FEXTRA
 java/util/zip/GZIPInputStream FNAME
 java/util/zip/GZIPInputStream FCOMMENT
 java/util/zip/GZIPInputStream tmpbuf
 java/util/zip/GZIPInputStream ensureOpen()V
 java/util/zip/GZIPInputStream <init>(Ljava/io/InputStream;)V
 java/util/zip/GZIPInputStream <init>(Ljava/io/InputStream;)V
 java/util/zip/GZIPInputStream read([BII)I
 java/util/zip/GZIPInputStream close()V
 java/util/zip/GZIPInputStream readHeader()V
 java/util/zip/GZIPInputStream readTrailer()V
 java/util/zip/GZIPInputStream readUInt(Ljava/io/InputStream;)J
 java/util/zip/GZIPInputStream readUShort(Ljava/io/InputStream;)I
 java/util/zip/GZIPInputStream readUByte(Ljava/io/InputStream;)I
 java/util/zip/GZIPInputStream skipBytes(Ljava/io/InputStream;)I
class
 java/security/NoSuchAlgorithmException java/security/GeneralSecurityException
 java/security/NoSuchAlgorithmException serialVersionUID
 java/security/NoSuchAlgorithmException <init>()V
 java/security/NoSuchAlgorithmException <init>(Ljava/lang/String;)V
 java/security/NoSuchAlgorithmException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V

```

```

java/security/NoSuchAlgorithmException <init>(Ljava/lang/Throwable;)V
class java/security/GeneralSecurityException java/lang/Exception
java/security/GeneralSecurityException serialVersionUID
java/security/GeneralSecurityException <init>()V
java/security/GeneralSecurityException <init>(Ljava/lang/String;)V
java/security/GeneralSecurityException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/GeneralSecurityException <init>(Ljava/lang/Throwable;)V
class java/awt/image/FilteredImageSource java/lang/Object
java/awt/image/FilteredImageSource src
java/awt/image/FilteredImageSource filter
java/awt/image/FilteredImageSource proxies
java/awt/image/FilteredImageSource
 <init>(Ljava/awt/image/ImageProducer;Ljava/awt/image/ImageFilter;)V
java/awt/image/FilteredImageSource addConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/FilteredImageSource isConsumer(Ljava/awt/image/ImageConsumer;)Z
java/awt/image/FilteredImageSource removeConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/FilteredImageSource startProduction(Ljava/awt/image/ImageConsumer;)V
java/awt/image/FilteredImageSource requestTopDownLeftRightResend(Ljava/awt/image/ImageConsumer;)V
class java/awt/image/RGBImageFilter java/awt/image/ImageFilter
java/awt/image/RGBImageFilter origmodel
java/awt/image/RGBImageFilter newmodel
java/awt/image/RGBImageFilter canFilterIndexColorModel
java/awt/image/RGBImageFilter <init>()V
java/awt/image/RGBImageFilter setColorModel(Ljava/awt/image/ColorModel;)V
java/awt/image/RGBImageFilter
 substituteColorModel(Ljava/awt/image/ColorModel;Ljava/awt/image/ColorModel;)V
java/awt/image/RGBImageFilter
 filterIndexColorModel(Ljava/awt/image/IndexColorModel;)Ljava/awt/image/IndexColorModel;
java/awt/image/RGBImageFilter
 filterRGBPixels(IIII[III)V
java/awt/image/RGBImageFilter setPixels(IIII[IIILjava/awt/image/ColorModel;[BII)V
java/awt/image/RGBImageFilter setPixels(IIII[IIILjava/awt/image/ColorModel;[III)V
java/awt/image/RGBImageFilter filterRGB(III)I
class java/awt/image/ImageFilter java/lang/Object
java/awt/image/ImageFilter consumer
java/awt/image/ImageFilter <init>()V
java/awt/image/ImageFilter getFilterInstance(Ljava/awt/image/ImageConsumer;)Ljava/awt/image/ImageFilter;
java/awt/image/ImageFilter setDimensions(II)V
java/awt/image/ImageFilter setProperties(Ljava/util/Hashtable;)V
java/awt/image/ImageFilter setColorModel(Ljava/awt/image/ColorModel;)V
java/awt/image/ImageFilter setHints(I)V
java/awt/image/ImageFilter setPixels(IIII[IIILjava/awt/image/ColorModel;[BII)V
java/awt/image/ImageFilter setPixels(IIII[IIILjava/awt/image/ColorModel;[III)V
java/awt/image/ImageFilter imageComplete(I)V
java/awt/image/ImageFilter resendTopDownLeftRight(Ljava/awt/image/ImageProducer;)V
java/awt/image/ImageFilter
 clone()Ljava/lang/Object;
class java/io/ObjectInputStream java/io/InputStream

```

```

java/io/ObjectInputStream NULL_HANDLE
java/io/ObjectInputStream unsharedMarker
java/io/ObjectInputStream primClasses
java/io/ObjectInputStream bin
java/io/ObjectInputStream vlist
java/io/ObjectInputStream depth
java/io/ObjectInputStream closed
java/io/ObjectInputStream handles
java/io/ObjectInputStream passHandle
java/io/ObjectInputStream defaultDataEnd
java/io/ObjectInputStream primVals
java/io/ObjectInputStream enableOverride
java/io/ObjectInputStream enableResolve
java/io/ObjectInputStream curContext
java/io/ObjectInputStream <init>(Ljava/io/InputStream;)V
java/io/ObjectInputStream <init>()V
java/io/ObjectInputStream readObject()Ljava/lang/Object;
java/io/ObjectInputStream readObjectOverride()Ljava/lang/Object;
java/io/ObjectInputStream readUnshared()Ljava/lang/Object;
java/io/ObjectInputStream defaultReadObject()V
java/io/ObjectInputStream
 readFields()Ljava/io/ObjectInputStream$GetField;
java/io/ObjectInputStream registerValidation(Ljava/io/ObjectInputValidation;I)V
java/io/ObjectInputStream resolveClass(Ljava/io/ObjectStreamClass;)Ljava/lang/Class;
java/io/ObjectInputStream resolveProxyClass([Ljava/lang/String;)Ljava/lang/Class;
java/io/ObjectInputStream resolveObject(Ljava/lang/Object;)Ljava/lang/Object;
java/io/ObjectInputStream enableResolveObject(Z)Z
java/io/ObjectInputStream readStreamHeader()V
java/io/ObjectInputStream readClassDescriptor()Ljava/io/ObjectStreamClass;
java/io/ObjectInputStream read()I
java/io/ObjectInputStream read([BII)I
java/io/ObjectInputStream available()I
java/io/ObjectInputStream close()V
java/io/ObjectInputStream readBoolean()Z
java/io/ObjectInputStream readByte()B
java/io/ObjectInputStream readUnsignedByte()I
java/io/ObjectInputStream readChar()C
java/io/ObjectInputStream readShort()S
java/io/ObjectInputStream readUnsignedShort()I
java/io/ObjectInputStream readInt()I
java/io/ObjectInputStream
 readLong()J
java/io/ObjectInputStream readFloat()F
java/io/ObjectInputStream readDouble()D
java/io/ObjectInputStream readFully([B)V
java/io/ObjectInputStream readFully([BII)V
java/io/ObjectInputStream skipBytes(I)I
java/io/ObjectInputStream readLine()Ljava/lang/String;

```

```

java/io/ObjectInputStream readUTF()Ljava/lang/String;
java/io/ObjectInputStream verifySubclass()V
java/io/ObjectInputStream auditSubclass(Ljava/lang/Class;)Z
java/io/ObjectInputStream clear()V
java/io/ObjectInputStream readObject0(Z)Ljava/lang/Object;
java/io/ObjectInputStream checkResolve(Ljava/lang/Object;)Ljava/lang/Object;
java/io/ObjectInputStream readTypeString()Ljava/lang/String;
java/io/ObjectInputStream readNull()Ljava/lang/Object;
java/io/ObjectInputStream readHandle(Z)Ljava/lang/Object;
java/io/ObjectInputStream readClass(Z)Ljava/lang/Class;
java/io/ObjectInputStream readClassDesc(Z)Ljava/io/ObjectStreamClass;
java/io/ObjectInputStream readProxyDesc(Z)Ljava/io/ObjectStreamClass;
java/io/ObjectInputStream
 readNonProxyDesc(Z)Ljava/io/ObjectStreamClass;
java/io/ObjectInputStream readString(Z)Ljava/lang/String;
java/io/ObjectInputStream readArray(Z)Ljava/lang/Object;
java/io/ObjectInputStream readEnum(Z)Ljava/lang/Enum;
java/io/ObjectInputStream readOrdinaryObject(Z)Ljava/lang/Object;
java/io/ObjectInputStream readExternalData(Ljava/io/Externalizable;Ljava/io/ObjectStreamClass;)V
java/io/ObjectInputStream readSerialData(Ljava/lang/Object;Ljava/io/ObjectStreamClass;)V
java/io/ObjectInputStream skipCustomData()V
java/io/ObjectInputStream defaultReadFields(Ljava/lang/Object;Ljava/io/ObjectStreamClass;)V
java/io/ObjectInputStream readFatalException()Ljava/io/IOException;
java/io/ObjectInputStream handleReset()V
java/io/ObjectInputStream bytesToFloats([BI[FII)V
java/io/ObjectInputStream bytesToDoubles([BI[DII)V
java/io/ObjectInputStream latestUserDefinedLoader()Ljava/lang/ClassLoader;
java/io/ObjectInputStream access$000(Ljava/io/ObjectInputStream;)I
java/io/ObjectInputStream access$100(Ljava/io/ObjectInputStream;)Ljava/io/ObjectInputStream$HandleTable;
java/io/ObjectInputStream
 access$200(Ljava/io/ObjectInputStream;)Ljava/io/ObjectInputStream$BlockDataInputStream;
java/io/ObjectInputStream access$300(Ljava/io/ObjectInputStream;Z)Ljava/lang/Object;
java/io/ObjectInputStream access$002(Ljava/io/ObjectInputStream;I)I
java/io/ObjectInputStream access$400(Ljava/io/ObjectInputStream;)Z
java/io/ObjectInputStream access$500(Ljava/io/ObjectInputStream;)V
java/io/ObjectInputStream access$600([BI[FII)V
java/io/ObjectInputStream access$700([BI[DII)V
java/io/ObjectInputStream <clinit>()V
class java/io/ObjectStreamConstants java/lang/Object
java/io/ObjectStreamConstants STREAM_MAGIC
java/io/ObjectStreamConstants STREAM_VERSION
java/io/ObjectStreamConstants TC_BASE
java/io/ObjectStreamConstants TC_NULL
java/io/ObjectStreamConstants TC_REFERENCE
java/io/ObjectStreamConstants TC_CLASSDESC
java/io/ObjectStreamConstants TC_OBJECT
java/io/ObjectStreamConstants TC_STRING
java/io/ObjectStreamConstants

```

```

TC_ARRAY
java/io/ObjectStreamConstants TC_CLASS
java/io/ObjectStreamConstants TC_BLOCKDATA
java/io/ObjectStreamConstants TC_ENDBLOCKDATA
java/io/ObjectStreamConstants TC_RESET
java/io/ObjectStreamConstants TC_BLOCKDATA_LONG
java/io/ObjectStreamConstants TC_EXCEPTION
java/io/ObjectStreamConstants TC_LONGSTRING
java/io/ObjectStreamConstants TC_PROXYCLASSDESC
java/io/ObjectStreamConstants TC_ENUM
java/io/ObjectStreamConstants TC_MAX
java/io/ObjectStreamConstants baseWireHandle
java/io/ObjectStreamConstants SC_WRITE_METHOD
java/io/ObjectStreamConstants SC_BLOCK_DATA
java/io/ObjectStreamConstants SC_SERIALIZABLE
java/io/ObjectStreamConstants SC_EXTERNALIZABLE
java/io/ObjectStreamConstants SC_ENUM
java/io/ObjectStreamConstants SUBSTITUTION_PERMISSION
java/io/ObjectStreamConstants SUBCLASS_IMPLEMENTATION_PERMISSION
java/io/ObjectStreamConstants PROTOCOL_VERSION_1
java/io/ObjectStreamConstants PROTOCOL_VERSION_2
java/io/ObjectStreamConstants <clinit>()V
class java/io/ObjectInput java/lang/Object
java/io/ObjectInput
 readObject()Ljava/lang/Object;
java/io/ObjectInput read()I
java/io/ObjectInput read([B)I
java/io/ObjectInput read([BII)I
java/io/ObjectInput skip(J)J
java/io/ObjectInput available()I
java/io/ObjectInput close()V
class java/lang/ClassFormatError java/lang/LinkageError
java/lang/ClassFormatError <init>()V
java/lang/ClassFormatError <init>(Ljava/lang/String;)V
class java/util/zip/CRC32 java/lang/Object
java/util/zip/CRC32 crc
java/util/zip/CRC32 <init>()V
java/util/zip/CRC32 update(I)V
java/util/zip/CRC32 update([BII)V
java/util/zip/CRC32 update([B)V
java/util/zip/CRC32 reset()V
java/util/zip/CRC32 getValue()J
java/util/zip/CRC32 update(II)I
java/util/zip/CRC32 updateBytes([BII)I
class java/util/zip/Checksum java/lang/Object
java/util/zip/Checksum update(I)V
java/util/zip/Checksum update([BII)V
java/util/zip/Checksum getValue()J

```

```

java/util/zip/Checksum reset()V
class java/io/PushbackInputStream java/io/FilterInputStream
java/io/PushbackInputStream buf
java/io/PushbackInputStream
 pos
java/io/PushbackInputStream ensureOpen()V
java/io/PushbackInputStream <init>(Ljava/io/InputStream;I)V
java/io/PushbackInputStream <init>(Ljava/io/InputStream;)V
java/io/PushbackInputStream read()I
java/io/PushbackInputStream read([BII)I
java/io/PushbackInputStream unread(I)V
java/io/PushbackInputStream unread([BII)V
java/io/PushbackInputStream unread([B)V
java/io/PushbackInputStream available()I
java/io/PushbackInputStream skip(J)J
java/io/PushbackInputStream markSupported()Z
java/io/PushbackInputStream mark(I)V
java/io/PushbackInputStream reset()V
java/io/PushbackInputStream close()V
class java/util/zip/ZipInputStream java/util/zip/InflaterInputStream
java/util/zip/ZipInputStream entry
java/util/zip/ZipInputStream crc
java/util/zip/ZipInputStream remaining
java/util/zip/ZipInputStream tmpbuf
java/util/zip/ZipInputStream STORED
java/util/zip/ZipInputStream DEFLATED
java/util/zip/ZipInputStream closed
java/util/zip/ZipInputStream entryEOF
java/util/zip/ZipInputStream
 b
java/util/zip/ZipInputStream ensureOpen()V
java/util/zip/ZipInputStream <init>(Ljava/io/InputStream;)V
java/util/zip/ZipInputStream getNextEntry()Ljava/util/zip/ZipEntry;
java/util/zip/ZipInputStream closeEntry()V
java/util/zip/ZipInputStream available()I
java/util/zip/ZipInputStream read([BII)I
java/util/zip/ZipInputStream skip(J)J
java/util/zip/ZipInputStream close()V
java/util/zip/ZipInputStream readLOC()Ljava/util/zip/ZipEntry;
java/util/zip/ZipInputStream getUTF8String([BII)Ljava/lang/String;
java/util/zip/ZipInputStream createZipEntry(Ljava/lang/String;)Ljava/util/zip/ZipEntry;
java/util/zip/ZipInputStream readEnd(Ljava/util/zip/ZipEntry;)V
java/util/zip/ZipInputStream readFully([BII)V
java/util/zip/ZipInputStream get16([BI)I
java/util/zip/ZipInputStream get32([BI)J
class java/text/DontCareFieldPosition$1 java/lang/Object
java/text/DontCareFieldPosition$1 this$0
java/text/DontCareFieldPosition$1 <init>(Ljava/text/DontCareFieldPosition;)V

```



```

java/text/DontCareFieldPosition$1
 formatted(Ljava/text/Format$Field;Ljava/lang/Object;IILjava/lang/StringBuffer;)V
java/text/DontCareFieldPosition$1
 formatted(ILjava/text/Format$Field;Ljava/lang/Object;IILjava/lang/StringBuffer;)V
class java/text/Format$FieldDelegate java/lang/Object
java/text/Format$FieldDelegate formatted(Ljava/text/Format$Field;Ljava/lang/Object;IILjava/lang/StringBuffer;)V
java/text/Format$FieldDelegate formatted(ILjava/text/Format$Field;Ljava/lang/Object;IILjava/lang/StringBuffer;)V
class java/text/DontCareFieldPosition java/text/FieldPosition
java/text/DontCareFieldPosition INSTANCE
java/text/DontCareFieldPosition noDelegate
java/text/DontCareFieldPosition <init>()V
java/text/DontCareFieldPosition getFieldDelegate()Ljava/text/Format$FieldDelegate;
java/text/DontCareFieldPosition <clinit>()V
class java/text/DigitList java/lang/Object
java/text/DigitList MAX_COUNT
java/text/DigitList decimalAt
java/text/DigitList count
java/text/DigitList digits
java/text/DigitList data
java/text/DigitList LONG_MIN_REP
java/text/DigitList
 tempBuffer
java/text/DigitList <init>()V
java/text/DigitList isZero()Z
java/text/DigitList clear()V
java/text/DigitList append(C)V
java/text/DigitList getDouble()D
java/text/DigitList getLong()J
java/text/DigitList getBigDecimal()Ljava/math/BigDecimal;
java/text/DigitList fitsIntoLong(Z)Z
java/text/DigitList set(DI)V
java/text/DigitList set(DIZ)V
java/text/DigitList set(Ljava/lang/String;IZ)V
java/text/DigitList round(I)V
java/text/DigitList shouldRoundUp(I)Z
java/text/DigitList set(J)V
java/text/DigitList set(JI)V
java/text/DigitList set(Ljava/math/BigDecimal;IZ)V
java/text/DigitList set(Ljava/math/BigInteger;I)V
java/text/DigitList equals(Ljava/lang/Object;)Z
java/text/DigitList hashCode()I
java/text/DigitList clone()Ljava/lang/Object;
java/text/DigitList isLongMIN_VALUE()Z
java/text/DigitList parseInt([CII)I
java/text/DigitList toString()Ljava/lang/String;
java/text/DigitList getStringBuffer()Ljava/lang/StringBuffer;
java/text/DigitList extendDigits(I)V
java/text/DigitList

```

```

getDataChars(I)[C
java/text/DigitList <clinit>()V
class java/text/DecimalFormat java/text/NumberFormat
java/text/DecimalFormat bigIntegerMultiplier
java/text/DecimalFormat bigDecimalMultiplier
java/text/DecimalFormat STATUS_INFINITE
java/text/DecimalFormat STATUS_POSITIVE
java/text/DecimalFormat STATUS_LENGTH
java/text/DecimalFormat digitList
java/text/DecimalFormat positivePrefix
java/text/DecimalFormat positiveSuffix
java/text/DecimalFormat negativePrefix
java/text/DecimalFormat negativeSuffix
java/text/DecimalFormat posPrefixPattern
java/text/DecimalFormat posSuffixPattern
java/text/DecimalFormat negPrefixPattern
java/text/DecimalFormat negSuffixPattern
java/text/DecimalFormat multiplier
java/text/DecimalFormat groupingSize
java/text/DecimalFormat decimalSeparatorAlwaysShown
java/text/DecimalFormat parseBigDecimal
java/text/DecimalFormat isCurrencyFormat
java/text/DecimalFormat symbols
java/text/DecimalFormat useExponentialNotation
java/text/DecimalFormat positivePrefixFieldPositions
java/text/DecimalFormat
 positiveSuffixFieldPositions
java/text/DecimalFormat negativePrefixFieldPositions
java/text/DecimalFormat negativeSuffixFieldPositions
java/text/DecimalFormat minExponentDigits
java/text/DecimalFormat maximumIntegerDigits
java/text/DecimalFormat minimumIntegerDigits
java/text/DecimalFormat maximumFractionDigits
java/text/DecimalFormat minimumFractionDigits
java/text/DecimalFormat currentSerialVersion
java/text/DecimalFormat serialVersionOnStream
java/text/DecimalFormat PATTERN_ZERO_DIGIT
java/text/DecimalFormat PATTERN_GROUPING_SEPARATOR
java/text/DecimalFormat PATTERN_DECIMAL_SEPARATOR
java/text/DecimalFormat PATTERN_PER_MILLE
java/text/DecimalFormat PATTERN_PERCENT
java/text/DecimalFormat PATTERN_DIGIT
java/text/DecimalFormat PATTERN_SEPARATOR
java/text/DecimalFormat PATTERN_EXPONENT
java/text/DecimalFormat PATTERN_MINUS
java/text/DecimalFormat CURRENCY_SIGN
java/text/DecimalFormat QUOTE
java/text/DecimalFormat EmptyFieldPositionArray

```

```

java/text/DecimalFormat
 DOUBLE_INTEGER_DIGITS
java/text/DecimalFormat DOUBLE_FRACTION_DIGITS
java/text/DecimalFormat MAXIMUM_INTEGER_DIGITS
java/text/DecimalFormat MAXIMUM_FRACTION_DIGITS
java/text/DecimalFormat serialVersionUID
java/text/DecimalFormat cachedLocaleData
java/text/DecimalFormat $assertionsDisabled
java/text/DecimalFormat <init>()V
java/text/DecimalFormat <init>(Ljava/lang/String;)V
java/text/DecimalFormat <init>(Ljava/lang/String;Ljava/text/DecimalFormatSymbols;)V
java/text/DecimalFormat
 format(Ljava/lang/Object;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/DecimalFormat format(DLjava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/DecimalFormat
 format(DLjava/lang/StringBuffer;Ljava/text/Format$FieldDelegate;)Ljava/lang/StringBuffer;
java/text/DecimalFormat format(JLjava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/DecimalFormat
 format(JLjava/lang/StringBuffer;Ljava/text/Format$FieldDelegate;)Ljava/lang/StringBuffer;
java/text/DecimalFormat
 format(Ljava/math/BigDecimal;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/DecimalFormat
 format(Ljava/math/BigDecimal;Ljava/lang/StringBuffer;Ljava/text/Format$FieldDelegate;)Ljava/lang/StringBuffer;
java/text/DecimalFormat
 format(Ljava/math/BigInteger;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/DecimalFormat
 format(Ljava/math/BigInteger;Ljava/lang/StringBuffer;Ljava/text/Format$FieldDelegate;Z)Ljava/lang/StringBuffer;
java/text/DecimalFormat formatToCharacterIterator(Ljava/lang/Object;)Ljava/text/AttributedCharacterIterator;
java/text/DecimalFormat
 subformat(Ljava/lang/StringBuffer;Ljava/text/Format$FieldDelegate;ZZIII)Ljava/lang/StringBuffer;
java/text/DecimalFormat
 append(Ljava/lang/StringBuffer;Ljava/lang/String;Ljava/text/Format$FieldDelegate;[Ljava/text/FieldPosition;Ljava
/text/Format$Field;)V
java/text/DecimalFormat parse(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/lang/Number;
java/text/DecimalFormat
 getBigIntegerMultiplier()Ljava/math/BigInteger;
java/text/DecimalFormat getBigDecimalMultiplier()Ljava/math/BigDecimal;
java/text/DecimalFormat
 subparse(Ljava/lang/String;Ljava/text/ParsePosition;Ljava/lang/String;Ljava/lang/String;Ljava/text/DigitList;Z[Z)Z
java/text/DecimalFormat getDecimalFormatSymbols()Ljava/text/DecimalFormatSymbols;
java/text/DecimalFormat setDecimalFormatSymbols(Ljava/text/DecimalFormatSymbols;)V
java/text/DecimalFormat getPositivePrefix()Ljava/lang/String;
java/text/DecimalFormat setPositivePrefix(Ljava/lang/String;)V
java/text/DecimalFormat getPositivePrefixFieldPositions()[Ljava/text/FieldPosition;
java/text/DecimalFormat getNegativePrefix()Ljava/lang/String;
java/text/DecimalFormat setNegativePrefix(Ljava/lang/String;)V
java/text/DecimalFormat getNegativePrefixFieldPositions()[Ljava/text/FieldPosition;
java/text/DecimalFormat getPositiveSuffix()Ljava/lang/String;

```

```

java/text/DecimalFormat
 setPositiveSuffix(Ljava/lang/String;)V
java/text/DecimalFormat getPositiveSuffixFieldPositions()[Ljava/text/FieldPosition;
java/text/DecimalFormat getNegativeSuffix()Ljava/lang/String;
java/text/DecimalFormat setNegativeSuffix(Ljava/lang/String;)V
java/text/DecimalFormat getNegativeSuffixFieldPositions()[Ljava/text/FieldPosition;
java/text/DecimalFormat getMultiplier()I
java/text/DecimalFormat setMultiplier(I)V
java/text/DecimalFormat getGroupingSize()I
java/text/DecimalFormat setGroupingSize(I)V
java/text/DecimalFormat isDecimalSeparatorAlwaysShown()Z
java/text/DecimalFormat setDecimalSeparatorAlwaysShown(Z)V
java/text/DecimalFormat isParseBigDecimal()Z
java/text/DecimalFormat setParseBigDecimal(Z)V
java/text/DecimalFormat clone()Ljava/lang/Object;
java/text/DecimalFormat equals(Ljava/lang/Object;)Z
java/text/DecimalFormat hashCode()I
java/text/DecimalFormat toPattern()Ljava/lang/String;
java/text/DecimalFormat toLocalizedPattern(Ljava/lang/String;
java/text/DecimalFormat expandAffixes()V
java/text/DecimalFormat
 expandAffix(Ljava/lang/String;Ljava/lang/StringBuffer;)Ljava/lang/String;
java/text/DecimalFormat expandAffix(Ljava/lang/String;)[Ljava/text/FieldPosition;
java/text/DecimalFormat appendAffix(Ljava/lang/StringBuffer;Ljava/lang/String;Ljava/lang/String;Z)V
java/text/DecimalFormat appendAffix(Ljava/lang/StringBuffer;Ljava/lang/String;Z)V
java/text/DecimalFormat toPattern(Z)Ljava/lang/String;
java/text/DecimalFormat applyPattern(Ljava/lang/String;)V
java/text/DecimalFormat applyLocalizedPattern(Ljava/lang/String;)V
java/text/DecimalFormat applyPattern(Ljava/lang/String;Z)V
java/text/DecimalFormat setMaximumIntegerDigits(I)V
java/text/DecimalFormat setMinimumIntegerDigits(I)V
java/text/DecimalFormat setMaximumFractionDigits(I)V
java/text/DecimalFormat setMinimumFractionDigits(I)V
java/text/DecimalFormat getMaximumIntegerDigits()I
java/text/DecimalFormat getMinimumIntegerDigits()I
java/text/DecimalFormat getMaximumFractionDigits()I
java/text/DecimalFormat
 getMinimumFractionDigits()I
java/text/DecimalFormat getCurrency()Ljava/util/Currency;
java/text/DecimalFormat setCurrency(Ljava/util/Currency;)V
java/text/DecimalFormat adjustForCurrencyDefaultFractionDigits()V
java/text/DecimalFormat readObject(Ljava/io/ObjectInputStream;)V
java/text/DecimalFormat <clinit>()V
class java/util/CurrencyData java/lang/Object
java/util/CurrencyData mainTable
java/util/CurrencyData scCutOverTimes
java/util/CurrencyData scOldCurrencies
java/util/CurrencyData scNewCurrencies

```

```

java/util/CurrencyData scOldCurrenciesDFD
java/util/CurrencyData scNewCurrenciesDFD
java/util/CurrencyData otherCurrencies
java/util/CurrencyData otherCurrenciesDFD
java/util/CurrencyData <init>()V
java/util/CurrencyData <clinit>()V
class java/util/Currency$1 java/lang/Object
java/util/Currency$1 <init>()V
java/util/Currency$1 run()Ljava/lang/Object;
class java/util/Currency java/lang/Object
java/util/Currency serialVersionUID
java/util/Currency currencyCode
java/util/Currency defaultFractionDigits
java/util/Currency
 instances
java/util/Currency mainTable
java/util/Currency scCutOverTimes
java/util/Currency scOldCurrencies
java/util/Currency scNewCurrencies
java/util/Currency scOldCurrenciesDFD
java/util/Currency scNewCurrenciesDFD
java/util/Currency otherCurrencies
java/util/Currency otherCurrenciesDFD
java/util/Currency A_TO_Z
java/util/Currency INVALID_COUNTRY_ENTRY
java/util/Currency COUNTRY_WITHOUT_CURRENCY_ENTRY
java/util/Currency SIMPLE_CASE_COUNTRY_MASK
java/util/Currency SIMPLE_CASE_COUNTRY_FINAL_CHAR_MASK
java/util/Currency SIMPLE_CASE_COUNTRY_DEFAULT_DIGITS_MASK
java/util/Currency SIMPLE_CASE_COUNTRY_DEFAULT_DIGITS_SHIFT
java/util/Currency SPECIAL_CASE_COUNTRY_MASK
java/util/Currency SPECIAL_CASE_COUNTRY_INDEX_MASK
java/util/Currency SPECIAL_CASE_COUNTRY_INDEX_DELTA
java/util/Currency COUNTRY_TYPE_MASK
java/util/Currency <init>(Ljava/lang/String;I)V
java/util/Currency getInstance(Ljava/lang/String;)Ljava/util/Currency;
java/util/Currency getInstance(Ljava/lang/String;I)Ljava/util/Currency;
java/util/Currency
 getInstance(Ljava/util/Locale;)Ljava/util/Currency;
java/util/Currency getCurrencyCode()Ljava/lang/String;
java/util/Currency getSymbol()Ljava/lang/String;
java/util/Currency getSymbol(Ljava/util/Locale;)Ljava/lang/String;
java/util/Currency getDefaultFractionDigits()I
java/util/Currency toString()Ljava/lang/String;
java/util/Currency readResolve()Ljava/lang/Object;
java/util/Currency getMainTableEntry(CC)I
java/util/Currency <clinit>()V
class java/text/DecimalFormatSymbols java/lang/Object

```

java/text/DecimalFormatSymbols zeroDigit  
java/text/DecimalFormatSymbols groupingSeparator  
java/text/DecimalFormatSymbols decimalSeparator  
java/text/DecimalFormatSymbols perMill  
java/text/DecimalFormatSymbols percent  
java/text/DecimalFormatSymbols digit  
java/text/DecimalFormatSymbols patternSeparator  
java/text/DecimalFormatSymbols infinity  
java/text/DecimalFormatSymbols NaN  
java/text/DecimalFormatSymbols minusSign  
java/text/DecimalFormatSymbols  
currencySymbol  
java/text/DecimalFormatSymbols intlCurrencySymbol  
java/text/DecimalFormatSymbols monetarySeparator  
java/text/DecimalFormatSymbols exponential  
java/text/DecimalFormatSymbols locale  
java/text/DecimalFormatSymbols currency  
java/text/DecimalFormatSymbols serialVersionUID  
java/text/DecimalFormatSymbols currentSerialVersion  
java/text/DecimalFormatSymbols serialVersionOnStream  
java/text/DecimalFormatSymbols cachedLocaleData  
java/text/DecimalFormatSymbols <init>()V  
java/text/DecimalFormatSymbols <init>(Ljava/util/Locale;)V  
java/text/DecimalFormatSymbols getZeroDigit()C  
java/text/DecimalFormatSymbols setZeroDigit(C)V  
java/text/DecimalFormatSymbols getGroupingSeparator()C  
java/text/DecimalFormatSymbols setGroupingSeparator(C)V  
java/text/DecimalFormatSymbols getDecimalSeparator()C  
java/text/DecimalFormatSymbols setDecimalSeparator(C)V  
java/text/DecimalFormatSymbols getPerMill()C  
java/text/DecimalFormatSymbols setPerMill(C)V  
java/text/DecimalFormatSymbols getPercent()C  
java/text/DecimalFormatSymbols  
setPercent(C)V  
java/text/DecimalFormatSymbols getDigit()C  
java/text/DecimalFormatSymbols setDigit(C)V  
java/text/DecimalFormatSymbols getPatternSeparator()C  
java/text/DecimalFormatSymbols setPatternSeparator(C)V  
java/text/DecimalFormatSymbols getInfinity()Ljava/lang/String;  
java/text/DecimalFormatSymbols setInfinity(Ljava/lang/String;)V  
java/text/DecimalFormatSymbols getNaN()Ljava/lang/String;  
java/text/DecimalFormatSymbols setNaN(Ljava/lang/String;)V  
java/text/DecimalFormatSymbols getMinusSign()C  
java/text/DecimalFormatSymbols setMinusSign(C)V  
java/text/DecimalFormatSymbols getCurrencySymbol()Ljava/lang/String;  
java/text/DecimalFormatSymbols setCurrencySymbol(Ljava/lang/String;)V  
java/text/DecimalFormatSymbols getInternationalCurrencySymbol()Ljava/lang/String;  
java/text/DecimalFormatSymbols setInternationalCurrencySymbol(Ljava/lang/String;)V

```

java/text/DecimalFormatSymbols getCurrency()Ljava/util/Currency;
java/text/DecimalFormatSymbols setCurrency(Ljava/util/Currency;)V
java/text/DecimalFormatSymbols
 getMonetaryDecimalSeparator()C
java/text/DecimalFormatSymbols setMonetaryDecimalSeparator(C)V
java/text/DecimalFormatSymbols getExponentialSymbol()C
java/text/DecimalFormatSymbols setExponentialSymbol(C)V
java/text/DecimalFormatSymbols clone()Ljava/lang/Object;
java/text/DecimalFormatSymbols equals(Ljava/lang/Object;)Z
java/text/DecimalFormatSymbols hashCode()I
java/text/DecimalFormatSymbols initialize(Ljava/util/Locale;)V
java/text/DecimalFormatSymbols readObject(Ljava/io/ObjectInputStream;)V
java/text/DecimalFormatSymbols <clinit>()V
class java/text/NumberFormat java/text/Format
java/text/NumberFormat INTEGER_FIELD
java/text/NumberFormat FRACTION_FIELD
java/text/NumberFormat cachedLocaleData
java/text/NumberFormat NUMBERSTYLE
java/text/NumberFormat CURRENCYSTYLE
java/text/NumberFormat PERCENTSTYLE
java/text/NumberFormat SCIENTIFICSTYLE
java/text/NumberFormat INTEGERSTYLE
java/text/NumberFormat groupingUsed
java/text/NumberFormat maxIntegerDigits
java/text/NumberFormat
 minIntegerDigits
java/text/NumberFormat maxFractionDigits
java/text/NumberFormat minFractionDigits
java/text/NumberFormat parseIntegerOnly
java/text/NumberFormat maximumIntegerDigits
java/text/NumberFormat minimumIntegerDigits
java/text/NumberFormat maximumFractionDigits
java/text/NumberFormat minimumFractionDigits
java/text/NumberFormat currentSerialVersion
java/text/NumberFormat serialVersionOnStream
java/text/NumberFormat serialVersionUID
java/text/NumberFormat <init>()V
java/text/NumberFormat
 format(Ljava/lang/Object;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/NumberFormat parseObject(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/lang/Object;
java/text/NumberFormat format(D)Ljava/lang/String;
java/text/NumberFormat format(J)Ljava/lang/String;
java/text/NumberFormat format(DLjava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/NumberFormat format(JLjava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/NumberFormat
 parse(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/lang/Number;
java/text/NumberFormat parse(Ljava/lang/String;)Ljava/lang/Number;
java/text/NumberFormat isParseIntegerOnly()Z

```

```

java/text/NumberFormat setParseIntegerOnly(Z)V
java/text/NumberFormat getInstance()Ljava/text/NumberFormat;
java/text/NumberFormat getInstance(Ljava/util/Locale;)Ljava/text/NumberFormat;
java/text/NumberFormat getNumberInstance()Ljava/text/NumberFormat;
java/text/NumberFormat getNumberInstance(Ljava/util/Locale;)Ljava/text/NumberFormat;
java/text/NumberFormat getIntegerInstance()Ljava/text/NumberFormat;
java/text/NumberFormat getIntegerInstance(Ljava/util/Locale;)Ljava/text/NumberFormat;
java/text/NumberFormat getCurrencyInstance()Ljava/text/NumberFormat;
java/text/NumberFormat getCurrencyInstance(Ljava/util/Locale;)Ljava/text/NumberFormat;
java/text/NumberFormat getPercentInstance()Ljava/text/NumberFormat;
java/text/NumberFormat getPercentInstance(Ljava/util/Locale;)Ljava/text/NumberFormat;
java/text/NumberFormat
 getScientificInstance()Ljava/text/NumberFormat;
java/text/NumberFormat getScientificInstance(Ljava/util/Locale;)Ljava/text/NumberFormat;
java/text/NumberFormat getAvailableLocales()[Ljava/util/Locale;
java/text/NumberFormat hashCode()I
java/text/NumberFormat equals(Ljava/lang/Object;)Z
java/text/NumberFormat clone()Ljava/lang/Object;
java/text/NumberFormat isGroupingUsed()Z
java/text/NumberFormat setGroupingUsed(Z)V
java/text/NumberFormat getMaximumIntegerDigits()I
java/text/NumberFormat setMaximumIntegerDigits(I)V
java/text/NumberFormat getMinimumIntegerDigits()I
java/text/NumberFormat setMinimumIntegerDigits(I)V
java/text/NumberFormat getMaximumFractionDigits()I
java/text/NumberFormat setMaximumFractionDigits(I)V
java/text/NumberFormat getMinimumFractionDigits()I
java/text/NumberFormat setMinimumFractionDigits(I)V
java/text/NumberFormat getCurrency()Ljava/util/Currency;
java/text/NumberFormat setCurrency(Ljava/util/Currency;)V
java/text/NumberFormat
 getInstance(Ljava/util/Locale;)Ljava/text/NumberFormat;
java/text/NumberFormat readObject(Ljava/io/ObjectInputStream;)V
java/text/NumberFormat writeObject(Ljava/io/ObjectOutputStream;)V
java/text/NumberFormat <clinit>()V
class java/util/GregorianCalendar java/util/Calendar
java/util/GregorianCalendar BC
java/util/GregorianCalendar BCE
java/util/GregorianCalendar AD
java/util/GregorianCalendar CE
java/util/GregorianCalendar EPOCH_OFFSET
java/util/GregorianCalendar EPOCH_YEAR
java/util/GregorianCalendar MONTH_LENGTH
java/util/GregorianCalendar LEAP_MONTH_LENGTH
java/util/GregorianCalendar ONE_SECOND
java/util/GregorianCalendar ONE_MINUTE
java/util/GregorianCalendar ONE_HOUR
java/util/GregorianCalendar ONE_DAY

```



java/util/GregorianCalendar ONE\_WEEK  
java/util/GregorianCalendar MIN\_VALUES  
java/util/GregorianCalendar LEAST\_MAX\_VALUES  
java/util/GregorianCalendar MAX\_VALUES  
java/util/GregorianCalendar serialVersionUID  
java/util/GregorianCalendar gcal  
java/util/GregorianCalendar  
    jcal  
java/util/GregorianCalendar jeras  
java/util/GregorianCalendar DEFAULT\_GREGORIAN\_CUTOVER  
java/util/GregorianCalendar gregorianCutover  
java/util/GregorianCalendar gregorianCutoverDate  
java/util/GregorianCalendar gregorianCutoverYear  
java/util/GregorianCalendar gregorianCutoverYearJulian  
java/util/GregorianCalendar gdate  
java/util/GregorianCalendar cdate  
java/util/GregorianCalendar calsys  
java/util/GregorianCalendar zoneOffsets  
java/util/GregorianCalendar originalFields  
java/util/GregorianCalendar cachedFixedDate  
java/util/GregorianCalendar \$assertionsDisabled  
java/util/GregorianCalendar <init>()V  
java/util/GregorianCalendar <init>(Ljava/util/TimeZone;)V  
java/util/GregorianCalendar <init>(Ljava/util/Locale;)V  
java/util/GregorianCalendar <init>(Ljava/util/TimeZone;Ljava/util/Locale;)V  
java/util/GregorianCalendar <init>(III)V  
java/util/GregorianCalendar <init>(IIII)V  
java/util/GregorianCalendar <init>(IIIII)V  
java/util/GregorianCalendar <init>(IIIIII)V  
java/util/GregorianCalendar  
    setGregorianChange(Ljava/util/Date;)V  
java/util/GregorianCalendar setGregorianChange(J)V  
java/util/GregorianCalendar getGregorianChange()Ljava/util/Date;  
java/util/GregorianCalendar isLeapYear(I)Z  
java/util/GregorianCalendar equals(Ljava/lang/Object;)Z  
java/util/GregorianCalendar hashCode()I  
java/util/GregorianCalendar add(II)V  
java/util/GregorianCalendar roll(IZ)V  
java/util/GregorianCalendar roll(II)V  
java/util/GregorianCalendar getMinimum(I)I  
java/util/GregorianCalendar getMaximum(I)I  
java/util/GregorianCalendar getGreatestMinimum(I)I  
java/util/GregorianCalendar getLeastMaximum(I)I  
java/util/GregorianCalendar getActualMinimum(I)I  
java/util/GregorianCalendar getActualMaximum(I)I  
java/util/GregorianCalendar getYearOffsetInMillis()J  
java/util/GregorianCalendar clone()Ljava/lang/Object;  
java/util/GregorianCalendar getTimeZone()Ljava/util/TimeZone;

```

java/util/GregorianCalendar setTimeZone(Ljava/util/TimeZone;)V
java/util/GregorianCalendar computeFields()V
java/util/GregorianCalendar
 computeFields(II)I
java/util/GregorianCalendar getWeekNumber(J)I
java/util/GregorianCalendar computeTime()V
java/util/GregorianCalendar getFixedDate(Lsun/util/calendar/BaseCalendar;II)J
java/util/GregorianCalendar getNormalizedCalendar()Ljava/util/GregorianCalendar;
java/util/GregorianCalendar getJulianCalendarSystem()Lsun/util/calendar/BaseCalendar;
java/util/GregorianCalendar getCutoverCalendarSystem()Lsun/util/calendar/BaseCalendar;
java/util/GregorianCalendar isCutoverYear(I)Z
java/util/GregorianCalendar getFixedDateJan1(Lsun/util/calendar/BaseCalendar$Date;J)J
java/util/GregorianCalendar getFixedDateMonth1(Lsun/util/calendar/BaseCalendar$Date;J)J
java/util/GregorianCalendar getCalendarDate(J)Lsun/util/calendar/BaseCalendar$Date;
java/util/GregorianCalendar getGregorianCalendarCutoverDate()Lsun/util/calendar/BaseCalendar$Date;
java/util/GregorianCalendar getLastJulianDate()Lsun/util/calendar/BaseCalendar$Date;
java/util/GregorianCalendar monthLength(II)I
java/util/GregorianCalendar monthLength(I)I
java/util/GregorianCalendar
 actualMonthLength()I
java/util/GregorianCalendar yearLength(I)I
java/util/GregorianCalendar yearLength(I)I
java/util/GregorianCalendar pinDayOfMonth()V
java/util/GregorianCalendar getCurrentFixedDate()J
java/util/GregorianCalendar getRolledValue(III)I
java/util/GregorianCalendar internalGetEra()I
java/util/GregorianCalendar readObject(Ljava/io/ObjectInputStream;)V
java/util/GregorianCalendar <clinit>()V
class java/util/Calendar java/lang/Object
java/util/Calendar ERA
java/util/Calendar YEAR
java/util/Calendar MONTH
java/util/Calendar WEEK_OF_YEAR
java/util/Calendar WEEK_OF_MONTH
java/util/Calendar DATE
java/util/Calendar DAY_OF_MONTH
java/util/Calendar DAY_OF_YEAR
java/util/Calendar DAY_OF_WEEK
java/util/Calendar DAY_OF_WEEK_IN_MONTH
java/util/Calendar AM_PM
java/util/Calendar HOUR
java/util/Calendar HOUR_OF_DAY
java/util/Calendar MINUTE
java/util/Calendar SECOND
java/util/Calendar MILLISECOND
java/util/Calendar ZONE_OFFSET
java/util/Calendar

```

DST\_OFFSET  
java/util/Calendar FIELD\_COUNT  
java/util/Calendar SUNDAY  
java/util/Calendar MONDAY  
java/util/Calendar TUESDAY  
java/util/Calendar WEDNESDAY  
java/util/Calendar THURSDAY  
java/util/Calendar FRIDAY  
java/util/Calendar SATURDAY  
java/util/Calendar JANUARY  
java/util/Calendar FEBRUARY  
java/util/Calendar MARCH  
java/util/Calendar APRIL  
java/util/Calendar MAY  
java/util/Calendar JUNE  
java/util/Calendar JULY  
java/util/Calendar AUGUST  
java/util/Calendar SEPTEMBER  
java/util/Calendar OCTOBER  
java/util/Calendar NOVEMBER  
java/util/Calendar DECEMBER  
java/util/Calendar UNDECIMBER  
java/util/Calendar AM  
java/util/Calendar PM  
java/util/Calendar fields  
java/util/Calendar isSet  
java/util/Calendar stamp  
java/util/Calendar time  
java/util/Calendar isTimeSet  
java/util/Calendar areFieldsSet  
java/util/Calendar areAllFieldsSet  
java/util/Calendar lenient  
java/util/Calendar zone  
java/util/Calendar sharedZone  
java/util/Calendar firstDayOfWeek  
java/util/Calendar minimalDaysInFirstWeek  
java/util/Calendar cachedLocaleData  
java/util/Calendar  
UNSET  
java/util/Calendar COMPUTED  
java/util/Calendar MINIMUM\_USER\_STAMP  
java/util/Calendar ALL\_FIELDS  
java/util/Calendar nextStamp  
java/util/Calendar currentSerialVersion  
java/util/Calendar serialVersionOnStream  
java/util/Calendar serialVersionUID  
java/util/Calendar ERA\_MASK  
java/util/Calendar YEAR\_MASK

```

java/util/Calendar MONTH_MASK
java/util/Calendar WEEK_OF_YEAR_MASK
java/util/Calendar WEEK_OF_MONTH_MASK
java/util/Calendar DAY_OF_MONTH_MASK
java/util/Calendar DATE_MASK
java/util/Calendar DAY_OF_YEAR_MASK
java/util/Calendar DAY_OF_WEEK_MASK
java/util/Calendar DAY_OF_WEEK_IN_MONTH_MASK
java/util/Calendar AM_PM_MASK
java/util/Calendar HOUR_MASK
java/util/Calendar HOUR_OF_DAY_MASK
java/util/Calendar MINUTE_MASK
java/util/Calendar SECOND_MASK
java/util/Calendar MILLISECOND_MASK
java/util/Calendar ZONE_OFFSET_MASK
java/util/Calendar DST_OFFSET_MASK
java/util/Calendar FIELD_NAME
java/util/Calendar $assertionsDisabled
java/util/Calendar <init>()V
java/util/Calendar
 <init>(Ljava/util/TimeZone;Ljava/util/Locale;)V
java/util/Calendar getInstance()Ljava/util/Calendar;
java/util/Calendar getInstance(Ljava/util/TimeZone;)Ljava/util/Calendar;
java/util/Calendar getInstance(Ljava/util/Locale;)Ljava/util/Calendar;
java/util/Calendar getInstance(Ljava/util/TimeZone;Ljava/util/Locale;)Ljava/util/Calendar;
java/util/Calendar createCalendar(Ljava/util/TimeZone;Ljava/util/Locale;)Ljava/util/Calendar;
java/util/Calendar getAvailableLocales()[Ljava/util/Locale;
java/util/Calendar computeTime()V
java/util/Calendar computeFields()V
java/util/Calendar getTime()Ljava/util/Date;
java/util/Calendar setTime(Ljava/util/Date;)V
java/util/Calendar getTimeInMillis()J
java/util/Calendar setTimeInMillis(J)V
java/util/Calendar get(I)I
java/util/Calendar internalGet(I)I
java/util/Calendar internalSet(II)V
java/util/Calendar set(II)V
java/util/Calendar set(III)V
java/util/Calendar set(IIII)V
java/util/Calendar set(IIIII)V
java/util/Calendar clear()V
java/util/Calendar clear(I)V
java/util/Calendar
 isSet(I)Z
java/util/Calendar complete()V
java/util/Calendar isExternallySet(I)Z
java/util/Calendar getSetStateFields()I
java/util/Calendar setFieldsComputed(I)V

```

```

java/util/Calendar setFieldsNormalized(I)V
java/util/Calendar isPartiallyNormalized()Z
java/util/Calendar isFullyNormalized()Z
java/util/Calendar setUnnormalized()V
java/util/Calendar isFieldSet(II)Z
java/util/Calendar selectFields()I
java/util/Calendar aggregateStamp(II)I
java/util/Calendar equals(Ljava/lang/Object;)Z
java/util/Calendar hashCode()I
java/util/Calendar before(Ljava/lang/Object;)Z
java/util/Calendar after(Ljava/lang/Object;)Z
java/util/Calendar compareTo(Ljava/util/Calendar;)I
java/util/Calendar add(II)V
java/util/Calendar roll(IZ)V
java/util/Calendar roll(II)V
java/util/Calendar setTimeZone(Ljava/util/TimeZone;)V
java/util/Calendar getTimeZone()Ljava/util/TimeZone;
java/util/Calendar getZone()Ljava/util/TimeZone;
java/util/Calendar setZoneShared(Z)V
java/util/Calendar setLenient(Z)V
java/util/Calendar
 isLenient()Z
java/util/Calendar setFirstDayOfWeek(I)V
java/util/Calendar getFirstDayOfWeek()I
java/util/Calendar setMinimalDaysInFirstWeek(I)V
java/util/Calendar getMinimalDaysInFirstWeek()I
java/util/Calendar getMinimum(I)I
java/util/Calendar getMaximum(I)I
java/util/Calendar getGreatestMinimum(I)I
java/util/Calendar getLeastMaximum(I)I
java/util/Calendar getActualMinimum(I)I
java/util/Calendar getActualMaximum(I)I
java/util/Calendar clone()Ljava/lang/Object;
java/util/Calendar getFieldName(I)Ljava/lang/String;
java/util/Calendar toString()Ljava/lang/String;
java/util/Calendar appendValue(Ljava/lang/StringBuilder;Ljava/lang/String;ZJ)V
java/util/Calendar setWeekCountData(Ljava/util/Locale;)V
java/util/Calendar updateTime()V
java/util/Calendar compareTo(J)I
java/util/Calendar getMillisOf(Ljava/util/Calendar;)J
java/util/Calendar adjustStamp()V
java/util/Calendar invalidateWeekFields()V
java/util/Calendar writeObject(Ljava/io/ObjectOutputStream;)V
java/util/Calendar readObject(Ljava/io/ObjectInputStream;)V
java/util/Calendar
 compareTo(Ljava/lang/Object;)I
java/util/Calendar <clinit>()V
class java/text/DateFormat$Field java/text/Format$Field

```

```

java/text/DateFormat$Field serialVersionUID
java/text/DateFormat$Field instanceMap
java/text/DateFormat$Field calendarToFieldMapping
java/text/DateFormat$Field calendarField
java/text/DateFormat$Field ERA
java/text/DateFormat$Field YEAR
java/text/DateFormat$Field MONTH
java/text/DateFormat$Field DAY_OF_MONTH
java/text/DateFormat$Field HOUR_OF_DAY1
java/text/DateFormat$Field HOUR_OF_DAY0
java/text/DateFormat$Field MINUTE
java/text/DateFormat$Field SECOND
java/text/DateFormat$Field MILLISECOND
java/text/DateFormat$Field DAY_OF_WEEK
java/text/DateFormat$Field DAY_OF_YEAR
java/text/DateFormat$Field DAY_OF_WEEK_IN_MONTH
java/text/DateFormat$Field WEEK_OF_YEAR
java/text/DateFormat$Field WEEK_OF_MONTH
java/text/DateFormat$Field AM_PM
java/text/DateFormat$Field HOUR1
java/text/DateFormat$Field HOUR0
java/text/DateFormat$Field
 TIME_ZONE
java/text/DateFormat$Field ofCalendarField(I)Ljava/text/DateFormat$Field;
java/text/DateFormat$Field <init>(Ljava/lang/String;I)V
java/text/DateFormat$Field getCalendarField()I
java/text/DateFormat$Field readResolve()Ljava/lang/Object;
java/text/DateFormat$Field <clinit>()V
class java/text/SimpleDateFormat java/text/DateFormat
java/text/SimpleDateFormat serialVersionUID
java/text/SimpleDateFormat currentSerialVersion
java/text/SimpleDateFormat serialVersionOnStream
java/text/SimpleDateFormat pattern
java/text/SimpleDateFormat compiledPattern
java/text/SimpleDateFormat TAG_QUOTE_ASCII_CHAR
java/text/SimpleDateFormat TAG_QUOTE_CHARS
java/text/SimpleDateFormat zeroDigit
java/text/SimpleDateFormat formatData
java/text/SimpleDateFormat defaultCenturyStart
java/text/SimpleDateFormat defaultCenturyStartYear
java/text/SimpleDateFormat millisPerHour
java/text/SimpleDateFormat millisPerMinute
java/text/SimpleDateFormat GMT
java/text/SimpleDateFormat cachedLocaleData
java/text/SimpleDateFormat
 cachedNumberFormatData
java/text/SimpleDateFormat PATTERN_INDEX_TO_CALENDAR_FIELD
java/text/SimpleDateFormat PATTERN_INDEX_TO_DATE_FORMAT_FIELD

```

```

java/text/SimpleDateFormat PATTERN_INDEX_TO_DATE_FORMAT_FIELD_ID
java/text/SimpleDateFormat <init>()V
java/text/SimpleDateFormat <init>(Ljava/lang/String;)V
java/text/SimpleDateFormat <init>(Ljava/lang/String;Ljava/util/Locale;)V
java/text/SimpleDateFormat <init>(Ljava/lang/String;Ljava/text/DateFormatSymbols;)V
java/text/SimpleDateFormat <init>(IILjava/util/Locale;)V
java/text/SimpleDateFormat initialize(Ljava/util/Locale;)V
java/text/SimpleDateFormat compile(Ljava/lang/String;)[C
java/text/SimpleDateFormat encode(IILjava/lang/StringBuilder;)V
java/text/SimpleDateFormat initializeDefaultCentury()V
java/text/SimpleDateFormat parseAmbiguousDatesAsAfter(Ljava/util/Date;)V
java/text/SimpleDateFormat set2DigitYearStart(Ljava/util/Date;)V
java/text/SimpleDateFormat get2DigitYearStart()Ljava/util/Date;
java/text/SimpleDateFormat
format(Ljava/util/Date;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/SimpleDateFormat
format(Ljava/util/Date;Ljava/lang/StringBuffer;Ljava/text/Format$FieldDelegate;)Ljava/lang/StringBuffer;
java/text/SimpleDateFormat formatToCharacterIterator(Ljava/lang/Object;)Ljava/text/AttributedCharacterIterator;
java/text/SimpleDateFormat subFormat(IILjava/text/Format$FieldDelegate;Ljava/lang/StringBuffer;)V
java/text/SimpleDateFormat zeroPaddingNumber(IILjava/lang/StringBuffer;)V
java/text/SimpleDateFormat parse(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/util/Date;
java/text/SimpleDateFormat matchString(Ljava/lang/String;II[Ljava/lang/String;)I
java/text/SimpleDateFormat matchZoneString(Ljava/lang/String;II)I
java/text/SimpleDateFormat matchDSTString(Ljava/lang/String;III)Z
java/text/SimpleDateFormat subParseZoneString(Ljava/lang/String;I)I
java/text/SimpleDateFormat subParse(Ljava/lang/String;IIIZ[Ljava/text/ParsePosition;)I
java/text/SimpleDateFormat
translatePattern(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/text/SimpleDateFormat
toPattern()Ljava/lang/String;
java/text/SimpleDateFormat toLocalizedPattern()Ljava/lang/String;
java/text/SimpleDateFormat applyPattern(Ljava/lang/String;)V
java/text/SimpleDateFormat applyLocalizedPattern(Ljava/lang/String;)V
java/text/SimpleDateFormat getDateFormatSymbols()Ljava/text/DateFormatSymbols;
java/text/SimpleDateFormat setDateFormatSymbols(Ljava/text/DateFormatSymbols;)V
java/text/SimpleDateFormat clone()Ljava/lang/Object;
java/text/SimpleDateFormat hashCode()I
java/text/SimpleDateFormat equals(Ljava/lang/Object;)Z
java/text/SimpleDateFormat readObject(Ljava/io/ObjectInputStream;)V
java/text/SimpleDateFormat <clinit>()V
class java/text/DateFormat java/text/Format
java/text/DateFormat calendar
java/text/DateFormat numberFormat
java/text/DateFormat ERA_FIELD
java/text/DateFormat YEAR_FIELD
java/text/DateFormat MONTH_FIELD
java/text/DateFormat DATE_FIELD
java/text/DateFormat

```

```

 HOUR_OF_DAY1_FIELD
java/text/DateFormat HOUR_OF_DAY0_FIELD
java/text/DateFormat MINUTE_FIELD
java/text/DateFormat SECOND_FIELD
java/text/DateFormat MILLISECOND_FIELD
java/text/DateFormat DAY_OF_WEEK_FIELD
java/text/DateFormat DAY_OF_YEAR_FIELD
java/text/DateFormat DAY_OF_WEEK_IN_MONTH_FIELD
java/text/DateFormat WEEK_OF_YEAR_FIELD
java/text/DateFormat WEEK_OF_MONTH_FIELD
java/text/DateFormat AM_PM_FIELD
java/text/DateFormat HOUR1_FIELD
java/text/DateFormat HOUR0_FIELD
java/text/DateFormat TIMEZONE_FIELD
java/text/DateFormat serialVersionUID
java/text/DateFormat FULL
java/text/DateFormat LONG
java/text/DateFormat MEDIUM
java/text/DateFormat SHORT
java/text/DateFormat DEFAULT
java/text/DateFormat
format(Ljava/lang/Object;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/DateFormat
format(Ljava/util/Date;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/DateFormat format(Ljava/util/Date;)Ljava/lang/String;
java/text/DateFormat
 parse(Ljava/lang/String;)Ljava/util/Date;
java/text/DateFormat parse(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/util/Date;
java/text/DateFormat parseObject(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/lang/Object;
java/text/DateFormat getTimeInstance(Ljava/text/DateFormat;
java/text/DateFormat getTimeInstance(I)Ljava/text/DateFormat;
java/text/DateFormat getTimeInstance(ILjava/util/Locale;)Ljava/text/DateFormat;
java/text/DateFormat getDateInstance(Ljava/text/DateFormat;
java/text/DateFormat getDateInstance(I)Ljava/text/DateFormat;
java/text/DateFormat getDateInstance(ILjava/util/Locale;)Ljava/text/DateFormat;
java/text/DateFormat getDateTimeInstance(Ljava/text/DateFormat;
java/text/DateFormat getDateTimeInstance(II)Ljava/text/DateFormat;
java/text/DateFormat getDateTimeInstance(IILjava/util/Locale;)Ljava/text/DateFormat;
java/text/DateFormat getInstance(Ljava/text/DateFormat;
java/text/DateFormat getAvailableLocales()[Ljava/util/Locale;
java/text/DateFormat
 setCalendar(Ljava/util/Calendar;)V
java/text/DateFormat getCalendar()Ljava/util/Calendar;
java/text/DateFormat setNumberFormat(Ljava/text/NumberFormat;)V
java/text/DateFormat getNumberFormat()Ljava/text/NumberFormat;
java/text/DateFormat setTimeZone(Ljava/util/TimeZone;)V
java/text/DateFormat getTimeZone()Ljava/util/TimeZone;
java/text/DateFormat setLenient(Z)V

```



```

java/text/DateFormat isLenient()Z
java/text/DateFormat hashCode()I
java/text/DateFormat equals(Ljava/lang/Object;)Z
java/text/DateFormat clone()Ljava/lang/Object;
java/text/DateFormat get(III)Ljava/util/Locale;)Ljava/text/DateFormat;
java/text/DateFormat <init>()V
class java/net/URLConnection$1 java/lang/Object
java/net/URLConnection$1 map
java/net/URLConnection$1 <init>()V
java/net/URLConnection$1 getContentTypeFor(Ljava/lang/String;)Ljava/lang/String;
class java/net/FileNameMap java/lang/Object
java/net/FileNameMap getContentTypeFor(Ljava/lang/String;)Ljava/lang/String;
class java/lang/UnsatisfiedLinkError java/lang/LinkageError
java/lang/UnsatisfiedLinkError
 <init>()V
java/lang/UnsatisfiedLinkError <init>(Ljava/lang/String;)V
class java/net/SocketTimeoutException java/io/InterruptedIOException
java/net/SocketTimeoutException <init>(Ljava/lang/String;)V
java/net/SocketTimeoutException <init>()V
class java/io/InterruptedIOException java/io/IOException
java/io/InterruptedIOException bytesTransferred
java/io/InterruptedIOException <init>()V
java/io/InterruptedIOException <init>(Ljava/lang/String;)V
class java/net/SocketImplFactory java/lang/Object
java/net/SocketImplFactory createSocketImpl()Ljava/net/SocketImpl;
class java/nio/channels/SocketChannel java/nio/channels/spi/AbstractSelectableChannel
java/nio/channels/SocketChannel <init>(Ljava/nio/channels/spi/SelectorProvider;)V
java/nio/channels/SocketChannel open()Ljava/nio/channels/SocketChannel;
java/nio/channels/SocketChannel open(Ljava/net/SocketAddress;)Ljava/nio/channels/SocketChannel;
java/nio/channels/SocketChannel validOps()I
java/nio/channels/SocketChannel
 socket()Ljava/net/Socket;
java/nio/channels/SocketChannel isConnected()Z
java/nio/channels/SocketChannel isConnectionPending()Z
java/nio/channels/SocketChannel connect(Ljava/net/SocketAddress;)Z
java/nio/channels/SocketChannel finishConnect()Z
java/nio/channels/SocketChannel read(Ljava/nio/ByteBuffer;)I
java/nio/channels/SocketChannel read([Ljava/nio/ByteBuffer;II)J
java/nio/channels/SocketChannel read([Ljava/nio/ByteBuffer;)J
java/nio/channels/SocketChannel write(Ljava/nio/ByteBuffer;)I
java/nio/channels/SocketChannel write([Ljava/nio/ByteBuffer;II)J
java/nio/channels/SocketChannel write([Ljava/nio/ByteBuffer;)J
class java/nio/channels/spi/AbstractSelectableChannel java/nio/channels/SelectableChannel
java/nio/channels/spi/AbstractSelectableChannel provider
java/nio/channels/spi/AbstractSelectableChannel keys
java/nio/channels/spi/AbstractSelectableChannel keyCount
java/nio/channels/spi/AbstractSelectableChannel keyLock
java/nio/channels/spi/AbstractSelectableChannel regLock

```

```

java/nio/channels/spi/AbstractSelectableChannel
 blocking
java/nio/channels/spi/AbstractSelectableChannel <init>(Ljava/nio/channels/spi/SelectorProvider;)V
java/nio/channels/spi/AbstractSelectableChannel provider(Ljava/nio/channels/spi/SelectorProvider;
java/nio/channels/spi/AbstractSelectableChannel addKey(Ljava/nio/channels/SelectionKey;)V
java/nio/channels/spi/AbstractSelectableChannel
 findKey(Ljava/nio/channels/Selector;)Ljava/nio/channels/SelectionKey;
java/nio/channels/spi/AbstractSelectableChannel removeKey(Ljava/nio/channels/SelectionKey;)V
java/nio/channels/spi/AbstractSelectableChannel haveValidKeys()Z
java/nio/channels/spi/AbstractSelectableChannel isRegistered()Z
java/nio/channels/spi/AbstractSelectableChannel
 keyFor(Ljava/nio/channels/Selector;)Ljava/nio/channels/SelectionKey;
java/nio/channels/spi/AbstractSelectableChannel
 register(Ljava/nio/channels/Selector;ILjava/lang/Object;)Ljava/nio/channels/SelectionKey;
java/nio/channels/spi/AbstractSelectableChannel implCloseChannel()V
java/nio/channels/spi/AbstractSelectableChannel
 implCloseSelectableChannel()V
java/nio/channels/spi/AbstractSelectableChannel isBlocking()Z
java/nio/channels/spi/AbstractSelectableChannel blockingLock()Ljava/lang/Object;
java/nio/channels/spi/AbstractSelectableChannel configureBlocking(Z)Ljava/nio/channels/SelectableChannel;
java/nio/channels/spi/AbstractSelectableChannel implConfigureBlocking(Z)V
class java/nio/channels/SelectableChannel java/nio/channels/spi/AbstractInterruptibleChannel
java/nio/channels/SelectableChannel <init>()V
java/nio/channels/SelectableChannel provider(Ljava/nio/channels/spi/SelectorProvider;
java/nio/channels/SelectableChannel validOps()I
java/nio/channels/SelectableChannel isRegistered()Z
java/nio/channels/SelectableChannel keyFor(Ljava/nio/channels/Selector;)Ljava/nio/channels/SelectionKey;
java/nio/channels/SelectableChannel
 register(Ljava/nio/channels/Selector;ILjava/lang/Object;)Ljava/nio/channels/SelectionKey;
java/nio/channels/SelectableChannel
 register(Ljava/nio/channels/Selector;I)Ljava/nio/channels/SelectionKey;
java/nio/channels/SelectableChannel configureBlocking(Z)Ljava/nio/channels/SelectableChannel;
java/nio/channels/SelectableChannel isBlocking()Z
java/nio/channels/SelectableChannel blockingLock()Ljava/lang/Object;
class java/net/UnknownHostException java/io/IOException
java/net/UnknownHostException <init>(Ljava/lang/String;)V
java/net/UnknownHostException <init>()V
class java/io/UnsupportedEncodingException java/io/IOException
java/io/UnsupportedEncodingException <init>()V
java/io/UnsupportedEncodingException <init>(Ljava/lang/String;)V
class java/io/StringWriter java/io/Writer
java/io/StringWriter buf
java/io/StringWriter <init>()V
java/io/StringWriter <init>(I)V
java/io/StringWriter write(I)V
java/io/StringWriter write([CII)V
java/io/StringWriter write(Ljava/lang/String;)V
java/io/StringWriter write(Ljava/lang/String;II)V

```

```

java/io/StringWriter append(Ljava/lang/CharSequence;)Ljava/io/StringWriter;
java/io/StringWriter
 append(Ljava/lang/CharSequence;II)Ljava/io/StringWriter;
java/io/StringWriter append(C)Ljava/io/StringWriter;
java/io/StringWriter toString()Ljava/lang/String;
java/io/StringWriter getBuffer()Ljava/lang/StringBuffer;
java/io/StringWriter flush()V
java/io/StringWriter close()V
java/io/StringWriter append(C)Ljava/io/Writer;
java/io/StringWriter append(Ljava/lang/CharSequence;II)Ljava/io/Writer;
java/io/StringWriter append(Ljava/lang/CharSequence;)Ljava/io/Writer;
java/io/StringWriter append(C)Ljava/lang/Appendable;
java/io/StringWriter append(Ljava/lang/CharSequence;II)Ljava/lang/Appendable;
java/io/StringWriter append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
class java/awt/LightweightDispatcher$2 java/lang/Object
java/awt/LightweightDispatcher$2 this$0
java/awt/LightweightDispatcher$2 <init>(Ljava/awt/LightweightDispatcher;)V
java/awt/LightweightDispatcher$2 run()Ljava/lang/Object;
class java/awt/Window$1DisposeAction java/lang/Object
java/awt/Window$1DisposeAction this$0
java/awt/Window$1DisposeAction
 <init>(Ljava/awt/Window;)V
java/awt/Window$1DisposeAction run()V
class java/awt/MenuBar java/awt/MenuComponent
java/awt/MenuBar menus
java/awt/MenuBar helpMenu
java/awt/MenuBar base
java/awt/MenuBar nameCounter
java/awt/MenuBar serialVersionUID
java/awt/MenuBar menuBarSerializedDataVersion
java/awt/MenuBar <init>()V
java/awt/MenuBar constructComponentName()Ljava/lang/String;
java/awt/MenuBar addNotify()V
java/awt/MenuBar removeNotify()V
java/awt/MenuBar getHelpMenu()Ljava/awt/Menu;
java/awt/MenuBar setHelpMenu(Ljava/awt/Menu;)V
java/awt/MenuBar add(Ljava/awt/Menu;)Ljava/awt/Menu;
java/awt/MenuBar remove(I)V
java/awt/MenuBar remove(Ljava/awt/MenuComponent;)V
java/awt/MenuBar getMenuCount()I
java/awt/MenuBar countMenus()I
java/awt/MenuBar getMenuCountImpl()I
java/awt/MenuBar getMenu(I)Ljava/awt/Menu;
java/awt/MenuBar getMenuImpl(I)Ljava/awt/Menu;
java/awt/MenuBar shortcuts()Ljava/util/Enumeration;
java/awt/MenuBar getShortcutMenuItem(Ljava/awt/MenuShortcut;)Ljava/awt/MenuItem;
java/awt/MenuBar

```

```

 handleShortcut(Ljava/awt/event/KeyEvent;)Z
java/awt/MenuBar deleteShortcut(Ljava/awt/MenuShortcut;)V
java/awt/MenuBar writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/MenuBar readObject(Ljava/io/ObjectInputStream;)V
java/awt/MenuBar initIDs()V
java/awt/MenuBar getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/MenuBar getAccessibleChildIndex(Ljava/awt/MenuComponent;)I
java/awt/MenuBar <clinit>()V
class java/awt/event/AdjustmentEvent java/awt/AWTEvent
java/awt/event/AdjustmentEvent ADJUSTMENT_FIRST
java/awt/event/AdjustmentEvent ADJUSTMENT_LAST
java/awt/event/AdjustmentEvent ADJUSTMENT_VALUE_CHANGED
java/awt/event/AdjustmentEvent UNIT_INCREMENT
java/awt/event/AdjustmentEvent UNIT_DECREMENT
java/awt/event/AdjustmentEvent BLOCK_DECREMENT
java/awt/event/AdjustmentEvent BLOCK_INCREMENT
java/awt/event/AdjustmentEvent TRACK
java/awt/event/AdjustmentEvent adjustable
java/awt/event/AdjustmentEvent value
java/awt/event/AdjustmentEvent
 adjustmentType
java/awt/event/AdjustmentEvent isAdjusting
java/awt/event/AdjustmentEvent serialVersionUID
java/awt/event/AdjustmentEvent <init>(Ljava/awt/Adjustable;III)V
java/awt/event/AdjustmentEvent <init>(Ljava/awt/Adjustable;IIIZ)V
java/awt/event/AdjustmentEvent getAdjustable()Ljava/awt/Adjustable;
java/awt/event/AdjustmentEvent getValue()I
java/awt/event/AdjustmentEvent getAdjustmentType()I
java/awt/event/AdjustmentEvent getValueIsAdjusting()Z
java/awt/event/AdjustmentEvent paramString()Ljava/lang/String;
class java/util/Hashtable$KeySet java/util/AbstractSet
java/util/Hashtable$KeySet this$0
java/util/Hashtable$KeySet <init>(Ljava/util/Hashtable;)V
java/util/Hashtable$KeySet iterator()Ljava/util/Iterator;
java/util/Hashtable$KeySet size()I
java/util/Hashtable$KeySet contains(Ljava/lang/Object;)Z
java/util/Hashtable$KeySet remove(Ljava/lang/Object;)Z
java/util/Hashtable$KeySet clear()V
java/util/Hashtable$KeySet <init>(Ljava/util/Hashtable;Ljava/util/Hashtable$1;)V
class java/applet/Applet
 java/awt/Panel
java/applet/Applet stub
java/applet/Applet serialVersionUID
java/applet/Applet accessibleContext
java/applet/Applet <init>()V
java/applet/Applet readObject(Ljava/io/ObjectInputStream;)V
java/applet/Applet setStub(Ljava/applet/AppletStub;)V
java/applet/Applet isActive()Z

```

```

java/applet/Applet getDocumentBase()Ljava/net/URL;
java/applet/Applet getCodeBase()Ljava/net/URL;
java/applet/Applet getParameter(Ljava/lang/String;)Ljava/lang/String;
java/applet/Applet getAppletContext()Ljava/applet/AppletContext;
java/applet/Applet resize(I)V
java/applet/Applet resize(Ljava/awt/Dimension;)V
java/applet/Applet showStatus(Ljava/lang/String;)V
java/applet/Applet getImage(Ljava/net/URL;)Ljava/awt/Image;
java/applet/Applet getImage(Ljava/net/URL;Ljava/lang/String;)Ljava/awt/Image;
java/applet/Applet newAudioClip(Ljava/net/URL;)Ljava/applet/AudioClip;
java/applet/Applet getAudioClip(Ljava/net/URL;)Ljava/applet/AudioClip;
java/applet/Applet getAudioClip(Ljava/net/URL;Ljava/lang/String;)Ljava/applet/AudioClip;
java/applet/Applet
 getAppletInfo()Ljava/lang/String;
java/applet/Applet getLocale()Ljava/util/Locale;
java/applet/Applet getParameterInfo()[Ljava/lang/String;
java/applet/Applet play(Ljava/net/URL;)V
java/applet/Applet play(Ljava/net/URL;Ljava/lang/String;)V
java/applet/Applet init()V
java/applet/Applet start()V
java/applet/Applet stop()V
java/applet/Applet destroy()V
java/applet/Applet getAccessibleContext()Ljavax/accessibility/AccessibleContext;
class java/awt/Panel java/awt/Container
java/awt/Panel base
java/awt/Panel nameCounter
java/awt/Panel serialVersionUID
java/awt/Panel <init>()V
java/awt/Panel <init>(Ljava/awt/LayoutManager;)V
java/awt/Panel constructComponentName()Ljava/lang/String;
java/awt/Panel addNotify()V
java/awt/Panel getAccessibleContext()Ljavax/accessibility/AccessibleContext;
java/awt/Panel <clinit>()V
class java/util/LinkedHashMap$KeyIterator java/util/LinkedHashMap$LinkedHashIterator
java/util/LinkedHashMap$KeyIterator this$0
java/util/LinkedHashMap$KeyIterator
 <init>(Ljava/util/LinkedHashMap;)V
java/util/LinkedHashMap$KeyIterator next()Ljava/lang/Object;
java/util/LinkedHashMap$KeyIterator <init>(Ljava/util/LinkedHashMap;Ljava/util/LinkedHashMap$1;)V
class java/util/LinkedHashMap$LinkedHashIterator java/lang/Object
java/util/LinkedHashMap$LinkedHashIterator nextEntry
java/util/LinkedHashMap$LinkedHashIterator lastReturned
java/util/LinkedHashMap$LinkedHashIterator expectedModCount
java/util/LinkedHashMap$LinkedHashIterator this$0
java/util/LinkedHashMap$LinkedHashIterator <init>(Ljava/util/LinkedHashMap;)V
java/util/LinkedHashMap$LinkedHashIterator hasNext()Z
java/util/LinkedHashMap$LinkedHashIterator remove()V
java/util/LinkedHashMap$LinkedHashIterator nextEntry()Ljava/util/LinkedHashMap$Entry;

```

```

java/util/LinkedHashMap$LinkedHashIterator <init>(Ljava/util/LinkedHashMap;Ljava/util/LinkedHashMap$1;)V
class java/awt/datatransfer/ClipboardOwner java/lang/Object
java/awt/datatransfer/ClipboardOwner
lostOwnership(Ljava/awt/datatransfer/Clipboard;Ljava/awt/datatransfer/Transferable;)V
class
java/awt/event/ComponentAdapter java/lang/Object
java/awt/event/ComponentAdapter <init>()V
java/awt/event/ComponentAdapter componentResized(Ljava/awt/event/ComponentEvent;)V
java/awt/event/ComponentAdapter componentMoved(Ljava/awt/event/ComponentEvent;)V
java/awt/event/ComponentAdapter componentShown(Ljava/awt/event/ComponentEvent;)V
java/awt/event/ComponentAdapter componentHidden(Ljava/awt/event/ComponentEvent;)V
class java/awt/datatransfer/Transferable java/lang/Object
java/awt/datatransfer/Transferable getTransferDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/Transferable isDataFlavorSupported(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/datatransfer/Transferable getTransferData(Ljava/awt/datatransfer/DataFlavor;)Ljava/lang/Object;
class java/rmi/Remote java/lang/Object
class java/lang/StringCoding$CharsetSE java/lang/StringCoding$StringEncoder
java/lang/StringCoding$CharsetSE cs
java/lang/StringCoding$CharsetSE
ce
java/lang/StringCoding$CharsetSE <init>(Ljava/nio/charset/Charset;Ljava/lang/String;)V
java/lang/StringCoding$CharsetSE charsetName()Ljava/lang/String;
java/lang/StringCoding$CharsetSE encode([CII)[B
java/lang/StringCoding$CharsetSE
<init>(Ljava/nio/charset/Charset;Ljava/lang/String;Ljava/lang/StringCoding$1;)V
class java/lang/StringCoding$StringEncoder java/lang/Object
java/lang/StringCoding$StringEncoder requestedCharsetName
java/lang/StringCoding$StringEncoder <init>(Ljava/lang/String;)V
java/lang/StringCoding$StringEncoder requestedCharsetName()Ljava/lang/String;
java/lang/StringCoding$StringEncoder charsetName()Ljava/lang/String;
java/lang/StringCoding$StringEncoder encode([CII)[B
class java/awt/datatransfer/DataFlavor$1 java/lang/Object
java/awt/datatransfer/DataFlavor$1 <init>()V
java/awt/datatransfer/DataFlavor$1 run()Ljava/lang/Object;
class java/awt/datatransfer/DataFlavor java/lang/Object
java/awt/datatransfer/DataFlavor serialVersionUID
java/awt/datatransfer/DataFlavor
ioInputStreamClass
java/awt/datatransfer/DataFlavor stringFlavor
java/awt/datatransfer/DataFlavor imageFlavor
java/awt/datatransfer/DataFlavor plainTextFlavor
java/awt/datatransfer/DataFlavor javaSerializedObjectMimeType
java/awt/datatransfer/DataFlavor javaFileListFlavor
java/awt/datatransfer/DataFlavor javaJVMLocalObjectMimeType
java/awt/datatransfer/DataFlavor javaRemoteObjectMimeType
java/awt/datatransfer/DataFlavor textFlavorComparator
java/awt/datatransfer/DataFlavor atom
java/awt/datatransfer/DataFlavor mimeType

```

```

java/awt/datatransfer/DataFlavor humanPresentableName
java/awt/datatransfer/DataFlavor representationClass
java/awt/datatransfer/DataFlavor tryToLoadClass(Ljava/lang/String;Ljava/lang/ClassLoader;)Ljava/lang/Class;
java/awt/datatransfer/DataFlavor
createConstant(Ljava/lang/Class;Ljava/lang/String;)Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/DataFlavor
createConstant(Ljava/lang/String;Ljava/lang/String;)Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/DataFlavor
<init>()V
java/awt/datatransfer/DataFlavor
<init>(Ljava/lang/String;Ljava/lang/String;Ljava/awt/datatransfer/MimeTypeParameterList;Ljava/lang/Class;Ljava/l
ang/String;)V
java/awt/datatransfer/DataFlavor <init>(Ljava/lang/Class;Ljava/lang/String;)V
java/awt/datatransfer/DataFlavor <init>(Ljava/lang/String;Ljava/lang/String;)V
java/awt/datatransfer/DataFlavor <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/ClassLoader;)V
java/awt/datatransfer/DataFlavor <init>(Ljava/lang/String;)V
java/awt/datatransfer/DataFlavor initialize(Ljava/lang/String;Ljava/lang/String;Ljava/lang/ClassLoader;)V
java/awt/datatransfer/DataFlavor toString(Ljava/lang/String;
java/awt/datatransfer/DataFlavor paramString(Ljava/lang/String;
java/awt/datatransfer/DataFlavor getPlainTextUnicodeFlavor()Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/DataFlavor
selectBestTextFlavor([Ljava/awt/datatransfer/DataFlavor;)Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/DataFlavor
getReaderForText(Ljava/awt/datatransfer/Transferable;)Ljava/io/Reader;
java/awt/datatransfer/DataFlavor getMimeType(Ljava/lang/String;
java/awt/datatransfer/DataFlavor getRepresentationClass()Ljava/lang/Class;
java/awt/datatransfer/DataFlavor getHumanPresentableName()Ljava/lang/String;
java/awt/datatransfer/DataFlavor getPrimaryType()Ljava/lang/String;
java/awt/datatransfer/DataFlavor getSubType()Ljava/lang/String;
java/awt/datatransfer/DataFlavor getParameter(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/DataFlavor setHumanPresentableName(Ljava/lang/String;)V
java/awt/datatransfer/DataFlavor equals(Ljava/lang/Object;)Z
java/awt/datatransfer/DataFlavor equals(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/datatransfer/DataFlavor equals(Ljava/lang/String;)Z
java/awt/datatransfer/DataFlavor hashCode()I
java/awt/datatransfer/DataFlavor match(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/datatransfer/DataFlavor isMimeTypeEqual(Ljava/lang/String;)Z
java/awt/datatransfer/DataFlavor
isMimeTypeEqual(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/datatransfer/DataFlavor isMimeTypeEqual(Ljava/awt/datatransfer/MimeType;)Z
java/awt/datatransfer/DataFlavor isMimeTypeSerializedObject()Z
java/awt/datatransfer/DataFlavor getDefaultRepresentationClass()Ljava/lang/Class;
java/awt/datatransfer/DataFlavor getDefaultRepresentationClassAsString(Ljava/lang/String;
java/awt/datatransfer/DataFlavor isRepresentationClassInputStream()Z
java/awt/datatransfer/DataFlavor isRepresentationClassReader()Z
java/awt/datatransfer/DataFlavor isRepresentationClassCharBuffer()Z
java/awt/datatransfer/DataFlavor isRepresentationClassByteBuffer()Z
java/awt/datatransfer/DataFlavor isRepresentationClassSerializable()Z

```

```

java/awt/datatransfer/DataFlavor isRepresentationClassRemote()Z
java/awt/datatransfer/DataFlavor isFlavorSerializedObjectType()Z
java/awt/datatransfer/DataFlavor isFlavorRemoteObjectType()Z
java/awt/datatransfer/DataFlavor isFlavorJavaFileListType()Z
java/awt/datatransfer/DataFlavor
 isFlavorTextType()Z
java/awt/datatransfer/DataFlavor writeExternal(Ljava/io/ObjectOutput;)V
java/awt/datatransfer/DataFlavor readExternal(Ljava/io/ObjectInput;)V
java/awt/datatransfer/DataFlavor clone()Ljava/lang/Object;
java/awt/datatransfer/DataFlavor
 normalizeMimeTypeParameter(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/DataFlavor normalizeMimeType(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/DataFlavor <clinit>()V
class java/awt/datatransfer/MimeTypeParameterList java/lang/Object
java/awt/datatransfer/MimeTypeParameterList parameters
java/awt/datatransfer/MimeTypeParameterList TSPECIALS
java/awt/datatransfer/MimeTypeParameterList <init>()V
java/awt/datatransfer/MimeTypeParameterList <init>(Ljava/lang/String;)V
java/awt/datatransfer/MimeTypeParameterList hashCode()I
java/awt/datatransfer/MimeTypeParameterList equals(Ljava/lang/Object;)Z
java/awt/datatransfer/MimeTypeParameterList parse(Ljava/lang/String;)V
java/awt/datatransfer/MimeTypeParameterList
 size()I
java/awt/datatransfer/MimeTypeParameterList isEmpty()Z
java/awt/datatransfer/MimeTypeParameterList get(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/MimeTypeParameterList set(Ljava/lang/String;Ljava/lang/String;)V
java/awt/datatransfer/MimeTypeParameterList remove(Ljava/lang/String;)V
java/awt/datatransfer/MimeTypeParameterList getNames()Ljava/util/Enumeration;
java/awt/datatransfer/MimeTypeParameterList toString()Ljava/lang/String;
java/awt/datatransfer/MimeTypeParameterList clone()Ljava/lang/Object;
java/awt/datatransfer/MimeTypeParameterList isTokenChar(C)Z
java/awt/datatransfer/MimeTypeParameterList skipWhiteSpace(Ljava/lang/String;I)I
java/awt/datatransfer/MimeTypeParameterList quote(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/MimeTypeParameterList unquote(Ljava/lang/String;)Ljava/lang/String;
class java/awt/datatransfer/MimeType java/lang/Object
java/awt/datatransfer/MimeType serialVersionUID
java/awt/datatransfer/MimeType
 primaryType
java/awt/datatransfer/MimeType subType
java/awt/datatransfer/MimeType parameters
java/awt/datatransfer/MimeType TSPECIALS
java/awt/datatransfer/MimeType <init>()V
java/awt/datatransfer/MimeType <init>(Ljava/lang/String;)V
java/awt/datatransfer/MimeType <init>(Ljava/lang/String;Ljava/lang/String;)V
java/awt/datatransfer/MimeType
 <init>(Ljava/lang/String;Ljava/lang/String;Ljava/awt/datatransfer/MimeTypeParameterList;)V
java/awt/datatransfer/MimeType hashCode()I
java/awt/datatransfer/MimeType equals(Ljava/lang/Object;)Z

```



```

java/awt/datatransfer/MimeType parse(Ljava/lang/String;)V
java/awt/datatransfer/MimeType getPrimaryType()Ljava/lang/String;
java/awt/datatransfer/MimeType getSubType()Ljava/lang/String;
java/awt/datatransfer/MimeType getParameters()Ljava/awt/datatransfer/MimeTypeParameterList;
java/awt/datatransfer/MimeType getParameter(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/MimeType setParameter(Ljava/lang/String;Ljava/lang/String;)V
java/awt/datatransfer/MimeType
 removeParameter(Ljava/lang/String;)V
java/awt/datatransfer/MimeType toString()Ljava/lang/String;
java/awt/datatransfer/MimeType getBaseType()Ljava/lang/String;
java/awt/datatransfer/MimeType match(Ljava/awt/datatransfer/MimeType;)Z
java/awt/datatransfer/MimeType match(Ljava/lang/String;)Z
java/awt/datatransfer/MimeType writeExternal(Ljava/io/ObjectOutput;)V
java/awt/datatransfer/MimeType readExternal(Ljava/io/ObjectInput;)V
java/awt/datatransfer/MimeType clone()Ljava/lang/Object;
java/awt/datatransfer/MimeType isTokenChar(C)Z
java/awt/datatransfer/MimeType isValidToken(Ljava/lang/String;)Z
class java/io/Externalizable java/lang/Object
java/io/Externalizable writeExternal(Ljava/io/ObjectOutput;)V
java/io/Externalizable readExternal(Ljava/io/ObjectInput;)V
class java/awt/datatransfer/SystemFlavorMap$2 java/lang/Object
java/awt/datatransfer/SystemFlavorMap$2 this$0
java/awt/datatransfer/SystemFlavorMap$2 <init>(Ljava/awt/datatransfer/SystemFlavorMap;)V
java/awt/datatransfer/SystemFlavorMap$2
 run()Ljava/lang/Object;
class java/awt/datatransfer/SystemFlavorMap$1 java/lang/Object
java/awt/datatransfer/SystemFlavorMap$1 this$0
java/awt/datatransfer/SystemFlavorMap$1 <init>(Ljava/awt/datatransfer/SystemFlavorMap;)V
java/awt/datatransfer/SystemFlavorMap$1 run()Ljava/lang/Object;
class java/awt/datatransfer/SystemFlavorMap java/lang/Object
java/awt/datatransfer/SystemFlavorMap JavaMIME
java/awt/datatransfer/SystemFlavorMap flavorMaps
java/awt/datatransfer/SystemFlavorMap keyValueSeparators
java/awt/datatransfer/SystemFlavorMap strictKeyValueSeparators
java/awt/datatransfer/SystemFlavorMap whiteSpaceChars
java/awt/datatransfer/SystemFlavorMap UNICODE_TEXT_CLASSES
java/awt/datatransfer/SystemFlavorMap ENCODED_TEXT_CLASSES
java/awt/datatransfer/SystemFlavorMap TEXT_PLAIN_BASE_TYPE
java/awt/datatransfer/SystemFlavorMap SYNTHESIZE_IF_NOT_FOUND
java/awt/datatransfer/SystemFlavorMap nativeToFlavor
java/awt/datatransfer/SystemFlavorMap flavorToNative
java/awt/datatransfer/SystemFlavorMap
 getNativesForFlavorCache
java/awt/datatransfer/SystemFlavorMap getFlavorsForNativeCache
java/awt/datatransfer/SystemFlavorMap disabledMappingGenerationKeys
java/awt/datatransfer/SystemFlavorMap $assertionsDisabled
java/awt/datatransfer/SystemFlavorMap getDefaultFlavorMap()Ljava/awt/datatransfer/FlavorMap;
java/awt/datatransfer/SystemFlavorMap <init>()V

```

```

java/awt/datatransfer/SystemFlavorMap parseAndStoreReader(Ljava/io/BufferedReader;)V
java/awt/datatransfer/SystemFlavorMap continueLine(Ljava/lang/String;)Z
java/awt/datatransfer/SystemFlavorMap loadConvert(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/SystemFlavorMap store(Ljava/lang/Object;Ljava/lang/Object;Ljava/util/Map;)V
java/awt/datatransfer/SystemFlavorMap nativeToFlavorLookup(Ljava/lang/String;)Ljava/util/List;
java/awt/datatransfer/SystemFlavorMap
 flavorToNativeLookup(Ljava/awt/datatransfer/DataFlavor;Z)Ljava/util/List;
java/awt/datatransfer/SystemFlavorMap getNativesForFlavor(Ljava/awt/datatransfer/DataFlavor;)Ljava/util/List;
java/awt/datatransfer/SystemFlavorMap
 getFlavorsForNative(Ljava/lang/String;)Ljava/util/List;
java/awt/datatransfer/SystemFlavorMap getNativesForFlavors([Ljava/awt/datatransfer/DataFlavor;)Ljava/util/Map;
java/awt/datatransfer/SystemFlavorMap getFlavorsForNatives([Ljava/lang/String;)Ljava/util/Map;
java/awt/datatransfer/SystemFlavorMap
 addUnencodedNativeForFlavor(Ljava/awt/datatransfer/DataFlavor;Ljava/lang/String;)V
java/awt/datatransfer/SystemFlavorMap
 setNativesForFlavor(Ljava/awt/datatransfer/DataFlavor;[Ljava/lang/String;)V
java/awt/datatransfer/SystemFlavorMap
 addFlavorForUnencodedNative(Ljava/lang/String;Ljava/awt/datatransfer/DataFlavor;)V
java/awt/datatransfer/SystemFlavorMap
 setFlavorsForNative(Ljava/lang/String;Ljava/awt/datatransfer/DataFlavor;)V
java/awt/datatransfer/SystemFlavorMap encodeJavaMIMEType(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/SystemFlavorMap encodeDataFlavor(Ljava/awt/datatransfer/DataFlavor;)Ljava/lang/String;
java/awt/datatransfer/SystemFlavorMap
 isJavaMIMEType(Ljava/lang/String;)Z
java/awt/datatransfer/SystemFlavorMap decodeJavaMIMEType(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/SystemFlavorMap decodeDataFlavor(Ljava/lang/String;)Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/SystemFlavorMap <clinit>()V
class java/awt/datatransfer/FlavorTable java/lang/Object
java/awt/datatransfer/FlavorTable getNativesForFlavor(Ljava/awt/datatransfer/DataFlavor;)Ljava/util/List;
java/awt/datatransfer/FlavorTable getFlavorsForNative(Ljava/lang/String;)Ljava/util/List;
class java/awt/datatransfer/FlavorMap java/lang/Object
java/awt/datatransfer/FlavorMap getNativesForFlavors([Ljava/awt/datatransfer/DataFlavor;)Ljava/util/Map;
java/awt/datatransfer/FlavorMap getFlavorsForNatives([Ljava/lang/String;)Ljava/util/Map;
class java/awt/dnd/DropTargetContext java/lang/Object
java/awt/dnd/DropTargetContext serialVersionUID
java/awt/dnd/DropTargetContext dropTarget
java/awt/dnd/DropTargetContext
 dropTargetContextPeer
java/awt/dnd/DropTargetContext transferable
java/awt/dnd/DropTargetContext <init>(Ljava/awt/dnd/DropTarget;)V
java/awt/dnd/DropTargetContext getDropTarget()Ljava/awt/dnd/DropTarget;
java/awt/dnd/DropTargetContext getComponent()Ljava/awt/Component;
java/awt/dnd/DropTargetContext addNotify(Ljava/awt/dnd/peer/DropTargetContextPeer;)V
java/awt/dnd/DropTargetContext removeNotify()V
java/awt/dnd/DropTargetContext setTargetActions(I)V
java/awt/dnd/DropTargetContext getTargetActions()I
java/awt/dnd/DropTargetContext dropComplete(Z)V
java/awt/dnd/DropTargetContext acceptDrag(I)V

```

```

java/awt/dnd/DropTargetContext rejectDrag()V
java/awt/dnd/DropTargetContext acceptDrop(I)V
java/awt/dnd/DropTargetContext rejectDrop()V
java/awt/dnd/DropTargetContext getCurrentDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/dnd/DropTargetContext getCurrentDataFlavorsAsList()Ljava/util/List;
java/awt/dnd/DropTargetContext isDataFlavorSupported(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/dnd/DropTargetContext
 getTransferable(Ljava/awt/datatransfer/Transferable;
java/awt/dnd/DropTargetContext getDropTargetContextPeer(Ljava/awt/dnd/peer/DropTargetContextPeer;
java/awt/dnd/DropTargetContext
 createTransferableProxy(Ljava/awt/datatransfer/Transferable;Z)Ljava/awt/datatransfer/Transferable;
class java/awt/font/LineMetrics java/lang/Object
java/awt/font/LineMetrics <init>()V
java/awt/font/LineMetrics getNumChars()I
java/awt/font/LineMetrics getAscent()F
java/awt/font/LineMetrics getDescent()F
java/awt/font/LineMetrics getLeading()F
java/awt/font/LineMetrics getHeight()F
java/awt/font/LineMetrics getBaselineIndex()I
java/awt/font/LineMetrics getBaselineOffsets()[F
java/awt/font/LineMetrics getStrikethroughOffset()F
java/awt/font/LineMetrics getStrikethroughThickness()F
java/awt/font/LineMetrics getUnderlineOffset()F
java/awt/font/LineMetrics getUnderlineThickness()F
class java/awt/font/GlyphVector java/lang/Object
java/awt/font/GlyphVector FLAG_HAS_TRANSFORMS
java/awt/font/GlyphVector
 FLAG_HAS_POSITION_ADJUSTMENTS
java/awt/font/GlyphVector FLAG_RUN_RTL
java/awt/font/GlyphVector FLAG_COMPLEX_GLYPHS
java/awt/font/GlyphVector FLAG_MASK
java/awt/font/GlyphVector <init>()V
java/awt/font/GlyphVector getFont()Ljava/awt/Font;
java/awt/font/GlyphVector getFontRenderContext()Ljava/awt/font/FontRenderContext;
java/awt/font/GlyphVector performDefaultLayout()V
java/awt/font/GlyphVector getNumGlyphs()I
java/awt/font/GlyphVector getGlyphCode(I)I
java/awt/font/GlyphVector getGlyphCodes(II[I)I
java/awt/font/GlyphVector getGlyphCharIndex(I)I
java/awt/font/GlyphVector getGlyphCharIndices(II[I)I
java/awt/font/GlyphVector getLogicalBounds(Ljava/awt/geom/Rectangle2D;
java/awt/font/GlyphVector getVisualBounds(Ljava/awt/geom/Rectangle2D;
java/awt/font/GlyphVector getPixelBounds(Ljava/awt/font/FontRenderContext;FF)Ljava/awt/Rectangle;
java/awt/font/GlyphVector getOutline()Ljava/awt/Shape;
java/awt/font/GlyphVector getOutline(FF)Ljava/awt/Shape;
java/awt/font/GlyphVector
 getGlyphOutline(I)Ljava/awt/Shape;
java/awt/font/GlyphVector getGlyphOutline(IFF)Ljava/awt/Shape;

```

```

java/awt/font/GlyphVector getGlyphPosition(I)Ljava/awt/geom/Point2D;
java/awt/font/GlyphVector setGlyphPosition(ILjava/awt/geom/Point2D;)V
java/awt/font/GlyphVector getGlyphTransform(I)Ljava/awt/geom/AffineTransform;
java/awt/font/GlyphVector setGlyphTransform(ILjava/awt/geom/AffineTransform;)V
java/awt/font/GlyphVector getLayoutFlags()I
java/awt/font/GlyphVector getGlyphPositions(II[F)[F
java/awt/font/GlyphVector getGlyphLogicalBounds(I)Ljava/awt/Shape;
java/awt/font/GlyphVector getGlyphVisualBounds(I)Ljava/awt/Shape;
java/awt/font/GlyphVector getGlyphPixelBounds(ILjava/awt/font/FontRenderContext;FF)Ljava/awt/Rectangle;
java/awt/font/GlyphVector getGlyphMetrics(I)Ljava/awt/font/GlyphMetrics;
java/awt/font/GlyphVector getGlyphJustificationInfo(I)Ljava/awt/font/GlyphJustificationInfo;
java/awt/font/GlyphVector equals(Ljava/awt/font/GlyphVector;)Z
class java/util/HashMap$EntryIterator
 java/util/HashMap$HashIterator
java/util/HashMap$EntryIterator this$0
java/util/HashMap$EntryIterator <init>(Ljava/util/HashMap;)V
java/util/HashMap$EntryIterator next()Ljava/util/Map$Entry;
java/util/HashMap$EntryIterator next()Ljava/lang/Object;
java/util/HashMap$EntryIterator <init>(Ljava/util/HashMap;Ljava/util/HashMap$1;)V
class java/util/HashMap$EntrySet java/util/AbstractSet
java/util/HashMap$EntrySet this$0
java/util/HashMap$EntrySet <init>(Ljava/util/HashMap;)V
java/util/HashMap$EntrySet iterator()Ljava/util/Iterator;
java/util/HashMap$EntrySet contains(Ljava/lang/Object;)Z
java/util/HashMap$EntrySet remove(Ljava/lang/Object;)Z
java/util/HashMap$EntrySet size()I
java/util/HashMap$EntrySet clear()V
java/util/HashMap$EntrySet <init>(Ljava/util/HashMap;Ljava/util/HashMap$1;)V
class java/awt/RenderingHints$Key java/lang/Object
java/awt/RenderingHints$Key identitymap
java/awt/RenderingHints$Key privatekey
java/awt/RenderingHints$Key getIdentity()Ljava/lang/String;
java/awt/RenderingHints$Key
 recordIdentity(Ljava/awt/RenderingHints$Key;)V
java/awt/RenderingHints$Key <init>(I)V
java/awt/RenderingHints$Key isCompatibleValue(Ljava/lang/Object;)Z
java/awt/RenderingHints$Key intKey()I
java/awt/RenderingHints$Key hashCode()I
java/awt/RenderingHints$Key equals(Ljava/lang/Object;)Z
java/awt/RenderingHints$Key <clinit>()V
class java/awt/RenderingHints java/lang/Object
java/awt/RenderingHints hintmap
java/awt/RenderingHints KEY_ANTIALIASING
java/awt/RenderingHints VALUE_ANTIALIAS_ON
java/awt/RenderingHints VALUE_ANTIALIAS_OFF
java/awt/RenderingHints VALUE_ANTIALIAS_DEFAULT
java/awt/RenderingHints KEY_RENDERING
java/awt/RenderingHints VALUE_RENDER_SPEED

```

```

java/awt/RenderingHints VALUE_RENDER_QUALITY
java/awt/RenderingHints VALUE_RENDER_DEFAULT
java/awt/RenderingHints KEY_DITHERING
java/awt/RenderingHints VALUE_DITHER_DISABLE
java/awt/RenderingHints VALUE_DITHER_ENABLE
java/awt/RenderingHints VALUE_DITHER_DEFAULT
java/awt/RenderingHints KEY_TEXT_ANTIALIASING
java/awt/RenderingHints
 VALUE_TEXT_ANTIALIAS_ON
java/awt/RenderingHints VALUE_TEXT_ANTIALIAS_OFF
java/awt/RenderingHints VALUE_TEXT_ANTIALIAS_DEFAULT
java/awt/RenderingHints KEY_FRACTIONALMETRICS
java/awt/RenderingHints VALUE_FRACTIONALMETRICS_OFF
java/awt/RenderingHints VALUE_FRACTIONALMETRICS_ON
java/awt/RenderingHints VALUE_FRACTIONALMETRICS_DEFAULT
java/awt/RenderingHints KEY_INTERPOLATION
java/awt/RenderingHints VALUE_INTERPOLATION_NEAREST_NEIGHBOR
java/awt/RenderingHints VALUE_INTERPOLATION_BILINEAR
java/awt/RenderingHints VALUE_INTERPOLATION_BICUBIC
java/awt/RenderingHints KEY_ALPHA_INTERPOLATION
java/awt/RenderingHints VALUE_ALPHA_INTERPOLATION_SPEED
java/awt/RenderingHints VALUE_ALPHA_INTERPOLATION_QUALITY
java/awt/RenderingHints VALUE_ALPHA_INTERPOLATION_DEFAULT
java/awt/RenderingHints KEY_COLOR_RENDERING
java/awt/RenderingHints VALUE_COLOR_RENDER_SPEED
java/awt/RenderingHints VALUE_COLOR_RENDER_QUALITY
java/awt/RenderingHints VALUE_COLOR_RENDER_DEFAULT
java/awt/RenderingHints KEY_STROKE_CONTROL
java/awt/RenderingHints
 VALUE_STROKE_DEFAULT
java/awt/RenderingHints VALUE_STROKE_NORMALIZE
java/awt/RenderingHints VALUE_STROKE_PURE
java/awt/RenderingHints <init>(Ljava/util/Map;)V
java/awt/RenderingHints <init>(Ljava/awt/RenderingHints$Key;Ljava/lang/Object;)V
java/awt/RenderingHints size()I
java/awt/RenderingHints isEmpty()Z
java/awt/RenderingHints containsKey(Ljava/lang/Object;)Z
java/awt/RenderingHints containsValue(Ljava/lang/Object;)Z
java/awt/RenderingHints get(Ljava/lang/Object;)Ljava/lang/Object;
java/awt/RenderingHints put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/awt/RenderingHints add(Ljava/awt/RenderingHints;)V
java/awt/RenderingHints clear()V
java/awt/RenderingHints remove(Ljava/lang/Object;)Ljava/lang/Object;
java/awt/RenderingHints putAll(Ljava/util/Map;)V
java/awt/RenderingHints keySet()Ljava/util/Set;
java/awt/RenderingHints values()Ljava/util/Collection;
java/awt/RenderingHints entrySet()Ljava/util/Set;
java/awt/RenderingHints equals(Ljava/lang/Object;)Z

```

```

java/awt/RenderingHints
 hashCode()I
java/awt/RenderingHints clone()Ljava/lang/Object;
java/awt/RenderingHints toString()Ljava/lang/String;
java/awt/RenderingHints <clinit>()V
class java/awt/Adjustable java/lang/Object
java/awt/Adjustable HORIZONTAL
java/awt/Adjustable VERTICAL
java/awt/Adjustable NO_ORIENTATION
java/awt/Adjustable getOrientation()I
java/awt/Adjustable setMinimum(I)V
java/awt/Adjustable getMinimum()I
java/awt/Adjustable setMaximum(I)V
java/awt/Adjustable getMaximum()I
java/awt/Adjustable setUnitIncrement(I)V
java/awt/Adjustable getUnitIncrement()I
java/awt/Adjustable setBlockIncrement(I)V
java/awt/Adjustable getBlockIncrement()I
java/awt/Adjustable setVisibleAmount(I)V
java/awt/Adjustable getVisibleAmount()I
java/awt/Adjustable setValue(I)V
java/awt/Adjustable getValue()I
java/awt/Adjustable addAdjustmentListener(Ljava/awt/event/AdjustmentListener;)V
java/awt/Adjustable removeAdjustmentListener(Ljava/awt/event/AdjustmentListener;)V
class java/awt/event/WindowAdapter
 java/lang/Object
java/awt/event/WindowAdapter <init>()V
java/awt/event/WindowAdapter windowOpened(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowClosing(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowClosed(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowIconified(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowDeiconified(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowActivated(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowDeactivated(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowStateChanged(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowGainedFocus(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowLostFocus(Ljava/awt/event/WindowEvent;)V
class java/awt/event/FocusAdapter java/lang/Object
java/awt/event/FocusAdapter <init>()V
java/awt/event/FocusAdapter focusGained(Ljava/awt/event/FocusEvent;)V
java/awt/event/FocusAdapter
 focusLost(Ljava/awt/event/FocusEvent;)V
class java/awt/Toolkit$ToolkitEventMulticaster java/awt/AWTEventMulticaster
java/awt/Toolkit$ToolkitEventMulticaster
 <init>(Ljava/awt/event/AWTEventListener;Ljava/awt/event/AWTEventListener;)V
java/awt/Toolkit$ToolkitEventMulticaster
 add(Ljava/awt/event/AWTEventListener;Ljava/awt/event/AWTEventListener;)Ljava/awt/event/AWTEventListener;
java/awt/Toolkit$ToolkitEventMulticaster

```

```

remove(Ljava/awt/event/AWTEventListener;Ljava/awt/event/AWTEventListener;)Ljava/awt/event/AWTEventListener;
java/awt/Toolkit$ToolkitEventMulticaster remove(Ljava/util/EventListener;)Ljava/util/EventListener;
java/awt/Toolkit$ToolkitEventMulticaster eventDispatched(Ljava/awt/AWTEvent;)V
class java/awt/Toolkit$SelectiveAWTEventListener java/lang/Object
java/awt/Toolkit$SelectiveAWTEventListener listener
java/awt/Toolkit$SelectiveAWTEventListener eventMask
java/awt/Toolkit$SelectiveAWTEventListener calls
java/awt/Toolkit$SelectiveAWTEventListener this$0
java/awt/Toolkit$SelectiveAWTEventListener
 getListener()Ljava/awt/event/AWTEventListener;
java/awt/Toolkit$SelectiveAWTEventListener getEventMask()J
java/awt/Toolkit$SelectiveAWTEventListener getCalls()[I
java/awt/Toolkit$SelectiveAWTEventListener orEventMasks(J)V
java/awt/Toolkit$SelectiveAWTEventListener <init>(Ljava/awt/Toolkit;Ljava/awt/event/AWTEventListener;)V
java/awt/Toolkit$SelectiveAWTEventListener eventDispatched(Ljava/awt/AWTEvent;)V
class java/awt/event/AWTEventListenerProxy java/util/EventListenerProxy
java/awt/event/AWTEventListenerProxy eventMask
java/awt/event/AWTEventListenerProxy <init>(Ljava/awt/event/AWTEventListener;)V
java/awt/event/AWTEventListenerProxy eventDispatched(Ljava/awt/AWTEvent;)V
java/awt/event/AWTEventListenerProxy getEventMask()J
class java/awt/Container$AccessibleAWTContainer java/awt/Component$AccessibleAWTComponent
java/awt/Container$AccessibleAWTContainer serialVersionUID
java/awt/Container$AccessibleAWTContainer accessibleContainerHandler
java/awt/Container$AccessibleAWTContainer
 this$0
java/awt/Container$AccessibleAWTContainer <init>(Ljava/awt/Container;)V
java/awt/Container$AccessibleAWTContainer getAccessibleChildrenCount()I
java/awt/Container$AccessibleAWTContainer getAccessibleChild(I)Ljavax/accessibility/Accessible;
java/awt/Container$AccessibleAWTContainer getAccessibleAt(Ljava/awt/Point;)Ljavax/accessibility/Accessible;
java/awt/Container$AccessibleAWTContainer addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
class java/awt/Component$AccessibleAWTComponent javax/accessibility/AccessibleContext
java/awt/Component$AccessibleAWTComponent serialVersionUID
java/awt/Component$AccessibleAWTComponent accessibleAWTComponentHandler
java/awt/Component$AccessibleAWTComponent accessibleAWTFocusHandler
java/awt/Component$AccessibleAWTComponent this$0
java/awt/Component$AccessibleAWTComponent <init>(Ljava/awt/Component;)V
java/awt/Component$AccessibleAWTComponent
 addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/awt/Component$AccessibleAWTComponent
 removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/awt/Component$AccessibleAWTComponent getAccessibleName()Ljava/lang/String;
java/awt/Component$AccessibleAWTComponent getAccessibleDescription()Ljava/lang/String;
java/awt/Component$AccessibleAWTComponent getAccessibleRole()Ljavax/accessibility/AccessibleRole;
java/awt/Component$AccessibleAWTComponent getAccessibleStateSet()Ljavax/accessibility/AccessibleStateSet;
java/awt/Component$AccessibleAWTComponent getAccessibleParent()Ljavax/accessibility/Accessible;
java/awt/Component$AccessibleAWTComponent getAccessibleIndexInParent()I
java/awt/Component$AccessibleAWTComponent getAccessibleChildrenCount()I

```

```

java/awt/Component$AccessibleAWTComponent getAccessibleChild(I)Ljavax/accessibility/Accessible;
java/awt/Component$AccessibleAWTComponent getLocale()Ljava/util/Locale;
java/awt/Component$AccessibleAWTComponent
getAccessibleComponent()Ljavax/accessibility/AccessibleComponent;
java/awt/Component$AccessibleAWTComponent
getBackground()Ljava/awt/Color;
java/awt/Component$AccessibleAWTComponent setBackground(Ljava/awt/Color;)V
java/awt/Component$AccessibleAWTComponent getForeground()Ljava/awt/Color;
java/awt/Component$AccessibleAWTComponent setForeground(Ljava/awt/Color;)V
java/awt/Component$AccessibleAWTComponent getCursor()Ljava/awt/Cursor;
java/awt/Component$AccessibleAWTComponent setCursor(Ljava/awt/Cursor;)V
java/awt/Component$AccessibleAWTComponent getFont()Ljava/awt/Font;
java/awt/Component$AccessibleAWTComponent setFont(Ljava/awt/Font;)V
java/awt/Component$AccessibleAWTComponent getFontMetrics(Ljava/awt/Font;)Ljava/awt/FontMetrics;
java/awt/Component$AccessibleAWTComponent isEnabled()Z
java/awt/Component$AccessibleAWTComponent setEnabled(Z)V
java/awt/Component$AccessibleAWTComponent isVisible()Z
java/awt/Component$AccessibleAWTComponent setVisible(Z)V
java/awt/Component$AccessibleAWTComponent isShowing()Z
java/awt/Component$AccessibleAWTComponent
contains(Ljava/awt/Point;)Z
java/awt/Component$AccessibleAWTComponent getLocationOnScreen()Ljava/awt/Point;
java/awt/Component$AccessibleAWTComponent getLocation()Ljava/awt/Point;
java/awt/Component$AccessibleAWTComponent setLocation(Ljava/awt/Point;)V
java/awt/Component$AccessibleAWTComponent getBounds()Ljava/awt/Rectangle;
java/awt/Component$AccessibleAWTComponent setBounds(Ljava/awt/Rectangle;)V
java/awt/Component$AccessibleAWTComponent getSize()Ljava/awt/Dimension;
java/awt/Component$AccessibleAWTComponent setSize(Ljava/awt/Dimension;)V
java/awt/Component$AccessibleAWTComponent
getAccessibleAt(Ljava/awt/Point;)Ljavax/accessibility/Accessible;
java/awt/Component$AccessibleAWTComponent isFocusTraversable()Z
java/awt/Component$AccessibleAWTComponent requestFocus()V
java/awt/Component$AccessibleAWTComponent addFocusListener(Ljava/awt/event/FocusListener;)V
java/awt/Component$AccessibleAWTComponent removeFocusListener(Ljava/awt/event/FocusListener;)V
class java/awt/event/ContainerEvent
java/awt/event/ComponentEvent
java/awt/event/ContainerEvent CONTAINER_FIRST
java/awt/event/ContainerEvent CONTAINER_LAST
java/awt/event/ContainerEvent COMPONENT_ADDED
java/awt/event/ContainerEvent COMPONENT_REMOVED
java/awt/event/ContainerEvent child
java/awt/event/ContainerEvent serialVersionUID
java/awt/event/ContainerEvent <init>(Ljava/awt/Component;ILjava/awt/Component;)V
java/awt/event/ContainerEvent getContainer()Ljava/awt/Container;
java/awt/event/ContainerEvent getChild()Ljava/awt/Component;
java/awt/event/ContainerEvent paramString()Ljava/lang/String;
class java/awt/CardLayout java/lang/Object
java/awt/CardLayout serialVersionUID

```



```

java/awt/CardLayout vector
java/awt/CardLayout currentCard
java/awt/CardLayout hgap
java/awt/CardLayout vgap
java/awt/CardLayout serialPersistentFields
java/awt/CardLayout <init>()V
java/awt/CardLayout <init>(II)V
java/awt/CardLayout getHgap()I
java/awt/CardLayout setHgap(I)V
java/awt/CardLayout getVgap()I
java/awt/CardLayout setVgap(I)V
java/awt/CardLayout
 addLayoutComponent(Ljava/awt/Component;Ljava/lang/Object;)V
java/awt/CardLayout addLayoutComponent(Ljava/lang/String;Ljava/awt/Component;)V
java/awt/CardLayout removeLayoutComponent(Ljava/awt/Component;)V
java/awt/CardLayout preferredLayoutSize(Ljava/awt/Container;Ljava/awt/Dimension;
java/awt/CardLayout minimumLayoutSize(Ljava/awt/Container;Ljava/awt/Dimension;
java/awt/CardLayout maximumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/CardLayout getLayoutAlignmentX(Ljava/awt/Container;)F
java/awt/CardLayout getLayoutAlignmentY(Ljava/awt/Container;)F
java/awt/CardLayout invalidateLayout(Ljava/awt/Container;)V
java/awt/CardLayout layoutContainer(Ljava/awt/Container;)V
java/awt/CardLayout checkLayout(Ljava/awt/Container;)V
java/awt/CardLayout first(Ljava/awt/Container;)V
java/awt/CardLayout next(Ljava/awt/Container;)V
java/awt/CardLayout previous(Ljava/awt/Container;)V
java/awt/CardLayout showDefaultComponent(Ljava/awt/Container;)V
java/awt/CardLayout last(Ljava/awt/Container;)V
java/awt/CardLayout
 show(Ljava/awt/Container;Ljava/lang/String;)V
java/awt/CardLayout toString()Ljava/lang/String;
java/awt/CardLayout readObject(Ljava/io/ObjectInputStream;)V
java/awt/CardLayout writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/CardLayout <clinit>()V
class java/beans/VetoableChangeListener java/lang/Object
java/beans/VetoableChangeListener vetoableChange(Ljava/beans/PropertyChangeEvent;)V
class java/awt/AWTEventMulticaster java/lang/Object
java/awt/AWTEventMulticaster a
java/awt/AWTEventMulticaster b
java/awt/AWTEventMulticaster <init>(Ljava/util/EventListener;Ljava/util/EventListener;)V
java/awt/AWTEventMulticaster remove(Ljava/util/EventListener;)Ljava/util/EventListener;
java/awt/AWTEventMulticaster componentResized(Ljava/awt/event/ComponentEvent;)V
java/awt/AWTEventMulticaster componentMoved(Ljava/awt/event/ComponentEvent;)V
java/awt/AWTEventMulticaster componentShown(Ljava/awt/event/ComponentEvent;)V
java/awt/AWTEventMulticaster componentHidden(Ljava/awt/event/ComponentEvent;)V
java/awt/AWTEventMulticaster
 componentAdded(Ljava/awt/event/ContainerEvent;)V
java/awt/AWTEventMulticaster componentRemoved(Ljava/awt/event/ContainerEvent;)V

```

```

java/awt/AWTEventMulticaster focusGained(Ljava/awt/event/FocusEvent;)V
java/awt/AWTEventMulticaster focusLost(Ljava/awt/event/FocusEvent;)V
java/awt/AWTEventMulticaster keyTyped(Ljava/awt/event/KeyEvent;)V
java/awt/AWTEventMulticaster keyPressed(Ljava/awt/event/KeyEvent;)V
java/awt/AWTEventMulticaster keyReleased(Ljava/awt/event/KeyEvent;)V
java/awt/AWTEventMulticaster mouseClicked(Ljava/awt/event/MouseEvent;)V
java/awt/AWTEventMulticaster mousePressed(Ljava/awt/event/MouseEvent;)V
java/awt/AWTEventMulticaster mouseReleased(Ljava/awt/event/MouseEvent;)V
java/awt/AWTEventMulticaster mouseEntered(Ljava/awt/event/MouseEvent;)V
java/awt/AWTEventMulticaster mouseExited(Ljava/awt/event/MouseEvent;)V
java/awt/AWTEventMulticaster mouseDragged(Ljava/awt/event/MouseEvent;)V
java/awt/AWTEventMulticaster mouseMoved(Ljava/awt/event/MouseEvent;)V
java/awt/AWTEventMulticaster
 windowOpened(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowClosing(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowClosed(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowIconified(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowDeiconified(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowActivated(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowDeactivated(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowStateChanged(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowGainedFocus(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowLostFocus(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster actionPerformed(Ljava/awt/event/ActionEvent;)V
java/awt/AWTEventMulticaster itemStateChanged(Ljava/awt/event/ItemEvent;)V
java/awt/AWTEventMulticaster adjustmentValueChanged(Ljava/awt/event/AdjustmentEvent;)V
java/awt/AWTEventMulticaster
 textValueChanged(Ljava/awt/event/TextEvent;)V
java/awt/AWTEventMulticaster inputMethodTextChanged(Ljava/awt/event/InputMethodEvent;)V
java/awt/AWTEventMulticaster caretPositionChanged(Ljava/awt/event/InputMethodEvent;)V
java/awt/AWTEventMulticaster hierarchyChanged(Ljava/awt/event/HierarchyEvent;)V
java/awt/AWTEventMulticaster ancestorMoved(Ljava/awt/event/HierarchyEvent;)V
java/awt/AWTEventMulticaster ancestorResized(Ljava/awt/event/HierarchyEvent;)V
java/awt/AWTEventMulticaster mouseWheelMoved(Ljava/awt/event/MouseWheelEvent;)V
java/awt/AWTEventMulticaster
 add(Ljava/awt/event/ComponentListener;Ljava/awt/event/ComponentListener;)Ljava/awt/event/ComponentListener
;
java/awt/AWTEventMulticaster
 add(Ljava/awt/event/ContainerListener;Ljava/awt/event/ContainerListener;)Ljava/awt/event/ContainerListener;
java/awt/AWTEventMulticaster
 add(Ljava/awt/event/FocusListener;Ljava/awt/event/FocusListener;)Ljava/awt/event/FocusListener;
java/awt/AWTEventMulticaster
 add(Ljava/awt/event/KeyListener;Ljava/awt/event/KeyListener;)Ljava/awt/event/KeyListener;
java/awt/AWTEventMulticaster
 add(Ljava/awt/event/MouseListener;Ljava/awt/event/MouseListener;)Ljava/awt/event/MouseListener;
java/awt/AWTEventMulticaster
 add(Ljava/awt/event/MouseMotionListener;Ljava/awt/event/MouseMotionListener;)Ljava/awt/event/MouseMotion
Listener;

```

```

java/awt/AWTEventMulticaster
add(Ljava/awt/event/WindowListener;Ljava/awt/event/WindowListener;)Ljava/awt/event/WindowListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/WindowStateListener;Ljava/awt/event/WindowStateListener;)Ljava/awt/event/WindowStateLi
stener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/WindowFocusListener;Ljava/awt/event/WindowFocusListener;)Ljava/awt/event/WindowFocu
sListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/ActionListener;Ljava/awt/event/ActionListener;)Ljava/awt/event/ActionListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/ItemListener;Ljava/awt/event/ItemListener;)Ljava/awt/event/ItemListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/AdjustmentListener;Ljava/awt/event/AdjustmentListener;)Ljava/awt/event/AdjustmentListener
;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/TextListener;Ljava/awt/event/TextListener;)Ljava/awt/event/TextListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/InputMethodListener;Ljava/awt/event/InputMethodListener;)Ljava/awt/event/InputMethodList
ener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/HierarchyListener;Ljava/awt/event/HierarchyListener;)Ljava/awt/event/HierarchyListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/HierarchyBoundsListener;Ljava/awt/event/HierarchyBoundsListener;)Ljava/awt/event/Hierarc
hyBoundsListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/MouseWheelListener;Ljava/awt/event/MouseWheelListener;)Ljava/awt/event/MouseWheelLis
tener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/ComponentListener;Ljava/awt/event/ComponentListener;)Ljava/awt/event/ComponentList
ener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/ContainerListener;Ljava/awt/event/ContainerListener;)Ljava/awt/event/ContainerListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/FocusListener;Ljava/awt/event/FocusListener;)Ljava/awt/event/FocusListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/KeyListener;Ljava/awt/event/KeyListener;)Ljava/awt/event/KeyListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/MouseListener;Ljava/awt/event/MouseListener;)Ljava/awt/event/MouseListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/MouseMotionListener;Ljava/awt/event/MouseMotionListener;)Ljava/awt/event/MouseMot
ionListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/WindowListener;Ljava/awt/event/WindowListener;)Ljava/awt/event/WindowListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/WindowStateListener;Ljava/awt/event/WindowStateListener;)Ljava/awt/event/WindowSta
teListener;
java/awt/AWTEventMulticaster

```

```

remove(Ljava/awt/event/WindowFocusListener;Ljava/awt/event/WindowFocusListener;)Ljava/awt/event/WindowF
ocusListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/ActionListener;Ljava/awt/event/ActionListener;)Ljava/awt/event/ActionListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/ItemListener;Ljava/awt/event/ItemListener;)Ljava/awt/event/ItemListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/AdjustmentListener;Ljava/awt/event/AdjustmentListener;)Ljava/awt/event/AdjustmentList
ener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/TextListener;Ljava/awt/event/TextListener;)Ljava/awt/event/TextListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/InputMethodListener;Ljava/awt/event/InputMethodListener;)Ljava/awt/event/InputMethod
Listener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/HierarchyListener;Ljava/awt/event/HierarchyListener;)Ljava/awt/event/HierarchyListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/HierarchyBoundsListener;Ljava/awt/event/HierarchyBoundsListener;)Ljava/awt/event/Hie
rarchyBoundsListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/MouseWheelListener;Ljava/awt/event/MouseWheelListener;)Ljava/awt/event/MouseWhee
lListener;
java/awt/AWTEventMulticaster
addInternal(Ljava/util/EventListener;Ljava/util/EventListener;)Ljava/util/EventListener;
java/awt/AWTEventMulticaster
removeInternal(Ljava/util/EventListener;Ljava/util/EventListener;)Ljava/util/EventListener;
java/awt/AWTEventMulticaster saveInternal(Ljava/io/ObjectOutputStream;Ljava/lang/String;)V
java/awt/AWTEventMulticaster save(Ljava/io/ObjectOutputStream;Ljava/lang/String;Ljava/util/EventListener;)V
java/awt/AWTEventMulticaster getListenerCount(Ljava/util/EventListener;Ljava/lang/Class;)I
java/awt/AWTEventMulticaster populateListenerArray([Ljava/util/EventListener;Ljava/util/EventListener;)I
java/awt/AWTEventMulticaster getListeners(Ljava/util/EventListener;Ljava/lang/Class;)[Ljava/util/EventListener;
class java/awt/event/TextListener
java/lang/Object
java/awt/event/TextListener textValueChanged(Ljava/awt/event/TextEvent;)V
class java/awt/event/AdjustmentListener java/lang/Object
java/awt/event/AdjustmentListener adjustmentValueChanged(Ljava/awt/event/AdjustmentEvent;)V
class java/awt/event/WindowStateListener java/lang/Object
java/awt/event/WindowStateListener windowStateChanged(Ljava/awt/event/WindowEvent;)V
class java/awt/event/WindowFocusListener java/lang/Object
java/awt/event/WindowFocusListener windowGainedFocus(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowFocusListener windowLostFocus(Ljava/awt/event/WindowEvent;)V
class java/awt/event/ItemListener java/lang/Object
java/awt/event/ItemListener itemStateChanged(Ljava/awt/event/ItemEvent;)V
class java/awt/event/MouseMotionAdapter java/lang/Object
java/awt/event/MouseMotionAdapter <init>()V
java/awt/event/MouseMotionAdapter mouseDragged(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseMotionAdapter mouseMoved(Ljava/awt/event/MouseEvent;)V
class java/awt/event/MouseAdapter

```

```

java/lang/Object
java/awt/event/MouseAdapter <init>()V
java/awt/event/MouseAdapter mouseClicked(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseAdapter mousePressed(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseAdapter mouseReleased(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseAdapter mouseEntered(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseAdapter mouseExited(Ljava/awt/event/MouseEvent;)V
class java/lang/CloneNotSupportedException java/lang/Exception
java/lang/CloneNotSupportedException <init>()V
java/lang/CloneNotSupportedException <init>(Ljava/lang/String;)V
class java/text/MessageFormat$Field java/text/Format$Field
java/text/MessageFormat$Field serialVersionUID
java/text/MessageFormat$Field ARGUMENT
java/text/MessageFormat$Field <init>(Ljava/lang/String;)V
java/text/MessageFormat$Field readResolve()Ljava/lang/Object;
java/text/MessageFormat$Field <clinit>()V
class java/text/Format$Field java/text/AttributedCharacterIterator$Attribute
java/text/Format$Field
 serialVersionUID
java/text/Format$Field <init>(Ljava/lang/String;)V
class java/text/FieldPosition java/lang/Object
java/text/FieldPosition field
java/text/FieldPosition endIndex
java/text/FieldPosition beginIndex
java/text/FieldPosition attribute
java/text/FieldPosition <init>(I)V
java/text/FieldPosition <init>(Ljava/text/Format$Field;)V
java/text/FieldPosition <init>(Ljava/text/Format$Field;I)V
java/text/FieldPosition getFieldAttribute()Ljava/text/Format$Field;
java/text/FieldPosition getField()I
java/text/FieldPosition getBeginIndex()I
java/text/FieldPosition getEndIndex()I
java/text/FieldPosition setBeginIndex(I)V
java/text/FieldPosition setEndIndex(I)V
java/text/FieldPosition getFieldDelegate()Ljava/text/Format$FieldDelegate;
java/text/FieldPosition equals(Ljava/lang/Object;)Z
java/text/FieldPosition hashCode()I
java/text/FieldPosition toString()Ljava/lang/String;
java/text/FieldPosition matchesField(Ljava/text/Format$Field;)Z
java/text/FieldPosition matchesField(Ljava/text/Format$Field;I)Z
java/text/FieldPosition
 access$100(Ljava/text/FieldPosition;Ljava/text/Format$Field;)Z
java/text/FieldPosition access$200(Ljava/text/FieldPosition;Ljava/text/Format$Field;I)Z
class java/text/MessageFormat java/text/Format
java/text/MessageFormat serialVersionUID
java/text/MessageFormat locale
java/text/MessageFormat pattern
java/text/MessageFormat INITIAL_FORMATS

```

```

java/text/MessageFormat formats
java/text/MessageFormat offsets
java/text/MessageFormat argumentNumbers
java/text/MessageFormat maxOffset
java/text/MessageFormat typeList
java/text/MessageFormat modifierList
java/text/MessageFormat dateModifierList
java/text/MessageFormat <init>(Ljava/lang/String;)V
java/text/MessageFormat <init>(Ljava/lang/String;Ljava/util/Locale;)V
java/text/MessageFormat setLocale(Ljava/util/Locale;)V
java/text/MessageFormat getLocale()Ljava/util/Locale;
java/text/MessageFormat applyPattern(Ljava/lang/String;)V
java/text/MessageFormat toPattern()Ljava/lang/String;
java/text/MessageFormat
 setFormatsByArgumentIndex([Ljava/text/Format;)V
java/text/MessageFormat setFormats([Ljava/text/Format;)V
java/text/MessageFormat setFormatByArgumentIndex(ILjava/text/Format;)V
java/text/MessageFormat setFormat(ILjava/text/Format;)V
java/text/MessageFormat getFormatsByArgumentIndex()[Ljava/text/Format;
java/text/MessageFormat getFormats()[Ljava/text/Format;
java/text/MessageFormat
 format([Ljava/lang/Object;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/MessageFormat format(Ljava/lang/String;[Ljava/lang/Object;)Ljava/lang/String;
java/text/MessageFormat
 format(Ljava/lang/Object;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/MessageFormat formatToCharacterIterator(Ljava/lang/Object;)Ljava/text/AttributedCharacterIterator;
java/text/MessageFormat parse(Ljava/lang/String;Ljava/text/ParsePosition;)[Ljava/lang/Object;
java/text/MessageFormat parse(Ljava/lang/String;)[Ljava/lang/Object;
java/text/MessageFormat
 parseObject(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/lang/Object;
java/text/MessageFormat clone()Ljava/lang/Object;
java/text/MessageFormat equals(Ljava/lang/Object;)Z
java/text/MessageFormat hashCode()I
java/text/MessageFormat
 subformat([Ljava/lang/Object;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;Ljava/util/List;)Ljava/lang/StringBuffer;
java/text/MessageFormat append(Ljava/lang/StringBuffer;Ljava/text/CharacterIterator;)V
java/text/MessageFormat makeFormat(II[Ljava/lang/StringBuffer;)V
java/text/MessageFormat findKeyword(Ljava/lang/String;[Ljava/lang/String;)I
java/text/MessageFormat copyAndFixQuotes(Ljava/lang/String;II[Ljava/lang/StringBuffer;)V
java/text/MessageFormat readObject(Ljava/io/ObjectInputStream;)V
java/text/MessageFormat <clinit>()V
class java/text/Format java/lang/Object
java/text/Format serialVersionUID
java/text/Format <init>()V
java/text/Format format(Ljava/lang/Object;)Ljava/lang/String;
java/text/Format
 format(Ljava/lang/Object;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;

```

```

java/text/Format
 formatToCharacterIterator(Ljava/lang/Object;)Ljava/text/AttributedCharacterIterator;
java/text/Format parseObject(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/lang/Object;
java/text/Format parseObject(Ljava/lang/String;)Ljava/lang/Object;
java/text/Format clone()Ljava/lang/Object;
java/text/Format createAttributedCharacterIterator(Ljava/lang/String;)Ljava/text/AttributedCharacterIterator;
java/text/Format
 createAttributedCharacterIterator([Ljava/text/AttributedCharacterIterator;)Ljava/text/AttributedCharacterIterator;
java/text/Format
 createAttributedCharacterIterator(Ljava/lang/String;Ljava/text/AttributedCharacterIterator$Attribute;Ljava/lang/Object;)Ljava/text/AttributedCharacterIterator;
java/text/Format
 createAttributedCharacterIterator(Ljava/text/AttributedCharacterIterator;Ljava/text/AttributedCharacterIterator$Attribute;Ljava/lang/Object;)Ljava/text/AttributedCharacterIterator;
class java/lang/IllegalAccessError
 java/lang/IncompatibleClassChangeError
java/lang/IllegalAccessError <init>()V
java/lang/IllegalAccessError <init>(Ljava/lang/String;)V
class java/util/Collections$SynchronizedSet java/util/Collections$SynchronizedCollection
java/util/Collections$SynchronizedSet serialVersionUID
java/util/Collections$SynchronizedSet <init>(Ljava/util/Set;)V
java/util/Collections$SynchronizedSet <init>(Ljava/util/Set;Ljava/lang/Object;)V
java/util/Collections$SynchronizedSet equals(Ljava/lang/Object;)Z
java/util/Collections$SynchronizedSet hashCode()I
class java/util/Hashtable$EntrySet java/util/AbstractSet
java/util/Hashtable$EntrySet this$0
java/util/Hashtable$EntrySet <init>(Ljava/util/Hashtable;)V
java/util/Hashtable$EntrySet iterator()Ljava/util/Iterator;
java/util/Hashtable$EntrySet add(Ljava/lang/Object;)Z
java/util/Hashtable$EntrySet contains(Ljava/lang/Object;)Z
java/util/Hashtable$EntrySet remove(Ljava/lang/Object;)Z
java/util/Hashtable$EntrySet size()I
java/util/Hashtable$EntrySet
 clear()V
java/util/Hashtable$EntrySet <init>(Ljava/util/Hashtable;Ljava/util/Hashtable$1;)V
class java/util/PropertyResourceBundle java/util/ResourceBundle
java/util/PropertyResourceBundle lookup
java/util/PropertyResourceBundle <init>(Ljava/io/InputStream;)V
java/util/PropertyResourceBundle handleGetObject(Ljava/lang/String;)Ljava/lang/Object;
java/util/PropertyResourceBundle getKeys(Ljava/util/Enumeration;
class java/util/jar/JarFile$1 java/lang/Object
java/util/jar/JarFile$1 val$enum_
java/util/jar/JarFile$1 this$0
java/util/jar/JarFile$1 <init>(Ljava/util/jar/JarFile;Ljava/util/Enumeration;)V
java/util/jar/JarFile$1 hasMoreElements()Z
java/util/jar/JarFile$1 nextElement()Ljava/util/jar/JarFile$JarFileEntry;
java/util/jar/JarFile$1 nextElement()Ljava/lang/Object;
class java/util/zip/ZipFile$3 java/lang/Object

```

```

java/util/zip/ZipFile$3 i
java/util/zip/ZipFile$3 this$0
java/util/zip/ZipFile$3 <init>(Ljava/util/zip/ZipFile;)V
java/util/zip/ZipFile$3 hasMoreElements()Z
java/util/zip/ZipFile$3
 nextElement()Ljava/util/zip/ZipEntry;
java/util/zip/ZipFile$3 nextElement()Ljava/lang/Object;
class java/io/EOFException java/io/IOException
java/io/EOFException <init>()V
java/io/EOFException <init>(Ljava/lang/String;)V
class java/lang/ArrayIndexOutOfBoundsException java/lang/IndexOutOfBoundsException
java/lang/ArrayIndexOutOfBoundsException <init>()V
java/lang/ArrayIndexOutOfBoundsException <init>(I)V
java/lang/ArrayIndexOutOfBoundsException <init>(Ljava/lang/String;)V
class java/lang/IndexOutOfBoundsException java/lang/RuntimeException
java/lang/IndexOutOfBoundsException <init>()V
java/lang/IndexOutOfBoundsException <init>(Ljava/lang/String;)V
class java/lang/InstantiationException java/lang/Exception
java/lang/InstantiationException <init>()V
java/lang/InstantiationException <init>(Ljava/lang/String;)V
class java/lang/IllegalAccessException java/lang/Exception
java/lang/IllegalAccessException <init>()V
java/lang/IllegalAccessException <init>(Ljava/lang/String;)V
class java/lang/NoSuchFieldException
 java/lang/Exception
java/lang/NoSuchFieldException <init>()V
java/lang/NoSuchFieldException <init>(Ljava/lang/String;)V
class java/lang/NoSuchMethodException java/lang/Exception
java/lang/NoSuchMethodException <init>()V
java/lang/NoSuchMethodException <init>(Ljava/lang/String;)V
class java/lang/reflect/InvocationHandler java/lang/Object
java/lang/reflect/InvocationHandler
 invoke(Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/Object;
class java/lang/reflect/Proxy java/lang/Object
java/lang/reflect/Proxy serialVersionUID
java/lang/reflect/Proxy proxyClassNamePrefix
java/lang/reflect/Proxy constructorParams
java/lang/reflect/Proxy loaderToCache
java/lang/reflect/Proxy pendingGenerationMarker
java/lang/reflect/Proxy nextUniqueNumber
java/lang/reflect/Proxy nextUniqueNumberLock
java/lang/reflect/Proxy proxyClasses
java/lang/reflect/Proxy h
java/lang/reflect/Proxy <init>()V
java/lang/reflect/Proxy <init>(Ljava/lang/reflect/InvocationHandler;)V
java/lang/reflect/Proxy
 getProxyClass(Ljava/lang/ClassLoader;[Ljava/lang/Class;)Ljava/lang/Class;
java/lang/reflect/Proxy

```



```

newProxyInstance(Ljava/lang/ClassLoader;[Ljava/lang/Class;Ljava/lang/reflect/InvocationHandler;)Ljava/lang/Obj
ect;
java/lang/reflect/Proxy isProxyClass(Ljava/lang/Class;)Z
java/lang/reflect/Proxy getInvocationHandler(Ljava/lang/Object;)Ljava/lang/reflect/InvocationHandler;
java/lang/reflect/Proxy defineClass0(Ljava/lang/ClassLoader;Ljava/lang/String;[BII)Ljava/lang/Class;
java/lang/reflect/Proxy <clinit>()V
class java/io/FilterReader java/io/Reader
java/io/FilterReader in
java/io/FilterReader <init>(Ljava/io/Reader;)V
java/io/FilterReader read()I
java/io/FilterReader read([CII)I
java/io/FilterReader skip(J)J
java/io/FilterReader ready()Z
java/io/FilterReader markSupported()Z
java/io/FilterReader mark(I)V
java/io/FilterReader reset()V
java/io/FilterReader close()V
class java/lang/SecurityException java/lang/RuntimeException
java/lang/SecurityException serialVersionUID
java/lang/SecurityException
<init>()V
java/lang/SecurityException <init>(Ljava/lang/String;)V
java/lang/SecurityException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/SecurityException <init>(Ljava/lang/Throwable;)V
class java/io/StringReader java/io/Reader
java/io/StringReader str
java/io/StringReader length
java/io/StringReader next
java/io/StringReader mark
java/io/StringReader <init>(Ljava/lang/String;)V
java/io/StringReader ensureOpen()V
java/io/StringReader read()I
java/io/StringReader read([CII)I
java/io/StringReader skip(J)J
java/io/StringReader ready()Z
java/io/StringReader markSupported()Z
java/io/StringReader mark(I)V
java/io/StringReader reset()V
java/io/StringReader close()V
class java/lang/InternalError java/lang/VirtualMachineError
java/lang/InternalError <init>()V
java/lang/InternalError <init>(Ljava/lang/String;)V
class java/net/ServerSocket java/lang/Object
java/net/ServerSocket created
java/net/ServerSocket bound
java/net/ServerSocket closed
java/net/ServerSocket

```

```

closeLock
java/net/ServerSocket impl
java/net/ServerSocket oldImpl
java/net/ServerSocket factory
java/net/ServerSocket <init>()V
java/net/ServerSocket <init>(I)V
java/net/ServerSocket <init>(II)V
java/net/ServerSocket <init>(III,java/net/InetAddress;)V
java/net/ServerSocket getImpl()Ljava/net/SocketImpl;
java/net/ServerSocket checkOldImpl()V
java/net/ServerSocket setImpl()V
java/net/ServerSocket createImpl()V
java/net/ServerSocket bind(Ljava/net/SocketAddress;)V
java/net/ServerSocket bind(Ljava/net/SocketAddress;I)V
java/net/ServerSocket getInetAddress()Ljava/net/InetAddress;
java/net/ServerSocket getLocalPort()I
java/net/ServerSocket getLocalSocketAddress()Ljava/net/SocketAddress;
java/net/ServerSocket accept()Ljava/net/Socket;
java/net/ServerSocket implAccept(Ljava/net/Socket;)V
java/net/ServerSocket close()V
java/net/ServerSocket getChannel()Ljava/nio/channels/ServerSocketChannel;
java/net/ServerSocket isBound()Z
java/net/ServerSocket isClosed()Z
java/net/ServerSocket
 setSoTimeout(I)V
java/net/ServerSocket getSoTimeout()I
java/net/ServerSocket setReuseAddress(Z)V
java/net/ServerSocket getReuseAddress()Z
java/net/ServerSocket toString()Ljava/lang/String;
java/net/ServerSocket setBound()V
java/net/ServerSocket setCreated()V
java/net/ServerSocket setSocketFactory(Ljava/net/SocketImplFactory;)V
java/net/ServerSocket setReceiveBufferSize(I)V
java/net/ServerSocket getReceiveBufferSize()I
java/net/ServerSocket setPerformancePreferences(III)V
java/net/ServerSocket access$000(Ljava/net/ServerSocket;)Ljava/net/SocketImpl;
java/net/ServerSocket <clinit>()V
class java/util/Vector$1 java/lang/Object
java/util/Vector$1 count
java/util/Vector$1 this$0
java/util/Vector$1 <init>(Ljava/util/Vector;)V
java/util/Vector$1 hasMoreElements()Z
java/util/Vector$1 nextElement()Ljava/lang/Object;
class java/text/DateFormatSymbols java/lang/Object
java/text/DateFormatSymbols eras
java/text/DateFormatSymbols months
java/text/DateFormatSymbols shortMonths
java/text/DateFormatSymbols

```

```

weekdays
java/text/DateFormatSymbols shortWeekdays
java/text/DateFormatSymbols amPms
java/text/DateFormatSymbols zoneStrings
java/text/DateFormatSymbols patternChars
java/text/DateFormatSymbols localPatternChars
java/text/DateFormatSymbols serialVersionUID
java/text/DateFormatSymbols millisPerHour
java/text/DateFormatSymbols cachedLocaleData
java/text/DateFormatSymbols cachedZoneData
java/text/DateFormatSymbols <init>()V
java/text/DateFormatSymbols <init>(Ljava/util/Locale;)V
java/text/DateFormatSymbols getEras()[Ljava/lang/String;
java/text/DateFormatSymbols setEras([Ljava/lang/String;)V
java/text/DateFormatSymbols getMonths()[Ljava/lang/String;
java/text/DateFormatSymbols setMonths([Ljava/lang/String;)V
java/text/DateFormatSymbols getShortMonths()[Ljava/lang/String;
java/text/DateFormatSymbols setShortMonths([Ljava/lang/String;)V
java/text/DateFormatSymbols getWeekdays()[Ljava/lang/String;
java/text/DateFormatSymbols setWeekdays([Ljava/lang/String;)V
java/text/DateFormatSymbols
 getShortWeekdays()[Ljava/lang/String;
java/text/DateFormatSymbols setShortWeekdays([Ljava/lang/String;)V
java/text/DateFormatSymbols getAmPmStrings()[Ljava/lang/String;
java/text/DateFormatSymbols setAmPmStrings([Ljava/lang/String;)V
java/text/DateFormatSymbols getZoneStrings()[Ljava/lang/String;
java/text/DateFormatSymbols setZoneStrings([Ljava/lang/String;)V
java/text/DateFormatSymbols getLocalPatternChars()[Ljava/lang/String;
java/text/DateFormatSymbols setLocalPatternChars([Ljava/lang/String;)V
java/text/DateFormatSymbols clone()Ljava/lang/Object;
java/text/DateFormatSymbols hashCode()I
java/text/DateFormatSymbols equals(Ljava/lang/Object;)Z
java/text/DateFormatSymbols cacheLookup(Ljava/util/Locale;)[Ljava/util/ResourceBundle;
java/text/DateFormatSymbols loadZoneStrings(Ljava/util/Locale;Ljava/util/ResourceBundle;)[Ljava/lang/String;
java/text/DateFormatSymbols initializeData(Ljava/util/Locale;)V
java/text/DateFormatSymbols getZoneIndex(Ljava/lang/String;)I
java/text/DateFormatSymbols
 duplicate([Ljava/lang/String;)[Ljava/lang/String;
java/text/DateFormatSymbols copyMembers(Ljava/text/DateFormatSymbols;Ljava/text/DateFormatSymbols;)V
java/text/DateFormatSymbols equals([Ljava/lang/String;[Ljava/lang/String;)Z
java/text/DateFormatSymbols <clinit>()V
class java/util/TimeZone$1 java/lang/Object
java/util/TimeZone$1 val$id
java/util/TimeZone$1 <init>(Ljava/lang/String;)V
java/util/TimeZone$1 run()Ljava/lang/Object;
class java/lang/InheritableThreadLocal java/lang/ThreadLocal
java/lang/InheritableThreadLocal <init>()V
java/lang/InheritableThreadLocal childValue(Ljava/lang/Object;)Ljava/lang/Object;

```

```

java/lang/InheritableThreadLocal getMap(Ljava/lang/Thread;)Ljava/lang/ThreadLocal$ThreadLocalMap;
java/lang/InheritableThreadLocal createMap(Ljava/lang/Thread;Ljava/lang/Object;)V
class java/util/TimeZone java/lang/Object
java/util/TimeZone SHORT
java/util/TimeZone LONG
java/util/TimeZone ONE_MINUTE
java/util/TimeZone ONE_HOUR
java/util/TimeZone ONE_DAY
java/util/TimeZone
 cachedLocaleData
java/util/TimeZone serialVersionUID
java/util/TimeZone NO_TIMEZONE
java/util/TimeZone ID
java/util/TimeZone defaultTimeZone
java/util/TimeZone defaultZoneTL
java/util/TimeZone GMT_ID
java/util/TimeZone GMT_ID_LENGTH
java/util/TimeZone $assertionsDisabled
java/util/TimeZone <init>()V
java/util/TimeZone getOffset(IIII)I
java/util/TimeZone getOffset(J)I
java/util/TimeZone getOffsets(J[I)I
java/util/TimeZone setRawOffset(I)V
java/util/TimeZone getRawOffset()I
java/util/TimeZone getID()Ljava/lang/String;
java/util/TimeZone setID(Ljava/lang/String;)V
java/util/TimeZone getDisplayName()Ljava/lang/String;
java/util/TimeZone getDisplayName(Ljava/util/Locale;)Ljava/lang/String;
java/util/TimeZone getDisplayName(ZI)Ljava/lang/String;
java/util/TimeZone getDisplayName(ZILjava/util/Locale;)Ljava/lang/String;
java/util/TimeZone getDisplayNames(Ljava/lang/String;Ljava/util/Locale;)[Ljava/lang/String;
java/util/TimeZone retrieveDisplayNames(Ljava/lang/String;Ljava/util/Locale;)[Ljava/lang/String;
java/util/TimeZone
 getDSTSavings()I
java/util/TimeZone useDaylightTime()Z
java/util/TimeZone inDaylightTime(Ljava/util/Date;)Z
java/util/TimeZone getTimeZone(Ljava/lang/String;)Ljava/util/TimeZone;
java/util/TimeZone getTimeZone(Ljava/lang/String;Z)Ljava/util/TimeZone;
java/util/TimeZone getAvailableIDs(I)[Ljava/lang/String;
java/util/TimeZone getAvailableIDs()[Ljava/lang/String;
java/util/TimeZone getSystemTimeZoneID(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/util/TimeZone getSystemGMTOffsetID(Ljava/lang/String;
java/util/TimeZone getDefault()Ljava/util/TimeZone;
java/util/TimeZone getDefaultRef()Ljava/util/TimeZone;
java/util/TimeZone setDefaultZone()Ljava/util/TimeZone;
java/util/TimeZone hasPermission()Z
java/util/TimeZone setDefault(Ljava/util/TimeZone;)V
java/util/TimeZone hasSameRules(Ljava/util/TimeZone;)Z

```

```

java/util/TimeZone clone()Ljava/lang/Object;
java/util/TimeZone parseCustomTimeZone(Ljava/lang/String;)Ljava/util/TimeZone;
java/util/TimeZone
 <clinit>()V
class java/util/Date java/lang/Object
java/util/Date gcal
java/util/Date jcal
java/util/Date fastTime
java/util/Date cdate
java/util/Date defaultCenturyStart
java/util/Date serialVersionUID
java/util/Date wtb
java/util/Date ttb
java/util/Date <init>()V
java/util/Date <init>(J)V
java/util/Date <init>(III)V
java/util/Date <init>(IIII)V
java/util/Date <init>(IIIII)V
java/util/Date <init>(Ljava/lang/String;)V
java/util/Date clone()Ljava/lang/Object;
java/util/Date UTC(IIIII)J
java/util/Date parse(Ljava/lang/String;)J
java/util/Date getYear()I
java/util/Date setYear(I)V
java/util/Date getMonth()I
java/util/Date setMonth(I)V
java/util/Date getDate()I
java/util/Date setDate(I)V
java/util/Date getDay()I
java/util/Date getHours()I
java/util/Date setHours(I)V
java/util/Date getMinutes()I
java/util/Date setMinutes(I)V
java/util/Date getSeconds()I
java/util/Date setSeconds(I)V
java/util/Date getTime()J
java/util/Date getTimeImpl()J
java/util/Date setTime(J)V
java/util/Date before(Ljava/util/Date;)Z
java/util/Date
 after(Ljava/util/Date;)Z
java/util/Date equals(Ljava/lang/Object;)Z
java/util/Date getMillisOf(Ljava/util/Date;)J
java/util/Date compareTo(Ljava/util/Date;)I
java/util/Date hashCode()I
java/util/Date toString(Ljava/lang/String;
java/util/Date convertToAbbr(Ljava/lang/StringBuilder;Ljava/lang/String;)Ljava/lang/StringBuilder;
java/util/Date toLocaleString()Ljava/lang/String;

```

```

java/util/Date toGMTString()Ljava/lang/String;
java/util/Date getTimezoneOffset()I
java/util/Date getCalendarDate()Lsun/util/calendar/BaseCalendar$Date;
java/util/Date normalize()Lsun/util/calendar/BaseCalendar$Date;
java/util/Date normalize(Lsun/util/calendar/BaseCalendar$Date;)Lsun/util/calendar/BaseCalendar$Date;
java/util/Date getCalendarSystem(I)Lsun/util/calendar/BaseCalendar;
java/util/Date getCalendarSystem(J)Lsun/util/calendar/BaseCalendar;
java/util/Date getCalendarSystem(Lsun/util/calendar/BaseCalendar$Date;)Lsun/util/calendar/BaseCalendar;
java/util/Date getJulianCalendar()Lsun/util/calendar/BaseCalendar;
java/util/Date
 writeObject(Ljava/io/ObjectOutputStream;)V
java/util/Date readObject(Ljava/io/ObjectInputStream;)V
java/util/Date compareTo(Ljava/lang/Object;)I
java/util/Date <clinit>()V
class java/awt/image/SinglePixelPackedSampleModel java/awt/image/SampleModel
java/awt/image/SinglePixelPackedSampleModel bitMasks
java/awt/image/SinglePixelPackedSampleModel bitOffsets
java/awt/image/SinglePixelPackedSampleModel bitSizes
java/awt/image/SinglePixelPackedSampleModel maxBitSize
java/awt/image/SinglePixelPackedSampleModel scanlineStride
java/awt/image/SinglePixelPackedSampleModel initIDs()V
java/awt/image/SinglePixelPackedSampleModel <init>(III[I)V
java/awt/image/SinglePixelPackedSampleModel <init>(IIII[I)V
java/awt/image/SinglePixelPackedSampleModel getNumDataElements()I
java/awt/image/SinglePixelPackedSampleModel getBufferSize()J
java/awt/image/SinglePixelPackedSampleModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/SinglePixelPackedSampleModel
 createDataBuffer(Ljava/awt/image/DataBuffer;
java/awt/image/SinglePixelPackedSampleModel getSampleSize()[I
java/awt/image/SinglePixelPackedSampleModel getSampleSize(I)I
java/awt/image/SinglePixelPackedSampleModel getOffset(II)I
java/awt/image/SinglePixelPackedSampleModel getBitOffsets()[I
java/awt/image/SinglePixelPackedSampleModel getBitMasks()[I
java/awt/image/SinglePixelPackedSampleModel getScanlineStride()I
java/awt/image/SinglePixelPackedSampleModel createSubsetSampleModel([I)Ljava/awt/image/SampleModel;
java/awt/image/SinglePixelPackedSampleModel
 getDataElements(III)Ljava/lang/Object;Ljava/awt/image/DataBuffer;)Ljava/lang/Object;
java/awt/image/SinglePixelPackedSampleModel getPixel(II[ILjava/awt/image/DataBuffer;)[I
java/awt/image/SinglePixelPackedSampleModel getPixels(IIII[ILjava/awt/image/DataBuffer;)[I
java/awt/image/SinglePixelPackedSampleModel getSample(IIILjava/awt/image/DataBuffer;)I
java/awt/image/SinglePixelPackedSampleModel getSamples(IIIII[ILjava/awt/image/DataBuffer;)[I
java/awt/image/SinglePixelPackedSampleModel
 setDataElements(III)Ljava/lang/Object;Ljava/awt/image/DataBuffer;)V
java/awt/image/SinglePixelPackedSampleModel setPixel(II[ILjava/awt/image/DataBuffer;)V
java/awt/image/SinglePixelPackedSampleModel setPixels(IIII[ILjava/awt/image/DataBuffer;)V
java/awt/image/SinglePixelPackedSampleModel setSample(IIILjava/awt/image/DataBuffer;)V
java/awt/image/SinglePixelPackedSampleModel setSamples(IIIII[ILjava/awt/image/DataBuffer;)V
java/awt/image/SinglePixelPackedSampleModel equals(Ljava/lang/Object;)Z

```

```

java/awt/image/SinglePixelPackedSampleModel hashCode()I
java/awt/image/SinglePixelPackedSampleModel <clinit>()V
class java/awt/image/DataBufferInt java/awt/image/DataBuffer
java/awt/image/DataBufferInt data
java/awt/image/DataBufferInt bankdata
java/awt/image/DataBufferInt <init>(I)V
java/awt/image/DataBufferInt <init>(II)V
java/awt/image/DataBufferInt <init>([II)V
java/awt/image/DataBufferInt <init>([III)V
java/awt/image/DataBufferInt
 <init>([II)V
java/awt/image/DataBufferInt <init>([II[I)V
java/awt/image/DataBufferInt getData()[I
java/awt/image/DataBufferInt getData(I)[I
java/awt/image/DataBufferInt getBankData()[I
java/awt/image/DataBufferInt getElem(I)I
java/awt/image/DataBufferInt getElem(II)I
java/awt/image/DataBufferInt setElem(II)V
java/awt/image/DataBufferInt setElem(III)V
class java/awt/Dialog java/awt/Window
java/awt/Dialog resizable
java/awt/Dialog undecorated
java/awt/Dialog modal
java/awt/Dialog title
java/awt/Dialog keepBlocking
java/awt/Dialog base
java/awt/Dialog nameCounter
java/awt/Dialog serialVersionUID
java/awt/Dialog showAppContext
java/awt/Dialog <init>(Ljava/awt/Frame;)V
java/awt/Dialog <init>(Ljava/awt/Frame;Z)V
java/awt/Dialog <init>(Ljava/awt/Frame;Ljava/lang/String;)V
java/awt/Dialog <init>(Ljava/awt/Frame;Ljava/lang/String;Z)V
java/awt/Dialog <init>(Ljava/awt/Frame;Ljava/lang/String;ZLjava/awt/GraphicsConfiguration;)V
java/awt/Dialog <init>(Ljava/awt/Dialog;)V
java/awt/Dialog
 <init>(Ljava/awt/Dialog;Ljava/lang/String;)V
java/awt/Dialog <init>(Ljava/awt/Dialog;Ljava/lang/String;Z)V
java/awt/Dialog <init>(Ljava/awt/Dialog;Ljava/lang/String;ZLjava/awt/GraphicsConfiguration;)V
java/awt/Dialog constructComponentName()Ljava/lang/String;
java/awt/Dialog addNotify()V
java/awt/Dialog isModal()Z
java/awt/Dialog setModal(Z)V
java/awt/Dialog getTitle()Ljava/lang/String;
java/awt/Dialog setTitle(Ljava/lang/String;)V
java/awt/Dialog conditionalShow(Ljava/awt/Component;Ljava/util/concurrent/atomic/AtomicLong;)Z
java/awt/Dialog show()V
java/awt/Dialog interruptBlocking()V

```

```

java/awt/Dialog hideAndDisposeHandler()V
java/awt/Dialog hide()V
java/awt/Dialog doDispose()V
java/awt/Dialog isResizable()Z
java/awt/Dialog setResizable(Z)V
java/awt/Dialog setUndecorated(Z)V
java/awt/Dialog isUndecorated()Z
java/awt/Dialog paramString()Ljava/lang/String;
java/awt/Dialog initIDs()V
java/awt/Dialog getAccessibleContext()Ljava/awt/Accessibility/AccessibleContext;
java/awt/Dialog access$000(Ljava/awt/Dialog;)Z
java/awt/Dialog
 <clinit>()V
class java/awt/Canvas java/awt/Component
java/awt/Canvas base
java/awt/Canvas nameCounter
java/awt/Canvas serialVersionUID
java/awt/Canvas <init>()V
java/awt/Canvas <init>(Ljava/awt/GraphicsConfiguration;)V
java/awt/Canvas constructComponentName()Ljava/lang/String;
java/awt/Canvas addNotify()V
java/awt/Canvas paint(Ljava/awt/Graphics;)V
java/awt/Canvas update(Ljava/awt/Graphics;)V
java/awt/Canvas postsOldMouseEvents()Z
java/awt/Canvas createBufferStrategy(I)V
java/awt/Canvas createBufferStrategy(ILjava/awt/BufferCapabilities;)V
java/awt/Canvas getBufferStrategy()Ljava/awt/image/BufferStrategy;
java/awt/Canvas getAccessibleContext()Ljava/awt/Accessibility/AccessibleContext;
java/awt/Canvas <clinit>()V
class java/awt/image/WritableRaster java/awt/image/Raster
java/awt/image/WritableRaster <init>(Ljava/awt/image/SampleModel;Ljava/awt/Point;)V
java/awt/image/WritableRaster
 <init>(Ljava/awt/image/SampleModel;Ljava/awt/image/DataBuffer;Ljava/awt/Point;)V
java/awt/image/WritableRaster
 <init>(Ljava/awt/image/SampleModel;Ljava/awt/image/DataBuffer;Ljava/awt/Rectangle;Ljava/awt/Point;Ljava/awt
 /image/WritableRaster;)V
java/awt/image/WritableRaster getWritableParent()Ljava/awt/image/WritableRaster;
java/awt/image/WritableRaster createWritableTranslatedChild(II)Ljava/awt/image/WritableRaster;
java/awt/image/WritableRaster createWritableChild(IIIII[I)Ljava/awt/image/WritableRaster;
java/awt/image/WritableRaster setDataElements(IIILjava/lang/Object;)V
java/awt/image/WritableRaster setDataElements(IIILjava/awt/image/Raster;)V
java/awt/image/WritableRaster setDataElements(IIIIILjava/lang/Object;)V
java/awt/image/WritableRaster setRect(Ljava/awt/image/Raster;)V
java/awt/image/WritableRaster setRect(IIILjava/awt/image/Raster;)V
java/awt/image/WritableRaster setPixel(II[I)V
java/awt/image/WritableRaster setPixel(II[F)V
java/awt/image/WritableRaster setPixel(II[D)V
java/awt/image/WritableRaster setPixels(IIII[I)V

```



```

java/awt/image/WritableRaster setPixels(IIII[F)V
java/awt/image/WritableRaster
 setPixels(IIII[D)V
java/awt/image/WritableRaster setSample(IIII)V
java/awt/image/WritableRaster setSample(IIIF)V
java/awt/image/WritableRaster setSample(IIID)V
java/awt/image/WritableRaster setSamples(IIIII[I)V
java/awt/image/WritableRaster setSamples(IIIII[F)V
java/awt/image/WritableRaster setSamples(IIIII[D)V
class java/awt/image/PixelInterleavedSampleModel java/awt/image/ComponentSampleModel
java/awt/image/PixelInterleavedSampleModel <init>(IIIII[I)V
java/awt/image/PixelInterleavedSampleModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/PixelInterleavedSampleModel createSubsetSampleModel([I)Ljava/awt/image/SampleModel;
java/awt/image/PixelInterleavedSampleModel hashCode()I
class java/awt/image/ComponentSampleModel java/awt/image/SampleModel
java/awt/image/ComponentSampleModel bandOffsets
java/awt/image/ComponentSampleModel bankIndices
java/awt/image/ComponentSampleModel numBands
java/awt/image/ComponentSampleModel
 numBanks
java/awt/image/ComponentSampleModel scanlineStride
java/awt/image/ComponentSampleModel pixelStride
java/awt/image/ComponentSampleModel initIDs()V
java/awt/image/ComponentSampleModel <init>(IIIII[I)V
java/awt/image/ComponentSampleModel <init>(IIIII[I[I)V
java/awt/image/ComponentSampleModel getBufferSize()J
java/awt/image/ComponentSampleModel orderBands([II)[I
java/awt/image/ComponentSampleModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/ComponentSampleModel createSubsetSampleModel([I)Ljava/awt/image/SampleModel;
java/awt/image/ComponentSampleModel createDataBuffer()Ljava/awt/image/DataBuffer;
java/awt/image/ComponentSampleModel getOffset(II)I
java/awt/image/ComponentSampleModel getOffset(III)I
java/awt/image/ComponentSampleModel getSampleSize()[I
java/awt/image/ComponentSampleModel getSampleSize(I)I
java/awt/image/ComponentSampleModel getBankIndices()[I
java/awt/image/ComponentSampleModel getBandOffsets()[I
java/awt/image/ComponentSampleModel
 getScanlineStride()I
java/awt/image/ComponentSampleModel getPixelStride()I
java/awt/image/ComponentSampleModel getNumDataElements()I
java/awt/image/ComponentSampleModel
 getDataElements(IIILjava/lang/Object;Ljava/awt/image/DataBuffer;)Ljava/lang/Object;
java/awt/image/ComponentSampleModel getPixel(II[ILjava/awt/image/DataBuffer;)[I
java/awt/image/ComponentSampleModel getPixels(IIII[ILjava/awt/image/DataBuffer;)[I
java/awt/image/ComponentSampleModel getSample(IIILjava/awt/image/DataBuffer;)I
java/awt/image/ComponentSampleModel getSampleFloat(IIILjava/awt/image/DataBuffer;)F
java/awt/image/ComponentSampleModel getSampleDouble(IIILjava/awt/image/DataBuffer;)D
java/awt/image/ComponentSampleModel getSamples(IIIII[ILjava/awt/image/DataBuffer;)[I

```

```

java/awt/image/ComponentSampleModel setDataElements(IIIILjava/lang/Object;Ljava/awt/image/DataBuffer;)V
java/awt/image/ComponentSampleModel setPixel(II[ILjava/awt/image/DataBuffer;)V
java/awt/image/ComponentSampleModel setPixels(IIII[ILjava/awt/image/DataBuffer;)V
java/awt/image/ComponentSampleModel
 setSample(IIIIILjava/awt/image/DataBuffer;)V
java/awt/image/ComponentSampleModel setSample(IIIFLjava/awt/image/DataBuffer;)V
java/awt/image/ComponentSampleModel setSample(IIIDLjava/awt/image/DataBuffer;)V
java/awt/image/ComponentSampleModel setSamples(IIIII[ILjava/awt/image/DataBuffer;)V
java/awt/image/ComponentSampleModel equals(Ljava/lang/Object;)Z
java/awt/image/ComponentSampleModel hashCode()I
java/awt/image/ComponentSampleModel <clinit>()V
class java/awt/image/SampleModel java/lang/Object
java/awt/image/SampleModel width
java/awt/image/SampleModel height
java/awt/image/SampleModel numBands
java/awt/image/SampleModel dataType
java/awt/image/SampleModel initIDs()V
java/awt/image/SampleModel <init>(IIII)V
java/awt/image/SampleModel getWidth()I
java/awt/image/SampleModel getHeight()I
java/awt/image/SampleModel getNumBands()I
java/awt/image/SampleModel getNumDataElements()I
java/awt/image/SampleModel getDataType()I
java/awt/image/SampleModel
 getTransferType()I
java/awt/image/SampleModel getPixel(II[ILjava/awt/image/DataBuffer;)[I
java/awt/image/SampleModel
 getDataElements(IIILjava/lang/Object;Ljava/awt/image/DataBuffer;)Ljava/lang/Object;
java/awt/image/SampleModel
 getDataElements(IIIIILjava/lang/Object;Ljava/awt/image/DataBuffer;)Ljava/lang/Object;
java/awt/image/SampleModel setDataElements(IIILjava/lang/Object;Ljava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setDataElements(IIIIILjava/lang/Object;Ljava/awt/image/DataBuffer;)V
java/awt/image/SampleModel getPixel(II[FLjava/awt/image/DataBuffer;)[F
java/awt/image/SampleModel getPixel(II[DLjava/awt/image/DataBuffer;)[D
java/awt/image/SampleModel getPixels(IIII[ILjava/awt/image/DataBuffer;)[I
java/awt/image/SampleModel getPixels(IIII[FLjava/awt/image/DataBuffer;)[F
java/awt/image/SampleModel getPixels(IIII[DLjava/awt/image/DataBuffer;)[D
java/awt/image/SampleModel getSample(IIILjava/awt/image/DataBuffer;)I
java/awt/image/SampleModel getSampleFloat(IIILjava/awt/image/DataBuffer;)F
java/awt/image/SampleModel
 getSampleDouble(IIILjava/awt/image/DataBuffer;)D
java/awt/image/SampleModel getSamples(IIIII[ILjava/awt/image/DataBuffer;)[I
java/awt/image/SampleModel getSamples(IIIII[FLjava/awt/image/DataBuffer;)[F
java/awt/image/SampleModel getSamples(IIIII[DLjava/awt/image/DataBuffer;)[D
java/awt/image/SampleModel setPixel(II[ILjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setPixel(II[FLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setPixel(II[DLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setPixels(IIII[ILjava/awt/image/DataBuffer;)V

```

```

java/awt/image/SampleModel setPixels(IIII[FLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setPixels(IIII[DLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setSample(IIII[FLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setSample(IIII[DLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setSamples(IIII[ILjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel
 setSamples(IIII[FLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setSamples(IIII[DLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/SampleModel createSubsetSampleModel([I)Ljava/awt/image/SampleModel;
java/awt/image/SampleModel createDataBuffer()Ljava/awt/image/DataBuffer;
java/awt/image/SampleModel getSampleSize()[I
java/awt/image/SampleModel getSampleSize(I)I
java/awt/image/SampleModel <clinit>()V
class java/awt/image/DataBufferByte java/awt/image/DataBuffer
java/awt/image/DataBufferByte data
java/awt/image/DataBufferByte bankdata
java/awt/image/DataBufferByte <init>(I)V
java/awt/image/DataBufferByte <init>(II)V
java/awt/image/DataBufferByte <init>([BI)V
java/awt/image/DataBufferByte <init>([BII)V
java/awt/image/DataBufferByte <init>([[BI)V
java/awt/image/DataBufferByte <init>([[BI]I)V
java/awt/image/DataBufferByte getData()[B
java/awt/image/DataBufferByte
 getData(I)[B
java/awt/image/DataBufferByte getBankData()[[B
java/awt/image/DataBufferByte getElem(I)I
java/awt/image/DataBufferByte getElem(II)I
java/awt/image/DataBufferByte setElem(II)V
java/awt/image/DataBufferByte setElem(III)V
class java/awt/image/DataBuffer java/lang/Object
java/awt/image/DataBuffer TYPE_BYTE
java/awt/image/DataBuffer TYPE_USHORT
java/awt/image/DataBuffer TYPE_SHORT
java/awt/image/DataBuffer TYPE_INT
java/awt/image/DataBuffer TYPE_FLOAT
java/awt/image/DataBuffer TYPE_DOUBLE
java/awt/image/DataBuffer TYPE_UNDEFINED
java/awt/image/DataBuffer dataType
java/awt/image/DataBuffer banks
java/awt/image/DataBuffer offset
java/awt/image/DataBuffer size
java/awt/image/DataBuffer offsets
java/awt/image/DataBuffer dataTypeSize
java/awt/image/DataBuffer getDataTypeSize(I)I
java/awt/image/DataBuffer <init>(II)V

```

```

java/awt/image/DataBuffer <init>(III)V
java/awt/image/DataBuffer <init>(IIII)V
java/awt/image/DataBuffer <init>(III[I)V
java/awt/image/DataBuffer
 getDataType()I
java/awt/image/DataBuffer getSize()I
java/awt/image/DataBuffer getOffset()I
java/awt/image/DataBuffer getOffsets()[I
java/awt/image/DataBuffer getNumBanks()I
java/awt/image/DataBuffer getElem(I)I
java/awt/image/DataBuffer getElem(II)I
java/awt/image/DataBuffer setElem(II)V
java/awt/image/DataBuffer setElem(III)V
java/awt/image/DataBuffer getElemFloat(I)F
java/awt/image/DataBuffer getElemFloat(II)F
java/awt/image/DataBuffer setElemFloat(IF)V
java/awt/image/DataBuffer setElemFloat(IIF)V
java/awt/image/DataBuffer getElemDouble(I)D
java/awt/image/DataBuffer getElemDouble(II)D
java/awt/image/DataBuffer setElemDouble(ID)V
java/awt/image/DataBuffer setElemDouble(IID)V
java/awt/image/DataBuffer toIntArray(Ljava/lang/Object;)[I
java/awt/image/DataBuffer <clinit>()V
class java/awt/image/Raster java/lang/Object
java/awt/image/Raster sampleModel
java/awt/image/Raster dataBuffer
java/awt/image/Raster minX
java/awt/image/Raster minY
java/awt/image/Raster width
java/awt/image/Raster
 height
java/awt/image/Raster sampleModelTranslateX
java/awt/image/Raster sampleModelTranslateY
java/awt/image/Raster numBands
java/awt/image/Raster numDataElements
java/awt/image/Raster parent
java/awt/image/Raster initIDs()V
java/awt/image/Raster createInterleavedRaster(IIIIILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createInterleavedRaster(IIIII[ILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createBandedRaster(IIIIILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createBandedRaster(IIII[I[ILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createPackedRaster(III[ILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createPackedRaster(IIIIILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster
 createInterleavedRaster(Ljava/awt/image/DataBuffer;IIII[ILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster
 createBandedRaster(Ljava/awt/image/DataBuffer;IIII[I[ILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster

```

```

createPackedRaster(Ljava/awt/image/DataBuffer;III[ILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster
createPackedRaster(Ljava/awt/image/DataBuffer;IIILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster
createRaster(Ljava/awt/image/SampleModel;Ljava/awt/image/DataBuffer;Ljava/awt/Point;)Ljava/awt/image/Raster;
java/awt/image/Raster
createWritableRaster(Ljava/awt/image/SampleModel;Ljava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster
createWritableRaster(Ljava/awt/image/SampleModel;Ljava/awt/image/DataBuffer;Ljava/awt/Point;)Ljava/awt/imag
e/WritableRaster;
java/awt/image/Raster <init>(Ljava/awt/image/SampleModel;Ljava/awt/Point;)V
java/awt/image/Raster <init>(Ljava/awt/image/SampleModel;Ljava/awt/image/DataBuffer;Ljava/awt/Point;)V
java/awt/image/Raster
<init>(Ljava/awt/image/SampleModel;Ljava/awt/image/DataBuffer;Ljava/awt/Rectangle;Ljava/awt/Point;Ljava/awt
/image/Raster;)V
java/awt/image/Raster
getParent()Ljava/awt/image/Raster;
java/awt/image/Raster getSampleModelTranslateX()I
java/awt/image/Raster getSampleModelTranslateY()I
java/awt/image/Raster createCompatibleWritableRaster()Ljava/awt/image/WritableRaster;
java/awt/image/Raster createCompatibleWritableRaster(II)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createCompatibleWritableRaster(Ljava/awt/Rectangle;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createCompatibleWritableRaster(III)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createTranslatedChild(II)Ljava/awt/image/Raster;
java/awt/image/Raster createChild(IIIII[I)Ljava/awt/image/Raster;
java/awt/image/Raster getBounds()Ljava/awt/Rectangle;
java/awt/image/Raster getMinX()I
java/awt/image/Raster getMinY()I
java/awt/image/Raster getWidth()I
java/awt/image/Raster getHeight()I
java/awt/image/Raster getNumBands()I
java/awt/image/Raster getNumDataElements()I
java/awt/image/Raster getTransferType()I
java/awt/image/Raster
getDataBuffer()Ljava/awt/image/DataBuffer;
java/awt/image/Raster getSampleModel()Ljava/awt/image/SampleModel;
java/awt/image/Raster getDataElements(II[Ljava/lang/Object;)Ljava/lang/Object;
java/awt/image/Raster getDataElements(IIII[Ljava/lang/Object;)Ljava/lang/Object;
java/awt/image/Raster getPixel(II[I)I
java/awt/image/Raster getPixel(II[F)F
java/awt/image/Raster getPixel(II[D)D
java/awt/image/Raster getPixels(III[I)I
java/awt/image/Raster getPixels(III[F)F
java/awt/image/Raster getPixels(III[D)D
java/awt/image/Raster getSample(III)I
java/awt/image/Raster getSampleFloat(III)F
java/awt/image/Raster getSampleDouble(III)D
java/awt/image/Raster getSamples(IIIII[I)I

```

```

java/awt/image/Raster getSamples(IIII[F])[F
java/awt/image/Raster getSamples(IIII[D])[D
java/awt/image/Raster <clinit>()V
class java/net/JarURLConnection java/net/URLConnection
java/net/JarURLConnection jarFileURL
java/net/JarURLConnection entryName
java/net/JarURLConnection jarFileURLConnection
java/net/JarURLConnection
 <init>(Ljava/net/URL;)V
java/net/JarURLConnection parseSpecs(Ljava/net/URL;)V
java/net/JarURLConnection getJarFileURL()Ljava/net/URL;
java/net/JarURLConnection getEntryName()Ljava/lang/String;
java/net/JarURLConnection getJarFile()Ljava/util/jar/JarFile;
java/net/JarURLConnection getManifest()Ljava/util/jar/Manifest;
java/net/JarURLConnection getJarEntry()Ljava/util/jar/JarEntry;
java/net/JarURLConnection getAttributes()Ljava/util/jar/Attributes;
java/net/JarURLConnection getMainAttributes()Ljava/util/jar/Attributes;
java/net/JarURLConnection getCertificates()[Ljava/security/cert/Certificate;
class java/awt/image/ImageConsumer java/lang/Object
java/awt/image/ImageConsumer RANDOMPIXELORDER
java/awt/image/ImageConsumer TOPDOWNLEFTRIGHT
java/awt/image/ImageConsumer COMPLETESCANLINES
java/awt/image/ImageConsumer SINGLEPASS
java/awt/image/ImageConsumer SINGLEFRAME
java/awt/image/ImageConsumer IMAGEERROR
java/awt/image/ImageConsumer SINGLEFRAMEDONE
java/awt/image/ImageConsumer
 STATICIMAGEDONE
java/awt/image/ImageConsumer IMAGEABORTED
java/awt/image/ImageConsumer setDimensions(II)V
java/awt/image/ImageConsumer setProperties(Ljava/util/Hashtable;)V
java/awt/image/ImageConsumer setColorModel(Ljava/awt/image/ColorModel;)V
java/awt/image/ImageConsumer setHints(I)V
java/awt/image/ImageConsumer setPixels(IIII[Ljava/awt/image/ColorModel;[BII)V
java/awt/image/ImageConsumer setPixels(IIII[Ljava/awt/image/ColorModel;[III)V
java/awt/image/ImageConsumer imageComplete(I)V
class java/awt/ImageMediaEntry java/awt/MediaEntry
java/awt/ImageMediaEntry image
java/awt/ImageMediaEntry width
java/awt/ImageMediaEntry height
java/awt/ImageMediaEntry serialVersionUID
java/awt/ImageMediaEntry <init>(Ljava/awt/MediaTracker;Ljava/awt/Image;III)V
java/awt/ImageMediaEntry matches(Ljava/awt/Image;II)Z
java/awt/ImageMediaEntry getMedia()Ljava/lang/Object;
java/awt/ImageMediaEntry getStatus(ZZ)I
java/awt/ImageMediaEntry startLoad()V
java/awt/ImageMediaEntry parseFlags(I)I
java/awt/ImageMediaEntry

```

```

imageUpdate(Ljava/awt/Image;IIII)Z
class java/awt/MediaEntry java/lang/Object
java/awt/MediaEntry tracker
java/awt/MediaEntry ID
java/awt/MediaEntry next
java/awt/MediaEntry status
java/awt/MediaEntry cancelled
java/awt/MediaEntry LOADING
java/awt/MediaEntry ABORTED
java/awt/MediaEntry ERRORED
java/awt/MediaEntry COMPLETE
java/awt/MediaEntry LOADSTARTED
java/awt/MediaEntry DONE
java/awt/MediaEntry <init>(Ljava/awt/MediaTracker;I)V
java/awt/MediaEntry getMedia(Ljava/lang/Object;
java/awt/MediaEntry insert(Ljava/awt/MediaEntry;Ljava/awt/MediaEntry;)Ljava/awt/MediaEntry;
java/awt/MediaEntry getID()I
java/awt/MediaEntry startLoad()V
java/awt/MediaEntry cancel()V
java/awt/MediaEntry getStatus(ZZ)I
java/awt/MediaEntry setStatus(I)V
class java/awt/image/ImageProducer java/lang/Object
java/awt/image/ImageProducer addConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/ImageProducer isConsumer(Ljava/awt/image/ImageConsumer;)Z
java/awt/image/ImageProducer removeConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/ImageProducer
startProduction(Ljava/awt/image/ImageConsumer;)V
java/awt/image/ImageProducer requestTopDownLeftRightResend(Ljava/awt/image/ImageConsumer;)V
class java/awt/MediaTracker java/lang/Object
java/awt/MediaTracker target
java/awt/MediaTracker head
java/awt/MediaTracker serialVersionUID
java/awt/MediaTracker LOADING
java/awt/MediaTracker ABORTED
java/awt/MediaTracker ERRORED
java/awt/MediaTracker COMPLETE
java/awt/MediaTracker DONE
java/awt/MediaTracker <init>(Ljava/awt/Component;)V
java/awt/MediaTracker addImage(Ljava/awt/Image;I)V
java/awt/MediaTracker addImage(Ljava/awt/Image;III)V
java/awt/MediaTracker checkAll()Z
java/awt/MediaTracker checkAll(Z)Z
java/awt/MediaTracker checkAll(ZZ)Z
java/awt/MediaTracker isErrorAny()Z
java/awt/MediaTracker getErrorsAny()[Ljava/lang/Object;
java/awt/MediaTracker waitAll()V
java/awt/MediaTracker waitAll(J)Z
java/awt/MediaTracker statusAll(Z)I

```

```

java/awt/MediaTracker statusAll(ZZ)I
java/awt/MediaTracker
 checkID(I)Z
java/awt/MediaTracker checkID(IZ)Z
java/awt/MediaTracker checkID(IZZ)Z
java/awt/MediaTracker isErrorID(I)Z
java/awt/MediaTracker getErrorsID(I)[Ljava/lang/Object;
java/awt/MediaTracker waitForID(I)V
java/awt/MediaTracker waitForID(IJ)Z
java/awt/MediaTracker statusID(IZ)I
java/awt/MediaTracker statusID(IZZ)I
java/awt/MediaTracker removeImage(Ljava/awt/Image;)V
java/awt/MediaTracker removeImage(Ljava/awt/Image;I)V
java/awt/MediaTracker removeImage(Ljava/awt/Image;III)V
java/awt/MediaTracker setDone()V
class java/net/ConnectException java/net/SocketException
java/net/ConnectException <init>(Ljava/lang/String;)V
java/net/ConnectException <init>()V
class java/net/SocketException java/io/IOException
java/net/SocketException <init>(Ljava/lang/String;)V
java/net/SocketException <init>()V
class java/util/Collections$SynchronizedCollection java/lang/Object
java/util/Collections$SynchronizedCollection serialVersionUID
java/util/Collections$SynchronizedCollection c
java/util/Collections$SynchronizedCollection
 mutex
java/util/Collections$SynchronizedCollection <init>(Ljava/util/Collection;)V
java/util/Collections$SynchronizedCollection <init>(Ljava/util/Collection;Ljava/lang/Object;)V
java/util/Collections$SynchronizedCollection size()I
java/util/Collections$SynchronizedCollection isEmpty()Z
java/util/Collections$SynchronizedCollection contains(Ljava/lang/Object;)Z
java/util/Collections$SynchronizedCollection toArray()[Ljava/lang/Object;
java/util/Collections$SynchronizedCollection toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/Collections$SynchronizedCollection iterator()Ljava/util/Iterator;
java/util/Collections$SynchronizedCollection add(Ljava/lang/Object;)Z
java/util/Collections$SynchronizedCollection remove(Ljava/lang/Object;)Z
java/util/Collections$SynchronizedCollection containsAll(Ljava/util/Collection;)Z
java/util/Collections$SynchronizedCollection addAll(Ljava/util/Collection;)Z
java/util/Collections$SynchronizedCollection removeAll(Ljava/util/Collection;)Z
java/util/Collections$SynchronizedCollection
 retainAll(Ljava/util/Collection;)Z
java/util/Collections$SynchronizedCollection clear()V
java/util/Collections$SynchronizedCollection toString()Ljava/lang/String;
java/util/Collections$SynchronizedCollection writeObject(Ljava/io/ObjectOutputStream;)V
class java/util/Hashtable$ValueCollection java/util/AbstractCollection
java/util/Hashtable$ValueCollection this$0
java/util/Hashtable$ValueCollection <init>(Ljava/util/Hashtable;)V
java/util/Hashtable$ValueCollection iterator()Ljava/util/Iterator;

```



```

java/util/Hashtable$ValueCollection size()I
java/util/Hashtable$ValueCollection contains(Ljava/lang/Object;)Z
java/util/Hashtable$ValueCollection clear()V
java/util/Hashtable$ValueCollection <init>(Ljava/util/Hashtable;Ljava/util/Hashtable$1;)V
class java/net/Proxy$Type java/lang/Enum
java/net/Proxy$Type DIRECT
java/net/Proxy$Type HTTP
java/net/Proxy$Type SOCKS
java/net/Proxy$Type $VALUES
java/net/Proxy$Type values()[Ljava/net/Proxy$Type;
java/net/Proxy$Type
 valueOf(Ljava/lang/String;)Ljava/net/Proxy$Type;
java/net/Proxy$Type <init>(Ljava/lang/String;I)V
java/net/Proxy$Type <clinit>()V
class java/net/Proxy java/lang/Object
java/net/Proxy type
java/net/Proxy sa
java/net/Proxy NO_PROXY
java/net/Proxy <init>()V
java/net/Proxy <init>(Ljava/net/Proxy$Type;Ljava/net/SocketAddress;)V
java/net/Proxy type()Ljava/net/Proxy$Type;
java/net/Proxy address()Ljava/net/SocketAddress;
java/net/Proxy toString()Ljava/lang/String;
java/net/Proxy equals(Ljava/lang/Object;)Z
java/net/Proxy hashCode()I
java/net/Proxy <clinit>()V
class java/net/URI$Parser java/lang/Object
java/net/URI$Parser input
java/net/URI$Parser requireServerAuthority
java/net/URI$Parser ipv6byteCount
java/net/URI$Parser this$0
java/net/URI$Parser <init>(Ljava/net/URI;Ljava/lang/String;)V
java/net/URI$Parser fail(Ljava/lang/String;)V
java/net/URI$Parser fail(Ljava/lang/String;I)V
java/net/URI$Parser failExpecting(Ljava/lang/String;I)V
java/net/URI$Parser failExpecting(Ljava/lang/String;Ljava/lang/String;I)V
java/net/URI$Parser
 substring(II)Ljava/lang/String;
java/net/URI$Parser charAt(I)C
java/net/URI$Parser at(II)C
java/net/URI$Parser at(II)Ljava/lang/String;)Z
java/net/URI$Parser scan(II)I
java/net/URI$Parser scan(II)Ljava/lang/String;Ljava/lang/String;)I
java/net/URI$Parser scanEscape(II)I
java/net/URI$Parser scan(IIJ)I
java/net/URI$Parser checkChars(IIJLjava/lang/String;)V
java/net/URI$Parser checkChar(IJLjava/lang/String;)V
java/net/URI$Parser parse(Z)V

```

java/net/URI\$Parser parseHierarchical(II)I  
java/net/URI\$Parser parseAuthority(II)I  
java/net/URI\$Parser parseServer(II)I  
java/net/URI\$Parser scanByte(II)I  
java/net/URI\$Parser scanIPv4Address(IIZ)I  
java/net/URI\$Parser takeIPv4Address(IIIjava/lang/String;)I  
java/net/URI\$Parser parseIPv4Address(II)I  
java/net/URI\$Parser parseHostname(II)I  
java/net/URI\$Parser parseIPv6Reference(II)I  
java/net/URI\$Parser scanHexPost(II)I  
java/net/URI\$Parser scanHexSeq(II)I  
class java/net/URI java/lang/Object  
java/net/URI  
    serialVersionUID  
java/net/URI scheme  
java/net/URI fragment  
java/net/URI authority  
java/net/URI userInfo  
java/net/URI host  
java/net/URI port  
java/net/URI path  
java/net/URI query  
java/net/URI schemeSpecificPart  
java/net/URI hash  
java/net/URI decodedUserInfo  
java/net/URI decodedAuthority  
java/net/URI decodedPath  
java/net/URI decodedQuery  
java/net/URI decodedFragment  
java/net/URI decodedSchemeSpecificPart  
java/net/URI string  
java/net/URI L\_DIGIT  
java/net/URI H\_DIGIT  
java/net/URI L\_UPALPHA  
java/net/URI H\_UPALPHA  
java/net/URI L\_LOWALPHA  
java/net/URI H\_LOWALPHA  
java/net/URI L\_ALPHA  
java/net/URI H\_ALPHA  
java/net/URI L\_ALPHANUM  
java/net/URI H\_ALPHANUM  
java/net/URI L\_HEX  
java/net/URI H\_HEX  
java/net/URI L\_MARK  
java/net/URI H\_MARK  
java/net/URI L\_UNRESERVED  
java/net/URI H\_UNRESERVED  
java/net/URI L\_RESERVED

```

java/net/URI H_RESERVED
java/net/URI L_ESCAPED
java/net/URI H_ESCAPED
java/net/URI L_URIC
java/net/URI H_URIC
java/net/URI L_PCHAR
java/net/URI H_PCHAR
java/net/URI L_PATH
java/net/URI
 H_PATH
java/net/URI L_DASH
java/net/URI H_DASH
java/net/URI L_DOT
java/net/URI H_DOT
java/net/URI L_USERINFO
java/net/URI H_USERINFO
java/net/URI L_REG_NAME
java/net/URI H_REG_NAME
java/net/URI L_SERVER
java/net/URI H_SERVER
java/net/URI L_SERVER_PERCENT
java/net/URI H_SERVER_PERCENT
java/net/URI L_LEFT_BRACKET
java/net/URI H_LEFT_BRACKET
java/net/URI L_SCHEME
java/net/URI H_SCHEME
java/net/URI L_URIC_NO_SLASH
java/net/URI H_URIC_NO_SLASH
java/net/URI hexDigits
java/net/URI $assertionsDisabled
java/net/URI <init>()V
java/net/URI <init>(Ljava/lang/String;)V
java/net/URI
 <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;ILjava/lang/String;Ljava/lang/String;Ljava/lang/String;
)V
java/net/URI <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/net/URI <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/net/URI <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/net/URI create(Ljava/lang/String;)Ljava/net/URI;
java/net/URI
 parseServerAuthority()Ljava/net/URI;
java/net/URI normalize()Ljava/net/URI;
java/net/URI resolve(Ljava/net/URI;)Ljava/net/URI;
java/net/URI resolve(Ljava/lang/String;)Ljava/net/URI;
java/net/URI relativize(Ljava/net/URI;)Ljava/net/URI;
java/net/URI toURL()Ljava/net/URL;
java/net/URI getScheme()Ljava/lang/String;
java/net/URI isAbsolute()Z

```

```

java/net/URI isOpaque()Z
java/net/URI getRawSchemeSpecificPart()Ljava/lang/String;
java/net/URI getSchemeSpecificPart()Ljava/lang/String;
java/net/URI getRawAuthority()Ljava/lang/String;
java/net/URI getAuthority()Ljava/lang/String;
java/net/URI getRawUserInfo()Ljava/lang/String;
java/net/URI getUserInfo()Ljava/lang/String;
java/net/URI getHost()Ljava/lang/String;
java/net/URI getPort()I
java/net/URI getRawPath()Ljava/lang/String;
java/net/URI getPath()Ljava/lang/String;
java/net/URI getRawQuery()Ljava/lang/String;
java/net/URI getQuery()Ljava/lang/String;
java/net/URI getRawFragment()Ljava/lang/String;
java/net/URI
 getFragment()Ljava/lang/String;
java/net/URI equals(Ljava/lang/Object;)Z
java/net/URI hashCode()I
java/net/URI compareTo(Ljava/net/URI;)I
java/net/URI toString()Ljava/lang/String;
java/net/URI toASCIIString()Ljava/lang/String;
java/net/URI writeObject(Ljava/io/ObjectOutputStream;)V
java/net/URI readObject(Ljava/io/ObjectInputStream;)V
java/net/URI toLower(C)I
java/net/URI equal(Ljava/lang/String;Ljava/lang/String;)Z
java/net/URI equalIgnoringCase(Ljava/lang/String;Ljava/lang/String;)Z
java/net/URI hash(ILjava/lang/String;)I
java/net/URI hashIgnoringCase(ILjava/lang/String;)I
java/net/URI compare(Ljava/lang/String;Ljava/lang/String;)I
java/net/URI compareIgnoringCase(Ljava/lang/String;Ljava/lang/String;)I
java/net/URI checkPath(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/net/URI appendAuthority(Ljava/lang/StringBuffer;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/net/URI
 appendSchemeSpecificPart(Ljava/lang/StringBuffer;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/
String;ILjava/lang/String;Ljava/lang/String;)V
java/net/URI
 appendFragment(Ljava/lang/StringBuffer;Ljava/lang/String;)V
java/net/URI
 toString(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;ILjava/lang/Strin
g;Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/net/URI defineSchemeSpecificPart()V
java/net/URI defineString()V
java/net/URI resolvePath(Ljava/lang/String;Ljava/lang/String;Z)Ljava/lang/String;
java/net/URI resolve(Ljava/net/URI;Ljava/net/URI;)Ljava/net/URI;
java/net/URI normalize(Ljava/net/URI;)Ljava/net/URI;
java/net/URI relativize(Ljava/net/URI;Ljava/net/URI;)Ljava/net/URI;
java/net/URI needsNormalization(Ljava/lang/String;)I
java/net/URI split([C]I)V

```

```

java/net/URI join([C]I)I
java/net/URI removeDots([C]I)V
java/net/URI maybeAddLeadingDot([C]I)V
java/net/URI normalize(Ljava/lang/String;)Ljava/lang/String;
java/net/URI lowMask(Ljava/lang/String;)J
java/net/URI highMask(Ljava/lang/String;)J
java/net/URI
 lowMask(CC)J
java/net/URI highMask(CC)J
java/net/URI match(CJJ)Z
java/net/URI appendEscape(Ljava/lang/StringBuffer;B)V
java/net/URI appendEncoded(Ljava/lang/StringBuffer;C)V
java/net/URI quote(Ljava/lang/String;JJ)Ljava/lang/String;
java/net/URI encode(Ljava/lang/String;)Ljava/lang/String;
java/net/URI decode(C)I
java/net/URI decode(CC)B
java/net/URI decode(Ljava/lang/String;)Ljava/lang/String;
java/net/URI compareTo(Ljava/lang/Object;)I
java/net/URI access$002(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$100()J
java/net/URI access$200()J
java/net/URI access$300(CJJ)Z
java/net/URI access$400()J
java/net/URI access$500()J
java/net/URI access$600()J
java/net/URI access$702(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$800()J
java/net/URI access$900()J
java/net/URI access$1002(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$1102(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI
 access$1200()J
java/net/URI access$1300()J
java/net/URI access$1402(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$1502(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$1600()J
java/net/URI access$1700()J
java/net/URI access$1800()J
java/net/URI access$1900()J
java/net/URI access$2000()J
java/net/URI access$2100()J
java/net/URI access$2202(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$2302(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$2402(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$2502(Ljava/net/URI;I)I
java/net/URI access$2600()J
java/net/URI access$2700()J
java/net/URI access$2800()J

```

```

java/net/URI access$2900()J
java/net/URI access$3000()J
java/net/URI access$3100()J
java/net/URI access$3200()J
java/net/URI access$3300()J
java/net/URI access$3400()J
java/net/URI <clinit>()V
class java/net/Inet6Address java/net/InetAddress
java/net/Inet6Address INADDRSZ
java/net/Inet6Address
 cached_scope_id
java/net/Inet6Address ipaddress
java/net/Inet6Address scope_id
java/net/Inet6Address scope_id_set
java/net/Inet6Address scope_ifname
java/net/Inet6Address scope_ifname_set
java/net/Inet6Address serialVersionUID
java/net/Inet6Address INT16SZ
java/net/Inet6Address ifname
java/net/Inet6Address $assertionsDisabled
java/net/Inet6Address <init>()V
java/net/Inet6Address <init>(Ljava/lang/String;[BI)V
java/net/Inet6Address <init>(Ljava/lang/String;[B)V
java/net/Inet6Address <init>(Ljava/lang/String;[BLjava/net/NetworkInterface;)V
java/net/Inet6Address <init>(Ljava/lang/String;[BLjava/lang/String;)V
java/net/Inet6Address getByAddress(Ljava/lang/String;[BLjava/net/NetworkInterface;)Ljava/net/Inet6Address;
java/net/Inet6Address getByAddress(Ljava/lang/String;[BI)Ljava/net/Inet6Address;
java/net/Inet6Address initstr(Ljava/lang/String;[BLjava/lang/String;)V
java/net/Inet6Address initif(Ljava/lang/String;[BLjava/net/NetworkInterface;)V
java/net/Inet6Address differentLocalAddressTypes(Ljava/net/Inet6Address;)Z
java/net/Inet6Address
 deriveNumericScope(Ljava/net/NetworkInterface;)I
java/net/Inet6Address deriveNumericScope(Ljava/lang/String;)I
java/net/Inet6Address readObject(Ljava/io/ObjectInputStream;)V
java/net/Inet6Address isMulticastAddress()Z
java/net/Inet6Address isAnyLocalAddress()Z
java/net/Inet6Address isLoopbackAddress()Z
java/net/Inet6Address isLinkLocalAddress()Z
java/net/Inet6Address isSiteLocalAddress()Z
java/net/Inet6Address isMCGlobal()Z
java/net/Inet6Address isMCNodeLocal()Z
java/net/Inet6Address isMCLinkLocal()Z
java/net/Inet6Address isMCSiteLocal()Z
java/net/Inet6Address isMCOrgLocal()Z
java/net/Inet6Address getAddress()[B
java/net/Inet6Address getScopeId()I
java/net/Inet6Address getScopedInterface()Ljava/net/NetworkInterface;
java/net/Inet6Address getHostAddress()Ljava/lang/String;

```

```

java/net/Inet6Address hashCode()I
java/net/Inet6Address equals(Ljava/lang/Object;)Z
java/net/Inet6Address isIPv4CompatibleAddress()Z
java/net/Inet6Address
 numericToTextFormat([B)Ljava/lang/String;
java/net/Inet6Address init()V
java/net/Inet6Address writeObject(Ljava/io/ObjectOutputStream;)V
java/net/Inet6Address <clinit>()V
class java/net/InetAddress$CacheEntry java/lang/Object
java/net/InetAddress$CacheEntry address
java/net/InetAddress$CacheEntry expiration
java/net/InetAddress$CacheEntry <init>(Ljava/lang/Object;J)V
class java/util/regex/Pattern$GroupCurly java/util/regex/Pattern$Node
java/util/regex/Pattern$GroupCurly atom
java/util/regex/Pattern$GroupCurly type
java/util/regex/Pattern$GroupCurly cmin
java/util/regex/Pattern$GroupCurly cmax
java/util/regex/Pattern$GroupCurly localIndex
java/util/regex/Pattern$GroupCurly groupIndex
java/util/regex/Pattern$GroupCurly capture
java/util/regex/Pattern$GroupCurly <init>(Ljava/util/regex/Pattern$Node;IIIIIZ)V
java/util/regex/Pattern$GroupCurly match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$GroupCurly match0(Ljava/util/regex/Matcher;IILjava/lang/CharSequence;)Z
java/util/regex/Pattern$GroupCurly
 match1(Ljava/util/regex/Matcher;IILjava/lang/CharSequence;)Z
java/util/regex/Pattern$GroupCurly match2(Ljava/util/regex/Matcher;IILjava/lang/CharSequence;)Z
java/util/regex/Pattern$GroupCurly study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/ASCII java/lang/Object
java/util/regex/ASCII UPPER
java/util/regex/ASCII LOWER
java/util/regex/ASCII DIGIT
java/util/regex/ASCII SPACE
java/util/regex/ASCII PUNCT
java/util/regex/ASCII CNTRL
java/util/regex/ASCII BLANK
java/util/regex/ASCII HEX
java/util/regex/ASCII UNDER
java/util/regex/ASCII ASCII
java/util/regex/ASCII ALPHA
java/util/regex/ASCII ALNUM
java/util/regex/ASCII GRAPH
java/util/regex/ASCII WORD
java/util/regex/ASCII XDIGIT
java/util/regex/ASCII ctype
java/util/regex/ASCII <init>()V
java/util/regex/ASCII getType(I)I
java/util/regex/ASCII isType(II)Z
java/util/regex/ASCII isAscii(I)Z

```

```

java/util/regex/ASCII isAlpha(I)Z
java/util/regex/ASCII isDigit(I)Z
java/util/regex/ASCII isAlnum(I)Z
java/util/regex/ASCII
 isGraph(I)Z
java/util/regex/ASCII isPrint(I)Z
java/util/regex/ASCII isPunct(I)Z
java/util/regex/ASCII isSpace(I)Z
java/util/regex/ASCII isHexDigit(I)Z
java/util/regex/ASCII isOctDigit(I)Z
java/util/regex/ASCII isCntrl(I)Z
java/util/regex/ASCII isLower(I)Z
java/util/regex/ASCII isUpper(I)Z
java/util/regex/ASCII isWord(I)Z
java/util/regex/ASCII toDigit(I)I
java/util/regex/ASCII toLower(I)I
java/util/regex/ASCII toUpper(I)I
java/util/regex/ASCII <clinit>()V
class java/net/ProxySelector java/lang/Object
java/net/ProxySelector theProxySelector
java/net/ProxySelector <init>()V
java/net/ProxySelector getDefault()Ljava/net/ProxySelector;
java/net/ProxySelector setDefault(Ljava/net/ProxySelector;)V
java/net/ProxySelector select(Ljava/net/URI;)Ljava/util/List;
java/net/ProxySelector connectFailed(Ljava/net/URI;Ljava/net/SocketAddress;Ljava/io/IOException;)V
java/net/ProxySelector <clinit>()V
class java/net/SocksSocketImpl$5 java/lang/Object
java/net/SocksSocketImpl$5
 this$0
java/net/SocksSocketImpl$5 <init>(Ljava/net/SocksSocketImpl;)V
java/net/SocksSocketImpl$5 run()Ljava/lang/Object;
class java/net/SocksSocketImpl java/net/PlainSocketImpl
java/net/SocksSocketImpl server
java/net/SocksSocketImpl port
java/net/SocksSocketImpl external_address
java/net/SocksSocketImpl useV4
java/net/SocksSocketImpl cmdsock
java/net/SocksSocketImpl cmdIn
java/net/SocksSocketImpl cmdOut
java/net/SocksSocketImpl $assertionsDisabled
java/net/SocksSocketImpl <init>()V
java/net/SocksSocketImpl <init>(Ljava/lang/String;)V
java/net/SocksSocketImpl <init>(Ljava/net/Proxy;)V
java/net/SocksSocketImpl setV4()V
java/net/SocksSocketImpl privilegedConnect(Ljava/lang/String;I)V
java/net/SocksSocketImpl superConnectServer(Ljava/lang/String;I)V
java/net/SocksSocketImpl readSocksReply(Ljava/io/InputStream;[B)I
java/net/SocksSocketImpl authenticate(BLjava/io/InputStream;Ljava/io/BufferedOutputStream;)Z

```



```

java/net/SocksSocketImpl connectV4(Ljava/io/InputStream;Ljava/io/OutputStream;Ljava/net/InetSocketAddress;)V
java/net/SocksSocketImpl
 connect(Ljava/net/SocketAddress;I)V
java/net/SocksSocketImpl bindV4(Ljava/io/InputStream;Ljava/io/OutputStream;Ljava/net/InetAddress;I)V
java/net/SocksSocketImpl socksBind(Ljava/net/InetSocketAddress;)V
java/net/SocksSocketImpl acceptFrom(Ljava/net/SocketImpl;Ljava/net/InetSocketAddress;)V
java/net/SocksSocketImpl getInetAddress()Ljava/net/InetAddress;
java/net/SocksSocketImpl getPort()I
java/net/SocksSocketImpl getLocalPort()I
java/net/SocksSocketImpl close()V
java/net/SocksSocketImpl access$000(Ljava/net/SocksSocketImpl;Ljava/lang/String;II)V
java/net/SocksSocketImpl access$102(Ljava/net/SocksSocketImpl;Ljava/io/InputStream;)Ljava/io/InputStream;
java/net/SocksSocketImpl access$202(Ljava/net/SocksSocketImpl;Ljava/io/OutputStream;)Ljava/io/OutputStream;
java/net/SocksSocketImpl access$300(Ljava/net/SocksSocketImpl;)Ljava/lang/String;
java/net/SocksSocketImpl access$400(Ljava/net/SocksSocketImpl;)I
java/net/SocksSocketImpl access$502(Ljava/net/SocksSocketImpl;Ljava/net/Socket;)Ljava/net/Socket;
java/net/SocksSocketImpl
 access$500(Ljava/net/SocksSocketImpl;)Ljava/net/Socket;
java/net/SocksSocketImpl <clinit>()V
class java/net/PlainSocketImpl java/net/SocketImpl
java/net/PlainSocketImpl timeout
java/net/PlainSocketImpl trafficClass
java/net/PlainSocketImpl shut_rd
java/net/PlainSocketImpl shut_wr
java/net/PlainSocketImpl socketInputStream
java/net/PlainSocketImpl fdUseCount
java/net/PlainSocketImpl fdLock
java/net/PlainSocketImpl closePending
java/net/PlainSocketImpl CONNECTION_NOT_RESET
java/net/PlainSocketImpl CONNECTION_RESET_PENDING
java/net/PlainSocketImpl CONNECTION_RESET
java/net/PlainSocketImpl resetState
java/net/PlainSocketImpl resetLock
java/net/PlainSocketImpl fd1
java/net/PlainSocketImpl anyLocalBoundAddr
java/net/PlainSocketImpl lastfd
java/net/PlainSocketImpl SHUT_RD
java/net/PlainSocketImpl SHUT_WR
java/net/PlainSocketImpl <init>()V
java/net/PlainSocketImpl <init>(Ljava/io/FileDescriptor;)V
java/net/PlainSocketImpl
 create(Z)V
java/net/PlainSocketImpl connect(Ljava/lang/String;I)V
java/net/PlainSocketImpl connect(Ljava/net/InetAddress;I)V
java/net/PlainSocketImpl connect(Ljava/net/SocketAddress;I)V
java/net/PlainSocketImpl connectToAddress(Ljava/net/InetAddress;II)V
java/net/PlainSocketImpl setOption(ILjava/lang/Object;)V
java/net/PlainSocketImpl getOption(I)Ljava/lang/Object;

```

```

java/net/PlainSocketImpl doConnect(Ljava/net/InetAddress;II)V
java/net/PlainSocketImpl bind(Ljava/net/InetAddress;I)V
java/net/PlainSocketImpl listen(I)V
java/net/PlainSocketImpl accept(Ljava/net/SocketImpl;)V
java/net/PlainSocketImpl getInputStream()Ljava/io/InputStream;
java/net/PlainSocketImpl setInputStream(Ljava/net/SocketInputStream;)V
java/net/PlainSocketImpl getOutputStream()Ljava/io/OutputStream;
java/net/PlainSocketImpl available()I
java/net/PlainSocketImpl close()V
java/net/PlainSocketImpl shutdownInput()V
java/net/PlainSocketImpl shutdownOutput()V
java/net/PlainSocketImpl supportsUrgentData()Z
java/net/PlainSocketImpl
 sendUrgentData(I)V
java/net/PlainSocketImpl finalize()V
java/net/PlainSocketImpl acquireFD()Ljava/io/FileDescriptor;
java/net/PlainSocketImpl releaseFD()V
java/net/PlainSocketImpl isConnectionReset()Z
java/net/PlainSocketImpl isConnectionResetPending()Z
java/net/PlainSocketImpl setConnectionReset()V
java/net/PlainSocketImpl setConnectionResetPending()V
java/net/PlainSocketImpl isClosedOrPending()Z
java/net/PlainSocketImpl getTimeout()I
java/net/PlainSocketImpl socketPreClose()V
java/net/PlainSocketImpl socketClose()V
java/net/PlainSocketImpl socketCreate(Z)V
java/net/PlainSocketImpl socketConnect(Ljava/net/InetAddress;II)V
java/net/PlainSocketImpl socketBind(Ljava/net/InetAddress;I)V
java/net/PlainSocketImpl socketListen(I)V
java/net/PlainSocketImpl socketAccept(Ljava/net/SocketImpl;)V
java/net/PlainSocketImpl socketAvailable()I
java/net/PlainSocketImpl socketClose0(Z)V
java/net/PlainSocketImpl socketShutdown(I)V
java/net/PlainSocketImpl initProto()V
java/net/PlainSocketImpl
 socketSetOption(IZLjava/lang/Object;)V
java/net/PlainSocketImpl socketGetOption(ILjava/lang/Object;)I
java/net/PlainSocketImpl socketGetOption1(ILjava/lang/Object;Ljava/io/FileDescriptor;)I
java/net/PlainSocketImpl socketSendUrgentData(I)V
java/net/PlainSocketImpl <clinit>()V
class java/net/SocketImpl java/lang/Object
java/net/SocketImpl socket
java/net/SocketImpl serverSocket
java/net/SocketImpl fd
java/net/SocketImpl address
java/net/SocketImpl port
java/net/SocketImpl localport
java/net/SocketImpl <init>()V

```

```

java/net/SocketImpl create(Z)V
java/net/SocketImpl connect(Ljava/lang/String;I)V
java/net/SocketImpl connect(Ljava/net/InetAddress;I)V
java/net/SocketImpl connect(Ljava/net/SocketAddress;I)V
java/net/SocketImpl bind(Ljava/net/InetAddress;I)V
java/net/SocketImpl listen(I)V
java/net/SocketImpl accept(Ljava/net/SocketImpl;)V
java/net/SocketImpl getInputStream()Ljava/io/InputStream;
java/net/SocketImpl getOutputStream()Ljava/io/OutputStream;
java/net/SocketImpl available()I
java/net/SocketImpl
 close()V
java/net/SocketImpl shutdownInput()V
java/net/SocketImpl shutdownOutput()V
java/net/SocketImpl getFD()Ljava/io/FileDescriptor;
java/net/SocketImpl getInetAddress()Ljava/net/InetAddress;
java/net/SocketImpl getPort()I
java/net/SocketImpl supportsUrgentData()Z
java/net/SocketImpl sendUrgentData(I)V
java/net/SocketImpl getLocalPort()I
java/net/SocketImpl setSocket(Ljava/net/Socket;)V
java/net/SocketImpl getSocket()Ljava/net/Socket;
java/net/SocketImpl setServerSocket(Ljava/net/ServerSocket;)V
java/net/SocketImpl getServerSocket()Ljava/net/ServerSocket;
java/net/SocketImpl toString()Ljava/lang/String;
java/net/SocketImpl reset()V
java/net/SocketImpl setPerformancePreferences(III)V
class java/net/SocketOptions java/lang/Object
java/net/SocketOptions TCP_NODELAY
java/net/SocketOptions SO_BINDADDR
java/net/SocketOptions SO_REUSEADDR
java/net/SocketOptions SO_BROADCAST
java/net/SocketOptions IP_MULTICAST_IF
java/net/SocketOptions IP_MULTICAST_IF2
java/net/SocketOptions
 IP_MULTICAST_LOOP
java/net/SocketOptions IP_TOS
java/net/SocketOptions SO_LINGER
java/net/SocketOptions SO_TIMEOUT
java/net/SocketOptions SO_SNDBUF
java/net/SocketOptions SO_RCVBUF
java/net/SocketOptions SO_KEEPALIVE
java/net/SocketOptions SO_OOINLINE
java/net/SocketOptions setOption(ILjava/lang/Object;)V
java/net/SocketOptions getOption(I)Ljava/lang/Object;
class java/net/SocksConsts java/lang/Object
java/net/SocksConsts PROTO_VERS4
java/net/SocksConsts PROTO_VERS

```

```

java/net/SocksConsts DEFAULT_PORT
java/net/SocksConsts NO_AUTH
java/net/SocksConsts GSSAPI
java/net/SocksConsts USER_PASSW
java/net/SocksConsts NO_METHODS
java/net/SocksConsts CONNECT
java/net/SocksConsts BIND
java/net/SocksConsts UDP_ASSOC
java/net/SocksConsts IPV4
java/net/SocksConsts DOMAIN_NAME
java/net/SocksConsts IPV6
java/net/SocksConsts REQUEST_OK
java/net/SocksConsts GENERAL_FAILURE
java/net/SocksConsts NOT_ALLOWED
java/net/SocksConsts NET_UNREACHABLE
java/net/SocksConsts HOST_UNREACHABLE
java/net/SocksConsts
 CONN_REFUSED
java/net/SocksConsts TTL_EXPIRED
java/net/SocksConsts CMD_NOT_SUPPORTED
java/net/SocksConsts ADDR_TYPE_NOT_SUP
class java/net/InetSocketAddress java/net/SocketAddress
java/net/InetSocketAddress hostname
java/net/InetSocketAddress addr
java/net/InetSocketAddress port
java/net/InetSocketAddress serialVersionUID
java/net/InetSocketAddress <init>()V
java/net/InetSocketAddress <init>(I)V
java/net/InetSocketAddress <init>(Ljava/net/InetAddress;I)V
java/net/InetSocketAddress <init>(Ljava/lang/String;I)V
java/net/InetSocketAddress createUnresolved(Ljava/lang/String;I)Ljava/net/InetSocketAddress;
java/net/InetSocketAddress readObject(Ljava/io/ObjectInputStream;)V
java/net/InetSocketAddress getPort()I
java/net/InetSocketAddress getAddress()Ljava/net/InetAddress;
java/net/InetSocketAddress getHostName()Ljava/lang/String;
java/net/InetSocketAddress getHostString()Ljava/lang/String;
java/net/InetSocketAddress isUnresolved()Z
java/net/InetSocketAddress toString()Ljava/lang/String;
java/net/InetSocketAddress
 equals(Ljava/lang/Object;)Z
java/net/InetSocketAddress hashCode()I
class java/net/SocketAddress java/lang/Object
java/net/SocketAddress <init>()V
class java/net/Inet4Address java/net/InetAddress
java/net/Inet4Address INADDRSZ
java/net/Inet4Address serialVersionUID
java/net/Inet4Address loopback
java/net/Inet4Address <init>()V

```

```

java/net/Inet4Address <init>(Ljava/lang/String;[B)V
java/net/Inet4Address <init>(Ljava/lang/String;I)V
java/net/Inet4Address writeReplace()Ljava/lang/Object;
java/net/Inet4Address isMulticastAddress()Z
java/net/Inet4Address isAnyLocalAddress()Z
java/net/Inet4Address isLoopbackAddress()Z
java/net/Inet4Address isLinkLocalAddress()Z
java/net/Inet4Address isSiteLocalAddress()Z
java/net/Inet4Address isMCGlobal()Z
java/net/Inet4Address isMCNodeLocal()Z
java/net/Inet4Address isMCLinkLocal()Z
java/net/Inet4Address isMCSiteLocal()Z
java/net/Inet4Address isMCOrgLocal()Z
java/net/Inet4Address getAddress()[B
java/net/Inet4Address getHostAddress()Ljava/lang/String;
java/net/Inet4Address
 hashCode()I
java/net/Inet4Address equals(Ljava/lang/Object;)Z
java/net/Inet4Address numericToTextFormat([B)Ljava/lang/String;
java/net/Inet4Address init()V
java/net/Inet4Address <clinit>()V
class java/util/SubList$1 java/lang/Object
java/util/SubList$1 i
java/util/SubList$1 val$index
java/util/SubList$1 this$0
java/util/SubList$1 <init>(Ljava/util/SubList;I)V
java/util/SubList$1 hasNext()Z
java/util/SubList$1 next()Ljava/lang/Object;
java/util/SubList$1 hasPrevious()Z
java/util/SubList$1 previous()Ljava/lang/Object;
java/util/SubList$1 nextIndex()I
java/util/SubList$1 previousIndex()I
java/util/SubList$1 remove()V
java/util/SubList$1 set(Ljava/lang/Object;)V
java/util/SubList$1 add(Ljava/lang/Object;)V
class java/util/RandomAccessSubList java/util/SubList
java/util/RandomAccessSubList <init>(Ljava/util/AbstractList;II)V
java/util/RandomAccessSubList subList(II)Ljava/util/List;
class java/util/SubList java/util/AbstractList
java/util/SubList
 l
java/util/SubList offset
java/util/SubList size
java/util/SubList expectedModCount
java/util/SubList <init>(Ljava/util/AbstractList;II)V
java/util/SubList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/SubList get(I)Ljava/lang/Object;
java/util/SubList size()I

```

```

java/util/SubList add(ILjava/lang/Object;)V
java/util/SubList remove(I)Ljava/lang/Object;
java/util/SubList removeRange(II)V
java/util/SubList addAll(Ljava/util/Collection;)Z
java/util/SubList addAll(ILjava/util/Collection;)Z
java/util/SubList iterator()Ljava/util/Iterator;
java/util/SubList listIterator(I)Ljava/util/ListIterator;
java/util/SubList subList(II)Ljava/util/List;
java/util/SubList rangeCheck(I)V
java/util/SubList checkForComodification()V
java/util/SubList access$000(Ljava/util/SubList;)I
java/util/SubList access$100(Ljava/util/SubList;)Ljava/util/AbstractList;
java/util/SubList access$200(Ljava/util/SubList;)I
java/util/SubList access$302(Ljava/util/SubList;I)I
java/util/SubList access$210(Ljava/util/SubList;)I
java/util/SubList
 access$208(Ljava/util/SubList;)I
class java/util/regex/Matcher java/lang/Object
java/util/regex/Matcher parentPattern
java/util/regex/Matcher groups
java/util/regex/Matcher from
java/util/regex/Matcher to
java/util/regex/Matcher text
java/util/regex/Matcher ENDANCHOR
java/util/regex/Matcher NOANCHOR
java/util/regex/Matcher acceptMode
java/util/regex/Matcher first
java/util/regex/Matcher last
java/util/regex/Matcher oldLast
java/util/regex/Matcher lastAppendPosition
java/util/regex/Matcher locals
java/util/regex/Matcher hitEnd
java/util/regex/Matcher requireEnd
java/util/regex/Matcher transparentBounds
java/util/regex/Matcher anchoringBounds
java/util/regex/Matcher <init>()V
java/util/regex/Matcher <init>(Ljava/util/regex/Pattern;Ljava/lang/CharSequence;)V
java/util/regex/Matcher pattern()Ljava/util/regex/Pattern;
java/util/regex/Matcher toMatchResult()Ljava/util/regex/MatchResult;
java/util/regex/Matcher usePattern(Ljava/util/regex/Pattern;)Ljava/util/regex/Matcher;
java/util/regex/Matcher
 reset()Ljava/util/regex/Matcher;
java/util/regex/Matcher reset(Ljava/lang/CharSequence;)Ljava/util/regex/Matcher;
java/util/regex/Matcher start()I
java/util/regex/Matcher start(I)I
java/util/regex/Matcher end()I
java/util/regex/Matcher end(I)I
java/util/regex/Matcher group()Ljava/lang/String;

```

```

java/util/regex/Matcher group(I)Ljava/lang/String;
java/util/regex/Matcher groupCount()I
java/util/regex/Matcher matches()Z
java/util/regex/Matcher find()Z
java/util/regex/Matcher find(I)Z
java/util/regex/Matcher lookingAt()Z
java/util/regex/Matcher quoteReplacement(Ljava/lang/String;)Ljava/lang/String;
java/util/regex/Matcher appendReplacement(Ljava/lang/StringBuffer;Ljava/lang/String;)Ljava/util/regex/Matcher;
java/util/regex/Matcher appendTail(Ljava/lang/StringBuffer;)Ljava/lang/StringBuffer;
java/util/regex/Matcher replaceAll(Ljava/lang/String;)Ljava/lang/String;
java/util/regex/Matcher replaceFirst(Ljava/lang/String;)Ljava/lang/String;
java/util/regex/Matcher
 region(II)Ljava/util/regex/Matcher;
java/util/regex/Matcher regionStart()I
java/util/regex/Matcher regionEnd()I
java/util/regex/Matcher hasTransparentBounds()Z
java/util/regex/Matcher useTransparentBounds(Z)Ljava/util/regex/Matcher;
java/util/regex/Matcher hasAnchoringBounds()Z
java/util/regex/Matcher useAnchoringBounds(Z)Ljava/util/regex/Matcher;
java/util/regex/Matcher toString()Ljava/lang/String;
java/util/regex/Matcher hitEnd()Z
java/util/regex/Matcher requireEnd()Z
java/util/regex/Matcher search(I)Z
java/util/regex/Matcher match(II)Z
java/util/regex/Matcher getTextLength()I
java/util/regex/Matcher getSubSequence(II)Ljava/lang/CharSequence;
java/util/regex/Matcher charAt(I)C
class java/util/regex/MatchResult java/lang/Object
java/util/regex/MatchResult start()I
java/util/regex/MatchResult start(I)I
java/util/regex/MatchResult end()I
java/util/regex/MatchResult end(I)I
java/util/regex/MatchResult group()Ljava/lang/String;
java/util/regex/MatchResult group(I)Ljava/lang/String;
java/util/regex/MatchResult
 groupCount()I
class java/net/InetAddress$1 java/lang/Object
java/net/InetAddress$1 <init>()V
java/net/InetAddress$1 lookupAllHostAddr(Ljava/lang/String;)[[B
java/net/InetAddress$1 getHostByAddr([B)Ljava/lang/String;
class java/net/Inet4AddressImpl java/lang/Object
java/net/Inet4AddressImpl anyLocalAddress
java/net/Inet4AddressImpl loopbackAddress
java/net/Inet4AddressImpl <init>()V
java/net/Inet4AddressImpl getLocalHostName()Ljava/lang/String;
java/net/Inet4AddressImpl lookupAllHostAddr(Ljava/lang/String;)[[B
java/net/Inet4AddressImpl getHostByAddr([B)Ljava/lang/String;
java/net/Inet4AddressImpl isReachable0([BI[BI)Z

```

```

java/net/Inet4AddressImpl anyLocalAddress()Ljava/net/InetAddress;
java/net/Inet4AddressImpl loopbackAddress()Ljava/net/InetAddress;
java/net/Inet4AddressImpl isReachable(Ljava/net/InetAddress;ILjava/net/NetworkInterface;I)Z
class java/net/InetAddressImpl java/lang/Object
java/net/InetAddressImpl getLocalHostName()Ljava/lang/String;
java/net/InetAddressImpl
 lookupAllHostAddr(Ljava/lang/String;)[[B
java/net/InetAddressImpl.getHostByAddr([B)Ljava/lang/String;
java/net/InetAddressImpl anyLocalAddress()Ljava/net/InetAddress;
java/net/InetAddressImpl loopbackAddress()Ljava/net/InetAddress;
java/net/InetAddressImpl isReachable(Ljava/net/InetAddress;ILjava/net/NetworkInterface;I)Z
class java/net/InetAddressImplFactory java/lang/Object
java/net/InetAddressImplFactory <init>()V
java/net/InetAddressImplFactory create()Ljava/net/InetAddressImpl;
java/net/InetAddressImplFactory isIPv6Supported()Z
class java/net/InetAddress$Cache java/lang/Object
java/net/InetAddress$Cache policy
java/net/InetAddress$Cache cache
java/net/InetAddress$Cache <init>(I)V
java/net/InetAddress$Cache put(Ljava/lang/String;Ljava/lang/Object;)Ljava/net/InetAddress$Cache;
java/net/InetAddress$Cache get(Ljava/lang/String;)Ljava/net/InetAddress$CacheEntry;
class java/net/InetAddress java/lang/Object
java/net/InetAddress IPv4
java/net/InetAddress IPv6
java/net/InetAddress preferIPv6Address
java/net/InetAddress
 hostName
java/net/InetAddress address
java/net/InetAddress family
java/net/InetAddress nameService
java/net/InetAddress canonicalHostName
java/net/InetAddress serialVersionUID
java/net/InetAddress addressCache
java/net/InetAddress negativeCache
java/net/InetAddress addressCacheInit
java/net/InetAddress unknown_array
java/net/InetAddress impl
java/net/InetAddress lookupTable
java/net/InetAddress $assertionsDisabled
java/net/InetAddress <init>()V
java/net/InetAddress readResolve()Ljava/lang/Object;
java/net/InetAddress isMulticastAddress()Z
java/net/InetAddress isAnyLocalAddress()Z
java/net/InetAddress isLoopbackAddress()Z
java/net/InetAddress isLinkLocalAddress()Z
java/net/InetAddress isSiteLocalAddress()Z
java/net/InetAddress isMCGlobal()Z
java/net/InetAddress isMCNodeLocal()Z

```



```

java/net/InetAddress isMCLinkLocal()Z
java/net/InetAddress isMCSiteLocal()Z
java/net/InetAddress isMCOrgLocal()Z
java/net/InetAddress isReachable(I)Z
java/net/InetAddress isReachable(Ljava/net/NetworkInterface;II)Z
java/net/InetAddress
 getHostName()Ljava/lang/String;
java/net/InetAddress getHostName(Z)Ljava/lang/String;
java/net/InetAddress getCanonicalHostName()Ljava/lang/String;
java/net/InetAddress getHostFromNameService(Ljava/net/InetAddress;Z)Ljava/lang/String;
java/net/InetAddress getAddress()[B
java/net/InetAddress getHostAddress()Ljava/lang/String;
java/net/InetAddress hashCode()I
java/net/InetAddress equals(Ljava/lang/Object;)Z
java/net/InetAddress toString()Ljava/lang/String;
java/net/InetAddress cacheInitIfNeeded()V
java/net/InetAddress cacheAddress(Ljava/lang/String;Ljava/lang/Object;Z)V
java/net/InetAddress getCachedAddress(Ljava/lang/String;)Ljava/lang/Object;
java/net/InetAddress getByAddress(Ljava/lang/String;[B)Ljava/net/InetAddress;
java/net/InetAddress getName(Ljava/lang/String;)Ljava/net/InetAddress;
java/net/InetAddress getAllByName(Ljava/lang/String;)[Ljava/net/InetAddress;
java/net/InetAddress checkNumericZone(Ljava/lang/String;)I
java/net/InetAddress
 getAllByName0(Ljava/lang/String;)[Ljava/net/InetAddress;
java/net/InetAddress getAllByName0(Ljava/lang/String;Z)[Ljava/net/InetAddress;
java/net/InetAddress getAddressFromNameService(Ljava/lang/String;)Ljava/lang/Object;
java/net/InetAddress checkLookupTable(Ljava/lang/String;)Ljava/lang/Object;
java/net/InetAddress updateLookupTable(Ljava/lang/String;)V
java/net/InetAddress getByAddress([B)Ljava/net/InetAddress;
java/net/InetAddress getLocalHost()Ljava/net/InetAddress;
java/net/InetAddress init()V
java/net/InetAddress anyLocalAddress()Ljava/net/InetAddress;
java/net/InetAddress loadImpl(Ljava/lang/String;)Ljava/lang/Object;
java/net/InetAddress access$002(Lsun/net/spi/nameservice/NameService;)Lsun/net/spi/nameservice/NameService;
java/net/InetAddress <clinit>()V
class java/net/Socket java/lang/Object
java/net/Socket created
java/net/Socket bound
java/net/Socket connected
java/net/Socket closed
java/net/Socket closeLock
java/net/Socket shutIn
java/net/Socket shutOut
java/net/Socket
 impl
java/net/Socket oldImpl
java/net/Socket factory
java/net/Socket <init>()V

```

```

java/net/Socket <init>(Ljava/net/Proxy;)V
java/net/Socket <init>(Ljava/net/SocketImpl;)V
java/net/Socket <init>(Ljava/lang/String;)V
java/net/Socket <init>(Ljava/net/InetAddress;)V
java/net/Socket <init>(Ljava/lang/String;ILjava/net/InetAddress;)V
java/net/Socket <init>(Ljava/net/InetAddress;ILjava/net/InetAddress;)V
java/net/Socket <init>(Ljava/lang/String;IZ)V
java/net/Socket <init>(Ljava/net/InetAddress;IZ)V
java/net/Socket <init>(Ljava/net/SocketAddress;Ljava/net/SocketAddress;Z)V
java/net/Socket createImpl(Z)V
java/net/Socket checkOldImpl()V
java/net/Socket setImpl()V
java/net/Socket getImpl()Ljava/net/SocketImpl;
java/net/Socket connect(Ljava/net/SocketAddress;)V
java/net/Socket connect(Ljava/net/SocketAddress;I)V
java/net/Socket bind(Ljava/net/SocketAddress;)V
java/net/Socket postAccept()V
java/net/Socket setCreated()V
java/net/Socket setBound()V
java/net/Socket setConnected()V
java/net/Socket
 getInetAddress()Ljava/net/InetAddress;
java/net/Socket getLocalAddress()Ljava/net/InetAddress;
java/net/Socket getPort()I
java/net/Socket getLocalPort()I
java/net/Socket getRemoteSocketAddress()Ljava/net/SocketAddress;
java/net/Socket getLocalSocketAddress()Ljava/net/SocketAddress;
java/net/Socket getChannel()Ljava/nio/channels/SocketChannel;
java/net/Socket getInputStream()Ljava/io/InputStream;
java/net/Socket getOutputStream()Ljava/io/OutputStream;
java/net/Socket setTcpNoDelay(Z)V
java/net/Socket getTcpNoDelay()Z
java/net/Socket setSoLinger(ZI)V
java/net/Socket getSoLinger()I
java/net/Socket sendUrgentData(I)V
java/net/Socket setOOBInline(Z)V
java/net/Socket getOOBInline()Z
java/net/Socket setSoTimeout(I)V
java/net/Socket getSoTimeout()I
java/net/Socket setSendBufferSize(I)V
java/net/Socket getSendBufferSize()I
java/net/Socket setReceiveBufferSize(I)V
java/net/Socket getReceiveBufferSize()I
java/net/Socket setKeepAlive(Z)V
java/net/Socket getKeepAlive()Z
java/net/Socket
 setTrafficClass(I)V
java/net/Socket getTrafficClass()I

```

```

java/net/Socket setReuseAddress(Z)V
java/net/Socket getReuseAddress()Z
java/net/Socket close()V
java/net/Socket shutdownInput()V
java/net/Socket shutdownOutput()V
java/net/Socket toString()Ljava/lang/String;
java/net/Socket isConnected()Z
java/net/Socket isBound()Z
java/net/Socket isClosed()Z
java/net/Socket isInputShutdown()Z
java/net/Socket isOutputShutdown()Z
java/net/Socket setSocketImplFactory(Ljava/net/SocketImplFactory;)V
java/net/Socket setPerformancePreferences(III)V
java/net/Socket <clinit>()V
class java/text/Bidi java/lang/Object
java/text/Bidi dir
java/text/Bidi baselevel
java/text/Bidi length
java/text/Bidi runs
java/text/Bidi cws
java/text/Bidi DIRECTION_LEFT_TO_RIGHT
java/text/Bidi DIRECTION_RIGHT_TO_LEFT
java/text/Bidi DIRECTION_DEFAULT_LEFT_TO_RIGHT
java/text/Bidi DIRECTION_DEFAULT_RIGHT_TO_LEFT
java/text/Bidi DIR_MIXED
java/text/Bidi NUMLEVELS
java/text/Bidi RMask
java/text/Bidi <init>(Ljava/lang/String;I)V
java/text/Bidi
 <init>(Ljava/text/AttributedCharacterIterator;)V
java/text/Bidi <init>([CI[BII)V
java/text/Bidi <init>(III[I]I)V
java/text/Bidi reset(III[I]I)V
java/text/Bidi createLineBidi(II)Ljava/text/Bidi;
java/text/Bidi isMixed()Z
java/text/Bidi isLeftToRight()Z
java/text/Bidi isRightToLeft()Z
java/text/Bidi getLength()I
java/text/Bidi baseIsLeftToRight()Z
java/text/Bidi getBaseLevel()I
java/text/Bidi getLevelAt(I)I
java/text/Bidi getRunCount()I
java/text/Bidi getRunLevel(I)I
java/text/Bidi getRunStart(I)I
java/text/Bidi getRunLimit(I)I
java/text/Bidi requiresBidi([CII)Z
java/text/Bidi reorderVisually([BI[Ljava/lang/Object;II)V
java/text/Bidi nativeGetDirectionCode(I)I

```

```

java/text/Bidi nativeBidiChars(Ljava/text/Bidi;[CI[BIII)V
java/text/Bidi toString(Ljava/lang/String;
java/text/Bidi <clinit>()V
class java/net/MalformedURLException java/io/IOException
java/net/MalformedURLException <init>()V
java/net/MalformedURLException <init>(Ljava/lang/String;)V
class java/net/Authenticator java/lang/Object
java/net/Authenticator
 theAuthenticator
java/net/Authenticator requestingHost
java/net/Authenticator requestingSite
java/net/Authenticator requestingPort
java/net/Authenticator requestingProtocol
java/net/Authenticator requestingPrompt
java/net/Authenticator requestingScheme
java/net/Authenticator requestingURL
java/net/Authenticator requestingAuthType
java/net/Authenticator <init>()V
java/net/Authenticator reset()V
java/net/Authenticator setDefault(Ljava/net/Authenticator;)V
java/net/Authenticator
 requestPasswordAuthentication(Ljava/net/InetAddress;ILjava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava
a/net/PasswordAuthentication;
java/net/Authenticator
 requestPasswordAuthentication(Ljava/lang/String;Ljava/net/InetAddress;ILjava/lang/String;Ljava/lang/String;Ljava
/lang/String;)Ljava/net/PasswordAuthentication;
java/net/Authenticator
 requestPasswordAuthentication(Ljava/lang/String;Ljava/net/InetAddress;ILjava/lang/String;Ljava/lang/String;Ljava
/lang/String;Ljava/net/URL;Ljava/net/Authenticator$RequestorType;)Ljava/net/PasswordAuthentication;
java/net/Authenticator
 getRequestingHost()Ljava/lang/String;
java/net/Authenticator getRequestingSite()Ljava/net/InetAddress;
java/net/Authenticator getRequestingPort()I
java/net/Authenticator getRequestingProtocol()Ljava/lang/String;
java/net/Authenticator getRequestingPrompt()Ljava/lang/String;
java/net/Authenticator getRequestingScheme()Ljava/lang/String;
java/net/Authenticator getPasswordAuthentication()Ljava/net/PasswordAuthentication;
java/net/Authenticator getRequestingURL()Ljava/net/URL;
java/net/Authenticator getRequestorType()Ljava/net/Authenticator$RequestorType;
class java/io/FileWriter java/io/OutputStreamWriter
java/io/FileWriter <init>(Ljava/lang/String;)V
java/io/FileWriter <init>(Ljava/lang/String;Z)V
java/io/FileWriter <init>(Ljava/io/File;)V
java/io/FileWriter <init>(Ljava/io/File;Z)V
java/io/FileWriter <init>(Ljava/io/FileDescriptor;)V
class java/lang/NumberFormatException java/lang/IllegalArgumentException
java/lang/NumberFormatException

```

```

serialVersionUID
java/lang/NumberFormatException <init>()V
java/lang/NumberFormatException <init>(Ljava/lang/String;)V
java/lang/NumberFormatException forInputString(Ljava/lang/String;)Ljava/lang/NumberFormatException;
class java/lang/IllegalArgumentException java/lang/RuntimeException
java/lang/IllegalArgumentException serialVersionUID
java/lang/IllegalArgumentException <init>()V
java/lang/IllegalArgumentException <init>(Ljava/lang/String;)V
java/lang/IllegalArgumentException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/IllegalArgumentException <init>(Ljava/lang/Throwable;)V
class java/io/FileReader java/io/InputStreamReader
java/io/FileReader <init>(Ljava/lang/String;)V
java/io/FileReader <init>(Ljava/io/File;)V
java/io/FileReader <init>(Ljava/io/FileDescriptor;)V
class java/awt/event/KeyAdapter java/lang/Object
java/awt/event/KeyAdapter <init>()V
java/awt/event/KeyAdapter keyTyped(Ljava/awt/event/KeyEvent;)V
java/awt/event/KeyAdapter
 keyPressed(Ljava/awt/event/KeyEvent;)V
java/awt/event/KeyAdapter keyReleased(Ljava/awt/event/KeyEvent;)V
class java/io/BufferedReader java/io/Reader
java/io/BufferedReader in
java/io/BufferedReader cb
java/io/BufferedReader nChars
java/io/BufferedReader nextChar
java/io/BufferedReader INVALIDATED
java/io/BufferedReader UNMARKED
java/io/BufferedReader markedChar
java/io/BufferedReader readAheadLimit
java/io/BufferedReader skipLF
java/io/BufferedReader markedSkipLF
java/io/BufferedReader defaultCharBufferSize
java/io/BufferedReader defaultExpectedLineLength
java/io/BufferedReader <init>(Ljava/io/Reader;)V
java/io/BufferedReader <init>(Ljava/io/Reader;)V
java/io/BufferedReader ensureOpen()V
java/io/BufferedReader fill()V
java/io/BufferedReader read()I
java/io/BufferedReader read1([CII)I
java/io/BufferedReader read([CII)I
java/io/BufferedReader readLine(Z)Ljava/lang/String;
java/io/BufferedReader readLine()Ljava/lang/String;
java/io/BufferedReader skip(J)J
java/io/BufferedReader
 ready()Z
java/io/BufferedReader markSupported()Z
java/io/BufferedReader mark(I)V
java/io/BufferedReader reset()V

```

```

java/io/BufferedReader close()V
java/io/BufferedReader <clinit>()V
class java/io/InputStreamReader java/io/Reader
java/io/InputStreamReader sd
java/io/InputStreamReader <init>(Ljava/io/InputStream;)V
java/io/InputStreamReader <init>(Ljava/io/InputStream;Ljava/lang/String;)V
java/io/InputStreamReader <init>(Ljava/io/InputStream;Ljava/nio/charset/Charset;)V
java/io/InputStreamReader <init>(Ljava/io/InputStream;Ljava/nio/charset/CharsetDecoder;)V
java/io/InputStreamReader getEncoding()Ljava/lang/String;
java/io/InputStreamReader read()I
java/io/InputStreamReader read([CII)I
java/io/InputStreamReader ready()Z
java/io/InputStreamReader close()V
class java/io/Reader java/lang/Object
java/io/Reader lock
java/io/Reader maxSkipBufferSize
java/io/Reader skipBuffer
java/io/Reader <init>()V
java/io/Reader <init>(Ljava/lang/Object;)V
java/io/Reader read(Ljava/nio/CharBuffer;)I
java/io/Reader
 read()I
java/io/Reader read([C)I
java/io/Reader read([CII)I
java/io/Reader skip(J)J
java/io/Reader ready()Z
java/io/Reader markSupported()Z
java/io/Reader mark(I)V
java/io/Reader reset()V
java/io/Reader close()V
class java/util/regex/Pattern$TreeInfo java/lang/Object
java/util/regex/Pattern$TreeInfo minLength
java/util/regex/Pattern$TreeInfo maxLength
java/util/regex/Pattern$TreeInfo maxValid
java/util/regex/Pattern$TreeInfo deterministic
java/util/regex/Pattern$TreeInfo <init>()V
java/util/regex/Pattern$TreeInfo reset()V
class java/util/regex/Pattern$Start java/util/regex/Pattern$Node
java/util/regex/Pattern$Start minLength
java/util/regex/Pattern$Start <init>(Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$Start match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Start study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$First java/util/regex/Pattern$Node
java/util/regex/Pattern$First atom
java/util/regex/Pattern$First
 <init>(Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$First match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$First study(Ljava/util/regex/Pattern$TreeInfo;)Z

```

```

class java/util/regex/Pattern$Begin java/util/regex/Pattern$Node
java/util/regex/Pattern$Begin <init>()V
java/util/regex/Pattern$Begin match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Slice java/util/regex/Pattern$Node
java/util/regex/Pattern$Slice buffer
java/util/regex/Pattern$Slice <init>(II)V
java/util/regex/Pattern$Slice match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Slice study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Curly java/util/regex/Pattern$Node
java/util/regex/Pattern$Curly atom
java/util/regex/Pattern$Curly type
java/util/regex/Pattern$Curly cmin
java/util/regex/Pattern$Curly cmax
java/util/regex/Pattern$Curly <init>(Ljava/util/regex/Pattern$Node;III)V
java/util/regex/Pattern$Curly
 match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Curly match0(Ljava/util/regex/Matcher;IILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Curly match1(Ljava/util/regex/Matcher;IILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Curly match2(Ljava/util/regex/Matcher;IILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Curly study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$JavaMirrored java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaMirrored <init>()V
java/util/regex/Pattern$JavaMirrored isProperty(I)Z
class java/util/regex/Pattern$JavaISOControl java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaISOControl <init>()V
java/util/regex/Pattern$JavaISOControl isProperty(I)Z
class java/util/regex/Pattern$JavaWhitespace java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaWhitespace <init>()V
java/util/regex/Pattern$JavaWhitespace isProperty(I)Z
class java/util/regex/Pattern$JavaSpaceChar
 java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaSpaceChar <init>()V
java/util/regex/Pattern$JavaSpaceChar isProperty(I)Z
class java/util/regex/Pattern$JavaIdentifierIgnorable java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaIdentifierIgnorable <init>()V
java/util/regex/Pattern$JavaIdentifierIgnorable isProperty(I)Z
class java/util/regex/Pattern$JavaUnicodeIdentifierPart java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaUnicodeIdentifierPart <init>()V
java/util/regex/Pattern$JavaUnicodeIdentifierPart isProperty(I)Z
class java/util/regex/Pattern$JavaUnicodeIdentifierStart java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaUnicodeIdentifierStart <init>()V
java/util/regex/Pattern$JavaUnicodeIdentifierStart isProperty(I)Z
class java/util/regex/Pattern$JavaJavaIdentifierPart java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaJavaIdentifierPart <init>()V
java/util/regex/Pattern$JavaJavaIdentifierPart
 isProperty(I)Z
class java/util/regex/Pattern$JavaJavaIdentifierStart java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaJavaIdentifierStart <init>()V

```

```

java/util/regex/Pattern$JavaIdentifierStart isProperty(I)Z
class java/util/regex/Pattern$JavaLetterOrDigit java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaLetterOrDigit <init>()V
java/util/regex/Pattern$JavaLetterOrDigit isProperty(I)Z
class java/util/regex/Pattern$JavaLetter java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaLetter <init>()V
java/util/regex/Pattern$JavaLetter isProperty(I)Z
class java/util/regex/Pattern$JavaDefined java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaDefined <init>()V
java/util/regex/Pattern$JavaDefined isProperty(I)Z
class java/util/regex/Pattern$JavaDigit java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaDigit <init>()V
java/util/regex/Pattern$JavaDigit isProperty(I)Z
class java/util/regex/Pattern$JavaTitleCase java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaTitleCase
 <init>()V
java/util/regex/Pattern$JavaTitleCase isProperty(I)Z
class java/util/regex/Pattern$JavaUpperCase java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaUpperCase <init>()V
java/util/regex/Pattern$JavaUpperCase isProperty(I)Z
class java/util/regex/Pattern$JavaLowerCase java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaLowerCase <init>()V
java/util/regex/Pattern$JavaLowerCase isProperty(I)Z
class java/util/regex/Pattern$JavaTypeClass java/util/regex/Pattern$Node
java/util/regex/Pattern$JavaTypeClass <init>()V
java/util/regex/Pattern$JavaTypeClass dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$JavaTypeClass isProperty(I)Z
java/util/regex/Pattern$JavaTypeClass match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$JavaTypeClass study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Ctype java/util/regex/Pattern$Node
java/util/regex/Pattern$Ctype
 ctype
java/util/regex/Pattern$Ctype <init>(I)V
java/util/regex/Pattern$Ctype dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$Ctype match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Ctype study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$All java/util/regex/Pattern$Node
java/util/regex/Pattern$All <init>()V
java/util/regex/Pattern$All dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$All match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$All study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Range java/util/regex/Pattern$Node
java/util/regex/Pattern$Range lower
java/util/regex/Pattern$Range upper
java/util/regex/Pattern$Range <init>()V
java/util/regex/Pattern$Range <init>(I)V
java/util/regex/Pattern$Range <init>(II)V
java/util/regex/Pattern$Range dup(Z)Ljava/util/regex/Pattern$Node;

```



```

java/util/regex/Pattern$Range match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Range
 study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Category java/util/regex/Pattern$Node
java/util/regex/Pattern$Category atype
java/util/regex/Pattern$Category <init>(I)V
java/util/regex/Pattern$Category dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$Category match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Category study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$CategoryNames java/lang/Object
java/util/regex/Pattern$CategoryNames cMap
java/util/regex/Pattern$CategoryNames <init>()V
java/util/regex/Pattern$CategoryNames <clinit>()V
class java/util/regex/Pattern$Single java/util/regex/Pattern$Node
java/util/regex/Pattern$Single ch
java/util/regex/Pattern$Single len
java/util/regex/Pattern$Single <init>(I)V
java/util/regex/Pattern$Single dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$Single match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Single
 study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Branch java/util/regex/Pattern$Node
java/util/regex/Pattern$Branch prev
java/util/regex/Pattern$Branch <init>(Ljava/util/regex/Pattern$Node;Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$Branch match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Branch study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Dummy java/util/regex/Pattern$Node
java/util/regex/Pattern$Dummy <init>()V
java/util/regex/Pattern$Dummy match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Ques java/util/regex/Pattern$Node
java/util/regex/Pattern$Ques atom
java/util/regex/Pattern$Ques type
java/util/regex/Pattern$Ques <init>(Ljava/util/regex/Pattern$Node;I)V
java/util/regex/Pattern$Ques match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Ques study(Ljava/util/regex/Pattern$TreeInfo;)Z
class
 java/util/regex/Pattern$BitClass java/util/regex/Pattern$Node
java/util/regex/Pattern$BitClass bits
java/util/regex/Pattern$BitClass complementMe
java/util/regex/Pattern$BitClass <init>(Z)V
java/util/regex/Pattern$BitClass <init>({ZZ})V
java/util/regex/Pattern$BitClass add(II)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$BitClass dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$BitClass match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$BitClass study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$GroupTail java/util/regex/Pattern$Node
java/util/regex/Pattern$GroupTail localIndex
java/util/regex/Pattern$GroupTail groupIndex

```

```

java/util/regex/Pattern$GroupTail <init>(II)V
java/util/regex/Pattern$GroupTail match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$GroupHead java/util/regex/Pattern$Node
java/util/regex/Pattern$GroupHead localIndex
java/util/regex/Pattern$GroupHead
 <init>(I)V
java/util/regex/Pattern$GroupHead match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$GroupHead matchRef(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$LastNode java/util/regex/Pattern$Node
java/util/regex/Pattern$LastNode <init>()V
java/util/regex/Pattern$LastNode match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Node java/lang/Object
java/util/regex/Pattern$Node next
java/util/regex/Pattern$Node <init>()V
java/util/regex/Pattern$Node dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$Node match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Node study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern java/lang/Object
java/util/regex/Pattern UNIX_LINES
java/util/regex/Pattern CASE_INSENSITIVE
java/util/regex/Pattern COMMENTS
java/util/regex/Pattern MULTILINE
java/util/regex/Pattern LITERAL
java/util/regex/Pattern
 DOTALL
java/util/regex/Pattern UNICODE_CASE
java/util/regex/Pattern CANON_EQ
java/util/regex/Pattern serialVersionUID
java/util/regex/Pattern pattern
java/util/regex/Pattern flags
java/util/regex/Pattern compiled
java/util/regex/Pattern normalizedPattern
java/util/regex/Pattern root
java/util/regex/Pattern matchRoot
java/util/regex/Pattern buffer
java/util/regex/Pattern groupNodes
java/util/regex/Pattern temp
java/util/regex/Pattern capturingGroupCount
java/util/regex/Pattern localCount
java/util/regex/Pattern cursor
java/util/regex/Pattern patternLength
java/util/regex/Pattern MAX_REPS
java/util/regex/Pattern GREEDY
java/util/regex/Pattern LAZY
java/util/regex/Pattern POSSESSIVE
java/util/regex/Pattern INDEPENDENT
java/util/regex/Pattern accept
java/util/regex/Pattern lastAccept

```

```

java/util/regex/Pattern $assertionsDisabled
java/util/regex/Pattern compile(Ljava/lang/String;)Ljava/util/regex/Pattern;
java/util/regex/Pattern compile(Ljava/lang/String;I)Ljava/util/regex/Pattern;
java/util/regex/Pattern
 pattern(Ljava/lang/String;
java/util/regex/Pattern toString(Ljava/lang/String;
java/util/regex/Pattern matcher(Ljava/lang/CharSequence;)Ljava/util/regex/Matcher;
java/util/regex/Pattern flags()I
java/util/regex/Pattern matches(Ljava/lang/String;Ljava/lang/CharSequence;)Z
java/util/regex/Pattern split(Ljava/lang/CharSequence;I)[Ljava/lang/String;
java/util/regex/Pattern split(Ljava/lang/CharSequence;)[Ljava/lang/String;
java/util/regex/Pattern quote(Ljava/lang/String;)Ljava/lang/String;
java/util/regex/Pattern readObject(Ljava/io/ObjectInputStream;)V
java/util/regex/Pattern <init>(Ljava/lang/String;I)V
java/util/regex/Pattern normalize()V
java/util/regex/Pattern normalizeCharClass(Ljava/lang/StringBuilder;I)I
java/util/regex/Pattern produceEquivalentAlternation(Ljava/lang/String;)Ljava/lang/String;
java/util/regex/Pattern producePermutations(Ljava/lang/String;)[Ljava/lang/String;
java/util/regex/Pattern getClass()I
java/util/regex/Pattern composeOneStep(Ljava/lang/String;)Ljava/lang/String;
java/util/regex/Pattern
 compile()V
java/util/regex/Pattern printObjectTree(Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern has(I)Z
java/util/regex/Pattern accept(ILjava/lang/String;)V
java/util/regex/Pattern mark(I)V
java/util/regex/Pattern peek()I
java/util/regex/Pattern read()I
java/util/regex/Pattern readEscaped()I
java/util/regex/Pattern next()I
java/util/regex/Pattern nextEscaped()I
java/util/regex/Pattern peekPastWhitespace(I)I
java/util/regex/Pattern parsePastWhitespace(I)I
java/util/regex/Pattern parsePastLine()I
java/util/regex/Pattern peekPastLine()I
java/util/regex/Pattern isLineSeparator(I)Z
java/util/regex/Pattern skip()I
java/util/regex/Pattern unread()V
java/util/regex/Pattern error(Ljava/lang/String;)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern findSupplementary(II)Z
java/util/regex/Pattern isSupplementary(I)Z
java/util/regex/Pattern expr(Ljava/util/regex/Pattern$Node;)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern
 sequence(Ljava/util/regex/Pattern$Node;)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern atom(Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern append(II)V
java/util/regex/Pattern ref(I)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern escape(ZZ)I

```

```

java/util/regex/Pattern clazz(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern range(Ljava/util/regex/Pattern$BitClass;)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern single()I
java/util/regex/Pattern family(ZZ)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern retrieveFamilyNode(Ljava/lang/String;Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern retrieveCategoryNode(Ljava/lang/String;)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern familyError(Ljava/lang/String;Ljava/lang/String;)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern group0()Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern createGroup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern addFlag()V
java/util/regex/Pattern
 subFlag()V
java/util/regex/Pattern closure(Ljava/util/regex/Pattern$Node;)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern c()I
java/util/regex/Pattern o()I
java/util/regex/Pattern x()I
java/util/regex/Pattern u()I
java/util/regex/Pattern isSurrogate(I)Z
java/util/regex/Pattern countChars(Ljava/lang/CharSequence;II)I
java/util/regex/Pattern countCodePoints(Ljava/lang/CharSequence;)I
java/util/regex/Pattern newSingle(I)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern newSlice([IIZ)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern hasBaseCharacter(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern access$000(Ljava/lang/CharSequence;II)I
java/util/regex/Pattern access$100(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern <clinit>()V
class java/util/concurrent/ConcurrentHashMap$HashEntry java/lang/Object
java/util/concurrent/ConcurrentHashMap$HashEntry key
java/util/concurrent/ConcurrentHashMap$HashEntry
 hash
java/util/concurrent/ConcurrentHashMap$HashEntry value
java/util/concurrent/ConcurrentHashMap$HashEntry next
java/util/concurrent/ConcurrentHashMap$HashEntry
 <init>(Ljava/lang/Object;ILjava/util/concurrent/ConcurrentHashMap$HashEntry;Ljava/lang/Object;)V
class java/util/concurrent/locks/AbstractQueuedSynchronizer$Node java/lang/Object
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node CANCELLED
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node SIGNAL
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node CONDITION
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node SHARED
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node EXCLUSIVE
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node waitStatus
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node prev
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node next
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node thread
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node
 nextWaiter
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node isShared()Z
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node

```

```

predecessor()Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node <init>()V
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node
<init>(Ljava/lang/Thread;Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)V
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node <init>(Ljava/lang/Thread;I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node <clinit>()V
class java/util/concurrent/locks/ReentrantLock$NonfairSync java/util/concurrent/locks/ReentrantLock$Sync
java/util/concurrent/locks/ReentrantLock$NonfairSync <init>()V
java/util/concurrent/locks/ReentrantLock$NonfairSync lock()V
java/util/concurrent/locks/ReentrantLock$NonfairSync tryAcquire(I)Z
class java/util/concurrent/locks/ReentrantLock$Sync java/util/concurrent/locks/AbstractQueuedSynchronizer
java/util/concurrent/locks/ReentrantLock$Sync
owner
java/util/concurrent/locks/ReentrantLock$Sync <init>()V
java/util/concurrent/locks/ReentrantLock$Sync lock()V
java/util/concurrent/locks/ReentrantLock$Sync nonfairTryAcquire(I)Z
java/util/concurrent/locks/ReentrantLock$Sync tryRelease(I)Z
java/util/concurrent/locks/ReentrantLock$Sync isHeldExclusively()Z
java/util/concurrent/locks/ReentrantLock$Sync
newCondition()Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject;
java/util/concurrent/locks/ReentrantLock$Sync getOwner()Ljava/lang/Thread;
java/util/concurrent/locks/ReentrantLock$Sync getHoldCount()I
java/util/concurrent/locks/ReentrantLock$Sync isLocked()Z
java/util/concurrent/locks/ReentrantLock$Sync readObject(Ljava/io/ObjectInputStream;)V
class java/util/concurrent/locks/AbstractQueuedSynchronizer java/lang/Object
java/util/concurrent/locks/AbstractQueuedSynchronizer serialVersionUID
java/util/concurrent/locks/AbstractQueuedSynchronizer head
java/util/concurrent/locks/AbstractQueuedSynchronizer
tail
java/util/concurrent/locks/AbstractQueuedSynchronizer state
java/util/concurrent/locks/AbstractQueuedSynchronizer unsafe
java/util/concurrent/locks/AbstractQueuedSynchronizer stateOffset
java/util/concurrent/locks/AbstractQueuedSynchronizer headOffset
java/util/concurrent/locks/AbstractQueuedSynchronizer tailOffset
java/util/concurrent/locks/AbstractQueuedSynchronizer waitStatusOffset
java/util/concurrent/locks/AbstractQueuedSynchronizer nextOffset
java/util/concurrent/locks/AbstractQueuedSynchronizer <init>()V
java/util/concurrent/locks/AbstractQueuedSynchronizer getState()I
java/util/concurrent/locks/AbstractQueuedSynchronizer setState(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer compareAndSetState(II)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
enq(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;
java/util/concurrent/locks/AbstractQueuedSynchronizer
addWaiter(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;
java/util/concurrent/locks/AbstractQueuedSynchronizer
setHead(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)V

```

```

java/util/concurrent/locks/AbstractQueuedSynchronizer
unparkSuccessor(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)V
java/util/concurrent/locks/AbstractQueuedSynchronizer
setHeadAndPropagate(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer
cancelAcquire(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)V
java/util/concurrent/locks/AbstractQueuedSynchronizer
shouldParkAfterFailedAcquire(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer selfInterrupt()V
java/util/concurrent/locks/AbstractQueuedSynchronizer
parkAndCheckInterrupt()Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
acquireQueued(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;I)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer doAcquireInterruptibly(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer doAcquireNanos(IJ)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer doAcquireShared(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer doAcquireSharedInterruptibly(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer doAcquireSharedNanos(IJ)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer tryAcquire(I)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer tryRelease(I)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer tryAcquireShared(I)I
java/util/concurrent/locks/AbstractQueuedSynchronizer tryReleaseShared(I)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer isHeldExclusively()Z
java/util/concurrent/locks/AbstractQueuedSynchronizer acquire(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer
acquireInterruptibly(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer tryAcquireNanos(IJ)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer release(I)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer acquireShared(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer acquireSharedInterruptibly(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer tryAcquireSharedNanos(IJ)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer releaseShared(I)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer hasQueuedThreads()Z
java/util/concurrent/locks/AbstractQueuedSynchronizer hasContended()Z
java/util/concurrent/locks/AbstractQueuedSynchronizer getFirstQueuedThread()Ljava/lang/Thread;
java/util/concurrent/locks/AbstractQueuedSynchronizer fullGetFirstQueuedThread()Ljava/lang/Thread;
java/util/concurrent/locks/AbstractQueuedSynchronizer isQueued(Ljava/lang/Thread;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer getQueueLength()I
java/util/concurrent/locks/AbstractQueuedSynchronizer
getQueuedThreads()Ljava/util/Collection;
java/util/concurrent/locks/AbstractQueuedSynchronizer getExclusiveQueuedThreads()Ljava/util/Collection;
java/util/concurrent/locks/AbstractQueuedSynchronizer getSharedQueuedThreads()Ljava/util/Collection;
java/util/concurrent/locks/AbstractQueuedSynchronizer toString()Ljava/lang/String;
java/util/concurrent/locks/AbstractQueuedSynchronizer
isOnSyncQueue(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
findNodeFromTail(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z

```

```

java/util/concurrent/locks/AbstractQueuedSynchronizer
transferForSignal(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
transferAfterCancelledWait(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
fullyRelease(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)I
java/util/concurrent/locks/AbstractQueuedSynchronizer
owns(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
hasWaiters(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
getWaitQueueLength(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject;)I
java/util/concurrent/locks/AbstractQueuedSynchronizer
getWaitingThreads(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject;)Ljava/util/Collection;
java/util/concurrent/locks/AbstractQueuedSynchronizer
compareAndSetHead(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
compareAndSetTail(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
compareAndSetWaitStatus(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;II)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
compareAndSetNext(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer access$000()V
java/util/concurrent/locks/AbstractQueuedSynchronizer <clinit>()V
class java/util/concurrent/ConcurrentHashMap$Segment java/util/concurrent/locks/ReentrantLock
java/util/concurrent/ConcurrentHashMap$Segment serialVersionUID
java/util/concurrent/ConcurrentHashMap$Segment count
java/util/concurrent/ConcurrentHashMap$Segment modCount
java/util/concurrent/ConcurrentHashMap$Segment threshold
java/util/concurrent/ConcurrentHashMap$Segment table
java/util/concurrent/ConcurrentHashMap$Segment loadFactor
java/util/concurrent/ConcurrentHashMap$Segment <init>(IF)V
java/util/concurrent/ConcurrentHashMap$Segment
setTable([Ljava/util/concurrent/ConcurrentHashMap$HashEntry;)V
java/util/concurrent/ConcurrentHashMap$Segment
getFirst(I)Ljava/util/concurrent/ConcurrentHashMap$HashEntry;
java/util/concurrent/ConcurrentHashMap$Segment
readValueUnderLock(Ljava/util/concurrent/ConcurrentHashMap$HashEntry;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$Segment get(Ljava/lang/Object;I)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$Segment containsKey(Ljava/lang/Object;I)Z
java/util/concurrent/ConcurrentHashMap$Segment containsValue(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$Segment
replace(Ljava/lang/Object;ILjava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$Segment
replace(Ljava/lang/Object;ILjava/lang/Object;)Ljava/lang/Object;

```

```

java/util/concurrent/ConcurrentHashMap$Segment put(Ljava/lang/Object;ILjava/lang/Object;Z)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$Segment rehash()V
java/util/concurrent/ConcurrentHashMap$Segment
 remove(Ljava/lang/Object;ILjava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$Segment clear()V
class java/util/concurrent/locks/ReentrantLock java/lang/Object
java/util/concurrent/locks/ReentrantLock serialVersionUID
java/util/concurrent/locks/ReentrantLock sync
java/util/concurrent/locks/ReentrantLock <init>()V
java/util/concurrent/locks/ReentrantLock <init>(Z)V
java/util/concurrent/locks/ReentrantLock lock()V
java/util/concurrent/locks/ReentrantLock lockInterruptibly()V
java/util/concurrent/locks/ReentrantLock tryLock()Z
java/util/concurrent/locks/ReentrantLock tryLock(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/locks/ReentrantLock unlock()V
java/util/concurrent/locks/ReentrantLock newCondition()Ljava/util/concurrent/locks/Condition;
java/util/concurrent/locks/ReentrantLock getHoldCount()I
java/util/concurrent/locks/ReentrantLock isHeldByCurrentThread()Z
java/util/concurrent/locks/ReentrantLock isLocked()Z
java/util/concurrent/locks/ReentrantLock
 isFair()Z
java/util/concurrent/locks/ReentrantLock getOwner()Ljava/lang/Thread;
java/util/concurrent/locks/ReentrantLock hasQueuedThreads()Z
java/util/concurrent/locks/ReentrantLock hasQueuedThread(Ljava/lang/Thread;)Z
java/util/concurrent/locks/ReentrantLock getQueueLength()I
java/util/concurrent/locks/ReentrantLock getQueuedThreads()Ljava/util/Collection;
java/util/concurrent/locks/ReentrantLock hasWaiters(Ljava/util/concurrent/locks/Condition;)Z
java/util/concurrent/locks/ReentrantLock getWaitQueueLength(Ljava/util/concurrent/locks/Condition;)I
java/util/concurrent/locks/ReentrantLock
 getWaitingThreads(Ljava/util/concurrent/locks/Condition;)Ljava/util/Collection;
java/util/concurrent/locks/ReentrantLock toString()Ljava/lang/String;
class java/util/concurrent/locks/Lock java/lang/Object
java/util/concurrent/locks/Lock lock()V
java/util/concurrent/locks/Lock lockInterruptibly()V
java/util/concurrent/locks/Lock tryLock()Z
java/util/concurrent/locks/Lock
 tryLock(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/locks/Lock unlock()V
java/util/concurrent/locks/Lock newCondition()Ljava/util/concurrent/locks/Condition;
class java/util/concurrent/ConcurrentHashMap java/util/AbstractMap
java/util/concurrent/ConcurrentHashMap serialVersionUID
java/util/concurrent/ConcurrentHashMap DEFAULT_INITIAL_CAPACITY
java/util/concurrent/ConcurrentHashMap MAXIMUM_CAPACITY
java/util/concurrent/ConcurrentHashMap DEFAULT_LOAD_FACTOR
java/util/concurrent/ConcurrentHashMap DEFAULT_SEGMENTS
java/util/concurrent/ConcurrentHashMap MAX_SEGMENTS
java/util/concurrent/ConcurrentHashMap RETRIES_BEFORE_LOCK
java/util/concurrent/ConcurrentHashMap segmentMask

```



```

java/util/concurrent/ConcurrentHashMap segmentShift
java/util/concurrent/ConcurrentHashMap segments
java/util/concurrent/ConcurrentHashMap keySet
java/util/concurrent/ConcurrentHashMap entrySet
java/util/concurrent/ConcurrentHashMap values
java/util/concurrent/ConcurrentHashMap hash(Ljava/lang/Object;)I
java/util/concurrent/ConcurrentHashMap
 segmentFor(I)Ljava/util/concurrent/ConcurrentHashMap$Segment;
java/util/concurrent/ConcurrentHashMap <init>(IFI)V
java/util/concurrent/ConcurrentHashMap <init>(I)V
java/util/concurrent/ConcurrentHashMap <init>()V
java/util/concurrent/ConcurrentHashMap <init>(Ljava/util/Map;)V
java/util/concurrent/ConcurrentHashMap isEmpty()Z
java/util/concurrent/ConcurrentHashMap size()I
java/util/concurrent/ConcurrentHashMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap containsKey(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap containsValue(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap contains(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap putIfAbsent(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap putAll(Ljava/util/Map;)V
java/util/concurrent/ConcurrentHashMap
 remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap remove(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap replace(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap replace(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap clear()V
java/util/concurrent/ConcurrentHashMap keySet()Ljava/util/Set;
java/util/concurrent/ConcurrentHashMap values()Ljava/util/Collection;
java/util/concurrent/ConcurrentHashMap entrySet()Ljava/util/Set;
java/util/concurrent/ConcurrentHashMap keys()Ljava/util/Enumeration;
java/util/concurrent/ConcurrentHashMap elements()Ljava/util/Enumeration;
java/util/concurrent/ConcurrentHashMap writeObject(Ljava/io/ObjectOutputStream;)V
java/util/concurrent/ConcurrentHashMap readObject(Ljava/io/ObjectInputStream;)V
java/util/concurrent/ConcurrentHashMap <clinit>()V
class java/util/concurrent/ConcurrentMap
 java/lang/Object
java/util/concurrent/ConcurrentMap putIfAbsent(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentMap remove(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentMap replace(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentMap replace(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
class java/security/Security$1 java/lang/Object
java/security/Security$1 <init>()V
java/security/Security$1 run(Ljava/lang/Object;
class java/security/Security java/lang/Object
java/security/Security sdebug
java/security/Security props
java/security/Security spiMap

```

```

java/security/Security initialize()V
java/security/Security initializeStatic()V
java/security/Security <init>()V
java/security/Security securityPropFile(Ljava/lang/String;)Ljava/io/File;
java/security/Security getProviderProperty(Ljava/lang/String;)Ljava/security/Security$ProviderProperty;
java/security/Security getProviderProperty(Ljava/lang/String;Ljava/security/Provider;)Ljava/lang/String;
java/security/Security
 getAlgorithmProperty(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/security/Security insertProviderAt(Ljava/security/Provider;I)I
java/security/Security addProvider(Ljava/security/Provider;)I
java/security/Security removeProvider(Ljava/lang/String;)V
java/security/Security getProviders()[Ljava/security/Provider;
java/security/Security getProvider(Ljava/lang/String;)Ljava/security/Provider;
java/security/Security getProviders(Ljava/lang/String;)[Ljava/security/Provider;
java/security/Security getProviders(Ljava/util/Map;)[Ljava/security/Provider;
java/security/Security getSpiClass(Ljava/lang/String;)Ljava/lang/Class;
java/security/Security getImpl(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)[Ljava/lang/Object;
java/security/Security
 getImpl(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/Object;)[Ljava/lang/Object;
java/security/Security getImpl(Ljava/lang/String;Ljava/lang/String;Ljava/security/Provider;)[Ljava/lang/Object;
java/security/Security
 getImpl(Ljava/lang/String;Ljava/lang/String;Ljava/security/Provider;Ljava/lang/Object;)[Ljava/lang/Object;
java/security/Security getProperty(Ljava/lang/String;)Ljava/lang/String;
java/security/Security setProperty(Ljava/lang/String;Ljava/lang/String;)V
java/security/Security invalidateSMCache(Ljava/lang/String;)V
java/security/Security check(Ljava/lang/String;)V
java/security/Security
 getAllQualifyingCandidates(Ljava/lang/String;Ljava/lang/String;[Ljava/security/Provider;)Ljava/util/LinkedHashSet;
java/security/Security
 getProvidersNotUsingCache(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;[Ljava/security/Provider;)Ljava/util/LinkedHashSet;
java/security/Security
 isCriterionSatisfied(Ljava/security/Provider;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Z
java/security/Security isStandardAttr(Ljava/lang/String;)Z
java/security/Security
 isConstraintSatisfied(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Z
java/security/Security getFilterComponents(Ljava/lang/String;Ljava/lang/String;)[Ljava/lang/String;
java/security/Security getAlgorithms(Ljava/lang/String;)Ljava/util/Set;
java/security/Security access$000()V
java/security/Security <clinit>()V
class java/security/Provider$ServiceKey java/lang/Object
java/security/Provider$ServiceKey type
java/security/Provider$ServiceKey algorithm
java/security/Provider$ServiceKey originalAlgorithm
java/security/Provider$ServiceKey <init>(Ljava/lang/String;Ljava/lang/String;Z)V
java/security/Provider$ServiceKey hashCode()I

```

```

java/security/Provider$ServiceKey equals(Ljava/lang/Object;)Z
java/security/Provider$ServiceKey matches(Ljava/lang/String;Ljava/lang/String;)Z
java/security/Provider$ServiceKey <init>(Ljava/lang/String;Ljava/lang/String;ZLjava/security/Provider$1;)V
class java/security/Provider java/util/Properties
java/security/Provider serialVersionUID
java/security/Provider
 debug
java/security/Provider name
java/security/Provider info
java/security/Provider version
java/security/Provider entrySet
java/security/Provider entrySetCallCount
java/security/Provider legacyChanged
java/security/Provider servicesChanged
java/security/Provider legacyStrings
java/security/Provider serviceMap
java/security/Provider legacyMap
java/security/Provider serviceSet
java/security/Provider ALIAS_PREFIX
java/security/Provider ALIAS_PREFIX_LOWER
java/security/Provider ALIAS_LENGTH
java/security/Provider previousKey
java/security/Provider knownEngines
java/security/Provider <init>(Ljava/lang/String;DLjava/lang/String;)V
java/security/Provider getName()Ljava/lang/String;
java/security/Provider getVersion()D
java/security/Provider getInfo()Ljava/lang/String;
java/security/Provider toString()Ljava/lang/String;
java/security/Provider clear()V
java/security/Provider load(Ljava/io/InputStream;)V
java/security/Provider putAll(Ljava/util/Map;)V
java/security/Provider entrySet(Ljava/util/Set;
java/security/Provider
 keySet(Ljava/util/Set;
java/security/Provider values()Ljava/util/Collection;
java/security/Provider put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/security/Provider remove(Ljava/lang/Object;)Ljava/lang/Object;
java/security/Provider check(Ljava/lang/String;)V
java/security/Provider putId()V
java/security/Provider implPutAll(Ljava/util/Map;)V
java/security/Provider implRemove(Ljava/lang/Object;)Ljava/lang/Object;
java/security/Provider implPut(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/security/Provider implClear()V
java/security/Provider ensureLegacyParsed()V
java/security/Provider removeInvalidServices(Ljava/util/Map;)V
java/security/Provider getTypeAndAlgorithm(Ljava/lang/String;)[Ljava/lang/String;
java/security/Provider parseLegacyPut(Ljava/lang/String;Ljava/lang/String;)V
java/security/Provider getService(Ljava/lang/String;Ljava/lang/String;)Ljava/security/Provider$Service;

```

```

java/security/Provider getServices()Ljava/util/Set;
java/security/Provider
 putService(Ljava/security/Provider$Service;)V
java/security/Provider putPropertyStrings(Ljava/security/Provider$Service;)V
java/security/Provider removePropertyStrings(Ljava/security/Provider$Service;)V
java/security/Provider removeService(Ljava/security/Provider$Service;)V
java/security/Provider implRemoveService(Ljava/security/Provider$Service;)V
java/security/Provider addEngine(Ljava/lang/String;ZZ)V
java/security/Provider getEngineName(Ljava/lang/String;)Ljava/lang/String;
java/security/Provider access$900(Ljava/lang/String;)Ljava/lang/String;
java/security/Provider access$1000(Ljava/util/Map;
java/security/Provider <clinit>()V
class java/lang/Package java/lang/Object
java/lang/Package pkgs
java/lang/Package urls
java/lang/Package mans
java/lang/Package pkgName
java/lang/Package specTitle
java/lang/Package specVersion
java/lang/Package specVendor
java/lang/Package implTitle
java/lang/Package implVersion
java/lang/Package implVendor
java/lang/Package
 sealBase
java/lang/Package loader
java/lang/Package packageInfo
java/lang/Package getName()Ljava/lang/String;
java/lang/Package getSpecificationTitle()Ljava/lang/String;
java/lang/Package getSpecificationVersion()Ljava/lang/String;
java/lang/Package getSpecificationVendor()Ljava/lang/String;
java/lang/Package getImplementationTitle()Ljava/lang/String;
java/lang/Package getImplementationVersion()Ljava/lang/String;
java/lang/Package getImplementationVendor()Ljava/lang/String;
java/lang/Package isSealed()Z
java/lang/Package isSealed(Ljava/net/URL;)Z
java/lang/Package isCompatibleWith(Ljava/lang/String;)Z
java/lang/Package getPackage(Ljava/lang/String;)Ljava/lang/Package;
java/lang/Package getPackages()[Ljava/lang/Package;
java/lang/Package getPackage(Ljava/lang/Class;)Ljava/lang/Package;
java/lang/Package hashCode()I
java/lang/Package toString()Ljava/lang/String;
java/lang/Package getPackageInfo()Ljava/lang/Class;
java/lang/Package getAnnotation(Ljava/lang/Class;)Ljava/lang/annotation/Annotation;
java/lang/Package
 isAnnotationPresent(Ljava/lang/Class;)Z
java/lang/Package getAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/Package getDeclaredAnnotations()[Ljava/lang/annotation/Annotation;

```

```

java/lang/Package
<init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;
Ljava/lang/String;Ljava/net/URL;Ljava/lang/ClassLoader;)V
java/lang/Package <init>(Ljava/lang/String;Ljava/util/jar/Manifest;Ljava/net/URL;Ljava/lang/ClassLoader;)V
java/lang/Package getSystemPackage(Ljava/lang/String;)Ljava/lang/Package;
java/lang/Package getSystemPackages()[Ljava/lang/Package;
java/lang/Package defineSystemPackage(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/Package;
java/lang/Package loadManifest(Ljava/lang/String;)Ljava/util/jar/Manifest;
java/lang/Package getSystemPackage0(Ljava/lang/String;)Ljava/lang/String;
java/lang/Package getSystemPackages0()[Ljava/lang/String;
java/lang/Package access$000()Ljava/util/Map;
java/lang/Package
 access$100(Ljava/lang/String;)Ljava/util/jar/Manifest;
java/lang/Package access$200()Ljava/util/Map;
java/lang/Package
 <init>(Ljava/lang/String;Ljava/util/jar/Manifest;Ljava/net/URL;Ljava/lang/ClassLoader;Ljava/lang/Package$1;)V
java/lang/Package access$400()Ljava/util/Map;
java/lang/Package <clinit>()V
class java/io/ByteArrayOutputStream java/io/OutputStream
java/io/ByteArrayOutputStream buf
java/io/ByteArrayOutputStream count
java/io/ByteArrayOutputStream <init>()V
java/io/ByteArrayOutputStream <init>(I)V
java/io/ByteArrayOutputStream write(I)V
java/io/ByteArrayOutputStream write([BII)V
java/io/ByteArrayOutputStream writeTo(Ljava/io/OutputStream;)V
java/io/ByteArrayOutputStream reset()V
java/io/ByteArrayOutputStream toByteArray()[B
java/io/ByteArrayOutputStream size()I
java/io/ByteArrayOutputStream toString()Ljava/lang/String;
java/io/ByteArrayOutputStream toString(Ljava/lang/String;)Ljava/lang/String;
java/io/ByteArrayOutputStream toString(I)Ljava/lang/String;
java/io/ByteArrayOutputStream
 close()V
class java/util/jar/JarVerifier java/lang/Object
java/util/jar/JarVerifier debug
java/util/jar/JarVerifier verifiedSigners
java/util/jar/JarVerifier sigFileSigners
java/util/jar/JarVerifier sigFileData
java/util/jar/JarVerifier pendingBlocks
java/util/jar/JarVerifier signerCache
java/util/jar/JarVerifier parsingBlockOrSF
java/util/jar/JarVerifier parsingMeta
java/util/jar/JarVerifier anyToVerify
java/util/jar/JarVerifier baos
java/util/jar/JarVerifier manDig
java/util/jar/JarVerifier manifestRawBytes
java/util/jar/JarVerifier <init>([B)V

```

```

java/util/jar/JarVerifier beginEntry(Ljava/util/jar/JarEntry;Lsun/security/util/ManifestEntryVerifier;)V
java/util/jar/JarVerifier update(ILsun/security/util/ManifestEntryVerifier;)V
java/util/jar/JarVerifier update(I[BILsun/security/util/ManifestEntryVerifier;)V
java/util/jar/JarVerifier processEntry(Lsun/security/util/ManifestEntryVerifier;)V
java/util/jar/JarVerifier getCerts(Ljava/lang/String;)[Ljava/security/cert/Certificate;
java/util/jar/JarVerifier
 getCodeSigners(Ljava/lang/String;)[Ljava/security/CodeSigner;
java/util/jar/JarVerifier nothingToVerify()Z
java/util/jar/JarVerifier doneWithMeta()V
java/util/jar/JarVerifier <clinit>()V
class java/util/jar/Attributes$Name java/lang/Object
java/util/jar/Attributes$Name name
java/util/jar/Attributes$Name hashCode
java/util/jar/Attributes$Name MANIFEST_VERSION
java/util/jar/Attributes$Name SIGNATURE_VERSION
java/util/jar/Attributes$Name CONTENT_TYPE
java/util/jar/Attributes$Name CLASS_PATH
java/util/jar/Attributes$Name MAIN_CLASS
java/util/jar/Attributes$Name SEALED
java/util/jar/Attributes$Name EXTENSION_LIST
java/util/jar/Attributes$Name EXTENSION_NAME
java/util/jar/Attributes$Name EXTENSION_INSTALLATION
java/util/jar/Attributes$Name IMPLEMENTATION_TITLE
java/util/jar/Attributes$Name IMPLEMENTATION_VERSION
java/util/jar/Attributes$Name IMPLEMENTATION_VENDOR
java/util/jar/Attributes$Name IMPLEMENTATION_VENDOR_ID
java/util/jar/Attributes$Name IMPLEMENTATION_URL
java/util/jar/Attributes$Name
 SPECIFICATION_TITLE
java/util/jar/Attributes$Name SPECIFICATION_VERSION
java/util/jar/Attributes$Name SPECIFICATION_VENDOR
java/util/jar/Attributes$Name <init>(Ljava/lang/String;)V
java/util/jar/Attributes$Name isValid(Ljava/lang/String;)Z
java/util/jar/Attributes$Name isValid(C)Z
java/util/jar/Attributes$Name isAlpha(C)Z
java/util/jar/Attributes$Name isDigit(C)Z
java/util/jar/Attributes$Name equals(Ljava/lang/Object;)Z
java/util/jar/Attributes$Name hashCode()I
java/util/jar/Attributes$Name toString()Ljava/lang/String;
java/util/jar/Attributes$Name <clinit>()V
class java/util/jar/Manifest$FastInputStream java/io/FilterInputStream
java/util/jar/Manifest$FastInputStream buf
java/util/jar/Manifest$FastInputStream count
java/util/jar/Manifest$FastInputStream pos
java/util/jar/Manifest$FastInputStream <init>(Ljava/io/InputStream;)V
java/util/jar/Manifest$FastInputStream <init>(Ljava/io/InputStream;I)V
java/util/jar/Manifest$FastInputStream read()I
java/util/jar/Manifest$FastInputStream

```

```

read([BII)I
java/util/jar/Manifest$FastInputStream readLine([BII)I
java/util/jar/Manifest$FastInputStream peek()B
java/util/jar/Manifest$FastInputStream readLine([B)I
java/util/jar/Manifest$FastInputStream skip(J)J
java/util/jar/Manifest$FastInputStream available()I
java/util/jar/Manifest$FastInputStream close()V
java/util/jar/Manifest$FastInputStream fill()V
class java/util/jar/Attributes java/lang/Object
java/util/jar/Attributes map
java/util/jar/Attributes <init>()V
java/util/jar/Attributes <init>(I)V
java/util/jar/Attributes <init>(Ljava/util/jar/Attributes;)V
java/util/jar/Attributes get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/jar/Attributes getValue(Ljava/lang/String;)Ljava/lang/String;
java/util/jar/Attributes getValue(Ljava/util/jar/Attributes$Name;)Ljava/lang/String;
java/util/jar/Attributes put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/jar/Attributes putValue(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/util/jar/Attributes
remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/jar/Attributes containsValue(Ljava/lang/Object;)Z
java/util/jar/Attributes containsKey(Ljava/lang/Object;)Z
java/util/jar/Attributes putAll(Ljava/util/Map;)V
java/util/jar/Attributes clear()V
java/util/jar/Attributes size()I
java/util/jar/Attributes isEmpty()Z
java/util/jar/Attributes keySet()Ljava/util/Set;
java/util/jar/Attributes values()Ljava/util/Collection;
java/util/jar/Attributes entrySet()Ljava/util/Set;
java/util/jar/Attributes equals(Ljava/lang/Object;)Z
java/util/jar/Attributes hashCode()I
java/util/jar/Attributes clone()Ljava/lang/Object;
java/util/jar/Attributes write(Ljava/io/DataOutputStream;)V
java/util/jar/Attributes writeMain(Ljava/io/DataOutputStream;)V
java/util/jar/Attributes read(Ljava/util/jar/Manifest$FastInputStream;[B)V
class java/io/ByteArrayInputStream java/io/InputStream
java/io/ByteArrayInputStream buf
java/io/ByteArrayInputStream pos
java/io/ByteArrayInputStream
mark
java/io/ByteArrayInputStream count
java/io/ByteArrayInputStream <init>([B)V
java/io/ByteArrayInputStream <init>([BII)V
java/io/ByteArrayInputStream read()I
java/io/ByteArrayInputStream read([BII)I
java/io/ByteArrayInputStream skip(J)J
java/io/ByteArrayInputStream available()I
java/io/ByteArrayInputStream markSupported()Z

```

```

java/io/ByteArrayInputStream mark(I)V
java/io/ByteArrayInputStream reset()V
java/io/ByteArrayInputStream close()V
class java/util/jar/Manifest java/lang/Object
java/util/jar/Manifest attr
java/util/jar/Manifest entries
java/util/jar/Manifest <init>()V
java/util/jar/Manifest <init>(Ljava/io/InputStream;)V
java/util/jar/Manifest <init>(Ljava/util/jar/Manifest;)V
java/util/jar/Manifest getMainAttributes()Ljava/util/jar/Attributes;
java/util/jar/Manifest getEntries()Ljava/util/Map;
java/util/jar/Manifest getAttributes(Ljava/lang/String;)Ljava/util/jar/Attributes;
java/util/jar/Manifest clear()V
java/util/jar/Manifest write(Ljava/io/OutputStream;)V
java/util/jar/Manifest
 make72Safe(Ljava/lang/StringBuffer;)V
java/util/jar/Manifest read(Ljava/io/InputStream;)V
java/util/jar/Manifest parseName([BI)Ljava/lang/String;
java/util/jar/Manifest toLower(I)I
java/util/jar/Manifest equals(Ljava/lang/Object;)Z
java/util/jar/Manifest hashCode()I
java/util/jar/Manifest clone()Ljava/lang/Object;
class java/awt/PrintGraphics java/lang/Object
java/awt/PrintGraphics getPrintJob()Ljava/awt/PrintJob;
class java/awt/print/PrinterGraphics java/lang/Object
java/awt/print/PrinterGraphics getPrinterJob()Ljava/awt/print/PrinterJob;
class java/nio/ByteBufferAsCharBufferB java/nio/CharBuffer
java/nio/ByteBufferAsCharBufferB bb
java/nio/ByteBufferAsCharBufferB offset
java/nio/ByteBufferAsCharBufferB $assertionsDisabled
java/nio/ByteBufferAsCharBufferB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsCharBufferB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsCharBufferB slice()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferB duplicate()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferB
 asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferB ix(I)I
java/nio/ByteBufferAsCharBufferB get()C
java/nio/ByteBufferAsCharBufferB get(I)C
java/nio/ByteBufferAsCharBufferB put(C)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferB put(IC)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferB compact()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferB isDirect()Z
java/nio/ByteBufferAsCharBufferB isReadOnly()Z
java/nio/ByteBufferAsCharBufferB toString()Ljava/lang/String;
java/nio/ByteBufferAsCharBufferB subSequence(II)Ljava/lang/CharSequence;
java/nio/ByteBufferAsCharBufferB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsCharBufferB <clinit>()V

```



```

class java/nio/ByteBufferAsShortBufferB java/nio/ShortBuffer
java/nio/ByteBufferAsShortBufferB bb
java/nio/ByteBufferAsShortBufferB offset
java/nio/ByteBufferAsShortBufferB $assertionsDisabled
java/nio/ByteBufferAsShortBufferB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsShortBufferB
 <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsShortBufferB slice()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferB duplicate()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferB asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferB ix(I)I
java/nio/ByteBufferAsShortBufferB get()S
java/nio/ByteBufferAsShortBufferB get(I)S
java/nio/ByteBufferAsShortBufferB put(S)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferB put(IS)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferB compact()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferB isDirect()Z
java/nio/ByteBufferAsShortBufferB isReadOnly()Z
java/nio/ByteBufferAsShortBufferB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsShortBufferB <clinit>()V
class java/nio/ShortBuffer java/nio/Buffer
java/nio/ShortBuffer hb
java/nio/ShortBuffer offset
java/nio/ShortBuffer isReadOnly
java/nio/ShortBuffer <init>(IIII[SI)V
java/nio/ShortBuffer <init>(IIII)V
java/nio/ShortBuffer allocate(I)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer
 wrap([SII)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer wrap([S)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer slice()Ljava/nio/ShortBuffer;
java/nio/ShortBuffer duplicate()Ljava/nio/ShortBuffer;
java/nio/ShortBuffer asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/ShortBuffer get()S
java/nio/ShortBuffer put(S)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer get(I)S
java/nio/ShortBuffer put(IS)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer get([SII)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer get([S)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer put(Ljava/nio/ShortBuffer;)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer put([SII)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer put([S)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer hasArray()Z
java/nio/ShortBuffer array()[S
java/nio/ShortBuffer arrayOffset()I
java/nio/ShortBuffer compact()Ljava/nio/ShortBuffer;
java/nio/ShortBuffer isDirect()Z
java/nio/ShortBuffer toString()Ljava/lang/String;

```

```

java/nio/ShortBuffer hashCode()I
java/nio/ShortBuffer
 equals(Ljava/lang/Object;)Z
java/nio/ShortBuffer compareTo(Ljava/nio/ShortBuffer;)I
java/nio/ShortBuffer order()Ljava/nio/ByteOrder;
java/nio/ShortBuffer compareTo(Ljava/lang/Object;)I
class java/nio/ByteBufferAsIntBufferB java/nio/IntBuffer
java/nio/ByteBufferAsIntBufferB bb
java/nio/ByteBufferAsIntBufferB offset
java/nio/ByteBufferAsIntBufferB $assertionsDisabled
java/nio/ByteBufferAsIntBufferB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsIntBufferB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsIntBufferB slice()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferB duplicate()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferB asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferB ix()I
java/nio/ByteBufferAsIntBufferB get()I
java/nio/ByteBufferAsIntBufferB get(I)I
java/nio/ByteBufferAsIntBufferB put(I)Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferB put(II)Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferB compact()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferB
 isDirect()Z
java/nio/ByteBufferAsIntBufferB isReadOnly()Z
java/nio/ByteBufferAsIntBufferB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsIntBufferB <clinit>()V
class java/nio/IntBuffer java/nio/Buffer
java/nio/IntBuffer hb
java/nio/IntBuffer offset
java/nio/IntBuffer isReadOnly
java/nio/IntBuffer <init>(IIII[II)V
java/nio/IntBuffer <init>(IIII)V
java/nio/IntBuffer allocate(I)Ljava/nio/IntBuffer;
java/nio/IntBuffer wrap([III)Ljava/nio/IntBuffer;
java/nio/IntBuffer wrap([I)Ljava/nio/IntBuffer;
java/nio/IntBuffer slice()Ljava/nio/IntBuffer;
java/nio/IntBuffer duplicate()Ljava/nio/IntBuffer;
java/nio/IntBuffer asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/IntBuffer get()I
java/nio/IntBuffer put(I)Ljava/nio/IntBuffer;
java/nio/IntBuffer get(I)I
java/nio/IntBuffer put(II)Ljava/nio/IntBuffer;
java/nio/IntBuffer get([III)Ljava/nio/IntBuffer;
java/nio/IntBuffer get([II)Ljava/nio/IntBuffer;
java/nio/IntBuffer put(Ljava/nio/IntBuffer;)Ljava/nio/IntBuffer;
java/nio/IntBuffer
 put([III)Ljava/nio/IntBuffer;
java/nio/IntBuffer put([II)Ljava/nio/IntBuffer;

```

```

java/nio/IntBuffer hasArray()Z
java/nio/IntBuffer array()[I
java/nio/IntBuffer arrayOffset()I
java/nio/IntBuffer compact()Ljava/nio/IntBuffer;
java/nio/IntBuffer isDirect()Z
java/nio/IntBuffer toString()Ljava/lang/String;
java/nio/IntBuffer hashCode()I
java/nio/IntBuffer equals(Ljava/lang/Object;)Z
java/nio/IntBuffer compareTo(Ljava/nio/IntBuffer;)I
java/nio/IntBuffer order()Ljava/nio/ByteOrder;
java/nio/IntBuffer compareTo(Ljava/lang/Object;)I
class java/lang/Void java/lang/Object
java/lang/Void TYPE
java/lang/Void <init>()V
java/lang/Void <clinit>()V
class java/nio/DirectByteBuffer$Deallocator java/lang/Object
java/nio/DirectByteBuffer$Deallocator unsafe
java/nio/DirectByteBuffer$Deallocator address
java/nio/DirectByteBuffer$Deallocator capacity
java/nio/DirectByteBuffer$Deallocator $assertionsDisabled
java/nio/DirectByteBuffer$Deallocator <init>(JI)V
java/nio/DirectByteBuffer$Deallocator
 run()V
java/nio/DirectByteBuffer$Deallocator <init>(JILjava/nio/DirectByteBuffer$1;)V
java/nio/DirectByteBuffer$Deallocator <clinit>()V
class java/nio/DirectByteBuffer java/nio/MappedByteBuffer
java/nio/DirectByteBuffer unsafe
java/nio/DirectByteBuffer unaligned
java/nio/DirectByteBuffer viewedBuffer
java/nio/DirectByteBuffer cleaner
java/nio/DirectByteBuffer $assertionsDisabled
java/nio/DirectByteBuffer viewedBuffer()Ljava/lang/Object;
java/nio/DirectByteBuffer cleaner()Lsun/misc/Cleaner;
java/nio/DirectByteBuffer <init>(I)V
java/nio/DirectByteBuffer <init>(JI)V
java/nio/DirectByteBuffer <init>(IJLjava/lang/Runnable;)V
java/nio/DirectByteBuffer <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectByteBuffer slice()Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer duplicate()Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer asReadOnlyBuffer()Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer address()J
java/nio/DirectByteBuffer ix()I
java/nio/DirectByteBuffer get()B
java/nio/DirectByteBuffer
 get(I)B
java/nio/DirectByteBuffer get([BII)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer put(B)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer put(IB)Ljava/nio/ByteBuffer;

```

java/nio/DirectByteBuffer put(Ljava/nio/ByteBuffer;)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer put([BII)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer compact()Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer isDirect()Z  
java/nio/DirectByteBuffer isReadOnly()Z  
java/nio/DirectByteBuffer \_get(I)B  
java/nio/DirectByteBuffer \_put(IB)V  
java/nio/DirectByteBuffer getChar(J)C  
java/nio/DirectByteBuffer getChar()C  
java/nio/DirectByteBuffer getChar(I)C  
java/nio/DirectByteBuffer putChar(JC)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer putChar(C)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer putChar(IC)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer asCharBuffer()Ljava/nio/CharBuffer;  
java/nio/DirectByteBuffer getShort(J)S  
java/nio/DirectByteBuffer getShort()S  
java/nio/DirectByteBuffer getShort(I)S  
java/nio/DirectByteBuffer  
    putShort(JS)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer putShort(S)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer putShort(IS)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer asShortBuffer()Ljava/nio/ShortBuffer;  
java/nio/DirectByteBuffer getInt(J)I  
java/nio/DirectByteBuffer getInt()I  
java/nio/DirectByteBuffer getInt(I)I  
java/nio/DirectByteBuffer putInt(JI)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer putInt(I)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer putInt(II)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer asIntBuffer()Ljava/nio/IntBuffer;  
java/nio/DirectByteBuffer getLong(J)J  
java/nio/DirectByteBuffer getLong()J  
java/nio/DirectByteBuffer getLong(I)J  
java/nio/DirectByteBuffer putLong(JJ)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer putLong(J)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer putLong(IJ)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer asLongBuffer()Ljava/nio/LongBuffer;  
java/nio/DirectByteBuffer getFloat(J)F  
java/nio/DirectByteBuffer getFloat()F  
java/nio/DirectByteBuffer  
    getFloat(I)F  
java/nio/DirectByteBuffer putFloat(JF)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer putFloat(F)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer putFloat(IF)Ljava/nio/ByteBuffer;  
java/nio/DirectByteBuffer asFloatBuffer()Ljava/nio/FloatBuffer;  
java/nio/DirectByteBuffer getDouble(J)D  
java/nio/DirectByteBuffer getDouble()D  
java/nio/DirectByteBuffer getDouble(I)D  
java/nio/DirectByteBuffer putDouble(JD)Ljava/nio/ByteBuffer;

```

java/nio/DirectByteBuffer putDouble(D)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer putDouble(ID)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer asDoubleBuffer()Ljava/nio/DoubleBuffer;
java/nio/DirectByteBuffer <clinit>()V
class java/nio/MappedByteBuffer java/nio/ByteBuffer
java/nio/MappedByteBuffer isAMappedBuffer
java/nio/MappedByteBuffer <init>(IIIZ)V
java/nio/MappedByteBuffer <init>(III)V
java/nio/MappedByteBuffer checkMapped()V
java/nio/MappedByteBuffer isLoading()Z
java/nio/MappedByteBuffer load()Ljava/nio/MappedByteBuffer;
java/nio/MappedByteBuffer
 force()Ljava/nio/MappedByteBuffer;
java/nio/MappedByteBuffer isLoading0(JJ)Z
java/nio/MappedByteBuffer load0(JJI)I
java/nio/MappedByteBuffer force0(JJ)V
class java/lang/Thread$State java/lang/Enum
java/lang/Thread$State NEW
java/lang/Thread$State RUNNABLE
java/lang/Thread$State BLOCKED
java/lang/Thread$State WAITING
java/lang/Thread$State TIMED_WAITING
java/lang/Thread$State TERMINATED
java/lang/Thread$State $VALUES
java/lang/Thread$State values()[Ljava/lang/Thread$State;
java/lang/Thread$State valueOf(Ljava/lang/String;)Ljava/lang/Thread$State;
java/lang/Thread$State <init>(Ljava/lang/String;)V
java/lang/Thread$State <clinit>()V
class java/lang/Enum java/lang/Object
java/lang/Enum name
java/lang/Enum ordinal
java/lang/Enum name()Ljava/lang/String;
java/lang/Enum ordinal()I
java/lang/Enum <init>(Ljava/lang/String;)V
java/lang/Enum toString()Ljava/lang/String;
java/lang/Enum equals(Ljava/lang/Object;)Z
java/lang/Enum hashCode()I
java/lang/Enum clone()Ljava/lang/Object;
java/lang/Enum
 compareTo(Ljava/lang/Enum;)I
java/lang/Enum getDeclaringClass()Ljava/lang/Class;
java/lang/Enum valueOf(Ljava/lang/Class;Ljava/lang/String;)Ljava/lang/Enum;
java/lang/Enum compareTo(Ljava/lang/Object;)I
class java/nio/channels/spi/AbstractInterruptibleChannel$1 java/lang/Object
java/nio/channels/spi/AbstractInterruptibleChannel$1 this$0
java/nio/channels/spi/AbstractInterruptibleChannel$1
 <init>(Ljava/nio/channels/spi/AbstractInterruptibleChannel;)V
java/nio/channels/spi/AbstractInterruptibleChannel$1 interrupt()V

```

```

class java/nio/channels/FileChannel java/nio/channels/spi/AbstractInterruptibleChannel
java/nio/channels/FileChannel <init>()V
java/nio/channels/FileChannel read(Ljava/nio/ByteBuffer;)I
java/nio/channels/FileChannel read([Ljava/nio/ByteBuffer;II)J
java/nio/channels/FileChannel read([Ljava/nio/ByteBuffer;)J
java/nio/channels/FileChannel write(Ljava/nio/ByteBuffer;)I
java/nio/channels/FileChannel write([Ljava/nio/ByteBuffer;II)J
java/nio/channels/FileChannel
 write([Ljava/nio/ByteBuffer;)J
java/nio/channels/FileChannel position()J
java/nio/channels/FileChannel position(J)Ljava/nio/channels/FileChannel;
java/nio/channels/FileChannel size()J
java/nio/channels/FileChannel truncate(J)Ljava/nio/channels/FileChannel;
java/nio/channels/FileChannel force(Z)V
java/nio/channels/FileChannel transferTo(JJLjava/nio/channels/WritableByteChannel;)J
java/nio/channels/FileChannel transferFrom(Ljava/nio/channels/ReadableByteChannel;JJ)J
java/nio/channels/FileChannel read(Ljava/nio/ByteBuffer;)I
java/nio/channels/FileChannel write(Ljava/nio/ByteBuffer;)J
java/nio/channels/FileChannel map(Ljava/nio/channels/FileChannel$MapMode;JJ)Ljava/nio/MappedByteBuffer;
java/nio/channels/FileChannel lock(JJZ)Ljava/nio/channels/FileLock;
java/nio/channels/FileChannel lock()Ljava/nio/channels/FileLock;
java/nio/channels/FileChannel tryLock(JJZ)Ljava/nio/channels/FileLock;
java/nio/channels/FileChannel tryLock()Ljava/nio/channels/FileLock;
class java/nio/channels/spi/AbstractInterruptibleChannel
 java/lang/Object
java/nio/channels/spi/AbstractInterruptibleChannel closeLock
java/nio/channels/spi/AbstractInterruptibleChannel open
java/nio/channels/spi/AbstractInterruptibleChannel interruptor
java/nio/channels/spi/AbstractInterruptibleChannel interrupted
java/nio/channels/spi/AbstractInterruptibleChannel <init>()V
java/nio/channels/spi/AbstractInterruptibleChannel close()V
java/nio/channels/spi/AbstractInterruptibleChannel implCloseChannel()V
java/nio/channels/spi/AbstractInterruptibleChannel isOpen()Z
java/nio/channels/spi/AbstractInterruptibleChannel begin()V
java/nio/channels/spi/AbstractInterruptibleChannel end(Z)V
java/nio/channels/spi/AbstractInterruptibleChannel blockedOn(Lsun/nio/ch/Interruptible;)V
java/nio/channels/spi/AbstractInterruptibleChannel
 access$000(Ljava/nio/channels/spi/AbstractInterruptibleChannel;)Ljava/lang/Object;
java/nio/channels/spi/AbstractInterruptibleChannel
 access$100(Ljava/nio/channels/spi/AbstractInterruptibleChannel;)Z
java/nio/channels/spi/AbstractInterruptibleChannel
 access$202(Ljava/nio/channels/spi/AbstractInterruptibleChannel;Z)Z
java/nio/channels/spi/AbstractInterruptibleChannel
 access$102(Ljava/nio/channels/spi/AbstractInterruptibleChannel;Z)Z
class java/nio/channels/InterruptibleChannel java/lang/Object
java/nio/channels/InterruptibleChannel close()V
class java/nio/channels/ScatteringByteChannel java/lang/Object
java/nio/channels/ScatteringByteChannel read([Ljava/nio/ByteBuffer;II)J

```

```

java/nio/channels/ScatteringByteChannel read([Ljava/nio/ByteBuffer;)J
class java/nio/channels/GatheringByteChannel java/lang/Object
java/nio/channels/GatheringByteChannel write([Ljava/nio/ByteBuffer;II)J
java/nio/channels/GatheringByteChannel write([Ljava/nio/ByteBuffer;)J
class java/nio/channels/ByteChannel java/lang/Object
class java/nio/channels/WritableByteChannel java/lang/Object
java/nio/channels/WritableByteChannel write(Ljava/nio/ByteBuffer;)I
class java/nio/channels/ReadableByteChannel java/lang/Object
java/nio/channels/ReadableByteChannel
 read(Ljava/nio/ByteBuffer;)I
class java/nio/channels/Channel java/lang/Object
java/nio/channels/Channel isOpen()Z
java/nio/channels/Channel close()V
class java/io/RandomAccessFile java/lang/Object
java/io/RandomAccessFile fd
java/io/RandomAccessFile channel
java/io/RandomAccessFile rw
java/io/RandomAccessFile O_RDONLY
java/io/RandomAccessFile O_RDWR
java/io/RandomAccessFile O_SYNC
java/io/RandomAccessFile O_DSYNC
java/io/RandomAccessFile <init>(Ljava/lang/String;Ljava/lang/String;)V
java/io/RandomAccessFile <init>(Ljava/io/File;Ljava/lang/String;)V
java/io/RandomAccessFile getFD()Ljava/io/FileDescriptor;
java/io/RandomAccessFile getChannel()Ljava/nio/channels/FileChannel;
java/io/RandomAccessFile open(Ljava/lang/String;I)V
java/io/RandomAccessFile read()I
java/io/RandomAccessFile readBytes([BII)I
java/io/RandomAccessFile read([BII)I
java/io/RandomAccessFile read([B)I
java/io/RandomAccessFile readFully([B)V
java/io/RandomAccessFile readFully([BII)V
java/io/RandomAccessFile
 skipBytes(I)I
java/io/RandomAccessFile write(I)V
java/io/RandomAccessFile writeBytes([BII)V
java/io/RandomAccessFile write([B)V
java/io/RandomAccessFile write([BII)V
java/io/RandomAccessFile getFilePointer()J
java/io/RandomAccessFile seek(J)V
java/io/RandomAccessFile length()J
java/io/RandomAccessFile setLength(J)V
java/io/RandomAccessFile close()V
java/io/RandomAccessFile readBoolean()Z
java/io/RandomAccessFile readByte()B
java/io/RandomAccessFile readUnsignedByte()I
java/io/RandomAccessFile readShort()S
java/io/RandomAccessFile readUnsignedShort()I

```

```

java/io/RandomAccessFile readChar()C
java/io/RandomAccessFile readInt()I
java/io/RandomAccessFile readLong()J
java/io/RandomAccessFile readFloat()F
java/io/RandomAccessFile readDouble()D
java/io/RandomAccessFile readLine()Ljava/lang/String;
java/io/RandomAccessFile readUTF()Ljava/lang/String;
java/io/RandomAccessFile writeBoolean(Z)V
java/io/RandomAccessFile writeByte(I)V
java/io/RandomAccessFile writeShort(I)V
java/io/RandomAccessFile
 writeChar(I)V
java/io/RandomAccessFile writeInt(I)V
java/io/RandomAccessFile writeLong(J)V
java/io/RandomAccessFile writeFloat(F)V
java/io/RandomAccessFile writeDouble(D)V
java/io/RandomAccessFile writeBytes(Ljava/lang/String;)V
java/io/RandomAccessFile writeChars(Ljava/lang/String;)V
java/io/RandomAccessFile writeUTF(Ljava/lang/String;)V
java/io/RandomAccessFile initIDs()V
java/io/RandomAccessFile close0()V
java/io/RandomAccessFile <clinit>()V
class java/io/DataOutput java/lang/Object
java/io/DataOutput write(I)V
java/io/DataOutput write([B)V
java/io/DataOutput write([BII)V
java/io/DataOutput writeBoolean(Z)V
java/io/DataOutput writeByte(I)V
java/io/DataOutput writeShort(I)V
java/io/DataOutput writeChar(I)V
java/io/DataOutput writeInt(I)V
java/io/DataOutput writeLong(J)V
java/io/DataOutput writeFloat(F)V
java/io/DataOutput writeDouble(D)V
java/io/DataOutput writeBytes(Ljava/lang/String;)V
java/io/DataOutput writeChars(Ljava/lang/String;)V
java/io/DataOutput
 writeUTF(Ljava/lang/String;)V
class java/text/AttributedString$AttributedStringIterator java/lang/Object
java/text/AttributedString$AttributedStringIterator beginIndex
java/text/AttributedString$AttributedStringIterator endIndex
java/text/AttributedString$AttributedStringIterator relevantAttributes
java/text/AttributedString$AttributedStringIterator currentIndex
java/text/AttributedString$AttributedStringIterator currentRunIndex
java/text/AttributedString$AttributedStringIterator currentRunStart
java/text/AttributedString$AttributedStringIterator currentRunLimit
java/text/AttributedString$AttributedStringIterator this$0
java/text/AttributedString$AttributedStringIterator

```



```

<init>(Ljava/text/AttributedString;[Ljava/text/AttributedCharacterIterator$Attribute;II)V
java/text/AttributedString$AttributedStringIterator equals(Ljava/lang/Object;)Z
java/text/AttributedString$AttributedStringIterator hashCode()I
java/text/AttributedString$AttributedStringIterator clone()Ljava/lang/Object;
java/text/AttributedString$AttributedStringIterator
 first()C
java/text/AttributedString$AttributedStringIterator last()C
java/text/AttributedString$AttributedStringIterator current()C
java/text/AttributedString$AttributedStringIterator next()C
java/text/AttributedString$AttributedStringIterator previous()C
java/text/AttributedString$AttributedStringIterator setIndex(I)C
java/text/AttributedString$AttributedStringIterator getBeginIndex()I
java/text/AttributedString$AttributedStringIterator getEndIndex()I
java/text/AttributedString$AttributedStringIterator getIndex()I
java/text/AttributedString$AttributedStringIterator getRunStart()I
java/text/AttributedString$AttributedStringIterator getRunStart(Ljava/text/AttributedCharacterIterator$Attribute;)I
java/text/AttributedString$AttributedStringIterator getRunStart(Ljava/util/Set;)I
java/text/AttributedString$AttributedStringIterator getRunLimit()I
java/text/AttributedString$AttributedStringIterator getRunLimit(Ljava/text/AttributedCharacterIterator$Attribute;)I
java/text/AttributedString$AttributedStringIterator
 getRunLimit(Ljava/util/Set;)I
java/text/AttributedString$AttributedStringIterator getAttributes()Ljava/util/Map;
java/text/AttributedString$AttributedStringIterator getAllAttributeKeys()Ljava/util/Set;
java/text/AttributedString$AttributedStringIterator
 getAttribute(Ljava/text/AttributedCharacterIterator$Attribute;)Ljava/lang/Object;
java/text/AttributedString$AttributedStringIterator getString()Ljava/text/AttributedString;
java/text/AttributedString$AttributedStringIterator internalSetIndex(I)C
java/text/AttributedString$AttributedStringIterator updateRunInfo()V
class java/text/AttributedCharacterIterator java/lang/Object
java/text/AttributedCharacterIterator getRunStart()I
java/text/AttributedCharacterIterator getRunStart(Ljava/text/AttributedCharacterIterator$Attribute;)I
java/text/AttributedCharacterIterator getRunStart(Ljava/util/Set;)I
java/text/AttributedCharacterIterator getRunLimit()I
java/text/AttributedCharacterIterator
 getRunLimit(Ljava/text/AttributedCharacterIterator$Attribute;)I
java/text/AttributedCharacterIterator getRunLimit(Ljava/util/Set;)I
java/text/AttributedCharacterIterator getAttributes()Ljava/util/Map;
java/text/AttributedCharacterIterator
 getAttribute(Ljava/text/AttributedCharacterIterator$Attribute;)Ljava/lang/Object;
java/text/AttributedCharacterIterator getAllAttributeKeys()Ljava/util/Set;
class java/text/CharacterIterator java/lang/Object
java/text/CharacterIterator DONE
java/text/CharacterIterator first()C
java/text/CharacterIterator last()C
java/text/CharacterIterator current()C
java/text/CharacterIterator next()C
java/text/CharacterIterator previous()C
java/text/CharacterIterator setIndex(I)C

```

```

java/text/CharacterIterator getBeginIndex()I
java/text/CharacterIterator getEndIndex()I
java/text/CharacterIterator getIndex()I
java/text/CharacterIterator clone()Ljava/lang/Object;
class java/text/AttributedString java/lang/Object
java/text/AttributedString ARRAY_SIZE_INCREMENT
java/text/AttributedString
 text
java/text/AttributedString runArraySize
java/text/AttributedString runCount
java/text/AttributedString runStarts
java/text/AttributedString runAttributes
java/text/AttributedString runAttributeValues
java/text/AttributedString <init>(Ljava/text/AttributedCharacterIterator;)V
java/text/AttributedString <init>(Ljava/lang/String;)V
java/text/AttributedString <init>(Ljava/lang/String;Ljava/util/Map;)V
java/text/AttributedString <init>(Ljava/text/AttributedCharacterIterator;)V
java/text/AttributedString <init>(Ljava/text/AttributedCharacterIterator;II)V
java/text/AttributedString
 <init>(Ljava/text/AttributedCharacterIterator;II[Ljava/text/AttributedCharacterIterator$Attribute;)V
java/text/AttributedString addAttribute(Ljava/text/AttributedCharacterIterator$Attribute;Ljava/lang/Object;)V
java/text/AttributedString addAttribute(Ljava/text/AttributedCharacterIterator$Attribute;Ljava/lang/Object;II)V
java/text/AttributedString addAttributes(Ljava/util/Map;II)V
java/text/AttributedString
 addAttributeImpl(Ljava/text/AttributedCharacterIterator$Attribute;Ljava/lang/Object;II)V
java/text/AttributedString createRunAttributeDataVectors()V
java/text/AttributedString ensureRunBreak(I)I
java/text/AttributedString ensureRunBreak(IZ)I
java/text/AttributedString
 addAttributeRunData(Ljava/text/AttributedCharacterIterator$Attribute;Ljava/lang/Object;II)V
java/text/AttributedString getIterator()Ljava/text/AttributedCharacterIterator;
java/text/AttributedString
 getIterator([Ljava/text/AttributedCharacterIterator$Attribute;)Ljava/text/AttributedCharacterIterator;
java/text/AttributedString
 getIterator([Ljava/text/AttributedCharacterIterator$Attribute;II)Ljava/text/AttributedCharacterIterator;
java/text/AttributedString length()I
java/text/AttributedString charAt(I)C
java/text/AttributedString getAttribute(Ljava/text/AttributedCharacterIterator$Attribute;I)Ljava/lang/Object;
java/text/AttributedString
 getAttributeCheckRange(Ljava/text/AttributedCharacterIterator$Attribute;III)Ljava/lang/Object;
java/text/AttributedString
 attributeValuesMatch(Ljava/util/Set;II)Z
java/text/AttributedString valuesMatch(Ljava/lang/Object;Ljava/lang/Object;)Z
java/text/AttributedString appendContents(Ljava/lang/StringBuffer;Ljava/text/CharacterIterator;)V
java/text/AttributedString setAttributes(Ljava/util/Map;I)V
java/text/AttributedString mapsDiffer(Ljava/util/Map;Ljava/util/Map;)Z
java/text/AttributedString access$000(Ljava/text/AttributedString;I)C
java/text/AttributedString

```

```

access$100(Ljava/text/AttributedString;Ljava/text/AttributedCharacterIterator$Attribute;I)Ljava/lang/Object;
java/text/AttributedString access$200(Ljava/lang/Object;Ljava/lang/Object;)Z
java/text/AttributedString access$300(Ljava/text/AttributedString;Ljava/util/Set;II)Z
java/text/AttributedString
access$400(Ljava/text/AttributedString;Ljava/text/AttributedCharacterIterator$Attribute;III)Ljava/lang/Object;
class java/util/Collections$UnmodifiableMap java/lang/Object
java/util/Collections$UnmodifiableMap
 serialVersionUID
java/util/Collections$UnmodifiableMap m
java/util/Collections$UnmodifiableMap keySet
java/util/Collections$UnmodifiableMap entrySet
java/util/Collections$UnmodifiableMap values
java/util/Collections$UnmodifiableMap <init>(Ljava/util/Map;)V
java/util/Collections$UnmodifiableMap size()I
java/util/Collections$UnmodifiableMap isEmpty()Z
java/util/Collections$UnmodifiableMap containsKey(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableMap containsValue(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$UnmodifiableMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$UnmodifiableMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$UnmodifiableMap putAll(Ljava/util/Map;)V
java/util/Collections$UnmodifiableMap clear()V
java/util/Collections$UnmodifiableMap keySet()Ljava/util/Set;
java/util/Collections$UnmodifiableMap entrySet()Ljava/util/Set;
java/util/Collections$UnmodifiableMap
 values()Ljava/util/Collection;
java/util/Collections$UnmodifiableMap equals(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableMap hashCode()I
java/util/Collections$UnmodifiableMap toString()Ljava/lang/String;
class java/awt/font/TextAttribute java/text/AttributedCharacterIterator$Attribute
java/awt/font/TextAttribute instanceMap
java/awt/font/TextAttribute serialVersionUID
java/awt/font/TextAttribute FAMILY
java/awt/font/TextAttribute WEIGHT
java/awt/font/TextAttribute WEIGHT_EXTRA_LIGHT
java/awt/font/TextAttribute WEIGHT_LIGHT
java/awt/font/TextAttribute WEIGHT_DEMILIGHT
java/awt/font/TextAttribute WEIGHT_REGULAR
java/awt/font/TextAttribute WEIGHT_SEMIBOLD
java/awt/font/TextAttribute WEIGHT_MEDIUM
java/awt/font/TextAttribute WEIGHT_DEMIBOLD
java/awt/font/TextAttribute WEIGHT_BOLD
java/awt/font/TextAttribute WEIGHT_HEAVY
java/awt/font/TextAttribute WEIGHT_EXTRABOLD
java/awt/font/TextAttribute WEIGHT_ULTRABOLD
java/awt/font/TextAttribute
 WIDTH
java/awt/font/TextAttribute WIDTH_CONDENSED

```

```

java/awt/font/TextAttribute WIDTH_SEMI_CONDENSED
java/awt/font/TextAttribute WIDTH_REGULAR
java/awt/font/TextAttribute WIDTH_SEMI_EXTENDED
java/awt/font/TextAttribute WIDTH_EXTENDED
java/awt/font/TextAttribute POSTURE
java/awt/font/TextAttribute POSTURE_REGULAR
java/awt/font/TextAttribute POSTURE_OBLIQUE
java/awt/font/TextAttribute SIZE
java/awt/font/TextAttribute TRANSFORM
java/awt/font/TextAttribute SUPERSCRIPT
java/awt/font/TextAttribute SUPERSCRIPT_SUPER
java/awt/font/TextAttribute SUPERSCRIPT_SUB
java/awt/font/TextAttribute FONT
java/awt/font/TextAttribute CHAR_REPLACEMENT
java/awt/font/TextAttribute FOREGROUND
java/awt/font/TextAttribute BACKGROUND
java/awt/font/TextAttribute UNDERLINE
java/awt/font/TextAttribute UNDERLINE_ON
java/awt/font/TextAttribute STRIKETHROUGH
java/awt/font/TextAttribute STRIKETHROUGH_ON
java/awt/font/TextAttribute RUN_DIRECTION
java/awt/font/TextAttribute RUN_DIRECTION_LTR
java/awt/font/TextAttribute
 RUN_DIRECTION_RTL
java/awt/font/TextAttribute BIDI_EMBEDDING
java/awt/font/TextAttribute JUSTIFICATION
java/awt/font/TextAttribute JUSTIFICATION_FULL
java/awt/font/TextAttribute JUSTIFICATION_NONE
java/awt/font/TextAttribute INPUT_METHOD_HIGHLIGHT
java/awt/font/TextAttribute INPUT_METHOD_UNDERLINE
java/awt/font/TextAttribute UNDERLINE_LOW_ONE_PIXEL
java/awt/font/TextAttribute UNDERLINE_LOW_TWO_PIXEL
java/awt/font/TextAttribute UNDERLINE_LOW_DOTTED
java/awt/font/TextAttribute UNDERLINE_LOW_GRAY
java/awt/font/TextAttribute UNDERLINE_LOW_DASHED
java/awt/font/TextAttribute SWAP_COLORS
java/awt/font/TextAttribute SWAP_COLORS_ON
java/awt/font/TextAttribute NUMERIC_SHAPING
java/awt/font/TextAttribute <init>(Ljava/lang/String;)V
java/awt/font/TextAttribute readResolve()Ljava/lang/Object;
java/awt/font/TextAttribute <clinit>()V
class java/text/AttributedCharacterIterator$Attribute java/lang/Object
java/text/AttributedCharacterIterator$Attribute name
java/text/AttributedCharacterIterator$Attribute
 instanceMap
java/text/AttributedCharacterIterator$Attribute LANGUAGE
java/text/AttributedCharacterIterator$Attribute READING
java/text/AttributedCharacterIterator$Attribute INPUT_METHOD_SEGMENT

```

```

java/text/AttributedCharacterIterator$Attribute serialVersionUID
java/text/AttributedCharacterIterator$Attribute <init>(Ljava/lang/String;)V
java/text/AttributedCharacterIterator$Attribute equals(Ljava/lang/Object;)Z
java/text/AttributedCharacterIterator$Attribute hashCode()I
java/text/AttributedCharacterIterator$Attribute toString()Ljava/lang/String;
java/text/AttributedCharacterIterator$Attribute getName()Ljava/lang/String;
java/text/AttributedCharacterIterator$Attribute readResolve()Ljava/lang/Object;
java/text/AttributedCharacterIterator$Attribute <clinit>()V
class java/awt/im/spi/InputMethod java/lang/Object
java/awt/im/spi/InputMethod setInputMethodContext(Ljava/awt/im/spi/InputMethodContext;)V
java/awt/im/spi/InputMethod setLocale(Ljava/util/Locale;)Z
java/awt/im/spi/InputMethod getLocale()Ljava/util/Locale;
java/awt/im/spi/InputMethod
 setCharacterSubsets([Ljava/lang/Character$Subset;)V
java/awt/im/spi/InputMethod setCompositionEnabled(Z)V
java/awt/im/spi/InputMethod isCompositionEnabled()Z
java/awt/im/spi/InputMethod reconvert()V
java/awt/im/spi/InputMethod dispatchEvent(Ljava/awt/AWTEvent;)V
java/awt/im/spi/InputMethod notifyClientWindowChange(Ljava/awt/Rectangle;)V
java/awt/im/spi/InputMethod activate()V
java/awt/im/spi/InputMethod deactivate(Z)V
java/awt/im/spi/InputMethod hideWindows()V
java/awt/im/spi/InputMethod removeNotify()V
java/awt/im/spi/InputMethod endComposition()V
java/awt/im/spi/InputMethod dispose()V
java/awt/im/spi/InputMethod getControlObject()Ljava/lang/Object;
class java/awt/event/WindowListener java/lang/Object
java/awt/event/WindowListener windowOpened(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowListener windowClosing(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowListener windowClosed(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowListener
 windowIconified(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowListener windowDeiconified(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowListener windowActivated(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowListener windowDeactivated(Ljava/awt/event/WindowEvent;)V
class java/awt/im/spi/InputMethodContext java/lang/Object
java/awt/im/spi/InputMethodContext
 dispatchInputMethodEvent(ILjava/text/AttributedCharacterIterator;ILjava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;)V
java/awt/im/spi/InputMethodContext createInputMethodWindow(Ljava/lang/String;Z)Ljava/awt/Window;
java/awt/im/spi/InputMethodContext createInputMethodJFrame(Ljava/lang/String;Z)Ljavax/swing/JFrame;
java/awt/im/spi/InputMethodContext enableClientWindowNotification(Ljava/awt/im/spi/InputMethod;Z)V
class java/awt/im/InputMethodRequests java/lang/Object
java/awt/im/InputMethodRequests getTextLocation(Ljava/awt/font/TextHitInfo;)Ljava/awt/Rectangle;
java/awt/im/InputMethodRequests getLocationOffset(II)Ljava/awt/font/TextHitInfo;
java/awt/im/InputMethodRequests
 getInsertPositionOffset()I
java/awt/im/InputMethodRequests

```

```

getCommittedText([Ljava/text/AttributedCharacterIterator$Attribute;)Ljava/text/AttributedCharacterIterator;
java/awt/im/InputMethodRequests getCommittedTextLength()I
java/awt/im/InputMethodRequests
cancelLatestCommittedText([Ljava/text/AttributedCharacterIterator$Attribute;)Ljava/text/AttributedCharacterIterat
or;
java/awt/im/InputMethodRequests
getSelectedText([Ljava/text/AttributedCharacterIterator$Attribute;)Ljava/text/AttributedCharacterIterator;
class java/awt/im/InputContext java/lang/Object
java/awt/im/InputContext <init>()V
java/awt/im/InputContext getInstance()Ljava/awt/im/InputContext;
java/awt/im/InputContext selectInputMethod(Ljava/util/Locale;)Z
java/awt/im/InputContext getLocale()Ljava/util/Locale;
java/awt/im/InputContext setCharacterSubsets([Ljava/lang/Character$Subset;)V
java/awt/im/InputContext setCompositionEnabled(Z)V
java/awt/im/InputContext
isCompositionEnabled()Z
java/awt/im/InputContext reconvert()V
java/awt/im/InputContext dispatchEvent(Ljava/awt/AWTEvent;)V
java/awt/im/InputContext removeNotify(Ljava/awt/Component;)V
java/awt/im/InputContext endComposition()V
java/awt/im/InputContext dispose()V
java/awt/im/InputContext getInputMethodControlObject()Ljava/lang/Object;
class java/awt/event/ActionListener java/lang/Object
java/awt/event/ActionListener actionPerformed(Ljava/awt/event/ActionEvent;)V
class java/awt/ItemSelectable java/lang/Object
java/awt/ItemSelectable getSelectedObjects()[Ljava/lang/Object;
java/awt/ItemSelectable addItemListener(Ljava/awt/event/ItemListener;)V
java/awt/ItemSelectable removeItemListener(Ljava/awt/event/ItemListener;)V
class java/util/AbstractList$ListItr java/util/AbstractList$Itr
java/util/AbstractList$ListItr this$0
java/util/AbstractList$ListItr <init>(Ljava/util/AbstractList;I)V
java/util/AbstractList$ListItr hasPrevious()Z
java/util/AbstractList$ListItr previous()Ljava/lang/Object;
java/util/AbstractList$ListItr
nextIndex()I
java/util/AbstractList$ListItr previousIndex()I
java/util/AbstractList$ListItr set(Ljava/lang/Object;)V
java/util/AbstractList$ListItr add(Ljava/lang/Object;)V
class java/util/AbstractList$Itr java/lang/Object
java/util/AbstractList$Itr cursor
java/util/AbstractList$Itr lastRet
java/util/AbstractList$Itr expectedModCount
java/util/AbstractList$Itr this$0
java/util/AbstractList$Itr <init>(Ljava/util/AbstractList;)V
java/util/AbstractList$Itr hasNext()Z
java/util/AbstractList$Itr next()Ljava/lang/Object;
java/util/AbstractList$Itr remove()V
java/util/AbstractList$Itr checkForComodification()V

```

```

java/util/AbstractList$Itr <init>(Ljava/util/AbstractList;Ljava/util/AbstractList$1;)V
class java/awt/VKCollection java/lang/Object
java/awt/VKCollection code2name
java/awt/VKCollection name2code
java/awt/VKCollection $assertionsDisabled
java/awt/VKCollection <init>()V
java/awt/VKCollection put(Ljava/lang/String;Ljava/lang/Integer;)V
java/awt/VKCollection
 findCode(Ljava/lang/String;)Ljava/lang/Integer;
java/awt/VKCollection findName(Ljava/lang/Integer;)Ljava/lang/String;
java/awt/VKCollection <clinit>()V
class java/beans/PropertyChangeListenerProxy java/util/EventListenerProxy
java/beans/PropertyChangeListenerProxy propertyName
java/beans/PropertyChangeListenerProxy <init>(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyChangeListenerProxy propertyChange(Ljava/beans/PropertyChangeEvent;)V
java/beans/PropertyChangeListenerProxy getPropertyName()Ljava/lang/String;
class java/util/EventListenerProxy java/lang/Object
java/util/EventListenerProxy listener
java/util/EventListenerProxy <init>(Ljava/util/EventListener;)V
java/util/EventListenerProxy getListener()Ljava/util/EventListener;
class java/util/ResourceBundleEnumeration java/lang/Object
java/util/ResourceBundleEnumeration set
java/util/ResourceBundleEnumeration iterator
java/util/ResourceBundleEnumeration enumeration
java/util/ResourceBundleEnumeration
 next
java/util/ResourceBundleEnumeration <init>(Ljava/util/Set;Ljava/util/Enumeration;)V
java/util/ResourceBundleEnumeration hasMoreElements()Z
java/util/ResourceBundleEnumeration nextElement()Ljava/lang/String;
java/util/ResourceBundleEnumeration nextElement()Ljava/lang/Object;
class java/util/Arrays$ArrayList java/util/AbstractList
java/util/Arrays$ArrayList serialVersionUID
java/util/Arrays$ArrayList a
java/util/Arrays$ArrayList <init>([Ljava/lang/Object;)V
java/util/Arrays$ArrayList size()I
java/util/Arrays$ArrayList toArray()[Ljava/lang/Object;
java/util/Arrays$ArrayList get(I)Ljava/lang/Object;
java/util/Arrays$ArrayList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/Arrays$ArrayList indexOf(Ljava/lang/Object;)I
java/util/Arrays$ArrayList contains(Ljava/lang/Object;)Z
class java/awt/FlowLayout java/lang/Object
java/awt/FlowLayout LEFT
java/awt/FlowLayout CENTER
java/awt/FlowLayout RIGHT
java/awt/FlowLayout LEADING
java/awt/FlowLayout TRAILING
java/awt/FlowLayout align
java/awt/FlowLayout

```

```

newAlign
java/awt/FlowLayout hgap
java/awt/FlowLayout vgap
java/awt/FlowLayout serialVersionUID
java/awt/FlowLayout currentSerialVersion
java/awt/FlowLayout serialVersionUIDOnStream
java/awt/FlowLayout <init>()V
java/awt/FlowLayout <init>(I)V
java/awt/FlowLayout <init>(III)V
java/awt/FlowLayout getAlignment()I
java/awt/FlowLayout setAlignment(I)V
java/awt/FlowLayout getHgap()I
java/awt/FlowLayout setHgap(I)V
java/awt/FlowLayout getVgap()I
java/awt/FlowLayout setVgap(I)V
java/awt/FlowLayout addLayoutComponent(Ljava/lang/String;Ljava/awt/Component;)V
java/awt/FlowLayout removeLayoutComponent(Ljava/awt/Component;)V
java/awt/FlowLayout preferredLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/FlowLayout minimumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/FlowLayout moveComponents(Ljava/awt/Container;IIIIIZ)V
java/awt/FlowLayout layoutContainer(Ljava/awt/Container;)V
java/awt/FlowLayout readObject(Ljava/io/ObjectInputStream;)V
java/awt/FlowLayout
 toString()Ljava/lang/String;
class java/awt/GraphicsCallback$PaintCallback java/awt/GraphicsCallback
java/awt/GraphicsCallback$PaintCallback instance
java/awt/GraphicsCallback$PaintCallback <init>()V
java/awt/GraphicsCallback$PaintCallback run(Ljava/awt/Component;Ljava/awt/Graphics;)V
java/awt/GraphicsCallback$PaintCallback getInstance()Ljava/awt/GraphicsCallback$PaintCallback;
java/awt/GraphicsCallback$PaintCallback <clinit>()V
class java/awt/GraphicsCallback sun/awt/SunGraphicsCallback
java/awt/GraphicsCallback <init>()V
class java/awt/Event java/lang/Object
java/awt/Event data
java/awt/Event SHIFT_MASK
java/awt/Event CTRL_MASK
java/awt/Event META_MASK
java/awt/Event ALT_MASK
java/awt/Event HOME
java/awt/Event END
java/awt/Event PGUP
java/awt/Event PGDN
java/awt/Event UP
java/awt/Event DOWN
java/awt/Event LEFT
java/awt/Event RIGHT
java/awt/Event F1
java/awt/Event F2

```



java/awt/Event F3  
java/awt/Event F4  
java/awt/Event F5  
java/awt/Event F6  
java/awt/Event F7  
java/awt/Event F8  
java/awt/Event  
F9  
java/awt/Event F10  
java/awt/Event F11  
java/awt/Event F12  
java/awt/Event PRINT\_SCREEN  
java/awt/Event SCROLL\_LOCK  
java/awt/Event CAPS\_LOCK  
java/awt/Event NUM\_LOCK  
java/awt/Event PAUSE  
java/awt/Event INSERT  
java/awt/Event ENTER  
java/awt/Event BACK\_SPACE  
java/awt/Event TAB  
java/awt/Event ESCAPE  
java/awt/Event DELETE  
java/awt/Event WINDOW\_EVENT  
java/awt/Event WINDOW\_DESTROY  
java/awt/Event WINDOW\_EXPOSE  
java/awt/Event WINDOW\_ICONIFY  
java/awt/Event WINDOW\_DEICONIFY  
java/awt/Event WINDOW\_MOVED  
java/awt/Event KEY\_EVENT  
java/awt/Event KEY\_PRESS  
java/awt/Event KEY\_RELEASE  
java/awt/Event KEY\_ACTION  
java/awt/Event KEY\_ACTION\_RELEASE  
java/awt/Event MOUSE\_EVENT  
java/awt/Event MOUSE\_DOWN  
java/awt/Event MOUSE\_UP  
java/awt/Event MOUSE\_MOVE  
java/awt/Event MOUSE\_ENTER  
java/awt/Event MOUSE\_EXIT  
java/awt/Event MOUSE\_DRAG  
java/awt/Event SCROLL\_EVENT  
java/awt/Event SCROLL\_LINE\_UP  
java/awt/Event SCROLL\_LINE\_DOWN  
java/awt/Event SCROLL\_PAGE\_UP  
java/awt/Event SCROLL\_PAGE\_DOWN  
java/awt/Event SCROLL\_ABSOLUTE  
java/awt/Event

```

SCROLL_BEGIN
java/awt/Event SCROLL_END
java/awt/Event LIST_EVENT
java/awt/Event LIST_SELECT
java/awt/Event LIST_DESELECT
java/awt/Event MISC_EVENT
java/awt/Event ACTION_EVENT
java/awt/Event LOAD_FILE
java/awt/Event SAVE_FILE
java/awt/Event GOT_FOCUS
java/awt/Event LOST_FOCUS
java/awt/Event target
java/awt/Event when
java/awt/Event id
java/awt/Event x
java/awt/Event y
java/awt/Event key
java/awt/Event modifiers
java/awt/Event clickCount
java/awt/Event arg
java/awt/Event evt
java/awt/Event actionKeyCodes
java/awt/Event consumed
java/awt/Event serialVersionUID
java/awt/Event initIDs()V
java/awt/Event <init>(Ljava/lang/Object;JIIIIILjava/lang/Object;)V
java/awt/Event <init>(Ljava/lang/Object;JIIII)V
java/awt/Event <init>(Ljava/lang/Object;ILjava/lang/Object;)V
java/awt/Event translate(II)V
java/awt/Event shiftDown()Z
java/awt/Event controlDown()Z
java/awt/Event metaDown()Z
java/awt/Event consume()V
java/awt/Event isConsumed()Z
java/awt/Event getOldEventKey(Ljava/awt/event/KeyEvent;)I
java/awt/Event
 getKeyEventChar()C
java/awt/Event paramString()Ljava/lang/String;
java/awt/Event toString()Ljava/lang/String;
java/awt/Event <clinit>()V
class java/awt/KeyboardFocusManager$LightweightFocusRequest java/lang/Object
java/awt/KeyboardFocusManager$LightweightFocusRequest component
java/awt/KeyboardFocusManager$LightweightFocusRequest temporary
java/awt/KeyboardFocusManager$LightweightFocusRequest <init>(Ljava/awt/Component;Z)V
java/awt/KeyboardFocusManager$LightweightFocusRequest toString()Ljava/lang/String;
class java/awt/DefaultKeyboardFocusManager$TypeAheadMarker java/lang/Object
java/awt/DefaultKeyboardFocusManager$TypeAheadMarker after
java/awt/DefaultKeyboardFocusManager$TypeAheadMarker untilFocused

```

```

java/awt/DefaultKeyboardFocusManager$TypeAheadMarker <init>(Ljava/awt/Component;)V
java/awt/DefaultKeyboardFocusManager$TypeAheadMarker toString()Ljava/lang/String;
class java/util/LinkedList$ListItr java/lang/Object
java/util/LinkedList$ListItr lastReturned
java/util/LinkedList$ListItr
 next
java/util/LinkedList$ListItr nextIndex
java/util/LinkedList$ListItr expectedModCount
java/util/LinkedList$ListItr this$0
java/util/LinkedList$ListItr <init>(Ljava/util/LinkedList;I)V
java/util/LinkedList$ListItr hasNext()Z
java/util/LinkedList$ListItr next()Ljava/lang/Object;
java/util/LinkedList$ListItr hasPrevious()Z
java/util/LinkedList$ListItr previous()Ljava/lang/Object;
java/util/LinkedList$ListItr nextIndex()I
java/util/LinkedList$ListItr previousIndex()I
java/util/LinkedList$ListItr remove()V
java/util/LinkedList$ListItr set(Ljava/lang/Object;)V
java/util/LinkedList$ListItr add(Ljava/lang/Object;)V
java/util/LinkedList$ListItr checkForComodification()V
class java/util/ListIterator java/lang/Object
java/util/ListIterator hasNext()Z
java/util/ListIterator next()Ljava/lang/Object;
java/util/ListIterator hasPrevious()Z
java/util/ListIterator previous()Ljava/lang/Object;
java/util/ListIterator nextIndex()I
java/util/ListIterator previousIndex()I
java/util/ListIterator
 remove()V
java/util/ListIterator set(Ljava/lang/Object;)V
java/util/ListIterator add(Ljava/lang/Object;)V
class java/awt/KeyboardFocusManager$HeavyweightFocusRequest java/lang/Object
java/awt/KeyboardFocusManager$HeavyweightFocusRequest heavyweight
java/awt/KeyboardFocusManager$HeavyweightFocusRequest lightweightRequests
java/awt/KeyboardFocusManager$HeavyweightFocusRequest CLEAR_GLOBAL_FOCUS_OWNER
java/awt/KeyboardFocusManager$HeavyweightFocusRequest <init>()V
java/awt/KeyboardFocusManager$HeavyweightFocusRequest
 <init>(Ljava/awt/Component;Ljava/awt/Component;Z)V
java/awt/KeyboardFocusManager$HeavyweightFocusRequest addLightweightRequest(Ljava/awt/Component;Z)Z
java/awt/KeyboardFocusManager$HeavyweightFocusRequest
 getFirstLightweightRequest()Ljava/awt/KeyboardFocusManager$LightweightFocusRequest;
java/awt/KeyboardFocusManager$HeavyweightFocusRequest toString()Ljava/lang/String;
java/awt/KeyboardFocusManager$HeavyweightFocusRequest <clinit>()V
class java/awt/event/FocusEvent
 java/awt/event/ComponentEvent
java/awt/event/FocusEvent FOCUS_FIRST
java/awt/event/FocusEvent FOCUS_LAST
java/awt/event/FocusEvent FOCUS_GAINED

```

```

java/awt/event/FocusEvent FOCUS_LOST
java/awt/event/FocusEvent temporary
java/awt/event/FocusEvent opposite
java/awt/event/FocusEvent serialVersionUID
java/awt/event/FocusEvent <init>(Ljava/awt/Component;IZLjava/awt/Component;)V
java/awt/event/FocusEvent <init>(Ljava/awt/Component;IZ)V
java/awt/event/FocusEvent <init>(Ljava/awt/Component;I)V
java/awt/event/FocusEvent isTemporary()Z
java/awt/event/FocusEvent getOppositeComponent()Ljava/awt/Component;
java/awt/event/FocusEvent paramString()Ljava/lang/String;
class java/awt/DefaultKeyboardFocusManager$DefaultKeyboardFocusManagerSentEvent java/awt/SentEvent
java/awt/DefaultKeyboardFocusManager$DefaultKeyboardFocusManagerSentEvent
<init>(Ljava/awt/AWTEvent;Lsun/awt/AppContext;)V
java/awt/DefaultKeyboardFocusManager$DefaultKeyboardFocusManagerSentEvent dispatch()V
class java/awt/SentEvent java/awt/AWTEvent
java/awt/SentEvent
ID
java/awt/SentEvent dispatched
java/awt/SentEvent nested
java/awt/SentEvent toNotify
java/awt/SentEvent <init>()V
java/awt/SentEvent <init>(Ljava/awt/AWTEvent;)V
java/awt/SentEvent <init>(Ljava/awt/AWTEvent;Lsun/awt/AppContext;)V
java/awt/SentEvent dispatch()V
java/awt/SentEvent dispose()V
class java/awt/event/MouseEvent java/awt/event/InputEvent
java/awt/event/MouseEvent MOUSE_FIRST
java/awt/event/MouseEvent MOUSE_LAST
java/awt/event/MouseEvent MOUSE_CLICKED
java/awt/event/MouseEvent MOUSE_PRESSED
java/awt/event/MouseEvent MOUSE_RELEASED
java/awt/event/MouseEvent MOUSE_MOVED
java/awt/event/MouseEvent MOUSE_ENTERED
java/awt/event/MouseEvent MOUSE_EXITED
java/awt/event/MouseEvent MOUSE_DRAGGED
java/awt/event/MouseEvent MOUSE_WHEEL
java/awt/event/MouseEvent NOBUTTON
java/awt/event/MouseEvent BUTTON1
java/awt/event/MouseEvent BUTTON2
java/awt/event/MouseEvent BUTTON3
java/awt/event/MouseEvent x
java/awt/event/MouseEvent y
java/awt/event/MouseEvent clickCount
java/awt/event/MouseEvent
button
java/awt/event/MouseEvent popupTrigger
java/awt/event/MouseEvent serialVersionUID
java/awt/event/MouseEvent initIDs()V

```

```

java/awt/event/MouseEvent <init>(Ljava/awt/Component;IJJJJZI)V
java/awt/event/MouseEvent <init>(Ljava/awt/Component;IJJJJIZ)V
java/awt/event/MouseEvent getX()I
java/awt/event/MouseEvent getY()I
java/awt/event/MouseEvent getPoint()Ljava/awt/Point;
java/awt/event/MouseEvent translatePoint(II)V
java/awt/event/MouseEvent getClickCount()I
java/awt/event/MouseEvent getButton()I
java/awt/event/MouseEvent isPopupTrigger()Z
java/awt/event/MouseEvent getMouseModifiersText(I)Ljava/lang/String;
java/awt/event/MouseEvent paramString()Ljava/lang/String;
java/awt/event/MouseEvent setNewModifiers()V
java/awt/event/MouseEvent setOldModifiers()V
java/awt/event/MouseEvent readObject(Ljava/io/ObjectInputStream;)V
java/awt/event/MouseEvent <clinit>()V
class java/awt/event/PaintEvent java/awt/event/ComponentEvent
java/awt/event/PaintEvent PAINT_FIRST
java/awt/event/PaintEvent
 PAINT_LAST
java/awt/event/PaintEvent PAINT
java/awt/event/PaintEvent UPDATE
java/awt/event/PaintEvent updateRect
java/awt/event/PaintEvent serialVersionUID
java/awt/event/PaintEvent <init>(Ljava/awt/Component;ILjava/awt/Rectangle;)V
java/awt/event/PaintEvent getUpdateRect()Ljava/awt/Rectangle;
java/awt/event/PaintEvent setUpdateRect(Ljava/awt/Rectangle;)V
java/awt/event/PaintEvent paramString()Ljava/lang/String;
class java/lang/reflect/InvocationTargetException java/lang/Exception
java/lang/reflect/InvocationTargetException serialVersionUID
java/lang/reflect/InvocationTargetException target
java/lang/reflect/InvocationTargetException <init>()V
java/lang/reflect/InvocationTargetException <init>(Ljava/lang/Throwable;)V
java/lang/reflect/InvocationTargetException <init>(Ljava/lang/Throwable;Ljava/lang/String;)V
java/lang/reflect/InvocationTargetException getTargetException()Ljava/lang/Throwable;
java/lang/reflect/InvocationTargetException getCause()Ljava/lang/Throwable;
class
 java/util/EmptyStackException java/lang/RuntimeException
java/util/EmptyStackException <init>()V
class java/awt/SequencedEvent java/awt/AWTEvent
java/awt/SequencedEvent ID
java/awt/SequencedEvent list
java/awt/SequencedEvent nested
java/awt/SequencedEvent appContext
java/awt/SequencedEvent disposed
java/awt/SequencedEvent <init>(Ljava/awt/AWTEvent;)V
java/awt/SequencedEvent dispatch()V
java/awt/SequencedEvent isOwnerAppContextDisposed(Ljava/awt/SequencedEvent;)Z
java/awt/SequencedEvent isFirstOrDisposed()Z

```

```

java/awt/SequencedEvent getFirst()Ljava/awt/SequencedEvent;
java/awt/SequencedEvent getFirstWithContext()Ljava/awt/SequencedEvent;
java/awt/SequencedEvent dispose()V
java/awt/SequencedEvent <clinit>()V
class java/awt/event/WindowEvent java/awt/event/ComponentEvent
java/awt/event/WindowEvent WINDOW_FIRST
java/awt/event/WindowEvent WINDOW_OPENED
java/awt/event/WindowEvent WINDOW_CLOSING
java/awt/event/WindowEvent WINDOW_CLOSED
java/awt/event/WindowEvent WINDOW_ICONIFIED
java/awt/event/WindowEvent
WINDOW_DEICONIFIED
java/awt/event/WindowEvent WINDOW_ACTIVATED
java/awt/event/WindowEvent WINDOW_DEACTIVATED
java/awt/event/WindowEvent WINDOW_GAINED_FOCUS
java/awt/event/WindowEvent WINDOW_LOST_FOCUS
java/awt/event/WindowEvent WINDOW_STATE_CHANGED
java/awt/event/WindowEvent WINDOW_LAST
java/awt/event/WindowEvent opposite
java/awt/event/WindowEvent oldState
java/awt/event/WindowEvent newState
java/awt/event/WindowEvent serialVersionUID
java/awt/event/WindowEvent <init>(Ljava/awt/Window;ILjava/awt/Window;II)V
java/awt/event/WindowEvent <init>(Ljava/awt/Window;ILjava/awt/Window;)V
java/awt/event/WindowEvent <init>(Ljava/awt/Window;III)V
java/awt/event/WindowEvent <init>(Ljava/awt/Window;I)V
java/awt/event/WindowEvent getWindow()Ljava/awt/Window;
java/awt/event/WindowEvent getOppositeWindow()Ljava/awt/Window;
java/awt/event/WindowEvent getOldState()I
java/awt/event/WindowEvent getNewState()I
java/awt/event/WindowEvent paramString()Ljava/lang/String;
class java/awt/peer/LabelPeer
java/lang/Object
java/awt/peer/LabelPeer setText(Ljava/lang/String;)V
java/awt/peer/LabelPeer setAlignment(I)V
class java/awt/peer/LightweightPeer java/lang/Object
class java/awt/peer/MenuComponentPeer java/lang/Object
java/awt/peer/MenuComponentPeer dispose()V
java/awt/peer/MenuComponentPeer setFont(Ljava/awt/Font;)V
class java/awt/MenuComponent java/lang/Object
java/awt/MenuComponent peer
java/awt/MenuComponent parent
java/awt/MenuComponent appContext
java/awt/MenuComponent font
java/awt/MenuComponent name
java/awt/MenuComponent nameExplicitlySet
java/awt/MenuComponent newEventsOnly
java/awt/MenuComponent ActionListenerK

```

```

java/awt/MenuComponent itemListenerK
java/awt/MenuComponent serialVersionUID
java/awt/MenuComponent privateKey
java/awt/MenuComponent accessibleContext
java/awt/MenuComponent <init>()V
java/awt/MenuComponent constructComponentName()Ljava/lang/String;
java/awt/MenuComponent getName()Ljava/lang/String;
java/awt/MenuComponent setName(Ljava/lang/String;)V
java/awt/MenuComponent
 getParent()Ljava/awt/MenuContainer;
java/awt/MenuComponent getParent_NoClientCode()Ljava/awt/MenuContainer;
java/awt/MenuComponent getPeer()Ljava/awt/peer/MenuComponentPeer;
java/awt/MenuComponent getFont()Ljava/awt/Font;
java/awt/MenuComponent getFont_NoClientCode()Ljava/awt/Font;
java/awt/MenuComponent setFont(Ljava/awt/Font;)V
java/awt/MenuComponent removeNotify()V
java/awt/MenuComponent postEvent(Ljava/awt/Event;)Z
java/awt/MenuComponent dispatchEvent(Ljava/awt/AWTEvent;)V
java/awt/MenuComponent dispatchEventImpl(Ljava/awt/AWTEvent;)V
java/awt/MenuComponent eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/MenuComponent processEvent(Ljava/awt/AWTEvent;)V
java/awt/MenuComponent paramString()Ljava/lang/String;
java/awt/MenuComponent toString()Ljava/lang/String;
java/awt/MenuComponent getTreeLock()Ljava/lang/Object;
java/awt/MenuComponent readObject(Ljava/io/ObjectInputStream;)V
java/awt/MenuComponent initIDs()V
java/awt/MenuComponent getAccessibleContext()Ljavax/accessibility/AccessibleContext;
java/awt/MenuComponent
 getAccessibleIndexInParent()I
java/awt/MenuComponent getAccessibleChildIndex(Ljava/awt/MenuComponent;)I
java/awt/MenuComponent getAccessibleStateSet()Ljavax/accessibility/AccessibleStateSet;
java/awt/MenuComponent <clinit>()V
class java/awt/Component$NativeInLightFixer java/lang/Object
java/awt/Component$NativeInLightFixer lightParents
java/awt/Component$NativeInLightFixer nativeHost
java/awt/Component$NativeInLightFixer this$0
java/awt/Component$NativeInLightFixer <init>(Ljava/awt/Component;)V
java/awt/Component$NativeInLightFixer install(Ljava/awt/Container;)V
java/awt/Component$NativeInLightFixer componentResized(Ljava/awt/event/ComponentEvent;)V
java/awt/Component$NativeInLightFixer componentMoved(Ljava/awt/event/ComponentEvent;)V
java/awt/Component$NativeInLightFixer componentShown(Ljava/awt/event/ComponentEvent;)V
java/awt/Component$NativeInLightFixer componentHidden(Ljava/awt/event/ComponentEvent;)V
java/awt/Component$NativeInLightFixer
 componentAdded(Ljava/awt/event/ContainerEvent;)V
java/awt/Component$NativeInLightFixer componentRemoved(Ljava/awt/event/ContainerEvent;)V
java/awt/Component$NativeInLightFixer removeReferences()V
class java/awt/event/ContainerListener java/lang/Object
java/awt/event/ContainerListener componentAdded(Ljava/awt/event/ContainerEvent;)V

```

```

java/awt/event/ContainerListener componentRemoved(Ljava/awt/event/ContainerEvent;)V
class java/awt/event/InputMethodListener java/lang/Object
java/awt/event/InputMethodListener inputMethodTextChanged(Ljava/awt/event/InputMethodEvent;)V
java/awt/event/InputMethodListener caretPositionChanged(Ljava/awt/event/InputMethodEvent;)V
class java/awt/event/MouseWheelListener java/lang/Object
java/awt/event/MouseWheelListener mouseWheelMoved(Ljava/awt/event/MouseWheelEvent;)V
class java/awt/event/MouseMotionListener java/lang/Object
java/awt/event/MouseMotionListener mouseDragged(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseMotionListener mouseMoved(Ljava/awt/event/MouseEvent;)V
class
 java/awt/event/MouseListener java/lang/Object
java/awt/event/MouseListener mouseClicked(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseListener mousePressed(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseListener mouseReleased(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseListener mouseEntered(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseListener mouseExited(Ljava/awt/event/MouseEvent;)V
class java/awt/event/KeyListener java/lang/Object
java/awt/event/KeyListener keyTyped(Ljava/awt/event/KeyEvent;)V
java/awt/event/KeyListener keyPressed(Ljava/awt/event/KeyEvent;)V
java/awt/event/KeyListener keyReleased(Ljava/awt/event/KeyEvent;)V
class java/awt/event/HierarchyBoundsListener java/lang/Object
java/awt/event/HierarchyBoundsListener ancestorMoved(Ljava/awt/event/HierarchyEvent;)V
java/awt/event/HierarchyBoundsListener ancestorResized(Ljava/awt/event/HierarchyEvent;)V
class java/awt/event/HierarchyListener java/lang/Object
java/awt/event/HierarchyListener
 hierarchyChanged(Ljava/awt/event/HierarchyEvent;)V
class java/awt/event/FocusListener java/lang/Object
java/awt/event/FocusListener focusGained(Ljava/awt/event/FocusEvent;)V
java/awt/event/FocusListener focusLost(Ljava/awt/event/FocusEvent;)V
class java/awt/event/ComponentListener java/lang/Object
java/awt/event/ComponentListener componentResized(Ljava/awt/event/ComponentEvent;)V
java/awt/event/ComponentListener componentMoved(Ljava/awt/event/ComponentEvent;)V
java/awt/event/ComponentListener componentShown(Ljava/awt/event/ComponentEvent;)V
java/awt/event/ComponentListener componentHidden(Ljava/awt/event/ComponentEvent;)V
class java/awt/dnd/DropTarget java/lang/Object
java/awt/dnd/DropTarget serialVersionUID
java/awt/dnd/DropTarget dropTargetContext
java/awt/dnd/DropTarget component
java/awt/dnd/DropTarget componentPeer
java/awt/dnd/DropTarget nativePeer
java/awt/dnd/DropTarget actions
java/awt/dnd/DropTarget active
java/awt/dnd/DropTarget autoScroller
java/awt/dnd/DropTarget
 dtListener
java/awt/dnd/DropTarget flavorMap
java/awt/dnd/DropTarget
 <init>(Ljava/awt/Component;ILjava/awt/dnd/DropTargetListener;ZLjava/awt/datatransfer/FlavorMap;)V

```



```

java/awt/dnd/DropTarget <init>(Ljava/awt/Component;ILjava/awt/dnd/DropTargetListener;Z)V
java/awt/dnd/DropTarget <init>()V
java/awt/dnd/DropTarget <init>(Ljava/awt/Component;Ljava/awt/dnd/DropTargetListener;)V
java/awt/dnd/DropTarget <init>(Ljava/awt/Component;ILjava/awt/dnd/DropTargetListener;)V
java/awt/dnd/DropTarget setComponent(Ljava/awt/Component;)V
java/awt/dnd/DropTarget getComponent()Ljava/awt/Component;
java/awt/dnd/DropTarget setDefaultActions(I)V
java/awt/dnd/DropTarget doSetDefaultActions(I)V
java/awt/dnd/DropTarget getDefaultActions()I
java/awt/dnd/DropTarget setActive(Z)V
java/awt/dnd/DropTarget isActive()Z
java/awt/dnd/DropTarget addDropTargetListener(Ljava/awt/dnd/DropTargetListener;)V
java/awt/dnd/DropTarget removeDropTargetListener(Ljava/awt/dnd/DropTargetListener;)V
java/awt/dnd/DropTarget dragEnter(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTarget
 dragOver(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTarget dropActionChanged(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTarget dragExit(Ljava/awt/dnd/DropTargetEvent;)V
java/awt/dnd/DropTarget drop(Ljava/awt/dnd/DropTargetDropEvent;)V
java/awt/dnd/DropTarget getFlavorMap(Ljava/awt/datatransfer/FlavorMap;
java/awt/dnd/DropTarget setFlavorMap(Ljava/awt/datatransfer/FlavorMap;)V
java/awt/dnd/DropTarget addNotify(Ljava/awt/peer/ComponentPeer;)V
java/awt/dnd/DropTarget removeNotify(Ljava/awt/peer/ComponentPeer;)V
java/awt/dnd/DropTarget getDropTargetContext()Ljava/awt/dnd/DropTargetContext;
java/awt/dnd/DropTarget createDropTargetContext(Ljava/awt/dnd/DropTargetContext;
java/awt/dnd/DropTarget writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/dnd/DropTarget readObject(Ljava/io/ObjectInputStream;)V
java/awt/dnd/DropTarget
 createDropTargetAutoScroller(Ljava/awt/Component;Ljava/awt/Point;)Ljava/awt/dnd/DropTarget$DropTargetAuto
 Scroller;
java/awt/dnd/DropTarget
 initializeAutoscrolling(Ljava/awt/Point;)V
java/awt/dnd/DropTarget updateAutoscroll(Ljava/awt/Point;)V
java/awt/dnd/DropTarget clearAutoscroll()V
class java/awt/dnd/DropTargetListener java/lang/Object
java/awt/dnd/DropTargetListener dragEnter(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTargetListener dragOver(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTargetListener dropActionChanged(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTargetListener dragExit(Ljava/awt/dnd/DropTargetEvent;)V
java/awt/dnd/DropTargetListener drop(Ljava/awt/dnd/DropTargetDropEvent;)V
class java/awt/image/BufferStrategy java/lang/Object
java/awt/image/BufferStrategy <init>()V
java/awt/image/BufferStrategy getCapabilities()Ljava/awt/BufferCapabilities;
java/awt/image/BufferStrategy getDrawGraphics(Ljava/awt/Graphics;
java/awt/image/BufferStrategy contentsLost()Z
java/awt/image/BufferStrategy contentsRestored()Z
java/awt/image/BufferStrategy

```

```

show()V
class java/net/URLClassLoader$3$1 java/lang/Object
java/net/URLClassLoader$3$1 this$1
java/net/URLClassLoader$3$1 <init>(Ljava/net/URLClassLoader$3;)V
java/net/URLClassLoader$3$1 run()Ljava/lang/Object;
class java/net/URLClassLoader$3 java/lang/Object
java/net/URLClassLoader$3 url
java/net/URLClassLoader$3 val$e
java/net/URLClassLoader$3 this$0
java/net/URLClassLoader$3 <init>(Ljava/net/URLClassLoader;Ljava/util/Enumeration;)V
java/net/URLClassLoader$3 next()Z
java/net/URLClassLoader$3 nextElement()Ljava/net/URL;
java/net/URLClassLoader$3 hasMoreElements()Z
java/net/URLClassLoader$3 nextElement()Ljava/lang/Object;
class java/lang/ClassLoader$2 java/lang/Object
java/lang/ClassLoader$2 val$e
java/lang/ClassLoader$2 <init>(Ljava/util/Enumeration;)V
java/lang/ClassLoader$2 nextElement()Ljava/lang/Object;
java/lang/ClassLoader$2 hasMoreElements()Z
class java/util/TreeMap$1 java/util/AbstractSet
java/util/TreeMap$1 this$0
java/util/TreeMap$1 <init>(Ljava/util/TreeMap;)V
java/util/TreeMap$1
 iterator()Ljava/util/Iterator;
java/util/TreeMap$1 size()I
java/util/TreeMap$1 contains(Ljava/lang/Object;)Z
java/util/TreeMap$1 remove(Ljava/lang/Object;)Z
java/util/TreeMap$1 clear()V
class java/util/TreeMap java/util/AbstractMap
java/util/TreeMap comparator
java/util/TreeMap root
java/util/TreeMap size
java/util/TreeMap modCount
java/util/TreeMap entrySet
java/util/TreeMap RED
java/util/TreeMap BLACK
java/util/TreeMap serialVersionUID
java/util/TreeMap incrementSize()V
java/util/TreeMap decrementSize()V
java/util/TreeMap <init>()V
java/util/TreeMap <init>(Ljava/util/Comparator;)V
java/util/TreeMap <init>(Ljava/util/Map;)V
java/util/TreeMap <init>(Ljava/util/SortedMap;)V
java/util/TreeMap size()I
java/util/TreeMap containsKey(Ljava/lang/Object;)Z
java/util/TreeMap containsValue(Ljava/lang/Object;)Z
java/util/TreeMap valueSearchNull(Ljava/util/TreeMap$Entry;)Z
java/util/TreeMap valueSearchNonNull(Ljava/util/TreeMap$Entry;Ljava/lang/Object;)Z

```

```

java/util/TreeMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/TreeMap
 comparator()Ljava/util/Comparator;
java/util/TreeMap firstKey()Ljava/lang/Object;
java/util/TreeMap lastKey()Ljava/lang/Object;
java/util/TreeMap putAll(Ljava/util/Map;)V
java/util/TreeMap getEntry(Ljava/lang/Object;)Ljava/util/TreeMap$Entry;
java/util/TreeMap getCeilEntry(Ljava/lang/Object;)Ljava/util/TreeMap$Entry;
java/util/TreeMap getPrecedingEntry(Ljava/lang/Object;)Ljava/util/TreeMap$Entry;
java/util/TreeMap key(Ljava/util/TreeMap$Entry;)Ljava/lang/Object;
java/util/TreeMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/TreeMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/TreeMap clear()V
java/util/TreeMap clone()Ljava/lang/Object;
java/util/TreeMap keySet()Ljava/util/Set;
java/util/TreeMap values()Ljava/util/Collection;
java/util/TreeMap entrySet()Ljava/util/Set;
java/util/TreeMap subMap(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/TreeMap headMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/TreeMap
 tailMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/TreeMap compare(Ljava/lang/Object;Ljava/lang/Object;)I
java/util/TreeMap valEquals(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/TreeMap firstEntry()Ljava/util/TreeMap$Entry;
java/util/TreeMap lastEntry()Ljava/util/TreeMap$Entry;
java/util/TreeMap successor(Ljava/util/TreeMap$Entry;)Ljava/util/TreeMap$Entry;
java/util/TreeMap colorOf(Ljava/util/TreeMap$Entry;)Z
java/util/TreeMap parentOf(Ljava/util/TreeMap$Entry;)Ljava/util/TreeMap$Entry;
java/util/TreeMap setColor(Ljava/util/TreeMap$Entry;Z)V
java/util/TreeMap leftOf(Ljava/util/TreeMap$Entry;)Ljava/util/TreeMap$Entry;
java/util/TreeMap rightOf(Ljava/util/TreeMap$Entry;)Ljava/util/TreeMap$Entry;
java/util/TreeMap rotateLeft(Ljava/util/TreeMap$Entry;)V
java/util/TreeMap rotateRight(Ljava/util/TreeMap$Entry;)V
java/util/TreeMap fixAfterInsertion(Ljava/util/TreeMap$Entry;)V
java/util/TreeMap deleteEntry(Ljava/util/TreeMap$Entry;)V
java/util/TreeMap
 fixAfterDeletion(Ljava/util/TreeMap$Entry;)V
java/util/TreeMap writeObject(Ljava/io/ObjectOutputStream;)V
java/util/TreeMap readObject(Ljava/io/ObjectInputStream;)V
java/util/TreeMap readTreeSet(ILjava/io/ObjectInputStream;Ljava/lang/Object;)V
java/util/TreeMap addAllForTreeSet(Ljava/util/SortedSet;Ljava/lang/Object;)V
java/util/TreeMap buildFromSorted(ILjava/util/Iterator;Ljava/io/ObjectInputStream;Ljava/lang/Object;)V
java/util/TreeMap
 buildFromSorted(IIILjava/util/Iterator;Ljava/io/ObjectInputStream;Ljava/lang/Object;)Ljava/util/TreeMap$Entry;
java/util/TreeMap computeRedLevel(I)I
java/util/TreeMap access$100(Ljava/util/TreeMap;)I
java/util/TreeMap access$300(Ljava/util/TreeMap;)Ljava/util/TreeMap$Entry;
java/util/TreeMap access$400(Ljava/util/TreeMap;Ljava/util/TreeMap$Entry;)Ljava/util/TreeMap$Entry;

```

```

java/util/TreeMap access$500(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/TreeMap access$600(Ljava/util/TreeMap;Ljava/util/TreeMap$Entry;)V
java/util/TreeMap access$800(Ljava/util/TreeMap;Ljava/lang/Object;)Ljava/util/TreeMap$Entry;
java/util/TreeMap
 access$900(Ljava/util/TreeMap;Ljava/lang/Object;Ljava/lang/Object;)I
java/util/TreeMap access$1000(Ljava/util/TreeMap;)Ljava/util/Comparator;
java/util/TreeMap access$1100(Ljava/util/TreeMap;Ljava/lang/Object;)Ljava/util/TreeMap$Entry;
java/util/TreeMap access$1200(Ljava/util/TreeMap$Entry;)Ljava/lang/Object;
java/util/TreeMap access$1300(Ljava/util/TreeMap;)Ljava/util/TreeMap$Entry;
java/util/TreeMap access$1400(Ljava/util/TreeMap;Ljava/lang/Object;)Ljava/util/TreeMap$Entry;
java/util/TreeMap access$1600(Ljava/util/TreeMap;)I
class java/util/SortedMap java/lang/Object
java/util/SortedMap comparator()Ljava/util/Comparator;
java/util/SortedMap subMap(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/SortedMap headMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/SortedMap tailMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/SortedMap firstKey()Ljava/lang/Object;
java/util/SortedMap
 lastKey()Ljava/lang/Object;
class java/util/TreeSet java/util/AbstractSet
java/util/TreeSet m
java/util/TreeSet keySet
java/util/TreeSet PRESENT
java/util/TreeSet serialVersionUID
java/util/TreeSet <init>(Ljava/util/SortedMap;)V
java/util/TreeSet <init>()V
java/util/TreeSet <init>(Ljava/util/Comparator;)V
java/util/TreeSet <init>(Ljava/util/Collection;)V
java/util/TreeSet <init>(Ljava/util/SortedSet;)V
java/util/TreeSet iterator()Ljava/util/Iterator;
java/util/TreeSet size()I
java/util/TreeSet isEmpty()Z
java/util/TreeSet contains(Ljava/lang/Object;)Z
java/util/TreeSet add(Ljava/lang/Object;)Z
java/util/TreeSet remove(Ljava/lang/Object;)Z
java/util/TreeSet clear()V
java/util/TreeSet addAll(Ljava/util/Collection;)Z
java/util/TreeSet subSet(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/TreeSet headSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/TreeSet tailSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/TreeSet comparator()Ljava/util/Comparator;
java/util/TreeSet
 first()Ljava/lang/Object;
java/util/TreeSet last()Ljava/lang/Object;
java/util/TreeSet clone()Ljava/lang/Object;
java/util/TreeSet writeObject(Ljava/io/ObjectOutputStream;)V
java/util/TreeSet readObject(Ljava/io/ObjectInputStream;)V
java/util/TreeSet <clinit>()V

```

```

class java/util/SortedSet java/lang/Object
java/util/SortedSet comparator()Ljava/util/Comparator;
java/util/SortedSet subSet(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/SortedSet headSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/SortedSet tailSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/SortedSet first()Ljava/lang/Object;
java/util/SortedSet last()Ljava/lang/Object;
class java/awt/im/spi/InputMethodDescriptor java/lang/Object
java/awt/im/spi/InputMethodDescriptor getAvailableLocales()[Ljava/util/Locale;
java/awt/im/spi/InputMethodDescriptor hasDynamicLocaleList()Z
java/awt/im/spi/InputMethodDescriptor
getInputMethodDisplayName(Ljava/util/Locale;Ljava/util/Locale;)Ljava/lang/String;
java/awt/im/spi/InputMethodDescriptor
getInputMethodIcon(Ljava/util/Locale;)Ljava/awt/Image;
java/awt/im/spi/InputMethodDescriptor createInputMethod()Ljava/awt/im/spi/InputMethod;
class java/awt/peer/FontPeer java/lang/Object
class java/awt/peer/FileDialogPeer java/lang/Object
java/awt/peer/FileDialogPeer setFile(Ljava/lang/String;)V
java/awt/peer/FileDialogPeer setDirectory(Ljava/lang/String;)V
java/awt/peer/FileDialogPeer setFilenameFilter(Ljava/io/FilenameFilter;)V
class java/awt/peer/DialogPeer java/lang/Object
java/awt/peer/DialogPeer setTitle(Ljava/lang/String;)V
java/awt/peer/DialogPeer setResizable(Z)V
class java/util/Arrays java/lang/Object
java/util/Arrays INSERTIONSORT_THRESHOLD
java/util/Arrays <init>()V
java/util/Arrays sort([J)V
java/util/Arrays sort([JII)V
java/util/Arrays sort([I)V
java/util/Arrays sort([III)V
java/util/Arrays sort([S)V
java/util/Arrays sort([SII)V
java/util/Arrays sort([C)V
java/util/Arrays sort([CII)V
java/util/Arrays sort([B)V
java/util/Arrays
sort([BII)V
java/util/Arrays sort([D)V
java/util/Arrays sort([DII)V
java/util/Arrays sort([F)V
java/util/Arrays sort([FII)V
java/util/Arrays sort2([DII)V
java/util/Arrays sort2([FII)V
java/util/Arrays sort1([JII)V
java/util/Arrays swap([JII)V
java/util/Arrays vecswap([JIII)V
java/util/Arrays med3([JIII)I
java/util/Arrays sort1([III)V

```

```

java/util/Arrays swap([III)V
java/util/Arrays vecswap([IIII)V
java/util/Arrays med3([IIII)I
java/util/Arrays sort1([SII)V
java/util/Arrays swap([SII)V
java/util/Arrays vecswap([SIII)V
java/util/Arrays med3([SIII)I
java/util/Arrays sort1([CII)V
java/util/Arrays swap([CII)V
java/util/Arrays vecswap([CIII)V
java/util/Arrays med3([CIII)I
java/util/Arrays sort1([BII)V
java/util/Arrays swap([BII)V
java/util/Arrays vecswap([BIII)V
java/util/Arrays med3([BIII)I
java/util/Arrays sort1([DII)V
java/util/Arrays swap([DII)V
java/util/Arrays vecswap([DIII)V
java/util/Arrays med3([DIII)I
java/util/Arrays sort1([FII)V
java/util/Arrays swap([FII)V
java/util/Arrays
 vecswap([FIII)V
java/util/Arrays med3([FIII)I
java/util/Arrays sort([Ljava/lang/Object;)V
java/util/Arrays sort([Ljava/lang/Object;II)V
java/util/Arrays cloneSubarray([Ljava/lang/Object;II)[Ljava/lang/Object;
java/util/Arrays mergeSort([Ljava/lang/Object;[Ljava/lang/Object;III)V
java/util/Arrays swap([Ljava/lang/Object;II)V
java/util/Arrays sort([Ljava/lang/Object;Ljava/util/Comparator;)V
java/util/Arrays sort([Ljava/lang/Object;IILjava/util/Comparator;)V
java/util/Arrays mergeSort([Ljava/lang/Object;[Ljava/lang/Object;IIILjava/util/Comparator;)V
java/util/Arrays rangeCheck(III)V
java/util/Arrays binarySearch([JJ)I
java/util/Arrays binarySearch([II)I
java/util/Arrays binarySearch([SS)I
java/util/Arrays binarySearch([CC)I
java/util/Arrays binarySearch([BB)I
java/util/Arrays binarySearch([DD)I
java/util/Arrays binarySearch([DDII)I
java/util/Arrays binarySearch([FF)I
java/util/Arrays binarySearch([FFII)I
java/util/Arrays binarySearch([Ljava/lang/Object;Ljava/lang/Object;)I
java/util/Arrays
 binarySearch([Ljava/lang/Object;Ljava/lang/Object;Ljava/util/Comparator;)I
java/util/Arrays equals([JJ)Z
java/util/Arrays equals([II)Z
java/util/Arrays equals([S[S)Z

```

```

java/util/Arrays equals([C[C)Z
java/util/Arrays equals([B[B)Z
java/util/Arrays equals([Z[Z)Z
java/util/Arrays equals([D[D)Z
java/util/Arrays equals([F[F)Z
java/util/Arrays equals([Ljava/lang/Object;[Ljava/lang/Object;)Z
java/util/Arrays fill([J)V
java/util/Arrays fill([I)I
java/util/Arrays fill([II)V
java/util/Arrays fill([III)V
java/util/Arrays fill([SS)V
java/util/Arrays fill([SIIS)V
java/util/Arrays fill([CC)V
java/util/Arrays fill([CIIC)V
java/util/Arrays fill([BB)V
java/util/Arrays fill([BIIB)V
java/util/Arrays fill([ZZ)V
java/util/Arrays fill([ZIIZ)V
java/util/Arrays fill([DD)V
java/util/Arrays fill([DIID)V
java/util/Arrays fill([FF)V
java/util/Arrays fill([FIIF)V
java/util/Arrays fill([Ljava/lang/Object;Ljava/lang/Object;)V
java/util/Arrays fill([Ljava/lang/Object;ILjava/lang/Object;)V
java/util/Arrays
 asList([Ljava/lang/Object;)Ljava/util/List;
java/util/Arrays hashCode([J)I
java/util/Arrays hashCode([I)I
java/util/Arrays hashCode([S)I
java/util/Arrays hashCode([C)I
java/util/Arrays hashCode([B)I
java/util/Arrays hashCode([Z)I
java/util/Arrays hashCode([F)I
java/util/Arrays hashCode([D)I
java/util/Arrays hashCode([Ljava/lang/Object;)I
java/util/Arrays deepHashCode([Ljava/lang/Object;)I
java/util/Arrays deepEquals([Ljava/lang/Object;[Ljava/lang/Object;)Z
java/util/Arrays toString([J)Ljava/lang/String;
java/util/Arrays toString([I)Ljava/lang/String;
java/util/Arrays toString([S)Ljava/lang/String;
java/util/Arrays toString([C)Ljava/lang/String;
java/util/Arrays toString([B)Ljava/lang/String;
java/util/Arrays toString([Z)Ljava/lang/String;
java/util/Arrays toString([F)Ljava/lang/String;
java/util/Arrays toString([D)Ljava/lang/String;
java/util/Arrays toString([Ljava/lang/Object;)Ljava/lang/String;
java/util/Arrays deepToString([Ljava/lang/Object;)Ljava/lang/String;
java/util/Arrays deepToString([Ljava/lang/Object;Ljava/lang/StringBuilder;Ljava/util/Set;)V

```

```

class
 java/awt/event/ActionEvent java/awt/AWTEvent
 java/awt/event/ActionEvent SHIFT_MASK
 java/awt/event/ActionEvent CTRL_MASK
 java/awt/event/ActionEvent META_MASK
 java/awt/event/ActionEvent ALT_MASK
 java/awt/event/ActionEvent ACTION_FIRST
 java/awt/event/ActionEvent ACTION_LAST
 java/awt/event/ActionEvent ACTION_PERFORMED
 java/awt/event/ActionEvent actionCommand
 java/awt/event/ActionEvent when
 java/awt/event/ActionEvent modifiers
 java/awt/event/ActionEvent serialVersionUID
 java/awt/event/ActionEvent <init>(Ljava/lang/Object;ILjava/lang/String;)V
 java/awt/event/ActionEvent <init>(Ljava/lang/Object;ILjava/lang/String;I)V
 java/awt/event/ActionEvent <init>(Ljava/lang/Object;ILjava/lang/String;JI)V
 java/awt/event/ActionEvent getActionCommand()Ljava/lang/String;
 java/awt/event/ActionEvent getWhen()J
 java/awt/event/ActionEvent getModifiers()I
 java/awt/event/ActionEvent paramString()Ljava/lang/String;
class java/awt/event/InputMethodEvent
 java/awt/AWTEvent
 java/awt/event/InputMethodEvent serialVersionUID
 java/awt/event/InputMethodEvent INPUT_METHOD_FIRST
 java/awt/event/InputMethodEvent INPUT_METHOD_TEXT_CHANGED
 java/awt/event/InputMethodEvent CARET_POSITION_CHANGED
 java/awt/event/InputMethodEvent INPUT_METHOD_LAST
 java/awt/event/InputMethodEvent when
 java/awt/event/InputMethodEvent text
 java/awt/event/InputMethodEvent committedCharacterCount
 java/awt/event/InputMethodEvent caret
 java/awt/event/InputMethodEvent visiblePosition
 java/awt/event/InputMethodEvent
 <init>(Ljava/awt/Component;IJLjava/text/AttributedCharacterIterator;ILjava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;)V
 java/awt/event/InputMethodEvent
 <init>(Ljava/awt/Component;ILjava/text/AttributedCharacterIterator;ILjava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;)V
 java/awt/event/InputMethodEvent
 <init>(Ljava/awt/Component;ILjava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;)V
 java/awt/event/InputMethodEvent getText()Ljava/text/AttributedCharacterIterator;
 java/awt/event/InputMethodEvent
 getCommittedCharacterCount()I
 java/awt/event/InputMethodEvent getCaret()Ljava/awt/font/TextHitInfo;
 java/awt/event/InputMethodEvent getVisiblePosition()Ljava/awt/font/TextHitInfo;
 java/awt/event/InputMethodEvent consume()V
 java/awt/event/InputMethodEvent isConsumed()Z
 java/awt/event/InputMethodEvent getWhen()J

```



```

java/awt/event/InputMethodEvent paramString()Ljava/lang/String;
java/awt/event/InputMethodEvent readObject(Ljava/io/ObjectInputStream;)V
class java/awt/dnd/peer/DragSourceContextPeer java/lang/Object
java/awt/dnd/peer/DragSourceContextPeer
startDrag(Ljava/awt/dnd/DragSourceContext;Ljava/awt/Cursor;Ljava/awt/Image;Ljava/awt/Point;)V
java/awt/dnd/peer/DragSourceContextPeer getCursor()Ljava/awt/Cursor;
java/awt/dnd/peer/DragSourceContextPeer setCursor(Ljava/awt/Cursor;)V
java/awt/dnd/peer/DragSourceContextPeer transferablesFlavorsChanged()V
class java/awt/EventDispatchThread$1 java/lang/Object
java/awt/EventDispatchThread$1 this$0
java/awt/EventDispatchThread$1
<init>(Ljava/awt/EventDispatchThread;)V
java/awt/EventDispatchThread$1 evaluate()Z
class java/awt/Conditional java/lang/Object
java/awt/Conditional evaluate()Z
class java/awt/EventQueueItem java/lang/Object
java/awt/EventQueueItem event
java/awt/EventQueueItem id
java/awt/EventQueueItem next
java/awt/EventQueueItem <init>(Ljava/awt/AWTEvent;)V
class java/awt/EventDispatchThread java/lang/Thread
java/awt/EventDispatchThread dbg
java/awt/EventDispatchThread theQueue
java/awt/EventDispatchThread doDispatch
java/awt/EventDispatchThread ANY_EVENT
java/awt/EventDispatchThread handlerPropName
java/awt/EventDispatchThread handlerClassName
java/awt/EventDispatchThread NO_HANDLER
java/awt/EventDispatchThread <init>(Ljava/lang/ThreadGroup;Ljava/lang/String;Ljava/awt/EventQueue;)V
java/awt/EventDispatchThread stopDispatchingImpl(Z)V
java/awt/EventDispatchThread stopDispatching()V
java/awt/EventDispatchThread stopDispatchingLater()V
java/awt/EventDispatchThread
run()V
java/awt/EventDispatchThread pumpEvents(Ljava/awt/Conditional;)V
java/awt/EventDispatchThread pumpEventsForHierarchy(Ljava/awt/Conditional;Ljava/awt/Component;)V
java/awt/EventDispatchThread pumpEvents(ILjava/awt/Conditional;)V
java/awt/EventDispatchThread pumpEventsForHierarchy(ILjava/awt/Conditional;Ljava/awt/Component;)V
java/awt/EventDispatchThread
checkMouseEventForModalJInternalFrame(Ljava/awt/event/MouseEvent;Ljava/awt/Component;)Z
java/awt/EventDispatchThread pumpOneEventForHierarchy(ILjava/awt/Component;)Z
java/awt/EventDispatchThread processException(Ljava/lang/Throwable;)V
java/awt/EventDispatchThread handleException(Ljava/lang/Throwable;)Z
java/awt/EventDispatchThread isDispatching(Ljava/awt/EventQueue;)Z
java/awt/EventDispatchThread getEventQueue()Ljava/awt/EventQueue;
java/awt/EventDispatchThread access$002(Ljava/awt/EventDispatchThread;Z)Z
java/awt/EventDispatchThread <clinit>()V
class java/awt/EventQueue$1 java/lang/Object

```

```

java/awt/EventQueue$1 this$0
java/awt/EventQueue$1
 <init>(Ljava/awt/EventQueue;)V
java/awt/EventQueue$1 run()(Ljava/lang/Object;
class java/awt/event/InvocationEvent java/awt/AWTEvent
java/awt/event/InvocationEvent INVOCATION_FIRST
java/awt/event/InvocationEvent INVOCATION_DEFAULT
java/awt/event/InvocationEvent INVOCATION_LAST
java/awt/event/InvocationEvent runnable
java/awt/event/InvocationEvent notifier
java/awt/event/InvocationEvent catchExceptions
java/awt/event/InvocationEvent exception
java/awt/event/InvocationEvent throwable
java/awt/event/InvocationEvent when
java/awt/event/InvocationEvent serialVersionUID
java/awt/event/InvocationEvent <init>(Ljava/lang/Object;Ljava/lang/Runnable;)V
java/awt/event/InvocationEvent <init>(Ljava/lang/Object;Ljava/lang/Runnable;Ljava/lang/Object;Z)V
java/awt/event/InvocationEvent <init>(Ljava/lang/Object;ILjava/lang/Runnable;Ljava/lang/Object;Z)V
java/awt/event/InvocationEvent dispatch()V
java/awt/event/InvocationEvent getException()Ljava/lang/Exception;
java/awt/event/InvocationEvent getThrowable()Ljava/lang/Throwable;
java/awt/event/InvocationEvent
 getWhen()J
java/awt/event/InvocationEvent paramString()Ljava/lang/String;
class java/awt/ActiveEvent java/lang/Object
java/awt/ActiveEvent dispatch()V
class java/beans/PropertyChangeListener java/lang/Object
java/beans/PropertyChangeListener propertyChange(Ljava/beans/PropertyChangeEvent;)V
class java/awt/peer/CanvasPeer java/lang/Object
class java/awt/peer/PanelPeer java/lang/Object
class java/awt/peer/FramePeer java/lang/Object
java/awt/peer/FramePeer setTitle(Ljava/lang/String;)V
java/awt/peer/FramePeer setIconImage(Ljava/awt/Image;)V
java/awt/peer/FramePeer setMenuBar(Ljava/awt/MenuBar;)V
java/awt/peer/FramePeer setResizable(Z)V
java/awt/peer/FramePeer setState(I)V
java/awt/peer/FramePeer getState()I
java/awt/peer/FramePeer setMaximizedBounds(Ljava/awt/Rectangle;)V
java/awt/peer/FramePeer setBoundsPrivate(III)V
class java/awt/peer/WindowPeer java/lang/Object
java/awt/peer/WindowPeer toFront()V
java/awt/peer/WindowPeer
 toBack()V
java/awt/peer/WindowPeer updateAlwaysOnTop()V
java/awt/peer/WindowPeer updateFocusableWindowState()V
java/awt/peer/WindowPeer requestWindowFocus()Z
class java/awt/peer/ContainerPeer java/lang/Object
java/awt/peer/ContainerPeer getInsets()Ljava/awt/Insets;

```

```

java/awt/peer/ContainerPeer beginValidate()V
java/awt/peer/ContainerPeer endValidate()V
java/awt/peer/ContainerPeer beginLayout()V
java/awt/peer/ContainerPeer endLayout()V
java/awt/peer/ContainerPeer isPaintPending()Z
java/awt/peer/ContainerPeer cancelPendingPaint(III)V
java/awt/peer/ContainerPeer restack()V
java/awt/peer/ContainerPeer isRestackSupported()Z
java/awt/peer/ContainerPeer insets()Ljava/awt/Insets;
class java/awt/peer/KeyboardFocusManagerPeer java/lang/Object
java/awt/peer/KeyboardFocusManagerPeer setCurrentFocusedWindow(Ljava/awt/Window;)V
java/awt/peer/KeyboardFocusManagerPeer getCurrentFocusedWindow()Ljava/awt/Window;
java/awt/peer/KeyboardFocusManagerPeer setCurrentFocusOwner(Ljava/awt/Component;)V
java/awt/peer/KeyboardFocusManagerPeer
 getCurrentFocusOwner()Ljava/awt/Component;
java/awt/peer/KeyboardFocusManagerPeer clearGlobalFocusOwner(Ljava/awt/Window;)V
class java/util/Collections$UnmodifiableSet java/util/Collections$UnmodifiableCollection
java/util/Collections$UnmodifiableSet serialVersionUID
java/util/Collections$UnmodifiableSet <init>(Ljava/util/Set;)V
java/util/Collections$UnmodifiableSet equals(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableSet hashCode()I
class java/util/Collections$UnmodifiableCollection java/lang/Object
java/util/Collections$UnmodifiableCollection serialVersionUID
java/util/Collections$UnmodifiableCollection c
java/util/Collections$UnmodifiableCollection <init>(Ljava/util/Collection;)V
java/util/Collections$UnmodifiableCollection size()I
java/util/Collections$UnmodifiableCollection isEmpty()Z
java/util/Collections$UnmodifiableCollection contains(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableCollection toArray()[Ljava/lang/Object;
java/util/Collections$UnmodifiableCollection
 toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/Collections$UnmodifiableCollection toString()Ljava/lang/String;
java/util/Collections$UnmodifiableCollection iterator()Ljava/util/Iterator;
java/util/Collections$UnmodifiableCollection add(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableCollection remove(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableCollection containsAll(Ljava/util/Collection;)Z
java/util/Collections$UnmodifiableCollection addAll(Ljava/util/Collection;)Z
java/util/Collections$UnmodifiableCollection removeAll(Ljava/util/Collection;)Z
java/util/Collections$UnmodifiableCollection retainAll(Ljava/util/Collection;)Z
java/util/Collections$UnmodifiableCollection clear()V
class java/awt/MutableBoolean java/lang/Object
java/awt/MutableBoolean value
java/awt/MutableBoolean <init>()V
class java/awt/DefaultFocusTraversalPolicy java/awt/ContainerOrderFocusTraversalPolicy
java/awt/DefaultFocusTraversalPolicy <init>()V
java/awt/DefaultFocusTraversalPolicy
 accept(Ljava/awt/Component;)Z
class java/awt/ContainerOrderFocusTraversalPolicy java/awt/FocusTraversalPolicy

```

```

java/awt/ContainerOrderFocusTraversalPolicy found
java/awt/ContainerOrderFocusTraversalPolicy log
java/awt/ContainerOrderFocusTraversalPolicy serialVersionUID
java/awt/ContainerOrderFocusTraversalPolicy implicitDownCycleTraversal
java/awt/ContainerOrderFocusTraversalPolicy <init>()V
java/awt/ContainerOrderFocusTraversalPolicy
getComponentAfter(Ljava/awt/Container;Ljava/awt/Component;)Ljava/awt/Component;
java/awt/ContainerOrderFocusTraversalPolicy
getComponentAfter(Ljava/awt/Container;Ljava/awt/Component;Ljava/awt/MutableBoolean;)Ljava/awt/Component
;
java/awt/ContainerOrderFocusTraversalPolicy
getComponentBefore(Ljava/awt/Container;Ljava/awt/Component;)Ljava/awt/Component;
java/awt/ContainerOrderFocusTraversalPolicy
getComponentBefore(Ljava/awt/Container;Ljava/awt/Component;Ljava/awt/MutableBoolean;)Ljava/awt/Compone
nt;
java/awt/ContainerOrderFocusTraversalPolicy
getFirstComponent(Ljava/awt/Container;)Ljava/awt/Component;
java/awt/ContainerOrderFocusTraversalPolicy getLastComponent(Ljava/awt/Container;)Ljava/awt/Component;
java/awt/ContainerOrderFocusTraversalPolicy getDefaultComponent(Ljava/awt/Container;)Ljava/awt/Component;
java/awt/ContainerOrderFocusTraversalPolicy setImplicitDownCycleTraversal(Z)V
java/awt/ContainerOrderFocusTraversalPolicy getImplicitDownCycleTraversal()Z
java/awt/ContainerOrderFocusTraversalPolicy accept(Ljava/awt/Component;)Z
java/awt/ContainerOrderFocusTraversalPolicy <clinit>()V
class java/awt/FocusTraversalPolicy java/lang/Object
java/awt/FocusTraversalPolicy <init>()V
java/awt/FocusTraversalPolicy
getComponentAfter(Ljava/awt/Container;Ljava/awt/Component;)Ljava/awt/Component;
java/awt/FocusTraversalPolicy
getComponentBefore(Ljava/awt/Container;Ljava/awt/Component;)Ljava/awt/Component;
java/awt/FocusTraversalPolicy getFirstComponent(Ljava/awt/Container;)Ljava/awt/Component;
java/awt/FocusTraversalPolicy
getLastComponent(Ljava/awt/Container;)Ljava/awt/Component;
java/awt/FocusTraversalPolicy getDefaultComponent(Ljava/awt/Container;)Ljava/awt/Component;
java/awt/FocusTraversalPolicy getInitialComponent(Ljava/awt/Window;)Ljava/awt/Component;
class java/awt/DefaultKeyboardFocusManager java/awt/KeyboardFocusManager
java/awt/DefaultKeyboardFocusManager focusLog
java/awt/DefaultKeyboardFocusManager realOppositeWindow
java/awt/DefaultKeyboardFocusManager realOppositeComponent
java/awt/DefaultKeyboardFocusManager inSendMessage
java/awt/DefaultKeyboardFocusManager enqueuedKeyEvents
java/awt/DefaultKeyboardFocusManager typeAheadMarkers
java/awt/DefaultKeyboardFocusManager consumeNextKeyTyped
java/awt/DefaultKeyboardFocusManager <init>()V
java/awt/DefaultKeyboardFocusManager getOwningFrameDialog(Ljava/awt/Window;)Ljava/awt/Window;
java/awt/DefaultKeyboardFocusManager restoreFocus(Ljava/awt/event/FocusEvent;Ljava/awt/Window;)V
java/awt/DefaultKeyboardFocusManager restoreFocus(Ljava/awt/event/WindowEvent;)V
java/awt/DefaultKeyboardFocusManager

```

```

 restoreFocus(Ljava/awt/Window;Ljava/awt/Component;Z)Z
java/awt/DefaultKeyboardFocusManager restoreFocus(Ljava/awt/Component;Z)Z
java/awt/DefaultKeyboardFocusManager sendMessage(Ljava/awt/Component;Ljava/awt/AWTEvent;)Z
java/awt/DefaultKeyboardFocusManager dispatchEvent(Ljava/awt/AWTEvent;)Z
java/awt/DefaultKeyboardFocusManager dispatchKeyEvent(Ljava/awt/event/KeyEvent;)Z
java/awt/DefaultKeyboardFocusManager postProcessKeyEvent(Ljava/awt/event/KeyEvent;)Z
java/awt/DefaultKeyboardFocusManager pumpApprovedKeyEvents()V
java/awt/DefaultKeyboardFocusManager dumpMarkers()V
java/awt/DefaultKeyboardFocusManager typeAheadAssertions(Ljava/awt/Component;Ljava/awt/AWTEvent;)Z
java/awt/DefaultKeyboardFocusManager hasMarker(Ljava/awt/Component;)Z
java/awt/DefaultKeyboardFocusManager clearMarkers()V
java/awt/DefaultKeyboardFocusManager preDispatchKeyEvent(Ljava/awt/event/KeyEvent;)Z
java/awt/DefaultKeyboardFocusManager consumeTraversalKey(Ljava/awt/event/KeyEvent;)V
java/awt/DefaultKeyboardFocusManager
 consumeProcessedKeyEvent(Ljava/awt/event/KeyEvent;)Z
java/awt/DefaultKeyboardFocusManager processKeyEvent(Ljava/awt/Component;Ljava/awt/event/KeyEvent;)V
java/awt/DefaultKeyboardFocusManager enqueueKeyEvents(JLjava/awt/Component;)V
java/awt/DefaultKeyboardFocusManager dequeueKeyEvents(JLjava/awt/Component;)V
java/awt/DefaultKeyboardFocusManager discardKeyEvents(Ljava/awt/Component;)V
java/awt/DefaultKeyboardFocusManager purgeStampedEvents(JJ)V
java/awt/DefaultKeyboardFocusManager focusPreviousComponent(Ljava/awt/Component;)V
java/awt/DefaultKeyboardFocusManager focusNextComponent(Ljava/awt/Component;)V
java/awt/DefaultKeyboardFocusManager upFocusCycle(Ljava/awt/Component;)V
java/awt/DefaultKeyboardFocusManager downFocusCycle(Ljava/awt/Container;)V
java/awt/DefaultKeyboardFocusManager access$008(Ljava/awt/DefaultKeyboardFocusManager;)I
java/awt/DefaultKeyboardFocusManager access$010(Ljava/awt/DefaultKeyboardFocusManager;)I
java/awt/DefaultKeyboardFocusManager
 <clinit>()V
class java/util/LinkedList$Entry java/lang/Object
java/util/LinkedList$Entry element
java/util/LinkedList$Entry next
java/util/LinkedList$Entry previous
java/util/LinkedList$Entry <init>(Ljava/lang/Object;Ljava/util/LinkedList$Entry;Ljava/util/LinkedList$Entry;)V
class java/util/LinkedList java/util/AbstractSequentialList
java/util/LinkedList header
java/util/LinkedList size
java/util/LinkedList serialVersionUID
java/util/LinkedList <init>()V
java/util/LinkedList <init>(Ljava/util/Collection;)V
java/util/LinkedList getFirst(Ljava/lang/Object;
java/util/LinkedList getLast(Ljava/lang/Object;
java/util/LinkedList removeFirst(Ljava/lang/Object;
java/util/LinkedList removeLast(Ljava/lang/Object;
java/util/LinkedList addFirst(Ljava/lang/Object;)V
java/util/LinkedList addLast(Ljava/lang/Object;)V
java/util/LinkedList contains(Ljava/lang/Object;)Z
java/util/LinkedList size()I
java/util/LinkedList add(Ljava/lang/Object;)Z

```

```

java/util/LinkedList remove(Ljava/lang/Object;)Z
java/util/LinkedList
 addAll(Ljava/util/Collection;)Z
java/util/LinkedList addAll(ILjava/util/Collection;)Z
java/util/LinkedList clear()V
java/util/LinkedList get(I)Ljava/lang/Object;
java/util/LinkedList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/LinkedList add(ILjava/lang/Object;)V
java/util/LinkedList remove(I)Ljava/lang/Object;
java/util/LinkedList entry(I)Ljava/util/LinkedList$Entry;
java/util/LinkedList indexOf(Ljava/lang/Object;)I
java/util/LinkedList lastIndexOf(Ljava/lang/Object;)I
java/util/LinkedList peek()Ljava/lang/Object;
java/util/LinkedList element()Ljava/lang/Object;
java/util/LinkedList poll()Ljava/lang/Object;
java/util/LinkedList remove()Ljava/lang/Object;
java/util/LinkedList offer(Ljava/lang/Object;)Z
java/util/LinkedList listIterator(I)Ljava/util/ListIterator;
java/util/LinkedList addBefore(Ljava/lang/Object;Ljava/util/LinkedList$Entry;)Ljava/util/LinkedList$Entry;
java/util/LinkedList remove(Ljava/util/LinkedList$Entry;)Ljava/lang/Object;
java/util/LinkedList
 clone()Ljava/lang/Object;
java/util/LinkedList toArray()[Ljava/lang/Object;
java/util/LinkedList toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/LinkedList writeObject(Ljava/io/ObjectOutputStream;)V
java/util/LinkedList readObject(Ljava/io/ObjectInputStream;)V
java/util/LinkedList access$000(Ljava/util/LinkedList;)Ljava/util/LinkedList$Entry;
java/util/LinkedList access$100(Ljava/util/LinkedList;)I
java/util/LinkedList access$200(Ljava/util/LinkedList;Ljava/util/LinkedList$Entry;)Ljava/lang/Object;
java/util/LinkedList
 access$300(Ljava/util/LinkedList;Ljava/lang/Object;Ljava/util/LinkedList$Entry;)Ljava/util/LinkedList$Entry;
class java/util/AbstractSequentialList java/util/AbstractList
java/util/AbstractSequentialList <init>()V
java/util/AbstractSequentialList get(I)Ljava/lang/Object;
java/util/AbstractSequentialList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/AbstractSequentialList add(ILjava/lang/Object;)V
java/util/AbstractSequentialList
 remove(I)Ljava/lang/Object;
java/util/AbstractSequentialList addAll(ILjava/util/Collection;)Z
java/util/AbstractSequentialList iterator()Ljava/util/Iterator;
java/util/AbstractSequentialList listIterator(I)Ljava/util/ListIterator;
class java/util/Queue java/lang/Object
java/util/Queue offer(Ljava/lang/Object;)Z
java/util/Queue poll()Ljava/lang/Object;
java/util/Queue remove()Ljava/lang/Object;
java/util/Queue peek()Ljava/lang/Object;
java/util/Queue element()Ljava/lang/Object;
class java/awt/AWTKeyStroke$1 java/lang/Object

```

```

java/awt/AWTKeyStroke$1 val$clazz
java/awt/AWTKeyStroke$1 <init>(Ljava/lang/Class;)V
java/awt/AWTKeyStroke$1 run()Ljava/lang/Object;
class java/awt/AWTKeyStroke java/lang/Object
java/awt/AWTKeyStroke serialVersionUID
java/awt/AWTKeyStroke cache
java/awt/AWTKeyStroke cacheKey
java/awt/AWTKeyStroke ctor
java/awt/AWTKeyStroke modifierKeywords
java/awt/AWTKeyStroke vks
java/awt/AWTKeyStroke keyChar
java/awt/AWTKeyStroke keyCode
java/awt/AWTKeyStroke modifiers
java/awt/AWTKeyStroke
 onKeyRelease
java/awt/AWTKeyStroke $assertionsDisabled
java/awt/AWTKeyStroke <init>()V
java/awt/AWTKeyStroke <init>(CIIZ)V
java/awt/AWTKeyStroke registerSubclass(Ljava/lang/Class;)V
java/awt/AWTKeyStroke getCtor(Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/awt/AWTKeyStroke getCachedStroke(CIIZ)Ljava/awt/AWTKeyStroke;
java/awt/AWTKeyStroke getAWTKeyStroke(C)Ljava/awt/AWTKeyStroke;
java/awt/AWTKeyStroke getAWTKeyStroke(Ljava/lang/Character;I)Ljava/awt/AWTKeyStroke;
java/awt/AWTKeyStroke getAWTKeyStroke(IIZ)Ljava/awt/AWTKeyStroke;
java/awt/AWTKeyStroke getAWTKeyStroke(II)Ljava/awt/AWTKeyStroke;
java/awt/AWTKeyStroke getAWTKeyStrokeForEvent(Ljava/awt/event/KeyEvent;)Ljava/awt/AWTKeyStroke;
java/awt/AWTKeyStroke getAWTKeyStroke(Ljava/lang/String;)Ljava/awt/AWTKeyStroke;
java/awt/AWTKeyStroke getVKCollection()Ljava/awt/VKCollection;
java/awt/AWTKeyStroke getVKValue(Ljava/lang/String;)I
java/awt/AWTKeyStroke getKeyChar()C
java/awt/AWTKeyStroke getKeyCode()I
java/awt/AWTKeyStroke
 getModifiers()I
java/awt/AWTKeyStroke isOnKeyRelease()Z
java/awt/AWTKeyStroke getKeyEventType()I
java/awt/AWTKeyStroke hashCode()I
java/awt/AWTKeyStroke equals(Ljava/lang/Object;)Z
java/awt/AWTKeyStroke toString()Ljava/lang/String;
java/awt/AWTKeyStroke getModifiersText(I)Ljava/lang/String;
java/awt/AWTKeyStroke getVKText(I)Ljava/lang/String;
java/awt/AWTKeyStroke readResolve()Ljava/lang/Object;
java/awt/AWTKeyStroke mapOldModifiers(I)I
java/awt/AWTKeyStroke mapNewModifiers(I)I
java/awt/AWTKeyStroke <clinit>()V
class java/awt/event/NativeLibLoader java/lang/Object
java/awt/event/NativeLibLoader <init>()V
java/awt/event/NativeLibLoader loadLibraries()V
class java/awt/event/KeyEvent java/awt/event/InputEvent

```

java/awt/event/KeyEvent isProxyActive  
java/awt/event/KeyEvent KEY\_FIRST  
java/awt/event/KeyEvent KEY\_LAST  
java/awt/event/KeyEvent KEY\_TYPED  
java/awt/event/KeyEvent KEY\_PRESSED  
java/awt/event/KeyEvent KEY\_RELEASED  
java/awt/event/KeyEvent VK\_ENTER  
java/awt/event/KeyEvent VK\_BACK\_SPACE  
java/awt/event/KeyEvent  
VK\_TAB  
java/awt/event/KeyEvent VK\_CANCEL  
java/awt/event/KeyEvent VK\_CLEAR  
java/awt/event/KeyEvent VK\_SHIFT  
java/awt/event/KeyEvent VK\_CONTROL  
java/awt/event/KeyEvent VK\_ALT  
java/awt/event/KeyEvent VK\_PAUSE  
java/awt/event/KeyEvent VK\_CAPS\_LOCK  
java/awt/event/KeyEvent VK\_ESCAPE  
java/awt/event/KeyEvent VK\_SPACE  
java/awt/event/KeyEvent VK\_PAGE\_UP  
java/awt/event/KeyEvent VK\_PAGE\_DOWN  
java/awt/event/KeyEvent VK\_END  
java/awt/event/KeyEvent VK\_HOME  
java/awt/event/KeyEvent VK\_LEFT  
java/awt/event/KeyEvent VK\_UP  
java/awt/event/KeyEvent VK\_RIGHT  
java/awt/event/KeyEvent VK\_DOWN  
java/awt/event/KeyEvent VK\_COMMA  
java/awt/event/KeyEvent VK\_MINUS  
java/awt/event/KeyEvent VK\_PERIOD  
java/awt/event/KeyEvent VK\_SLASH  
java/awt/event/KeyEvent VK\_0  
java/awt/event/KeyEvent VK\_1  
java/awt/event/KeyEvent VK\_2  
java/awt/event/KeyEvent VK\_3  
java/awt/event/KeyEvent VK\_4  
java/awt/event/KeyEvent VK\_5  
java/awt/event/KeyEvent VK\_6  
java/awt/event/KeyEvent VK\_7  
java/awt/event/KeyEvent VK\_8  
java/awt/event/KeyEvent  
VK\_9  
java/awt/event/KeyEvent VK\_SEMICOLON  
java/awt/event/KeyEvent VK\_EQUALS  
java/awt/event/KeyEvent VK\_A  
java/awt/event/KeyEvent VK\_B  
java/awt/event/KeyEvent VK\_C  
java/awt/event/KeyEvent VK\_D



java/awt/event/KeyEvent VK\_E  
java/awt/event/KeyEvent VK\_F  
java/awt/event/KeyEvent VK\_G  
java/awt/event/KeyEvent VK\_H  
java/awt/event/KeyEvent VK\_I  
java/awt/event/KeyEvent VK\_J  
java/awt/event/KeyEvent VK\_K  
java/awt/event/KeyEvent VK\_L  
java/awt/event/KeyEvent VK\_M  
java/awt/event/KeyEvent VK\_N  
java/awt/event/KeyEvent VK\_O  
java/awt/event/KeyEvent VK\_P  
java/awt/event/KeyEvent VK\_Q  
java/awt/event/KeyEvent VK\_R  
java/awt/event/KeyEvent VK\_S  
java/awt/event/KeyEvent VK\_T  
java/awt/event/KeyEvent VK\_U  
java/awt/event/KeyEvent VK\_V  
java/awt/event/KeyEvent VK\_W  
java/awt/event/KeyEvent VK\_X  
java/awt/event/KeyEvent VK\_Y  
java/awt/event/KeyEvent VK\_Z  
java/awt/event/KeyEvent VK\_OPEN\_BRACKET  
java/awt/event/KeyEvent VK\_BACK\_SLASH  
java/awt/event/KeyEvent VK\_CLOSE\_BRACKET  
java/awt/event/KeyEvent VK\_NUMPAD0  
java/awt/event/KeyEvent  
VK\_NUMPAD1  
java/awt/event/KeyEvent VK\_NUMPAD2  
java/awt/event/KeyEvent VK\_NUMPAD3  
java/awt/event/KeyEvent VK\_NUMPAD4  
java/awt/event/KeyEvent VK\_NUMPAD5  
java/awt/event/KeyEvent VK\_NUMPAD6  
java/awt/event/KeyEvent VK\_NUMPAD7  
java/awt/event/KeyEvent VK\_NUMPAD8  
java/awt/event/KeyEvent VK\_NUMPAD9  
java/awt/event/KeyEvent VK\_MULTIPLY  
java/awt/event/KeyEvent VK\_ADD  
java/awt/event/KeyEvent VK\_SEPARATER  
java/awt/event/KeyEvent VK\_SEPARATOR  
java/awt/event/KeyEvent VK\_SUBTRACT  
java/awt/event/KeyEvent VK\_DECIMAL  
java/awt/event/KeyEvent VK\_DIVIDE  
java/awt/event/KeyEvent VK\_DELETE  
java/awt/event/KeyEvent VK\_NUM\_LOCK  
java/awt/event/KeyEvent VK\_SCROLL\_LOCK  
java/awt/event/KeyEvent VK\_F1  
java/awt/event/KeyEvent VK\_F2

java/awt/event/KeyEvent VK\_F3  
java/awt/event/KeyEvent VK\_F4  
java/awt/event/KeyEvent VK\_F5  
java/awt/event/KeyEvent VK\_F6  
java/awt/event/KeyEvent VK\_F7  
java/awt/event/KeyEvent VK\_F8  
java/awt/event/KeyEvent VK\_F9  
java/awt/event/KeyEvent VK\_F10  
java/awt/event/KeyEvent  
VK\_F11  
java/awt/event/KeyEvent VK\_F12  
java/awt/event/KeyEvent VK\_F13  
java/awt/event/KeyEvent VK\_F14  
java/awt/event/KeyEvent VK\_F15  
java/awt/event/KeyEvent VK\_F16  
java/awt/event/KeyEvent VK\_F17  
java/awt/event/KeyEvent VK\_F18  
java/awt/event/KeyEvent VK\_F19  
java/awt/event/KeyEvent VK\_F20  
java/awt/event/KeyEvent VK\_F21  
java/awt/event/KeyEvent VK\_F22  
java/awt/event/KeyEvent VK\_F23  
java/awt/event/KeyEvent VK\_F24  
java/awt/event/KeyEvent VK\_PRINTSCREEN  
java/awt/event/KeyEvent VK\_INSERT  
java/awt/event/KeyEvent VK\_HELP  
java/awt/event/KeyEvent VK\_META  
java/awt/event/KeyEvent VK\_BACK\_QUOTE  
java/awt/event/KeyEvent VK\_QUOTE  
java/awt/event/KeyEvent VK\_KP\_UP  
java/awt/event/KeyEvent VK\_KP\_DOWN  
java/awt/event/KeyEvent VK\_KP\_LEFT  
java/awt/event/KeyEvent VK\_KP\_RIGHT  
java/awt/event/KeyEvent VK\_DEAD\_GRAVE  
java/awt/event/KeyEvent VK\_DEAD\_ACUTE  
java/awt/event/KeyEvent VK\_DEAD\_CIRCUMFLEX  
java/awt/event/KeyEvent VK\_DEAD\_TILDE  
java/awt/event/KeyEvent VK\_DEAD\_MACRON  
java/awt/event/KeyEvent VK\_DEAD\_BREVE  
java/awt/event/KeyEvent  
VK\_DEAD\_ABOVEDOT  
java/awt/event/KeyEvent VK\_DEAD\_DIAERESIS  
java/awt/event/KeyEvent VK\_DEAD\_ABOVEERING  
java/awt/event/KeyEvent VK\_DEAD\_DOUBLEACUTE  
java/awt/event/KeyEvent VK\_DEAD\_CARON  
java/awt/event/KeyEvent VK\_DEAD\_CEDILLA  
java/awt/event/KeyEvent VK\_DEAD\_OGONEK  
java/awt/event/KeyEvent VK\_DEAD\_IOTA

java/awt/event/KeyEvent VK\_DEAD\_VOICED\_SOUND  
java/awt/event/KeyEvent VK\_DEAD\_SEMIVOICED\_SOUND  
java/awt/event/KeyEvent VK\_AMPERSAND  
java/awt/event/KeyEvent VK\_ASTERISK  
java/awt/event/KeyEvent VK\_QUOTEDBL  
java/awt/event/KeyEvent VK\_LESS  
java/awt/event/KeyEvent VK\_GREATER  
java/awt/event/KeyEvent VK\_BRACELEFT  
java/awt/event/KeyEvent VK\_BRACERIGHT  
java/awt/event/KeyEvent VK\_AT  
java/awt/event/KeyEvent VK\_COLON  
java/awt/event/KeyEvent VK\_CIRCUMFLEX  
java/awt/event/KeyEvent VK\_DOLLAR  
java/awt/event/KeyEvent VK\_EURO\_SIGN  
java/awt/event/KeyEvent VK\_EXCLAMATION\_MARK  
java/awt/event/KeyEvent VK\_INVERTED\_EXCLAMATION\_MARK  
java/awt/event/KeyEvent VK\_LEFT\_PARENTHESIS  
java/awt/event/KeyEvent VK\_NUMBER\_SIGN  
java/awt/event/KeyEvent  
VK\_PLUS  
java/awt/event/KeyEvent VK\_RIGHT\_PARENTHESIS  
java/awt/event/KeyEvent VK\_UNDERSCORE  
java/awt/event/KeyEvent VK\_WINDOWS  
java/awt/event/KeyEvent VK\_CONTEXT\_MENU  
java/awt/event/KeyEvent VK\_FINAL  
java/awt/event/KeyEvent VK\_CONVERT  
java/awt/event/KeyEvent VK\_NONCONVERT  
java/awt/event/KeyEvent VK\_ACCEPT  
java/awt/event/KeyEvent VK\_MODECHANGE  
java/awt/event/KeyEvent VK\_KANA  
java/awt/event/KeyEvent VK\_KANJI  
java/awt/event/KeyEvent VK\_ALPHANUMERIC  
java/awt/event/KeyEvent VK\_KATAKANA  
java/awt/event/KeyEvent VK\_HIRAGANA  
java/awt/event/KeyEvent VK\_FULL\_WIDTH  
java/awt/event/KeyEvent VK\_HALF\_WIDTH  
java/awt/event/KeyEvent VK\_ROMAN\_CHARACTERS  
java/awt/event/KeyEvent VK\_ALL\_CANDIDATES  
java/awt/event/KeyEvent VK\_PREVIOUS\_CANDIDATE  
java/awt/event/KeyEvent VK\_CODE\_INPUT  
java/awt/event/KeyEvent VK\_JAPANESE\_KATAKANA  
java/awt/event/KeyEvent VK\_JAPANESE\_HIRAGANA  
java/awt/event/KeyEvent VK\_JAPANESE\_ROMAN  
java/awt/event/KeyEvent VK\_KANA\_LOCK  
java/awt/event/KeyEvent VK\_INPUT\_METHOD\_ON\_OFF  
java/awt/event/KeyEvent  
VK\_CUT  
java/awt/event/KeyEvent VK\_COPY

```

java/awt/event/KeyEvent VK_PASTE
java/awt/event/KeyEvent VK_UNDO
java/awt/event/KeyEvent VK_AGAIN
java/awt/event/KeyEvent VK_FIND
java/awt/event/KeyEvent VK_PROPS
java/awt/event/KeyEvent VK_STOP
java/awt/event/KeyEvent VK_COMPOSE
java/awt/event/KeyEvent VK_ALT_GRAPH
java/awt/event/KeyEvent VK_BEGIN
java/awt/event/KeyEvent VK_UNDEFINED
java/awt/event/KeyEvent CHAR_UNDEFINED
java/awt/event/KeyEvent KEY_LOCATION_UNKNOWN
java/awt/event/KeyEvent KEY_LOCATION_STANDARD
java/awt/event/KeyEvent KEY_LOCATION_LEFT
java/awt/event/KeyEvent KEY_LOCATION_RIGHT
java/awt/event/KeyEvent KEY_LOCATION_NUMPAD
java/awt/event/KeyEvent keyCode
java/awt/event/KeyEvent keyChar
java/awt/event/KeyEvent keyLocation
java/awt/event/KeyEvent serialVersionUID
java/awt/event/KeyEvent initIDs()V
java/awt/event/KeyEvent <init>(Ljava/awt/Component;IJIICIZ)V
java/awt/event/KeyEvent <init>(Ljava/awt/Component;IJIICI)V
java/awt/event/KeyEvent
 <init>(Ljava/awt/Component;IJIIC)V
java/awt/event/KeyEvent <init>(Ljava/awt/Component;IJII)V
java/awt/event/KeyEvent getKeyCode()I
java/awt/event/KeyEvent setKeyCode(I)V
java/awt/event/KeyEvent getKeyChar()C
java/awt/event/KeyEvent setKeyChar(C)V
java/awt/event/KeyEvent setModifiers(I)V
java/awt/event/KeyEvent getKeyLocation()I
java/awt/event/KeyEvent getKeyText(I)Ljava/lang/String;
java/awt/event/KeyEvent getKeyModifiersText(I)Ljava/lang/String;
java/awt/event/KeyEvent isActionKey()Z
java/awt/event/KeyEvent paramString()Ljava/lang/String;
java/awt/event/KeyEvent setNewModifiers()V
java/awt/event/KeyEvent setOldModifiers()V
java/awt/event/KeyEvent readObject(Ljava/io/ObjectInputStream;)V
java/awt/event/KeyEvent <clinit>()V
class java/awt/event/InputEvent java/awt/event/ComponentEvent
java/awt/event/InputEvent SHIFT_MASK
java/awt/event/InputEvent CTRL_MASK
java/awt/event/InputEvent META_MASK
java/awt/event/InputEvent ALT_MASK
java/awt/event/InputEvent ALT_GRAPH_MASK
java/awt/event/InputEvent

```

BUTTON1\_MASK  
 java/awt/event/InputEvent BUTTON2\_MASK  
 java/awt/event/InputEvent BUTTON3\_MASK  
 java/awt/event/InputEvent SHIFT\_DOWN\_MASK  
 java/awt/event/InputEvent CTRL\_DOWN\_MASK  
 java/awt/event/InputEvent META\_DOWN\_MASK  
 java/awt/event/InputEvent ALT\_DOWN\_MASK  
 java/awt/event/InputEvent BUTTON1\_DOWN\_MASK  
 java/awt/event/InputEvent BUTTON2\_DOWN\_MASK  
 java/awt/event/InputEvent BUTTON3\_DOWN\_MASK  
 java/awt/event/InputEvent ALT\_GRAPH\_DOWN\_MASK  
 java/awt/event/InputEvent JDK\_1\_3\_MODIFIERS  
 java/awt/event/InputEvent when  
 java/awt/event/InputEvent modifiers  
 java/awt/event/InputEvent canAccessSystemClipboard  
 java/awt/event/InputEvent serialVersionUID  
 java/awt/event/InputEvent initIDs()V  
 java/awt/event/InputEvent <init>(Ljava/awt/Component;I)I)V  
 java/awt/event/InputEvent canAccessSystemClipboard()Z  
 java/awt/event/InputEvent isShiftDown()Z  
 java/awt/event/InputEvent isControlDown()Z  
 java/awt/event/InputEvent isMetaDown()Z  
 java/awt/event/InputEvent isAltDown()Z  
 java/awt/event/InputEvent isAltGraphDown()Z  
 java/awt/event/InputEvent  
   getWhen()J  
 java/awt/event/InputEvent getModifiers()I  
 java/awt/event/InputEvent getModifiersEx()I  
 java/awt/event/InputEvent consume()V  
 java/awt/event/InputEvent isConsumed()Z  
 java/awt/event/InputEvent getModifiersExText(I)Ljava/lang/String;  
 java/awt/event/InputEvent <clinit>()V  
 class java/awt/event/ComponentEvent java/awt/AWTEvent  
 java/awt/event/ComponentEvent COMPONENT\_FIRST  
 java/awt/event/ComponentEvent COMPONENT\_LAST  
 java/awt/event/ComponentEvent COMPONENT\_MOVED  
 java/awt/event/ComponentEvent COMPONENT\_RESIZED  
 java/awt/event/ComponentEvent COMPONENT\_SHOWN  
 java/awt/event/ComponentEvent COMPONENT\_HIDDEN  
 java/awt/event/ComponentEvent serialVersionUID  
 java/awt/event/ComponentEvent <init>(Ljava/awt/Component;I)V  
 java/awt/event/ComponentEvent getComponent()Ljava/awt/Component;  
 java/awt/event/ComponentEvent paramString()Ljava/lang/String;  
 class java/awt/AWTEvent java/util/EventObject  
 java/awt/AWTEvent bdata  
 java/awt/AWTEvent id  
 java/awt/AWTEvent consumed  
 java/awt/AWTEvent

focusManagerIsDispatching  
 java/awt/AWTEvent isPosted  
 java/awt/AWTEvent COMPONENT\_EVENT\_MASK  
 java/awt/AWTEvent CONTAINER\_EVENT\_MASK  
 java/awt/AWTEvent FOCUS\_EVENT\_MASK  
 java/awt/AWTEvent KEY\_EVENT\_MASK  
 java/awt/AWTEvent MOUSE\_EVENT\_MASK  
 java/awt/AWTEvent MOUSE\_MOTION\_EVENT\_MASK  
 java/awt/AWTEvent WINDOW\_EVENT\_MASK  
 java/awt/AWTEvent ACTION\_EVENT\_MASK  
 java/awt/AWTEvent ADJUSTMENT\_EVENT\_MASK  
 java/awt/AWTEvent ITEM\_EVENT\_MASK  
 java/awt/AWTEvent TEXT\_EVENT\_MASK  
 java/awt/AWTEvent INPUT\_METHOD\_EVENT\_MASK  
 java/awt/AWTEvent INPUT\_METHODS\_ENABLED\_MASK  
 java/awt/AWTEvent PAINT\_EVENT\_MASK  
 java/awt/AWTEvent INVOCATION\_EVENT\_MASK  
 java/awt/AWTEvent HIERARCHY\_EVENT\_MASK  
 java/awt/AWTEvent HIERARCHY\_BOUNDS\_EVENT\_MASK  
 java/awt/AWTEvent MOUSE\_WHEEL\_EVENT\_MASK  
 java/awt/AWTEvent WINDOW\_STATE\_EVENT\_MASK  
 java/awt/AWTEvent WINDOW\_FOCUS\_EVENT\_MASK  
 java/awt/AWTEvent RESERVED\_ID\_MAX  
 java/awt/AWTEvent inputEvent\_CanAccessSystemClipboard\_Field  
 java/awt/AWTEvent serialVersionUID  
 java/awt/AWTEvent get\_InputEvent\_CanAccessSystemClipboard()Ljava/lang/reflect/Field;  
 java/awt/AWTEvent  
   initIDs()V  
 java/awt/AWTEvent <init>(Ljava/awt/Event;)V  
 java/awt/AWTEvent <init>(Ljava/lang/Object;I)V  
 java/awt/AWTEvent setSource(Ljava/lang/Object;)V  
 java/awt/AWTEvent nativeSetSource(Ljava/awt/peer/ComponentPeer;)V  
 java/awt/AWTEvent getID()I  
 java/awt/AWTEvent toString()Ljava/lang/String;  
 java/awt/AWTEvent paramString()Ljava/lang/String;  
 java/awt/AWTEvent consume()V  
 java/awt/AWTEvent isConsumed()Z  
 java/awt/AWTEvent convertToOld(Ljava/awt/Event;  
 java/awt/AWTEvent copyPrivateDataInto(Ljava/awt/AWTEvent;)V  
 java/awt/AWTEvent dispatched()V  
 java/awt/AWTEvent <clinit>()V  
 class java/awt/KeyboardFocusManager java/lang/Object  
 java/awt/KeyboardFocusManager focusLog  
 java/awt/KeyboardFocusManager peer  
 java/awt/KeyboardFocusManager dbg  
 java/awt/KeyboardFocusManager FORWARD\_TRAVERSAL\_KEYS  
 java/awt/KeyboardFocusManager BACKWARD\_TRAVERSAL\_KEYS  
 java/awt/KeyboardFocusManager UP\_CYCLE\_TRAVERSAL\_KEYS

java/awt/KeyboardFocusManager DOWN\_CYCLE\_TRAVERSAL\_KEYS  
java/awt/KeyboardFocusManager  
TRAVERSAL\_KEY\_LENGTH  
java/awt/KeyboardFocusManager inActivation  
java/awt/KeyboardFocusManager focusOwner  
java/awt/KeyboardFocusManager permanentFocusOwner  
java/awt/KeyboardFocusManager focusedWindow  
java/awt/KeyboardFocusManager activeWindow  
java/awt/KeyboardFocusManager defaultPolicy  
java/awt/KeyboardFocusManager defaultFocusTraversalKeyPropertyNames  
java/awt/KeyboardFocusManager defaultFocusTraversalKeyStrokes  
java/awt/KeyboardFocusManager defaultFocusTraversalKeys  
java/awt/KeyboardFocusManager currentFocusCycleRoot  
java/awt/KeyboardFocusManager vetoableSupport  
java/awt/KeyboardFocusManager changeSupport  
java/awt/KeyboardFocusManager keyEventDispatchers  
java/awt/KeyboardFocusManager keyEventPostProcessors  
java/awt/KeyboardFocusManager mostRecentFocusOwners  
java/awt/KeyboardFocusManager notPrivileged  
java/awt/KeyboardFocusManager replaceKeyboardFocusManagerPermission  
java/awt/KeyboardFocusManager currentSequencedEvent  
java/awt/KeyboardFocusManager  
heavyweightRequests  
java/awt/KeyboardFocusManager currentLightweightRequests  
java/awt/KeyboardFocusManager clearingCurrentLightweightRequests  
java/awt/KeyboardFocusManager allowSyncFocusRequests  
java/awt/KeyboardFocusManager newFocusOwner  
java/awt/KeyboardFocusManager disableRestoreFocus  
java/awt/KeyboardFocusManager SNFH\_FAILURE  
java/awt/KeyboardFocusManager SNFH\_SUCCESS\_HANDLED  
java/awt/KeyboardFocusManager SNFH\_SUCCESS\_PROCEED  
java/awt/KeyboardFocusManager proxyActive  
java/awt/KeyboardFocusManager \$assertionsDisabled  
java/awt/KeyboardFocusManager initIDs()V  
java/awt/KeyboardFocusManager isInActivation()Z  
java/awt/KeyboardFocusManager setInActivation(Z)V  
java/awt/KeyboardFocusManager getCurrentKeyboardFocusManager()Ljava/awt/KeyboardFocusManager;  
java/awt/KeyboardFocusManager  
getCurrentKeyboardFocusManager(Lsun/awt/AppContext;)Ljava/awt/KeyboardFocusManager;  
java/awt/KeyboardFocusManager setCurrentKeyboardFocusManager(Ljava/awt/KeyboardFocusManager;)V  
java/awt/KeyboardFocusManager  
setCurrentSequencedEvent(Ljava/awt/SequencedEvent;)V  
java/awt/KeyboardFocusManager getCurrentSequencedEvent()Ljava/awt/SequencedEvent;  
java/awt/KeyboardFocusManager initFocusTraversalKeysSet(Ljava/lang/String;Ljava/util/Set;)Ljava/util/Set;  
java/awt/KeyboardFocusManager <init>()V  
java/awt/KeyboardFocusManager initPeer()V  
java/awt/KeyboardFocusManager getFocusOwner()Ljava/awt/Component;  
java/awt/KeyboardFocusManager getGlobalFocusOwner()Ljava/awt/Component;

```

java/awt/KeyboardFocusManager setGlobalFocusOwner(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager clearGlobalFocusOwner()V
java/awt/KeyboardFocusManager _clearGlobalFocusOwner()V
java/awt/KeyboardFocusManager getNativeFocusOwner()Ljava/awt/Component;
java/awt/KeyboardFocusManager setNativeFocusOwner(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager getNativeFocusedWindow()Ljava/awt/Window;
java/awt/KeyboardFocusManager setNativeFocusedWindow(Ljava/awt/Window;)V
java/awt/KeyboardFocusManager getPermanentFocusOwner()Ljava/awt/Component;
java/awt/KeyboardFocusManager
 getGlobalPermanentFocusOwner()Ljava/awt/Component;
java/awt/KeyboardFocusManager setGlobalPermanentFocusOwner(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager getFocusedWindow()Ljava/awt/Window;
java/awt/KeyboardFocusManager getGlobalFocusedWindow()Ljava/awt/Window;
java/awt/KeyboardFocusManager setGlobalFocusedWindow(Ljava/awt/Window;)V
java/awt/KeyboardFocusManager getActiveWindow()Ljava/awt/Window;
java/awt/KeyboardFocusManager getGlobalActiveWindow()Ljava/awt/Window;
java/awt/KeyboardFocusManager setGlobalActiveWindow(Ljava/awt/Window;)V
java/awt/KeyboardFocusManager getDefaultFocusTraversalPolicy()Ljava/awt/FocusTraversalPolicy;
java/awt/KeyboardFocusManager setDefaultFocusTraversalPolicy(Ljava/awt/FocusTraversalPolicy;)V
java/awt/KeyboardFocusManager setDefaultFocusTraversalKeys(ILjava/util/Set;)V
java/awt/KeyboardFocusManager getDefaultFocusTraversalKeys(I)Ljava/util/Set;
java/awt/KeyboardFocusManager getCurrentFocusCycleRoot()Ljava/awt/Container;
java/awt/KeyboardFocusManager
 getGlobalCurrentFocusCycleRoot()Ljava/awt/Container;
java/awt/KeyboardFocusManager setGlobalCurrentFocusCycleRoot(Ljava/awt/Container;)V
java/awt/KeyboardFocusManager addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/awt/KeyboardFocusManager removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/awt/KeyboardFocusManager getPropertyChangeListeners()[Ljava/beans/PropertyChangeListener;
java/awt/KeyboardFocusManager
 addPropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/awt/KeyboardFocusManager
 removePropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/awt/KeyboardFocusManager
 getPropertyChangeListeners(Ljava/lang/String;)[Ljava/beans/PropertyChangeListener;
java/awt/KeyboardFocusManager firePropertyChange(Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/awt/KeyboardFocusManager addVetoableChangeListener(Ljava/beans/VetoableChangeListener;)V
java/awt/KeyboardFocusManager
 removeVetoableChangeListener(Ljava/beans/VetoableChangeListener;)V
java/awt/KeyboardFocusManager getVetoableChangeListeners()[Ljava/beans/VetoableChangeListener;
java/awt/KeyboardFocusManager
 addVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/awt/KeyboardFocusManager
 removeVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/awt/KeyboardFocusManager
 getVetoableChangeListeners(Ljava/lang/String;)[Ljava/beans/VetoableChangeListener;
java/awt/KeyboardFocusManager fireVetoableChange(Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/awt/KeyboardFocusManager addKeyEventDispatcher(Ljava/awt/KeyEventDispatcher;)V
java/awt/KeyboardFocusManager removeKeyEventDispatcher(Ljava/awt/KeyEventDispatcher;)V

```



```

java/awt/KeyboardFocusManager getKeyEventDispatchers()Ljava/util/List;
java/awt/KeyboardFocusManager addKeyEventPostProcessor(Ljava/awt/KeyEventPostProcessor;)V
java/awt/KeyboardFocusManager
 removeKeyEventPostProcessor(Ljava/awt/KeyEventPostProcessor;)V
java/awt/KeyboardFocusManager getKeyEventPostProcessors()Ljava/util/List;
java/awt/KeyboardFocusManager setMostRecentFocusOwner(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager setMostRecentFocusOwner(Ljava/awt/Window;Ljava/awt/Component;)V
java/awt/KeyboardFocusManager clearMostRecentFocusOwner(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager getMostRecentFocusOwner(Ljava/awt/Window;)Ljava/awt/Component;
java/awt/KeyboardFocusManager dispatchEvent(Ljava/awt/AWTEvent;)Z
java/awt/KeyboardFocusManager redisplayEvent(Ljava/awt/Component;Ljava/awt/AWTEvent;)V
java/awt/KeyboardFocusManager dispatchKeyEvent(Ljava/awt/event/KeyEvent;)Z
java/awt/KeyboardFocusManager postProcessKeyEvent(Ljava/awt/event/KeyEvent;)Z
java/awt/KeyboardFocusManager processKeyEvent(Ljava/awt/Component;Ljava/awt/event/KeyEvent;)V
java/awt/KeyboardFocusManager enqueueKeyEvents(JLjava/awt/Component;)V
java/awt/KeyboardFocusManager dequeueKeyEvents(JLjava/awt/Component;)V
java/awt/KeyboardFocusManager
 discardKeyEvents(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager focusNextComponent(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager focusPreviousComponent(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager upFocusCycle(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager downFocusCycle(Ljava/awt/Container;)V
java/awt/KeyboardFocusManager focusNextComponent()V
java/awt/KeyboardFocusManager focusPreviousComponent()V
java/awt/KeyboardFocusManager upFocusCycle()V
java/awt/KeyboardFocusManager downFocusCycle()V
java/awt/KeyboardFocusManager dumpRequests()V
java/awt/KeyboardFocusManager
 processSynchronousLightweightTransfer(Ljava/awt/Component;Ljava/awt/Component;ZZJ)Z
java/awt/KeyboardFocusManager
 shouldNativelyFocusHeavyweight(Ljava/awt/Component;Ljava/awt/Component;ZZJ)I
java/awt/KeyboardFocusManager heavyweightButtonDown(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager heavyweightButtonDown(Ljava/awt/Component;JZ)V
java/awt/KeyboardFocusManager
 markClearGlobalFocusOwner()Ljava/awt/Window;
java/awt/KeyboardFocusManager getCurrentWaitingRequest(Ljava/awt/Component;)Ljava/awt/Component;
java/awt/KeyboardFocusManager
 dispatchAndCatchException(Ljava/lang/Throwable;Ljava/awt/Component;Ljava/awt/event/FocusEvent;)Ljava/lang/
 Throwable;
java/awt/KeyboardFocusManager handleException(Ljava/lang/Throwable;)V
java/awt/KeyboardFocusManager hasFocusRequests()Z
java/awt/KeyboardFocusManager processCurrentLightweightRequests()V
java/awt/KeyboardFocusManager
 retargetUnexpectedFocusEvent(Ljava/awt/event/FocusEvent;)Ljava/awt/event/FocusEvent;
java/awt/KeyboardFocusManager retargetFocusGained(Ljava/awt/event/FocusEvent;)Ljava/awt/event/FocusEvent;
java/awt/KeyboardFocusManager retargetFocusLost(Ljava/awt/event/FocusEvent;)Ljava/awt/event/FocusEvent;
java/awt/KeyboardFocusManager retargetFocusEvent(Ljava/awt/AWTEvent;)Ljava/awt/AWTEvent;
java/awt/KeyboardFocusManager clearMarkers()V

```

```

java/awt/KeyboardFocusManager
 removeFirstRequest()Z
java/awt/KeyboardFocusManager removeLastFocusRequest(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager focusedWindowChanged(Ljava/awt/Component;Ljava/awt/Component;)Z
java/awt/KeyboardFocusManager isTemporary(Ljava/awt/Component;Ljava/awt/Component;)Z
java/awt/KeyboardFocusManager getHeavyweight(Ljava/awt/Component;)Ljava/awt/Component;
java/awt/KeyboardFocusManager isProxyActiveImpl(Ljava/awt/event/KeyEvent;)Z
java/awt/KeyboardFocusManager isProxyActive(Ljava/awt/event/KeyEvent;)Z
java/awt/KeyboardFocusManager access$000()Lsun/awt/DebugHelper;
java/awt/KeyboardFocusManager <clinit>()V
class java/awt/KeyEventPostProcessor java/lang/Object
java/awt/KeyEventPostProcessor postProcessKeyEvent(Ljava/awt/event/KeyEvent;)Z
class java/awt/KeyEventDispatcher java/lang/Object
java/awt/KeyEventDispatcher dispatchKeyEvent(Ljava/awt/event/KeyEvent;)Z
class java/awt/Queue java/lang/Object
java/awt/Queue head
java/awt/Queue tail
java/awt/Queue <init>()V
class java/awt/EventQueue
 java/lang/Object
java/awt/EventQueue dbg
java/awt/EventQueue threadInitNumber
java/awt/EventQueue LOW_PRIORITY
java/awt/EventQueue NORM_PRIORITY
java/awt/EventQueue HIGH_PRIORITY
java/awt/EventQueue ULTIMATE_PRIORITY
java/awt/EventQueue NUM_PRIORITIES
java/awt/EventQueue queues
java/awt/EventQueue nextQueue
java/awt/EventQueue previousQueue
java/awt/EventQueue dispatchThread
java/awt/EventQueue threadGroup
java/awt/EventQueue classLoader
java/awt/EventQueue debug
java/awt/EventQueue mostRecentEventTime
java/awt/EventQueue currentEvent
java/awt/EventQueue waitForID
java/awt/EventQueue name
java/awt/EventQueue nextThreadNum()I
java/awt/EventQueue <init>()V
java/awt/EventQueue postEvent(Ljava/awt/AWTEvent;)V
java/awt/EventQueue postEventPrivate(Ljava/awt/AWTEvent;)V
java/awt/EventQueue postEvent(Ljava/awt/AWTEvent;I)V
java/awt/EventQueue noEvents()Z
java/awt/EventQueue getNextEvent()Ljava/awt/AWTEvent;
java/awt/EventQueue getNextEvent(I)Ljava/awt/AWTEvent;
java/awt/EventQueue

```

```

peekEvent()Ljava/awt/AWTEvent;
java/awt/EventQueue peekEvent(I)Ljava/awt/AWTEvent;
java/awt/EventQueue dispatchEvent(Ljava/awt/AWTEvent;)V
java/awt/EventQueue getMostRecentEventTime()J
java/awt/EventQueue getMostRecentEventTimeImpl()J
java/awt/EventQueue getMostRecentEventTimeEx()J
java/awt/EventQueue getCurrentEvent()Ljava/awt/AWTEvent;
java/awt/EventQueue getCurrentEventImpl()Ljava/awt/AWTEvent;
java/awt/EventQueue push(Ljava/awt/EventQueue;)V
java/awt/EventQueue pop()V
java/awt/EventQueue isDispatchThread()Z
java/awt/EventQueue initDispatchThread()V
java/awt/EventQueue detachDispatchThread()V
java/awt/EventQueue getDispatchThread()Ljava/awt/EventDispatchThread;
java/awt/EventQueue removeSourceEvents(Ljava/lang/Object;Z)V
java/awt/EventQueue setCurrentEventAndMostRecentTime(Ljava/awt/AWTEvent;)V
java/awt/EventQueue setCurrentEventAndMostRecentTimeImpl(Ljava/awt/AWTEvent;)V
java/awt/EventQueue invokeLater(Ljava/lang/Runnable;)V
java/awt/EventQueue invokeAndWait(Ljava/lang/Runnable;)V
java/awt/EventQueue
 wakeup(Z)V
java/awt/EventQueue access$000(Ljava/awt/EventQueue;)Ljava/lang/ThreadGroup;
java/awt/EventQueue access$100(Ljava/awt/EventQueue;)Ljava/lang/String;
java/awt/EventQueue access$200(Ljava/awt/EventQueue;)Ljava/lang/ClassLoader;
java/awt/EventQueue <clinit>()V
class java/util/MissingResourceException java/lang/RuntimeException
java/util/MissingResourceException className
java/util/MissingResourceException key
java/util/MissingResourceException <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/util/MissingResourceException getClassName()Ljava/lang/String;
java/util/MissingResourceException getKey()Ljava/lang/String;
class java/awt/Toolkit$2 java/lang/Object
java/awt/Toolkit$2 <init>()V
java/awt/Toolkit$2 run()Ljava/lang/Object;
class java/awt/Rectangle java/awt/geom/Rectangle2D
java/awt/Rectangle x
java/awt/Rectangle y
java/awt/Rectangle width
java/awt/Rectangle height
java/awt/Rectangle serialVersionUID
java/awt/Rectangle initIDs()V
java/awt/Rectangle
 <init>()V
java/awt/Rectangle <init>(Ljava/awt/Rectangle;)V
java/awt/Rectangle <init>(III)V
java/awt/Rectangle <init>(II)V
java/awt/Rectangle <init>(Ljava/awt/Point;Ljava/awt/Dimension;)V
java/awt/Rectangle <init>(Ljava/awt/Point;)V

```

```

java/awt/Rectangle <init>(Ljava/awt/Dimension;)V
java/awt/Rectangle getX()D
java/awt/Rectangle getY()D
java/awt/Rectangle getWidth()D
java/awt/Rectangle getHeight()D
java/awt/Rectangle getBounds()Ljava/awt/Rectangle;
java/awt/Rectangle getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/Rectangle setBounds(Ljava/awt/Rectangle;)V
java/awt/Rectangle setBounds(IIII)V
java/awt/Rectangle setRect(DDDD)V
java/awt/Rectangle reshape(IIII)V
java/awt/Rectangle getLocation()Ljava/awt/Point;
java/awt/Rectangle setLocation(Ljava/awt/Point;)V
java/awt/Rectangle setLocation(II)V
java/awt/Rectangle move(II)V
java/awt/Rectangle translate(II)V
java/awt/Rectangle getSize()Ljava/awt/Dimension;
java/awt/Rectangle setSize(Ljava/awt/Dimension;)V
java/awt/Rectangle setSize(II)V
java/awt/Rectangle
 resize(II)V
java/awt/Rectangle contains(Ljava/awt/Point;)Z
java/awt/Rectangle contains(II)Z
java/awt/Rectangle contains(Ljava/awt/Rectangle;)Z
java/awt/Rectangle contains(IIII)Z
java/awt/Rectangle inside(II)Z
java/awt/Rectangle intersects(Ljava/awt/Rectangle;)Z
java/awt/Rectangle intersection(Ljava/awt/Rectangle;)Ljava/awt/Rectangle;
java/awt/Rectangle union(Ljava/awt/Rectangle;)Ljava/awt/Rectangle;
java/awt/Rectangle add(II)V
java/awt/Rectangle add(Ljava/awt/Point;)V
java/awt/Rectangle add(Ljava/awt/Rectangle;)V
java/awt/Rectangle grow(II)V
java/awt/Rectangle isEmpty()Z
java/awt/Rectangle outcode(DD)I
java/awt/Rectangle createIntersection(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;
java/awt/Rectangle createUnion(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;
java/awt/Rectangle equals(Ljava/lang/Object;)Z
java/awt/Rectangle toString()Ljava/lang/String;
java/awt/Rectangle <clinit>()V
class java/awt/BorderLayout java/lang/Object
 hgap
 java/awt/BorderLayout vgap
 java/awt/BorderLayout north
 java/awt/BorderLayout west
 java/awt/BorderLayout east
 java/awt/BorderLayout south

```

```

java/awt/BorderLayout center
java/awt/BorderLayout firstLine
java/awt/BorderLayout lastLine
java/awt/BorderLayout firstItem
java/awt/BorderLayout lastItem
java/awt/BorderLayout NORTH
java/awt/BorderLayout SOUTH
java/awt/BorderLayout EAST
java/awt/BorderLayout WEST
java/awt/BorderLayout CENTER
java/awt/BorderLayout BEFORE_FIRST_LINE
java/awt/BorderLayout AFTER_LAST_LINE
java/awt/BorderLayout BEFORE_LINE_BEGINS
java/awt/BorderLayout AFTER_LINE_ENDS
java/awt/BorderLayout PAGE_START
java/awt/BorderLayout PAGE_END
java/awt/BorderLayout LINE_START
java/awt/BorderLayout LINE_END
java/awt/BorderLayout serialVersionUID
java/awt/BorderLayout <init>()V
java/awt/BorderLayout <init>(II)V
java/awt/BorderLayout getHgap()I
java/awt/BorderLayout setHgap(I)V
java/awt/BorderLayout getVgap()I
java/awt/BorderLayout setVgap(I)V
java/awt/BorderLayout addLayoutComponent(Ljava/awt/Component;Ljava/lang/Object;)V
java/awt/BorderLayout
 addLayoutComponent(Ljava/lang/String;Ljava/awt/Component;)V
java/awt/BorderLayout removeLayoutComponent(Ljava/awt/Component;)V
java/awt/BorderLayout getLayoutComponent(Ljava/lang/Object;)Ljava/awt/Component;
java/awt/BorderLayout getLayoutComponent(Ljava/awt/Container;Ljava/lang/Object;)Ljava/awt/Component;
java/awt/BorderLayout getConstraints(Ljava/awt/Component;)Ljava/lang/Object;
java/awt/BorderLayout minimumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/BorderLayout preferredLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/BorderLayout maximumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/BorderLayout getLayoutAlignmentX(Ljava/awt/Container;)F
java/awt/BorderLayout getLayoutAlignmentY(Ljava/awt/Container;)F
java/awt/BorderLayout invalidateLayout(Ljava/awt/Container;)V
java/awt/BorderLayout layoutContainer(Ljava/awt/Container;)V
java/awt/BorderLayout getChild(Ljava/lang/String;Z)Ljava/awt/Component;
java/awt/BorderLayout
 toString()Ljava/lang/String;
class java/awt/LayoutManager2 java/lang/Object
java/awt/LayoutManager2 addLayoutComponent(Ljava/awt/Component;Ljava/lang/Object;)V
java/awt/LayoutManager2 maximumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/LayoutManager2 getLayoutAlignmentX(Ljava/awt/Container;)F
java/awt/LayoutManager2 getLayoutAlignmentY(Ljava/awt/Container;)F
java/awt/LayoutManager2 invalidateLayout(Ljava/awt/Container;)V

```

```

class java/awt/GraphicsConfiguration java/lang/Object
java/awt/GraphicsConfiguration defaultBufferCaps
java/awt/GraphicsConfiguration defaultImageCaps
java/awt/GraphicsConfiguration <init>()V
java/awt/GraphicsConfiguration getDevice()Ljava/awt/GraphicsDevice;
java/awt/GraphicsConfiguration createCompatibleImage(II)Ljava/awt/image/BufferedImage;
java/awt/GraphicsConfiguration createCompatibleVolatileImage(II)Ljava/awt/image/VolatileImage;
java/awt/GraphicsConfiguration createCompatibleVolatileImage(III)Ljava/awt/image/VolatileImage;
java/awt/GraphicsConfiguration
 createCompatibleVolatileImage(IIIjava/awt/ImageCapabilities;)Ljava/awt/image/VolatileImage;
java/awt/GraphicsConfiguration
 createCompatibleVolatileImage(IIIjava/awt/ImageCapabilities;I)Ljava/awt/image/VolatileImage;
java/awt/GraphicsConfiguration createCompatibleImage(III)Ljava/awt/image/BufferedImage;
java/awt/GraphicsConfiguration getColorModel()Ljava/awt/image/ColorModel;
java/awt/GraphicsConfiguration getColorModel(I)Ljava/awt/image/ColorModel;
java/awt/GraphicsConfiguration getDefaultTransform()Ljava/awt/geom/AffineTransform;
java/awt/GraphicsConfiguration getNormalizingTransform()Ljava/awt/geom/AffineTransform;
java/awt/GraphicsConfiguration getBounds()Ljava/awt/Rectangle;
java/awt/GraphicsConfiguration getBufferCapabilities()Ljava/awt/BufferCapabilities;
java/awt/GraphicsConfiguration getImageCapabilities()Ljava/awt/ImageCapabilities;
class java/awt/GraphicsDevice java/lang/Object
java/awt/GraphicsDevice fullScreenWindow
java/awt/GraphicsDevice
 windowedModeBounds
java/awt/GraphicsDevice TYPE_RASTER_SCREEN
java/awt/GraphicsDevice TYPE_PRINTER
java/awt/GraphicsDevice TYPE_IMAGE_BUFFER
java/awt/GraphicsDevice <init>()V
java/awt/GraphicsDevice getType()I
java/awt/GraphicsDevice getIDstring()Ljava/lang/String;
java/awt/GraphicsDevice getConfigurations()[Ljava/awt/GraphicsConfiguration;
java/awt/GraphicsDevice getDefaultConfiguration()Ljava/awt/GraphicsConfiguration;
java/awt/GraphicsDevice
 getBestConfiguration(Ljava/awt/GraphicsConfigTemplate;)Ljava/awt/GraphicsConfiguration;
java/awt/GraphicsDevice isFullScreenSupported()Z
java/awt/GraphicsDevice setFullScreenWindow(Ljava/awt/Window;)V
java/awt/GraphicsDevice getFullScreenWindow()Ljava/awt/Window;
java/awt/GraphicsDevice isDisplayChangeSupported()Z
java/awt/GraphicsDevice setDisplayMode(Ljava/awt/DisplayMode;)V
java/awt/GraphicsDevice getDisplayMode()Ljava/awt/DisplayMode;
java/awt/GraphicsDevice getDisplayModes()[Ljava/awt/DisplayMode;
java/awt/GraphicsDevice
 getAvailableAcceleratedMemory()I
class java/util/HashMap$KeyIterator java/util/HashMap$HashIterator
java/util/HashMap$KeyIterator this$0
java/util/HashMap$KeyIterator <init>(Ljava/util/HashMap;)V
java/util/HashMap$KeyIterator next()Ljava/lang/Object;
java/util/HashMap$KeyIterator <init>(Ljava/util/HashMap;Ljava/util/HashMap$1;)V

```

```

class java/util/HashMap$HashIterator java/lang/Object
java/util/HashMap$HashIterator next
java/util/HashMap$HashIterator expectedModCount
java/util/HashMap$HashIterator index
java/util/HashMap$HashIterator current
java/util/HashMap$HashIterator this$0
java/util/HashMap$HashIterator <init>(Ljava/util/HashMap;)V
java/util/HashMap$HashIterator hasNext()Z
java/util/HashMap$HashIterator nextEntry()Ljava/util/HashMap$Entry;
java/util/HashMap$HashIterator remove()V
class java/util/HashMap$KeySet java/util/AbstractSet
java/util/HashMap$KeySet this$0
java/util/HashMap$KeySet <init>(Ljava/util/HashMap;)V
java/util/HashMap$KeySet iterator()Ljava/util/Iterator;
java/util/HashMap$KeySet
size()I
java/util/HashMap$KeySet contains(Ljava/lang/Object;)Z
java/util/HashMap$KeySet remove(Ljava/lang/Object;)Z
java/util/HashMap$KeySet clear()V
java/util/HashMap$KeySet <init>(Ljava/util/HashMap;Ljava/util/HashMap$1;)V
class java/lang/Short$ShortCache java/lang/Object
java/lang/Short$ShortCache cache
java/lang/Short$ShortCache <init>()V
java/lang/Short$ShortCache <clinit>()V
class java/lang/Integer$IntegerCache java/lang/Object
java/lang/Integer$IntegerCache cache
java/lang/Integer$IntegerCache <init>()V
java/lang/Integer$IntegerCache <clinit>()V
class java/awt/geom/Rectangle2D$Float java/awt/geom/Rectangle2D
java/awt/geom/Rectangle2D$Float x
java/awt/geom/Rectangle2D$Float y
java/awt/geom/Rectangle2D$Float width
java/awt/geom/Rectangle2D$Float height
java/awt/geom/Rectangle2D$Float <init>()V
java/awt/geom/Rectangle2D$Float <init>(FFFF)V
java/awt/geom/Rectangle2D$Float getX()D
java/awt/geom/Rectangle2D$Float getY()D
java/awt/geom/Rectangle2D$Float getWidth()D
java/awt/geom/Rectangle2D$Float
getHeight()D
java/awt/geom/Rectangle2D$Float isEmpty()Z
java/awt/geom/Rectangle2D$Float setRect(FFFF)V
java/awt/geom/Rectangle2D$Float setRect(DDDD)V
java/awt/geom/Rectangle2D$Float setRect(Ljava/awt/geom/Rectangle2D;)V
java/awt/geom/Rectangle2D$Float outcode(DD)I
java/awt/geom/Rectangle2D$Float getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D$Float createIntersection(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D$Float createUnion(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;

```

```

java/awt/geom/Rectangle2D$Float toString()Ljava/lang/String;
class java/awt/geom/Rectangle2D java/awt/geom/RectangularShape
java/awt/geom/Rectangle2D OUT_LEFT
java/awt/geom/Rectangle2D OUT_TOP
java/awt/geom/Rectangle2D OUT_RIGHT
java/awt/geom/Rectangle2D OUT_BOTTOM
java/awt/geom/Rectangle2D <init>()V
java/awt/geom/Rectangle2D setRect(DDDD)V
java/awt/geom/Rectangle2D setRect(Ljava/awt/geom/Rectangle2D;)V
java/awt/geom/Rectangle2D
 intersectsLine(DDDD)Z
java/awt/geom/Rectangle2D intersectsLine(Ljava/awt/geom/Line2D;)Z
java/awt/geom/Rectangle2D outcode(DD)I
java/awt/geom/Rectangle2D outcode(Ljava/awt/geom/Point2D;)I
java/awt/geom/Rectangle2D setFrame(DDDD)V
java/awt/geom/Rectangle2D getBounds2D(Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D contains(DD)Z
java/awt/geom/Rectangle2D intersects(DDDD)Z
java/awt/geom/Rectangle2D contains(DDDD)Z
java/awt/geom/Rectangle2D createIntersection(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D
 intersect(Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Rectangle2D;)V
java/awt/geom/Rectangle2D createUnion(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D
 union(Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Rectangle2D;)V
java/awt/geom/Rectangle2D add(DD)V
java/awt/geom/Rectangle2D add(Ljava/awt/geom/Point2D;)V
java/awt/geom/Rectangle2D add(Ljava/awt/geom/Rectangle2D;)V
java/awt/geom/Rectangle2D
 getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
java/awt/geom/Rectangle2D getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
java/awt/geom/Rectangle2D hashCode()I
java/awt/geom/Rectangle2D equals(Ljava/lang/Object;)Z
class java/awt/geom/RectangularShape java/lang/Object
java/awt/geom/RectangularShape <init>()V
java/awt/geom/RectangularShape getX()D
java/awt/geom/RectangularShape getY()D
java/awt/geom/RectangularShape getWidth()D
java/awt/geom/RectangularShape getHeight()D
java/awt/geom/RectangularShape getMinX()D
java/awt/geom/RectangularShape getMinY()D
java/awt/geom/RectangularShape getMaxX()D
java/awt/geom/RectangularShape getMaxY()D
java/awt/geom/RectangularShape getCenterX()D
java/awt/geom/RectangularShape getCenterY()D
java/awt/geom/RectangularShape setFrame()Ljava/awt/geom/Rectangle2D;
java/awt/geom/RectangularShape isEmpty()Z
java/awt/geom/RectangularShape setFrame(DDDD)V

```



```

java/awt/geom/RectangularShape
 setFrame(Ljava/awt/geom/Point2D;Ljava/awt/geom/Dimension2D;)V
java/awt/geom/RectangularShape setFrame(Ljava/awt/geom/Rectangle2D;)V
java/awt/geom/RectangularShape setFrameFromDiagonal(DDDD)V
java/awt/geom/RectangularShape setFrameFromDiagonal(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V
java/awt/geom/RectangularShape setFrameFromCenter(DDDD)V
java/awt/geom/RectangularShape setFrameFromCenter(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V
java/awt/geom/RectangularShape contains(Ljava/awt/geom/Point2D;)Z
java/awt/geom/RectangularShape intersects(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/RectangularShape contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/RectangularShape getBounds()Ljava/awt/Rectangle;
java/awt/geom/RectangularShape getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
java/awt/geom/RectangularShape clone()Ljava/lang/Object;
class java/awt/geom/Point2D$Float java/awt/geom/Point2D
 java/awt/geom/Point2D$Float x
 java/awt/geom/Point2D$Float
 y
 java/awt/geom/Point2D$Float <init>()V
 java/awt/geom/Point2D$Float <init>(FF)V
 java/awt/geom/Point2D$Float getX()D
 java/awt/geom/Point2D$Float getY()D
 java/awt/geom/Point2D$Float setLocation(DD)V
 java/awt/geom/Point2D$Float setLocation(FF)V
 java/awt/geom/Point2D$Float toString()Ljava/lang/String;
class java/awt/font/FontRenderContext java/lang/Object
 java/awt/font/FontRenderContext tx
 java/awt/font/FontRenderContext bIsAntiAliased
 java/awt/font/FontRenderContext bUsesFractionalMetrics
 java/awt/font/FontRenderContext <init>()V
 java/awt/font/FontRenderContext <init>(Ljava/awt/geom/AffineTransform;ZZ)V
 java/awt/font/FontRenderContext getTransform()Ljava/awt/geom/AffineTransform;
 java/awt/font/FontRenderContext isAntiAliased()Z
 java/awt/font/FontRenderContext usesFractionalMetrics()Z
 java/awt/font/FontRenderContext equals(Ljava/lang/Object;)Z
 java/awt/font/FontRenderContext equals(Ljava/awt/font/FontRenderContext;)Z
 java/awt/font/FontRenderContext hashCode()I
class
 java/lang/reflect/Array java/lang/Object
 java/lang/reflect/Array <init>()V
 java/lang/reflect/Array newInstance(Ljava/lang/Class;I)Ljava/lang/Object;
 java/lang/reflect/Array newInstance(Ljava/lang/Class;[I)Ljava/lang/Object;
 java/lang/reflect/Array getLength(Ljava/lang/Object;)I
 java/lang/reflect/Array get(Ljava/lang/Object;I)Ljava/lang/Object;
 java/lang/reflect/Array getBoolean(Ljava/lang/Object;I)Z
 java/lang/reflect/Array getByte(Ljava/lang/Object;I)B
 java/lang/reflect/Array getChar(Ljava/lang/Object;I)C
 java/lang/reflect/Array getShort(Ljava/lang/Object;I)S
 java/lang/reflect/Array getInt(Ljava/lang/Object;I)I

```

```

java/lang/reflect/Array getLong(Ljava/lang/Object;I)J
java/lang/reflect/Array getFloat(Ljava/lang/Object;I)F
java/lang/reflect/Array getDouble(Ljava/lang/Object;I)D
java/lang/reflect/Array set(Ljava/lang/Object;ILjava/lang/Object;)V
java/lang/reflect/Array setBoolean(Ljava/lang/Object;IZ)V
java/lang/reflect/Array setByte(Ljava/lang/Object;IB)V
java/lang/reflect/Array setChar(Ljava/lang/Object;IC)V
java/lang/reflect/Array
 setShort(Ljava/lang/Object;IS)V
java/lang/reflect/Array setInt(Ljava/lang/Object;II)V
java/lang/reflect/Array setLong(Ljava/lang/Object;IJ)V
java/lang/reflect/Array setFloat(Ljava/lang/Object;IF)V
java/lang/reflect/Array setDouble(Ljava/lang/Object;ID)V
java/lang/reflect/Array newArray(Ljava/lang/Class;I)Ljava/lang/Object;
java/lang/reflect/Array multiNewArray(Ljava/lang/Class;[I)Ljava/lang/Object;
class java/awt/geom/GeneralPath java/lang/Object
java/awt/geom/GeneralPath WIND_EVEN_ODD
java/awt/geom/GeneralPath WIND_NON_ZERO
java/awt/geom/GeneralPath SEG_MOVETO
java/awt/geom/GeneralPath SEG_LINETO
java/awt/geom/GeneralPath SEG_QUADTO
java/awt/geom/GeneralPath SEG_CUBICTO
java/awt/geom/GeneralPath SEG_CLOSE
java/awt/geom/GeneralPath pointTypes
java/awt/geom/GeneralPath pointCoords
java/awt/geom/GeneralPath numTypes
java/awt/geom/GeneralPath numCoords
java/awt/geom/GeneralPath windingRule
java/awt/geom/GeneralPath INIT_SIZE
java/awt/geom/GeneralPath
 EXPAND_MAX
java/awt/geom/GeneralPath <init>()V
java/awt/geom/GeneralPath <init>(I)V
java/awt/geom/GeneralPath <init>(II)V
java/awt/geom/GeneralPath <init>(III)V
java/awt/geom/GeneralPath <init>(Ljava/awt/Shape;)V
java/awt/geom/GeneralPath needRoom(II)Z)V
java/awt/geom/GeneralPath moveTo(FF)V
java/awt/geom/GeneralPath lineTo(FF)V
java/awt/geom/GeneralPath quadTo(FFFF)V
java/awt/geom/GeneralPath curveTo(FFFFFF)V
java/awt/geom/GeneralPath closePath()V
java/awt/geom/GeneralPath append(Ljava/awt/Shape;Z)V
java/awt/geom/GeneralPath append(Ljava/awt/geom/PathIterator;Z)V
java/awt/geom/GeneralPath getWindingRule()I
java/awt/geom/GeneralPath setWindingRule(I)V
java/awt/geom/GeneralPath getCurrentPoint()Ljava/awt/geom/Point2D;
java/awt/geom/GeneralPath reset()V

```

```

java/awt/geom/GeneralPath transform(Ljava/awt/geom/AffineTransform;)V
java/awt/geom/GeneralPath createTransformedShape(Ljava/awt/geom/AffineTransform;)Ljava/awt/Shape;
java/awt/geom/GeneralPath getBounds()Ljava/awt/Rectangle;
java/awt/geom/GeneralPath
 getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/geom/GeneralPath contains(DD)Z
java/awt/geom/GeneralPath contains(Ljava/awt/geom/Point2D;)Z
java/awt/geom/GeneralPath contains(DDDD)Z
java/awt/geom/GeneralPath contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/GeneralPath intersects(DDDD)Z
java/awt/geom/GeneralPath intersects(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/GeneralPath getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
java/awt/geom/GeneralPath getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
java/awt/geom/GeneralPath clone()Ljava/lang/Object;
java/awt/geom/GeneralPath <init>(I[BI[FI)V
class java/awt/Shape java/lang/Object
java/awt/Shape getBounds()Ljava/awt/Rectangle;
java/awt/Shape getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/Shape contains(DD)Z
java/awt/Shape contains(Ljava/awt/geom/Point2D;)Z
java/awt/Shape intersects(DDDD)Z
java/awt/Shape intersects(Ljava/awt/geom/Rectangle2D;)Z
java/awt/Shape
 contains(DDDD)Z
java/awt/Shape contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/Shape getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
java/awt/Shape getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
class java/awt/BasicStroke java/lang/Object
java/awt/BasicStroke JOIN_MITER
java/awt/BasicStroke JOIN_ROUND
java/awt/BasicStroke JOIN_BEVEL
java/awt/BasicStroke CAP_BUTT
java/awt/BasicStroke CAP_ROUND
java/awt/BasicStroke CAP_SQUARE
java/awt/BasicStroke width
java/awt/BasicStroke join
java/awt/BasicStroke cap
java/awt/BasicStroke miterlimit
java/awt/BasicStroke dash
java/awt/BasicStroke dash_phase
java/awt/BasicStroke RasterizerCaps
java/awt/BasicStroke RasterizerCorners
java/awt/BasicStroke <init>(FIIF[FF)V
java/awt/BasicStroke <init>(FIIF)V
java/awt/BasicStroke <init>(FII)V
java/awt/BasicStroke <init>(F)V
java/awt/BasicStroke <init>()V
java/awt/BasicStroke createStrokedShape(Ljava/awt/Shape;)Ljava/awt/Shape;

```

```

java/awt/BasicStroke
 feedConsumer(Lsun/dc/path/PathConsumer;Ljava/awt/geom/PathIterator;)V
java/awt/BasicStroke getLineWidth()F
java/awt/BasicStroke getEndCap()I
java/awt/BasicStroke getLineJoin()I
java/awt/BasicStroke getMiterLimit()F
java/awt/BasicStroke getDashArray()[F
java/awt/BasicStroke getDashPhase()F
java/awt/BasicStroke hashCode()I
java/awt/BasicStroke equals(Ljava/lang/Object;)Z
java/awt/BasicStroke <clinit>()V
class java/awt/Stroke java/lang/Object
java/awt/Stroke createStrokedShape(Ljava/awt/Shape;)Ljava/awt/Shape;
class java/awt/AlphaComposite java/lang/Object
java/awt/AlphaComposite CLEAR
java/awt/AlphaComposite SRC
java/awt/AlphaComposite DST
java/awt/AlphaComposite SRC_OVER
java/awt/AlphaComposite DST_OVER
java/awt/AlphaComposite SRC_IN
java/awt/AlphaComposite DST_IN
java/awt/AlphaComposite SRC_OUT
java/awt/AlphaComposite DST_OUT
java/awt/AlphaComposite SRC_ATOP
java/awt/AlphaComposite DST_ATOP
java/awt/AlphaComposite XOR
java/awt/AlphaComposite Clear
java/awt/AlphaComposite Src
java/awt/AlphaComposite
 Dst
java/awt/AlphaComposite SrcOver
java/awt/AlphaComposite DstOver
java/awt/AlphaComposite SrcIn
java/awt/AlphaComposite DstIn
java/awt/AlphaComposite SrcOut
java/awt/AlphaComposite DstOut
java/awt/AlphaComposite SrcAtop
java/awt/AlphaComposite DstAtop
java/awt/AlphaComposite Xor
java/awt/AlphaComposite MIN_RULE
java/awt/AlphaComposite MAX_RULE
java/awt/AlphaComposite extraAlpha
java/awt/AlphaComposite rule
java/awt/AlphaComposite <init>(I)V
java/awt/AlphaComposite <init>(IF)V
java/awt/AlphaComposite getInstance(I)Ljava/awt/AlphaComposite;
java/awt/AlphaComposite getInstance(IF)Ljava/awt/AlphaComposite;
java/awt/AlphaComposite

```

```
createContext(Ljava/awt/image/ColorModel;Ljava/awt/image/ColorModel;Ljava/awt/RenderingHints;)Ljava/awt/C
ompositeContext;
java/awt/AlphaComposite getAlpha()F
java/awt/AlphaComposite getRule()I
java/awt/AlphaComposite hashCode()I
java/awt/AlphaComposite equals(Ljava/lang/Object;)Z
java/awt/AlphaComposite <clinit>()V
class java/awt/Composite java/lang/Object
java/awt/Composite
createContext(Ljava/awt/image/ColorModel;Ljava/awt/image/ColorModel;Ljava/awt/RenderingHints;)Ljava/awt/C
ompositeContext;
class java/awt/Color java/lang/Object
java/awt/Color white
java/awt/Color WHITE
java/awt/Color lightGray
java/awt/Color LIGHT_GRAY
java/awt/Color gray
java/awt/Color GRAY
java/awt/Color darkGray
java/awt/Color DARK_GRAY
java/awt/Color black
java/awt/Color BLACK
java/awt/Color red
java/awt/Color RED
java/awt/Color pink
java/awt/Color PINK
java/awt/Color orange
java/awt/Color ORANGE
java/awt/Color yellow
java/awt/Color YELLOW
java/awt/Color green
java/awt/Color GREEN
java/awt/Color magenta
java/awt/Color MAGENTA
java/awt/Color cyan
java/awt/Color CYAN
java/awt/Color blue
java/awt/Color BLUE
java/awt/Color pData
java/awt/Color value
java/awt/Color frgbvalue
java/awt/Color fvalue
java/awt/Color falpha
java/awt/Color cs
java/awt/Color serialVersionUID
java/awt/Color FACTOR
java/awt/Color theContext
java/awt/Color initIDs()V
```

```

java/awt/Color
 testColorValueRange(III)V
java/awt/Color testColorValueRange(FFFF)V
java/awt/Color <init>(III)V
java/awt/Color <init>(III)V
java/awt/Color <init>(I)V
java/awt/Color <init>(IZ)V
java/awt/Color <init>(FFF)V
java/awt/Color <init>(FFFF)V
java/awt/Color <init>(Ljava/awt/color/ColorSpace;[FF)V
java/awt/Color getRed()I
java/awt/Color getGreen()I
java/awt/Color getBlue()I
java/awt/Color getAlpha()I
java/awt/Color getRGB()I
java/awt/Color brighter()Ljava/awt/Color;
java/awt/Color darker()Ljava/awt/Color;
java/awt/Color hashCode()I
java/awt/Color equals(Ljava/lang/Object;)Z
java/awt/Color toString()Ljava/lang/String;
java/awt/Color decode(Ljava/lang/String;)Ljava/awt/Color;
java/awt/Color getColor(Ljava/lang/String;)Ljava/awt/Color;
java/awt/Color getColor(Ljava/lang/String;Ljava/awt/Color;)Ljava/awt/Color;
java/awt/Color getColor(Ljava/lang/String;I)Ljava/awt/Color;
java/awt/Color HSBtoRGB(FFF)I
java/awt/Color RGBtoHSB(III[F)[F
java/awt/Color getHSBColor(FFF)Ljava/awt/Color;
java/awt/Color
 getRGBComponents([F)[F
java/awt/Color getRGBColorComponents([F)[F
java/awt/Color getComponents([F)[F
java/awt/Color getColorComponents([F)[F
java/awt/Color getComponents(Ljava/awt/color/ColorSpace;[F)[F
java/awt/Color getColorComponents(Ljava/awt/color/ColorSpace;[F)[F
java/awt/Color getColorSpace()Ljava/awt/color/ColorSpace;
java/awt/Color
 createContext(Ljava/awt/image/ColorModel;Ljava/awt/Rectangle;Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Area2D;
 fineTransform;Ljava/awt/RenderingHints;)Ljava/awt/PaintContext;
java/awt/Color getTransparency()I
java/awt/Color <clinit>()V
class java/awt/Paint java/lang/Object
java/awt/Paint
 createContext(Ljava/awt/image/ColorModel;Ljava/awt/Rectangle;Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Area2D;
 fineTransform;Ljava/awt/RenderingHints;)Ljava/awt/PaintContext;
class java/awt/Graphics2D java/awt/Graphics
java/awt/Graphics2D <init>()V
java/awt/Graphics2D draw3DRect(IIIZ)V
java/awt/Graphics2D fill3DRect(IIIZ)V

```

```

java/awt/Graphics2D draw(Ljava/awt/Shape;)V
java/awt/Graphics2D
 drawImage(Ljava/awt/Image;Ljava/awt/geom/AffineTransform;Ljava/awt/image/ImageObserver;)Z
java/awt/Graphics2D drawImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/BufferedImageOp;II)V
java/awt/Graphics2D drawRenderedImage(Ljava/awt/image/RenderedImage;Ljava/awt/geom/AffineTransform;)V
java/awt/Graphics2D
 drawRenderableImage(Ljava/awt/image/renderable/RenderableImage;Ljava/awt/geom/AffineTransform;)V
java/awt/Graphics2D drawString(Ljava/lang/String;II)V
java/awt/Graphics2D drawString(Ljava/lang/String;FF)V
java/awt/Graphics2D drawString(Ljava/text/AttributedCharacterIterator;II)V
java/awt/Graphics2D drawString(Ljava/text/AttributedCharacterIterator;FF)V
java/awt/Graphics2D drawGlyphVector(Ljava/awt/font/GlyphVector;FF)V
java/awt/Graphics2D fill(Ljava/awt/Shape;)V
java/awt/Graphics2D hit(Ljava/awt/Rectangle;Ljava/awt/Shape;Z)Z
java/awt/Graphics2D getDeviceConfiguration()Ljava/awt/GraphicsConfiguration;
java/awt/Graphics2D setComposite(Ljava/awt/Composite;)V
java/awt/Graphics2D
 setPaint(Ljava/awt/Paint;)V
java/awt/Graphics2D setStroke(Ljava/awt/Stroke;)V
java/awt/Graphics2D setRenderingHint(Ljava/awt/RenderingHints$Key;Ljava/lang/Object;)V
java/awt/Graphics2D getRenderingHint(Ljava/awt/RenderingHints$Key;Ljava/lang/Object;
java/awt/Graphics2D setRenderingHints(Ljava/util/Map;)V
java/awt/Graphics2D addRenderingHints(Ljava/util/Map;)V
java/awt/Graphics2D getRenderingHints()Ljava/awt/RenderingHints;
java/awt/Graphics2D translate(II)V
java/awt/Graphics2D translate(DD)V
java/awt/Graphics2D rotate(D)V
java/awt/Graphics2D rotate(DDD)V
java/awt/Graphics2D scale(DD)V
java/awt/Graphics2D shear(DD)V
java/awt/Graphics2D transform(Ljava/awt/geom/AffineTransform;)V
java/awt/Graphics2D setTransform(Ljava/awt/geom/AffineTransform;)V
java/awt/Graphics2D getTransform()Ljava/awt/geom/AffineTransform;
java/awt/Graphics2D getPaint()Ljava/awt/Paint;
java/awt/Graphics2D getComposite()Ljava/awt/Composite;
java/awt/Graphics2D setBackground(Ljava/awt/Color;)V
java/awt/Graphics2D
 getBackground()Ljava/awt/Color;
java/awt/Graphics2D getStroke()Ljava/awt/Stroke;
java/awt/Graphics2D clip(Ljava/awt/Shape;)V
java/awt/Graphics2D getFontRenderContext()Ljava/awt/font/FontRenderContext;
class java/awt/Graphics java/lang/Object
java/awt/Graphics <init>()V
java/awt/Graphics create()Ljava/awt/Graphics;
java/awt/Graphics create(III)Ljava/awt/Graphics;
java/awt/Graphics translate(II)V
java/awt/Graphics getColor()Ljava/awt/Color;
java/awt/Graphics setColor(Ljava/awt/Color;)V

```

```

java/awt/Graphics setPaintMode()V
java/awt/Graphics setXORMode(Ljava/awt/Color;)V
java/awt/Graphics getFont()Ljava/awt/Font;
java/awt/Graphics setFont(Ljava/awt/Font;)V
java/awt/Graphics getFontMetrics()Ljava/awt/FontMetrics;
java/awt/Graphics getFontMetrics(Ljava/awt/Font;)Ljava/awt/FontMetrics;
java/awt/Graphics getClipBounds()Ljava/awt/Rectangle;
java/awt/Graphics clipRect(III)V
java/awt/Graphics setClip(III)V
java/awt/Graphics getClip()Ljava/awt/Shape;
java/awt/Graphics setClip(Ljava/awt/Shape;)V
java/awt/Graphics
 copyArea(IIIII)V
java/awt/Graphics drawLine(III)V
java/awt/Graphics fillRect(III)V
java/awt/Graphics drawRect(III)V
java/awt/Graphics clearRect(III)V
java/awt/Graphics drawRoundRect(IIIII)V
java/awt/Graphics fillRoundRect(IIIII)V
java/awt/Graphics draw3DRect(IIIZ)V
java/awt/Graphics fill3DRect(IIIZ)V
java/awt/Graphics drawOval(III)V
java/awt/Graphics fillOval(III)V
java/awt/Graphics drawArc(IIIII)V
java/awt/Graphics fillArc(IIIII)V
java/awt/Graphics drawPolyline([I[II)V
java/awt/Graphics drawPolygon([I[II)V
java/awt/Graphics drawPolygon(Ljava/awt/Polygon;)V
java/awt/Graphics fillPolygon([I[II)V
java/awt/Graphics fillPolygon(Ljava/awt/Polygon;)V
java/awt/Graphics drawString(Ljava/lang/String;II)V
java/awt/Graphics drawString(Ljava/text/AttributedCharacterIterator;II)V
java/awt/Graphics drawChars([CIII)V
java/awt/Graphics drawBytes([BIII)V
java/awt/Graphics drawImage(Ljava/awt/Image;IILjava/awt/image/ImageObserver;)Z
java/awt/Graphics drawImage(Ljava/awt/Image;IIILjava/awt/image/ImageObserver;)Z
java/awt/Graphics
 drawImage(Ljava/awt/Image;IILjava/awt/Color;Ljava/awt/image/ImageObserver;)Z
java/awt/Graphics drawImage(Ljava/awt/Image;IIILjava/awt/Color;Ljava/awt/image/ImageObserver;)Z
java/awt/Graphics drawImage(Ljava/awt/Image;IIIIILjava/awt/image/ImageObserver;)Z
java/awt/Graphics drawImage(Ljava/awt/Image;IIIIILjava/awt/Color;Ljava/awt/image/ImageObserver;)Z
java/awt/Graphics dispose()V
java/awt/Graphics finalize()V
java/awt/Graphics toString()Ljava/lang/String;
java/awt/Graphics getClipRect()Ljava/awt/Rectangle;
java/awt/Graphics hitClip(III)Z
java/awt/Graphics getClipBounds(Ljava/awt/Rectangle;)Ljava/awt/Rectangle;
class java/awt/image/BufferedImage java/awt/Image

```



```

java/awt/image/BufferedImage imageType
java/awt/image/BufferedImage colorModel
java/awt/image/BufferedImage raster
java/awt/image/BufferedImage osis
java/awt/image/BufferedImage properties
java/awt/image/BufferedImage isAlphaPremultiplied
java/awt/image/BufferedImage
 surfaceManager
java/awt/image/BufferedImage TYPE_CUSTOM
java/awt/image/BufferedImage TYPE_INT_RGB
java/awt/image/BufferedImage TYPE_INT_ARGB
java/awt/image/BufferedImage TYPE_INT_ARGB_PRE
java/awt/image/BufferedImage TYPE_INT_BGR
java/awt/image/BufferedImage TYPE_3BYTE_BGR
java/awt/image/BufferedImage TYPE_4BYTE_ABGR
java/awt/image/BufferedImage TYPE_4BYTE_ABGR_PRE
java/awt/image/BufferedImage TYPE_USHORT_565_RGB
java/awt/image/BufferedImage TYPE_USHORT_555_RGB
java/awt/image/BufferedImage TYPE_BYTE_GRAY
java/awt/image/BufferedImage TYPE_USHORT_GRAY
java/awt/image/BufferedImage TYPE_BYTE_BINARY
java/awt/image/BufferedImage TYPE_BYTE_INDEXED
java/awt/image/BufferedImage DCM_RED_MASK
java/awt/image/BufferedImage DCM_GREEN_MASK
java/awt/image/BufferedImage DCM_BLUE_MASK
java/awt/image/BufferedImage DCM_ALPHA_MASK
java/awt/image/BufferedImage DCM_565_RED_MASK
java/awt/image/BufferedImage DCM_565_GRN_MASK
java/awt/image/BufferedImage DCM_565_BLU_MASK
java/awt/image/BufferedImage DCM_555_RED_MASK
java/awt/image/BufferedImage
 DCM_555_GRN_MASK
java/awt/image/BufferedImage DCM_555_BLU_MASK
java/awt/image/BufferedImage DCM_BGR_RED_MASK
java/awt/image/BufferedImage DCM_BGR_GRN_MASK
java/awt/image/BufferedImage DCM_BGR_BLU_MASK
java/awt/image/BufferedImage initIDs()V
java/awt/image/BufferedImage <init>(III)V
java/awt/image/BufferedImage <init>(IIILjava/awt/image/IndexColorModel;)V
java/awt/image/BufferedImage
 <init>(Ljava/awt/image/ColorModel;Ljava/awt/image/WritableRaster;ZLjava/util/Hashtable;)V
java/awt/image/BufferedImage getType()I
java/awt/image/BufferedImage getColorModel()Ljava/awt/image/ColorModel;
java/awt/image/BufferedImage getRaster()Ljava/awt/image/WritableRaster;
java/awt/image/BufferedImage getAlphaRaster()Ljava/awt/image/WritableRaster;
java/awt/image/BufferedImage getRGB(II)I
java/awt/image/BufferedImage getRGB(III[III)I
java/awt/image/BufferedImage setRGB(III)V

```

```

java/awt/image/BufferedImage setRGB(IIII[III]V
java/awt/image/BufferedImage getWidth()I
java/awt/image/BufferedImage
 getHeight()I
java/awt/image/BufferedImage getWidth(Ljava/awt/image/ImageObserver;)I
java/awt/image/BufferedImage getHeight(Ljava/awt/image/ImageObserver;)I
java/awt/image/BufferedImage getSource(Ljava/awt/image/ImageProducer;
java/awt/image/BufferedImage getProperty(Ljava/lang/String;Ljava/awt/image/ImageObserver;)Ljava/lang/Object;
java/awt/image/BufferedImage getProperty(Ljava/lang/String;)Ljava/lang/Object;
java/awt/image/BufferedImage flush()V
java/awt/image/BufferedImage getGraphics()Ljava/awt/Graphics;
java/awt/image/BufferedImage createGraphics()Ljava/awt/Graphics2D;
java/awt/image/BufferedImage getSubimage(IIII)Ljava/awt/image/BufferedImage;
java/awt/image/BufferedImage isAlphaPremultiplied()Z
java/awt/image/BufferedImage coerceData(Z)V
java/awt/image/BufferedImage toString()Ljava/lang/String;
java/awt/image/BufferedImage getSources()Ljava/util/Vector;
java/awt/image/BufferedImage getPropertyNames()[Ljava/lang/String;
java/awt/image/BufferedImage getMinX()I
java/awt/image/BufferedImage
 getMinY()I
java/awt/image/BufferedImage getSampleModel(Ljava/awt/image/SampleModel;
java/awt/image/BufferedImage getNumXTiles()I
java/awt/image/BufferedImage getNumYTiles()I
java/awt/image/BufferedImage getMinTileX()I
java/awt/image/BufferedImage getMinTileY()I
java/awt/image/BufferedImage getTileWidth()I
java/awt/image/BufferedImage getTileHeight()I
java/awt/image/BufferedImage getTileGridXOffset()I
java/awt/image/BufferedImage getTileGridYOffset()I
java/awt/image/BufferedImage getTile(II)Ljava/awt/image/Raster;
java/awt/image/BufferedImage getData()Ljava/awt/image/Raster;
java/awt/image/BufferedImage getData(Ljava/awt/Rectangle;)Ljava/awt/image/Raster;
java/awt/image/BufferedImage copyData(Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/BufferedImage setData(Ljava/awt/image/Raster;)V
java/awt/image/BufferedImage addTileObserver(Ljava/awt/image/TileObserver;)V
java/awt/image/BufferedImage removeTileObserver(Ljava/awt/image/TileObserver;)V
java/awt/image/BufferedImage
 isTileWritable(II)Z
java/awt/image/BufferedImage getWritableTileIndices()[Ljava/awt/Point;
java/awt/image/BufferedImage hasTileWriters()Z
java/awt/image/BufferedImage getWritableTile(II)Ljava/awt/image/WritableRaster;
java/awt/image/BufferedImage releaseWritableTile(II)V
java/awt/image/BufferedImage getTransparency()I
java/awt/image/BufferedImage getCapabilities(Ljava/awt/GraphicsConfiguration;)Ljava/awt/ImageCapabilities;
java/awt/image/BufferedImage <clinit>()V
class java/awt/image/WritableRenderedImage java/lang/Object
java/awt/image/WritableRenderedImage addTileObserver(Ljava/awt/image/TileObserver;)V

```

```

java/awt/image/WritableRenderedImage removeTileObserver(Ljava/awt/image/TileObserver;)V
java/awt/image/WritableRenderedImage getWritableTile(II)Ljava/awt/image/WritableRaster;
java/awt/image/WritableRenderedImage releaseWritableTile(II)V
java/awt/image/WritableRenderedImage isTileWritable(II)Z
java/awt/image/WritableRenderedImage getWritableTileIndices()[Ljava/awt/Point;
java/awt/image/WritableRenderedImage
 hasTileWriters()Z
java/awt/image/WritableRenderedImage setData(Ljava/awt/image/Raster;)V
class java/awt/image/RenderedImage java/lang/Object
java/awt/image/RenderedImage getSources()[Ljava/util/Vector;
java/awt/image/RenderedImage getProperty(Ljava/lang/String;)Ljava/lang/Object;
java/awt/image/RenderedImage getPropertyNames()[Ljava/lang/String;
java/awt/image/RenderedImage getColorModel()Ljava/awt/image/ColorModel;
java/awt/image/RenderedImage getSampleModel()Ljava/awt/image/SampleModel;
java/awt/image/RenderedImage getWidth()I
java/awt/image/RenderedImage getHeight()I
java/awt/image/RenderedImage getMinX()I
java/awt/image/RenderedImage getMinY()I
java/awt/image/RenderedImage getNumXTiles()I
java/awt/image/RenderedImage getNumYTiles()I
java/awt/image/RenderedImage getMinTileX()I
java/awt/image/RenderedImage getMinTileY()I
java/awt/image/RenderedImage getTileWidth()I
java/awt/image/RenderedImage getTileHeight()I
java/awt/image/RenderedImage
 getTileGridXOffset()I
java/awt/image/RenderedImage getTileGridYOffset()I
java/awt/image/RenderedImage getTile(II)Ljava/awt/image/Raster;
java/awt/image/RenderedImage getData()Ljava/awt/image/Raster;
java/awt/image/RenderedImage getData(Ljava/awt/Rectangle;)Ljava/awt/image/Raster;
java/awt/image/RenderedImage copyData(Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
class java/awt/ImageCapabilities java/lang/Object
java/awt/ImageCapabilities accelerated
java/awt/ImageCapabilities <init>(Z)V
java/awt/ImageCapabilities isAccelerated()Z
java/awt/ImageCapabilities isTrueVolatile()Z
java/awt/ImageCapabilities clone()Ljava/lang/Object;
class java/awt/image/VolatileImage java/awt/Image
java/awt/image/VolatileImage IMAGE_OK
java/awt/image/VolatileImage IMAGE_RESTORED
java/awt/image/VolatileImage IMAGE_INCOMPATIBLE
java/awt/image/VolatileImage transparency
java/awt/image/VolatileImage <init>()V
java/awt/image/VolatileImage getSnapshot()Ljava/awt/image/BufferedImage;
java/awt/image/VolatileImage
 getWidth()I
java/awt/image/VolatileImage getHeight()I
java/awt/image/VolatileImage getSource()Ljava/awt/image/ImageProducer;

```

```

java/awt/image/VolatileImage flush()V
java/awt/image/VolatileImage getGraphics()Ljava/awt/Graphics;
java/awt/image/VolatileImage createGraphics()Ljava/awt/Graphics2D;
java/awt/image/VolatileImage validate(Ljava/awt/GraphicsConfiguration;)I
java/awt/image/VolatileImage contentsLost()Z
java/awt/image/VolatileImage getCapabilities()Ljava/awt/ImageCapabilities;
java/awt/image/VolatileImage getTransparency()I
class java/awt/Image java/lang/Object
java/awt/Image defaultImageCaps
java/awt/Image accelerationPriority
java/awt/Image UndefinedProperty
java/awt/Image SCALE_DEFAULT
java/awt/Image SCALE_FAST
java/awt/Image SCALE_SMOOTH
java/awt/Image SCALE_REPLICATE
java/awt/Image SCALE_AREA_AVERAGING
java/awt/Image <init>()V
java/awt/Image getWidth(Ljava/awt/image/ImageObserver;)I
java/awt/Image getHeight(Ljava/awt/image/ImageObserver;)I
java/awt/Image
 getSource()Ljava/awt/image/ImageProducer;
java/awt/Image getGraphics()Ljava/awt/Graphics;
java/awt/Image getProperty(Ljava/lang/String;Ljava/awt/image/ImageObserver;)Ljava/lang/Object;
java/awt/Image getScaledInstance(III)Ljava/awt/Image;
java/awt/Image flush()V
java/awt/Image getCapabilities(Ljava/awt/GraphicsConfiguration;)Ljava/awt/ImageCapabilities;
java/awt/Image setAccelerationPriority(F)V
java/awt/Image getAccelerationPriority()F
java/awt/Image <clinit>()V
class java/awt/image/IndexColorModel java/awt/image/ColorModel
java/awt/image/IndexColorModel rgb
java/awt/image/IndexColorModel map_size
java/awt/image/IndexColorModel transparent_index
java/awt/image/IndexColorModel allgrayopaque
java/awt/image/IndexColorModel validBits
java/awt/image/IndexColorModel opaqueBits
java/awt/image/IndexColorModel alphaBits
java/awt/image/IndexColorModel CACHESIZE
java/awt/image/IndexColorModel lookupcache
java/awt/image/IndexColorModel initIDs()V
java/awt/image/IndexColorModel <init>(II[B[B[B)V
java/awt/image/IndexColorModel
 <init>(II[B[B[B)V
java/awt/image/IndexColorModel <init>(II[B[B[B[B)V
java/awt/image/IndexColorModel <init>(II[BIZ)V
java/awt/image/IndexColorModel <init>(II[BIZI)V
java/awt/image/IndexColorModel <init>(II[IIZII)V
java/awt/image/IndexColorModel <init>(II[IIILjava/math/BigInteger;)V

```

```

java/awt/image/IndexColorModel setRGBs(I[B[B[B[B)V
java/awt/image/IndexColorModel setRGBs(I[II]Z)V
java/awt/image/IndexColorModel calcRealMapSize(II)I
java/awt/image/IndexColorModel getAllValid()Ljava/math/BigInteger;
java/awt/image/IndexColorModel getTransparency()I
java/awt/image/IndexColorModel getComponentSize()[I
java/awt/image/IndexColorModel getMapSize()I
java/awt/image/IndexColorModel getTransparentPixel()I
java/awt/image/IndexColorModel getReds([B)V
java/awt/image/IndexColorModel getGreens([B)V
java/awt/image/IndexColorModel getBlues([B)V
java/awt/image/IndexColorModel getAlphas([B)V
java/awt/image/IndexColorModel getRGBs([I)V
java/awt/image/IndexColorModel
 setTransparentPixel(I)V
java/awt/image/IndexColorModel setTransparency(I)V
java/awt/image/IndexColorModel getRed(I)I
java/awt/image/IndexColorModel getGreen(I)I
java/awt/image/IndexColorModel getBlue(I)I
java/awt/image/IndexColorModel getAlpha(I)I
java/awt/image/IndexColorModel getRGB(I)I
java/awt/image/IndexColorModel getDataElements(ILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/IndexColorModel installpixel(Ljava/lang/Object;I)Ljava/lang/Object;
java/awt/image/IndexColorModel getComponents(I[II)[I
java/awt/image/IndexColorModel getComponents(Ljava/lang/Object;[II)[I
java/awt/image/IndexColorModel getDataElement([II)I
java/awt/image/IndexColorModel getDataElements([IILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/IndexColorModel createCompatibleWritableRaster(II)Ljava/awt/image/WritableRaster;
java/awt/image/IndexColorModel isCompatibleRaster(Ljava/awt/image/Raster;)Z
java/awt/image/IndexColorModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/IndexColorModel
 isCompatibleSampleModel(Ljava/awt/image/SampleModel;)Z
java/awt/image/IndexColorModel convertToIntDiscrete(Ljava/awt/image/Raster;Z)Ljava/awt/image/BufferedImage;
java/awt/image/IndexColorModel isValid(I)Z
java/awt/image/IndexColorModel isValid()Z
java/awt/image/IndexColorModel getValidPixels()Ljava/math/BigInteger;
java/awt/image/IndexColorModel finalize()V
java/awt/image/IndexColorModel toString()Ljava/lang/String;
java/awt/image/IndexColorModel <clinit>()V
class java/awt/color/ICC_ColorSpace java/awt/color/ColorSpace
java/awt/color/ICC_ColorSpace serialVersionUID
java/awt/color/ICC_ColorSpace thisProfile
java/awt/color/ICC_ColorSpace minVal
java/awt/color/ICC_ColorSpace maxVal
java/awt/color/ICC_ColorSpace diffMinMax
java/awt/color/ICC_ColorSpace invDiffMinMax
java/awt/color/ICC_ColorSpace needScaleInit
java/awt/color/ICC_ColorSpace this2srgb

```

```

java/awt/color/ICC_ColorSpace srgb2this
java/awt/color/ICC_ColorSpace this2xyz
java/awt/color/ICC_ColorSpace xyz2this
java/awt/color/ICC_ColorSpace
 <init>(Ljava/awt/color/ICC_Profile;)V
java/awt/color/ICC_ColorSpace getProfile()Ljava/awt/color/ICC_Profile;
java/awt/color/ICC_ColorSpace toRGB([F)[F
java/awt/color/ICC_ColorSpace fromRGB([F)[F
java/awt/color/ICC_ColorSpace toCIEXYZ([F)[F
java/awt/color/ICC_ColorSpace fromCIEXYZ([F)[F
java/awt/color/ICC_ColorSpace getMinValue(I)F
java/awt/color/ICC_ColorSpace getMaxValue(I)F
java/awt/color/ICC_ColorSpace setMinMax()V
java/awt/color/ICC_ColorSpace setComponentScaling()V
class java/awt/color/ICC_Profile$1 java/lang/Object
java/awt/color/ICC_Profile$1 this$0
java/awt/color/ICC_Profile$1 <init>(Ljava/awt/color/ICC_Profile;)V
java/awt/color/ICC_Profile$1 activate()V
class java/awt/color/ICC_ProfileRGB java/awt/color/ICC_Profile
java/awt/color/ICC_ProfileRGB REDCOMPONENT
java/awt/color/ICC_ProfileRGB GREENCOMPONENT
java/awt/color/ICC_ProfileRGB BLUECOMPONENT
java/awt/color/ICC_ProfileRGB <init>(J)V
java/awt/color/ICC_ProfileRGB <init>(Lsun/awt/color/ProfileDeferralInfo;)V
java/awt/color/ICC_ProfileRGB
 getMediaWhitePoint()[F
java/awt/color/ICC_ProfileRGB getMatrix()[[F
java/awt/color/ICC_ProfileRGB getGamma(I)F
java/awt/color/ICC_ProfileRGB getTRC(I)[S
class java/awt/color/ICC_Profile java/lang/Object
java/awt/color/ICC_Profile serialVersionUID
java/awt/color/ICC_Profile ID
java/awt/color/ICC_Profile deferralInfo
java/awt/color/ICC_Profile profileActivator
java/awt/color/ICC_Profile sRGBprofile
java/awt/color/ICC_Profile XYZprofile
java/awt/color/ICC_Profile PYCCprofile
java/awt/color/ICC_Profile GRAYprofile
java/awt/color/ICC_Profile LINEAR_RGBprofile
java/awt/color/ICC_Profile CLASS_INPUT
java/awt/color/ICC_Profile CLASS_DISPLAY
java/awt/color/ICC_Profile CLASS_OUTPUT
java/awt/color/ICC_Profile CLASS_DEVICELINK
java/awt/color/ICC_Profile CLASS_COLORSPACECONVERSION
java/awt/color/ICC_Profile CLASS_ABSTRACT
java/awt/color/ICC_Profile CLASS_NAMEDCOLOR
java/awt/color/ICC_Profile icSigXYZData
java/awt/color/ICC_Profile icSigLabData

```

java/awt/color/ICC\_Profile  
icSigLuvData  
java/awt/color/ICC\_Profile icSigYCbCrData  
java/awt/color/ICC\_Profile icSigYxyData  
java/awt/color/ICC\_Profile icSigRgbData  
java/awt/color/ICC\_Profile icSigGrayData  
java/awt/color/ICC\_Profile icSigHsvData  
java/awt/color/ICC\_Profile icSigHlsData  
java/awt/color/ICC\_Profile icSigCmykData  
java/awt/color/ICC\_Profile icSigCmyData  
java/awt/color/ICC\_Profile icSigSpace2CLR  
java/awt/color/ICC\_Profile icSigSpace3CLR  
java/awt/color/ICC\_Profile icSigSpace4CLR  
java/awt/color/ICC\_Profile icSigSpace5CLR  
java/awt/color/ICC\_Profile icSigSpace6CLR  
java/awt/color/ICC\_Profile icSigSpace7CLR  
java/awt/color/ICC\_Profile icSigSpace8CLR  
java/awt/color/ICC\_Profile icSigSpace9CLR  
java/awt/color/ICC\_Profile icSigSpaceACLR  
java/awt/color/ICC\_Profile icSigSpaceBCLR  
java/awt/color/ICC\_Profile icSigSpaceCCLR  
java/awt/color/ICC\_Profile icSigSpaceDCLR  
java/awt/color/ICC\_Profile icSigSpaceECLR  
java/awt/color/ICC\_Profile icSigSpaceFCLR  
java/awt/color/ICC\_Profile icSigInputClass  
java/awt/color/ICC\_Profile  
icSigDisplayClass  
java/awt/color/ICC\_Profile icSigOutputClass  
java/awt/color/ICC\_Profile icSigLinkClass  
java/awt/color/ICC\_Profile icSigAbstractClass  
java/awt/color/ICC\_Profile icSigColorSpaceClass  
java/awt/color/ICC\_Profile icSigNamedColorClass  
java/awt/color/ICC\_Profile icPerceptual  
java/awt/color/ICC\_Profile icRelativeColorimetric  
java/awt/color/ICC\_Profile icMediaRelativeColorimetric  
java/awt/color/ICC\_Profile icSaturation  
java/awt/color/ICC\_Profile icAbsoluteColorimetric  
java/awt/color/ICC\_Profile icICCAbsoluteColorimetric  
java/awt/color/ICC\_Profile icSigHead  
java/awt/color/ICC\_Profile icSigAToB0Tag  
java/awt/color/ICC\_Profile icSigAToB1Tag  
java/awt/color/ICC\_Profile icSigAToB2Tag  
java/awt/color/ICC\_Profile icSigBlueColorantTag  
java/awt/color/ICC\_Profile icSigBlueMatrixColumnTag  
java/awt/color/ICC\_Profile icSigBlueTRCTag  
java/awt/color/ICC\_Profile icSigBToA0Tag  
java/awt/color/ICC\_Profile icSigBToA1Tag  
java/awt/color/ICC\_Profile icSigBToA2Tag

java/awt/color/ICC\_Profile icSigCalibrationDateTimeTag  
java/awt/color/ICC\_Profile  
    icSigCharTargetTag  
java/awt/color/ICC\_Profile icSigCopyrightTag  
java/awt/color/ICC\_Profile icSigCrdInfoTag  
java/awt/color/ICC\_Profile icSigDeviceMfgDescTag  
java/awt/color/ICC\_Profile icSigDeviceModelDescTag  
java/awt/color/ICC\_Profile icSigDeviceSettingsTag  
java/awt/color/ICC\_Profile icSigGamutTag  
java/awt/color/ICC\_Profile icSigGrayTRCTag  
java/awt/color/ICC\_Profile icSigGreenColorantTag  
java/awt/color/ICC\_Profile icSigGreenMatrixColumnTag  
java/awt/color/ICC\_Profile icSigGreenTRCTag  
java/awt/color/ICC\_Profile icSigLuminanceTag  
java/awt/color/ICC\_Profile icSigMeasurementTag  
java/awt/color/ICC\_Profile icSigMediaBlackPointTag  
java/awt/color/ICC\_Profile icSigMediaWhitePointTag  
java/awt/color/ICC\_Profile icSigNamedColor2Tag  
java/awt/color/ICC\_Profile icSigOutputResponseTag  
java/awt/color/ICC\_Profile icSigPreview0Tag  
java/awt/color/ICC\_Profile icSigPreview1Tag  
java/awt/color/ICC\_Profile icSigPreview2Tag  
java/awt/color/ICC\_Profile icSigProfileDescriptionTag  
java/awt/color/ICC\_Profile  
    icSigProfileSequenceDescTag  
java/awt/color/ICC\_Profile icSigPs2CRD0Tag  
java/awt/color/ICC\_Profile icSigPs2CRD1Tag  
java/awt/color/ICC\_Profile icSigPs2CRD2Tag  
java/awt/color/ICC\_Profile icSigPs2CRD3Tag  
java/awt/color/ICC\_Profile icSigPs2CSATag  
java/awt/color/ICC\_Profile icSigPs2RenderingIntentTag  
java/awt/color/ICC\_Profile icSigRedColorantTag  
java/awt/color/ICC\_Profile icSigRedMatrixColumnTag  
java/awt/color/ICC\_Profile icSigRedTRCTag  
java/awt/color/ICC\_Profile icSigScreeningDescTag  
java/awt/color/ICC\_Profile icSigScreeningTag  
java/awt/color/ICC\_Profile icSigTechnologyTag  
java/awt/color/ICC\_Profile icSigUcrBgTag  
java/awt/color/ICC\_Profile icSigViewingCondDescTag  
java/awt/color/ICC\_Profile icSigViewingConditionsTag  
java/awt/color/ICC\_Profile icSigChromaticityTag  
java/awt/color/ICC\_Profile icSigChromaticAdaptationTag  
java/awt/color/ICC\_Profile icSigColorantOrderTag  
java/awt/color/ICC\_Profile icSigColorantTableTag  
java/awt/color/ICC\_Profile icHdrSize  
java/awt/color/ICC\_Profile  
    icHdrCmmId  
java/awt/color/ICC\_Profile icHdrVersion



```

java/awt/color/ICC_Profile icHdrDeviceClass
java/awt/color/ICC_Profile icHdrColorSpace
java/awt/color/ICC_Profile icHdrPcs
java/awt/color/ICC_Profile icHdrDate
java/awt/color/ICC_Profile icHdrMagic
java/awt/color/ICC_Profile icHdrPlatform
java/awt/color/ICC_Profile icHdrFlags
java/awt/color/ICC_Profile icHdrManufacturer
java/awt/color/ICC_Profile icHdrModel
java/awt/color/ICC_Profile icHdrAttributes
java/awt/color/ICC_Profile icHdrRenderingIntent
java/awt/color/ICC_Profile icHdrIlluminant
java/awt/color/ICC_Profile icHdrCreator
java/awt/color/ICC_Profile icHdrProfileID
java/awt/color/ICC_Profile icTagType
java/awt/color/ICC_Profile icTagReserved
java/awt/color/ICC_Profile icCurveCount
java/awt/color/ICC_Profile icCurveData
java/awt/color/ICC_Profile icXYZNumberX
java/awt/color/ICC_Profile iccProfileSerializedDataVersion
java/awt/color/ICC_Profile resolvedDeserializedProfile
java/awt/color/ICC_Profile <init>(J)V
java/awt/color/ICC_Profile
 <init>(Lsun/awt/color/ProfileDeferralInfo;)V
java/awt/color/ICC_Profile finalize()V
java/awt/color/ICC_Profile getInstance([B)Ljava/awt/color/ICC_Profile;
java/awt/color/ICC_Profile getInstance(I)Ljava/awt/color/ICC_Profile;
java/awt/color/ICC_Profile getStandardProfile(Ljava/lang/String;)Ljava/awt/color/ICC_Profile;
java/awt/color/ICC_Profile getInstance(Ljava/lang/String;)Ljava/awt/color/ICC_Profile;
java/awt/color/ICC_Profile getInstance(Ljava/io/InputStream;)Ljava/awt/color/ICC_Profile;
java/awt/color/ICC_Profile getProfileDataFromStream(Ljava/io/InputStream;)[B
java/awt/color/ICC_Profile getDeferredInstance(Lsun/awt/color/ProfileDeferralInfo;)Ljava/awt/color/ICC_Profile;
java/awt/color/ICC_Profile activateDeferredProfile()V
java/awt/color/ICC_Profile getMajorVersion()I
java/awt/color/ICC_Profile getMinorVersion()I
java/awt/color/ICC_Profile getProfileClass(I
java/awt/color/ICC_Profile getColorSpaceType()I
java/awt/color/ICC_Profile getColorSpaceType(J)I
java/awt/color/ICC_Profile
 getPCSType(I
java/awt/color/ICC_Profile getPCSType(J)I
java/awt/color/ICC_Profile write(Ljava/lang/String;)V
java/awt/color/ICC_Profile write(Ljava/io/OutputStream;)V
java/awt/color/ICC_Profile getData()[B
java/awt/color/ICC_Profile getData(I)[B
java/awt/color/ICC_Profile getData(JI)[B
java/awt/color/ICC_Profile setData(I[B)V
java/awt/color/ICC_Profile setRenderingIntent(I)V

```

```

java/awt/color/ICC_Profile getRenderingIntent()I
java/awt/color/ICC_Profile getNumComponents()I
java/awt/color/ICC_Profile getMediaWhitePoint()[F
java/awt/color/ICC_Profile getXYZTag(I)[F
java/awt/color/ICC_Profile getGamma(I)F
java/awt/color/ICC_Profile getTRC(I)[S
java/awt/color/ICC_Profile iccCStoJCS(I)I
java/awt/color/ICC_Profile intFromBigEndian([BI)I
java/awt/color/ICC_Profile intToBigEndian(I[BI)V
java/awt/color/ICC_Profile shortFromBigEndian([BI)S
java/awt/color/ICC_Profile shortToBigEndian(S[BI)V
java/awt/color/ICC_Profile openProfile(Ljava/lang/String;)Ljava/io/FileInputStream;
java/awt/color/ICC_Profile
 privilegedOpenProfile(Ljava/lang/String;)Ljava/io/FileInputStream;
java/awt/color/ICC_Profile writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/color/ICC_Profile readObject(Ljava/io/ObjectInputStream;)V
java/awt/color/ICC_Profile readResolve()Ljava/lang/Object;
java/awt/color/ICC_Profile access$000(Ljava/lang/String;)Ljava/io/FileInputStream;
class java/awt/color/ColorSpace java/lang/Object
java/awt/color/ColorSpace serialVersionUID
java/awt/color/ColorSpace type
java/awt/color/ColorSpace numComponents
java/awt/color/ColorSpace sRGBspace
java/awt/color/ColorSpace XYZspace
java/awt/color/ColorSpace PYCCspace
java/awt/color/ColorSpace GRAYspace
java/awt/color/ColorSpace LINEAR_RGBspace
java/awt/color/ColorSpace TYPE_XYZ
java/awt/color/ColorSpace TYPE_Lab
java/awt/color/ColorSpace TYPE_Luv
java/awt/color/ColorSpace TYPE_YCbCr
java/awt/color/ColorSpace TYPE_Yxy
java/awt/color/ColorSpace TYPE_RGB
java/awt/color/ColorSpace TYPE_GRAY
java/awt/color/ColorSpace
 TYPE_HSV
java/awt/color/ColorSpace TYPE_HLS
java/awt/color/ColorSpace TYPE_CMYK
java/awt/color/ColorSpace TYPE_CMY
java/awt/color/ColorSpace TYPE_2CLR
java/awt/color/ColorSpace TYPE_3CLR
java/awt/color/ColorSpace TYPE_4CLR
java/awt/color/ColorSpace TYPE_5CLR
java/awt/color/ColorSpace TYPE_6CLR
java/awt/color/ColorSpace TYPE_7CLR
java/awt/color/ColorSpace TYPE_8CLR
java/awt/color/ColorSpace TYPE_9CLR
java/awt/color/ColorSpace TYPE_ACLR

```

```

java/awt/color/ColorSpace TYPE_BCLR
java/awt/color/ColorSpace TYPE_CCLR
java/awt/color/ColorSpace TYPE_DCLR
java/awt/color/ColorSpace TYPE_ECLR
java/awt/color/ColorSpace TYPE_FCLR
java/awt/color/ColorSpace CS_sRGB
java/awt/color/ColorSpace CS_LINEAR_RGB
java/awt/color/ColorSpace CS_CIEXYZ
java/awt/color/ColorSpace CS_PYCC
java/awt/color/ColorSpace CS_GRAY
java/awt/color/ColorSpace <init>(II)V
java/awt/color/ColorSpace getInstance(I)Ljava/awt/color/ColorSpace;
java/awt/color/ColorSpace isCS_sRGB()Z
java/awt/color/ColorSpace toRGB([F)[F
java/awt/color/ColorSpace
 fromRGB([F)[F
java/awt/color/ColorSpace toCIEXYZ([F)[F
java/awt/color/ColorSpace fromCIEXYZ([F)[F
java/awt/color/ColorSpace getType()I
java/awt/color/ColorSpace getNumComponents()I
java/awt/color/ColorSpace getName()Ljava/lang/String;
java/awt/color/ColorSpace getMinValue(I)F
java/awt/color/ColorSpace getMaxValue(I)F
java/awt/color/ColorSpace isCS_CIEXYZ(Ljava/awt/color/ColorSpace;)Z
class java/awt/image/DirectColorModel java/awt/image/PackedColorModel
java/awt/image/DirectColorModel red_mask
java/awt/image/DirectColorModel green_mask
java/awt/image/DirectColorModel blue_mask
java/awt/image/DirectColorModel alpha_mask
java/awt/image/DirectColorModel red_offset
java/awt/image/DirectColorModel green_offset
java/awt/image/DirectColorModel blue_offset
java/awt/image/DirectColorModel alpha_offset
java/awt/image/DirectColorModel red_scale
java/awt/image/DirectColorModel green_scale
java/awt/image/DirectColorModel blue_scale
java/awt/image/DirectColorModel alpha_scale
java/awt/image/DirectColorModel
 is_LinearRGB
java/awt/image/DirectColorModel IRGBprecision
java/awt/image/DirectColorModel toRGB8LUT
java/awt/image/DirectColorModel fromsRGB8LUT8
java/awt/image/DirectColorModel fromsRGB8LUT16
java/awt/image/DirectColorModel <init>(IIII)V
java/awt/image/DirectColorModel <init>(IIII)V
java/awt/image/DirectColorModel <init>(Ljava/awt/color/ColorSpace;IIIIZI)V
java/awt/image/DirectColorModel getRedMask()I
java/awt/image/DirectColorModel getGreenMask()I

```

```

java/awt/image/DirectColorModel getBlueMask()I
java/awt/image/DirectColorModel getAlphaMask()I
java/awt/image/DirectColorModel getDefaultRGBComponents(I)[F
java/awt/image/DirectColorModel getsRGBComponentFromsRGB(II)I
java/awt/image/DirectColorModel getsRGBComponentFromLinearRGB(II)I
java/awt/image/DirectColorModel getRed(I)I
java/awt/image/DirectColorModel getGreen(I)I
java/awt/image/DirectColorModel getBlue(I)I
java/awt/image/DirectColorModel getAlpha(I)I
java/awt/image/DirectColorModel getRGB(I)I
java/awt/image/DirectColorModel
 getRed(Ljava/lang/Object;)I
java/awt/image/DirectColorModel getGreen(Ljava/lang/Object;)I
java/awt/image/DirectColorModel getBlue(Ljava/lang/Object;)I
java/awt/image/DirectColorModel getAlpha(Ljava/lang/Object;)I
java/awt/image/DirectColorModel getRGB(Ljava/lang/Object;)I
java/awt/image/DirectColorModel getDataElements(ILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/DirectColorModel getComponents(I[II)I
java/awt/image/DirectColorModel getComponents(Ljava/lang/Object;[II)I
java/awt/image/DirectColorModel createCompatibleWritableRaster(II)Ljava/awt/image/WritableRaster;
java/awt/image/DirectColorModel getDataElement([II)I
java/awt/image/DirectColorModel getDataElements([IILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/DirectColorModel coerceData(Ljava/awt/image/WritableRaster;Z)Ljava/awt/image/ColorModel;
java/awt/image/DirectColorModel isCompatibleRaster(Ljava/awt/image/Raster;)Z
java/awt/image/DirectColorModel setFields()V
java/awt/image/DirectColorModel toString()Ljava/lang/String;
class
 java/awt/image/PackedColorModel java/awt/image/ColorModel
java/awt/image/PackedColorModel maskArray
java/awt/image/PackedColorModel maskOffsets
java/awt/image/PackedColorModel scaleFactors
java/awt/image/PackedColorModel <init>(Ljava/awt/color/ColorSpace;I[IIIZII)V
java/awt/image/PackedColorModel <init>(Ljava/awt/color/ColorSpace;IIIIIZII)V
java/awt/image/PackedColorModel getMask(I)I
java/awt/image/PackedColorModel getMasks()[I
java/awt/image/PackedColorModel DecomposeMask(IILjava/lang/String;)V
java/awt/image/PackedColorModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/PackedColorModel isCompatibleSampleModel(Ljava/awt/image/SampleModel;)Z
java/awt/image/PackedColorModel
 getAlphaRaster(Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/PackedColorModel equals(Ljava/lang/Object;)Z
java/awt/image/PackedColorModel createBitsArray(II)[I
java/awt/image/PackedColorModel createBitsArray(IIII)[I
java/awt/image/PackedColorModel
 countBits(I)I
class java/awt/image/ColorModel java/lang/Object
java/awt/image/ColorModel pData
java/awt/image/ColorModel pixel_bits

```

```

java/awt/image/ColorModel nBits
java/awt/image/ColorModel transparency
java/awt/image/ColorModel supportsAlpha
java/awt/image/ColorModel isAlphaPremultiplied
java/awt/image/ColorModel numComponents
java/awt/image/ColorModel numColorComponents
java/awt/image/ColorModel colorSpace
java/awt/image/ColorModel colorSpaceType
java/awt/image/ColorModel maxBits
java/awt/image/ColorModel is_sRGB
java/awt/image/ColorModel transferType
java/awt/image/ColorModel loaded
java/awt/image/ColorModel RGBdefault
java/awt/image/ColorModel l8To8
java/awt/image/ColorModel s8To8
java/awt/image/ColorModel l16To8
java/awt/image/ColorModel s8To16
java/awt/image/ColorModel g8To8Map
java/awt/image/ColorModel lg16To8Map
java/awt/image/ColorModel g16To8Map
java/awt/image/ColorModel lg16To16Map
java/awt/image/ColorModel loadLibraries()V
java/awt/image/ColorModel
 initIDs()V
java/awt/image/ColorModel getRGBdefault()Ljava/awt/image/ColorModel;
java/awt/image/ColorModel <init>()V
java/awt/image/ColorModel <init>([Ljava/awt/color/ColorSpace;ZZ)V
java/awt/image/ColorModel hasAlpha()Z
java/awt/image/ColorModel isAlphaPremultiplied()Z
java/awt/image/ColorModel getTransferType()I
java/awt/image/ColorModel getPixelSize()I
java/awt/image/ColorModel getComponentSize()I
java/awt/image/ColorModel getComponentSize()[I
java/awt/image/ColorModel getTransparency()I
java/awt/image/ColorModel getNumComponents()I
java/awt/image/ColorModel getNumColorComponents()I
java/awt/image/ColorModel getRed()I
java/awt/image/ColorModel getGreen()I
java/awt/image/ColorModel getBlue()I
java/awt/image/ColorModel getAlpha()I
java/awt/image/ColorModel getRGB()I
java/awt/image/ColorModel getRed(Ljava/lang/Object;)I
java/awt/image/ColorModel getGreen(Ljava/lang/Object;)I
java/awt/image/ColorModel getBlue(Ljava/lang/Object;)I
java/awt/image/ColorModel getAlpha(Ljava/lang/Object;)I
java/awt/image/ColorModel
 getRGB(Ljava/lang/Object;)I
java/awt/image/ColorModel getDataElements(ILjava/lang/Object;)Ljava/lang/Object;

```

```

java/awt/image/ColorModel getComponents(I[II])I
java/awt/image/ColorModel getComponents(Ljava/lang/Object;[II])I
java/awt/image/ColorModel getUnnormalizedComponents([FI[II])I
java/awt/image/ColorModel getNormalizedComponents([II[FI])F
java/awt/image/ColorModel getDataElement([II])I
java/awt/image/ColorModel getDataElements([IILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/ColorModel getDataElement([FI])I
java/awt/image/ColorModel getDataElements([FILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/ColorModel getNormalizedComponents(Ljava/lang/Object;[FI])F
java/awt/image/ColorModel equals(Ljava/lang/Object;)Z
java/awt/image/ColorModel hashCode()I
java/awt/image/ColorModel getColorSpace()Ljava/awt/color/ColorSpace;
java/awt/image/ColorModel coerceData(Ljava/awt/image/WritableRaster;Z)Ljava/awt/image/ColorModel;
java/awt/image/ColorModel
 isCompatibleRaster(Ljava/awt/image/Raster;)Z
java/awt/image/ColorModel createCompatibleWritableRaster(II)Ljava/awt/image/WritableRaster;
java/awt/image/ColorModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/ColorModel isCompatibleSampleModel(Ljava/awt/image/SampleModel;)Z
java/awt/image/ColorModel finalize()V
java/awt/image/ColorModel getAlphaRaster(Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/ColorModel toString()Ljava/lang/String;
java/awt/image/ColorModel getDefaultTransferType(I)I
java/awt/image/ColorModel isLinearRGBspace(Ljava/awt/color/ColorSpace;)Z
java/awt/image/ColorModel isLinearGRAYspace(Ljava/awt/color/ColorSpace;)Z
java/awt/image/ColorModel getLinearRGB8ToRGB8LUT()[B
java/awt/image/ColorModel getsRGB8ToLinearRGB8LUT()[B
java/awt/image/ColorModel getLinearRGB16ToRGB8LUT()[B
java/awt/image/ColorModel getsRGB8ToLinearRGB16LUT()[S
java/awt/image/ColorModel getGray8ToRGB8LUT(Ljava/awt/color/ICC_ColorSpace;)[B
java/awt/image/ColorModel
 getLinearGray16ToOtherGray8LUT(Ljava/awt/color/ICC_ColorSpace;)[B
java/awt/image/ColorModel getGray16ToRGB8LUT(Ljava/awt/color/ICC_ColorSpace;)[B
java/awt/image/ColorModel getLinearGray16ToOtherGray16LUT(Ljava/awt/color/ICC_ColorSpace;)[S
java/awt/image/ColorModel <clinit>()V
class java/lang/IllegalStateException java/lang/RuntimeException
java/lang/IllegalStateException serialVersionUID
java/lang/IllegalStateException <init>()V
java/lang/IllegalStateException <init>(Ljava/lang/String;)V
java/lang/IllegalStateException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/IllegalStateException <init>(Ljava/lang/Throwable;)V
class java/awt/Transparency java/lang/Object
java/awt/Transparency OPAQUE
java/awt/Transparency BITMASK
java/awt/Transparency TRANSLUCENT
java/awt/Transparency getTransparency()I
class java/awt/FontMetrics java/lang/Object
java/awt/FontMetrics font
java/awt/FontMetrics serialVersionUID

```

```

java/awt/FontMetrics <init>(Ljava/awt/Font;)V
java/awt/FontMetrics
 getFont()Ljava/awt/Font;
java/awt/FontMetrics getLeading()I
java/awt/FontMetrics getAscent()I
java/awt/FontMetrics getDescent()I
java/awt/FontMetrics getHeight()I
java/awt/FontMetrics getMaxAscent()I
java/awt/FontMetrics getMaxDescent()I
java/awt/FontMetrics getMaxDecent()I
java/awt/FontMetrics getMaxAdvance()I
java/awt/FontMetrics charWidth(I)I
java/awt/FontMetrics charWidth(C)I
java/awt/FontMetrics stringWidth(Ljava/lang/String;)I
java/awt/FontMetrics charsWidth([C)I
java/awt/FontMetrics bytesWidth([B)I
java/awt/FontMetrics getWidths()[I
java/awt/FontMetrics hasUniformLineMetrics()Z
java/awt/FontMetrics getLineMetrics(Ljava/lang/String;Ljava/awt/Graphics;)Ljava/awt/font/LineMetrics;
java/awt/FontMetrics getLineMetrics(Ljava/lang/String;IILjava/awt/Graphics;)Ljava/awt/font/LineMetrics;
java/awt/FontMetrics getLineMetrics([CIIILjava/awt/Graphics;)Ljava/awt/font/LineMetrics;
java/awt/FontMetrics
 getLineMetrics(Ljava/text/CharacterIterator;IILjava/awt/Graphics;)Ljava/awt/font/LineMetrics;
java/awt/FontMetrics
 getStringBounds(Ljava/lang/String;Ljava/awt/Graphics;)Ljava/awt/geom/Rectangle2D;
java/awt/FontMetrics getStringBounds(Ljava/lang/String;IILjava/awt/Graphics;)Ljava/awt/geom/Rectangle2D;
java/awt/FontMetrics getStringBounds([CIIILjava/awt/Graphics;)Ljava/awt/geom/Rectangle2D;
java/awt/FontMetrics
 getStringBounds(Ljava/text/CharacterIterator;IILjava/awt/Graphics;)Ljava/awt/geom/Rectangle2D;
java/awt/FontMetrics getMaxCharBounds(Ljava/awt/Graphics;)Ljava/awt/geom/Rectangle2D;
java/awt/FontMetrics myFRC(Ljava/awt/Graphics;)Ljava/awt/font/FontRenderContext;
java/awt/FontMetrics toString()Ljava/lang/String;
java/awt/FontMetrics initIDs()V
java/awt/FontMetrics <clinit>()V
class java/util/WeakHashMap$Entry java/lang/ref/WeakReference
java/util/WeakHashMap$Entry value
java/util/WeakHashMap$Entry hash
java/util/WeakHashMap$Entry next
java/util/WeakHashMap$Entry
 <init>(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/ref/ReferenceQueue;ILjava/util/WeakHashMap$Entry;)V
java/util/WeakHashMap$Entry
 getKey()Ljava/lang/Object;
java/util/WeakHashMap$Entry getValue()Ljava/lang/Object;
java/util/WeakHashMap$Entry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap$Entry equals(Ljava/lang/Object;)Z
java/util/WeakHashMap$Entry hashCode()I
java/util/WeakHashMap$Entry toString()Ljava/lang/String;
java/util/WeakHashMap$Entry access$000(Ljava/util/WeakHashMap$Entry;)I

```

```

java/util/WeakHashMap$Entry access$100(Ljava/util/WeakHashMap$Entry;)Ljava/util/WeakHashMap$Entry;
java/util/WeakHashMap$Entry
access$102(Ljava/util/WeakHashMap$Entry;Ljava/util/WeakHashMap$Entry;)Ljava/util/WeakHashMap$Entry;
java/util/WeakHashMap$Entry access$202(Ljava/util/WeakHashMap$Entry;Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap$Entry access$200(Ljava/util/WeakHashMap$Entry;)Ljava/lang/Object;
class java/util/WeakHashMap java/util/AbstractMap
java/util/WeakHashMap DEFAULT_INITIAL_CAPACITY
java/util/WeakHashMap MAXIMUM_CAPACITY
java/util/WeakHashMap
 DEFAULT_LOAD_FACTOR
java/util/WeakHashMap table
java/util/WeakHashMap size
java/util/WeakHashMap threshold
java/util/WeakHashMap loadFactor
java/util/WeakHashMap queue
java/util/WeakHashMap modCount
java/util/WeakHashMap NULL_KEY
java/util/WeakHashMap entrySet
java/util/WeakHashMap <init>(IF)V
java/util/WeakHashMap <init>(I)V
java/util/WeakHashMap <init>()V
java/util/WeakHashMap <init>(Ljava/util/Map;)V
java/util/WeakHashMap maskNull(Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap unmaskNull(Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap eq(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/WeakHashMap indexFor(II)I
java/util/WeakHashMap expungeStaleEntries()V
java/util/WeakHashMap getTable()[Ljava/util/WeakHashMap$Entry;
java/util/WeakHashMap size()I
java/util/WeakHashMap isEmpty()Z
java/util/WeakHashMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap containsKey(Ljava/lang/Object;)Z
java/util/WeakHashMap getEntry(Ljava/lang/Object;)Ljava/util/WeakHashMap$Entry;
java/util/WeakHashMap
 put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap resize(I)V
java/util/WeakHashMap transfer([Ljava/util/WeakHashMap$Entry;[Ljava/util/WeakHashMap$Entry;)V
java/util/WeakHashMap putAll(Ljava/util/Map;)V
java/util/WeakHashMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap removeMapping(Ljava/lang/Object;)Ljava/util/WeakHashMap$Entry;
java/util/WeakHashMap clear()V
java/util/WeakHashMap containsValue(Ljava/lang/Object;)Z
java/util/WeakHashMap containsNullValue()Z
java/util/WeakHashMap keySet()Ljava/util/Set;
java/util/WeakHashMap values()Ljava/util/Collection;
java/util/WeakHashMap entrySet()Ljava/util/Set;
java/util/WeakHashMap access$300(Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap access$400(Ljava/util/WeakHashMap;)I

```



```

java/util/WeakHashMap access$500(Ljava/util/WeakHashMap;)[Ljava/util/WeakHashMap$Entry;
java/util/WeakHashMap <clinit>()V
class java/io/FilenameFilter java/lang/Object
java/io/FilenameFilter
 accept(Ljava/io/File;Ljava/lang/String;)Z
class java/awt/Point java/awt/geom/Point2D
java/awt/Point x
java/awt/Point y
java/awt/Point serialVersionUID
java/awt/Point <init>()V
java/awt/Point <init>(Ljava/awt/Point;)V
java/awt/Point <init>(II)V
java/awt/Point getX()D
java/awt/Point getY()D
java/awt/Point getLocation()Ljava/awt/Point;
java/awt/Point setLocation(Ljava/awt/Point;)V
java/awt/Point setLocation(II)V
java/awt/Point setLocation(DD)V
java/awt/Point move(II)V
java/awt/Point translate(II)V
java/awt/Point equals(Ljava/lang/Object;)Z
java/awt/Point toString()Ljava/lang/String;
class java/awt/geom/Point2D java/lang/Object
java/awt/geom/Point2D <init>()V
java/awt/geom/Point2D getX()D
java/awt/geom/Point2D getY()D
java/awt/geom/Point2D setLocation(DD)V
java/awt/geom/Point2D setLocation(Ljava/awt/geom/Point2D;)V
java/awt/geom/Point2D distanceSq(DDDD)D
java/awt/geom/Point2D distance(DDDD)D
java/awt/geom/Point2D distanceSq(DD)D
java/awt/geom/Point2D distanceSq(Ljava/awt/geom/Point2D;)D
java/awt/geom/Point2D
 distance(DD)D
java/awt/geom/Point2D distance(Ljava/awt/geom/Point2D;)D
java/awt/geom/Point2D clone()Ljava/lang/Object;
java/awt/geom/Point2D hashCode()I
java/awt/geom/Point2D equals(Ljava/lang/Object;)Z
class java/awt/Cursor java/lang/Object
java/awt/Cursor DEFAULT_CURSOR
java/awt/Cursor CROSSHAIR_CURSOR
java/awt/Cursor TEXT_CURSOR
java/awt/Cursor WAIT_CURSOR
java/awt/Cursor SW_RESIZE_CURSOR
java/awt/Cursor SE_RESIZE_CURSOR
java/awt/Cursor NW_RESIZE_CURSOR
java/awt/Cursor NE_RESIZE_CURSOR
java/awt/Cursor N_RESIZE_CURSOR

```

```

java/awt/Cursor S_RESIZE_CURSOR
java/awt/Cursor W_RESIZE_CURSOR
java/awt/Cursor E_RESIZE_CURSOR
java/awt/Cursor HAND_CURSOR
java/awt/Cursor MOVE_CURSOR
java/awt/Cursor predefined
java/awt/Cursor cursorProperties
java/awt/Cursor type
java/awt/Cursor CUSTOM_CURSOR
java/awt/Cursor systemCustomCursors
java/awt/Cursor systemCustomCursorDirPrefix
java/awt/Cursor systemCustomCursorPropertiesFile
java/awt/Cursor systemCustomCursorProperties
java/awt/Cursor
 CursorDotPrefix
java/awt/Cursor DotFileSuffix
java/awt/Cursor DotHotspotSuffix
java/awt/Cursor DotNameSuffix
java/awt/Cursor serialVersionUID
java/awt/Cursor dbg
java/awt/Cursor pData
java/awt/Cursor anchor
java/awt/Cursor disposer
java/awt/Cursor name
java/awt/Cursor initCursorDir()Ljava/lang/String;
java/awt/Cursor initIDs()V
java/awt/Cursor setPData(J)V
java/awt/Cursor getPredefinedCursor(I)Ljava/awt/Cursor;
java/awt/Cursor getSystemCustomCursor(Ljava/lang/String;)Ljava/awt/Cursor;
java/awt/Cursor getDefaultCursor()Ljava/awt/Cursor;
java/awt/Cursor <init>(I)V
java/awt/Cursor <init>(Ljava/lang/String;)V
java/awt/Cursor getType()I
java/awt/Cursor getName()Ljava/lang/String;
java/awt/Cursor toString()Ljava/lang/String;
java/awt/Cursor loadSystemCustomCursorProperties()V
java/awt/Cursor finalizeImpl(J)V
java/awt/Cursor access$000(J)V
java/awt/Cursor access$100()Ljava/lang/String;
java/awt/Cursor access$200()Ljava/lang/String;
java/awt/Cursor access$300()Ljava/util/Properties;
java/awt/Cursor
 <clinit>()V
class java/awt/ComponentOrientation java/lang/Object
java/awt/ComponentOrientation UNK_BIT
java/awt/ComponentOrientation HORIZ_BIT
java/awt/ComponentOrientation LTR_BIT
java/awt/ComponentOrientation LEFT_TO_RIGHT

```

```

java/awt/ComponentOrientation RIGHT_TO_LEFT
java/awt/ComponentOrientation UNKNOWN
java/awt/ComponentOrientation orientation
java/awt/ComponentOrientation isHorizontal()Z
java/awt/ComponentOrientation isLeftToRight()Z
java/awt/ComponentOrientation getOrientation(Ljava/util/Locale;)Ljava/awt/ComponentOrientation;
java/awt/ComponentOrientation getOrientation(Ljava/util/ResourceBundle;)Ljava/awt/ComponentOrientation;
java/awt/ComponentOrientation <init>(I)V
java/awt/ComponentOrientation <clinit>()V
class java/awt/Dimension java/awt/geom/Dimension2D
java/awt/Dimension width
java/awt/Dimension height
java/awt/Dimension serialVersionUID
java/awt/Dimension initIDs()V
java/awt/Dimension <init>()V
java/awt/Dimension <init>(Ljava/awt/Dimension;)V
java/awt/Dimension
 <init>(II)V
java/awt/Dimension getWidth()D
java/awt/Dimension getHeight()D
java/awt/Dimension setSize(DD)V
java/awt/Dimension getSize()Ljava/awt/Dimension;
java/awt/Dimension setSize(Ljava/awt/Dimension;)V
java/awt/Dimension setSize(II)V
java/awt/Dimension equals(Ljava/lang/Object;)Z
java/awt/Dimension hashCode()I
java/awt/Dimension toString()Ljava/lang/String;
java/awt/Dimension <clinit>()V
class java/awt/geom/Dimension2D java/lang/Object
java/awt/geom/Dimension2D <init>()V
java/awt/geom/Dimension2D getWidth()D
java/awt/geom/Dimension2D getHeight()D
java/awt/geom/Dimension2D setSize(DD)V
java/awt/geom/Dimension2D setSize(Ljava/awt/geom/Dimension2D;)V
java/awt/geom/Dimension2D clone()Ljava/lang/Object;
class java/awt/LightweightDispatcher java/lang/Object
java/awt/LightweightDispatcher serialVersionUID
java/awt/LightweightDispatcher LWD_MOUSE_DRAGGED_OVER
java/awt/LightweightDispatcher dbg
java/awt/LightweightDispatcher nativeContainer
java/awt/LightweightDispatcher
 focus
java/awt/LightweightDispatcher mouseEventTarget
java/awt/LightweightDispatcher targetLastEntered
java/awt/LightweightDispatcher isMouseInNativeContainer
java/awt/LightweightDispatcher nativeCursor
java/awt/LightweightDispatcher eventMask
java/awt/LightweightDispatcher PROXY_EVENT_MASK

```

```

java/awt/LightweightDispatcher MOUSE_MASK
java/awt/LightweightDispatcher $assertionsDisabled
java/awt/LightweightDispatcher <init>(Ljava/awt/Container;)V
java/awt/LightweightDispatcher dispose()V
java/awt/LightweightDispatcher enableEvents(J)V
java/awt/LightweightDispatcher dispatchEvent(Ljava/awt/AWTEvent;)Z
java/awt/LightweightDispatcher isMouseGrab(Ljava/awt/event/MouseEvent;)Z
java/awt/LightweightDispatcher processMouseEvent(Ljava/awt/event/MouseEvent;)Z
java/awt/LightweightDispatcher processDropTargetEvent(Lsun/awt/dnd/SunDropTargetEvent;)Z
java/awt/LightweightDispatcher trackMouseEnterExit(Ljava/awt/Component;Ljava/awt/event/MouseEvent;)V
java/awt/LightweightDispatcher startListeningForOtherDrags()V
java/awt/LightweightDispatcher
 stopListeningForOtherDrags()V
java/awt/LightweightDispatcher eventDispatched(Ljava/awt/AWTEvent;)V
java/awt/LightweightDispatcher retargetMouseEvent(Ljava/awt/Component;ILjava/awt/event/MouseEvent;)V
java/awt/LightweightDispatcher access$000(Ljava/awt/LightweightDispatcher;Ljava/awt/Container;
java/awt/LightweightDispatcher
 access$100(Ljava/awt/LightweightDispatcher;Ljava/awt/Component;Ljava/awt/event/MouseEvent;)V
java/awt/LightweightDispatcher <clinit>()V
class java/awt/event/AWTEventListener java/lang/Object
java/awt/event/AWTEventListener eventDispatched(Ljava/awt/AWTEvent;)V
class java/awt/LayoutManager java/lang/Object
java/awt/LayoutManager addLayoutComponent(Ljava/lang/String;Ljava/awt/Component;)V
java/awt/LayoutManager removeLayoutComponent(Ljava/awt/Component;)V
java/awt/LayoutManager preferredLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/LayoutManager minimumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/LayoutManager
 layoutContainer(Ljava/awt/Container;)V
class java/awt/geom/AffineTransform java/lang/Object
java/awt/geom/AffineTransform TYPE_UNKNOWN
java/awt/geom/AffineTransform TYPE_IDENTITY
java/awt/geom/AffineTransform TYPE_TRANSLATION
java/awt/geom/AffineTransform TYPE_UNIFORM_SCALE
java/awt/geom/AffineTransform TYPE_GENERAL_SCALE
java/awt/geom/AffineTransform TYPE_MASK_SCALE
java/awt/geom/AffineTransform TYPE_FLIP
java/awt/geom/AffineTransform TYPE_QUADRANT_ROTATION
java/awt/geom/AffineTransform TYPE_GENERAL_ROTATION
java/awt/geom/AffineTransform TYPE_MASK_ROTATION
java/awt/geom/AffineTransform TYPE_GENERAL_TRANSFORM
java/awt/geom/AffineTransform APPLY_IDENTITY
java/awt/geom/AffineTransform APPLY_TRANSLATE
java/awt/geom/AffineTransform APPLY_SCALE
java/awt/geom/AffineTransform APPLY_SHEAR
java/awt/geom/AffineTransform HI_SHIFT
java/awt/geom/AffineTransform HI_IDENTITY
java/awt/geom/AffineTransform HI_TRANSLATE
java/awt/geom/AffineTransform HI_SCALE

```

```

java/awt/geom/AffineTransform
 HI_SHEAR
java/awt/geom/AffineTransform m00
java/awt/geom/AffineTransform m10
java/awt/geom/AffineTransform m01
java/awt/geom/AffineTransform m11
java/awt/geom/AffineTransform m02
java/awt/geom/AffineTransform m12
java/awt/geom/AffineTransform state
java/awt/geom/AffineTransform type
java/awt/geom/AffineTransform rot90conversion
java/awt/geom/AffineTransform <init>(DDDDDDI)V
java/awt/geom/AffineTransform <init>()V
java/awt/geom/AffineTransform <init>(Ljava/awt/geom/AffineTransform;)V
java/awt/geom/AffineTransform <init>(FFFFFF)V
java/awt/geom/AffineTransform <init>(F)V
java/awt/geom/AffineTransform <init>(DDDDDD)V
java/awt/geom/AffineTransform <init>(D)V
java/awt/geom/AffineTransform getTranslateInstance(DD)Ljava/awt/geom/AffineTransform;
java/awt/geom/AffineTransform getRotateInstance(D)Ljava/awt/geom/AffineTransform;
java/awt/geom/AffineTransform getRotateInstance(DDD)Ljava/awt/geom/AffineTransform;
java/awt/geom/AffineTransform getScaleInstance(DD)Ljava/awt/geom/AffineTransform;
java/awt/geom/AffineTransform
 getShearInstance(DD)Ljava/awt/geom/AffineTransform;
java/awt/geom/AffineTransform getType()I
java/awt/geom/AffineTransform calculateType()V
java/awt/geom/AffineTransform getDeterminant()D
java/awt/geom/AffineTransform updateState()V
java/awt/geom/AffineTransform stateError()V
java/awt/geom/AffineTransform getMatrix([D)V
java/awt/geom/AffineTransform getScaleX()D
java/awt/geom/AffineTransform getScaleY()D
java/awt/geom/AffineTransform getShearX()D
java/awt/geom/AffineTransform getShearY()D
java/awt/geom/AffineTransform getTranslateX()D
java/awt/geom/AffineTransform getTranslateY()D
java/awt/geom/AffineTransform translate(DD)V
java/awt/geom/AffineTransform rotate(D)V
java/awt/geom/AffineTransform rotate(DDD)V
java/awt/geom/AffineTransform scale(DD)V
java/awt/geom/AffineTransform shear(DD)V
java/awt/geom/AffineTransform setToIdentity()V
java/awt/geom/AffineTransform setToTranslation(DD)V
java/awt/geom/AffineTransform setToRotation(D)V
java/awt/geom/AffineTransform
 setToRotation(DDD)V
java/awt/geom/AffineTransform setToScale(DD)V
java/awt/geom/AffineTransform setToShear(DD)V

```

```

java/awt/geom/AffineTransform setTransform(Ljava/awt/geom/AffineTransform;)V
java/awt/geom/AffineTransform setTransform(DDDDDD)V
java/awt/geom/AffineTransform concatenate(Ljava/awt/geom/AffineTransform;)V
java/awt/geom/AffineTransform preConcatenate(Ljava/awt/geom/AffineTransform;)V
java/awt/geom/AffineTransform createInverse()Ljava/awt/geom/AffineTransform;
java/awt/geom/AffineTransform
transform(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/geom/AffineTransform transform([Ljava/awt/geom/Point2D;I[Ljava/awt/geom/Point2D;II)V
java/awt/geom/AffineTransform transform([FI[FII)V
java/awt/geom/AffineTransform transform([DI[DII)V
java/awt/geom/AffineTransform transform([FI[DII)V
java/awt/geom/AffineTransform transform([DI[FII)V
java/awt/geom/AffineTransform
inverseTransform(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/geom/AffineTransform
inverseTransform([DI[DII)V
java/awt/geom/AffineTransform
deltaTransform(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/geom/AffineTransform deltaTransform([DI[DII)V
java/awt/geom/AffineTransform createTransformedShape(Ljava/awt/Shape;)Ljava/awt/Shape;
java/awt/geom/AffineTransform _matround(D)D
java/awt/geom/AffineTransform toString()Ljava/lang/String;
java/awt/geom/AffineTransform isIdentity()Z
java/awt/geom/AffineTransform clone()Ljava/lang/Object;
java/awt/geom/AffineTransform hashCode()I
java/awt/geom/AffineTransform equals(Ljava/lang/Object;)Z
java/awt/geom/AffineTransform writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/geom/AffineTransform readObject(Ljava/io/ObjectInputStream;)V
java/awt/geom/AffineTransform <clinit>()V
class java/awt/font/TransformAttribute java/lang/Object
java/awt/font/TransformAttribute transform
java/awt/font/TransformAttribute serialVersionUID
java/awt/font/TransformAttribute <init>(Ljava/awt/geom/AffineTransform;)V
java/awt/font/TransformAttribute
getTransform()Ljava/awt/geom/AffineTransform;
java/awt/font/TransformAttribute isIdentity()Z
java/awt/font/TransformAttribute writeObject(Ljava/io/ObjectOutputStream;)V
class java/awt/Font java/lang/Object
java/awt/Font fRequestedAttributes
java/awt/Font EMPTY_MAP
java/awt/Font IDENT_TX_ATTRIBUTE
java/awt/Font PLAIN
java/awt/Font BOLD
java/awt/Font ITALIC
java/awt/Font ROMAN_BASELINE
java/awt/Font CENTER_BASELINE
java/awt/Font HANGING_BASELINE
java/awt/Font TRUETYPE_FONT

```

```

java/awt/Font TYPE1_FONT
java/awt/Font name
java/awt/Font style
java/awt/Font size
java/awt/Font pointSize
java/awt/Font peer
java/awt/Font pData
java/awt/Font font2DHandle
java/awt/Font superscript
java/awt/Font width
java/awt/Font createdFont
java/awt/Font matrix
java/awt/Font nonIdentityTx
java/awt/Font identityTx
java/awt/Font serialVersionUID
java/awt/Font cacheRef
java/awt/Font ssinfo
java/awt/Font fontSerializedDataVersion
java/awt/Font cachedMat
java/awt/Font
 flmref
java/awt/Font LAYOUT_LEFT_TO_RIGHT
java/awt/Font LAYOUT_RIGHT_TO_LEFT
java/awt/Font LAYOUT_NO_START_CONTEXT
java/awt/Font LAYOUT_NO_LIMIT_CONTEXT
java/awt/Font getPeer()Ljava/awt/peer/FontPeer;
java/awt/Font getPeer_NoClientCode()Ljava/awt/peer/FontPeer;
java/awt/Font getRequestedAttributes()Ljava/util/Hashtable;
java/awt/Font initializeFont(Ljava/util/Hashtable;)V
java/awt/Font getFont2D()Lsun/font/Font2D;
java/awt/Font getFont2DHandleForCreatedFont()Lsun/font/Font2DHandle;
java/awt/Font <init>(Ljava/lang/String;I)V
java/awt/Font <init>(Ljava/lang/String;I)V
java/awt/Font <init>(Ljava/io/File;I)V
java/awt/Font <init>(Ljava/util/Map;ZLsun/font/Font2DHandle;)V
java/awt/Font <init>(Ljava/util/Map;)V
java/awt/Font initFromMap(Ljava/util/Map;)V
java/awt/Font getFont(Ljava/util/Map;)Ljava/awt/Font;
java/awt/Font get(Ljava/awt/Font$Key;)Ljava/awt/Font;
java/awt/Font createFont(ILjava/io/InputStream;)Ljava/awt/Font;
java/awt/Font createFont(ILjava/io/File;)Ljava/awt/Font;
java/awt/Font
 getTransform()Ljava/awt/geom/AffineTransform;
java/awt/Font getFamily()Ljava/lang/String;
java/awt/Font getFamily_NoClientCode()Ljava/lang/String;
java/awt/Font getFamily(Ljava/util/Locale;)Ljava/lang/String;
java/awt/Font getPSName()Ljava/lang/String;
java/awt/Font getName()Ljava/lang/String;

```

```

java/awt/Font getFontName()Ljava/lang/String;
java/awt/Font getFontName(Ljava/util/Locale;)Ljava/lang/String;
java/awt/Font getStyle()I
java/awt/Font getSize()I
java/awt/Font getSize2D()F
java/awt/Font isPlain()Z
java/awt/Font isBold()Z
java/awt/Font isItalic()Z
java/awt/Font isTransformed()Z
java/awt/Font getFont(Ljava/lang/String;)Ljava/awt/Font;
java/awt/Font decode(Ljava/lang/String;)Ljava/awt/Font;
java/awt/Font getFont(Ljava/lang/String;Ljava/awt/Font;)Ljava/awt/Font;
java/awt/Font hashCode()I
java/awt/Font equals(Ljava/lang/Object;)Z
java/awt/Font toString()Ljava/lang/String;
java/awt/Font writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Font readObject(Ljava/io/ObjectInputStream;)V
java/awt/Font
 getNumGlyphs()I
java/awt/Font getMissingGlyphCode()I
java/awt/Font getMatrix()[D
java/awt/Font getBaselineFor(C)B
java/awt/Font getAttributes()Ljava/util/Map;
java/awt/Font getAvailableAttributes()[Ljava/text/AttributedCharacterIterator$Attribute;
java/awt/Font deriveFont(IF)Ljava/awt/Font;
java/awt/Font deriveFont(ILjava/awt/geom/AffineTransform;)Ljava/awt/Font;
java/awt/Font deriveFont(F)Ljava/awt/Font;
java/awt/Font deriveFont(Ljava/awt/geom/AffineTransform;)Ljava/awt/Font;
java/awt/Font deriveFont(I)Ljava/awt/Font;
java/awt/Font deriveFont(Ljava/util/Map;)Ljava/awt/Font;
java/awt/Font canDisplay(C)Z
java/awt/Font canDisplay(I)Z
java/awt/Font canDisplayUpTo(Ljava/lang/String;)I
java/awt/Font canDisplayUpTo([CII
java/awt/Font canDisplayUpTo(Ljava/text/CharacterIterator;II)I
java/awt/Font getItalicAngle()F
java/awt/Font hasUniformLineMetrics()Z
java/awt/Font defaultLineMetrics(Ljava/awt/font/FontRenderContext;)Lsun/font/FontLineMetrics;
java/awt/Font getLineMetrics(Ljava/lang/String;Ljava/awt/font/FontRenderContext;)Ljava/awt/font/LineMetrics;
java/awt/Font
 getLineMetrics(Ljava/lang/String;IILjava/awt/font/FontRenderContext;)Ljava/awt/font/LineMetrics;
java/awt/Font
 getLineMetrics([CIILjava/awt/font/FontRenderContext;)Ljava/awt/font/LineMetrics;
java/awt/Font
 getLineMetrics(Ljava/text/CharacterIterator;IILjava/awt/font/FontRenderContext;)Ljava/awt/font/LineMetrics;
java/awt/Font
 getStringBounds(Ljava/lang/String;Ljava/awt/font/FontRenderContext;)Ljava/awt/geom/Rectangle2D;
java/awt/Font
 getStringBounds(Ljava/lang/String;IILjava/awt/font/FontRenderContext;)Ljava/awt/geom/Rectangle2D;

```



```

java/awt/Font getStringBounds([CIILjava/awt/font/FontRenderContext;)Ljava/awt/geom/Rectangle2D;
java/awt/Font
getStringBounds(Ljava/text/CharacterIterator;IILjava/awt/font/FontRenderContext;)Ljava/awt/geom/Rectangle2D;
java/awt/Font getMaxCharBounds(Ljava/awt/font/FontRenderContext;)Ljava/awt/geom/Rectangle2D;
java/awt/Font
createGlyphVector(Ljava/awt/font/FontRenderContext;Ljava/lang/String;)Ljava/awt/font/GlyphVector;
java/awt/Font
createGlyphVector(Ljava/awt/font/FontRenderContext;[C)Ljava/awt/font/GlyphVector;
java/awt/Font
createGlyphVector(Ljava/awt/font/FontRenderContext;Ljava/text/CharacterIterator;)Ljava/awt/font/GlyphVector;
java/awt/Font createGlyphVector(Ljava/awt/font/FontRenderContext;[I)Ljava/awt/font/GlyphVector;
java/awt/Font layoutGlyphVector(Ljava/awt/font/FontRenderContext;[CIILjava/awt/font/GlyphVector;
java/awt/Font applyTransform(Ljava/awt/geom/AffineTransform;Ljava/util/Map;)V
java/awt/Font applyStyle(ILjava/util/Map;)V
java/awt/Font applySize(FLjava/util/Map;)V
java/awt/Font initIDs()V
java/awt/Font pDispose()V
java/awt/Font finalize()V
java/awt/Font <clinit>()V
class java/util/EventListener java/lang/Object
class java/awt/dnd/peer/DropTargetPeer java/lang/Object
java/awt/dnd/peer/DropTargetPeer addDropTarget(Ljava/awt/dnd/DropTarget;)V
java/awt/dnd/peer/DropTargetPeer removeDropTarget(Ljava/awt/dnd/DropTarget;)V
class
java/awt/peer/ComponentPeer java/lang/Object
java/awt/peer/ComponentPeer SET_LOCATION
java/awt/peer/ComponentPeer SET_SIZE
java/awt/peer/ComponentPeer SET_BOUNDS
java/awt/peer/ComponentPeer SET_CLIENT_SIZE
java/awt/peer/ComponentPeer RESET_OPERATION
java/awt/peer/ComponentPeer NO_EMBEDDED_CHECK
java/awt/peer/ComponentPeer DEFAULT_OPERATION
java/awt/peer/ComponentPeer isObscured()Z
java/awt/peer/ComponentPeer canDetermineObscurity()Z
java/awt/peer/ComponentPeer setVisible(Z)V
java/awt/peer/ComponentPeer setEnabled(Z)V
java/awt/peer/ComponentPeer paint(Ljava/awt/Graphics;)V
java/awt/peer/ComponentPeer repaint(JIII)V
java/awt/peer/ComponentPeer print(Ljava/awt/Graphics;)V
java/awt/peer/ComponentPeer setBounds(IIII)V
java/awt/peer/ComponentPeer handleEvent(Ljava/awt/AWTEvent;)V
java/awt/peer/ComponentPeer coalescePaintEvent(Ljava/awt/event/PaintEvent;)V
java/awt/peer/ComponentPeer getLocationOnScreen()Ljava/awt/Point;
java/awt/peer/ComponentPeer getPreferredSize()Ljava/awt/Dimension;
java/awt/peer/ComponentPeer
getMinimumSize()Ljava/awt/Dimension;
java/awt/peer/ComponentPeer getColorModel()Ljava/awt/image/ColorModel;
java/awt/peer/ComponentPeer getToolkit()Ljava/awt/Toolkit;

```

```

java/awt/peer/ComponentPeer getGraphics()Ljava/awt/Graphics;
java/awt/peer/ComponentPeer getFontMetrics(Ljava/awt/Font;)Ljava/awt/FontMetrics;
java/awt/peer/ComponentPeer dispose()V
java/awt/peer/ComponentPeer setForeground(Ljava/awt/Color;)V
java/awt/peer/ComponentPeer setBackground(Ljava/awt/Color;)V
java/awt/peer/ComponentPeer setFont(Ljava/awt/Font;)V
java/awt/peer/ComponentPeer updateCursorImmediately()V
java/awt/peer/ComponentPeer requestFocus(Ljava/awt/Component;ZZJ)Z
java/awt/peer/ComponentPeer isFocusable()Z
java/awt/peer/ComponentPeer createImage(Ljava/awt/image/ImageProducer;)Ljava/awt/Image;
java/awt/peer/ComponentPeer createImage(II)Ljava/awt/Image;
java/awt/peer/ComponentPeer createVolatileImage(II)Ljava/awt/image/VolatileImage;
java/awt/peer/ComponentPeer prepareImage(Ljava/awt/Image;IILjava/awt/image/ImageObserver;)Z
java/awt/peer/ComponentPeer
 checkImage(Ljava/awt/Image;IILjava/awt/image/ImageObserver;)I
java/awt/peer/ComponentPeer getGraphicsConfiguration()Ljava/awt/GraphicsConfiguration;
java/awt/peer/ComponentPeer handlesWheelScrolling()Z
java/awt/peer/ComponentPeer createBuffers(ILjava/awt/BufferCapabilities;)V
java/awt/peer/ComponentPeer getBackBuffer()Ljava/awt/Image;
java/awt/peer/ComponentPeer flip(Ljava/awt/BufferCapabilities$FlipContents;)V
java/awt/peer/ComponentPeer destroyBuffers()V
java/awt/peer/ComponentPeer reparent(Ljava/awt/peer/ContainerPeer;)V
java/awt/peer/ComponentPeer isReparentSupported()Z
java/awt/peer/ComponentPeer layout()V
java/awt/peer/ComponentPeer getBounds()Ljava/awt/Rectangle;
java/awt/peer/ComponentPeer preferredSize()Ljava/awt/Dimension;
java/awt/peer/ComponentPeer minimumSize()Ljava/awt/Dimension;
java/awt/peer/ComponentPeer show()V
java/awt/peer/ComponentPeer hide()V
java/awt/peer/ComponentPeer enable()V
java/awt/peer/ComponentPeer
 disable()V
java/awt/peer/ComponentPeer reshape(III)V
class java/awt/Insets java/lang/Object
java/awt/Insets top
java/awt/Insets left
java/awt/Insets bottom
java/awt/Insets right
java/awt/Insets serialVersionUID
java/awt/Insets <init>(III)V
java/awt/Insets set(III)V
java/awt/Insets equals(Ljava/lang/Object;)Z
java/awt/Insets hashCode()I
java/awt/Insets toString()Ljava/lang/String;
java/awt/Insets clone()Ljava/lang/Object;
java/awt/Insets initIDs()V
java/awt/Insets <clinit>()V
class java/awt/GraphicsEnvironment$1 java/lang/Object

```

```

java/awt/GraphicsEnvironment$1 <init>()V
java/awt/GraphicsEnvironment$1 run()Ljava/lang/Object;
class java/awt/GraphicsEnvironment java/lang/Object
java/awt/GraphicsEnvironment localEnv
java/awt/GraphicsEnvironment headless
java/awt/GraphicsEnvironment defaultHeadless
java/awt/GraphicsEnvironment <init>()V
java/awt/GraphicsEnvironment getLocalGraphicsEnvironment()Ljava/awt/GraphicsEnvironment;
java/awt/GraphicsEnvironment isHeadless()Z
java/awt/GraphicsEnvironment
 getHeadlessMessage()Ljava/lang/String;
java/awt/GraphicsEnvironment getHeadlessProperty()Z
java/awt/GraphicsEnvironment checkHeadless()V
java/awt/GraphicsEnvironment isHeadlessInstance()Z
java/awt/GraphicsEnvironment getScreenDevices()[Ljava/awt/GraphicsDevice;
java/awt/GraphicsEnvironment getDefaultScreenDevice()Ljava/awt/GraphicsDevice;
java/awt/GraphicsEnvironment createGraphics(Ljava/awt/image/BufferedImage;)Ljava/awt/Graphics2D;
java/awt/GraphicsEnvironment getAllFonts()[Ljava/awt/Font;
java/awt/GraphicsEnvironment getAvailableFontFamilyNames()[Ljava/lang/String;
java/awt/GraphicsEnvironment getAvailableFontFamilyNames(Ljava/util/Locale;)[Ljava/lang/String;
java/awt/GraphicsEnvironment preferLocaleFonts()V
java/awt/GraphicsEnvironment preferProportionalFonts()V
java/awt/GraphicsEnvironment getCenterPoint()Ljava/awt/Point;
java/awt/GraphicsEnvironment getMaximumWindowBounds()Ljava/awt/Rectangle;
java/awt/GraphicsEnvironment access$002(Ljava/lang/Boolean;)Ljava/lang/Boolean;
java/awt/GraphicsEnvironment
 access$102(Ljava/lang/Boolean;)Ljava/lang/Boolean;
class java/awt/Toolkit$1 java/lang/Object
java/awt/Toolkit$1 val$sep
java/awt/Toolkit$1 val$properties
java/awt/Toolkit$1 <init>(Ljava/lang/String;Ljava/util/Properties;)V
java/awt/Toolkit$1 run()Ljava/lang/Object;
class java/net/URLClassLoader$2 java/lang/Object
java/net/URLClassLoader$2 val$name
java/net/URLClassLoader$2 this$0
java/net/URLClassLoader$2 <init>(Ljava/net/URLClassLoader;Ljava/lang/String;)V
java/net/URLClassLoader$2 run()Ljava/lang/Object;
class java/util/ResourceBundle$1 java/lang/Object
java/util/ResourceBundle$1 val$loader
java/util/ResourceBundle$1 val$resName
java/util/ResourceBundle$1 <init>(Ljava/lang/ClassLoader;Ljava/lang/String;)V
java/util/ResourceBundle$1 run()Ljava/lang/Object;
class java/io/FileNotFoundException java/io/IOException
java/io/FileNotFoundException <init>()V
java/io/FileNotFoundException <init>(Ljava/lang/String;)V
java/io/FileNotFoundException
 <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/io/IOException java/lang/Exception

```

```

java/io/IOException <init>()V
java/io/IOException <init>(Ljava/lang/String;)V
class java/util/ListResourceBundle java/util/ResourceBundle
java/util/ListResourceBundle lookup
java/util/ListResourceBundle <init>()V
java/util/ListResourceBundle handleGetObject(Ljava/lang/String;)Ljava/lang/Object;
java/util/ListResourceBundle getKeys()Ljava/util/Enumeration;
java/util/ListResourceBundle getContents()[[Ljava/lang/Object;
java/util/ListResourceBundle loadLookup()V
class java/util/ResourceBundle$LoaderReference java/lang/ref/WeakReference
java/util/ResourceBundle$LoaderReference cacheKey
java/util/ResourceBundle$LoaderReference
<init>(Ljava/lang/Object;Ljava/lang/ref/ReferenceQueue;Ljava/util/ResourceBundle$ResourceCacheKey;)V
java/util/ResourceBundle$LoaderReference getCacheKey(Ljava/util/ResourceBundle$ResourceCacheKey;
class java/util/ResourceBundle$ResourceCacheKey java/lang/Object
java/util/ResourceBundle$ResourceCacheKey
 loaderRef
java/util/ResourceBundle$ResourceCacheKey searchName
java/util/ResourceBundle$ResourceCacheKey defaultLocale
java/util/ResourceBundle$ResourceCacheKey hashCodeCache
java/util/ResourceBundle$ResourceCacheKey <init>()V
java/util/ResourceBundle$ResourceCacheKey equals(Ljava/lang/Object;)Z
java/util/ResourceBundle$ResourceCacheKey hashCode()I
java/util/ResourceBundle$ResourceCacheKey clone()Ljava/lang/Object;
java/util/ResourceBundle$ResourceCacheKey
 setKeyValues(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/util/Locale;)V
java/util/ResourceBundle$ResourceCacheKey clear()V
java/util/ResourceBundle$ResourceCacheKey <init>(Ljava/util/ResourceBundle$1;)V
class java/util/ResourceBundle java/lang/Object
java/util/ResourceBundle cacheKey
java/util/ResourceBundle INITIAL_CACHE_SIZE
java/util/ResourceBundle CACHE_LOAD_FACTOR
java/util/ResourceBundle MAX_BUNDLES_SEARCHED
java/util/ResourceBundle underConstruction
java/util/ResourceBundle NOT_FOUND
java/util/ResourceBundle
 cacheList
java/util/ResourceBundle referenceQueue
java/util/ResourceBundle parent
java/util/ResourceBundle locale
java/util/ResourceBundle <init>()V
java/util/ResourceBundle getString(Ljava/lang/String;)Ljava/lang/String;
java/util/ResourceBundle getStringArray(Ljava/lang/String;)[Ljava/lang/String;
java/util/ResourceBundle getObject(Ljava/lang/String;)Ljava/lang/Object;
java/util/ResourceBundle getLocale()Ljava/util/Locale;
java/util/ResourceBundle setLocale(Ljava/lang/String;Ljava/lang/String;)V
java/util/ResourceBundle getLoader()Ljava/lang/ClassLoader;
java/util/ResourceBundle getClassContext()[Ljava/lang/Class;

```

```

java/util/ResourceBundle setParent(Ljava/util/ResourceBundle;)V
java/util/ResourceBundle getBundle(Ljava/lang/String;)Ljava/util/ResourceBundle;
java/util/ResourceBundle getBundle(Ljava/lang/String;Ljava/util/Locale;)Ljava/util/ResourceBundle;
java/util/ResourceBundle
getBundle(Ljava/lang/String;Ljava/util/Locale;Ljava/lang/ClassLoader;)Ljava/util/ResourceBundle;
java/util/ResourceBundle
getBundleImpl(Ljava/lang/String;Ljava/util/Locale;Ljava/lang/ClassLoader;)Ljava/util/ResourceBundle;
java/util/ResourceBundle
propagate(Ljava/lang/ClassLoader;Ljava/util/Vector;Ljava/util/Vector;Ljava/util/Locale;Ljava/lang/Object;)Ljava/lang/Object;
java/util/ResourceBundle throwMissingResourceException(Ljava/lang/String;Ljava/util/Locale;)V
java/util/ResourceBundle cleanUpConstructionList()V
java/util/ResourceBundle
findBundle(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/util/Locale;Ljava/lang/String;Ljava/lang/Object;)Ljava/lang/Object;
java/util/ResourceBundle calculateBundleNames(Ljava/lang/String;Ljava/util/Locale;)Ljava/util/Vector;
java/util/ResourceBundle
findBundleInCache(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/util/Locale;)Ljava/lang/Object;
java/util/ResourceBundle
putBundleInCache(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/util/Locale;Ljava/lang/Object;)V
java/util/ResourceBundle
loadBundle(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/util/Locale;)Ljava/lang/Object;
java/util/ResourceBundle
handleGetObject(Ljava/lang/String;)Ljava/lang/Object;
java/util/ResourceBundle getKeys()Ljava/util/Enumeration;
java/util/ResourceBundle access$100()Ljava/lang/ref/ReferenceQueue;
java/util/ResourceBundle <clinit>()V
class java/awt/Toolkit$3 java/lang/Object
java/awt/Toolkit$3 <init>()V
java/awt/Toolkit$3 run()Ljava/lang/Object;
class java/awt/Toolkit java/lang/Object
java/awt/Toolkit lightweightMarker
java/awt/Toolkit toolkit
java/awt/Toolkit atNames
java/awt/Toolkit resources
java/awt/Toolkit loaded
java/awt/Toolkit desktopProperties
java/awt/Toolkit desktopPropsSupport
java/awt/Toolkit dbg
java/awt/Toolkit LONG_BITS
java/awt/Toolkit calls
java/awt/Toolkit enabledOnToolkitMask
java/awt/Toolkit eventListener
java/awt/Toolkit listener2SelectiveListener
java/awt/Toolkit $assertionsDisabled
java/awt/Toolkit <init>()V
java/awt/Toolkit createButton(Ljava/awt/Button;)Ljava/awt/peer/ButtonPeer;
java/awt/Toolkit createTextField(Ljava/awt/TextField;)Ljava/awt/peer/TextFieldPeer;

```

```

java/awt/Toolkit
 createLabel(Ljava/awt/Label;)Ljava/awt/peer/LabelPeer;
java/awt/Toolkit createList(Ljava/awt/List;)Ljava/awt/peer/ListPeer;
java/awt/Toolkit createCheckbox(Ljava/awt/Checkbox;)Ljava/awt/peer/CheckboxPeer;
java/awt/Toolkit createScrollbar(Ljava/awt/Scrollbar;)Ljava/awt/peer/ScrollbarPeer;
java/awt/Toolkit createScrollPane(Ljava/awt/ScrollPane;)Ljava/awt/peer/ScrollPanePeer;
java/awt/Toolkit createTextArea(Ljava/awt/TextArea;)Ljava/awt/peer/TextAreaPeer;
java/awt/Toolkit createChoice(Ljava/awt/Choice;)Ljava/awt/peer/ChoicePeer;
java/awt/Toolkit createFrame(Ljava/awt/Frame;)Ljava/awt/peer/FramePeer;
java/awt/Toolkit createCanvas(Ljava/awt/Canvas;)Ljava/awt/peer/CanvasPeer;
java/awt/Toolkit createPanel(Ljava/awt/Panel;)Ljava/awt/peer/PanelPeer;
java/awt/Toolkit createWindow(Ljava/awt/Window;)Ljava/awt/peer/WindowPeer;
java/awt/Toolkit createDialog(Ljava/awt/Dialog;)Ljava/awt/peer/DialogPeer;
java/awt/Toolkit createMenuBar(Ljava/awt/MenuBar;)Ljava/awt/peer/MenuBarPeer;
java/awt/Toolkit
 createMenu(Ljava/awt/Menu;)Ljava/awt/peer/MenuPeer;
java/awt/Toolkit createPopupMenu(Ljava/awt/PopupMenu;)Ljava/awt/peer/PopupMenuPeer;
java/awt/Toolkit createMenuItem(Ljava/awt/MenuItem;)Ljava/awt/peer/MenuItemPeer;
java/awt/Toolkit createFileDialog(Ljava/awt/FileDialog;)Ljava/awt/peer/FileDialogPeer;
java/awt/Toolkit
 createCheckboxMenuItem(Ljava/awt/CheckboxMenuItem;)Ljava/awt/peer/CheckboxMenuItemPeer;
java/awt/Toolkit getMouseInfoPeer()Ljava/awt/peer/MouseInfoPeer;
java/awt/Toolkit createComponent(Ljava/awt/Component;)Ljava/awt/peer/LightweightPeer;
java/awt/Toolkit getFontPeer(Ljava/lang/String;)Ljava/awt/peer/FontPeer;
java/awt/Toolkit loadSystemColors([I)V
java/awt/Toolkit setDynamicLayout(Z)V
java/awt/Toolkit isDynamicLayoutSet()Z
java/awt/Toolkit isDynamicLayoutActive()Z
java/awt/Toolkit getScreenSize()Ljava/awt/Dimension;
java/awt/Toolkit getScreenResolution()I
java/awt/Toolkit getScreenInsets(Ljava/awt/GraphicsConfiguration;)Ljava/awt/Insets;
java/awt/Toolkit
 getColorModel()Ljava/awt/image/ColorModel;
java/awt/Toolkit getFontList()[Ljava/lang/String;
java/awt/Toolkit getFontMetrics(Ljava/awt/Font;)Ljava/awt/FontMetrics;
java/awt/Toolkit sync()V
java/awt/Toolkit initAssistiveTechnologies()V
java/awt/Toolkit loadAssistiveTechnologies()V
java/awt/Toolkit getDefaultToolkit()Ljava/awt/Toolkit;
java/awt/Toolkit getImage(Ljava/lang/String;)Ljava/awt/Image;
java/awt/Toolkit getImage(Ljava/net/URL;)Ljava/awt/Image;
java/awt/Toolkit createImage(Ljava/lang/String;)Ljava/awt/Image;
java/awt/Toolkit createImage(Ljava/net/URL;)Ljava/awt/Image;
java/awt/Toolkit prepareImage(Ljava/awt/Image;IILjava/awt/image/ImageObserver;)Z
java/awt/Toolkit checkImage(Ljava/awt/Image;IILjava/awt/image/ImageObserver;)I
java/awt/Toolkit createImage(Ljava/awt/image/ImageProducer;)Ljava/awt/Image;
java/awt/Toolkit createImage([B)Ljava/awt/Image;
java/awt/Toolkit createImage([BII)Ljava/awt/Image;

```

```

java/awt/Toolkit getPrintJob(Ljava/awt/Frame;Ljava/lang/String;Ljava/util/Properties;)Ljava/awt/PrintJob;
java/awt/Toolkit
getPrintJob(Ljava/awt/Frame;Ljava/lang/String;Ljava/awt/JobAttributes;Ljava/awt/PageAttributes;)Ljava/awt/PrintJ
ob;
java/awt/Toolkit beep()V
java/awt/Toolkit getSystemClipboard()Ljava/awt/datatransfer/Clipboard;
java/awt/Toolkit getSystemSelection()Ljava/awt/datatransfer/Clipboard;
java/awt/Toolkit getMenuShortcutKeyMask()I
java/awt/Toolkit getLockingKeyState()I
java/awt/Toolkit setLockingKeyState(I)Z
java/awt/Toolkit getNativeContainer(Ljava/awt/Component;)Ljava/awt/Container;
java/awt/Toolkit createCustomCursor(Ljava/awt/Image;Ljava/awt/Point;Ljava/lang/String;)Ljava/awt/Cursor;
java/awt/Toolkit getBestCursorSize()Ljava/awt/Dimension;
java/awt/Toolkit getMaximumCursorColors()I
java/awt/Toolkit isFrameStateSupported()Z
java/awt/Toolkit initIDs()V
java/awt/Toolkit loadLibraries()V
java/awt/Toolkit getProperty(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/awt/Toolkit getSystemEventQueue()Ljava/awt/EventQueue;
java/awt/Toolkit
getSystemEventQueueImpl()Ljava/awt/EventQueue;
java/awt/Toolkit getEventQueue()Ljava/awt/EventQueue;
java/awt/Toolkit
createDragSourceContextPeer(Ljava/awt/dnd/DragGestureEvent;)Ljava/awt/dnd/peer/DragSourceContextPeer;
java/awt/Toolkit
createDragGestureRecognizer(Ljava/lang/Class;Ljava/awt/dnd/DragSource;Ljava/awt/Component;ILjava/awt/dnd/
DragGestureListener;)Ljava/awt/dnd/DragGestureRecognizer;
java/awt/Toolkit getDesktopProperty(Ljava/lang/String;)Ljava/lang/Object;
java/awt/Toolkit setDesktopProperty(Ljava/lang/String;Ljava/lang/Object;)V
java/awt/Toolkit lazilyLoadDesktopProperty(Ljava/lang/String;)Ljava/lang/Object;
java/awt/Toolkit initializeDesktopProperties()V
java/awt/Toolkit addPropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/awt/Toolkit removePropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/awt/Toolkit getPropertyChangeListeners()[Ljava/beans/PropertyChangeListener;
java/awt/Toolkit
getPropertyChangeListeners(Ljava/lang/String;)[Ljava/beans/PropertyChangeListener;
java/awt/Toolkit
deProxyAWTEventListener(Ljava/awt/event/AWTEventListener;)Ljava/awt/event/AWTEventListener;
java/awt/Toolkit addAWTEventListener(Ljava/awt/event/AWTEventListener;)V
java/awt/Toolkit removeAWTEventListener(Ljava/awt/event/AWTEventListener;)V
java/awt/Toolkit enabledOnToolkit()Z
java/awt/Toolkit countAWTEventListeners()I
java/awt/Toolkit getAWTEventListeners()[Ljava/awt/event/AWTEventListener;
java/awt/Toolkit getAWTEventListeners(J)[Ljava/awt/event/AWTEventListener;
java/awt/Toolkit notifyAWTEventListeners(Ljava/awt/AWTEvent;)V
java/awt/Toolkit mapInputMethodHighlight(Ljava/awt/im/InputMethodHighlight;)Ljava/util/Map;
java/awt/Toolkit access$002(Ljava/awt/Toolkit;)Ljava/awt/Toolkit;
java/awt/Toolkit access$000(Ljava/awt/Toolkit;

```

```

java/awt/Toolkit access$102(Ljava/util/ResourceBundle;)Ljava/util/ResourceBundle;
java/awt/Toolkit <clinit>()V
class java/awt/Component$AWTTreeLock
 java/lang/Object
java/awt/Component$AWTTreeLock <init>()V
class java/beans/PropertyChangeEvent java/util/EventObject
java/beans/PropertyChangeEvent propertyName
java/beans/PropertyChangeEvent newValue
java/beans/PropertyChangeEvent oldValue
java/beans/PropertyChangeEvent propagationId
java/beans/PropertyChangeEvent
 <init>(Ljava/lang/Object;Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/PropertyChangeEvent getPropertyName()Ljava/lang/String;
java/beans/PropertyChangeEvent getNewValue()Ljava/lang/Object;
java/beans/PropertyChangeEvent getOldValue()Ljava/lang/Object;
java/beans/PropertyChangeEvent setPropagationId(Ljava/lang/Object;)V
java/beans/PropertyChangeEvent getPropagationId()Ljava/lang/Object;
class java/util/EventObject java/lang/Object
java/util/EventObject serialVersionUID
java/util/EventObject source
java/util/EventObject <init>(Ljava/lang/Object;)V
java/util/EventObject getSource()Ljava/lang/Object;
java/util/EventObject toString()Ljava/lang/String;
class
 java/util/Hashtable$Enumerator java/lang/Object
java/util/Hashtable$Enumerator table
java/util/Hashtable$Enumerator index
java/util/Hashtable$Enumerator entry
java/util/Hashtable$Enumerator lastReturned
java/util/Hashtable$Enumerator type
java/util/Hashtable$Enumerator iterator
java/util/Hashtable$Enumerator expectedModCount
java/util/Hashtable$Enumerator this$0
java/util/Hashtable$Enumerator <init>(Ljava/util/Hashtable;IZ)V
java/util/Hashtable$Enumerator hasMoreElements()Z
java/util/Hashtable$Enumerator nextElement()Ljava/lang/Object;
java/util/Hashtable$Enumerator hasNext()Z
java/util/Hashtable$Enumerator next()Ljava/lang/Object;
java/util/Hashtable$Enumerator remove()V
class java/util/Properties$LineReader java/lang/Object
java/util/Properties$LineReader inBuf
java/util/Properties$LineReader lineBuf
java/util/Properties$LineReader inLimit
java/util/Properties$LineReader inOff
java/util/Properties$LineReader inStream
java/util/Properties$LineReader this$0
java/util/Properties$LineReader

```



```

<init>(Ljava/util/Properties;Ljava/io/InputStream;)V
java/util/Properties$LineReader readLine()I
class java/util/logging/LogManager$2 java/lang/Object
java/util/logging/LogManager$2 this$0
java/util/logging/LogManager$2 <init>(Ljava/util/logging/LogManager;)V
java/util/logging/LogManager$2 run()Ljava/lang/Object;
class java/util/logging/LogManager$RootLogger java/util/logging/Logger
java/util/logging/LogManager$RootLogger this$0
java/util/logging/LogManager$RootLogger <init>(Ljava/util/logging/LogManager;)V
java/util/logging/LogManager$RootLogger log(Ljava/util/logging/LogRecord;)V
java/util/logging/LogManager$RootLogger addHandler(Ljava/util/logging/Handler;)V
java/util/logging/LogManager$RootLogger removeHandler(Ljava/util/logging/Handler;)V
java/util/logging/LogManager$RootLogger getHandlers()[Ljava/util/logging/Handler;
java/util/logging/LogManager$RootLogger
<init>(Ljava/util/logging/LogManager;Ljava/util/logging/LogManager$1;)V
class java/lang/Shutdown$WrappedHook
java/lang/Object
java/lang/Shutdown$WrappedHook hook
java/lang/Shutdown$WrappedHook <init>(Ljava/lang/Thread;)V
java/lang/Shutdown$WrappedHook hashCode()I
java/lang/Shutdown$WrappedHook equals(Ljava/lang/Object;)Z
java/lang/Shutdown$WrappedHook access$100(Ljava/lang/Shutdown$WrappedHook;)Ljava/lang/Thread;
class java/util/logging/LogManager$Cleaner java/lang/Thread
java/util/logging/LogManager$Cleaner this$0
java/util/logging/LogManager$Cleaner <init>(Ljava/util/logging/LogManager;)V
java/util/logging/LogManager$Cleaner run()V
java/util/logging/LogManager$Cleaner <init>(Ljava/util/logging/LogManager;Ljava/util/logging/LogManager$1;)V
class java/util/logging/LoggingPermission java/security/BasicPermission
java/util/logging/LoggingPermission serialVersionUID
java/util/logging/LoggingPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/util/logging/LogManager$LogNode java/lang/Object
java/util/logging/LogManager$LogNode children
java/util/logging/LogManager$LogNode logger
java/util/logging/LogManager$LogNode
parent
java/util/logging/LogManager$LogNode <init>(Ljava/util/logging/LogManager$LogNode;)V
java/util/logging/LogManager$LogNode walkAndSetParent(Ljava/util/logging/Logger;)V
class java/beans/PropertyChangeSupport java/lang/Object
java/beans/PropertyChangeSupport listeners
java/beans/PropertyChangeSupport children
java/beans/PropertyChangeSupport source
java/beans/PropertyChangeSupport propertyChangeSupportSerializedDataVersion
java/beans/PropertyChangeSupport serialVersionUID
java/beans/PropertyChangeSupport <init>(Ljava/lang/Object;)V
java/beans/PropertyChangeSupport addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyChangeSupport removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyChangeSupport getPropertyChangeListeners()[Ljava/beans/PropertyChangeListener;
java/beans/PropertyChangeSupport

```

```

addPropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyChangeSupport
removePropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyChangeSupport
getPropertyChangeListeners(Ljava/lang/String;)[Ljava/beans/PropertyChangeListener;
java/beans/PropertyChangeSupport firePropertyChange(Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/PropertyChangeSupport firePropertyChange(Ljava/lang/String;I)V
java/beans/PropertyChangeSupport firePropertyChange(Ljava/lang/String;ZZ)V
java/beans/PropertyChangeSupport firePropertyChange(Ljava/beans/PropertyChangeEvent;)V
java/beans/PropertyChangeSupport
fireIndexedPropertyChange(Ljava/lang/String;ILjava/lang/Object;Ljava/lang/Object;)V
java/beans/PropertyChangeSupport fireIndexedPropertyChange(Ljava/lang/String;III)V
java/beans/PropertyChangeSupport fireIndexedPropertyChange(Ljava/lang/String;IZZ)V
java/beans/PropertyChangeSupport hasListeners(Ljava/lang/String;)Z
java/beans/PropertyChangeSupport writeObject(Ljava/io/ObjectOutputStream;)V
java/beans/PropertyChangeSupport
readObject(Ljava/io/ObjectInputStream;)V
class java/util/logging/LogManager$1 java/lang/Object
java/util/logging/LogManager$1 <init>()V
java/util/logging/LogManager$1 run()Ljava/lang/Object;
class java/util/logging/LogManager java/lang/Object
java/util/logging/LogManager manager
java/util/logging/LogManager emptyHandlers
java/util/logging/LogManager props
java/util/logging/LogManager changes
java/util/logging/LogManager defaultLevel
java/util/logging/LogManager loggers
java/util/logging/LogManager root
java/util/logging/LogManager rootLogger
java/util/logging/LogManager readPrimordialConfiguration
java/util/logging/LogManager initializedGlobalHandlers
java/util/logging/LogManager deathImminent
java/util/logging/LogManager ourPermission
java/util/logging/LogManager loggingMXBean
java/util/logging/LogManager LOGGING_MXBEAN_NAME
java/util/logging/LogManager <init>()V
java/util/logging/LogManager getLogManager()Ljava/util/logging/LogManager;
java/util/logging/LogManager
readPrimordialConfiguration()V
java/util/logging/LogManager addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/util/logging/LogManager removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/util/logging/LogManager addLogger(Ljava/util/logging/Logger;)Z
java/util/logging/LogManager doSetLevel(Ljava/util/logging/Logger;Ljava/util/logging/Level;)V
java/util/logging/LogManager doSetParent(Ljava/util/logging/Logger;Ljava/util/logging/Logger;)V
java/util/logging/LogManager findNode(Ljava/lang/String;)Ljava/util/logging/LogManager$LogNode;
java/util/logging/LogManager getLogger(Ljava/lang/String;)Ljava/util/logging/Logger;
java/util/logging/LogManager getLoggerNames()Ljava/util/Enumeration;
java/util/logging/LogManager readConfiguration()V

```

```

java/util/logging/LogManager reset()V
java/util/logging/LogManager resetLogger(Ljava/lang/String;)V
java/util/logging/LogManager parseClassNames(Ljava/lang/String;)[Ljava/lang/String;
java/util/logging/LogManager
 readConfiguration(Ljava/io/InputStream;)V
java/util/logging/LogManager getProperty(Ljava/lang/String;)Ljava/lang/String;
java/util/logging/LogManager getStringProperty(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/util/logging/LogManager getIntProperty(Ljava/lang/String;)I
java/util/logging/LogManager getBooleanProperty(Ljava/lang/String;)Z
java/util/logging/LogManager
 getLevelProperty(Ljava/lang/String;Ljava/util/logging/Level;)Ljava/util/logging/Level;
java/util/logging/LogManager
 getFilterProperty(Ljava/lang/String;Ljava/util/logging/Filter;)Ljava/util/logging/Filter;
java/util/logging/LogManager
 getFormatterProperty(Ljava/lang/String;Ljava/util/logging/Formatter;)Ljava/util/logging/Formatter;
java/util/logging/LogManager initializeGlobalHandlers()V
java/util/logging/LogManager checkAccess()V
java/util/logging/LogManager setLevelsOnExistingLoggers()V
java/util/logging/LogManager getLoggingMXBean()Ljava/util/logging/LoggingMXBean;
java/util/logging/LogManager access$002(Ljava/util/logging/LogManager;)Ljava/util/logging/LogManager;
java/util/logging/LogManager
 access$000()Ljava/util/logging/LogManager;
java/util/logging/LogManager
 access$102(Ljava/util/logging/LogManager;Ljava/util/logging/Logger;)Ljava/util/logging/Logger;
java/util/logging/LogManager access$100(Ljava/util/logging/LogManager;)Ljava/util/logging/Logger;
java/util/logging/LogManager access$302(Ljava/util/logging/LogManager;)Z
java/util/logging/LogManager access$402(Ljava/util/logging/LogManager;)Z
java/util/logging/LogManager access$600(Ljava/util/logging/LogManager;Ljava/lang/String;)[Ljava/lang/String;
java/util/logging/LogManager access$700(Ljava/util/logging/Logger;Ljava/util/logging/Logger;)V
java/util/logging/LogManager access$800()Ljava/util/logging/Level;
java/util/logging/LogManager access$900(Ljava/util/logging/LogManager;)V
java/util/logging/LogManager <clinit>()V
class java/util/logging/Level java/lang/Object
java/util/logging/Level known
java/util/logging/Level
 defaultBundle
java/util/logging/Level name
java/util/logging/Level value
java/util/logging/Level resourceBundleName
java/util/logging/Level OFF
java/util/logging/Level SEVERE
java/util/logging/Level WARNING
java/util/logging/Level INFO
java/util/logging/Level CONFIG
java/util/logging/Level FINE
java/util/logging/Level FINER
java/util/logging/Level FINEST
java/util/logging/Level ALL

```

```

java/util/logging/Level serialVersionUID
java/util/logging/Level <init>(Ljava/lang/String;I)V
java/util/logging/Level <init>(Ljava/lang/String;ILjava/lang/String;)V
java/util/logging/Level getResourceBundleName(Ljava/lang/String;
java/util/logging/Level getName(Ljava/lang/String;
java/util/logging/Level getLocalizedString(Ljava/lang/String;
java/util/logging/Level toString(Ljava/lang/String;
java/util/logging/Level intValue()I
java/util/logging/Level readResolve(Ljava/lang/Object;
java/util/logging/Level parse(Ljava/lang/String;)Ljava/util/logging/Level;
java/util/logging/Level equals(Ljava/lang/Object;)Z
java/util/logging/Level
 hashCode()I
java/util/logging/Level <clinit>()V
class java/util/logging/Handler java/lang/Object
java/util/logging/Handler offValue
java/util/logging/Handler manager
java/util/logging/Handler filter
java/util/logging/Handler formatter
java/util/logging/Handler logLevel
java/util/logging/Handler errorManager
java/util/logging/Handler encoding
java/util/logging/Handler sealed
java/util/logging/Handler <init>()V
java/util/logging/Handler publish(Ljava/util/logging/LogRecord;)V
java/util/logging/Handler flush()V
java/util/logging/Handler close()V
java/util/logging/Handler setFormatter(Ljava/util/logging/Formatter;)V
java/util/logging/Handler getFormatter()Ljava/util/logging/Formatter;
java/util/logging/Handler setEncoding(Ljava/lang/String;)V
java/util/logging/Handler getEncoding()Ljava/lang/String;
java/util/logging/Handler setFilter(Ljava/util/logging/Filter;)V
java/util/logging/Handler getFilter()Ljava/util/logging/Filter;
java/util/logging/Handler setErrorManager(Ljava/util/logging/ErrorHandler;)V
java/util/logging/Handler
 getErrorHandler()Ljava/util/logging/ErrorHandler;
java/util/logging/Handler reportError(Ljava/lang/String;Ljava/lang/Exception;I)V
java/util/logging/Handler setLevel(Ljava/util/logging/Level;)V
java/util/logging/Handler getLevel()Ljava/util/logging/Level;
java/util/logging/Handler isLoggable(Ljava/util/logging/LogRecord;)Z
java/util/logging/Handler checkAccess()V
java/util/logging/Handler <clinit>()V
class java/util/logging/Logger java/lang/Object
java/util/logging/Logger emptyHandlers
java/util/logging/Logger offValue
java/util/logging/Logger manager
java/util/logging/Logger name
java/util/logging/Logger handlers

```

```

java/util/logging/Logger resourceBundleName
java/util/logging/Logger useParentHandlers
java/util/logging/Logger filter
java/util/logging/Logger anonymous
java/util/logging/Logger catalog
java/util/logging/Logger catalogName
java/util/logging/Logger catalogLocale
java/util/logging/Logger treeLock
java/util/logging/Logger
 parent
java/util/logging/Logger kids
java/util/logging/Logger levelObject
java/util/logging/Logger levelValue
java/util/logging/Logger global
java/util/logging/Logger <init>(Ljava/lang/String;Ljava/lang/String;)V
java/util/logging/Logger <init>(Ljava/lang/String;)V
java/util/logging/Logger setLogManager(Ljava/util/logging/LogManager;)V
java/util/logging/Logger checkAccess()V
java/util/logging/Logger getLogger(Ljava/lang/String;)Ljava/util/logging/Logger;
java/util/logging/Logger getLogger(Ljava/lang/String;Ljava/lang/String;)Ljava/util/logging/Logger;
java/util/logging/Logger getAnonymousLogger()Ljava/util/logging/Logger;
java/util/logging/Logger getAnonymousLogger(Ljava/lang/String;)Ljava/util/logging/Logger;
java/util/logging/Logger getResourceBundle()Ljava/util/ResourceBundle;
java/util/logging/Logger getResourceBundleName()Ljava/lang/String;
java/util/logging/Logger setFilter(Ljava/util/logging/Filter;)V
java/util/logging/Logger getFilter()Ljava/util/logging/Filter;
java/util/logging/Logger
 log(Ljava/util/logging/LogRecord;)V
java/util/logging/Logger doLog(Ljava/util/logging/LogRecord;)V
java/util/logging/Logger log(Ljava/util/logging/Level;Ljava/lang/String;)V
java/util/logging/Logger log(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/Object;)V
java/util/logging/Logger log(Ljava/util/logging/Level;Ljava/lang/String;[Ljava/lang/Object;)V
java/util/logging/Logger log(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/Throwable;)V
java/util/logging/Logger logp(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/util/logging/Logger
 logp(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/Object;)V
java/util/logging/Logger
 logp(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;[Ljava/lang/Object;)V
java/util/logging/Logger
 logp(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/Throwable;)V
java/util/logging/Logger
 doLog(Ljava/util/logging/LogRecord;Ljava/lang/String;)V
java/util/logging/Logger
 logrb(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/util/logging/Logger
 logrb(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/
Object;)V
java/util/logging/Logger

```

```

logrb(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;[Ljava/lang/
Object;)V
java/util/logging/Logger
logrb(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/T
hrowable;)V
java/util/logging/Logger entering(Ljava/lang/String;Ljava/lang/String;)V
java/util/logging/Logger entering(Ljava/lang/String;Ljava/lang/String;Ljava/lang/Object;)V
java/util/logging/Logger entering(Ljava/lang/String;Ljava/lang/String;[Ljava/lang/Object;)V
java/util/logging/Logger exiting(Ljava/lang/String;Ljava/lang/String;)V
java/util/logging/Logger exiting(Ljava/lang/String;Ljava/lang/String;Ljava/lang/Object;)V
java/util/logging/Logger
 throwing(Ljava/lang/String;Ljava/lang/String;Ljava/lang/Throwable;)V
java/util/logging/Logger severe(Ljava/lang/String;)V
java/util/logging/Logger warning(Ljava/lang/String;)V
java/util/logging/Logger info(Ljava/lang/String;)V
java/util/logging/Logger config(Ljava/lang/String;)V
java/util/logging/Logger fine(Ljava/lang/String;)V
java/util/logging/Logger finer(Ljava/lang/String;)V
java/util/logging/Logger finest(Ljava/lang/String;)V
java/util/logging/Logger setLevel(Ljava/util/logging/Level;)V
java/util/logging/Logger getLevel()Ljava/util/logging/Level;
java/util/logging/Logger isLoggable(Ljava/util/logging/Level;)Z
java/util/logging/Logger getName()Ljava/lang/String;
java/util/logging/Logger addHandler(Ljava/util/logging/Handler;)V
java/util/logging/Logger removeHandler(Ljava/util/logging/Handler;)V
java/util/logging/Logger getHandlers()[Ljava/util/logging/Handler;
java/util/logging/Logger setUseParentHandlers(Z)V
java/util/logging/Logger
 getUseParentHandlers()Z
java/util/logging/Logger findResourceBundle(Ljava/lang/String;)Ljava/util/ResourceBundle;
java/util/logging/Logger setupResourceInfo(Ljava/lang/String;)V
java/util/logging/Logger getParent()Ljava/util/logging/Logger;
java/util/logging/Logger setParent(Ljava/util/logging/Logger;)V
java/util/logging/Logger doSetParent(Ljava/util/logging/Logger;)V
java/util/logging/Logger updateEffectiveLevel()V
java/util/logging/Logger getEffectiveResourceBundleName()Ljava/lang/String;
java/util/logging/Logger <clinit>()V
class java/awt/Label java/awt/Component
java/awt/Label LEFT
java/awt/Label CENTER
java/awt/Label RIGHT
java/awt/Label text
java/awt/Label alignment
java/awt/Label base
java/awt/Label nameCounter
java/awt/Label serialVersionUID
java/awt/Label <init>()V
java/awt/Label <init>(Ljava/lang/String;)V

```

```

java/awt/Label <init>(Ljava/lang/String;)V
java/awt/Label readObject(Ljava/io/ObjectInputStream;)V
java/awt/Label constructComponentName()Ljava/lang/String;
java/awt/Label
 addNotify()V
java/awt/Label getAlignment()I
java/awt/Label setAlignment(I)V
java/awt/Label getText()Ljava/lang/String;
java/awt/Label setText(Ljava/lang/String;)V
java/awt/Label paramString()Ljava/lang/String;
java/awt/Label initIDs()V
java/awt/Label getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/Label <clinit>()V
class java/lang/InterruptedException java/lang/Exception
java/lang/InterruptedException <init>()V
java/lang/InterruptedException <init>(Ljava/lang/String;)V
class java/awt/Frame java/awt/Window
java/awt/Frame DEFAULT_CURSOR
java/awt/Frame CROSSHAIR_CURSOR
java/awt/Frame TEXT_CURSOR
java/awt/Frame WAIT_CURSOR
java/awt/Frame SW_RESIZE_CURSOR
java/awt/Frame SE_RESIZE_CURSOR
java/awt/Frame NW_RESIZE_CURSOR
java/awt/Frame NE_RESIZE_CURSOR
java/awt/Frame N_RESIZE_CURSOR
java/awt/Frame S_RESIZE_CURSOR
java/awt/Frame W_RESIZE_CURSOR
java/awt/Frame E_RESIZE_CURSOR
java/awt/Frame HAND_CURSOR
java/awt/Frame MOVE_CURSOR
java/awt/Frame
 NORMAL
java/awt/Frame ICONIFIED
java/awt/Frame MAXIMIZED_HORIZ
java/awt/Frame MAXIMIZED_VERT
java/awt/Frame MAXIMIZED_BOTH
java/awt/Frame maximizedBounds
java/awt/Frame title
java/awt/Frame icon
java/awt/Frame menuBar
java/awt/Frame resizable
java/awt/Frame undecorated
java/awt/Frame mbManagement
java/awt/Frame state
java/awt/Frame ownedWindows
java/awt/Frame weakThis
java/awt/Frame base

```

```

java/awt/Frame nameCounter
java/awt/Frame serialVersionUID
java/awt/Frame frameSerializedDataVersion
java/awt/Frame <init>()V
java/awt/Frame <init>(Ljava/awt/GraphicsConfiguration;)V
java/awt/Frame <init>(Ljava/lang/String;)V
java/awt/Frame <init>(Ljava/lang/String;Ljava/awt/GraphicsConfiguration;)V
java/awt/Frame init(Ljava/lang/String;Ljava/awt/GraphicsConfiguration;)V
java/awt/Frame finalize()V
java/awt/Frame constructComponentName(Ljava/lang/String;
java/awt/Frame addNotify()V
java/awt/Frame getTitle()Ljava/lang/String;
java/awt/Frame setTitle(Ljava/lang/String;)V
java/awt/Frame getIconImage()Ljava/awt/Image;
java/awt/Frame
 setIconImage(Ljava/awt/Image;)V
java/awt/Frame getMenuBar()Ljava/awt/MenuBar;
java/awt/Frame setMenuBar(Ljava/awt/MenuBar;)V
java/awt/Frame isResizable()Z
java/awt/Frame setResizable(Z)V
java/awt/Frame setState(I)V
java/awt/Frame setExtendedState(I)V
java/awt/Frame isFrameStateSupported(I)Z
java/awt/Frame getState()I
java/awt/Frame getExtendedState()I
java/awt/Frame setMaximizedBounds(Ljava/awt/Rectangle;)V
java/awt/Frame getMaximizedBounds()Ljava/awt/Rectangle;
java/awt/Frame setUndecorated(Z)V
java/awt/Frame isUndecorated()Z
java/awt/Frame remove(Ljava/awt/MenuComponent;)V
java/awt/Frame removeNotify()V
java/awt/Frame postProcessKeyEvent(Ljava/awt/event/KeyEvent;)V
java/awt/Frame paramString()Ljava/lang/String;
java/awt/Frame setCursor(I)V
java/awt/Frame getCursorType()I
java/awt/Frame getFrames()[Ljava/awt/Frame;
java/awt/Frame addToFrameList()V
java/awt/Frame removeFromFrameList()V
java/awt/Frame writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Frame
 readObject(Ljava/io/ObjectInputStream;)V
java/awt/Frame initIDs()V
java/awt/Frame getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/Frame <clinit>()V
class java/awt/Window java/awt/Container
java/awt/Window warningString
java/awt/Window temporaryLostComponent
java/awt/Window systemSyncLWRequests

```



java/awt/Window syncLWRequests  
java/awt/Window beforeFirstShow  
java/awt/Window OPENED  
java/awt/Window state  
java/awt/Window alwaysOnTop  
java/awt/Window ownedWindowList  
java/awt/Window weakThis  
java/awt/Window showWithParent  
java/awt/Window windowListener  
java/awt/Window windowStateListener  
java/awt/Window windowFocusListener  
java/awt/Window inputContext  
java/awt/Window inputContextLock  
java/awt/Window focusMgr  
java/awt/Window focusableWindowState  
java/awt/Window base  
java/awt/Window nameCounter  
java/awt/Window serialVersionUID  
java/awt/Window dbg  
java/awt/Window locationByPlatformProp  
java/awt/Window modalExcluded  
java/awt/Window windowSerializedDataVersion  
java/awt/Window  
    locationByPlatform  
java/awt/Window initIDs()V  
java/awt/Window <init>(Ljava/awt/GraphicsConfiguration;)V  
java/awt/Window init(Ljava/awt/GraphicsConfiguration;)V  
java/awt/Window <init>()V  
java/awt/Window <init>(Ljava/awt/Frame;)V  
java/awt/Window <init>(Ljava/awt/Window;)V  
java/awt/Window <init>(Ljava/awt/Window;Ljava/awt/GraphicsConfiguration;)V  
java/awt/Window ownedInit(Ljava/awt/Window;)V  
java/awt/Window finalize()V  
java/awt/Window constructComponentName()Ljava/lang/String;  
java/awt/Window addNotify()V  
java/awt/Window pack()V  
java/awt/Window setClientSize(II)V  
java/awt/Window show()V  
java/awt/Window updateChildFocusableWindowState(Ljava/awt/Window;)V  
java/awt/Window postWindowEvent(I)V  
java/awt/Window hide()V  
java/awt/Window clearMostRecentFocusOwnerOnHide()V  
java/awt/Window dispose()V  
java/awt/Window disposeImpl()V  
java/awt/Window doDispose()V  
java/awt/Window adjustListeningChildrenOnParent(JI)V  
java/awt/Window adjustDecendantsOnParent(I)V  
java/awt/Window toFront()V

```

java/awt/Window
 toBack()V
java/awt/Window getToolkit()Ljava/awt/Toolkit;
java/awt/Window getWarningString()Ljava/lang/String;
java/awt/Window setWarningString()V
java/awt/Window getLocale()Ljava/util/Locale;
java/awt/Window getInputContext()Ljava/awt/im/InputContext;
java/awt/Window setCursor(Ljava/awt/Cursor;)V
java/awt/Window getOwner()Ljava/awt/Window;
java/awt/Window getOwnedWindows()[Ljava/awt/Window;
java/awt/Window addWindowListener(Ljava/awt/event/WindowListener;)V
java/awt/Window addWindowStateListener(Ljava/awt/event/WindowStateListener;)V
java/awt/Window addWindowFocusListener(Ljava/awt/event/WindowFocusListener;)V
java/awt/Window removeWindowListener(Ljava/awt/event/WindowListener;)V
java/awt/Window removeWindowStateListener(Ljava/awt/event/WindowStateListener;)V
java/awt/Window removeWindowFocusListener(Ljava/awt/event/WindowFocusListener;)V
java/awt/Window getWindowListeners()[Ljava/awt/event/WindowListener;
java/awt/Window getWindowFocusListeners()[Ljava/awt/event/WindowFocusListener;
java/awt/Window
 getWindowStateListeners()[Ljava/awt/event/WindowStateListener;
java/awt/Window getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/Window eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/Window processEvent(Ljava/awt/AWTEvent;)V
java/awt/Window processWindowEvent(Ljava/awt/event/WindowEvent;)V
java/awt/Window processWindowFocusEvent(Ljava/awt/event/WindowEvent;)V
java/awt/Window processWindowStateEvent(Ljava/awt/event/WindowEvent;)V
java/awt/Window preProcessKeyEvent(Ljava/awt/event/KeyEvent;)V
java/awt/Window postProcessKeyEvent(Ljava/awt/event/KeyEvent;)V
java/awt/Window setAlwaysOnTop(Z)V
java/awt/Window isAlwaysOnTop()Z
java/awt/Window getFocusOwner()Ljava/awt/Component;
java/awt/Window getMostRecentFocusOwner()Ljava/awt/Component;
java/awt/Window isActive()Z
java/awt/Window isFocused()Z
java/awt/Window getFocusTraversalKeys(I)Ljava/util/Set;
java/awt/Window setFocusCycleRoot(Z)V
java/awt/Window isFocusCycleRoot()Z
java/awt/Window getFocusCycleRootAncestor()Ljava/awt/Container;
java/awt/Window
 isFocusableWindow()Z
java/awt/Window getFocusableWindowState()Z
java/awt/Window setFocusableWindowState(Z)V
java/awt/Window addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/awt/Window addPropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/awt/Window dispatchEventImpl(Ljava/awt/AWTEvent;)V
java/awt/Window postEvent(Ljava/awt/Event;)Z
java/awt/Window isShowing()Z
java/awt/Window applyResourceBundle(Ljava/util/ResourceBundle;)V

```

```

java/awt/Window applyResourceBundle(Ljava/lang/String;)V
java/awt/Window addOwnedWindow(Ljava/lang/ref/WeakReference;)V
java/awt/Window removeOwnedWindow(Ljava/lang/ref/WeakReference;)V
java/awt/Window connectOwnedWindow(Ljava/awt/Window;)V
java/awt/Window writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Window readObject(Ljava/io/ObjectInputStream;)V
java/awt/Window getAccessibleContext()Ljava/awt/Accessibility/AccessibleContext;
java/awt/Window getGraphicsConfiguration()Ljava/awt/GraphicsConfiguration;
java/awt/Window
 resetGC()V
java/awt/Window setLocationRelativeTo(Ljava/awt/Component;)V
java/awt/Window deliverMouseWheelToAncestor(Ljava/awt/event/MouseWheelEvent;)V
java/awt/Window dispatchMouseWheelToAncestor(Ljava/awt/event/MouseWheelEvent;)Z
java/awt/Window createBufferStrategy(I)V
java/awt/Window createBufferStrategy(ILjava/awt/BufferCapabilities;)V
java/awt/Window getBufferStrategy()Ljava/awt/image/BufferStrategy;
java/awt/Window getTemporaryLostComponent()Ljava/awt/Component;
java/awt/Window setTemporaryLostComponent(Ljava/awt/Component;)Ljava/awt/Component;
java/awt/Window canContainFocusOwner(Ljava/awt/Component;)Z
java/awt/Window setLocationByPlatform(Z)V
java/awt/Window isLocationByPlatform()Z
java/awt/Window setBounds(III)V
java/awt/Window access$000(Ljava/awt/Window;)Ljava/lang/Object;
java/awt/Window <clinit>()V
class java/awt/Container java/awt/Component
 java/awt/Container ncomponents
 java/awt/Container component
 java/awt/Container
 layoutMgr
 java/awt/Container dispatcher
 java/awt/Container focusTraversalPolicy
 java/awt/Container focusCycleRoot
 java/awt/Container focusTraversalPolicyProvider
 java/awt/Container printingThreads
 java/awt/Container printing
 java/awt/Container containerListener
 java/awt/Container listeningChildren
 java/awt/Container listeningBoundsChildren
 java/awt/Container descendantsCount
 java/awt/Container serialVersionUID
 java/awt/Container dbg
 java/awt/Container INCLUDE_SELF
 java/awt/Container SEARCH_HEAVYWEIGHTS
 java/awt/Container serialPersistentFields
 java/awt/Container modalComp
 java/awt/Container modalAppContext
 java/awt/Container containerSerializedDataVersion
 java/awt/Container $assertionsDisabled

```

```

java/awt/Container initIDs()V
java/awt/Container <init>()V
java/awt/Container initializeFocusTraversalKeys()V
java/awt/Container getComponentCount()I
java/awt/Container countComponents()I
java/awt/Container getComponent(I)Ljava/awt/Component;
java/awt/Container getComponents()[Ljava/awt/Component;
java/awt/Container
 getComponents_NoClientCode()[Ljava/awt/Component;
java/awt/Container getInsets()Ljava/awt/Insets;
java/awt/Container insets()Ljava/awt/Insets;
java/awt/Container add(Ljava/awt/Component;)Ljava/awt/Component;
java/awt/Container add(Ljava/lang/String;Ljava/awt/Component;)Ljava/awt/Component;
java/awt/Container add(Ljava/awt/Component;I)Ljava/awt/Component;
java/awt/Container checkTreeLock()V
java/awt/Container checkAdding(Ljava/awt/Component;I)V
java/awt/Container removeDelicately(Ljava/awt/Component;Ljava/awt/Container;I)V
java/awt/Container canContainFocusOwner(Ljava/awt/Component;)Z
java/awt/Container hasHeavyweightChildren()Z
java/awt/Container getHeavyweightContainer()Ljava/awt/Container;
java/awt/Container isRemoveNotifyNeeded(Ljava/awt/Component;Ljava/awt/Container;Ljava/awt/Container;)Z
java/awt/Container setComponentZOrder(Ljava/awt/Component;I)V
java/awt/Container reparentTraverse(Ljava/awt/peer/ContainerPeer;Ljava/awt/Container;)V
java/awt/Container reparentChild(Ljava/awt/Component;)V
java/awt/Container
 addDelicately(Ljava/awt/Component;Ljava/awt/Container;I)V
java/awt/Container getComponentZOrder(Ljava/awt/Component;)I
java/awt/Container add(Ljava/awt/Component;Ljava/lang/Object;)V
java/awt/Container add(Ljava/awt/Component;Ljava/lang/Object;I)V
java/awt/Container addImpl(Ljava/awt/Component;Ljava/lang/Object;I)V
java/awt/Container checkGD(Ljava/lang/String;)V
java/awt/Container remove(I)V
java/awt/Container remove(Ljava/awt/Component;)V
java/awt/Container removeAll()V
java/awt/Container numListening(J)I
java/awt/Container adjustListeningChildren(JI)V
java/awt/Container adjustDescendants(I)V
java/awt/Container adjustDecendantsOnParent(I)V
java/awt/Container countHierarchyMembers()I
java/awt/Container getListenersCount(IZ)I
java/awt/Container createHierarchyEvents(ILjava/awt/Component;Ljava/awt/Container;JZ)I
java/awt/Container createChildHierarchyEvents(IJZ)V
java/awt/Container getLayout()Ljava/awt/LayoutManager;
java/awt/Container
 setLayout(Ljava/awt/LayoutManager;)V
java/awt/Container doLayout()V
java/awt/Container layout()V
java/awt/Container invalidate()V

```

```

java/awt/Container validate()V
java/awt/Container validateTree()V
java/awt/Container invalidateTree()V
java/awt/Container setFont(Ljava/awt/Font;)V
java/awt/Container getPreferredSize()Ljava/awt/Dimension;
java/awt/Container preferredSize()Ljava/awt/Dimension;
java/awt/Container getMinimumSize()Ljava/awt/Dimension;
java/awt/Container minimumSize()Ljava/awt/Dimension;
java/awt/Container getMaximumSize()Ljava/awt/Dimension;
java/awt/Container getAlignmentX()F
java/awt/Container getAlignmentY()F
java/awt/Container paint(Ljava/awt/Graphics;)V
java/awt/Container update(Ljava/awt/Graphics;)V
java/awt/Container print(Ljava/awt/Graphics;)V
java/awt/Container paintComponents(Ljava/awt/Graphics;)V
java/awt/Container lightweightPaint(Ljava/awt/Graphics;)V
java/awt/Container paintHeavyweightComponents(Ljava/awt/Graphics;)V
java/awt/Container printComponents(Ljava/awt/Graphics;)V
java/awt/Container
 lightweightPrint(Ljava/awt/Graphics;)V
java/awt/Container printHeavyweightComponents(Ljava/awt/Graphics;)V
java/awt/Container addContainerListener(Ljava/awt/event/ContainerListener;)V
java/awt/Container removeContainerListener(Ljava/awt/event/ContainerListener;)V
java/awt/Container getContainerListeners()[Ljava/awt/event/ContainerListener;
java/awt/Container getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/Container eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/Container processEvent(Ljava/awt/AWTEvent;)V
java/awt/Container processContainerEvent(Ljava/awt/event/ContainerEvent;)V
java/awt/Container dispatchEventImpl(Ljava/awt/AWTEvent;)V
java/awt/Container dispatchEventToSelf(Ljava/awt/AWTEvent;)V
java/awt/Container getMouseEventTarget(IIZ)Ljava/awt/Component;
java/awt/Container getDropTargetEventTarget(IIZ)Ljava/awt/Component;
java/awt/Container getMouseEventTarget(IIZLjava/awt/Container$EventTargetFilter;Z)Ljava/awt/Component;
java/awt/Container
 getMouseEventTargetImpl(IIZLjava/awt/Container$EventTargetFilter;ZZ)Ljava/awt/Component;
java/awt/Container proxyEnableEvents(J)V
java/awt/Container deliverEvent(Ljava/awt/Event;)V
java/awt/Container getComponentAt(II)Ljava/awt/Component;
java/awt/Container locate(II)Ljava/awt/Component;
java/awt/Container getComponentAt(Ljava/awt/Point;)Ljava/awt/Component;
java/awt/Container getMousePosition(Z)Ljava/awt/Point;
java/awt/Container isSameOrAncestorOf(Ljava/awt/Component;Z)Z
java/awt/Container findComponentAt(II)Ljava/awt/Component;
java/awt/Container findComponentAt(IIZ)Ljava/awt/Component;
java/awt/Container findComponentAtImpl(IIZ)Ljava/awt/Component;
java/awt/Container findComponentAt(Ljava/awt/Point;)Ljava/awt/Component;
java/awt/Container addNotify()V
java/awt/Container removeNotify()V

```

```

java/awt/Container isAncestorOf(Ljava/awt/Component;)Z
java/awt/Container startLWModal()V
java/awt/Container stopLWModal()V
java/awt/Container paramString()Ljava/lang/String;
java/awt/Container
 list(Ljava/io/PrintStream;I)V
java/awt/Container list(Ljava/io/PrintWriter;I)V
java/awt/Container setFocusTraversalKeys(ILjava/util/Set;)V
java/awt/Container getFocusTraversalKeys(I)Ljava/util/Set;
java/awt/Container areFocusTraversalKeysSet(I)Z
java/awt/Container isFocusCycleRoot(Ljava/awt/Container;)Z
java/awt/Container findTraversalRoot()Ljava/awt/Container;
java/awt/Container containsFocus()Z
java/awt/Container isParentOf(Ljava/awt/Component;)Z
java/awt/Container clearMostRecentFocusOwnerOnHide()V
java/awt/Container clearCurrentFocusCycleRootOnHide()V
java/awt/Container nextFocusHelper()Z
java/awt/Container transferFocusBackward()V
java/awt/Container setFocusTraversalPolicy(Ljava/awt/FocusTraversalPolicy;)V
java/awt/Container getFocusTraversalPolicy()Ljava/awt/FocusTraversalPolicy;
java/awt/Container isFocusTraversalPolicySet()Z
java/awt/Container setFocusCycleRoot(Z)V
java/awt/Container isFocusCycleRoot()Z
java/awt/Container setFocusTraversalPolicyProvider(Z)V
java/awt/Container
 isFocusTraversalPolicyProvider()Z
java/awt/Container transferFocusDownCycle()V
java/awt/Container preProcessKeyEvent(Ljava/awt/event/KeyEvent;)V
java/awt/Container postProcessKeyEvent(Ljava/awt/event/KeyEvent;)V
java/awt/Container postsOldMouseEvents()Z
java/awt/Container applyComponentOrientation(Ljava/awt/ComponentOrientation;)V
java/awt/Container addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/awt/Container addPropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/awt/Container writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Container readObject(Ljava/io/ObjectInputStream;)V
java/awt/Container getAccessibleAt(Ljava/awt/Point;)Ljava/awt/accessibility/Accessible;
java/awt/Container getAccessibleChildrenCount()I
java/awt/Container getAccessibleChild(I)Ljava/awt/accessibility/Accessible;
java/awt/Container <clinit>()V
class java/awt/Component java/lang/Object
java/awt/Component focusLog
java/awt/Component log
java/awt/Component peer
java/awt/Component
 parent
java/awt/Component appContext
java/awt/Component x
java/awt/Component y

```

java/awt/Component width  
java/awt/Component height  
java/awt/Component foreground  
java/awt/Component background  
java/awt/Component font  
java/awt/Component peerFont  
java/awt/Component cursor  
java/awt/Component locale  
java/awt/Component graphicsConfig  
java/awt/Component bufferStrategy  
java/awt/Component ignoreRepaint  
java/awt/Component visible  
java/awt/Component enabled  
java/awt/Component valid  
java/awt/Component dropTarget  
java/awt/Component popups  
java/awt/Component name  
java/awt/Component nameExplicitlySet  
java/awt/Component focusable  
java/awt/Component FOCUS\_TRAVERSABLE\_UNKNOWN  
java/awt/Component FOCUS\_TRAVERSABLE\_DEFAULT  
java/awt/Component FOCUS\_TRAVERSABLE\_SET  
java/awt/Component isFocusTraversableOverridden  
java/awt/Component focusTraversalKeys  
java/awt/Component focusTraversalKeyPropertyNames  
java/awt/Component focusTraversalKeysEnabled  
java/awt/Component LOCK  
java/awt/Component minSize  
java/awt/Component  
    minSizeSet  
java/awt/Component prefSize  
java/awt/Component prefSizeSet  
java/awt/Component maxSize  
java/awt/Component maxSizeSet  
java/awt/Component componentOrientation  
java/awt/Component newEventsOnly  
java/awt/Component componentListener  
java/awt/Component focusListener  
java/awt/Component hierarchyListener  
java/awt/Component hierarchyBoundsListener  
java/awt/Component keyListener  
java/awt/Component mouseListener  
java/awt/Component mouseMotionListener  
java/awt/Component mouseWheelListener  
java/awt/Component inputMethodListener  
java/awt/Component windowClosingException  
java/awt/Component ActionListenerK  
java/awt/Component adjustmentListenerK

java/awt/Component componentListenerK  
java/awt/Component containerListenerK  
java/awt/Component focusListenerK  
java/awt/Component itemListenerK  
java/awt/Component keyListenerK  
java/awt/Component mouseListenerK  
java/awt/Component mouseMotionListenerK  
java/awt/Component mouseWheelListenerK  
java/awt/Component textListenerK  
java/awt/Component  
    ownedWindowK  
java/awt/Component windowListenerK  
java/awt/Component inputMethodListenerK  
java/awt/Component hierarchyListenerK  
java/awt/Component hierarchyBoundsListenerK  
java/awt/Component windowStateListenerK  
java/awt/Component windowFocusListenerK  
java/awt/Component eventMask  
java/awt/Component dbg  
java/awt/Component isInc  
java/awt/Component incRate  
java/awt/Component TOP\_ALIGNMENT  
java/awt/Component CENTER\_ALIGNMENT  
java/awt/Component BOTTOM\_ALIGNMENT  
java/awt/Component LEFT\_ALIGNMENT  
java/awt/Component RIGHT\_ALIGNMENT  
java/awt/Component serialVersionUID  
java/awt/Component changeSupport  
java/awt/Component isPacked  
java/awt/Component privateKey  
java/awt/Component boundsOp  
java/awt/Component metrics  
java/awt/Component componentSerializedDataVersion  
java/awt/Component nativeInLightFixer  
java/awt/Component accessibleContext  
java/awt/Component \$assertionsDisabled  
java/awt/Component getBoundsOp()I  
java/awt/Component setBoundsOp(I)V  
java/awt/Component <init>()V  
java/awt/Component initializeFocusTraversalKeys()V  
java/awt/Component  
    constructComponentName()Ljava/lang/String;  
java/awt/Component getName()Ljava/lang/String;  
java/awt/Component setName(Ljava/lang/String;)V  
java/awt/Component getParent()Ljava/awt/Container;  
java/awt/Component getParent\_NoClientCode()Ljava/awt/Container;  
java/awt/Component getPeer()Ljava/awt/peer/ComponentPeer;  
java/awt/Component setDropTarget(Ljava/awt/dnd/DropTarget;)V



java/awt/Component getDropTarget()Ljava/awt/dnd/DropTarget;  
java/awt/Component getGraphicsConfiguration()Ljava/awt/GraphicsConfiguration;  
java/awt/Component resetGC()V  
java/awt/Component setGCFromPeer()V  
java/awt/Component checkGD(Ljava/lang/String;)V  
java/awt/Component getTreeLock()Ljava/lang/Object;  
java/awt/Component getToolkit()Ljava/awt/Toolkit;  
java/awt/Component getToolkitImpl()Ljava/awt/Toolkit;  
java/awt/Component isValid()Z  
java/awt/Component isDisplayable()Z  
java/awt/Component isVisible()Z  
java/awt/Component isRecursivelyVisible()Z  
java/awt/Component pointRelativeToComponent(Ljava/awt/Point;)Ljava/awt/Point;  
java/awt/Component  
    findUnderMouseInWindow(Ljava/awt/PointerInfo;)Ljava/awt/Component;  
java/awt/Component getMousePosition()Ljava/awt/Point;  
java/awt/Component isSameOrAncestorOf(Ljava/awt/Component;Z)Z  
java/awt/Component isShowing()Z  
java/awt/Component isEnabled()Z  
java/awt/Component isEnabledImpl()Z  
java/awt/Component setEnabled(Z)V  
java/awt/Component enable()V  
java/awt/Component enable(Z)V  
java/awt/Component disable()V  
java/awt/Component isDoubleBuffered()Z  
java/awt/Component enableInputMethods(Z)V  
java/awt/Component setVisible(Z)V  
java/awt/Component show()V  
java/awt/Component show(Z)V  
java/awt/Component containsFocus()Z  
java/awt/Component clearMostRecentFocusOwnerOnHide()V  
java/awt/Component clearCurrentFocusCycleRootOnHide()V  
java/awt/Component hide()V  
java/awt/Component getForeground()Ljava/awt/Color;  
java/awt/Component setForeground(Ljava/awt/Color;)V  
java/awt/Component isForegroundSet()Z  
java/awt/Component getBackground()Ljava/awt/Color;  
java/awt/Component  
    setBackground(Ljava/awt/Color;)V  
java/awt/Component isBackgroundSet()Z  
java/awt/Component getFont()Ljava/awt/Font;  
java/awt/Component getFont\_NoClientCode()Ljava/awt/Font;  
java/awt/Component setFont(Ljava/awt/Font;)V  
java/awt/Component isFontSet()Z  
java/awt/Component getLocale()Ljava/util/Locale;  
java/awt/Component setLocale(Ljava/util/Locale;)V  
java/awt/Component getColorModel()Ljava/awt/image/ColorModel;  
java/awt/Component getLocation()Ljava/awt/Point;

java/awt/Component getLocationOnScreen()Ljava/awt/Point;  
java/awt/Component getLocationOnScreen\_NoTreeLock()Ljava/awt/Point;  
java/awt/Component location()Ljava/awt/Point;  
java/awt/Component setLocation(II)V  
java/awt/Component move(II)V  
java/awt/Component setLocation(Ljava/awt/Point;)V  
java/awt/Component getSize()Ljava/awt/Dimension;  
java/awt/Component size()Ljava/awt/Dimension;  
java/awt/Component setSize(II)V  
java/awt/Component resize(II)V  
java/awt/Component setSize(Ljava/awt/Dimension;)V  
java/awt/Component resize(Ljava/awt/Dimension;)V  
java/awt/Component  
getBounds()Ljava/awt/Rectangle;  
java/awt/Component bounds()Ljava/awt/Rectangle;  
java/awt/Component setBounds(III)V  
java/awt/Component reshape(III)V  
java/awt/Component repaintParentIfNeeded(III)V  
java/awt/Component reshapeNativePeer(IIII)V  
java/awt/Component notifyNewBounds(ZZ)V  
java/awt/Component setBounds(Ljava/awt/Rectangle;)V  
java/awt/Component getX()I  
java/awt/Component getY()I  
java/awt/Component getWidth()I  
java/awt/Component getHeight()I  
java/awt/Component getBounds(Ljava/awt/Rectangle;)Ljava/awt/Rectangle;  
java/awt/Component getSize(Ljava/awt/Dimension;)Ljava/awt/Dimension;  
java/awt/Component getLocation(Ljava/awt/Point;)Ljava/awt/Point;  
java/awt/Component isOpaque()Z  
java/awt/Component isLightweight()Z  
java/awt/Component setPreferredSize(Ljava/awt/Dimension;)V  
java/awt/Component isPreferredSizeSet()Z  
java/awt/Component getPreferredSize()Ljava/awt/Dimension;  
java/awt/Component preferredSize()Ljava/awt/Dimension;  
java/awt/Component setMinimumSize(Ljava/awt/Dimension;)V  
java/awt/Component  
isMinimumSizeSet()Z  
java/awt/Component getMinimumSize()Ljava/awt/Dimension;  
java/awt/Component minimumSize()Ljava/awt/Dimension;  
java/awt/Component setMaximumSize(Ljava/awt/Dimension;)V  
java/awt/Component isMaximumSizeSet()Z  
java/awt/Component getMaximumSize()Ljava/awt/Dimension;  
java/awt/Component getAlignmentX()F  
java/awt/Component getAlignmentY()F  
java/awt/Component doLayout()V  
java/awt/Component layout()V  
java/awt/Component validate()V  
java/awt/Component invalidate()V

```

java/awt/Component getGraphics()Ljava/awt/Graphics;
java/awt/Component getFontMetrics(Ljava/awt/Font;)Ljava/awt/FontMetrics;
java/awt/Component setCursor(Ljava/awt/Cursor;)V
java/awt/Component updateCursorImmediately()V
java/awt/Component getCursor()Ljava/awt/Cursor;
java/awt/Component isCursorSet()Z
java/awt/Component paint(Ljava/awt/Graphics;)V
java/awt/Component update(Ljava/awt/Graphics;)V
java/awt/Component paintAll(Ljava/awt/Graphics;)V
java/awt/Component lightweightPaint(Ljava/awt/Graphics;)V
java/awt/Component
 paintHeavyweightComponents(Ljava/awt/Graphics;)V
java/awt/Component repaint()V
java/awt/Component repaint(J)V
java/awt/Component repaint(III)V
java/awt/Component repaint(JIII)V
java/awt/Component print(Ljava/awt/Graphics;)V
java/awt/Component printAll(Ljava/awt/Graphics;)V
java/awt/Component lightweightPrint(Ljava/awt/Graphics;)V
java/awt/Component printHeavyweightComponents(Ljava/awt/Graphics;)V
java/awt/Component imageUpdate(Ljava/awt/Image;IIII)Z
java/awt/Component createImage(Ljava/awt/image/ImageProducer;)Ljava/awt/Image;
java/awt/Component createImage(II)Ljava/awt/Image;
java/awt/Component createVolatileImage(II)Ljava/awt/image/VolatileImage;
java/awt/Component createVolatileImage(IIILjava/awt/ImageCapabilities;)Ljava/awt/image/VolatileImage;
java/awt/Component prepareImage(Ljava/awt/Image;Ljava/awt/image/ImageObserver;)Z
java/awt/Component prepareImage(Ljava/awt/Image;IIILjava/awt/image/ImageObserver;)Z
java/awt/Component checkImage(Ljava/awt/Image;Ljava/awt/image/ImageObserver;)I
java/awt/Component
 checkImage(Ljava/awt/Image;IIILjava/awt/image/ImageObserver;)I
java/awt/Component createBufferStrategy(I)V
java/awt/Component createBufferStrategy(ILjava/awt/BufferCapabilities;)V
java/awt/Component getBufferStrategy()Ljava/awt/image/BufferStrategy;
java/awt/Component getBackBuffer()Ljava/awt/Image;
java/awt/Component setIgnoreRepaint(Z)V
java/awt/Component getIgnoreRepaint()Z
java/awt/Component contains(II)Z
java/awt/Component inside(II)Z
java/awt/Component contains(Ljava/awt/Point;)Z
java/awt/Component getComponentAt(II)Ljava/awt/Component;
java/awt/Component locate(II)Ljava/awt/Component;
java/awt/Component getComponentAt(Ljava/awt/Point;)Ljava/awt/Component;
java/awt/Component deliverEvent(Ljava/awt/Event;)V
java/awt/Component dispatchEvent(Ljava/awt/AWTEvent;)V
java/awt/Component dispatchEventImpl(Ljava/awt/AWTEvent;)V
java/awt/Component autoProcessMouseWheel(Ljava/awt/event/MouseWheelEvent;)V
java/awt/Component

```

```

dispatchMouseWheelToAncestor(Ljava/awt/event/MouseWheelEvent;)Z
java/awt/Component checkWindowClosingException()Z
java/awt/Component areInputMethodsEnabled()Z
java/awt/Component eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/Component eventTypeEnabled(I)Z
java/awt/Component postEvent(Ljava/awt/Event;)Z
java/awt/Component addComponentListener(Ljava/awt/event/ComponentListener;)V
java/awt/Component removeComponentListener(Ljava/awt/event/ComponentListener;)V
java/awt/Component getComponentListeners()[Ljava/awt/event/ComponentListener;
java/awt/Component addFocusListener(Ljava/awt/event/FocusListener;)V
java/awt/Component removeFocusListener(Ljava/awt/event/FocusListener;)V
java/awt/Component getFocusListeners()[Ljava/awt/event/FocusListener;
java/awt/Component addHierarchyListener(Ljava/awt/event/HierarchyListener;)V
java/awt/Component removeHierarchyListener(Ljava/awt/event/HierarchyListener;)V
java/awt/Component getHierarchyListeners()[Ljava/awt/event/HierarchyListener;
java/awt/Component
 addHierarchyBoundsListener(Ljava/awt/event/HierarchyBoundsListener;)V
java/awt/Component removeHierarchyBoundsListener(Ljava/awt/event/HierarchyBoundsListener;)V
java/awt/Component numListening(J)I
java/awt/Component countHierarchyMembers()I
java/awt/Component createHierarchyEvents(ILjava/awt/Component;Ljava/awt/Container;JZ)I
java/awt/Component getHierarchyBoundsListeners()[Ljava/awt/event/HierarchyBoundsListener;
java/awt/Component adjustListeningChildrenOnParent(JI)V
java/awt/Component addKeyListener(Ljava/awt/event/KeyListener;)V
java/awt/Component removeKeyListener(Ljava/awt/event/KeyListener;)V
java/awt/Component getKeyListeners()[Ljava/awt/event/KeyListener;
java/awt/Component addMouseListener(Ljava/awt/event/MouseListener;)V
java/awt/Component removeMouseListener(Ljava/awt/event/MouseListener;)V
java/awt/Component getMouseListeners()[Ljava/awt/event/MouseListener;
java/awt/Component addMouseMotionListener(Ljava/awt/event/MouseMotionListener;)V
java/awt/Component removeMouseMotionListener(Ljava/awt/event/MouseMotionListener;)V
java/awt/Component
 getMouseMotionListeners()[Ljava/awt/event/MouseMotionListener;
java/awt/Component addMouseWheelListener(Ljava/awt/event/MouseWheelListener;)V
java/awt/Component removeMouseWheelListener(Ljava/awt/event/MouseWheelListener;)V
java/awt/Component getMouseWheelListeners()[Ljava/awt/event/MouseWheelListener;
java/awt/Component addInputMethodListener(Ljava/awt/event/InputMethodListener;)V
java/awt/Component removeInputMethodListener(Ljava/awt/event/InputMethodListener;)V
java/awt/Component getInputMethodListeners()[Ljava/awt/event/InputMethodListener;
java/awt/Component getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/Component getInputMethodRequests()Ljava/awt/im/InputMethodRequests;
java/awt/Component getInputContext()Ljava/awt/im/InputContext;
java/awt/Component enableEvents(J)V
java/awt/Component disableEvents(J)V
java/awt/Component coalesceEvents(Ljava/awt/AWTEvent;Ljava/awt/AWTEvent;)Ljava/awt/AWTEvent;
java/awt/Component
 processEvent(Ljava/awt/AWTEvent;)V
java/awt/Component processComponentEvent(Ljava/awt/event/ComponentEvent;)V

```

```

java/awt/Component processFocusEvent(Ljava/awt/event/FocusEvent;)V
java/awt/Component processKeyEvent(Ljava/awt/event/KeyEvent;)V
java/awt/Component processMouseEvent(Ljava/awt/event/MouseEvent;)V
java/awt/Component processMouseMotionEvent(Ljava/awt/event/MouseEvent;)V
java/awt/Component processMouseWheelEvent(Ljava/awt/event/MouseWheelEvent;)V
java/awt/Component postsOldMouseEvents()Z
java/awt/Component processInputMethodEvent(Ljava/awt/event/InputMethodEvent;)V
java/awt/Component processHierarchyEvent(Ljava/awt/event/HierarchyEvent;)V
java/awt/Component processHierarchyBoundsEvent(Ljava/awt/event/HierarchyEvent;)V
java/awt/Component handleEvent(Ljava/awt/Event;)Z
java/awt/Component mouseDown(Ljava/awt/Event;I)Z
java/awt/Component mouseDrag(Ljava/awt/Event;I)Z
java/awt/Component mouseUp(Ljava/awt/Event;I)Z
java/awt/Component mouseMove(Ljava/awt/Event;I)Z
java/awt/Component
 mouseEnter(Ljava/awt/Event;I)Z
java/awt/Component mouseExit(Ljava/awt/Event;I)Z
java/awt/Component keyDown(Ljava/awt/Event;I)Z
java/awt/Component keyUp(Ljava/awt/Event;I)Z
java/awt/Component action(Ljava/awt/Event;Ljava/lang/Object;)Z
java/awt/Component addNotify()V
java/awt/Component removeNotify()V
java/awt/Component gotFocus(Ljava/awt/Event;Ljava/lang/Object;)Z
java/awt/Component lostFocus(Ljava/awt/Event;Ljava/lang/Object;)Z
java/awt/Component isFocusTraversable()Z
java/awt/Component isFocusable()Z
java/awt/Component setFocusable(Z)V
java/awt/Component isFocusTraversableOverridden()Z
java/awt/Component setFocusTraversalKeys(ILjava/util/Set;)V
java/awt/Component getFocusTraversalKeys(I)Ljava/util/Set;
java/awt/Component setFocusTraversalKeys_NoIDCheck(ILjava/util/Set;)V
java/awt/Component getFocusTraversalKeys_NoIDCheck(I)Ljava/util/Set;
java/awt/Component areFocusTraversalKeysSet(I)Z
java/awt/Component setFocusTraversalKeysEnabled(Z)V
java/awt/Component
 getFocusTraversalKeysEnabled()Z
java/awt/Component requestFocus()V
java/awt/Component requestFocus(Z)Z
java/awt/Component requestFocusInWindow()Z
java/awt/Component requestFocusInWindow(Z)Z
java/awt/Component requestFocusHelper(Z)Z
java/awt/Component autoTransferFocus(Z)V
java/awt/Component doAutoTransfer(Z)V
java/awt/Component transferFocus()V
java/awt/Component getFocusCycleRootAncestor()Ljava/awt/Container;
java/awt/Component isFocusCycleRoot(Ljava/awt/Container;)Z
java/awt/Component nextFocus()V
java/awt/Component nextFocusHelper()Z

```

```

java/awt/Component transferFocusBackward()V
java/awt/Component transferFocusUpCycle()V
java/awt/Component hasFocus()Z
java/awt/Component isFocusOwner()Z
java/awt/Component add(Ljava/awt/PopupMenu;)V
java/awt/Component remove(Ljava/awt/MenuComponent;)V
java/awt/Component paramString()Ljava/lang/String;
java/awt/Component toString()Ljava/lang/String;
java/awt/Component list()V
java/awt/Component list(Ljava/io/PrintStream;)V
java/awt/Component list(Ljava/io/PrintStream;I)V
java/awt/Component
 list(Ljava/io/PrintWriter;)V
java/awt/Component list(Ljava/io/PrintWriter;I)V
java/awt/Component getNativeContainer()Ljava/awt/Container;
java/awt/Component addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/awt/Component removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/awt/Component getPropertyChangeListeners()[Ljava/beans/PropertyChangeListener;
java/awt/Component addPropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/awt/Component removePropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/awt/Component getPropertyChangeListeners(Ljava/lang/String;)[Ljava/beans/PropertyChangeListener;
java/awt/Component firePropertyChange(Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/awt/Component firePropertyChange(Ljava/lang/String;ZZ)V
java/awt/Component firePropertyChange(Ljava/lang/String;II)V
java/awt/Component firePropertyChange(Ljava/lang/String;BB)V
java/awt/Component
 firePropertyChange(Ljava/lang/String;CC)V
java/awt/Component firePropertyChange(Ljava/lang/String;SS)V
java/awt/Component firePropertyChange(Ljava/lang/String;JJ)V
java/awt/Component firePropertyChange(Ljava/lang/String;FF)V
java/awt/Component firePropertyChange(Ljava/lang/String;DD)V
java/awt/Component doSwingSerialization()V
java/awt/Component writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Component readObject(Ljava/io/ObjectInputStream;)V
java/awt/Component setComponentOrientation(Ljava/awt/ComponentOrientation;)V
java/awt/Component getComponentOrientation()Ljava/awt/ComponentOrientation;
java/awt/Component applyComponentOrientation(Ljava/awt/ComponentOrientation;)V
java/awt/Component canBeFocusOwner()Z
java/awt/Component getContainingWindow()Ljava/awt/Window;
java/awt/Component getContainingWindow(Ljava/awt/Component;)Ljava/awt/Window;
java/awt/Component initIDs()V
java/awt/Component getAccessibleContext()Ljavax/accessibility/AccessibleContext;
java/awt/Component
 getAccessibleIndexInParent()I
java/awt/Component getAccessibleStateSet()Ljavax/accessibility/AccessibleStateSet;
java/awt/Component <clinit>()V
class java/awt/image/ImageObserver java/lang/Object
java/awt/image/ImageObserver WIDTH

```

```

java/awt/image/ImageObserver HEIGHT
java/awt/image/ImageObserver PROPERTIES
java/awt/image/ImageObserver SOMEBITS
java/awt/image/ImageObserver FRAMEBITS
java/awt/image/ImageObserver ALLBITS
java/awt/image/ImageObserver ERROR
java/awt/image/ImageObserver ABORT
java/awt/image/ImageObserver imageUpdate(Ljava/awt/Image;IIII)Z
class java/awt/MenuContainer java/lang/Object
java/awt/MenuContainer getFont()Ljava/awt/Font;
java/awt/MenuContainer remove(Ljava/awt/MenuComponent;)V
java/awt/MenuContainer postEvent(Ljava/awt/Event;)Z
class java/lang/Shutdown$Lock java/lang/Object
java/lang/Shutdown$Lock <init>()V
java/lang/Shutdown$Lock <init>(Ljava/lang/Shutdown$1;)V
class java/lang/Shutdown java/lang/Object
java/lang/Shutdown RUNNING
java/lang/Shutdown
 HOOKS
java/lang/Shutdown FINALIZERS
java/lang/Shutdown state
java/lang/Shutdown runFinalizersOnExit
java/lang/Shutdown hooks
java/lang/Shutdown lock
java/lang/Shutdown haltLock
java/lang/Shutdown <init>()V
java/lang/Shutdown setRunFinalizersOnExit(Z)V
java/lang/Shutdown add(Ljava/lang/Thread;)V
java/lang/Shutdown remove(Ljava/lang/Thread;)Z
java/lang/Shutdown runHooks()V
java/lang/Shutdown halt(I)V
java/lang/Shutdown halt0(I)V
java/lang/Shutdown runAllFinalizers()V
java/lang/Shutdown sequence()V
java/lang/Shutdown exit(I)V
java/lang/Shutdown shutdown()V
java/lang/Shutdown <clinit>()V
class java/security/cert/Certificate java/lang/Object
java/security/cert/Certificate serialVersionUID
java/security/cert/Certificate type
java/security/cert/Certificate <init>(Ljava/lang/String;)V
java/security/cert/Certificate getType()Ljava/lang/String;
java/security/cert/Certificate equals(Ljava/lang/Object;)Z
java/security/cert/Certificate hashCode()I
java/security/cert/Certificate getEncoded()[B
java/security/cert/Certificate
 verify(Ljava/security/PublicKey;)V
java/security/cert/Certificate verify(Ljava/security/PublicKey;Ljava/lang/String;)V

```

```

java/security/cert/Certificate toString()Ljava/lang/String;
java/security/cert/Certificate getPublicKey()Ljava/security/PublicKey;
java/security/cert/Certificate writeReplace()Ljava/lang/Object;
class java/security/Principal java/lang/Object
java/security/Principal equals(Ljava/lang/Object;)Z
java/security/Principal toString()Ljava/lang/String;
java/security/Principal hashCode()I
java/security/Principal getName()Ljava/lang/String;
class java/security/BasicPermissionCollection java/security/PermissionCollection
java/security/BasicPermissionCollection serialVersionUID
java/security/BasicPermissionCollection perms
java/security/BasicPermissionCollection all_allowed
java/security/BasicPermissionCollection permClass
java/security/BasicPermissionCollection serialPersistentFields
java/security/BasicPermissionCollection <init>()V
java/security/BasicPermissionCollection
 add(Ljava/security/Permission;)V
java/security/BasicPermissionCollection implies(Ljava/security/Permission;)Z
java/security/BasicPermissionCollection elements()Ljava/util/Enumeration;
java/security/BasicPermissionCollection writeObject(Ljava/io/ObjectOutputStream;)V
java/security/BasicPermissionCollection readObject(Ljava/io/ObjectInputStream;)V
java/security/BasicPermissionCollection <clinit>()V
class java/security/UnresolvedPermission java/security/Permission
java/security/UnresolvedPermission serialVersionUID
java/security/UnresolvedPermission debug
java/security/UnresolvedPermission type
java/security/UnresolvedPermission name
java/security/UnresolvedPermission actions
java/security/UnresolvedPermission certs
java/security/UnresolvedPermission PARAMS0
java/security/UnresolvedPermission PARAMS1
java/security/UnresolvedPermission PARAMS2
java/security/UnresolvedPermission
 <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;[Ljava/security/cert/Certificate;)V
java/security/UnresolvedPermission
 resolve(Ljava/security/Permission;[Ljava/security/cert/Certificate;)Ljava/security/Permission;
java/security/UnresolvedPermission implies(Ljava/security/Permission;)Z
java/security/UnresolvedPermission equals(Ljava/lang/Object;)Z
java/security/UnresolvedPermission hashCode()I
java/security/UnresolvedPermission getActions()Ljava/lang/String;
java/security/UnresolvedPermission getUnresolvedType()Ljava/lang/String;
java/security/UnresolvedPermission getUnresolvedName()Ljava/lang/String;
java/security/UnresolvedPermission getUnresolvedActions()Ljava/lang/String;
java/security/UnresolvedPermission getUnresolvedCerts()[Ljava/security/cert/Certificate;
java/security/UnresolvedPermission toString()Ljava/lang/String;
java/security/UnresolvedPermission newPermissionCollection(Ljava/security/PermissionCollection;
java/security/UnresolvedPermission writeObject(Ljava/io/ObjectOutputStream;)V
java/security/UnresolvedPermission readObject(Ljava/io/ObjectInputStream;)V

```



```

java/security/UnresolvedPermission
 <clinit>()V
class java/security/AllPermission java/security/Permission
java/security/AllPermission serialVersionUID
java/security/AllPermission <init>()V
java/security/AllPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
java/security/AllPermission implies(Ljava/security/Permission;)Z
java/security/AllPermission equals(Ljava/lang/Object;)Z
java/security/AllPermission hashCode()I
java/security/AllPermission getActions()Ljava/lang/String;
java/security/AllPermission newPermissionCollection()Ljava/security/PermissionCollection;
class java/io/FilePermissionCollection java/security/PermissionCollection
java/io/FilePermissionCollection perms
java/io/FilePermissionCollection serialVersionUID
java/io/FilePermissionCollection serialPersistentFields
java/io/FilePermissionCollection <init>()V
java/io/FilePermissionCollection add(Ljava/security/Permission;)V
java/io/FilePermissionCollection implies(Ljava/security/Permission;)Z
java/io/FilePermissionCollection
 elements()Ljava/util/Enumeration;
java/io/FilePermissionCollection writeObject(Ljava/io/ObjectOutputStream;)V
java/io/FilePermissionCollection readObject(Ljava/io/ObjectInputStream;)V
java/io/FilePermissionCollection <clinit>()V
class java/io/FilePermission$1 java/lang/Object
java/io/FilePermission$1 this$0
java/io/FilePermission$1 <init>(Ljava/io/FilePermission;)V
java/io/FilePermission$1 run()Ljava/lang/Object;
class java/io/FilePermission java/security/Permission
java/io/FilePermission EXECUTE
java/io/FilePermission WRITE
java/io/FilePermission READ
java/io/FilePermission DELETE
java/io/FilePermission ALL
java/io/FilePermission NONE
java/io/FilePermission mask
java/io/FilePermission directory
java/io/FilePermission recursive
java/io/FilePermission actions
java/io/FilePermission cpath
java/io/FilePermission RECURSIVE_CHAR
java/io/FilePermission WILD_CHAR
java/io/FilePermission serialVersionUID
java/io/FilePermission init(I)V
java/io/FilePermission <init>(Ljava/lang/String;Ljava/lang/String;)V
java/io/FilePermission
 <init>(Ljava/lang/String;I)V
java/io/FilePermission implies(Ljava/security/Permission;)Z
java/io/FilePermission impliesIgnoreMask(Ljava/io/FilePermission;)Z

```

```

java/io/FilePermission equals(Ljava/lang/Object;)Z
java/io/FilePermission hashCode()I
java/io/FilePermission getMask(Ljava/lang/String;)I
java/io/FilePermission getMask()I
java/io/FilePermission getActions(I)Ljava/lang/String;
java/io/FilePermission getActions()Ljava/lang/String;
java/io/FilePermission newPermissionCollection(Ljava/security/PermissionCollection;
java/io/FilePermission writeObject(Ljava/io/ObjectOutputStream;)V
java/io/FilePermission readObject(Ljava/io/ObjectInputStream;)V
java/io/FilePermission access$000(Ljava/io/FilePermission;)Ljava/lang/String;
java/io/FilePermission access$100(Ljava/io/FilePermission;)Z
class java/net/UnknownContentHandler java/net/ContentHandler
java/net/UnknownContentHandler <init>()V
java/net/UnknownContentHandler getContent(Ljava/net/URLConnection;)Ljava/lang/Object;
class
 java/net/ContentHandler java/lang/Object
java/net/ContentHandler <init>()V
java/net/ContentHandler getContent(Ljava/net/URLConnection;)Ljava/lang/Object;
java/net/ContentHandler getContent(Ljava/net/URLConnection;[Ljava/lang/Class;)Ljava/lang/Object;
class java/net/URLConnection java/lang/Object
java/net/URLConnection url
java/net/URLConnection doInput
java/net/URLConnection doOutput
java/net/URLConnection defaultAllowUserInteraction
java/net/URLConnection allowUserInteraction
java/net/URLConnection defaultUseCaches
java/net/URLConnection useCaches
java/net/URLConnection ifModifiedSince
java/net/URLConnection connected
java/net/URLConnection connectTimeout
java/net/URLConnection readTimeout
java/net/URLConnection fileNameMap
java/net/URLConnection fileNameMapLoaded
java/net/URLConnection factory
java/net/URLConnection handlers
java/net/URLConnection UnknownContentHandlerP
java/net/URLConnection contentClassPrefix
java/net/URLConnection contentPathProp
java/net/URLConnection
 getFileNameMap()Ljava/net/FileNameMap;
java/net/URLConnection setFileNameMap(Ljava/net/FileNameMap;)V
java/net/URLConnection connect()V
java/net/URLConnection setConnectTimeout(I)V
java/net/URLConnection getConnectTimeout()I
java/net/URLConnection setReadTimeout(I)V
java/net/URLConnection getReadTimeout()I
java/net/URLConnection <init>(Ljava/net/URL;)V
java/net/URLConnection getURL()Ljava/net/URL;

```

```

java/net/URLConnection getLength()I
java/net/URLConnection getContentType()Ljava/lang/String;
java/net/URLConnection getContentEncoding()Ljava/lang/String;
java/net/URLConnection getExpiration()J
java/net/URLConnection getDate()J
java/net/URLConnection getLastModified()J
java/net/URLConnection getHeaderField(Ljava/lang/String;)Ljava/lang/String;
java/net/URLConnection getHeaderFields()Ljava/util/Map;
java/net/URLConnection getHeaderFieldInt(Ljava/lang/String;)I
java/net/URLConnection getHeaderFieldDate(Ljava/lang/String;)J
java/net/URLConnection getHeaderFieldKey(I)Ljava/lang/String;
java/net/URLConnection
 getHeaderField(I)Ljava/lang/String;
java/net/URLConnection getContent()Ljava/lang/Object;
java/net/URLConnection getContent([Ljava/lang/Class;)Ljava/lang/Object;
java/net/URLConnection getPermission()Ljava/security/Permission;
java/net/URLConnection getInputStream()Ljava/io/InputStream;
java/net/URLConnection getOutputStream()Ljava/io/OutputStream;
java/net/URLConnection toString()Ljava/lang/String;
java/net/URLConnection setDoInput(Z)V
java/net/URLConnection getDoInput()Z
java/net/URLConnection setDoOutput(Z)V
java/net/URLConnection getDoOutput()Z
java/net/URLConnection setAllowUserInteraction(Z)V
java/net/URLConnection getAllowUserInteraction()Z
java/net/URLConnection setDefaultAllowUserInteraction(Z)V
java/net/URLConnection getDefaultAllowUserInteraction()Z
java/net/URLConnection setUseCaches(Z)V
java/net/URLConnection getUseCaches()Z
java/net/URLConnection setIfModifiedSince(J)V
java/net/URLConnection getIfModifiedSince()J
java/net/URLConnection
 getDefaultUseCaches()Z
java/net/URLConnection setDefaultUseCaches(Z)V
java/net/URLConnection setRequestProperty(Ljava/lang/String;Ljava/lang/String;)V
java/net/URLConnection addRequestProperty(Ljava/lang/String;Ljava/lang/String;)V
java/net/URLConnection getRequestProperty(Ljava/lang/String;)Ljava/lang/String;
java/net/URLConnection getRequestProperties()Ljava/util/Map;
java/net/URLConnection setDefaultRequestProperty(Ljava/lang/String;Ljava/lang/String;)V
java/net/URLConnection getDefaultRequestProperty(Ljava/lang/String;)Ljava/lang/String;
java/net/URLConnection setContentHandlerFactory(Ljava/net/ContentHandlerFactory;)V
java/net/URLConnection getContentHandler()Ljava/net/ContentHandler;
java/net/URLConnection stripOffParameters(Ljava/lang/String;)Ljava/lang/String;
java/net/URLConnection lookupContentHandlerClassFor(Ljava/lang/String;)Ljava/net/ContentHandler;
java/net/URLConnection typeToPackageName(Ljava/lang/String;)Ljava/lang/String;
java/net/URLConnection getContentHandlerPkgPrefixes()Ljava/lang/String;
java/net/URLConnection

```

```

 guessContentTypeFromName(Ljava/lang/String;)Ljava/lang/String;
java/net/URLConnection guessContentTypeFromStream(Ljava/io/InputStream;)Ljava/lang/String;
java/net/URLConnection checkfpx(Ljava/io/InputStream;)Z
java/net/URLConnection readBytes([IILjava/io/InputStream;)I
java/net/URLConnection skipForward(Ljava/io/InputStream;)J
java/net/URLConnection access$000(Ljava/net/FileNameMap;
java/net/URLConnection <clinit>()V
class java/security/Permissions java/security/PermissionCollection
java/security/Permissions permsMap
java/security/Permissions hasUnresolved
java/security/Permissions allPermission
java/security/Permissions serialVersionUID
java/security/Permissions serialPersistentFields
java/security/Permissions <init>()V
java/security/Permissions add(Ljava/security/Permission;)V
java/security/Permissions implies(Ljava/security/Permission;)Z
java/security/Permissions elements()Ljava/util/Enumeration;
java/security/Permissions
 getPermissionCollection(Ljava/security/Permission;Z)Ljava/security/PermissionCollection;
java/security/Permissions
 getUnresolvedPermissions(Ljava/security/Permission;)Ljava/security/PermissionCollection;
java/security/Permissions writeObject(Ljava/io/ObjectOutputStream;)V
java/security/Permissions readObject(Ljava/io/ObjectInputStream;)V
java/security/Permissions <clinit>()V
class java/security/PermissionCollection java/lang/Object
java/security/PermissionCollection serialVersionUID
java/security/PermissionCollection readOnly
java/security/PermissionCollection <init>()V
java/security/PermissionCollection add(Ljava/security/Permission;)V
java/security/PermissionCollection implies(Ljava/security/Permission;)Z
java/security/PermissionCollection elements()Ljava/util/Enumeration;
java/security/PermissionCollection setReadOnly()V
java/security/PermissionCollection isReadOnly()Z
java/security/PermissionCollection toString()Ljava/lang/String;
class java/security/CodeSource java/lang/Object
java/security/CodeSource
 serialVersionUID
java/security/CodeSource location
java/security/CodeSource signers
java/security/CodeSource certs
java/security/CodeSource sp
java/security/CodeSource factory
java/security/CodeSource <init>(Ljava/net/URL;[Ljava/security/cert/Certificate;)V
java/security/CodeSource <init>(Ljava/net/URL;[Ljava/security/CodeSigner;)V
java/security/CodeSource hashCode()I
java/security/CodeSource equals(Ljava/lang/Object;)Z
java/security/CodeSource getLocation()Ljava/net/URL;
java/security/CodeSource getCertificates()[Ljava/security/cert/Certificate;

```

```

java/security/CodeSource getCodeSigners()[Ljava/security/CodeSigner;
java/security/CodeSource implies(Ljava/security/CodeSource;)Z
java/security/CodeSource matchCerts(Ljava/security/CodeSource;)Z
java/security/CodeSource matchLocation(Ljava/security/CodeSource;)Z
java/security/CodeSource toString()Ljava/lang/String;
java/security/CodeSource writeObject(Ljava/io/ObjectOutputStream;)V
java/security/CodeSource readObject(Ljava/io/ObjectInputStream;)V
java/security/CodeSource
 convertCertArrayToSignerArray([Ljava/security/cert/Certificate;)[Ljava/security/CodeSigner;
class java/security/PrivilegedActionException java/lang/Exception
java/security/PrivilegedActionException serialVersionUID
java/security/PrivilegedActionException exception
java/security/PrivilegedActionException <init>(Ljava/lang/Exception;)V
java/security/PrivilegedActionException getException()Ljava/lang/Exception;
java/security/PrivilegedActionException getCause()Ljava/lang/Throwable;
java/security/PrivilegedActionException toString()Ljava/lang/String;
class java/lang/Math java/lang/Object
java/lang/Math E
java/lang/Math PI
java/lang/Math randomNumberGenerator
java/lang/Math negativeZeroFloatBits
java/lang/Math negativeZeroDoubleBits
java/lang/Math <init>()V
java/lang/Math sin(D)D
java/lang/Math cos(D)D
java/lang/Math tan(D)D
java/lang/Math asin(D)D
java/lang/Math acos(D)D
java/lang/Math atan(D)D
java/lang/Math toRadians(D)D
java/lang/Math
 toDegrees(D)D
java/lang/Math exp(D)D
java/lang/Math log(D)D
java/lang/Math log10(D)D
java/lang/Math sqrt(D)D
java/lang/Math cbrt(D)D
java/lang/Math IEEERemainder(DD)D
java/lang/Math ceil(D)D
java/lang/Math floor(D)D
java/lang/Math rint(D)D
java/lang/Math atan2(DD)D
java/lang/Math pow(DD)D
java/lang/Math round(F)I
java/lang/Math round(D)J
java/lang/Math initRNG()V
java/lang/Math random()D
java/lang/Math abs(I)I

```

```

java/lang/Math abs(J)J
java/lang/Math abs(F)F
java/lang/Math abs(D)D
java/lang/Math max(II)I
java/lang/Math max(JJ)J
java/lang/Math max(FF)F
java/lang/Math max(DD)D
java/lang/Math min(II)I
java/lang/Math min(JJ)J
java/lang/Math min(FF)F
java/lang/Math min(DD)D
java/lang/Math ulp(D)D
java/lang/Math ulp(F)F
java/lang/Math signum(D)D
java/lang/Math signum(F)F
java/lang/Math sinh(D)D
java/lang/Math cosh(D)D
java/lang/Math tanh(D)D
java/lang/Math hypot(DD)D
java/lang/Math expm1(D)D
java/lang/Math log1p(D)D
java/lang/Math <clinit>()V
class java/util/zip/Inflater java/lang/Object
java/util/zip/Inflater
 strm
java/util/zip/Inflater buf
java/util/zip/Inflater off
java/util/zip/Inflater len
java/util/zip/Inflater finished
java/util/zip/Inflater needDict
java/util/zip/Inflater <init>(Z)V
java/util/zip/Inflater <init>()V
java/util/zip/Inflater setInput([BII)V
java/util/zip/Inflater setInput([B)V
java/util/zip/Inflater setDictionary([BII)V
java/util/zip/Inflater setDictionary([B)V
java/util/zip/Inflater getRemaining()I
java/util/zip/Inflater needsInput()Z
java/util/zip/Inflater needsDictionary()Z
java/util/zip/Inflater finished()Z
java/util/zip/Inflater inflate([BII)I
java/util/zip/Inflater inflate([B)I
java/util/zip/Inflater getAdler()I
java/util/zip/Inflater getTotalIn()I
java/util/zip/Inflater getBytesRead()J
java/util/zip/Inflater getTotalOut()I
java/util/zip/Inflater getBytesWritten()J
java/util/zip/Inflater reset()V

```

```

java/util/zip/Inflater end()V
java/util/zip/Inflater finalize()V
java/util/zip/Inflater ensureOpen()V
java/util/zip/Inflater initIDs()V
java/util/zip/Inflater
 init(Z)J
java/util/zip/Inflater setDictionary(J[BII)V
java/util/zip/Inflater inflateBytes([BII)I
java/util/zip/Inflater getAdler()I
java/util/zip/Inflater getBytesRead()J
java/util/zip/Inflater getBytesWritten()J
java/util/zip/Inflater reset()V
java/util/zip/Inflater end(J)V
java/util/zip/Inflater <clinit>()V
class java/util/zip/ZipFile$2 java/util/zip/InflaterInputStream
java/util/zip/ZipFile$2 isClosed
java/util/zip/ZipFile$2 eof
java/util/zip/ZipFile$2 val$zfin
java/util/zip/ZipFile$2 this$0
java/util/zip/ZipFile$2
 <init>(Ljava/util/zip/ZipFile;Ljava/io/InputStream;Ljava/util/zip/Inflater;ILjava/util/zip/ZipFile$ZipFileInputStream
 ;)V
java/util/zip/ZipFile$2 close()V
java/util/zip/ZipFile$2 fill()V
java/util/zip/ZipFile$2 available()I
class java/util/zip/InflaterInputStream java/io/FilterInputStream
java/util/zip/InflaterInputStream inf
java/util/zip/InflaterInputStream buf
java/util/zip/InflaterInputStream len
java/util/zip/InflaterInputStream closed
java/util/zip/InflaterInputStream
 reachEOF
java/util/zip/InflaterInputStream usesDefaultInflater
java/util/zip/InflaterInputStream singleByteBuf
java/util/zip/InflaterInputStream b
java/util/zip/InflaterInputStream ensureOpen()V
java/util/zip/InflaterInputStream <init>(Ljava/io/InputStream;Ljava/util/zip/Inflater;I)V
java/util/zip/InflaterInputStream <init>(Ljava/io/InputStream;Ljava/util/zip/Inflater;)V
java/util/zip/InflaterInputStream <init>(Ljava/io/InputStream;)V
java/util/zip/InflaterInputStream read()I
java/util/zip/InflaterInputStream read([BII)I
java/util/zip/InflaterInputStream available()I
java/util/zip/InflaterInputStream skip(J)J
java/util/zip/InflaterInputStream close()V
java/util/zip/InflaterInputStream fill()V
java/util/zip/InflaterInputStream markSupported()Z
java/util/zip/InflaterInputStream mark(I)V
java/util/zip/InflaterInputStream reset()V

```

```

class java/util/zip/ZipFile$ZipFileInputStream java/io/InputStream
java/util/zip/ZipFile$ZipFileInputStream jzentry
java/util/zip/ZipFile$ZipFileInputStream
 pos
java/util/zip/ZipFile$ZipFileInputStream rem
java/util/zip/ZipFile$ZipFileInputStream size
java/util/zip/ZipFile$ZipFileInputStream this$0
java/util/zip/ZipFile$ZipFileInputStream <init>(Ljava/util/zip/ZipFile;J)V
java/util/zip/ZipFile$ZipFileInputStream read([BII)I
java/util/zip/ZipFile$ZipFileInputStream read()I
java/util/zip/ZipFile$ZipFileInputStream skip(J)J
java/util/zip/ZipFile$ZipFileInputStream available()I
java/util/zip/ZipFile$ZipFileInputStream size()J
java/util/zip/ZipFile$ZipFileInputStream close()V
class java/io/DataInputStream java/io/FilterInputStream
java/io/DataInputStream bytearr
java/io/DataInputStream chararr
java/io/DataInputStream readBuffer
java/io/DataInputStream lineBuffer
java/io/DataInputStream <init>(Ljava/io/InputStream;)V
java/io/DataInputStream read([B)I
java/io/DataInputStream read([BII)I
java/io/DataInputStream readFully([B)V
java/io/DataInputStream readFully([BII)V
java/io/DataInputStream skipBytes(I)I
java/io/DataInputStream readBoolean()Z
java/io/DataInputStream
 readByte()B
java/io/DataInputStream readUnsignedByte()I
java/io/DataInputStream readShort()S
java/io/DataInputStream readUnsignedShort()I
java/io/DataInputStream readChar()C
java/io/DataInputStream readInt()I
java/io/DataInputStream readLong()J
java/io/DataInputStream readFloat()F
java/io/DataInputStream readDouble()D
java/io/DataInputStream readLine()Ljava/lang/String;
java/io/DataInputStream readUTF()Ljava/lang/String;
java/io/DataInputStream readUTF(Ljava/io/DataInput;)Ljava/lang/String;
class java/io/DataInput java/lang/Object
java/io/DataInput readFully([B)V
java/io/DataInput readFully([BII)V
java/io/DataInput skipBytes(I)I
java/io/DataInput readBoolean()Z
java/io/DataInput readByte()B
java/io/DataInput readUnsignedByte()I
java/io/DataInput readShort()S
java/io/DataInput readUnsignedShort()I

```



```

java/io/DataInput readChar()C
java/io/DataInput readInt()I
java/io/DataInput readLong()J
java/io/DataInput readFloat()F
java/io/DataInput readDouble()D
java/io/DataInput
 readLine()Ljava/lang/String;
java/io/DataInput readUTF()Ljava/lang/String;
class java/util/jar/JarFile$JarFileEntry java/util/jar/JarEntry
java/util/jar/JarFile$JarFileEntry this$0
java/util/jar/JarFile$JarFileEntry <init>(Ljava/util/jar/JarFile;Ljava/util/zip/ZipEntry;)V
java/util/jar/JarFile$JarFileEntry getAttributes()Ljava/util/jar/Attributes;
java/util/jar/JarFile$JarFileEntry getCertificates()[Ljava/security/cert/Certificate;
java/util/jar/JarFile$JarFileEntry getCodeSigners()[Ljava/security/CodeSigner;
class java/util/jar/JarEntry java/util/zip/ZipEntry
java/util/jar/JarEntry attr
java/util/jar/JarEntry certs
java/util/jar/JarEntry signers
java/util/jar/JarEntry <init>(Ljava/lang/String;)V
java/util/jar/JarEntry <init>(Ljava/util/zip/ZipEntry;)V
java/util/jar/JarEntry <init>(Ljava/util/jar/JarEntry;)V
java/util/jar/JarEntry getAttributes()Ljava/util/jar/Attributes;
java/util/jar/JarEntry getCertificates()[Ljava/security/cert/Certificate;
java/util/jar/JarEntry getCodeSigners()[Ljava/security/CodeSigner;
class
 java/util/zip/ZipEntry java/lang/Object
java/util/zip/ZipEntry name
java/util/zip/ZipEntry time
java/util/zip/ZipEntry crc
java/util/zip/ZipEntry size
java/util/zip/ZipEntry csize
java/util/zip/ZipEntry method
java/util/zip/ZipEntry extra
java/util/zip/ZipEntry comment
java/util/zip/ZipEntry flag
java/util/zip/ZipEntry version
java/util/zip/ZipEntry offset
java/util/zip/ZipEntry STORED
java/util/zip/ZipEntry DEFLATED
java/util/zip/ZipEntry initIDs()V
java/util/zip/ZipEntry <init>(Ljava/lang/String;)V
java/util/zip/ZipEntry <init>(Ljava/util/zip/ZipEntry;)V
java/util/zip/ZipEntry <init>(Ljava/lang/String;J)V
java/util/zip/ZipEntry initFields(J)V
java/util/zip/ZipEntry <init>(J)V
java/util/zip/ZipEntry getName()Ljava/lang/String;
java/util/zip/ZipEntry setTime(J)V
java/util/zip/ZipEntry getTime()J

```

```

java/util/zip/ZipEntry setSize(J)V
java/util/zip/ZipEntry getSize()J
java/util/zip/ZipEntry getCompressedSize()J
java/util/zip/ZipEntry setCompressedSize(J)V
java/util/zip/ZipEntry
 setCrc(J)V
java/util/zip/ZipEntry getCrc()J
java/util/zip/ZipEntry setMethod(I)V
java/util/zip/ZipEntry getMethod()I
java/util/zip/ZipEntry setExtra([B)V
java/util/zip/ZipEntry getExtra()[B
java/util/zip/ZipEntry setComment(Ljava/lang/String;)V
java/util/zip/ZipEntry getComment()Ljava/lang/String;
java/util/zip/ZipEntry isDirectory()Z
java/util/zip/ZipEntry toString()Ljava/lang/String;
java/util/zip/ZipEntry dosToJavaTime(J)J
java/util/zip/ZipEntry javaToDosTime(J)J
java/util/zip/ZipEntry hashCode()I
java/util/zip/ZipEntry clone()Ljava/lang/Object;
java/util/zip/ZipEntry <clinit>()V
class java/util/jar/JavaUtilJarAccessImpl java/lang/Object
java/util/jar/JavaUtilJarAccessImpl <init>()V
java/util/jar/JavaUtilJarAccessImpl jarFileHasClassPathAttribute(Ljava/util/jar/JarFile;)Z
class java/util/jar/JarFile java/util/zip/ZipFile
java/util/jar/JarFile manRef
java/util/jar/JarFile manEntry
java/util/jar/JarFile jv
java/util/jar/JarFile jvInitialized
java/util/jar/JarFile
 verify
java/util/jar/JarFile computedHasClassPathAttribute
java/util/jar/JarFile hasClassPathAttribute
java/util/jar/JarFile MANIFEST_NAME
java/util/jar/JarFile lastOcc
java/util/jar/JarFile optoSft
java/util/jar/JarFile src
java/util/jar/JarFile javaHome
java/util/jar/JarFile <init>(Ljava/lang/String;)V
java/util/jar/JarFile <init>(Ljava/lang/String;Z)V
java/util/jar/JarFile <init>(Ljava/io/File;)V
java/util/jar/JarFile <init>(Ljava/io/File;Z)V
java/util/jar/JarFile <init>(Ljava/io/File;ZI)V
java/util/jar/JarFile getManifest()Ljava/util/jar/Manifest;
java/util/jar/JarFile getManifestFromReference()Ljava/util/jar/Manifest;
java/util/jar/JarFile getMetaInfEntryNames()[Ljava/lang/String;
java/util/jar/JarFile getJarEntry(Ljava/lang/String;)Ljava/util/jar/JarEntry;
java/util/jar/JarFile getEntry(Ljava/lang/String;)Ljava/util/zip/ZipEntry;
java/util/jar/JarFile entries()Ljava/util/Enumeration;

```

```

java/util/jar/JarFile maybeInstantiateVerifier()V
java/util/jar/JarFile initializeVerifier()V
java/util/jar/JarFile
 getBytes(Ljava/util/zip/ZipEntry;)[B
java/util/jar/JarFile getInputStream(Ljava/util/zip/ZipEntry;)Ljava/io/InputStream;
java/util/jar/JarFile getManifestEntry(Ljava/util/jar/JarEntry;
java/util/jar/JarFile hasClassPathAttribute()Z
java/util/jar/JarFile isKnownToNotHaveClassPathAttribute()Z
java/util/jar/JarFile access$000(Ljava/util/jar/JarFile;)V
java/util/jar/JarFile access$100(Ljava/util/jar/JarFile;)Ljava/util/jar/JarVerifier;
java/util/jar/JarFile <clinit>()V
class java/util/zip/ZipFile java/lang/Object
java/util/zip/ZipFile jzfile
java/util/zip/ZipFile name
java/util/zip/ZipFile total
java/util/zip/ZipFile mappedBuffer
java/util/zip/ZipFile closer
java/util/zip/ZipFile mbUsed
java/util/zip/ZipFile closeRequested
java/util/zip/ZipFile STORED
java/util/zip/ZipFile DEFLATED
java/util/zip/ZipFile OPEN_READ
java/util/zip/ZipFile OPEN_DELETE
java/util/zip/ZipFile directByteBufferConstructor
java/util/zip/ZipFile inflaters
java/util/zip/ZipFile initIDs()V
java/util/zip/ZipFile
 <init>(Ljava/lang/String;)V
java/util/zip/ZipFile initDBBConstructor()V
java/util/zip/ZipFile newMappedByteBuffer(IJLjava/lang/Runnable;)Ljava/nio/MappedByteBuffer;
java/util/zip/ZipFile <init>(Ljava/io/File;I)V
java/util/zip/ZipFile open(Ljava/lang/String;IJ)J
java/util/zip/ZipFile getTotal()J
java/util/zip/ZipFile getMappedAddr()J
java/util/zip/ZipFile getMappedLen()J
java/util/zip/ZipFile <init>(Ljava/io/File;)V
java/util/zip/ZipFile getEntry(Ljava/lang/String;)Ljava/util/zip/ZipEntry;
java/util/zip/ZipFile getEntry(JLjava/lang/String;Z)J
java/util/zip/ZipFile freeEntry(JJ)V
java/util/zip/ZipFile getInputStream(Ljava/util/zip/ZipEntry;)Ljava/io/InputStream;
java/util/zip/ZipFile getInputStream(Ljava/lang/String;)Ljava/io/InputStream;
java/util/zip/ZipFile getMethod()J
java/util/zip/ZipFile getInflater()Ljava/util/zip/Inflater;
java/util/zip/ZipFile releaseInflater(Ljava/util/zip/Inflater;)V
java/util/zip/ZipFile getName()Ljava/lang/String;
java/util/zip/ZipFile
 entries()Ljava/util/Enumeration;
java/util/zip/ZipFile getNextEntry(JI)J

```

```

java/util/zip/ZipFile size()I
java/util/zip/ZipFile close()V
java/util/zip/ZipFile finalize()V
java/util/zip/ZipFile close(J)V
java/util/zip/ZipFile ensureOpen()V
java/util/zip/ZipFile ensureOpenOrZipException()V
java/util/zip/ZipFile read(JJJ[BII)I
java/util/zip/ZipFile getCSize(J)J
java/util/zip/ZipFile getSize(J)J
java/util/zip/ZipFile getEntryOffset(J)J
java/util/zip/ZipFile getZipMessage(J)Ljava/lang/String;
java/util/zip/ZipFile access$000(J)V
java/util/zip/ZipFile access$102(Ljava/lang/reflect/Constructor;)Ljava/lang/reflect/Constructor;
java/util/zip/ZipFile access$100()Ljava/lang/reflect/Constructor;
java/util/zip/ZipFile access$300(Ljava/util/zip/ZipFile;Ljava/util/zip/Inflater;)V
java/util/zip/ZipFile access$400(Ljava/util/zip/ZipFile;)V
java/util/zip/ZipFile access$500(Ljava/util/zip/ZipFile;)I
java/util/zip/ZipFile access$600(Ljava/util/zip/ZipFile;)J
java/util/zip/ZipFile access$700(JI)J
java/util/zip/ZipFile
 access$800(Ljava/util/zip/ZipFile;)Z
java/util/zip/ZipFile access$900(J)Ljava/lang/String;
java/util/zip/ZipFile access$1000(Ljava/util/zip/ZipFile;)Ljava/lang/String;
java/util/zip/ZipFile access$1100(JJ)V
java/util/zip/ZipFile access$1200(J)J
java/util/zip/ZipFile access$1300(J)J
java/util/zip/ZipFile access$1400(Ljava/util/zip/ZipFile;)V
java/util/zip/ZipFile access$1500(JJJ[BII)I
java/util/zip/ZipFile access$1600(J)J
java/util/zip/ZipFile access$1700(Ljava/util/zip/ZipFile;)Ljava/nio/MappedByteBuffer;
java/util/zip/ZipFile access$1802(Ljava/util/zip/ZipFile;Z)Z
java/util/zip/ZipFile <clinit>()V
class java/util/zip/ZipConstants java/lang/Object
java/util/zip/ZipConstants LOCSIG
java/util/zip/ZipConstants EXTSIG
java/util/zip/ZipConstants CENSIG
java/util/zip/ZipConstants ENDSIG
java/util/zip/ZipConstants LOCHDR
java/util/zip/ZipConstants EXTHDR
java/util/zip/ZipConstants CENHDR
java/util/zip/ZipConstants ENDHDR
java/util/zip/ZipConstants LOCVER
java/util/zip/ZipConstants
 LOCFLG
java/util/zip/ZipConstants LOCHOW
java/util/zip/ZipConstants LOCTIM
java/util/zip/ZipConstants LOCCRC
java/util/zip/ZipConstants LOCSIZ

```

```

java/util/zip/ZipConstants LOCLN
java/util/zip/ZipConstants LOCNAM
java/util/zip/ZipConstants LOEXT
java/util/zip/ZipConstants EXTCRC
java/util/zip/ZipConstants EXTSIZ
java/util/zip/ZipConstants EXTLEN
java/util/zip/ZipConstants CENVEM
java/util/zip/ZipConstants CENVER
java/util/zip/ZipConstants CENFLG
java/util/zip/ZipConstants CENHOW
java/util/zip/ZipConstants CENTIM
java/util/zip/ZipConstants CENCRC
java/util/zip/ZipConstants CENSIZ
java/util/zip/ZipConstants CENLEN
java/util/zip/ZipConstants CENNAM
java/util/zip/ZipConstants CENEXT
java/util/zip/ZipConstants CENCOM
java/util/zip/ZipConstants CENDSK
java/util/zip/ZipConstants CENATT
java/util/zip/ZipConstants CENATX
java/util/zip/ZipConstants CENOFF
java/util/zip/ZipConstants ENDSUB
java/util/zip/ZipConstants ENDTOT
java/util/zip/ZipConstants ENDSIZ
java/util/zip/ZipConstants ENDOFF
java/util/zip/ZipConstants
 ENDCOM
class java/net/URLClassLoader$1 java/lang/Object
java/net/URLClassLoader$1 val$name
java/net/URLClassLoader$1 this$0
java/net/URLClassLoader$1 <init>(Ljava/net/URLClassLoader;Ljava/lang/String;)V
java/net/URLClassLoader$1 run()Ljava/lang/Object;
class java/lang/StringCoding$CharsetSD java/lang/StringCoding$StringDecoder
java/lang/StringCoding$CharsetSD cs
java/lang/StringCoding$CharsetSD cd
java/lang/StringCoding$CharsetSD <init>(Ljava/nio/charset/Charset;Ljava/lang/String;)V
java/lang/StringCoding$CharsetSD charsetName()Ljava/lang/String;
java/lang/StringCoding$CharsetSD decode([BII)[C
java/lang/StringCoding$CharsetSD
 <init>(Ljava/nio/charset/Charset;Ljava/lang/String;Ljava/lang/StringCoding$1;)V
class java/lang/StringCoding$StringDecoder java/lang/Object
java/lang/StringCoding$StringDecoder requestedCharsetName
java/lang/StringCoding$StringDecoder <init>(Ljava/lang/String;)V
java/lang/StringCoding$StringDecoder requestedCharsetName()Ljava/lang/String;
java/lang/StringCoding$StringDecoder
 charsetName()Ljava/lang/String;
java/lang/StringCoding$StringDecoder decode([BII)[C
class java/lang/ThreadLocal$ThreadLocalMap$Entry java/lang/ref/WeakReference

```

```

java/lang/ThreadLocal$ThreadLocalMap$Entry value
java/lang/ThreadLocal$ThreadLocalMap$Entry <init>(Ljava/lang/ThreadLocal;Ljava/lang/Object;)V
java/lang/ThreadLocal$ThreadLocalMap$Entry
<init>(Ljava/lang/ThreadLocal;Ljava/lang/Object;Ljava/lang/ThreadLocal$1;)V
java/lang/ThreadLocal$ThreadLocalMap$Entry
access$600(Ljava/lang/ThreadLocal$ThreadLocalMap$Entry;)Ljava/lang/Object;
java/lang/ThreadLocal$ThreadLocalMap$Entry
access$602(Ljava/lang/ThreadLocal$ThreadLocalMap$Entry;Ljava/lang/Object;)Ljava/lang/Object;
class java/lang/ThreadLocal$ThreadLocalMap java/lang/Object
java/lang/ThreadLocal$ThreadLocalMap INITIAL_CAPACITY
java/lang/ThreadLocal$ThreadLocalMap table
java/lang/ThreadLocal$ThreadLocalMap size
java/lang/ThreadLocal$ThreadLocalMap threshold
java/lang/ThreadLocal$ThreadLocalMap setThreshold(I)V
java/lang/ThreadLocal$ThreadLocalMap
nextIndex(II)I
java/lang/ThreadLocal$ThreadLocalMap prevIndex(II)I
java/lang/ThreadLocal$ThreadLocalMap <init>(Ljava/lang/ThreadLocal;Ljava/lang/Object;)V
java/lang/ThreadLocal$ThreadLocalMap <init>(Ljava/lang/ThreadLocal$ThreadLocalMap;)V
java/lang/ThreadLocal$ThreadLocalMap get(Ljava/lang/ThreadLocal;)Ljava/lang/Object;
java/lang/ThreadLocal$ThreadLocalMap
getAfterMiss(Ljava/lang/ThreadLocal;ILjava/lang/ThreadLocal$ThreadLocalMap$Entry;)Ljava/lang/Object;
java/lang/ThreadLocal$ThreadLocalMap set(Ljava/lang/ThreadLocal;Ljava/lang/Object;)V
java/lang/ThreadLocal$ThreadLocalMap remove(Ljava/lang/ThreadLocal;)V
java/lang/ThreadLocal$ThreadLocalMap
replaceStaleEntry(Ljava/lang/ThreadLocal;Ljava/lang/Object;IZ)Ljava/lang/Object;
java/lang/ThreadLocal$ThreadLocalMap expungeStaleEntry(I)I
java/lang/ThreadLocal$ThreadLocalMap cleanSomeSlots(II)Z
java/lang/ThreadLocal$ThreadLocalMap rehash()V
java/lang/ThreadLocal$ThreadLocalMap resize()V
java/lang/ThreadLocal$ThreadLocalMap
expungeStaleEntries()V
java/lang/ThreadLocal$ThreadLocalMap
access$000(Ljava/lang/ThreadLocal$ThreadLocalMap;Ljava/lang/ThreadLocal;)Ljava/lang/Object;
java/lang/ThreadLocal$ThreadLocalMap
access$100(Ljava/lang/ThreadLocal$ThreadLocalMap;Ljava/lang/ThreadLocal;Ljava/lang/Object;)V
java/lang/ThreadLocal$ThreadLocalMap
access$200(Ljava/lang/ThreadLocal$ThreadLocalMap;Ljava/lang/ThreadLocal;)V
java/lang/ThreadLocal$ThreadLocalMap
<init>(Ljava/lang/ThreadLocal$ThreadLocalMap;Ljava/lang/ThreadLocal$1;)V
class java/lang/StringCoding java/lang/Object
java/lang/StringCoding decoder
java/lang/StringCoding encoder
java/lang/StringCoding warnUnsupportedCharset
java/lang/StringCoding <init>()V
java/lang/StringCoding deref(Ljava/lang/ThreadLocal;)Ljava/lang/Object;
java/lang/StringCoding set(Ljava/lang/ThreadLocal;Ljava/lang/Object;)V
java/lang/StringCoding trim([BI)[B

```

```

java/lang/StringCoding trim([CI)C
java/lang/StringCoding scale(IF)I
java/lang/StringCoding lookupCharset(Ljava/lang/String;)Ljava/nio/charset/Charset;
java/lang/StringCoding
 warnUnsupportedCharset(Ljava/lang/String;)V
java/lang/StringCoding decode(Ljava/lang/String;[BII)C
java/lang/StringCoding decode([BII)C
java/lang/StringCoding encode(Ljava/lang/String;[CII)B
java/lang/StringCoding encode([CII)B
java/lang/StringCoding access$000(IF)I
java/lang/StringCoding access$100([CI)C
java/lang/StringCoding access$400([BI)B
java/lang/StringCoding <clinit>()V
class java/lang/SystemClassLoaderAction java/lang/Object
java/lang/SystemClassLoaderAction parent
java/lang/SystemClassLoaderAction <init>(Ljava/lang/ClassLoader;)V
java/lang/SystemClassLoaderAction run()Ljava/lang/Object;
class java/util/ArrayList java/util/AbstractList
java/util/ArrayList serialVersionUID
java/util/ArrayList elementData
java/util/ArrayList size
java/util/ArrayList <init>(I)V
java/util/ArrayList <init>()V
java/util/ArrayList <init>(Ljava/util/Collection;)V
java/util/ArrayList trimToSize()V
java/util/ArrayList ensureCapacity(I)V
java/util/ArrayList
 size()I
java/util/ArrayList isEmpty()Z
java/util/ArrayList contains(Ljava/lang/Object;)Z
java/util/ArrayList indexOf(Ljava/lang/Object;)I
java/util/ArrayList lastIndexOf(Ljava/lang/Object;)I
java/util/ArrayList clone()Ljava/lang/Object;
java/util/ArrayList toArray()[Ljava/lang/Object;
java/util/ArrayList toArray([Ljava/lang/Object;)Ljava/lang/Object;
java/util/ArrayList get(I)Ljava/lang/Object;
java/util/ArrayList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/ArrayList add(Ljava/lang/Object;)Z
java/util/ArrayList add(ILjava/lang/Object;)V
java/util/ArrayList remove(I)Ljava/lang/Object;
java/util/ArrayList remove(Ljava/lang/Object;)Z
java/util/ArrayList fastRemove(I)V
java/util/ArrayList clear()V
java/util/ArrayList addAll(Ljava/util/Collection;)Z
java/util/ArrayList addAll(ILjava/util/Collection;)Z
java/util/ArrayList removeRange(II)V
java/util/ArrayList RangeCheck(I)V
java/util/ArrayList writeObject(Ljava/io/ObjectOutputStream;)V

```

```

java/util/ArrayList
 readObject(Ljava/io/ObjectInputStream;)V
class java/util/HashSet java/util/AbstractSet
java/util/HashSet serialVersionUID
java/util/HashSet map
java/util/HashSet PRESENT
java/util/HashSet <init>()V
java/util/HashSet <init>(Ljava/util/Collection;)V
java/util/HashSet <init>(IF)V
java/util/HashSet <init>(I)V
java/util/HashSet <init>(IFZ)V
java/util/HashSet iterator(Ljava/util/Iterator;
java/util/HashSet size()I
java/util/HashSet isEmpty()Z
java/util/HashSet contains(Ljava/lang/Object;)Z
java/util/HashSet add(Ljava/lang/Object;)Z
java/util/HashSet remove(Ljava/lang/Object;)Z
java/util/HashSet clear()V
java/util/HashSet clone()Ljava/lang/Object;
java/util/HashSet writeObject(Ljava/io/ObjectOutputStream;)V
java/util/HashSet readObject(Ljava/io/ObjectInputStream;)V
java/util/HashSet <clinit>()V
class java/net/URLStreamHandler java/lang/Object
java/net/URLStreamHandler <init>()V
java/net/URLStreamHandler openConnection(Ljava/net/URL;)Ljava/net/URLConnection;
java/net/URLStreamHandler openConnection(Ljava/net/URL;Ljava/net/Proxy;)Ljava/net/URLConnection;
java/net/URLStreamHandler
 parseURL(Ljava/net/URL;Ljava/lang/String;II)V
java/net/URLStreamHandler getDefaultPort()I
java/net/URLStreamHandler equals(Ljava/net/URL;Ljava/net/URL;)Z
java/net/URLStreamHandler hashCode(Ljava/net/URL;)I
java/net/URLStreamHandler sameFile(Ljava/net/URL;Ljava/net/URL;)Z
java/net/URLStreamHandler getHostAddress(Ljava/net/URL;)Ljava/net/InetAddress;
java/net/URLStreamHandler hostsEqual(Ljava/net/URL;Ljava/net/URL;)Z
java/net/URLStreamHandler toExternalForm(Ljava/net/URL;)Ljava/lang/String;
java/net/URLStreamHandler
 setURL(Ljava/net/URL;Ljava/lang/String;Ljava/lang/String;ILjava/lang/String;Ljava/lang/String;Ljava/lang/String;
 Ljava/lang/String;Ljava/lang/String;)V
java/net/URLStreamHandler
 setURL(Ljava/net/URL;Ljava/lang/String;Ljava/lang/String;ILjava/lang/String;Ljava/lang/String;)V
class java/net/Parts java/lang/Object
java/net/Parts path
java/net/Parts query
java/net/Parts ref
java/net/Parts
 <init>(Ljava/lang/String;)V
java/net/Parts getPath()Ljava/lang/String;
java/net/Parts getQuery()Ljava/lang/String;

```



```

java/net/Parts getRef()Ljava/lang/String;
class java/lang/CharacterDataLatin1 java/lang/Object
java/lang/CharacterDataLatin1 sharpsMap
java/lang/CharacterDataLatin1 A
java/lang/CharacterDataLatin1 A_DATA
java/lang/CharacterDataLatin1 $assertionsDisabled
java/lang/CharacterDataLatin1 <init>()V
java/lang/CharacterDataLatin1 getProperties(I)I
java/lang/CharacterDataLatin1 getType(I)I
java/lang/CharacterDataLatin1 isLowerCase(I)Z
java/lang/CharacterDataLatin1 isUpperCase(I)Z
java/lang/CharacterDataLatin1 isTitleCase(I)Z
java/lang/CharacterDataLatin1 isDigit(I)Z
java/lang/CharacterDataLatin1 isDefined(I)Z
java/lang/CharacterDataLatin1 isLetter(I)Z
java/lang/CharacterDataLatin1 isLetterOrDigit(I)Z
java/lang/CharacterDataLatin1 isSpaceChar(I)Z
java/lang/CharacterDataLatin1 isJavaIdentifierStart(I)Z
java/lang/CharacterDataLatin1 isJavaIdentifierPart(I)Z
java/lang/CharacterDataLatin1
isUnicodeIdentifierStart(I)Z
java/lang/CharacterDataLatin1 isUnicodeIdentifierPart(I)Z
java/lang/CharacterDataLatin1 isIdentifierIgnorable(I)Z
java/lang/CharacterDataLatin1 toLowerCase(I)I
java/lang/CharacterDataLatin1 toUpperCase(I)I
java/lang/CharacterDataLatin1 toTitleCase(I)I
java/lang/CharacterDataLatin1 digit(II)I
java/lang/CharacterDataLatin1 getNumericValue(I)I
java/lang/CharacterDataLatin1 isWhitespace(I)Z
java/lang/CharacterDataLatin1 getDirectionality(I)B
java/lang/CharacterDataLatin1 isMirrored(I)Z
java/lang/CharacterDataLatin1 toUpperCaseEx(I)I
java/lang/CharacterDataLatin1 toUpperCaseCharArray(I)[C
java/lang/CharacterDataLatin1 <clinit>()V
class java/util/Locale java/lang/Object
java/util/Locale ENGLISH
java/util/Locale FRENCH
java/util/Locale GERMAN
java/util/Locale ITALIAN
java/util/Locale JAPANESE
java/util/Locale KOREAN
java/util/Locale CHINESE
java/util/Locale SIMPLIFIED_CHINESE
java/util/Locale TRADITIONAL_CHINESE
java/util/Locale FRANCE
java/util/Locale GERMANY
java/util/Locale

```

## ITALY

```
java/util/Locale JAPAN
java/util/Locale KOREA
java/util/Locale CHINA
java/util/Locale PRC
java/util/Locale TAIWAN
java/util/Locale UK
java/util/Locale US
java/util/Locale CANADA
java/util/Locale CANADA_FRENCH
java/util/Locale serialVersionUID
java/util/Locale language
java/util/Locale country
java/util/Locale variant
java/util/Locale hashCode
java/util/Locale hashCodeValue
java/util/Locale defaultLocale
java/util/Locale isoLanguages
java/util/Locale compressedIsoLanguages
java/util/Locale isoCountries
java/util/Locale compressedIsoCountries
java/util/Locale <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/util/Locale <init>(Ljava/lang/String;Ljava/lang/String;)V
java/util/Locale <init>(Ljava/lang/String;)V
java/util/Locale getDefault()Ljava/util/Locale;
java/util/Locale setDefault(Ljava/util/Locale;)V
java/util/Locale getAvailableLocales()[Ljava/util/Locale;
java/util/Locale getISOCountries()[Ljava/lang/String;
java/util/Locale getISOLanguages()[Ljava/lang/String;
java/util/Locale
 getLanguage()Ljava/lang/String;
java/util/Locale getCountry()Ljava/lang/String;
java/util/Locale getVariant()Ljava/lang/String;
java/util/Locale toString()Ljava/lang/String;
java/util/Locale getISO3Language()Ljava/lang/String;
java/util/Locale getISO3Country()Ljava/lang/String;
java/util/Locale getDisplayLanguage()Ljava/lang/String;
java/util/Locale getDisplayLanguage(Ljava/util/Locale;)Ljava/lang/String;
java/util/Locale getDisplayCountry()Ljava/lang/String;
java/util/Locale getDisplayCountry(Ljava/util/Locale;)Ljava/lang/String;
java/util/Locale getDisplayVariant()Ljava/lang/String;
java/util/Locale getDisplayVariant(Ljava/util/Locale;)Ljava/lang/String;
java/util/Locale getDisplayName()Ljava/lang/String;
java/util/Locale getDisplayName(Ljava/util/Locale;)Ljava/lang/String;
java/util/Locale clone()Ljava/lang/Object;
java/util/Locale hashCode()I
java/util/Locale equals(Ljava/lang/Object;)Z
java/util/Locale getDisplayVariantArray(Ljava/util/ResourceBundle;)[Ljava/lang/String;
```

```

java/util/Locale
 formatList([Ljava/lang/String;[Ljava/lang/String;)Ljava/lang/String;
java/util/Locale composeList(Ljava/text/MessageFormat;[Ljava/lang/String;)[Ljava/lang/String;
java/util/Locale readResolve()Ljava/lang/Object;
java/util/Locale toLowerCase(Ljava/lang/String;)Ljava/lang/String;
java/util/Locale toUpperCase(Ljava/lang/String;)Ljava/lang/String;
java/util/Locale findStringMatch([[[Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/util/Locale convertOldISOCodes(Ljava/lang/String;)Ljava/lang/String;
java/util/Locale <clinit>()V
class java/net/URL java/lang/Object
java/net/URL serialVersionUID
java/net/URL protocolPathProp
java/net/URL protocol
java/net/URL host
java/net/URL port
java/net/URL file
java/net/URL query
java/net/URL authority
java/net/URL path
java/net/URL userInfo
java/net/URL ref
java/net/URL hostAddress
java/net/URL handler
java/net/URL hashCode
java/net/URL factory
java/net/URL handlers
java/net/URL
 streamHandlerLock
java/net/URL <init>(Ljava/lang/String;Ljava/lang/String;ILjava/lang/String;)V
java/net/URL <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/net/URL <init>(Ljava/lang/String;Ljava/lang/String;ILjava/lang/String;Ljava/net/URLStreamHandler;)V
java/net/URL <init>(Ljava/lang/String;)V
java/net/URL <init>(Ljava/net/URL;Ljava/lang/String;)V
java/net/URL <init>(Ljava/net/URL;Ljava/lang/String;Ljava/net/URLStreamHandler;)V
java/net/URL isValidProtocol(Ljava/lang/String;)Z
java/net/URL checkSpecifyHandler(Ljava/lang/SecurityManager;)V
java/net/URL set(Ljava/lang/String;Ljava/lang/String;ILjava/lang/String;Ljava/lang/String;)V
java/net/URL
 set(Ljava/lang/String;Ljava/lang/String;ILjava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/net/URL getQuery()Ljava/lang/String;
java/net/URL getPath()Ljava/lang/String;
java/net/URL getUserInfo()Ljava/lang/String;
java/net/URL getAuthority()Ljava/lang/String;
java/net/URL getPort()I
java/net/URL
 getDefaultPort()I
java/net/URL getProtocol()Ljava/lang/String;

```

```

java/net/URL getHost()Ljava/lang/String;
java/net/URL getFile()Ljava/lang/String;
java/net/URL getRef()Ljava/lang/String;
java/net/URL equals(Ljava/lang/Object;)Z
java/net/URL hashCode()I
java/net/URL sameFile(Ljava/net/URL;)Z
java/net/URL toString()Ljava/lang/String;
java/net/URL toExternalForm()Ljava/lang/String;
java/net/URL toURI()Ljava/net/URI;
java/net/URL openConnection()Ljava/net/URLConnection;
java/net/URL openConnection(Ljava/net/Proxy;)Ljava/net/URLConnection;
java/net/URL openStream()Ljava/io/InputStream;
java/net/URL getContent()Ljava/lang/Object;
java/net/URL getContent([Ljava/lang/Class;)Ljava/lang/Object;
java/net/URL setURLStreamHandlerFactory(Ljava/net/URLStreamHandlerFactory;)V
java/net/URL getURLStreamHandler(Ljava/lang/String;)Ljava/net/URLStreamHandler;
java/net/URL writeObject(Ljava/io/ObjectOutputStream;)V
java/net/URL readObject(Ljava/io/ObjectInputStream;)V
java/net/URL <clinit>()V
class
 java/util/BitSet java/lang/Object
 java/util/BitSet ADDRESS_BITS_PER_UNIT
 java/util/BitSet BITS_PER_UNIT
 java/util/BitSet BIT_INDEX_MASK
 java/util/BitSet WORD_MASK
 java/util/BitSet bits
 java/util/BitSet unitsInUse
 java/util/BitSet serialVersionUID
 java/util/BitSet trailingZeroTable
 java/util/BitSet unitIndex(I)I
 java/util/BitSet bit(I)J
 java/util/BitSet recalculateUnitsInUse()V
 java/util/BitSet <init>()V
 java/util/BitSet <init>(I)V
 java/util/BitSet ensureCapacity(I)V
 java/util/BitSet flip(I)V
 java/util/BitSet flip(II)V
 java/util/BitSet bitsRightOf(I)J
 java/util/BitSet bitsLeftOf(I)J
 java/util/BitSet set(I)V
 java/util/BitSet set(IZ)V
 java/util/BitSet set(II)V
 java/util/BitSet set(IIZ)V
 java/util/BitSet clear(I)V
 java/util/BitSet clear(II)V
 java/util/BitSet clear()V
 java/util/BitSet get(I)Z
 java/util/BitSet get(II)Ljava/util/BitSet;

```

```

java/util/BitSet getBits(I)J
java/util/BitSet nextSetBit(I)I
java/util/BitSet trailingZeroCnt(J)I
java/util/BitSet nextClearBit(I)I
java/util/BitSet
 length()I
java/util/BitSet bitLen(I)I
java/util/BitSet isEmpty()Z
java/util/BitSet intersects(Ljava/util/BitSet;)Z
java/util/BitSet cardinality()I
java/util/BitSet bitCount(J)I
java/util/BitSet and(Ljava/util/BitSet;)V
java/util/BitSet or(Ljava/util/BitSet;)V
java/util/BitSet xor(Ljava/util/BitSet;)V
java/util/BitSet andNot(Ljava/util/BitSet;)V
java/util/BitSet hashCode()I
java/util/BitSet size()I
java/util/BitSet equals(Ljava/lang/Object;)Z
java/util/BitSet clone()Ljava/lang/Object;
java/util/BitSet readObject(Ljava/io/ObjectInputStream;)V
java/util/BitSet toString()Ljava/lang/String;
java/util/BitSet <clinit>()V
class java/security/PrivilegedExceptionAction java/lang/Object
java/security/PrivilegedExceptionAction run()Ljava/lang/Object;
class java/util/StringTokenizer java/lang/Object
java/util/StringTokenizer currentPosition
java/util/StringTokenizer newPosition
java/util/StringTokenizer maxPosition
java/util/StringTokenizer str
java/util/StringTokenizer delimiters
java/util/StringTokenizer
 retDelims
java/util/StringTokenizer delimsChanged
java/util/StringTokenizer maxDelimCodePoint
java/util/StringTokenizer hasSurrogates
java/util/StringTokenizer delimiterCodePoints
java/util/StringTokenizer setMaxDelimCodePoint()V
java/util/StringTokenizer <init>(Ljava/lang/String;Ljava/lang/String;Z)V
java/util/StringTokenizer <init>(Ljava/lang/String;Ljava/lang/String;)V
java/util/StringTokenizer <init>(Ljava/lang/String;)V
java/util/StringTokenizer skipDelimiters(I)I
java/util/StringTokenizer scanToken(I)I
java/util/StringTokenizer isDelimiter(I)Z
java/util/StringTokenizer hasMoreTokens()Z
java/util/StringTokenizer nextToken()Ljava/lang/String;
java/util/StringTokenizer nextToken(Ljava/lang/String;)Ljava/lang/String;
java/util/StringTokenizer hasMoreElements()Z
java/util/StringTokenizer nextElement()Ljava/lang/Object;

```

```

java/util/StringTokenizer countTokens()I
class java/net/URLClassLoader java/security/SecureClassLoader
java/net/URLClassLoader ucp
java/net/URLClassLoader acc
java/net/URLClassLoader
 <init>([Ljava/net/URL;Ljava/lang/ClassLoader;)V
java/net/URLClassLoader <init>([Ljava/net/URL;)V
java/net/URLClassLoader <init>([Ljava/net/URL;Ljava/lang/ClassLoader;Ljava/net/URLStreamHandlerFactory;)V
java/net/URLClassLoader addURL(Ljava/net/URL;)V
java/net/URLClassLoader getURLs()[Ljava/net/URL;
java/net/URLClassLoader findClass(Ljava/lang/String;)Ljava/lang/Class;
java/net/URLClassLoader defineClass(Ljava/lang/String;Lsun/misc/Resource;)Ljava/lang/Class;
java/net/URLClassLoader
 definePackage(Ljava/lang/String;Ljava/util/jar/Manifest;Ljava/net/URL;)Ljava/lang/Package;
java/net/URLClassLoader isSealed(Ljava/lang/String;Ljava/util/jar/Manifest;)Z
java/net/URLClassLoader findResource(Ljava/lang/String;)Ljava/net/URL;
java/net/URLClassLoader findResources(Ljava/lang/String;)Ljava/util/Enumeration;
java/net/URLClassLoader getPermissions(Ljava/security/CodeSource;)Ljava/security/PermissionCollection;
java/net/URLClassLoader newInstance([Ljava/net/URL;Ljava/lang/ClassLoader;)Ljava/net/URLClassLoader;
java/net/URLClassLoader
 newInstance([Ljava/net/URL;)Ljava/net/URLClassLoader;
java/net/URLClassLoader access$000(Ljava/net/URLClassLoader;)Lsun/misc/URLClassPath;
java/net/URLClassLoader
 access$100(Ljava/net/URLClassLoader;Ljava/lang/String;Lsun/misc/Resource;)Ljava/lang/Class;
java/net/URLClassLoader access$200(Ljava/net/URLClassLoader;)Ljava/security/AccessControlContext;
class java/security/SecureClassLoader java/lang/ClassLoader
java/security/SecureClassLoader initialized
java/security/SecureClassLoader pdccache
java/security/SecureClassLoader debug
java/security/SecureClassLoader <init>(Ljava/lang/ClassLoader;)V
java/security/SecureClassLoader <init>()V
java/security/SecureClassLoader defineClass(Ljava/lang/String;[BILjava/security/CodeSource;)Ljava/lang/Class;
java/security/SecureClassLoader
 defineClass(Ljava/lang/String;Ljava/nio/ByteBuffer;Ljava/security/CodeSource;)Ljava/lang/Class;
java/security/SecureClassLoader getPermissions(Ljava/security/CodeSource;)Ljava/security/PermissionCollection;
java/security/SecureClassLoader
 getProtectionDomain(Ljava/security/CodeSource;)Ljava/security/ProtectionDomain;
java/security/SecureClassLoader check()V
java/security/SecureClassLoader <clinit>()V
class java/net/URLStreamHandlerFactory java/lang/Object
java/net/URLStreamHandlerFactory createURLStreamHandler(Ljava/lang/String;)Ljava/net/URLStreamHandler;
class java/lang/Compiler$1 java/lang/Object
java/lang/Compiler$1 <init>()V
java/lang/Compiler$1 run()Ljava/lang/Object;
class java/lang/Compiler java/lang/Object
java/lang/Compiler <init>()V
java/lang/Compiler initialize()V
java/lang/Compiler registerNatives()V

```

```

java/lang/Compiler compileClass(Ljava/lang/Class;)Z
java/lang/Compiler compileClasses(Ljava/lang/String;)Z
java/lang/Compiler command(Ljava/lang/Object;)Ljava/lang/Object;
java/lang/Compiler enable()V
java/lang/Compiler disable()V
java/lang/Compiler access$000()V
java/lang/Compiler <clinit>()V
class java/lang/System$2 java/lang/Object
java/lang/System$2
 <init>()V
java/lang/System$2 getConstantPool(Ljava/lang/Class;)Lsun/reflect/ConstantPool;
java/lang/System$2 setAnnotationType(Ljava/lang/Class;Lsun/reflect/annotation/AnnotationType;)V
java/lang/System$2 getAnnotationType(Ljava/lang/Class;)Lsun/reflect/annotation/AnnotationType;
java/lang/System$2 blockedOn(Ljava/lang/Thread;Lsun/nio/ch/Interruptible;)V
class java/lang/Terminator$1 java/lang/Object
java/lang/Terminator$1 <init>()V
java/lang/Terminator$1 handle(Lsun/misc/Signal;)V
class java/lang/Terminator java/lang/Object
java/lang/Terminator handler
java/lang/Terminator <init>()V
java/lang/Terminator setup()V
java/lang/Terminator teardown()V
java/lang/Terminator <clinit>()V
class java/lang/ClassLoader$NativeLibrary java/lang/Object
java/lang/ClassLoader$NativeLibrary handle
java/lang/ClassLoader$NativeLibrary jniVersion
java/lang/ClassLoader$NativeLibrary fromClass
java/lang/ClassLoader$NativeLibrary name
java/lang/ClassLoader$NativeLibrary load(Ljava/lang/String;)V
java/lang/ClassLoader$NativeLibrary
 find(Ljava/lang/String;)J
java/lang/ClassLoader$NativeLibrary unload()V
java/lang/ClassLoader$NativeLibrary <init>(Ljava/lang/Class;Ljava/lang/String;)V
java/lang/ClassLoader$NativeLibrary finalize()V
java/lang/ClassLoader$NativeLibrary getFromClass()Ljava/lang/Class;
java/lang/ClassLoader$NativeLibrary access$200(Ljava/lang/ClassLoader$NativeLibrary;)Ljava/lang/Class;
class java/io/ExpiringCache$Entry java/lang/Object
java/io/ExpiringCache$Entry timestamp
java/io/ExpiringCache$Entry val
java/io/ExpiringCache$Entry <init>(Ljava/lang/String;)V
java/io/ExpiringCache$Entry timestamp()J
java/io/ExpiringCache$Entry setTimestamp(J)V
java/io/ExpiringCache$Entry val()Ljava/lang/String;
java/io/ExpiringCache$Entry setVal(Ljava/lang/String;)V
class java/lang/ClassLoader$3 java/lang/Object
java/lang/ClassLoader$3 val$file
java/lang/ClassLoader$3 <init>(Ljava/io/File;)V
java/lang/ClassLoader$3 run()Ljava/lang/Object;

```

```

class java/util/LinkedHashMap$Entry
 java/util/HashMap$Entry
java/util/LinkedHashMap$Entry before
java/util/LinkedHashMap$Entry after
java/util/LinkedHashMap$Entry <init>(Ljava/lang/Object;Ljava/lang/Object;Ljava/util/HashMap$Entry;)V
java/util/LinkedHashMap$Entry remove()V
java/util/LinkedHashMap$Entry addBefore(Ljava/util/LinkedHashMap$Entry;)V
java/util/LinkedHashMap$Entry recordAccess(Ljava/util/HashMap;)V
java/util/LinkedHashMap$Entry recordRemoval(Ljava/util/HashMap;)V
java/util/LinkedHashMap$Entry
 access$600(Ljava/util/LinkedHashMap$Entry;Ljava/util/LinkedHashMap$Entry;)V
class java/io/ExpiringCache$1 java/util/LinkedHashMap
 java/io/ExpiringCache$1 this$0
 java/io/ExpiringCache$1 <init>(Ljava/io/ExpiringCache;)V
 java/io/ExpiringCache$1 removeEldestEntry(Ljava/util/Map$Entry;)Z
class java/util/LinkedHashMap java/util/HashMap
 java/util/LinkedHashMap serialVersionUID
 java/util/LinkedHashMap header
 java/util/LinkedHashMap accessOrder
 java/util/LinkedHashMap <init>(IF)V
 java/util/LinkedHashMap <init>(I)V
 java/util/LinkedHashMap
 <init>()V
 java/util/LinkedHashMap <init>(Ljava/util/Map;)V
 java/util/LinkedHashMap <init>(IFZ)V
 java/util/LinkedHashMap init()V
 java/util/LinkedHashMap transfer([Ljava/util/HashMap$Entry;)V
 java/util/LinkedHashMap containsValue(Ljava/lang/Object;)Z
 java/util/LinkedHashMap get(Ljava/lang/Object;)Ljava/lang/Object;
 java/util/LinkedHashMap clear()V
 java/util/LinkedHashMap newKeyIterator()Ljava/util/Iterator;
 java/util/LinkedHashMap newValueIterator()Ljava/util/Iterator;
 java/util/LinkedHashMap newEntryIterator()Ljava/util/Iterator;
 java/util/LinkedHashMap addEntry(ILjava/lang/Object;Ljava/lang/Object;)V
 java/util/LinkedHashMap createEntry(ILjava/lang/Object;Ljava/lang/Object;)V
 java/util/LinkedHashMap removeEldestEntry(Ljava/util/Map$Entry;)Z
 java/util/LinkedHashMap access$000(Ljava/util/LinkedHashMap;)Z
 java/util/LinkedHashMap access$100(Ljava/util/LinkedHashMap;)Ljava/util/LinkedHashMap$Entry;
class java/io/ExpiringCache java/lang/Object
 java/io/ExpiringCache millisUntilExpiration
 java/io/ExpiringCache
 map
 java/io/ExpiringCache queryCount
 java/io/ExpiringCache queryOverflow
 java/io/ExpiringCache MAX_ENTRIES
 java/io/ExpiringCache <init>()V
 java/io/ExpiringCache <init>(J)V
 java/io/ExpiringCache get(Ljava/lang/String;)Ljava/lang/String;

```



```

java/io/ExpiringCache put(Ljava/lang/String;Ljava/lang/String;)V
java/io/ExpiringCache clear()V
java/io/ExpiringCache entryFor(Ljava/lang/String;)Ljava/io/ExpiringCache$Entry;
java/io/ExpiringCache cleanup()V
java/io/ExpiringCache access$000(Ljava/io/ExpiringCache;)I
class java/io/WinNTFileSystem java/io/Win32FileSystem
java/io/WinNTFileSystem <init>()V
java/io/WinNTFileSystem canonicalize0(Ljava/lang/String;)Ljava/lang/String;
java/io/WinNTFileSystem canonicalizeWithPrefix0(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/io/WinNTFileSystem getBooleanAttributes(Ljava/io/File;)I
java/io/WinNTFileSystem checkAccess(Ljava/io/File;Z)Z
java/io/WinNTFileSystem getLastModifiedTime(Ljava/io/File;)J
java/io/WinNTFileSystem
 getLength(Ljava/io/File;)J
java/io/WinNTFileSystem createFileExclusively(Ljava/lang/String;)Z
java/io/WinNTFileSystem delete0(Ljava/io/File;)Z
java/io/WinNTFileSystem deleteOnExit(Ljava/io/File;)Z
java/io/WinNTFileSystem list(Ljava/io/File;)[Ljava/lang/String;
java/io/WinNTFileSystem createDirectory(Ljava/io/File;)Z
java/io/WinNTFileSystem rename0(Ljava/io/File;Ljava/io/File;)Z
java/io/WinNTFileSystem setLastModifiedTime(Ljava/io/File;J)Z
java/io/WinNTFileSystem setReadOnly(Ljava/io/File;)Z
java/io/WinNTFileSystem getDriveDirectory(I)Ljava/lang/String;
java/io/WinNTFileSystem initIDs()V
java/io/WinNTFileSystem <clinit>()V
class java/io/Win32FileSystem java/io/FileSystem
java/io/Win32FileSystem slash
java/io/Win32FileSystem altSlash
java/io/Win32FileSystem semicolon
java/io/Win32FileSystem driveDirCache
java/io/Win32FileSystem cache
java/io/Win32FileSystem prefixCache
java/io/Win32FileSystem $assertionsDisabled
java/io/Win32FileSystem <init>()V
java/io/Win32FileSystem isSlash(C)Z
java/io/Win32FileSystem
 isLetter(C)Z
java/io/Win32FileSystem slashify(Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem getSeparator()C
java/io/Win32FileSystem getPathSeparator()C
java/io/Win32FileSystem normalizePrefix(Ljava/lang/String;ILjava/lang/StringBuffer;)I
java/io/Win32FileSystem normalize(Ljava/lang/String;II)Ljava/lang/String;
java/io/Win32FileSystem normalize(Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem prefixLength(Ljava/lang/String;)I
java/io/Win32FileSystem resolve(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem getDefaultParent(Ljava/lang/String;
java/io/Win32FileSystem fromURIPath(Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem isAbsolute(Ljava/io/File;)Z

```

```

java/io/Win32FileSystem getDriveDirectory(I)Ljava/lang/String;
java/io/Win32FileSystem driveIndex(C)I
java/io/Win32FileSystem getDriveDirectory(C)Ljava/lang/String;
java/io/Win32FileSystem getUserPath()Ljava/lang/String;
java/io/Win32FileSystem
 getDrive(Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem resolve(Ljava/io/File;)Ljava/lang/String;
java/io/Win32FileSystem canonicalize(Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem canonicalize0(Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem canonicalizeWithPrefix(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem canonicalizeWithPrefix0(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem parentOrNull(Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem getBooleanAttributes(Ljava/io/File;)I
java/io/Win32FileSystem checkAccess(Ljava/io/File;Z)Z
java/io/Win32FileSystem getLastModifiedTime(Ljava/io/File;)J
java/io/Win32FileSystem getLength(Ljava/io/File;)J
java/io/Win32FileSystem createFileExclusively(Ljava/lang/String;)Z
java/io/Win32FileSystem delete(Ljava/io/File;)Z
java/io/Win32FileSystem delete0(Ljava/io/File;)Z
java/io/Win32FileSystem deleteOnExit(Ljava/io/File;)Z
java/io/Win32FileSystem
 list(Ljava/io/File;)[Ljava/lang/String;
java/io/Win32FileSystem createDirectory(Ljava/io/File;)Z
java/io/Win32FileSystem rename(Ljava/io/File;Ljava/io/File;)Z
java/io/Win32FileSystem rename0(Ljava/io/File;Ljava/io/File;)Z
java/io/Win32FileSystem setLastModifiedTime(Ljava/io/File;J)Z
java/io/Win32FileSystem setReadOnly(Ljava/io/File;)Z
java/io/Win32FileSystem access(Ljava/lang/String;)Z
java/io/Win32FileSystem listRoots0()I
java/io/Win32FileSystem listRoots()[Ljava/io/File;
java/io/Win32FileSystem compare(Ljava/io/File;Ljava/io/File;)I
java/io/Win32FileSystem hashCode(Ljava/io/File;)I
java/io/Win32FileSystem initIDs()V
java/io/Win32FileSystem <clinit>()V
class java/io/FileSystem java/lang/Object
java/io/FileSystem BA_EXISTS
java/io/FileSystem BA_REGULAR
java/io/FileSystem BA_DIRECTORY
java/io/FileSystem BA_HIDDEN
java/io/FileSystem useCanonCaches
java/io/FileSystem useCanonPrefixCache
java/io/FileSystem <init>()V
java/io/FileSystem getFileSystem()Ljava/io/FileSystem;
java/io/FileSystem
 getSeparator()C
java/io/FileSystem getPathSeparator()C
java/io/FileSystem normalize(Ljava/lang/String;)Ljava/lang/String;
java/io/FileSystem prefixLength(Ljava/lang/String;)I

```

```

java/io/FileSystem resolve(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/io/FileSystem getDefaultParent()Ljava/lang/String;
java/io/FileSystem fromURIPath(Ljava/lang/String;)Ljava/lang/String;
java/io/FileSystem isAbsolute(Ljava/io/File;)Z
java/io/FileSystem resolve(Ljava/io/File;)Ljava/lang/String;
java/io/FileSystem canonicalize(Ljava/lang/String;)Ljava/lang/String;
java/io/FileSystem getBooleanAttributes(Ljava/io/File;)I
java/io/FileSystem checkAccess(Ljava/io/File;Z)Z
java/io/FileSystem getLastModifiedTime(Ljava/io/File;)J
java/io/FileSystem getLength(Ljava/io/File;)J
java/io/FileSystem createFileExclusively(Ljava/lang/String;)Z
java/io/FileSystem delete(Ljava/io/File;)Z
java/io/FileSystem deleteOnExit(Ljava/io/File;)Z
java/io/FileSystem list(Ljava/io/File;)[Ljava/lang/String;
java/io/FileSystem
 createDirectory(Ljava/io/File;)Z
java/io/FileSystem rename(Ljava/io/File;Ljava/io/File;)Z
java/io/FileSystem setLastModifiedTime(Ljava/io/File;J)Z
java/io/FileSystem setReadOnly(Ljava/io/File;)Z
java/io/FileSystem listRoots()[Ljava/io/File;
java/io/FileSystem compare(Ljava/io/File;Ljava/io/File;)I
java/io/FileSystem hashCode(Ljava/io/File;)I
java/io/FileSystem getBooleanProperty(Ljava/lang/String;Z)Z
java/io/FileSystem <clinit>()V
class java/io/File java/lang/Object
java/io/File fs
java/io/File path
java/io/File prefixLength
java/io/File separatorChar
java/io/File separator
java/io/File pathSeparatorChar
java/io/File pathSeparator
java/io/File tmpFileLock
java/io/File counter
java/io/File tmpdir
java/io/File serialVersionUID
java/io/File $assertionsDisabled
java/io/File getPrefixLength()I
java/io/File <init>(Ljava/lang/String;)V
java/io/File <init>(Ljava/lang/String;Ljava/io/File;)V
java/io/File <init>(Ljava/lang/String;)V
java/io/File <init>(Ljava/lang/String;Ljava/lang/String;)V
java/io/File
 <init>(Ljava/io/File;Ljava/lang/String;)V
java/io/File <init>(Ljava/net/URI;)V
java/io/File getName()Ljava/lang/String;
java/io/File getParent()Ljava/lang/String;
java/io/File getParentFile()Ljava/io/File;

```

```

java/io/File getPath()Ljava/lang/String;
java/io/File isAbsolute()Z
java/io/File getAbsolutePath()Ljava/lang/String;
java/io/File getAbsoluteFile()Ljava/io/File;
java/io/File getCanonicalPath()Ljava/lang/String;
java/io/File getCanonicalFile()Ljava/io/File;
java/io/File slashify(Ljava/lang/String;Z)Ljava/lang/String;
java/io/File toURL()Ljava/net/URL;
java/io/File toURI()Ljava/net/URI;
java/io/File canRead()Z
java/io/File canWrite()Z
java/io/File exists()Z
java/io/File isDirectory()Z
java/io/File isFile()Z
java/io/File isHidden()Z
java/io/File lastModified()J
java/io/File length()J
java/io/File createNewFile()Z
java/io/File delete()Z
java/io/File deleteOnExit()V
java/io/File list()[Ljava/lang/String;
java/io/File list(Ljava/io/FilenameFilter;)[Ljava/lang/String;
java/io/File
 listFiles()[Ljava/io/File;
java/io/File listFiles(Ljava/io/FilenameFilter;)[Ljava/io/File;
java/io/File listFiles(Ljava/io/FileFilter;)[Ljava/io/File;
java/io/File mkdir()Z
java/io/File mkdirs()Z
java/io/File renameTo(Ljava/io/File;)Z
java/io/File setLastModified(J)Z
java/io/File setReadOnly()Z
java/io/File listRoots()[Ljava/io/File;
java/io/File generateFile(Ljava/lang/String;Ljava/lang/String;Ljava/io/File;)Ljava/io/File;
java/io/File getTempDir()Ljava/lang/String;
java/io/File checkAndCreate(Ljava/lang/String;Ljava/lang/SecurityManager;)Z
java/io/File createTempFile(Ljava/lang/String;Ljava/lang/String;Ljava/io/File;)Ljava/io/File;
java/io/File createTempFile(Ljava/lang/String;Ljava/lang/String;)Ljava/io/File;
java/io/File compareTo(Ljava/io/File;)I
java/io/File equals(Ljava/lang/Object;)Z
java/io/File hashCode()I
java/io/File toString()Ljava/lang/String;
java/io/File writeObject(Ljava/io/ObjectOutputStream;)V
java/io/File readObject(Ljava/io/ObjectInputStream;)V
java/io/File
 compareTo(Ljava/lang/Object;)I
java/io/File <clinit>()V
class java/io/BufferedWriter java/io/Writer
java/io/BufferedWriter out

```

```

java/io/BufferedWriter cb
java/io/BufferedWriter nChars
java/io/BufferedWriter nextChar
java/io/BufferedWriter defaultCharBufferSize
java/io/BufferedWriter lineSeparator
java/io/BufferedWriter <init>(Ljava/io/Writer;)V
java/io/BufferedWriter <init>(Ljava/io/Writer;I)V
java/io/BufferedWriter ensureOpen()V
java/io/BufferedWriter flushBuffer()V
java/io/BufferedWriter write(I)V
java/io/BufferedWriter min(II)I
java/io/BufferedWriter write([CII)V
java/io/BufferedWriter write(Ljava/lang/String;II)V
java/io/BufferedWriter newLine()V
java/io/BufferedWriter flush()V
java/io/BufferedWriter close()V
java/io/BufferedWriter <clinit>()V
class java/nio/charset/CoderResult$2 java/nio/charset/CoderResult$Cache
java/nio/charset/CoderResult$2 <init>()V
java/nio/charset/CoderResult$2 create(I)Ljava/nio/charset/CoderResult;
class java/nio/charset/CoderResult$1 java/nio/charset/CoderResult$Cache
java/nio/charset/CoderResult$1
 <init>()V
java/nio/charset/CoderResult$1 create(I)Ljava/nio/charset/CoderResult;
class java/nio/charset/CoderResult$Cache java/lang/Object
java/nio/charset/CoderResult$Cache cache
java/nio/charset/CoderResult$Cache <init>()V
java/nio/charset/CoderResult$Cache create(I)Ljava/nio/charset/CoderResult;
java/nio/charset/CoderResult$Cache get(I)Ljava/nio/charset/CoderResult;
java/nio/charset/CoderResult$Cache <init>(Ljava/nio/charset/CoderResult$1;)V
java/nio/charset/CoderResult$Cache
 access$200(Ljava/nio/charset/CoderResult$Cache;I)Ljava/nio/charset/CoderResult;
class java/nio/charset/CoderResult java/lang/Object
java/nio/charset/CoderResult CR_UNDERFLOW
java/nio/charset/CoderResult CR_OVERFLOW
java/nio/charset/CoderResult CR_ERROR_MIN
java/nio/charset/CoderResult CR_MALFORMED
java/nio/charset/CoderResult CR_UNMAPPABLE
java/nio/charset/CoderResult names
java/nio/charset/CoderResult type
java/nio/charset/CoderResult length
java/nio/charset/CoderResult
 UNDERFLOW
java/nio/charset/CoderResult OVERFLOW
java/nio/charset/CoderResult malformedCache
java/nio/charset/CoderResult unmappableCache
java/nio/charset/CoderResult $assertionsDisabled
java/nio/charset/CoderResult <init>(II)V

```

```

java/nio/charset/CoderResult toString()Ljava/lang/String;
java/nio/charset/CoderResult isUnderflow()Z
java/nio/charset/CoderResult isOverflow()Z
java/nio/charset/CoderResult isError()Z
java/nio/charset/CoderResult isMalformed()Z
java/nio/charset/CoderResult isUnmappable()Z
java/nio/charset/CoderResult length()I
java/nio/charset/CoderResult malformedForLength(I)Ljava/nio/charset/CoderResult;
java/nio/charset/CoderResult unmappableForLength(I)Ljava/nio/charset/CoderResult;
java/nio/charset/CoderResult throwException()V
java/nio/charset/CoderResult <init>(IILjava/nio/charset/CoderResult$1;)V
java/nio/charset/CoderResult <clinit>()V
class java/nio/HeapCharBuffer java/nio/CharBuffer
java/nio/HeapCharBuffer <init>(II)V
java/nio/HeapCharBuffer <init>([CII)V
java/nio/HeapCharBuffer
 <init>([CIIII)V
java/nio/HeapCharBuffer slice()Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer duplicate()Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer ix()I
java/nio/HeapCharBuffer get()C
java/nio/HeapCharBuffer get(I)C
java/nio/HeapCharBuffer get([CII)Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer isDirect()Z
java/nio/HeapCharBuffer isReadOnly()Z
java/nio/HeapCharBuffer put(C)Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer put(IC)Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer put([CII)Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer put(Ljava/nio/CharBuffer;)Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer compact()Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer toString(II)Ljava/lang/String;
java/nio/HeapCharBuffer subSequence(II)Ljava/lang/CharSequence;
java/nio/HeapCharBuffer order()Ljava/nio/ByteOrder;
class java/nio/CharBuffer java/nio/Buffer
java/nio/CharBuffer hb
java/nio/CharBuffer offset
java/nio/CharBuffer
 isReadOnly
java/nio/CharBuffer <init>(IIII[CI)V
java/nio/CharBuffer <init>(IIII)V
java/nio/CharBuffer allocate(I)Ljava/nio/CharBuffer;
java/nio/CharBuffer wrap([CII)Ljava/nio/CharBuffer;
java/nio/CharBuffer wrap([C)Ljava/nio/CharBuffer;
java/nio/CharBuffer read(Ljava/nio/CharBuffer;)I
java/nio/CharBuffer wrap(Ljava/lang/CharSequence;II)Ljava/nio/CharBuffer;
java/nio/CharBuffer wrap(Ljava/lang/CharSequence;)Ljava/nio/CharBuffer;
java/nio/CharBuffer slice()Ljava/nio/CharBuffer;

```

```

java/nio/CharBuffer duplicate()Ljava/nio/CharBuffer;
java/nio/CharBuffer asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/CharBuffer get()C
java/nio/CharBuffer put(C)Ljava/nio/CharBuffer;
java/nio/CharBuffer get(I)C
java/nio/CharBuffer put(IC)Ljava/nio/CharBuffer;
java/nio/CharBuffer get([CII)Ljava/nio/CharBuffer;
java/nio/CharBuffer get([C)Ljava/nio/CharBuffer;
java/nio/CharBuffer put(Ljava/nio/CharBuffer;)Ljava/nio/CharBuffer;
java/nio/CharBuffer put([CII)Ljava/nio/CharBuffer;
java/nio/CharBuffer put([C)Ljava/nio/CharBuffer;
java/nio/CharBuffer
 put(Ljava/lang/String;I)Ljava/nio/CharBuffer;
java/nio/CharBuffer put(Ljava/lang/String;)Ljava/nio/CharBuffer;
java/nio/CharBuffer hasArray()Z
java/nio/CharBuffer array()[C
java/nio/CharBuffer arrayOffset()I
java/nio/CharBuffer compact()Ljava/nio/CharBuffer;
java/nio/CharBuffer isDirect()Z
java/nio/CharBuffer hashCode()I
java/nio/CharBuffer equals(Ljava/lang/Object;)Z
java/nio/CharBuffer compareTo(Ljava/nio/CharBuffer;)I
java/nio/CharBuffer toString()Ljava/lang/String;
java/nio/CharBuffer toString(II)Ljava/lang/String;
java/nio/CharBuffer length()I
java/nio/CharBuffer charAt(I)C
java/nio/CharBuffer subSequence(II)Ljava/lang/CharSequence;
java/nio/CharBuffer append(Ljava/lang/CharSequence;)Ljava/nio/CharBuffer;
java/nio/CharBuffer append(Ljava/lang/CharSequence;II)Ljava/nio/CharBuffer;
java/nio/CharBuffer append(C)Ljava/nio/CharBuffer;
java/nio/CharBuffer order()Ljava/nio/ByteOrder;
java/nio/CharBuffer compareTo(Ljava/lang/Object;)I
java/nio/CharBuffer
 append(C)Ljava/lang/Appendable;
java/nio/CharBuffer append(Ljava/lang/CharSequence;II)Ljava/lang/Appendable;
java/nio/CharBuffer append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
class java/lang/Readable java/lang/Object
java/lang/Readable read(Ljava/nio/CharBuffer;)I
class java/nio/ByteOrder java/lang/Object
java/nio/ByteOrder name
java/nio/ByteOrder BIG_ENDIAN
java/nio/ByteOrder LITTLE_ENDIAN
java/nio/ByteOrder <init>(Ljava/lang/String;)V
java/nio/ByteOrder nativeOrder()Ljava/nio/ByteOrder;
java/nio/ByteOrder toString()Ljava/lang/String;
java/nio/ByteOrder <clinit>()V
class java/lang/Runtime java/lang/Object
java/lang/Runtime currentRuntime

```

```

java/lang/Runtime getRuntime()Ljava/lang/Runtime;
java/lang/Runtime <init>()V
java/lang/Runtime exit(I)V
java/lang/Runtime addShutdownHook(Ljava/lang/Thread;)V
java/lang/Runtime removeShutdownHook(Ljava/lang/Thread;)Z
java/lang/Runtime halt(I)V
java/lang/Runtime runFinalizersOnExit(Z)V
java/lang/Runtime exec(Ljava/lang/String;)Ljava/lang/Process;
java/lang/Runtime
 exec(Ljava/lang/String;[Ljava/lang/String;)Ljava/lang/Process;
java/lang/Runtime exec(Ljava/lang/String;[Ljava/lang/String;Ljava/io/File;)Ljava/lang/Process;
java/lang/Runtime exec([Ljava/lang/String;)Ljava/lang/Process;
java/lang/Runtime exec([Ljava/lang/String;[Ljava/lang/String;)Ljava/lang/Process;
java/lang/Runtime exec([Ljava/lang/String;[Ljava/lang/String;Ljava/io/File;)Ljava/lang/Process;
java/lang/Runtime availableProcessors()I
java/lang/Runtime freeMemory()J
java/lang/Runtime totalMemory()J
java/lang/Runtime maxMemory()J
java/lang/Runtime gc()V
java/lang/Runtime runFinalization0()V
java/lang/Runtime runFinalization()V
java/lang/Runtime traceInstructions(Z)V
java/lang/Runtime traceMethodCalls(Z)V
java/lang/Runtime load(Ljava/lang/String;)V
java/lang/Runtime load0(Ljava/lang/Class;Ljava/lang/String;)V
java/lang/Runtime loadLibrary(Ljava/lang/String;)V
java/lang/Runtime loadLibrary0(Ljava/lang/Class;Ljava/lang/String;)V
java/lang/Runtime getLocalizedInputStream(Ljava/io/InputStream;)Ljava/io/InputStream;
java/lang/Runtime
 getLocalizedOutputStream(Ljava/io/OutputStream;)Ljava/io/OutputStream;
java/lang/Runtime <clinit>()V
class java/nio/Bits java/lang/Object
java/nio/Bits unsafe
java/nio/Bits byteOrder
java/nio/Bits pageSize
java/nio/Bits unaligned
java/nio/Bits unalignedKnown
java/nio/Bits maxMemory
java/nio/Bits reservedMemory
java/nio/Bits memoryLimitSet
java/nio/Bits JNI_COPY_TO_ARRAY_THRESHOLD
java/nio/Bits JNI_COPY_FROM_ARRAY_THRESHOLD
java/nio/Bits $assertionsDisabled
java/nio/Bits <init>()V
java/nio/Bits swap(S)S
java/nio/Bits swap(C)C
java/nio/Bits swap(I)I
java/nio/Bits swap(J)J

```



java/nio/Bits makeChar(BB)C  
java/nio/Bits getCharL(Ljava/nio/ByteBuffer;I)C  
java/nio/Bits getCharL(J)C  
java/nio/Bits getCharB(Ljava/nio/ByteBuffer;I)C  
java/nio/Bits getCharB(J)C  
java/nio/Bits getChar(Ljava/nio/ByteBuffer;IZ)C  
java/nio/Bits getChar(JZ)C  
java/nio/Bits char1(C)B  
java/nio/Bits char0(C)B  
java/nio/Bits putCharL(Ljava/nio/ByteBuffer;IC)V  
java/nio/Bits  
    putCharL(JC)V  
java/nio/Bits putCharB(Ljava/nio/ByteBuffer;IC)V  
java/nio/Bits putCharB(JC)V  
java/nio/Bits putChar(Ljava/nio/ByteBuffer;ICZ)V  
java/nio/Bits putChar(JCZ)V  
java/nio/Bits makeShort(BB)S  
java/nio/Bits getShortL(Ljava/nio/ByteBuffer;I)S  
java/nio/Bits getShortL(J)S  
java/nio/Bits getShortB(Ljava/nio/ByteBuffer;I)S  
java/nio/Bits getShortB(J)S  
java/nio/Bits getShort(Ljava/nio/ByteBuffer;IZ)S  
java/nio/Bits getShort(JZ)S  
java/nio/Bits short1(S)B  
java/nio/Bits short0(S)B  
java/nio/Bits putShortL(Ljava/nio/ByteBuffer;IS)V  
java/nio/Bits putShortL(JS)V  
java/nio/Bits putShortB(Ljava/nio/ByteBuffer;IS)V  
java/nio/Bits putShortB(JS)V  
java/nio/Bits putShort(Ljava/nio/ByteBuffer;ISZ)V  
java/nio/Bits putShort(JSZ)V  
java/nio/Bits makeInt(BBBB)I  
java/nio/Bits getIntL(Ljava/nio/ByteBuffer;I)I  
java/nio/Bits getIntL(J)I  
java/nio/Bits getIntB(Ljava/nio/ByteBuffer;I)I  
java/nio/Bits getIntB(J)I  
java/nio/Bits getInt(Ljava/nio/ByteBuffer;IZ)I  
java/nio/Bits getInt(JZ)I  
java/nio/Bits int3(I)B  
java/nio/Bits  
    int2(I)B  
java/nio/Bits int1(I)B  
java/nio/Bits int0(I)B  
java/nio/Bits putIntL(Ljava/nio/ByteBuffer;II)V  
java/nio/Bits putIntL(JI)V  
java/nio/Bits putIntB(Ljava/nio/ByteBuffer;II)V  
java/nio/Bits putIntB(JI)V  
java/nio/Bits putInt(Ljava/nio/ByteBuffer;IIZ)V

java/nio/Bits putInt(JIZ)V  
java/nio/Bits makeLong(BBBBBBBB)J  
java/nio/Bits getLongL(Ljava/nio/ByteBuffer;I)J  
java/nio/Bits getLongL(J)J  
java/nio/Bits getLongB(Ljava/nio/ByteBuffer;I)J  
java/nio/Bits getLongB(J)J  
java/nio/Bits getLong(Ljava/nio/ByteBuffer;IZ)J  
java/nio/Bits getLong(JZ)J  
java/nio/Bits long7(J)B  
java/nio/Bits long6(J)B  
java/nio/Bits long5(J)B  
java/nio/Bits long4(J)B  
java/nio/Bits long3(J)B  
java/nio/Bits long2(J)B  
java/nio/Bits long1(J)B  
java/nio/Bits long0(J)B  
java/nio/Bits putLongL(Ljava/nio/ByteBuffer;IJ)V  
java/nio/Bits putLongL(JJ)V  
java/nio/Bits putLongB(Ljava/nio/ByteBuffer;IJ)V  
java/nio/Bits putLongB(JJ)V  
java/nio/Bits putLong(Ljava/nio/ByteBuffer;IJZ)V  
java/nio/Bits putLong(JJZ)V  
java/nio/Bits getFloatL(Ljava/nio/ByteBuffer;I)F  
java/nio/Bits  
    getFloatL(J)F  
java/nio/Bits getFloatB(Ljava/nio/ByteBuffer;I)F  
java/nio/Bits getFloatB(J)F  
java/nio/Bits getFloat(Ljava/nio/ByteBuffer;IZ)F  
java/nio/Bits getFloat(JZ)F  
java/nio/Bits putFloatL(Ljava/nio/ByteBuffer;IF)V  
java/nio/Bits putFloatL(JF)V  
java/nio/Bits putFloatB(Ljava/nio/ByteBuffer;IF)V  
java/nio/Bits putFloatB(JF)V  
java/nio/Bits putFloat(Ljava/nio/ByteBuffer;IFZ)V  
java/nio/Bits putFloat(JFZ)V  
java/nio/Bits getDoubleL(Ljava/nio/ByteBuffer;I)D  
java/nio/Bits getDoubleL(J)D  
java/nio/Bits getDoubleB(Ljava/nio/ByteBuffer;I)D  
java/nio/Bits getDoubleB(J)D  
java/nio/Bits getDouble(Ljava/nio/ByteBuffer;IZ)D  
java/nio/Bits getDouble(JZ)D  
java/nio/Bits putDoubleL(Ljava/nio/ByteBuffer;ID)V  
java/nio/Bits putDoubleL(JD)V  
java/nio/Bits putDoubleB(Ljava/nio/ByteBuffer;ID)V  
java/nio/Bits putDoubleB(JD)V  
java/nio/Bits putDouble(Ljava/nio/ByteBuffer;IDZ)V  
java/nio/Bits putDouble(JDZ)V  
java/nio/Bits \_get(J)B

```

java/nio/Bits _put(JB)V
java/nio/Bits unsafe()Lsun/misc/Unsafe;
java/nio/Bits
 byteOrder()Ljava/nio/ByteOrder;
java/nio/Bits pageSize()I
java/nio/Bits unaligned()Z
java/nio/Bits reserveMemory(J)V
java/nio/Bits unreserveMemory(J)V
java/nio/Bits copyFromByteArray(Ljava/lang/Object;JJ)V
java/nio/Bits copyToByteArray(JLjava/lang/Object;JJ)V
java/nio/Bits copyFromCharArray(Ljava/lang/Object;JJ)V
java/nio/Bits copyToCharArray(JLjava/lang/Object;JJ)V
java/nio/Bits copyFromShortArray(Ljava/lang/Object;JJ)V
java/nio/Bits copyToShortArray(JLjava/lang/Object;JJ)V
java/nio/Bits copyFromIntArray(Ljava/lang/Object;JJ)V
java/nio/Bits copyToIntArray(JLjava/lang/Object;JJ)V
java/nio/Bits copyFromLongArray(Ljava/lang/Object;JJ)V
java/nio/Bits copyToLongArray(JLjava/lang/Object;JJ)V
java/nio/Bits <clinit>()V
class java/nio/HeapByteBuffer java/nio/ByteBuffer
java/nio/HeapByteBuffer <init>()V
java/nio/HeapByteBuffer <init>([BII)V
java/nio/HeapByteBuffer <init>([BIIII)V
java/nio/HeapByteBuffer slice()Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer
 duplicate()Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer asReadOnlyBuffer()Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer ix()I
java/nio/HeapByteBuffer get()B
java/nio/HeapByteBuffer get(I)B
java/nio/HeapByteBuffer get([BII)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer isDirect()Z
java/nio/HeapByteBuffer isReadOnly()Z
java/nio/HeapByteBuffer put(B)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer put(IB)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer put([BII)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer put(Ljava/nio/ByteBuffer;)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer compact()Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer _get(I)B
java/nio/HeapByteBuffer _put(IB)V
java/nio/HeapByteBuffer getChar()C
java/nio/HeapByteBuffer getChar(I)C
java/nio/HeapByteBuffer putChar(C)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer putChar(IC)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer asCharBuffer()Ljava/nio/CharBuffer;
java/nio/HeapByteBuffer getShort()S
java/nio/HeapByteBuffer getShort(I)S
java/nio/HeapByteBuffer

```

```

putShort(S)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer putShort(IS)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer asShortBuffer()Ljava/nio/ShortBuffer;
java/nio/HeapByteBuffer getInt()I
java/nio/HeapByteBuffer getInt(I)I
java/nio/HeapByteBuffer putInt(I)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer putInt(II)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer asIntBuffer()Ljava/nio/IntBuffer;
java/nio/HeapByteBuffer getLong()J
java/nio/HeapByteBuffer getLong(I)J
java/nio/HeapByteBuffer putLong(J)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer putLong(IJ)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer asLongBuffer()Ljava/nio/LongBuffer;
java/nio/HeapByteBuffer getFloat()F
java/nio/HeapByteBuffer getFloat(I)F
java/nio/HeapByteBuffer putFloat(F)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer putFloat(IF)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer asFloatBuffer()Ljava/nio/FloatBuffer;
java/nio/HeapByteBuffer getDouble()D
java/nio/HeapByteBuffer getDouble(I)D
java/nio/HeapByteBuffer
 putDouble(D)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer putDouble(ID)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer asDoubleBuffer()Ljava/nio/DoubleBuffer;
class java/nio/ByteBuffer java/nio/Buffer
java/nio/ByteBuffer hb
java/nio/ByteBuffer offset
java/nio/ByteBuffer isReadOnly
java/nio/ByteBuffer bigEndian
java/nio/ByteBuffer nativeByteOrder
java/nio/ByteBuffer <init>(IIII[BI)V
java/nio/ByteBuffer <init>(IIII)V
java/nio/ByteBuffer allocateDirect(I)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer allocate(I)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer wrap([BII)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer wrap([B)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer slice()Ljava/nio/ByteBuffer;
java/nio/ByteBuffer duplicate()Ljava/nio/ByteBuffer;
java/nio/ByteBuffer asReadOnlyBuffer()Ljava/nio/ByteBuffer;
java/nio/ByteBuffer get()B
java/nio/ByteBuffer put(B)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer get(I)B
java/nio/ByteBuffer put(IB)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer get([BII)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer
 get([B)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer put(Ljava/nio/ByteBuffer;)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer put([BII)Ljava/nio/ByteBuffer;

```

java/nio/ByteBuffer put([B)Ljava/nio/ByteBuffer;  
java/nio/ByteBuffer hasArray()Z  
java/nio/ByteBuffer array()[B  
java/nio/ByteBuffer arrayOffset()I  
java/nio/ByteBuffer compact()Ljava/nio/ByteBuffer;  
java/nio/ByteBuffer isDirect()Z  
java/nio/ByteBuffer toString()Ljava/lang/String;  
java/nio/ByteBuffer hashCode()I  
java/nio/ByteBuffer equals(Ljava/lang/Object;)Z  
java/nio/ByteBuffer compareTo(Ljava/nio/ByteBuffer;)I  
java/nio/ByteBuffer order()Ljava/nio/ByteOrder;  
java/nio/ByteBuffer order(Ljava/nio/ByteOrder;)Ljava/nio/ByteBuffer;  
java/nio/ByteBuffer \_get(I)B  
java/nio/ByteBuffer \_put(IB)V  
java/nio/ByteBuffer getChar()C  
java/nio/ByteBuffer putChar(C)Ljava/nio/ByteBuffer;  
java/nio/ByteBuffer getChar(I)C  
java/nio/ByteBuffer putChar(IC)Ljava/nio/ByteBuffer;  
java/nio/ByteBuffer asCharBuffer()Ljava/nio/CharBuffer;  
java/nio/ByteBuffer getShort()S  
java/nio/ByteBuffer  
putShort(S)Ljava/nio/ByteBuffer;  
java/nio/ByteBuffer getShort(I)S  
java/nio/ByteBuffer putShort(IS)Ljava/nio/ByteBuffer;  
java/nio/ByteBuffer asShortBuffer()Ljava/nio/ShortBuffer;  
java/nio/ByteBuffer getInt()I  
java/nio/ByteBuffer putInt(I)Ljava/nio/ByteBuffer;  
java/nio/ByteBuffer getInt(I)I  
java/nio/ByteBuffer putInt(II)Ljava/nio/ByteBuffer;  
java/nio/ByteBuffer asIntBuffer()Ljava/nio/IntBuffer;  
java/nio/ByteBuffer getLong()J  
java/nio/ByteBuffer putLong(J)Ljava/nio/ByteBuffer;  
java/nio/ByteBuffer getLong(I)J  
java/nio/ByteBuffer putLong(IJ)Ljava/nio/ByteBuffer;  
java/nio/ByteBuffer asLongBuffer()Ljava/nio/LongBuffer;  
java/nio/ByteBuffer getFloat()F  
java/nio/ByteBuffer putFloat(F)Ljava/nio/ByteBuffer;  
java/nio/ByteBuffer getFloat(I)F  
java/nio/ByteBuffer putFloat(IF)Ljava/nio/ByteBuffer;  
java/nio/ByteBuffer asFloatBuffer()Ljava/nio/FloatBuffer;  
java/nio/ByteBuffer getDouble()D  
java/nio/ByteBuffer putDouble(D)Ljava/nio/ByteBuffer;  
java/nio/ByteBuffer getDouble(I)D  
java/nio/ByteBuffer  
putDouble(ID)Ljava/nio/ByteBuffer;  
java/nio/ByteBuffer asDoubleBuffer()Ljava/nio/DoubleBuffer;  
java/nio/ByteBuffer compareTo(Ljava/lang/Object;)I  
class java/nio/charset/CharsetDecoder java/lang/Object

```

java/nio/charset/CharsetDecoder charset
java/nio/charset/CharsetDecoder averageCharsPerByte
java/nio/charset/CharsetDecoder maxCharsPerByte
java/nio/charset/CharsetDecoder replacement
java/nio/charset/CharsetDecoder malformedInputAction
java/nio/charset/CharsetDecoder unmappableCharacterAction
java/nio/charset/CharsetDecoder ST_RESET
java/nio/charset/CharsetDecoder ST_CODING
java/nio/charset/CharsetDecoder ST_END
java/nio/charset/CharsetDecoder ST_FLUSHED
java/nio/charset/CharsetDecoder state
java/nio/charset/CharsetDecoder stateNames
java/nio/charset/CharsetDecoder $assertionsDisabled
java/nio/charset/CharsetDecoder <init>(Ljava/nio/charset/Charset;FFLjava/lang/String;)V
java/nio/charset/CharsetDecoder <init>(Ljava/nio/charset/Charset;FF)V
java/nio/charset/CharsetDecoder
 charset()Ljava/nio/charset/Charset;
java/nio/charset/CharsetDecoder replacement()Ljava/lang/String;
java/nio/charset/CharsetDecoder replaceWith(Ljava/lang/String;)Ljava/nio/charset/CharsetDecoder;
java/nio/charset/CharsetDecoder implReplaceWith(Ljava/lang/String;)V
java/nio/charset/CharsetDecoder malformedInputAction()Ljava/nio/charset/CodingErrorAction;
java/nio/charset/CharsetDecoder
 onMalformedInput(Ljava/nio/charset/CodingErrorAction;)Ljava/nio/charset/CharsetDecoder;
java/nio/charset/CharsetDecoder implOnMalformedInput(Ljava/nio/charset/CodingErrorAction;)V
java/nio/charset/CharsetDecoder unmappableCharacterAction()Ljava/nio/charset/CodingErrorAction;
java/nio/charset/CharsetDecoder
 onUnmappableCharacter(Ljava/nio/charset/CodingErrorAction;)Ljava/nio/charset/CharsetDecoder;
java/nio/charset/CharsetDecoder implOnUnmappableCharacter(Ljava/nio/charset/CodingErrorAction;)V
java/nio/charset/CharsetDecoder averageCharsPerByte()F
java/nio/charset/CharsetDecoder maxCharsPerByte()F
java/nio/charset/CharsetDecoder
 decode(Ljava/nio/ByteBuffer;Ljava/nio/CharBuffer;Z)Ljava/nio/charset/CoderResult;
java/nio/charset/CharsetDecoder flush(Ljava/nio/CharBuffer;)Ljava/nio/charset/CoderResult;
java/nio/charset/CharsetDecoder implFlush(Ljava/nio/CharBuffer;)Ljava/nio/charset/CoderResult;
java/nio/charset/CharsetDecoder reset()Ljava/nio/charset/CharsetDecoder;
java/nio/charset/CharsetDecoder implReset()V
java/nio/charset/CharsetDecoder
 decodeLoop(Ljava/nio/ByteBuffer;Ljava/nio/CharBuffer;)Ljava/nio/charset/CoderResult;
java/nio/charset/CharsetDecoder decode(Ljava/nio/ByteBuffer;)Ljava/nio/CharBuffer;
java/nio/charset/CharsetDecoder isAutoDetecting()Z
java/nio/charset/CharsetDecoder isCharsetDetected()Z
java/nio/charset/CharsetDecoder detectedCharset()Ljava/nio/charset/Charset;
java/nio/charset/CharsetDecoder throwIllegalStateException(II)V
java/nio/charset/CharsetDecoder <clinit>()V
class java/nio/charset/CodingErrorAction java/lang/Object
java/nio/charset/CodingErrorAction name
java/nio/charset/CodingErrorAction

```

IGNORE

```
java/nio/charset/CodingErrorAction REPLACE
java/nio/charset/CodingErrorAction REPORT
java/nio/charset/CodingErrorAction <init>(Ljava/lang/String;)V
java/nio/charset/CodingErrorAction toString()Ljava/lang/String;
java/nio/charset/CodingErrorAction <clinit>()V
class java/nio/charset/CharsetEncoder java/lang/Object
java/nio/charset/CharsetEncoder charset
java/nio/charset/CharsetEncoder averageBytesPerChar
java/nio/charset/CharsetEncoder maxBytesPerChar
java/nio/charset/CharsetEncoder replacement
java/nio/charset/CharsetEncoder malformedInputAction
java/nio/charset/CharsetEncoder unmappableCharacterAction
java/nio/charset/CharsetEncoder ST_RESET
java/nio/charset/CharsetEncoder ST_CODING
java/nio/charset/CharsetEncoder ST_END
java/nio/charset/CharsetEncoder ST_FLUSHED
java/nio/charset/CharsetEncoder state
java/nio/charset/CharsetEncoder stateNames
java/nio/charset/CharsetEncoder cachedDecoder
java/nio/charset/CharsetEncoder $assertionsDisabled
java/nio/charset/CharsetEncoder
 <init>(Ljava/nio/charset/Charset;FF[B)V
java/nio/charset/CharsetEncoder <init>(Ljava/nio/charset/Charset;FF)V
java/nio/charset/CharsetEncoder charset()Ljava/nio/charset/Charset;
java/nio/charset/CharsetEncoder replacement()[B
java/nio/charset/CharsetEncoder replaceWith([B)Ljava/nio/charset/CharsetEncoder;
java/nio/charset/CharsetEncoder implReplaceWith([B)V
java/nio/charset/CharsetEncoder isLegalReplacement([B)Z
java/nio/charset/CharsetEncoder malformedInputAction()Ljava/nio/charset/CodingErrorAction;
java/nio/charset/CharsetEncoder
 onMalformedInput(Ljava/nio/charset/CodingErrorAction;)Ljava/nio/charset/CharsetEncoder;
java/nio/charset/CharsetEncoder implOnMalformedInput(Ljava/nio/charset/CodingErrorAction;)V
java/nio/charset/CharsetEncoder unmappableCharacterAction()Ljava/nio/charset/CodingErrorAction;
java/nio/charset/CharsetEncoder
 onUnmappableCharacter(Ljava/nio/charset/CodingErrorAction;)Ljava/nio/charset/CharsetEncoder;
java/nio/charset/CharsetEncoder
 implOnUnmappableCharacter(Ljava/nio/charset/CodingErrorAction;)V
java/nio/charset/CharsetEncoder averageBytesPerChar()F
java/nio/charset/CharsetEncoder maxBytesPerChar()F
java/nio/charset/CharsetEncoder
 encode(Ljava/nio/CharBuffer;Ljava/nio/ByteBuffer;Z)Ljava/nio/charset/CoderResult;
java/nio/charset/CharsetEncoder flush(Ljava/nio/ByteBuffer;)Ljava/nio/charset/CoderResult;
java/nio/charset/CharsetEncoder implFlush(Ljava/nio/ByteBuffer;)Ljava/nio/charset/CoderResult;
java/nio/charset/CharsetEncoder reset()Ljava/nio/charset/CharsetEncoder;
java/nio/charset/CharsetEncoder implReset()V
java/nio/charset/CharsetEncoder
 encodeLoop(Ljava/nio/CharBuffer;Ljava/nio/ByteBuffer;)Ljava/nio/charset/CoderResult;
```

```

java/nio/charset/CharsetEncoder encode(Ljava/nio/CharBuffer;)Ljava/nio/ByteBuffer;
java/nio/charset/CharsetEncoder canEncode(Ljava/nio/CharBuffer;)Z
java/nio/charset/CharsetEncoder canEncode(C)Z
java/nio/charset/CharsetEncoder canEncode(Ljava/lang/CharSequence;)Z
java/nio/charset/CharsetEncoder
 throwIllegalStateException()V
java/nio/charset/CharsetEncoder <clinit>()V
class java/lang/Class$1 java/lang/Object
java/lang/Class$1 val$c
java/lang/Class$1 this$0
java/lang/Class$1 <init>(Ljava/lang/Class;Ljava/lang/reflect/Constructor;)V
java/lang/Class$1 run()Ljava/lang/Object;
class java/lang/StringBuilder java/lang/AbstractStringBuilder
java/lang/StringBuilder serialVersionUID
java/lang/StringBuilder <init>()V
java/lang/StringBuilder <init>(I)V
java/lang/StringBuilder <init>(Ljava/lang/String;)V
java/lang/StringBuilder <init>(Ljava/lang/CharSequence;)V
java/lang/StringBuilder append(Ljava/lang/Object;)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(Ljava/lang/String;)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(Ljava/lang/StringBuilder;)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(Ljava/lang/StringBuffer;)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(Ljava/lang/CharSequence;)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(Ljava/lang/CharSequence;I)Ljava/lang/StringBuilder;
java/lang/StringBuilder
 append([C)Ljava/lang/StringBuilder;
java/lang/StringBuilder append([CII)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(Z)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(C)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(I)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(J)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(F)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(D)Ljava/lang/StringBuilder;
java/lang/StringBuilder appendCodePoint(I)Ljava/lang/StringBuilder;
java/lang/StringBuilder delete(I)Ljava/lang/StringBuilder;
java/lang/StringBuilder deleteCharAt(I)Ljava/lang/StringBuilder;
java/lang/StringBuilder replace(IILjava/lang/String;)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(I[CI)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(ILjava/lang/Object;)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(ILjava/lang/String;)Ljava/lang/StringBuilder;
java/lang/StringBuilder
 insert(I[C)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(ILjava/lang/CharSequence;)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(ILjava/lang/CharSequence;I)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(IZ)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(IC)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(II)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(IJ)Ljava/lang/StringBuilder;

```



```

java/lang/StringBuilder insert(IF)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(ID)Ljava/lang/StringBuilder;
java/lang/StringBuilder indexOf(Ljava/lang/String;)I
java/lang/StringBuilder indexOf(Ljava/lang/String;I)I
java/lang/StringBuilder lastIndexOf(Ljava/lang/String;)I
java/lang/StringBuilder lastIndexOf(Ljava/lang/String;I)I
java/lang/StringBuilder reverse()Ljava/lang/StringBuilder;
java/lang/StringBuilder toString()Ljava/lang/String;
java/lang/StringBuilder writeObject(Ljava/io/ObjectOutputStream;)V
java/lang/StringBuilder
 readObject(Ljava/io/ObjectInputStream;)V
java/lang/StringBuilder reverse()Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(ID)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(IF)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(IJ)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(II)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(IC)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(IZ)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(ILjava/lang/CharSequence;II)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(ILjava/lang/CharSequence;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(I[C)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(ILjava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(ILjava/lang/Object;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(I[CII)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder
 replace(IILjava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder deleteCharAt(I)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder appendCodePoint(I)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder delete(II)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(D)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(F)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(J)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(I)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(C)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(Z)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append([CII)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append([C)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(Ljava/lang/CharSequence;II)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder
 append(Ljava/lang/CharSequence;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(Ljava/lang/StringBuffer;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(Ljava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(Ljava/lang/Object;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(C)Ljava/lang/Appendable;
java/lang/StringBuilder append(Ljava/lang/CharSequence;II)Ljava/lang/Appendable;
java/lang/StringBuilder append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
class java/lang/ThreadLocal java/lang/Object
java/lang/ThreadLocal threadLocalHashCode

```

```

java/lang/ThreadLocal nextHashCode
java/lang/ThreadLocal HASH_INCREMENT
java/lang/ThreadLocal nextHashCode()I
java/lang/ThreadLocal initialValue()Ljava/lang/Object;
java/lang/ThreadLocal <init>()V
java/lang/ThreadLocal get()Ljava/lang/Object;
java/lang/ThreadLocal set(Ljava/lang/Object;)V
java/lang/ThreadLocal remove()V
java/lang/ThreadLocal getMap(Ljava/lang/Thread;)Ljava/lang/ThreadLocal$ThreadLocalMap;
java/lang/ThreadLocal
 createMap(Ljava/lang/Thread;Ljava/lang/Object;)V
java/lang/ThreadLocal
 createInheritedMap(Ljava/lang/ThreadLocal$ThreadLocalMap;)Ljava/lang/ThreadLocal$ThreadLocalMap;
java/lang/ThreadLocal childValue(Ljava/lang/Object;)Ljava/lang/Object;
java/lang/ThreadLocal access$400(Ljava/lang/ThreadLocal;)I
java/lang/ThreadLocal <clinit>()V
class java/nio/charset/spi/CharsetProvider java/lang/Object
java/nio/charset/spi/CharsetProvider <init>()V
java/nio/charset/spi/CharsetProvider charsets()Ljava/util/Iterator;
java/nio/charset/spi/CharsetProvider charsetForName(Ljava/lang/String;)Ljava/nio/charset/Charset;
class java/nio/charset/Charset java/lang/Object
java/nio/charset/Charset bugLevel
java/nio/charset/Charset standardProvider
java/nio/charset/Charset cache1
java/nio/charset/Charset cache2
java/nio/charset/Charset gate
java/nio/charset/Charset extendedProviderLock
java/nio/charset/Charset extendedProviderProbed
java/nio/charset/Charset
 extendedProvider
java/nio/charset/Charset defaultCharset
java/nio/charset/Charset name
java/nio/charset/Charset aliases
java/nio/charset/Charset aliasSet
java/nio/charset/Charset atBugLevel(Ljava/lang/String;)Z
java/nio/charset/Charset checkName(Ljava/lang/String;)V
java/nio/charset/Charset cache(Ljava/lang/String;Ljava/nio/charset/Charset;)V
java/nio/charset/Charset providers()Ljava/util/Iterator;
java/nio/charset/Charset lookupViaProviders(Ljava/lang/String;)Ljava/nio/charset/Charset;
java/nio/charset/Charset probeExtendedProvider()V
java/nio/charset/Charset lookupExtendedCharset(Ljava/lang/String;)Ljava/nio/charset/Charset;
java/nio/charset/Charset lookup(Ljava/lang/String;)Ljava/nio/charset/Charset;
java/nio/charset/Charset lookup2(Ljava/lang/String;)Ljava/nio/charset/Charset;
java/nio/charset/Charset isSupported(Ljava/lang/String;)Z
java/nio/charset/Charset forName(Ljava/lang/String;)Ljava/nio/charset/Charset;
java/nio/charset/Charset put(Ljava/util/Iterator;Ljava/util/Map;)V
java/nio/charset/Charset

```

```

 availableCharsets()Ljava/util/SortedMap;
java/nio/charset/Charset defaultCharset()Ljava/nio/charset/Charset;
java/nio/charset/Charset <init>(Ljava/lang/String;[Ljava/lang/String;)V
java/nio/charset/Charset name()Ljava/lang/String;
java/nio/charset/Charset aliases()Ljava/util/Set;
java/nio/charset/Charset displayName()Ljava/lang/String;
java/nio/charset/Charset isRegistered()Z
java/nio/charset/Charset displayName(Ljava/util/Locale;)Ljava/lang/String;
java/nio/charset/Charset contains(Ljava/nio/charset/Charset;)Z
java/nio/charset/Charset newDecoder()Ljava/nio/charset/CharsetDecoder;
java/nio/charset/Charset newEncoder()Ljava/nio/charset/CharsetEncoder;
java/nio/charset/Charset canEncode()Z
java/nio/charset/Charset decode(Ljava/nio/ByteBuffer;)Ljava/nio/CharBuffer;
java/nio/charset/Charset encode(Ljava/nio/CharBuffer;)Ljava/nio/ByteBuffer;
java/nio/charset/Charset encode(Ljava/lang/String;)Ljava/nio/ByteBuffer;
java/nio/charset/Charset compareTo(Ljava/nio/charset/Charset;)I
java/nio/charset/Charset
 hashCode()I
java/nio/charset/Charset equals(Ljava/lang/Object;)Z
java/nio/charset/Charset toString()Ljava/lang/String;
java/nio/charset/Charset compareTo(Ljava/lang/Object;)I
java/nio/charset/Charset access$000()Ljava/util/Iterator;
java/nio/charset/Charset access$102(Ljava/nio/charset/spi/CharsetProvider;)Ljava/nio/charset/spi/CharsetProvider;
java/nio/charset/Charset access$200()Ljava/nio/charset/spi/CharsetProvider;
java/nio/charset/Charset access$300(Ljava/util/Iterator;Ljava/util/Map;)V
java/nio/charset/Charset <clinit>()V
class java/io/OutputStreamWriter java/io/Writer
java/io/OutputStreamWriter se
java/io/OutputStreamWriter <init>(Ljava/io/OutputStream;Ljava/lang/String;)V
java/io/OutputStreamWriter <init>(Ljava/io/OutputStream;)V
java/io/OutputStreamWriter <init>(Ljava/io/OutputStream;Ljava/nio/charset/Charset;)V
java/io/OutputStreamWriter <init>(Ljava/io/OutputStream;Ljava/nio/charset/CharsetEncoder;)V
java/io/OutputStreamWriter getEncoding()Ljava/lang/String;
java/io/OutputStreamWriter
 flushBuffer()V
java/io/OutputStreamWriter write(I)V
java/io/OutputStreamWriter write([CII)V
java/io/OutputStreamWriter write(Ljava/lang/String;II)V
java/io/OutputStreamWriter flush()V
java/io/OutputStreamWriter close()V
class java/io/Writer java/lang/Object
java/io/Writer writeBuffer
java/io/Writer writeBufferSize
java/io/Writer lock
java/io/Writer <init>()V
java/io/Writer <init>(Ljava/lang/Object;)V
java/io/Writer write(I)V
java/io/Writer write([C)V

```

```

java/io/Writer write([CII)V
java/io/Writer write(Ljava/lang/String;)V
java/io/Writer write(Ljava/lang/String;II)V
java/io/Writer append(Ljava/lang/CharSequence;)Ljava/io/Writer;
java/io/Writer append(Ljava/lang/CharSequence;II)Ljava/io/Writer;
java/io/Writer append(C)Ljava/io/Writer;
java/io/Writer flush()V
java/io/Writer close()V
java/io/Writer append(C)Ljava/lang/Appendable;
java/io/Writer append(Ljava/lang/CharSequence;II)Ljava/lang/Appendable;
java/io/Writer append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
class
 java/io/BufferedOutputStream java/io/FilterOutputStream
java/io/BufferedOutputStream buf
java/io/BufferedOutputStream count
java/io/BufferedOutputStream <init>(Ljava/io/OutputStream;)V
java/io/BufferedOutputStream <init>(Ljava/io/OutputStream;I)V
java/io/BufferedOutputStream flushBuffer()V
java/io/BufferedOutputStream write(I)V
java/io/BufferedOutputStream write([BII)V
java/io/BufferedOutputStream flush()V
class java/io/PrintStream java/io/FilterOutputStream
java/io/PrintStream autoFlush
java/io/PrintStream trouble
java/io/PrintStream formatter
java/io/PrintStream textOut
java/io/PrintStream charOut
java/io/PrintStream closing
java/io/PrintStream <init>(Ljava/io/OutputStream;)V
java/io/PrintStream <init>(ZLjava/io/OutputStream;)V
java/io/PrintStream init(Ljava/io/OutputStreamWriter;)V
java/io/PrintStream <init>(Ljava/io/OutputStream;Z)V
java/io/PrintStream <init>(Ljava/io/OutputStream;ZLjava/lang/String;)V
java/io/PrintStream <init>(Ljava/lang/String;)V
java/io/PrintStream
 <init>(Ljava/lang/String;Ljava/lang/String;)V
java/io/PrintStream <init>(Ljava/io/File;)V
java/io/PrintStream <init>(Ljava/io/File;Ljava/lang/String;)V
java/io/PrintStream ensureOpen()V
java/io/PrintStream flush()V
java/io/PrintStream close()V
java/io/PrintStream checkError()Z
java/io/PrintStream setError()V
java/io/PrintStream write(I)V
java/io/PrintStream write([BII)V
java/io/PrintStream write([C)V
java/io/PrintStream write(Ljava/lang/String;)V
java/io/PrintStream newLine()V

```

```

java/io/PrintStream print(Z)V
java/io/PrintStream print(C)V
java/io/PrintStream print(I)V
java/io/PrintStream print(J)V
java/io/PrintStream print(F)V
java/io/PrintStream print(D)V
java/io/PrintStream print([C)V
java/io/PrintStream print(Ljava/lang/String;)V
java/io/PrintStream print(Ljava/lang/Object;)V
java/io/PrintStream println()V
java/io/PrintStream println(Z)V
java/io/PrintStream println(C)V
java/io/PrintStream println(I)V
java/io/PrintStream println(J)V
java/io/PrintStream println(F)V
java/io/PrintStream
 println(D)V
java/io/PrintStream println([C)V
java/io/PrintStream println(Ljava/lang/String;)V
java/io/PrintStream println(Ljava/lang/Object;)V
java/io/PrintStream printf(Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintStream;
java/io/PrintStream printf(Ljava/util/Locale;Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintStream;
java/io/PrintStream format(Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintStream;
java/io/PrintStream format(Ljava/util/Locale;Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintStream;
java/io/PrintStream append(Ljava/lang/CharSequence;)Ljava/io/PrintStream;
java/io/PrintStream append(Ljava/lang/CharSequence;I)Ljava/io/PrintStream;
java/io/PrintStream append(C)Ljava/io/PrintStream;
java/io/PrintStream append(C)Ljava/lang/Appendable;
java/io/PrintStream append(Ljava/lang/CharSequence;I)Ljava/lang/Appendable;
java/io/PrintStream append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
class java/io/FilterOutputStream java/io/OutputStream
java/io/FilterOutputStream
 out
java/io/FilterOutputStream <init>(Ljava/io/OutputStream;)V
java/io/FilterOutputStream write(I)V
java/io/FilterOutputStream write([B)V
java/io/FilterOutputStream write([BII)V
java/io/FilterOutputStream flush()V
java/io/FilterOutputStream close()V
class java/util/Collections$SynchronizedMap java/lang/Object
java/util/Collections$SynchronizedMap serialVersionUID
java/util/Collections$SynchronizedMap m
java/util/Collections$SynchronizedMap mutex
java/util/Collections$SynchronizedMap keySet
java/util/Collections$SynchronizedMap entrySet
java/util/Collections$SynchronizedMap values
java/util/Collections$SynchronizedMap <init>(Ljava/util/Map;)V
java/util/Collections$SynchronizedMap <init>(Ljava/util/Map;Ljava/lang/Object;)V

```

```

java/util/Collections$SynchronizedMap size()I
java/util/Collections$SynchronizedMap isEmpty()Z
java/util/Collections$SynchronizedMap containsKey(Ljava/lang/Object;)Z
java/util/Collections$SynchronizedMap containsValue(Ljava/lang/Object;)Z
java/util/Collections$SynchronizedMap
 get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$SynchronizedMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$SynchronizedMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$SynchronizedMap putAll(Ljava/util/Map;)V
java/util/Collections$SynchronizedMap clear()V
java/util/Collections$SynchronizedMap keySet()Ljava/util/Set;
java/util/Collections$SynchronizedMap entrySet()Ljava/util/Set;
java/util/Collections$SynchronizedMap values()Ljava/util/Collection;
java/util/Collections$SynchronizedMap equals(Ljava/lang/Object;)Z
java/util/Collections$SynchronizedMap hashCode()I
java/util/Collections$SynchronizedMap toString()Ljava/lang/String;
java/util/Collections$SynchronizedMap writeObject(Ljava/io/ObjectOutputStream;)V
class java/util/Collections$ReverseComparator java/lang/Object
java/util/Collections$ReverseComparator serialVersionUID
java/util/Collections$ReverseComparator <init>()V
java/util/Collections$ReverseComparator
 compare(Ljava/lang/Comparable;Ljava/lang/Comparable;)I
java/util/Collections$ReverseComparator compare(Ljava/lang/Object;Ljava/lang/Object;)I
java/util/Collections$ReverseComparator <init>(Ljava/util/Collections$1;)V
class java/util/Collections$EmptyMap java/util/AbstractMap
java/util/Collections$EmptyMap serialVersionUID
java/util/Collections$EmptyMap <init>()V
java/util/Collections$EmptyMap size()I
java/util/Collections$EmptyMap isEmpty()Z
java/util/Collections$EmptyMap containsKey(Ljava/lang/Object;)Z
java/util/Collections$EmptyMap containsValue(Ljava/lang/Object;)Z
java/util/Collections$EmptyMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$EmptyMap keySet()Ljava/util/Set;
java/util/Collections$EmptyMap values()Ljava/util/Collection;
java/util/Collections$EmptyMap entrySet()Ljava/util/Set;
java/util/Collections$EmptyMap equals(Ljava/lang/Object;)Z
java/util/Collections$EmptyMap hashCode()I
java/util/Collections$EmptyMap readResolve()Ljava/lang/Object;
java/util/Collections$EmptyMap
 <init>(Ljava/util/Collections$1;)V
class java/util/Collections$EmptyList java/util/AbstractList
java/util/Collections$EmptyList serialVersionUID
java/util/Collections$EmptyList <init>()V
java/util/Collections$EmptyList size()I
java/util/Collections$EmptyList contains(Ljava/lang/Object;)Z
java/util/Collections$EmptyList get(I)Ljava/lang/Object;
java/util/Collections$EmptyList readResolve()Ljava/lang/Object;
java/util/Collections$EmptyList <init>(Ljava/util/Collections$1;)V

```

```

class java/util/Collections$EmptySet java/util/AbstractSet
java/util/Collections$EmptySet serialVersionUID
java/util/Collections$EmptySet <init>()V
java/util/Collections$EmptySet iterator()Ljava/util/Iterator;
java/util/Collections$EmptySet size()I
java/util/Collections$EmptySet contains(Ljava/lang/Object;)Z
java/util/Collections$EmptySet readResolve()Ljava/lang/Object;
java/util/Collections$EmptySet <init>(Ljava/util/Collections$1;)V
class java/util/AbstractSet java/util/AbstractCollection
java/util/AbstractSet
 <init>()V
java/util/AbstractSet equals(Ljava/lang/Object;)Z
java/util/AbstractSet hashCode()I
java/util/AbstractSet removeAll(Ljava/util/Collection;)Z
class java/util/Set java/lang/Object
java/util/Set size()I
java/util/Set isEmpty()Z
java/util/Set contains(Ljava/lang/Object;)Z
java/util/Set iterator()Ljava/util/Iterator;
java/util/Set toArray()[Ljava/lang/Object;
java/util/Set toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/Set add(Ljava/lang/Object;)Z
java/util/Set remove(Ljava/lang/Object;)Z
java/util/Set containsAll(Ljava/util/Collection;)Z
java/util/Set addAll(Ljava/util/Collection;)Z
java/util/Set retainAll(Ljava/util/Collection;)Z
java/util/Set removeAll(Ljava/util/Collection;)Z
java/util/Set clear()V
java/util/Set equals(Ljava/lang/Object;)Z
java/util/Set hashCode()I
class java/lang/reflect/ReflectAccess java/lang/Object
java/lang/reflect/ReflectAccess <init>()V
java/lang/reflect/ReflectAccess
 newField(Ljava/lang/Class;Ljava/lang/String;Ljava/lang/Class;IILjava/lang/String;[B)Ljava/lang/reflect/Field;
java/lang/reflect/ReflectAccess
 newMethod(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;Ljava/lang/Class;[Ljava/lang/Class;IILjava/lang/
String;[B[B(B)Ljava/lang/reflect/Method;
java/lang/reflect/ReflectAccess
 newConstructor(Ljava/lang/Class;[Ljava/lang/Class;[Ljava/lang/Class;IILjava/lang/String;[B[B)Ljava/lang/reflect/C
onstructor;
java/lang/reflect/ReflectAccess getMethodAccessor(Ljava/lang/reflect/Method;)Lsun/reflect/MethodAccessor;
java/lang/reflect/ReflectAccess setMethodAccessor(Ljava/lang/reflect/Method;Lsun/reflect/MethodAccessor;)V
java/lang/reflect/ReflectAccess
 getConstructorAccessor(Ljava/lang/reflect/Constructor;)Lsun/reflect/ConstructorAccessor;
java/lang/reflect/ReflectAccess
 setConstructorAccessor(Ljava/lang/reflect/Constructor;Lsun/reflect/ConstructorAccessor;)V
java/lang/reflect/ReflectAccess getConstructorSlot(Ljava/lang/reflect/Constructor;)I
java/lang/reflect/ReflectAccess getConstructorSignature(Ljava/lang/reflect/Constructor;)Ljava/lang/String;

```

```

java/lang/reflect/ReflectAccess
 getConstructorAnnotations(Ljava/lang/reflect/Constructor;)[B
java/lang/reflect/ReflectAccess getConstructorParameterAnnotations(Ljava/lang/reflect/Constructor;)[B
java/lang/reflect/ReflectAccess copyMethod(Ljava/lang/reflect/Method;)Ljava/lang/reflect/Method;
java/lang/reflect/ReflectAccess copyField(Ljava/lang/reflect/Field;)Ljava/lang/reflect/Field;
java/lang/reflect/ReflectAccess copyConstructor(Ljava/lang/reflect/Constructor;)Ljava/lang/reflect/Constructor;
class java/lang/reflect/Modifier java/lang/Object
java/lang/reflect/Modifier PUBLIC
java/lang/reflect/Modifier PRIVATE
java/lang/reflect/Modifier PROTECTED
java/lang/reflect/Modifier STATIC
java/lang/reflect/Modifier FINAL
java/lang/reflect/Modifier SYNCHRONIZED
java/lang/reflect/Modifier VOLATILE
java/lang/reflect/Modifier TRANSIENT
java/lang/reflect/Modifier NATIVE
java/lang/reflect/Modifier INTERFACE
java/lang/reflect/Modifier
 ABSTRACT
java/lang/reflect/Modifier STRICT
java/lang/reflect/Modifier BRIDGE
java/lang/reflect/Modifier VARARGS
java/lang/reflect/Modifier SYNTHETIC
java/lang/reflect/Modifier ANNOTATION
java/lang/reflect/Modifier ENUM
java/lang/reflect/Modifier <init>()V
java/lang/reflect/Modifier isPublic(I)Z
java/lang/reflect/Modifier isPrivate(I)Z
java/lang/reflect/Modifier isProtected(I)Z
java/lang/reflect/Modifier isStatic(I)Z
java/lang/reflect/Modifier isFinal(I)Z
java/lang/reflect/Modifier isSynchronized(I)Z
java/lang/reflect/Modifier isVolatile(I)Z
java/lang/reflect/Modifier isTransient(I)Z
java/lang/reflect/Modifier isNative(I)Z
java/lang/reflect/Modifier isInterface(I)Z
java/lang/reflect/Modifier isAbstract(I)Z
java/lang/reflect/Modifier isStrict(I)Z
java/lang/reflect/Modifier toString(I)Ljava/lang/String;
java/lang/reflect/Modifier isSynthetic(I)Z
java/lang/reflect/Modifier <clinit>()V
class java/lang/Class$3 java/lang/Object
java/lang/Class$3 <init>()V
java/lang/Class$3 run()Ljava/lang/Object;
class
 java/util/concurrent/atomic/AtomicLong java/lang/Number
java/util/concurrent/atomic/AtomicLong serialVersionUID
java/util/concurrent/atomic/AtomicLong unsafe

```



```

java/util/concurrent/atomic/AtomicLong valueOffset
java/util/concurrent/atomic/AtomicLong VM_SUPPORTS_LONG_CAS
java/util/concurrent/atomic/AtomicLong value
java/util/concurrent/atomic/AtomicLong VMSupportsCS8()Z
java/util/concurrent/atomic/AtomicLong <init>(J)V
java/util/concurrent/atomic/AtomicLong <init>()V
java/util/concurrent/atomic/AtomicLong get()J
java/util/concurrent/atomic/AtomicLong set(J)V
java/util/concurrent/atomic/AtomicLong getAndSet(J)J
java/util/concurrent/atomic/AtomicLong compareAndSet(JJ)Z
java/util/concurrent/atomic/AtomicLong weakCompareAndSet(JJ)Z
java/util/concurrent/atomic/AtomicLong getAndIncrement()J
java/util/concurrent/atomic/AtomicLong getAndDecrement()J
java/util/concurrent/atomic/AtomicLong getAndAdd(J)J
java/util/concurrent/atomic/AtomicLong incrementAndGet()J
java/util/concurrent/atomic/AtomicLong
 decrementAndGet()J
java/util/concurrent/atomic/AtomicLong addAndGet(J)J
java/util/concurrent/atomic/AtomicLong toString()Ljava/lang/String;
java/util/concurrent/atomic/AtomicLong intValue()I
java/util/concurrent/atomic/AtomicLong longValue()J
java/util/concurrent/atomic/AtomicLong floatValue()F
java/util/concurrent/atomic/AtomicLong doubleValue()D
java/util/concurrent/atomic/AtomicLong <clinit>()V
class java/util/Random java/lang/Object
java/util/Random serialVersionUID
java/util/Random seed
java/util/Random multiplier
java/util/Random addend
java/util/Random mask
java/util/Random seedUniquifier
java/util/Random BITS_PER_BYTE
java/util/Random BYTES_PER_INT
java/util/Random nextNextGaussian
java/util/Random haveNextNextGaussian
java/util/Random serialPersistentFields
java/util/Random <init>()V
java/util/Random <init>(J)V
java/util/Random setSeed(J)V
java/util/Random next(I)I
java/util/Random nextBytes([B)V
java/util/Random nextInt(I)I
java/util/Random nextInt(I)I
java/util/Random
 nextLong()J
java/util/Random nextBoolean()Z
java/util/Random nextFloat()F
java/util/Random nextDouble()D

```

```

java/util/Random nextGaussian()D
java/util/Random readObject(Ljava/io/ObjectInputStream;)V
java/util/Random writeObject(Ljava/io/ObjectOutputStream;)V
java/util/Random <clinit>()V
class java/util/Collections java/lang/Object
java/util/Collections BINARYSEARCH_THRESHOLD
java/util/Collections REVERSE_THRESHOLD
java/util/Collections SHUFFLE_THRESHOLD
java/util/Collections FILL_THRESHOLD
java/util/Collections ROTATE_THRESHOLD
java/util/Collections COPY_THRESHOLD
java/util/Collections REPLACEALL_THRESHOLD
java/util/Collections INDEXOFSUBLIST_THRESHOLD
java/util/Collections r
java/util/Collections EMPTY_SET
java/util/Collections EMPTY_LIST
java/util/Collections EMPTY_MAP
java/util/Collections REVERSE_ORDER
java/util/Collections <init>()V
java/util/Collections sort(Ljava/util/List;)V
java/util/Collections sort(Ljava/util/List;Ljava/util/Comparator;)V
java/util/Collections binarySearch(Ljava/util/List;Ljava/lang/Object;)I
java/util/Collections
 indexedBinarySearch(Ljava/util/List;Ljava/lang/Object;)I
java/util/Collections iteratorBinarySearch(Ljava/util/List;Ljava/lang/Object;)I
java/util/Collections get(Ljava/util/ListIterator;)Ljava/lang/Object;
java/util/Collections binarySearch(Ljava/util/List;Ljava/lang/Object;Ljava/util/Comparator;)I
java/util/Collections indexedBinarySearch(Ljava/util/List;Ljava/lang/Object;Ljava/util/Comparator;)I
java/util/Collections iteratorBinarySearch(Ljava/util/List;Ljava/lang/Object;Ljava/util/Comparator;)I
java/util/Collections reverse(Ljava/util/List;)V
java/util/Collections shuffle(Ljava/util/List;)V
java/util/Collections shuffle(Ljava/util/List;Ljava/util/Random;)V
java/util/Collections swap(Ljava/util/List;I)V
java/util/Collections swap([Ljava/lang/Object;I)V
java/util/Collections fill(Ljava/util/List;Ljava/lang/Object;)V
java/util/Collections copy(Ljava/util/List;Ljava/util/List;)V
java/util/Collections min(Ljava/util/Collection;)Ljava/lang/Object;
java/util/Collections
 min(Ljava/util/Collection;Ljava/util/Comparator;)Ljava/lang/Object;
java/util/Collections max(Ljava/util/Collection;)Ljava/lang/Object;
java/util/Collections max(Ljava/util/Collection;Ljava/util/Comparator;)Ljava/lang/Object;
java/util/Collections rotate(Ljava/util/List;)V
java/util/Collections rotate1(Ljava/util/List;)V
java/util/Collections rotate2(Ljava/util/List;)V
java/util/Collections replaceAll(Ljava/util/List;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/Collections indexOfSubList(Ljava/util/List;Ljava/util/List;)I
java/util/Collections lastIndexOfSubList(Ljava/util/List;Ljava/util/List;)I
java/util/Collections unmodifiableCollection(Ljava/util/Collection;)Ljava/util/Collection;

```

```

java/util/Collections unmodifiableSet(Ljava/util/Set;)Ljava/util/Set;
java/util/Collections unmodifiableSortedSet(Ljava/util/SortedSet;)Ljava/util/SortedSet;
java/util/Collections unmodifiableList(Ljava/util/List;)Ljava/util/List;
java/util/Collections
 unmodifiableMap(Ljava/util/Map;)Ljava/util/Map;
java/util/Collections unmodifiableSortedMap(Ljava/util/SortedMap;)Ljava/util/SortedMap;
java/util/Collections synchronizedCollection(Ljava/util/Collection;)Ljava/util/Collection;
java/util/Collections synchronizedCollection(Ljava/util/Collection;Ljava/lang/Object;)Ljava/util/Collection;
java/util/Collections synchronizedSet(Ljava/util/Set;)Ljava/util/Set;
java/util/Collections synchronizedSet(Ljava/util/Set;Ljava/lang/Object;)Ljava/util/Set;
java/util/Collections synchronizedSortedSet(Ljava/util/SortedSet;)Ljava/util/SortedSet;
java/util/Collections synchronizedList(Ljava/util/List;)Ljava/util/List;
java/util/Collections synchronizedList(Ljava/util/List;Ljava/lang/Object;)Ljava/util/List;
java/util/Collections synchronizedMap(Ljava/util/Map;)Ljava/util/Map;
java/util/Collections synchronizedSortedMap(Ljava/util/SortedMap;)Ljava/util/SortedMap;
java/util/Collections checkedCollection(Ljava/util/Collection;Ljava/lang/Class;)Ljava/util/Collection;
java/util/Collections
 checkedSet(Ljava/util/Set;Ljava/lang/Class;)Ljava/util/Set;
java/util/Collections checkedSortedSet(Ljava/util/SortedSet;Ljava/lang/Class;)Ljava/util/SortedSet;
java/util/Collections checkedList(Ljava/util/List;Ljava/lang/Class;)Ljava/util/List;
java/util/Collections checkedMap(Ljava/util/Map;Ljava/lang/Class;Ljava/lang/Class;)Ljava/util/Map;
java/util/Collections
 checkedSortedMap(Ljava/util/SortedMap;Ljava/lang/Class;Ljava/lang/Class;)Ljava/util/SortedMap;
java/util/Collections emptySet()Ljava/util/Set;
java/util/Collections emptyList()Ljava/util/List;
java/util/Collections emptyMap()Ljava/util/Map;
java/util/Collections singleton(Ljava/lang/Object;)Ljava/util/Set;
java/util/Collections singletonList(Ljava/lang/Object;)Ljava/util/List;
java/util/Collections singletonMap(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/Map;
java/util/Collections nCopies(ILjava/lang/Object;)Ljava/util/List;
java/util/Collections reverseOrder()Ljava/util/Comparator;
java/util/Collections
 reverseOrder(Ljava/util/Comparator;)Ljava/util/Comparator;
java/util/Collections enumeration(Ljava/util/Collection;)Ljava/util/Enumeration;
java/util/Collections list(Ljava/util/Enumeration;)Ljava/util/ArrayList;
java/util/Collections eq(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/Collections frequency(Ljava/util/Collection;Ljava/lang/Object;)I
java/util/Collections disjoint(Ljava/util/Collection;Ljava/util/Collection;)Z
java/util/Collections addAll(Ljava/util/Collection;[Ljava/lang/Object;)Z
java/util/Collections access$000(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/Collections <clinit>()V
class java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
java/util/concurrent/atomic/AtomicReferenceFieldUpdater
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl unsafe
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl offset
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
 tclass
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl vclass

```

```

java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl cclass
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
<init>(Ljava/lang/Class;Ljava/lang/Class;Ljava/lang/String;)V
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
compareAndSet(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
weakCompareAndSet(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
set(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
ensureProtectedAccess(Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl <clinit>()V
class java/util/concurrent/atomic/AtomicReferenceFieldUpdater java/lang/Object
java/util/concurrent/atomic/AtomicReferenceFieldUpdater
newUpdater(Ljava/lang/Class;Ljava/lang/Class;Ljava/lang/String;)Ljava/util/concurrent/atomic/AtomicReferenceFi
eldUpdater;
java/util/concurrent/atomic/AtomicReferenceFieldUpdater <init>()V
java/util/concurrent/atomic/AtomicReferenceFieldUpdater
compareAndSet(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReferenceFieldUpdater
weakCompareAndSet(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReferenceFieldUpdater set(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicReferenceFieldUpdater get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicReferenceFieldUpdater
getAndSet(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
class java/io/BufferedInputStream java/io/FilterInputStream
java/io/BufferedInputStream defaultBufferSize
java/io/BufferedInputStream buf
java/io/BufferedInputStream bufUpdater
java/io/BufferedInputStream count
java/io/BufferedInputStream pos
java/io/BufferedInputStream markpos
java/io/BufferedInputStream marklimit
java/io/BufferedInputStream getInIfOpen()Ljava/io/InputStream;
java/io/BufferedInputStream getBufIfOpen()[B
java/io/BufferedInputStream <init>(Ljava/io/InputStream;)V
java/io/BufferedInputStream <init>(Ljava/io/InputStream;I)V
java/io/BufferedInputStream fill()V
java/io/BufferedInputStream read()I
java/io/BufferedInputStream read1([BII)I
java/io/BufferedInputStream read([BII)I
java/io/BufferedInputStream skip(J)J
java/io/BufferedInputStream available()I
java/io/BufferedInputStream mark(I)V
java/io/BufferedInputStream reset()V
java/io/BufferedInputStream markSupported()Z

```

```

java/io/BufferedInputStream
 close()V
java/io/BufferedInputStream <clinit>()V
class java/io/FilterInputStream java/io/InputStream
java/io/FilterInputStream in
java/io/FilterInputStream <init>(Ljava/io/InputStream;)V
java/io/FilterInputStream read()I
java/io/FilterInputStream read([B)I
java/io/FilterInputStream read([BII)I
java/io/FilterInputStream skip(J)J
java/io/FilterInputStream available()I
java/io/FilterInputStream close()V
java/io/FilterInputStream mark(I)V
java/io/FilterInputStream reset()V
java/io/FilterInputStream markSupported()Z
class java/io/FileOutputStream java/io/OutputStream
java/io/FileOutputStream fd
java/io/FileOutputStream channel
java/io/FileOutputStream append
java/io/FileOutputStream <init>(Ljava/lang/String;)V
java/io/FileOutputStream <init>(Ljava/lang/String;Z)V
java/io/FileOutputStream <init>(Ljava/io/File;)V
java/io/FileOutputStream <init>(Ljava/io/File;Z)V
java/io/FileOutputStream <init>(Ljava/io/FileDescriptor;)V
java/io/FileOutputStream open(Ljava/lang/String;)V
java/io/FileOutputStream
 openAppend(Ljava/lang/String;)V
java/io/FileOutputStream write(I)V
java/io/FileOutputStream writeBytes([BII)V
java/io/FileOutputStream write([B)V
java/io/FileOutputStream write([BII)V
java/io/FileOutputStream close()V
java/io/FileOutputStream getFD()Ljava/io/FileDescriptor;
java/io/FileOutputStream getChannel()Ljava/nio/channels/FileChannel;
java/io/FileOutputStream finalize()V
java/io/FileOutputStream close0()V
java/io/FileOutputStream initIDs()V
java/io/FileOutputStream <clinit>()V
class java/io/OutputStream java/lang/Object
java/io/OutputStream <init>()V
java/io/OutputStream write(I)V
java/io/OutputStream write([B)V
java/io/OutputStream write([BII)V
java/io/OutputStream flush()V
java/io/OutputStream close()V
class java/io/Flushable java/lang/Object
java/io/Flushable flush()V
class java/io/FileDescriptor java/lang/Object

```

```

java/io/FileDescriptor fd
java/io/FileDescriptor handle
java/io/FileDescriptor in
java/io/FileDescriptor out
java/io/FileDescriptor
err
java/io/FileDescriptor <init>()V
java/io/FileDescriptor <init>(I)V
java/io/FileDescriptor valid()Z
java/io/FileDescriptor sync()V
java/io/FileDescriptor initIDs()V
java/io/FileDescriptor set(I)J
java/io/FileDescriptor standardStream(I)Ljava/io/FileDescriptor;
java/io/FileDescriptor <clinit>()V
class java/io/FileInputStream java/io/InputStream
java/io/FileInputStream fd
java/io/FileInputStream channel
java/io/FileInputStream <init>(Ljava/lang/String;)V
java/io/FileInputStream <init>(Ljava/io/File;)V
java/io/FileInputStream <init>(Ljava/io/FileDescriptor;)V
java/io/FileInputStream open(Ljava/lang/String;)V
java/io/FileInputStream read()I
java/io/FileInputStream readBytes([BII)I
java/io/FileInputStream read([B)I
java/io/FileInputStream read([BII)I
java/io/FileInputStream skip(J)J
java/io/FileInputStream available()I
java/io/FileInputStream close()V
java/io/FileInputStream getFD()Ljava/io/FileDescriptor;
java/io/FileInputStream getChannel()Ljava/nio/channels/FileChannel;
java/io/FileInputStream
initIDs()V
java/io/FileInputStream close0()V
java/io/FileInputStream finalize()V
java/io/FileInputStream <clinit>()V
class java/io/InputStream java/lang/Object
java/io/InputStream SKIP_BUFFER_SIZE
java/io/InputStream skipBuffer
java/io/InputStream <init>()V
java/io/InputStream read()I
java/io/InputStream read([B)I
java/io/InputStream read([BII)I
java/io/InputStream skip(J)J
java/io/InputStream available()I
java/io/InputStream close()V
java/io/InputStream mark(I)V
java/io/InputStream reset()V
java/io/InputStream markSupported()Z

```

```

class java/io/Closeable java/lang/Object
java/io/Closeable close()V
class java/util/Hashtable$Entry java/lang/Object
java/util/Hashtable$Entry hash
java/util/Hashtable$Entry key
java/util/Hashtable$Entry value
java/util/Hashtable$Entry next
java/util/Hashtable$Entry <init>(Ljava/lang/Object;Ljava/lang/Object;Ljava/util/Hashtable$Entry;)V
java/util/Hashtable$Entry clone()Ljava/lang/Object;
java/util/Hashtable$Entry getKey()Ljava/lang/Object;
java/util/Hashtable$Entry
 getValue()Ljava/lang/Object;
java/util/Hashtable$Entry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Hashtable$Entry equals(Ljava/lang/Object;)Z
java/util/Hashtable$Entry hashCode()I
java/util/Hashtable$Entry toString()Ljava/lang/String;
class java/util/Hashtable$EmptyIterator java/lang/Object
java/util/Hashtable$EmptyIterator <init>()V
java/util/Hashtable$EmptyIterator hasNext()Z
java/util/Hashtable$EmptyIterator next()Ljava/lang/Object;
java/util/Hashtable$EmptyIterator remove()V
class java/util/Iterator java/lang/Object
java/util/Iterator hasNext()Z
java/util/Iterator next()Ljava/lang/Object;
java/util/Iterator remove()V
class java/util/Hashtable$EmptyEnumerator java/lang/Object
java/util/Hashtable$EmptyEnumerator <init>()V
java/util/Hashtable$EmptyEnumerator hasMoreElements()Z
java/util/Hashtable$EmptyEnumerator nextElement()Ljava/lang/Object;
class java/util/Enumeration java/lang/Object
java/util/Enumeration hasMoreElements()Z
java/util/Enumeration
 nextElement()Ljava/lang/Object;
class java/lang/ref/Finalizer$FinalizerThread java/lang/Thread
java/lang/ref/Finalizer$FinalizerThread <init>(Ljava/lang/ThreadGroup;)V
java/lang/ref/Finalizer$FinalizerThread run()V
class java/lang/ref/Reference$ReferenceHandler java/lang/Thread
java/lang/ref/Reference$ReferenceHandler <init>(Ljava/lang/ThreadGroup;Ljava/lang/String;)V
java/lang/ref/Reference$ReferenceHandler run()V
class java/lang/ref/Reference$Lock java/lang/Object
java/lang/ref/Reference$Lock <init>()V
java/lang/ref/Reference$Lock <init>(Ljava/lang/ref/Reference$1;)V
class java/lang/reflect/ReflectPermission java/security/BasicPermission
java/lang/reflect/ReflectPermission serialVersionUID
java/lang/reflect/ReflectPermission <init>(Ljava/lang/String;)V
java/lang/reflect/ReflectPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/lang/annotation/Annotation java/lang/Object
java/lang/annotation/Annotation equals(Ljava/lang/Object;)Z

```

```

java/lang/annotation/Annotation hashCode()I
java/lang/annotation/Annotation
 toString()Ljava/lang/String;
java/lang/annotation/Annotation annotationType()Ljava/lang/Class;
class java/lang/NoSuchMethodError java/lang/IncompatibleClassChangeError
java/lang/NoSuchMethodError <init>()V
java/lang/NoSuchMethodError <init>(Ljava/lang/String;)V
class java/lang/IncompatibleClassChangeError java/lang/LinkageError
java/lang/IncompatibleClassChangeError <init>()V
java/lang/IncompatibleClassChangeError <init>(Ljava/lang/String;)V
class java/util/HashMap$Entry java/lang/Object
java/util/HashMap$Entry key
java/util/HashMap$Entry value
java/util/HashMap$Entry hash
java/util/HashMap$Entry next
java/util/HashMap$Entry <init>(ILjava/lang/Object;Ljava/lang/Object;Ljava/util/HashMap$Entry;)V
java/util/HashMap$Entry getKey()Ljava/lang/Object;
java/util/HashMap$Entry getValue()Ljava/lang/Object;
java/util/HashMap$Entry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/HashMap$Entry equals(Ljava/lang/Object;)Z
java/util/HashMap$Entry hashCode()I
java/util/HashMap$Entry
 toString()Ljava/lang/String;
java/util/HashMap$Entry recordAccess(Ljava/util/HashMap;)V
java/util/HashMap$Entry recordRemoval(Ljava/util/HashMap;)V
class java/util/Map$Entry java/lang/Object
java/util/Map$Entry getKey()Ljava/lang/Object;
java/util/Map$Entry getValue()Ljava/lang/Object;
java/util/Map$Entry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Map$Entry equals(Ljava/lang/Object;)Z
java/util/Map$Entry hashCode()I
class java/util/Stack java/util/Vector
java/util/Stack serialVersionUID
java/util/Stack <init>()V
java/util/Stack push(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Stack pop()Ljava/lang/Object;
java/util/Stack peek()Ljava/lang/Object;
java/util/Stack empty()Z
java/util/Stack search(Ljava/lang/Object;)I
class java/security/AccessController java/lang/Object
java/security/AccessController <init>()V
java/security/AccessController doPrivileged(Ljava/security/PrivilegedAction;)Ljava/lang/Object;
java/security/AccessController
 doPrivileged(Ljava/security/PrivilegedAction;Ljava/security/AccessControlContext;)Ljava/lang/Object;
java/security/AccessController
 doPrivileged(Ljava/security/PrivilegedExceptionAction;)Ljava/lang/Object;
java/security/AccessController
 doPrivileged(Ljava/security/PrivilegedExceptionAction;Ljava/security/AccessControlContext;)Ljava/lang/Object;

```



```

java/security/AccessController getStackAccessControlContext()Ljava/security/AccessControlContext;
java/security/AccessController getInheritedAccessControlContext()Ljava/security/AccessControlContext;
java/security/AccessController getContext()Ljava/security/AccessControlContext;
java/security/AccessController checkPermission(Ljava/security/Permission;)V
class java/security/PrivilegedAction java/lang/Object
java/security/PrivilegedAction run()Ljava/lang/Object;
class java/io/ObjectStreamClass java/lang/Object
java/io/ObjectStreamClass NO_FIELDS
java/io/ObjectStreamClass serialVersionUID
java/io/ObjectStreamClass serialPersistentFields
java/io/ObjectStreamClass
 reflFactory
java/io/ObjectStreamClass cl
java/io/ObjectStreamClass name
java/io/ObjectStreamClass suid
java/io/ObjectStreamClass isProxy
java/io/ObjectStreamClass isEnum
java/io/ObjectStreamClass serializable
java/io/ObjectStreamClass externalizable
java/io/ObjectStreamClass hasWriteObjectData
java/io/ObjectStreamClass hasBlockExternalData
java/io/ObjectStreamClass resolveEx
java/io/ObjectStreamClass deserializeEx
java/io/ObjectStreamClass serializeEx
java/io/ObjectStreamClass defaultSerializeEx
java/io/ObjectStreamClass fields
java/io/ObjectStreamClass primDataSize
java/io/ObjectStreamClass numObjFields
java/io/ObjectStreamClass fieldRefl
java/io/ObjectStreamClass dataLayout
java/io/ObjectStreamClass cons
java/io/ObjectStreamClass writeObjectMethod
java/io/ObjectStreamClass readObjectMethod
java/io/ObjectStreamClass readObjectNoDataMethod
java/io/ObjectStreamClass writeReplaceMethod
java/io/ObjectStreamClass readResolveMethod
java/io/ObjectStreamClass localDesc
java/io/ObjectStreamClass
 superDesc
java/io/ObjectStreamClass initNative()V
java/io/ObjectStreamClass lookup(Ljava/lang/Class;)Ljava/io/ObjectStreamClass;
java/io/ObjectStreamClass getName()Ljava/lang/String;
java/io/ObjectStreamClass getSerialVersionUID()J
java/io/ObjectStreamClass forClass(Ljava/lang/Class;
java/io/ObjectStreamClass getFields()[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass getField(Ljava/lang/String;)Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass toString()Ljava/lang/String;
java/io/ObjectStreamClass lookup(Ljava/lang/Class;Z)Ljava/io/ObjectStreamClass;

```

```

java/io/ObjectStreamClass <init>(Ljava/lang/Class;)V
java/io/ObjectStreamClass <init>()V
java/io/ObjectStreamClass
initProxy(Ljava/lang/Class;Ljava/lang/ClassNotFoundException;Ljava/io/ObjectStreamClass;)V
java/io/ObjectStreamClass
initNonProxy(Ljava/io/ObjectStreamClass;Ljava/lang/Class;Ljava/lang/ClassNotFoundException;Ljava/io/ObjectStreamClass;)V
java/io/ObjectStreamClass readNonProxy(Ljava/io/ObjectInputStream;)V
java/io/ObjectStreamClass
writeNonProxy(Ljava/io/ObjectOutputStream;)V
java/io/ObjectStreamClass getResolveException()Ljava/lang/ClassNotFoundException;
java/io/ObjectStreamClass checkDeserialize()V
java/io/ObjectStreamClass checkSerialize()V
java/io/ObjectStreamClass checkDefaultSerialize()V
java/io/ObjectStreamClass getSuperDesc()Ljava/io/ObjectStreamClass;
java/io/ObjectStreamClass getLocalDesc()Ljava/io/ObjectStreamClass;
java/io/ObjectStreamClass getFields(Z)[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass getField(Ljava/lang/String;Ljava/lang/Class;)Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass isProxy()Z
java/io/ObjectStreamClass isEnum()Z
java/io/ObjectStreamClass isExternalizable()Z
java/io/ObjectStreamClass isSerializable()Z
java/io/ObjectStreamClass hasBlockExternalData()Z
java/io/ObjectStreamClass hasWriteObjectData()Z
java/io/ObjectStreamClass isInstantiable()Z
java/io/ObjectStreamClass hasWriteObjectMethod()Z
java/io/ObjectStreamClass hasReadObjectMethod()Z
java/io/ObjectStreamClass
hasReadObjectNoDataMethod()Z
java/io/ObjectStreamClass hasWriteReplaceMethod()Z
java/io/ObjectStreamClass hasReadResolveMethod()Z
java/io/ObjectStreamClass newInstance()Ljava/lang/Object;
java/io/ObjectStreamClass invokeWriteObject(Ljava/lang/Object;Ljava/io/ObjectOutputStream;)V
java/io/ObjectStreamClass invokeReadObject(Ljava/lang/Object;Ljava/io/ObjectInputStream;)V
java/io/ObjectStreamClass invokeReadObjectNoData(Ljava/lang/Object;)V
java/io/ObjectStreamClass invokeWriteReplace(Ljava/lang/Object;)Ljava/lang/Object;
java/io/ObjectStreamClass invokeReadResolve(Ljava/lang/Object;)Ljava/lang/Object;
java/io/ObjectStreamClass getClassDataLayout()[Ljava/io/ObjectStreamClass$ClassDataSlot;
java/io/ObjectStreamClass getClassDataLayout0()[Ljava/io/ObjectStreamClass$ClassDataSlot;
java/io/ObjectStreamClass getPrimDataSize()I
java/io/ObjectStreamClass getNumObjFields()I
java/io/ObjectStreamClass getPrimFieldValues(Ljava/lang/Object;[B)V
java/io/ObjectStreamClass setPrimFieldValues(Ljava/lang/Object;[B)V
java/io/ObjectStreamClass
getObjFieldValues(Ljava/lang/Object;[Ljava/lang/Object;)V
java/io/ObjectStreamClass setObjFieldValues(Ljava/lang/Object;[Ljava/lang/Object;)V
java/io/ObjectStreamClass computeFieldOffsets()V
java/io/ObjectStreamClass getVariantFor(Ljava/lang/Class;)Ljava/io/ObjectStreamClass;

```

```

java/io/ObjectStreamClass getExternalizableConstructor(Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/io/ObjectStreamClass getSerializableConstructor(Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/io/ObjectStreamClass
getInheritableMethod(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass
getPrivateMethod(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass packageEquals(Ljava/lang/Class;Ljava/lang/Class;)Z
java/io/ObjectStreamClass getPackageName(Ljava/lang/Class;)Ljava/lang/String;
java/io/ObjectStreamClass
classNamesEqual(Ljava/lang/String;Ljava/lang/String;)Z
java/io/ObjectStreamClass getClassSignature(Ljava/lang/Class;)Ljava/lang/String;
java/io/ObjectStreamClass getMethodSignature([Ljava/lang/Class;Ljava/lang/Class;)Ljava/lang/String;
java/io/ObjectStreamClass throwMiscException(Ljava/lang/Throwable;)V
java/io/ObjectStreamClass getSerialFields(Ljava/lang/Class;)[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass getDeclaredSerialFields(Ljava/lang/Class;)[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass getDefaultSerialFields(Ljava/lang/Class;)[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass getDeclaredSUID(Ljava/lang/Class;)Ljava/lang/Long;
java/io/ObjectStreamClass computeDefaultSUID(Ljava/lang/Class;)J
java/io/ObjectStreamClass hasStaticInitializer(Ljava/lang/Class;)Z
java/io/ObjectStreamClass
getReflector([Ljava/io/ObjectStreamField;Ljava/io/ObjectStreamClass;)Ljava/io/ObjectStreamClass$FieldReflector;
java/io/ObjectStreamClass
matchFields([Ljava/io/ObjectStreamField;Ljava/io/ObjectStreamClass;)[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass
processQueue(Ljava/lang/ref/ReferenceQueue;Ljava/util/concurrent/ConcurrentMap;)V
java/io/ObjectStreamClass access$000(Ljava/io/ObjectStreamClass;)Ljava/lang/Class;
java/io/ObjectStreamClass access$100(Ljava/lang/Class;)J
java/io/ObjectStreamClass access$400(Ljava/io/ObjectStreamClass;)Z
java/io/ObjectStreamClass access$502(Ljava/io/ObjectStreamClass;Ljava/lang/Long;)Ljava/lang/Long;
java/io/ObjectStreamClass
access$602(Ljava/io/ObjectStreamClass;[Ljava/io/ObjectStreamField;)[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass access$700(Ljava/lang/Class;)Ljava/lang/Long;
java/io/ObjectStreamClass access$800(Ljava/lang/Class;)[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass access$900(Ljava/io/ObjectStreamClass;)V
java/io/ObjectStreamClass
access$1002(Ljava/io/ObjectStreamClass;Ljava/io/InvalidClassException;)Ljava/io/InvalidClassException;
java/io/ObjectStreamClass
access$1102(Ljava/io/ObjectStreamClass;Ljava/io/InvalidClassException;)Ljava/io/InvalidClassException;
java/io/ObjectStreamClass
access$1200(Ljava/io/ObjectStreamClass;)Z
java/io/ObjectStreamClass
access$1302(Ljava/io/ObjectStreamClass;Ljava/lang/reflect/Constructor;)Ljava/lang/reflect/Constructor;
java/io/ObjectStreamClass access$1400(Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/io/ObjectStreamClass access$1500(Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/io/ObjectStreamClass
access$1602(Ljava/io/ObjectStreamClass;Ljava/lang/reflect/Method;)Ljava/lang/reflect/Method;

```

```

java/io/ObjectStreamClass
access$1700(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass
access$1802(Ljava/io/ObjectStreamClass;Ljava/lang/reflect/Method;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass
access$1902(Ljava/io/ObjectStreamClass;Ljava/lang/reflect/Method;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass access$2002(Ljava/io/ObjectStreamClass;Z)Z
java/io/ObjectStreamClass
access$1600(Ljava/io/ObjectStreamClass;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass
access$2102(Ljava/io/ObjectStreamClass;Ljava/lang/reflect/Method;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass
access$2200(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass
access$2302(Ljava/io/ObjectStreamClass;Ljava/lang/reflect/Method;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass access$2400([Ljava/lang/Class;Ljava/lang/Class;)Ljava/lang/String;
java/io/ObjectStreamClass <clinit>()V
class java/util/HashMap java/util/AbstractMap
java/util/HashMap DEFAULT_INITIAL_CAPACITY
java/util/HashMap MAXIMUM_CAPACITY
java/util/HashMap DEFAULT_LOAD_FACTOR
java/util/HashMap table
java/util/HashMap size
java/util/HashMap threshold
java/util/HashMap loadFactor
java/util/HashMap modCount
java/util/HashMap NULL_KEY
java/util/HashMap useNewHash
java/util/HashMap entrySet
java/util/HashMap
serialVersionUID
java/util/HashMap <init>(IF)V
java/util/HashMap <init>(I)V
java/util/HashMap <init>()V
java/util/HashMap <init>(Ljava/util/Map;)V
java/util/HashMap init()V
java/util/HashMap maskNull(Ljava/lang/Object;)Ljava/lang/Object;
java/util/HashMap unmaskNull(Ljava/lang/Object;)Ljava/lang/Object;
java/util/HashMap oldHash(I)I
java/util/HashMap newHash(I)I
java/util/HashMap hash(I)I
java/util/HashMap hash(Ljava/lang/Object;)I
java/util/HashMap eq(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/HashMap indexFor(II)I
java/util/HashMap size()I
java/util/HashMap isEmpty()Z
java/util/HashMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/HashMap getForNullKey()Ljava/lang/Object;

```

```

java/util/HashMap containsKey(Ljava/lang/Object;)Z
java/util/HashMap getEntry(Ljava/lang/Object;)Ljava/util/HashMap$Entry;
java/util/HashMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/HashMap putForNullKey(Ljava/lang/Object;)Ljava/lang/Object;
java/util/HashMap
 putForCreate(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/HashMap putAllForCreate(Ljava/util/Map;)V
java/util/HashMap resize(I)V
java/util/HashMap transfer([Ljava/util/HashMap$Entry;)V
java/util/HashMap putAll(Ljava/util/Map;)V
java/util/HashMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/HashMap removeEntryForKey(Ljava/lang/Object;)Ljava/util/HashMap$Entry;
java/util/HashMap removeMapping(Ljava/lang/Object;)Ljava/util/HashMap$Entry;
java/util/HashMap clear()V
java/util/HashMap containsValue(Ljava/lang/Object;)Z
java/util/HashMap containsNullValue()Z
java/util/HashMap clone()Ljava/lang/Object;
java/util/HashMap addEntry(ILjava/lang/Object;Ljava/lang/Object;I)V
java/util/HashMap createEntry(ILjava/lang/Object;Ljava/lang/Object;I)V
java/util/HashMap newKeyIterator()Ljava/util/Iterator;
java/util/HashMap newValueIterator()Ljava/util/Iterator;
java/util/HashMap newEntryIterator()Ljava/util/Iterator;
java/util/HashMap keySet()Ljava/util/Set;
java/util/HashMap values()Ljava/util/Collection;
java/util/HashMap
 entrySet()Ljava/util/Set;
java/util/HashMap writeObject(Ljava/io/ObjectOutputStream;)V
java/util/HashMap readObject(Ljava/io/ObjectInputStream;)V
java/util/HashMap capacity()I
java/util/HashMap loadFactor()F
java/util/HashMap <clinit>()V
class java/lang/ref/ReferenceQueue$Lock java/lang/Object
java/lang/ref/ReferenceQueue$Lock <init>()V
java/lang/ref/ReferenceQueue$Lock <init>(Ljava/lang/ref/ReferenceQueue$1;)V
class java/lang/ref/ReferenceQueue$Null java/lang/ref/ReferenceQueue
java/lang/ref/ReferenceQueue$Null <init>()V
java/lang/ref/ReferenceQueue$Null enqueue(Ljava/lang/ref/Reference;)Z
java/lang/ref/ReferenceQueue$Null <init>(Ljava/lang/ref/ReferenceQueue$1;)V
class java/lang/ref/ReferenceQueue java/lang/Object
java/lang/ref/ReferenceQueue NULL
java/lang/ref/ReferenceQueue ENQUEUED
java/lang/ref/ReferenceQueue lock
java/lang/ref/ReferenceQueue head
java/lang/ref/ReferenceQueue queueLength
java/lang/ref/ReferenceQueue <init>()V
java/lang/ref/ReferenceQueue
 enqueue(Ljava/lang/ref/Reference;)Z
java/lang/ref/ReferenceQueue reallyPoll(Ljava/lang/ref/Reference;

```

```

java/lang/ref/ReferenceQueue poll()Ljava/lang/ref/Reference;
java/lang/ref/ReferenceQueue remove(J)Ljava/lang/ref/Reference;
java/lang/ref/ReferenceQueue remove()Ljava/lang/ref/Reference;
java/lang/ref/ReferenceQueue <clinit>()V
class java/util/AbstractMap java/lang/Object
java/util/AbstractMap keySet
java/util/AbstractMap values
java/util/AbstractMap <init>()V
java/util/AbstractMap size()I
java/util/AbstractMap isEmpty()Z
java/util/AbstractMap containsValue(Ljava/lang/Object;)Z
java/util/AbstractMap containsKey(Ljava/lang/Object;)Z
java/util/AbstractMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/AbstractMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/AbstractMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/AbstractMap putAll(Ljava/util/Map;)V
java/util/AbstractMap clear()V
java/util/AbstractMap keySet()Ljava/util/Set;
java/util/AbstractMap
 values()Ljava/util/Collection;
java/util/AbstractMap entrySet()Ljava/util/Set;
java/util/AbstractMap equals(Ljava/lang/Object;)Z
java/util/AbstractMap hashCode()I
java/util/AbstractMap toString()Ljava/lang/String;
java/util/AbstractMap clone()Ljava/lang/Object;
class java/lang/RuntimePermission java/security/BasicPermission
java/lang/RuntimePermission serialVersionUID
java/lang/RuntimePermission <init>(Ljava/lang/String;)V
java/lang/RuntimePermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/security/BasicPermission java/security/Permission
java/security/BasicPermission serialVersionUID
java/security/BasicPermission wildcard
java/security/BasicPermission path
java/security/BasicPermission init(Ljava/lang/String;)V
java/security/BasicPermission <init>(Ljava/lang/String;)V
java/security/BasicPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
java/security/BasicPermission implies(Ljava/security/Permission;)Z
java/security/BasicPermission equals(Ljava/lang/Object;)Z
java/security/BasicPermission
 hashCode()I
java/security/BasicPermission getActions()Ljava/lang/String;
java/security/BasicPermission newPermissionCollection()Ljava/security/PermissionCollection;
java/security/BasicPermission readObject(Ljava/io/ObjectInputStream;)V
class java/security/Permission java/lang/Object
java/security/Permission serialVersionUID
java/security/Permission name
java/security/Permission <init>(Ljava/lang/String;)V
java/security/Permission checkGuard(Ljava/lang/Object;)V

```

```

java/security/Permission implies(Ljava/security/Permission;)Z
java/security/Permission equals(Ljava/lang/Object;)Z
java/security/Permission hashCode()I
java/security/Permission getName()Ljava/lang/String;
java/security/Permission getActions()Ljava/lang/String;
java/security/Permission newPermissionCollection()Ljava/security/PermissionCollection;
java/security/Permission toString()Ljava/lang/String;
class java/security/Guard java/lang/Object
java/security/Guard checkGuard(Ljava/lang/Object;)V
class
 java/lang/String$CaseInsensitiveComparator java/lang/Object
 java/lang/String$CaseInsensitiveComparator serialVersionUID
 java/lang/String$CaseInsensitiveComparator <init>()V
 java/lang/String$CaseInsensitiveComparator compare(Ljava/lang/String;Ljava/lang/String;)I
 java/lang/String$CaseInsensitiveComparator compare(Ljava/lang/Object;Ljava/lang/Object;)I
 java/lang/String$CaseInsensitiveComparator <init>(Ljava/lang/String$1;)V
class java/util/Comparator java/lang/Object
java/util/Comparator compare(Ljava/lang/Object;Ljava/lang/Object;)I
java/util/Comparator equals(Ljava/lang/Object;)Z
class java/io/ObjectStreamField java/lang/Object
java/io/ObjectStreamField name
java/io/ObjectStreamField signature
java/io/ObjectStreamField type
java/io/ObjectStreamField unshared
java/io/ObjectStreamField field
java/io/ObjectStreamField offset
java/io/ObjectStreamField <init>(Ljava/lang/String;Ljava/lang/Class;)V
java/io/ObjectStreamField <init>(Ljava/lang/String;Ljava/lang/Class;Z)V
java/io/ObjectStreamField
 <init>(Ljava/lang/String;Ljava/lang/String;Z)V
java/io/ObjectStreamField <init>(Ljava/lang/reflect/Field;ZZ)V
java/io/ObjectStreamField getName()Ljava/lang/String;
java/io/ObjectStreamField getType()Ljava/lang/Class;
java/io/ObjectStreamField getTypeCode()C
java/io/ObjectStreamField getTypeString()Ljava/lang/String;
java/io/ObjectStreamField getOffset()I
java/io/ObjectStreamField setOffset(I)V
java/io/ObjectStreamField isPrimitive()Z
java/io/ObjectStreamField isUnshared()Z
java/io/ObjectStreamField compareTo(Ljava/lang/Object;)I
java/io/ObjectStreamField toString()Ljava/lang/String;
java/io/ObjectStreamField getField()Ljava/lang/reflect/Field;
java/io/ObjectStreamField getSignature()Ljava/lang/String;
class java/lang/StrictMath java/lang/Object
java/lang/StrictMath E
java/lang/StrictMath PI
java/lang/StrictMath randomNumberGenerator
java/lang/StrictMath negativeZeroFloatBits

```

java/lang/StrictMath negativeZeroDoubleBits  
java/lang/StrictMath <init>()V  
java/lang/StrictMath sin(D)D  
java/lang/StrictMath  
    cos(D)D  
java/lang/StrictMath tan(D)D  
java/lang/StrictMath asin(D)D  
java/lang/StrictMath acos(D)D  
java/lang/StrictMath atan(D)D  
java/lang/StrictMath toRadians(D)D  
java/lang/StrictMath toDegrees(D)D  
java/lang/StrictMath exp(D)D  
java/lang/StrictMath log(D)D  
java/lang/StrictMath log10(D)D  
java/lang/StrictMath sqrt(D)D  
java/lang/StrictMath cbrt(D)D  
java/lang/StrictMath IEEERemainder(DD)D  
java/lang/StrictMath ceil(D)D  
java/lang/StrictMath floor(D)D  
java/lang/StrictMath rint(D)D  
java/lang/StrictMath atan2(DD)D  
java/lang/StrictMath pow(DD)D  
java/lang/StrictMath round(F)I  
java/lang/StrictMath round(D)J  
java/lang/StrictMath initRNG()V  
java/lang/StrictMath random()D  
java/lang/StrictMath abs(I)I  
java/lang/StrictMath abs(J)J  
java/lang/StrictMath abs(F)F  
java/lang/StrictMath abs(D)D  
java/lang/StrictMath max(II)I  
java/lang/StrictMath max(JJ)J  
java/lang/StrictMath max(FF)F  
java/lang/StrictMath max(DD)D  
java/lang/StrictMath min(II)I  
java/lang/StrictMath min(JJ)J  
java/lang/StrictMath  
    min(FF)F  
java/lang/StrictMath min(DD)D  
java/lang/StrictMath ulp(D)D  
java/lang/StrictMath ulp(F)F  
java/lang/StrictMath signum(D)D  
java/lang/StrictMath signum(F)F  
java/lang/StrictMath sinh(D)D  
java/lang/StrictMath cosh(D)D  
java/lang/StrictMath tanh(D)D  
java/lang/StrictMath hypot(DD)D  
java/lang/StrictMath expm1(D)D



```

java/lang/StrictMath log1p(D)D
java/lang/StrictMath <clinit>()V
class java/lang/ArithmeticException java/lang/RuntimeException
java/lang/ArithmeticException <init>()V
java/lang/ArithmeticException <init>(Ljava/lang/String;)V
class java/lang/NullPointerException java/lang/RuntimeException
java/lang/NullPointerException <init>()V
java/lang/NullPointerException <init>(Ljava/lang/String;)V
class java/lang/management/MemoryUsage java/lang/Object
java/lang/management/MemoryUsage init
java/lang/management/MemoryUsage used
java/lang/management/MemoryUsage committed
java/lang/management/MemoryUsage max
java/lang/management/MemoryUsage <init>(JJJJ)V
java/lang/management/MemoryUsage
 <init>(Ljavax/management/openmbean/CompositeData;)V
java/lang/management/MemoryUsage getInit()J
java/lang/management/MemoryUsage getUsed()J
java/lang/management/MemoryUsage getCommitted()J
java/lang/management/MemoryUsage getMax()J
java/lang/management/MemoryUsage toString()Ljava/lang/String;
java/lang/management/MemoryUsage
 from(Ljavax/management/openmbean/CompositeData;)Ljava/lang/management/MemoryUsage;
class java/lang/Long java/lang/Number
java/lang/Long MIN_VALUE
java/lang/Long MAX_VALUE
java/lang/Long TYPE
java/lang/Long value
java/lang/Long SIZE
java/lang/Long serialVersionUID
java/lang/Long toString(JI)Ljava/lang/String;
java/lang/Long toHexString(J)Ljava/lang/String;
java/lang/Long toOctalString(J)Ljava/lang/String;
java/lang/Long toBinaryString(J)Ljava/lang/String;
java/lang/Long toUnsignedString(JI)Ljava/lang/String;
java/lang/Long toString(J)Ljava/lang/String;
java/lang/Long getChars(JI[C)V
java/lang/Long stringSize(J)I
java/lang/Long parseLong(Ljava/lang/String;I)J
java/lang/Long
 parseLong(Ljava/lang/String;)J
java/lang/Long valueOf(Ljava/lang/String;I)Ljava/lang/Long;
java/lang/Long valueOf(Ljava/lang/String;)Ljava/lang/Long;
java/lang/Long valueOf(J)Ljava/lang/Long;
java/lang/Long decode(Ljava/lang/String;)Ljava/lang/Long;
java/lang/Long <init>(J)V
java/lang/Long <init>(Ljava/lang/String;)V
java/lang/Long byteValue()B

```

```

java/lang/Long shortValue()S
java/lang/Long intValue()I
java/lang/Long longValue()J
java/lang/Long floatValue()F
java/lang/Long doubleValue()D
java/lang/Long toString()Ljava/lang/String;
java/lang/Long hashCode()I
java/lang/Long equals(Ljava/lang/Object;)Z
java/lang/Long getLong(Ljava/lang/String;)Ljava/lang/Long;
java/lang/Long getLong(Ljava/lang/String;)Ljava/lang/Long;
java/lang/Long getLong(Ljava/lang/String;Ljava/lang/Long;)Ljava/lang/Long;
java/lang/Long compareTo(Ljava/lang/Long;)I
java/lang/Long highestOneBit(J)J
java/lang/Long lowestOneBit(J)J
java/lang/Long numberOfLeadingZeros(J)I
java/lang/Long numberOfTrailingZeros(J)I
java/lang/Long
 bitCount(J)I
java/lang/Long rotateLeft(JI)J
java/lang/Long rotateRight(JI)J
java/lang/Long reverse(J)J
java/lang/Long signum(J)I
java/lang/Long reverseBytes(J)J
java/lang/Long compareTo(Ljava/lang/Object;)I
java/lang/Long <clinit>()V
class java/lang/Integer java/lang/Number
java/lang/Integer MIN_VALUE
java/lang/Integer MAX_VALUE
java/lang/Integer TYPE
java/lang/Integer digits
java/lang/Integer DigitTens
java/lang/Integer DigitOnes
java/lang/Integer sizeTable
java/lang/Integer value
java/lang/Integer SIZE
java/lang/Integer serialVersionUID
java/lang/Integer toString(II)Ljava/lang/String;
java/lang/Integer toHexString(I)Ljava/lang/String;
java/lang/Integer toOctalString(I)Ljava/lang/String;
java/lang/Integer toBinaryString(I)Ljava/lang/String;
java/lang/Integer toUnsignedString(II)Ljava/lang/String;
java/lang/Integer toString(I)Ljava/lang/String;
java/lang/Integer getChars(II[C)V
java/lang/Integer stringSize(I)I
java/lang/Integer parseInt(Ljava/lang/String;)I
java/lang/Integer
 parseInt(Ljava/lang/String;)I
java/lang/Integer valueOf(Ljava/lang/String;)Ljava/lang/Integer;

```

```

java/lang/Integer valueOf(Ljava/lang/String;)Ljava/lang/Integer;
java/lang/Integer valueOf(I)Ljava/lang/Integer;
java/lang/Integer <init>(I)V
java/lang/Integer <init>(Ljava/lang/String;)V
java/lang/Integer byteValue()B
java/lang/Integer shortValue()S
java/lang/Integer intValue()I
java/lang/Integer longValue()J
java/lang/Integer floatValue()F
java/lang/Integer doubleValue()D
java/lang/Integer toString()Ljava/lang/String;
java/lang/Integer hashCode()I
java/lang/Integer equals(Ljava/lang/Object;)Z
java/lang/Integer getInteger(Ljava/lang/String;)Ljava/lang/Integer;
java/lang/Integer getInteger(Ljava/lang/String;I)Ljava/lang/Integer;
java/lang/Integer getInteger(Ljava/lang/String;Ljava/lang/Integer;)Ljava/lang/Integer;
java/lang/Integer decode(Ljava/lang/String;)Ljava/lang/Integer;
java/lang/Integer compareTo(Ljava/lang/Integer;)I
java/lang/Integer highestOneBit(I)I
java/lang/Integer lowestOneBit(I)I
java/lang/Integer
 numberOfLeadingZeros(I)I
java/lang/Integer numberOfTrailingZeros(I)I
java/lang/Integer bitCount(I)I
java/lang/Integer rotateLeft(II)I
java/lang/Integer rotateRight(II)I
java/lang/Integer reverse(I)I
java/lang/Integer signum(I)I
java/lang/Integer reverseBytes(I)I
java/lang/Integer compareTo(Ljava/lang/Object;)I
java/lang/Integer <clinit>()V
class java/lang/Short java/lang/Number
java/lang/Short MIN_VALUE
java/lang/Short MAX_VALUE
java/lang/Short TYPE
java/lang/Short value
java/lang/Short SIZE
java/lang/Short serialVersionUID
java/lang/Short toString(S)Ljava/lang/String;
java/lang/Short parseShort(Ljava/lang/String;)S
java/lang/Short parseShort(Ljava/lang/String;I)S
java/lang/Short valueOf(Ljava/lang/String;I)Ljava/lang/Short;
java/lang/Short valueOf(Ljava/lang/String;)Ljava/lang/Short;
java/lang/Short valueOf(S)Ljava/lang/Short;
java/lang/Short decode(Ljava/lang/String;)Ljava/lang/Short;
java/lang/Short <init>(S)V
java/lang/Short <init>(Ljava/lang/String;)V
java/lang/Short

```

```

byteValue()B
java/lang/Short shortValue()S
java/lang/Short intValue()I
java/lang/Short longValue()J
java/lang/Short floatValue()F
java/lang/Short doubleValue()D
java/lang/Short toString()Ljava/lang/String;
java/lang/Short hashCode()I
java/lang/Short equals(Ljava/lang/Object;)Z
java/lang/Short compareTo(Ljava/lang/Short;)I
java/lang/Short reverseBytes(S)S
java/lang/Short compareTo(Ljava/lang/Object;)I
java/lang/Short <clinit>()V
class java/lang/Byte java/lang/Number
java/lang/Byte MIN_VALUE
java/lang/Byte MAX_VALUE
java/lang/Byte TYPE
java/lang/Byte value
java/lang/Byte SIZE
java/lang/Byte serialVersionUID
java/lang/Byte toString(B)Ljava/lang/String;
java/lang/Byte valueOf(B)Ljava/lang/Byte;
java/lang/Byte parseByte(Ljava/lang/String;)B
java/lang/Byte parseByte(Ljava/lang/String;I)B
java/lang/Byte valueOf(Ljava/lang/String;I)Ljava/lang/Byte;
java/lang/Byte valueOf(Ljava/lang/String;)Ljava/lang/Byte;
java/lang/Byte decode(Ljava/lang/String;)Ljava/lang/Byte;
java/lang/Byte <init>(B)V
java/lang/Byte
 <init>(Ljava/lang/String;)V
java/lang/Byte byteValue()B
java/lang/Byte shortValue()S
java/lang/Byte intValue()I
java/lang/Byte longValue()J
java/lang/Byte floatValue()F
java/lang/Byte doubleValue()D
java/lang/Byte toString()Ljava/lang/String;
java/lang/Byte hashCode()I
java/lang/Byte equals(Ljava/lang/Object;)Z
java/lang/Byte compareTo(Ljava/lang/Byte;)I
java/lang/Byte compareTo(Ljava/lang/Object;)I
java/lang/Byte <clinit>()V
class java/lang/Double java/lang/Number
java/lang/Double POSITIVE_INFINITY
java/lang/Double NEGATIVE_INFINITY
java/lang/Double NaN
java/lang/Double MAX_VALUE
java/lang/Double MIN_VALUE

```

```

java/lang/Double SIZE
java/lang/Double TYPE
java/lang/Double value
java/lang/Double serialVersionUID
java/lang/Double toString(D)Ljava/lang/String;
java/lang/Double toHexString(D)Ljava/lang/String;
java/lang/Double valueOf(Ljava/lang/String;)Ljava/lang/Double;
java/lang/Double valueOf(D)Ljava/lang/Double;
java/lang/Double parseDouble(Ljava/lang/String;)D
java/lang/Double
 isNaN(D)Z
java/lang/Double isInfinite(D)Z
java/lang/Double <init>(D)V
java/lang/Double <init>(Ljava/lang/String;)V
java/lang/Double isNaN()Z
java/lang/Double isInfinite()Z
java/lang/Double toString()Ljava/lang/String;
java/lang/Double byteValue()B
java/lang/Double shortValue()S
java/lang/Double intValue()I
java/lang/Double longValue()J
java/lang/Double floatValue()F
java/lang/Double doubleValue()D
java/lang/Double hashCode()I
java/lang/Double equals(Ljava/lang/Object;)Z
java/lang/Double doubleToLongBits(D)J
java/lang/Double doubleToRawLongBits(D)J
java/lang/Double longBitsToDouble(J)D
java/lang/Double compareTo(Ljava/lang/Double;)I
java/lang/Double compare(DD)I
java/lang/Double compareTo(Ljava/lang/Object;)I
java/lang/Double <clinit>()V
class java/lang/Float java/lang/Number
java/lang/Float POSITIVE_INFINITY
java/lang/Float NEGATIVE_INFINITY
java/lang/Float NaN
java/lang/Float MAX_VALUE
java/lang/Float MIN_VALUE
java/lang/Float SIZE
java/lang/Float TYPE
java/lang/Float value
java/lang/Float
 serialVersionUID
java/lang/Float toString(F)Ljava/lang/String;
java/lang/Float toHexString(F)Ljava/lang/String;
java/lang/Float valueOf(Ljava/lang/String;)Ljava/lang/Float;
java/lang/Float valueOf(F)Ljava/lang/Float;
java/lang/Float parseFloat(Ljava/lang/String;)F

```

```

java/lang/Float isNaN(F)Z
java/lang/Float isInfinite(F)Z
java/lang/Float <init>(F)V
java/lang/Float <init>(D)V
java/lang/Float <init>(Ljava/lang/String;)V
java/lang/Float isNaN(Z)
java/lang/Float isInfinite(Z)
java/lang/Float toString(Ljava/lang/String;
java/lang/Float byteValue()B
java/lang/Float shortValue()S
java/lang/Float intValue()I
java/lang/Float longValue()J
java/lang/Float floatValue()F
java/lang/Float doubleValue()D
java/lang/Float hashCode()I
java/lang/Float equals(Ljava/lang/Object;)Z
java/lang/Float floatToIntBits(F)I
java/lang/Float floatToRawIntBits(F)I
java/lang/Float intBitsToFloat(I)F
java/lang/Float compareTo(Ljava/lang/Float;)I
java/lang/Float compare(FF)I
java/lang/Float compareTo(Ljava/lang/Object;)I
java/lang/Float
 <clinit>()V
class java/lang/Number java/lang/Object
java/lang/Number serialVersionUID
java/lang/Number <init>()V
java/lang/Number intValue()I
java/lang/Number longValue()J
java/lang/Number floatValue()F
java/lang/Number doubleValue()D
java/lang/Number byteValue()B
java/lang/Number shortValue()S
class java/lang/Character java/lang/Object
java/lang/Character MIN_RADIX
java/lang/Character MAX_RADIX
java/lang/Character MIN_VALUE
java/lang/Character MAX_VALUE
java/lang/Character TYPE
java/lang/Character UNASSIGNED
java/lang/Character UPPERCASE_LETTER
java/lang/Character LOWERCASE_LETTER
java/lang/Character TITLECASE_LETTER
java/lang/Character MODIFIER_LETTER
java/lang/Character OTHER_LETTER
java/lang/Character NON_SPACING_MARK
java/lang/Character ENCLOSING_MARK
java/lang/Character COMBINING_SPACING_MARK

```

java/lang/Character DECIMAL\_DIGIT\_NUMBER  
java/lang/Character LETTER\_NUMBER  
java/lang/Character OTHER\_NUMBER  
java/lang/Character SPACE\_SEPARATOR  
java/lang/Character  
    LINE\_SEPARATOR  
java/lang/Character PARAGRAPH\_SEPARATOR  
java/lang/Character CONTROL  
java/lang/Character FORMAT  
java/lang/Character PRIVATE\_USE  
java/lang/Character SURROGATE  
java/lang/Character DASH\_PUNCTUATION  
java/lang/Character START\_PUNCTUATION  
java/lang/Character END\_PUNCTUATION  
java/lang/Character CONNECTOR\_PUNCTUATION  
java/lang/Character OTHER\_PUNCTUATION  
java/lang/Character MATH\_SYMBOL  
java/lang/Character CURRENCY\_SYMBOL  
java/lang/Character MODIFIER\_SYMBOL  
java/lang/Character OTHER\_SYMBOL  
java/lang/Character INITIAL\_QUOTE\_PUNCTUATION  
java/lang/Character FINAL\_QUOTE\_PUNCTUATION  
java/lang/Character ERROR  
java/lang/Character DIRECTIONALITY\_UNDEFINED  
java/lang/Character DIRECTIONALITY\_LEFT\_TO\_RIGHT  
java/lang/Character DIRECTIONALITY\_RIGHT\_TO\_LEFT  
java/lang/Character DIRECTIONALITY\_RIGHT\_TO\_LEFT\_ARABIC  
java/lang/Character DIRECTIONALITY\_EUROPEAN\_NUMBER  
java/lang/Character DIRECTIONALITY\_EUROPEAN\_NUMBER\_SEPARATOR  
java/lang/Character DIRECTIONALITY\_EUROPEAN\_NUMBER\_TERMINATOR  
java/lang/Character  
    DIRECTIONALITY\_ARABIC\_NUMBER  
java/lang/Character DIRECTIONALITY\_COMMON\_NUMBER\_SEPARATOR  
java/lang/Character DIRECTIONALITY\_NONSPACING\_MARK  
java/lang/Character DIRECTIONALITY\_BOUNDARY\_NEUTRAL  
java/lang/Character DIRECTIONALITY\_PARAGRAPH\_SEPARATOR  
java/lang/Character DIRECTIONALITY\_SEGMENT\_SEPARATOR  
java/lang/Character DIRECTIONALITY\_WHITESPACE  
java/lang/Character DIRECTIONALITY\_OTHER\_NEUTRALS  
java/lang/Character DIRECTIONALITY\_LEFT\_TO\_RIGHT\_EMBEDDING  
java/lang/Character DIRECTIONALITY\_LEFT\_TO\_RIGHT\_OVERRIDE  
java/lang/Character DIRECTIONALITY\_RIGHT\_TO\_LEFT\_EMBEDDING  
java/lang/Character DIRECTIONALITY\_RIGHT\_TO\_LEFT\_OVERRIDE  
java/lang/Character DIRECTIONALITY\_POP\_DIRECTIONAL\_FORMAT  
java/lang/Character MIN\_HIGH\_SURROGATE  
java/lang/Character MAX\_HIGH\_SURROGATE  
java/lang/Character MIN\_LOW\_SURROGATE  
java/lang/Character MAX\_LOW\_SURROGATE

java/lang/Character MIN\_SURROGATE  
java/lang/Character MAX\_SURROGATE  
java/lang/Character MIN\_SUPPLEMENTARY\_CODE\_POINT  
java/lang/Character MIN\_CODE\_POINT  
java/lang/Character  
MAX\_CODE\_POINT  
java/lang/Character value  
java/lang/Character serialVersionUID  
java/lang/Character FAST\_PATH\_MAX  
java/lang/Character SIZE  
java/lang/Character \$assertionsDisabled  
java/lang/Character <init>(C)V  
java/lang/Character valueOf(C)Ljava/lang/Character;  
java/lang/Character charValue()C  
java/lang/Character hashCode()I  
java/lang/Character equals(Ljava/lang/Object;)Z  
java/lang/Character toString()Ljava/lang/String;  
java/lang/Character toString(C)Ljava/lang/String;  
java/lang/Character getPlane(I)I  
java/lang/Character isValidCodePoint(I)Z  
java/lang/Character isSupplementaryCodePoint(I)Z  
java/lang/Character isHighSurrogate(C)Z  
java/lang/Character isLowSurrogate(C)Z  
java/lang/Character isSurrogatePair(CC)Z  
java/lang/Character charCount(I)I  
java/lang/Character toCodePoint(CC)I  
java/lang/Character codePointAt(Ljava/lang/CharSequence;I)I  
java/lang/Character codePointAt([CI)I  
java/lang/Character codePointAt([CII)I  
java/lang/Character codePointAtImpl([CII)I  
java/lang/Character  
codePointBefore(Ljava/lang/CharSequence;I)I  
java/lang/Character codePointBefore([CI)I  
java/lang/Character codePointBefore([CII)I  
java/lang/Character codePointBeforeImpl([CII)I  
java/lang/Character toChars(I[CI)I  
java/lang/Character toChars(I)[C  
java/lang/Character toSurrogates(I[CI)V  
java/lang/Character codePointCount(Ljava/lang/CharSequence;II)I  
java/lang/Character codePointCount([CII)I  
java/lang/Character codePointCountImpl([CII)I  
java/lang/Character offsetByCodePoints(Ljava/lang/CharSequence;II)I  
java/lang/Character offsetByCodePoints([CIII)I  
java/lang/Character offsetByCodePointsImpl([CIII)I  
java/lang/Character isLowerCase(C)Z  
java/lang/Character isLowerCase(I)Z  
java/lang/Character isUpperCase(C)Z  
java/lang/Character isUpperCase(I)Z



java/lang/Character isTitleCase(C)Z  
java/lang/Character isTitleCase(I)Z  
java/lang/Character isDigit(C)Z  
java/lang/Character isDigit(I)Z  
java/lang/Character isDefined(C)Z  
java/lang/Character isDefined(I)Z  
java/lang/Character isLetter(C)Z  
java/lang/Character  
isLetter(I)Z  
java/lang/Character isLetterOrDigit(C)Z  
java/lang/Character isLetterOrDigit(I)Z  
java/lang/Character isJavaLetter(C)Z  
java/lang/Character isJavaLetterOrDigit(C)Z  
java/lang/Character isJavaIdentifierStart(C)Z  
java/lang/Character isJavaIdentifierStart(I)Z  
java/lang/Character isJavaIdentifierPart(C)Z  
java/lang/Character isJavaIdentifierPart(I)Z  
java/lang/Character isUnicodeIdentifierStart(C)Z  
java/lang/Character isUnicodeIdentifierStart(I)Z  
java/lang/Character isUnicodeIdentifierPart(C)Z  
java/lang/Character isUnicodeIdentifierPart(I)Z  
java/lang/Character isIdentifierIgnorable(C)Z  
java/lang/Character isIdentifierIgnorable(I)Z  
java/lang/Character toLowerCase(C)C  
java/lang/Character toLowerCase(I)I  
java/lang/Character toUpperCase(C)C  
java/lang/Character toUpperCase(I)I  
java/lang/Character toTitleCase(C)C  
java/lang/Character toTitleCase(I)I  
java/lang/Character digit(C)I  
java/lang/Character digit(I)I  
java/lang/Character getNumericValue(C)I  
java/lang/Character  
getNumericValue(I)I  
java/lang/Character isSpace(C)Z  
java/lang/Character isSpaceChar(C)Z  
java/lang/Character isSpaceChar(I)Z  
java/lang/Character isWhitespace(C)Z  
java/lang/Character isWhitespace(I)Z  
java/lang/Character isISOControl(C)Z  
java/lang/Character isISOControl(I)Z  
java/lang/Character getType(C)I  
java/lang/Character getType(I)I  
java/lang/Character forDigit(I)C  
java/lang/Character getDirectionality(C)B  
java/lang/Character getDirectionality(I)B  
java/lang/Character isMirrored(C)Z  
java/lang/Character isMirrored(I)Z

```

java/lang/Character compareTo(Ljava/lang/Character;)I
java/lang/Character toUpperCaseEx(I)I
java/lang/Character toUpperCaseCharArray(I)[C
java/lang/Character reverseBytes(C)C
java/lang/Character compareTo(Ljava/lang/Object;)I
java/lang/Character <clinit>()V
class java/lang/Boolean java/lang/Object
java/lang/Boolean TRUE
java/lang/Boolean FALSE
java/lang/Boolean TYPE
java/lang/Boolean value
java/lang/Boolean serialVersionUID
java/lang/Boolean <init>(Z)V
java/lang/Boolean
 <init>(Ljava/lang/String;)V
java/lang/Boolean parseBoolean(Ljava/lang/String;)Z
java/lang/Boolean booleanValue()Z
java/lang/Boolean valueOf(Z)Ljava/lang/Boolean;
java/lang/Boolean valueOf(Ljava/lang/String;)Ljava/lang/Boolean;
java/lang/Boolean toString(Z)Ljava/lang/String;
java/lang/Boolean toString()Ljava/lang/String;
java/lang/Boolean hashCode()I
java/lang/Boolean equals(Ljava/lang/Object;)Z
java/lang/Boolean getBoolean(Ljava/lang/String;)Z
java/lang/Boolean compareTo(Ljava/lang/Boolean;)I
java/lang/Boolean toBoolean(Ljava/lang/String;)Z
java/lang/Boolean compareTo(Ljava/lang/Object;)I
java/lang/Boolean <clinit>()V
class java/nio/Buffer java/lang/Object
java/nio/Buffer mark
java/nio/Buffer position
java/nio/Buffer limit
java/nio/Buffer capacity
java/nio/Buffer address
java/nio/Buffer <init>(III)V
java/nio/Buffer capacity()I
java/nio/Buffer position()I
java/nio/Buffer position(I)Ljava/nio/Buffer;
java/nio/Buffer limit()I
java/nio/Buffer limit(I)Ljava/nio/Buffer;
java/nio/Buffer mark()Ljava/nio/Buffer;
java/nio/Buffer
 reset()Ljava/nio/Buffer;
java/nio/Buffer clear()Ljava/nio/Buffer;
java/nio/Buffer flip()Ljava/nio/Buffer;
java/nio/Buffer rewind()Ljava/nio/Buffer;
java/nio/Buffer remaining()I
java/nio/Buffer hasRemaining()Z

```

```

java/nio/Buffer isReadOnly()Z
java/nio/Buffer nextGetIndex()I
java/nio/Buffer nextGetIndex(I)I
java/nio/Buffer nextPutIndex()I
java/nio/Buffer nextPutIndex(I)I
java/nio/Buffer checkIndex(I)I
java/nio/Buffer checkIndex(II)I
java/nio/Buffer markValue()I
java/nio/Buffer checkBounds(III)V
class java/lang/StackTraceElement java/lang/Object
java/lang/StackTraceElement declaringClass
java/lang/StackTraceElement methodName
java/lang/StackTraceElement fileName
java/lang/StackTraceElement lineNumber
java/lang/StackTraceElement serialVersionUID
java/lang/StackTraceElement <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;I)V
java/lang/StackTraceElement getFileName()Ljava/lang/String;
java/lang/StackTraceElement getLineNumber()I
java/lang/StackTraceElement
 getClassName()Ljava/lang/String;
java/lang/StackTraceElement getMethodName()Ljava/lang/String;
java/lang/StackTraceElement isNativeMethod()Z
java/lang/StackTraceElement toString()Ljava/lang/String;
java/lang/StackTraceElement equals(Ljava/lang/Object;)Z
java/lang/StackTraceElement eq(Ljava/lang/Object;Ljava/lang/Object;)Z
java/lang/StackTraceElement hashCode()I
class java/lang/StringBuffer java/lang/AbstractStringBuilder
java/lang/StringBuffer serialVersionUID
java/lang/StringBuffer serialPersistentFields
java/lang/StringBuffer <init>()V
java/lang/StringBuffer <init>(I)V
java/lang/StringBuffer <init>(Ljava/lang/String;)V
java/lang/StringBuffer <init>(Ljava/lang/CharSequence;)V
java/lang/StringBuffer length()I
java/lang/StringBuffer capacity()I
java/lang/StringBuffer ensureCapacity(I)V
java/lang/StringBuffer trimToSize()V
java/lang/StringBuffer setLength(I)V
java/lang/StringBuffer charAt(I)C
java/lang/StringBuffer codePointAt(I)I
java/lang/StringBuffer codePointBefore(I)I
java/lang/StringBuffer
 codePointCount(II)I
java/lang/StringBuffer offsetByCodePoints(II)I
java/lang/StringBuffer getChars(II[CI)V
java/lang/StringBuffer setCharAt(IC)V
java/lang/StringBuffer append(Ljava/lang/Object;)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(Ljava/lang/String;)Ljava/lang/StringBuffer;

```

```

java/lang/StringBuffer append(Ljava/lang/StringBuffer;)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(Ljava/lang/CharSequence;)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(Ljava/lang/CharSequence;II)Ljava/lang/StringBuffer;
java/lang/StringBuffer append([C)Ljava/lang/StringBuffer;
java/lang/StringBuffer append([CII)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(Z)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(C)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(I)Ljava/lang/StringBuffer;
java/lang/StringBuffer appendCodePoint(I)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(J)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(F)Ljava/lang/StringBuffer;
java/lang/StringBuffer
 append(D)Ljava/lang/StringBuffer;
java/lang/StringBuffer delete(II)Ljava/lang/StringBuffer;
java/lang/StringBuffer deleteCharAt(I)Ljava/lang/StringBuffer;
java/lang/StringBuffer replace(IILjava/lang/String;)Ljava/lang/StringBuffer;
java/lang/StringBuffer substring(I)Ljava/lang/String;
java/lang/StringBuffer subSequence(II)Ljava/lang/CharSequence;
java/lang/StringBuffer substring(II)Ljava/lang/String;
java/lang/StringBuffer insert([CII)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(ILjava/lang/Object;)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(ILjava/lang/String;)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert([C)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(ILjava/lang/CharSequence;)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(ILjava/lang/CharSequence;II)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(IZ)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(IC)Ljava/lang/StringBuffer;
java/lang/StringBuffer
 insert(II)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(IJ)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(IF)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(ID)Ljava/lang/StringBuffer;
java/lang/StringBuffer indexOf(Ljava/lang/String;)I
java/lang/StringBuffer indexOf(Ljava/lang/String;I)I
java/lang/StringBuffer lastIndexOf(Ljava/lang/String;)I
java/lang/StringBuffer lastIndexOf(Ljava/lang/String;I)I
java/lang/StringBuffer reverse()Ljava/lang/StringBuffer;
java/lang/StringBuffer toString()Ljava/lang/String;
java/lang/StringBuffer writeObject(Ljava/io/ObjectOutputStream;)V
java/lang/StringBuffer readObject(Ljava/io/ObjectInputStream;)V
java/lang/StringBuffer reverse()Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(ID)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(IF)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(IJ)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(II)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer
 insert(IC)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(IZ)Ljava/lang/AbstractStringBuilder;

```

```

java/lang/StringBuffer insert(ILjava/lang/CharSequence;II)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(ILjava/lang/CharSequence;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(IFC)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(ILjava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(ILjava/lang/Object;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(IFCII)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer replace(IIILjava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer deleteCharAt(I)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer appendCodePoint(I)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer delete(II)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(D)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer
 append(F)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(J)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(I)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(C)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(Z)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append([CII)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append([C)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(Ljava/lang/CharSequence;II)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(Ljava/lang/CharSequence;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(Ljava/lang/StringBuffer;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(Ljava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(Ljava/lang/Object;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(C)Ljava/lang/Appendable;
java/lang/StringBuffer append(Ljava/lang/CharSequence;II)Ljava/lang/Appendable;
java/lang/StringBuffer
 append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
java/lang/StringBuffer <clinit>()V
class java/lang/AbstractStringBuilder java/lang/Object
java/lang/AbstractStringBuilder value
java/lang/AbstractStringBuilder count
java/lang/AbstractStringBuilder sizeTable
java/lang/AbstractStringBuilder <init>()V
java/lang/AbstractStringBuilder <init>(I)V
java/lang/AbstractStringBuilder length()I
java/lang/AbstractStringBuilder capacity()I
java/lang/AbstractStringBuilder ensureCapacity(I)V
java/lang/AbstractStringBuilder expandCapacity(I)V
java/lang/AbstractStringBuilder trimToSize()V
java/lang/AbstractStringBuilder setLength(I)V
java/lang/AbstractStringBuilder charAt(I)C
java/lang/AbstractStringBuilder codePointAt(I)I
java/lang/AbstractStringBuilder codePointBefore(I)I
java/lang/AbstractStringBuilder codePointCount(II)I
java/lang/AbstractStringBuilder offsetByCodePoints(II)I
java/lang/AbstractStringBuilder getChars(II[CI)V
java/lang/AbstractStringBuilder

```

```

setCharAt(IC)V
java/lang/AbstractStringBuilder append(Ljava/lang/Object;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(Ljava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(Ljava/lang/StringBuffer;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(Ljava/lang/CharSequence;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(Ljava/lang/CharSequence;II)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append([C)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append([CII)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(Z)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(C)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(I)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder toStringOfInt(I)I
java/lang/AbstractStringBuilder append(J)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder
toStringOfLong(J)I
java/lang/AbstractStringBuilder append(F)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(D)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder delete(II)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder appendCodePoint(I)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder deleteCharAt(I)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder replace(IILjava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder substring(I)Ljava/lang/String;
java/lang/AbstractStringBuilder subSequence(II)Ljava/lang/CharSequence;
java/lang/AbstractStringBuilder substring(II)Ljava/lang/String;
java/lang/AbstractStringBuilder insert(II[CII)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(ILjava/lang/Object;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(ILjava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder
insert([C)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(ILjava/lang/CharSequence;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(ILjava/lang/CharSequence;II)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(IZ)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(IC)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(II)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(IJ)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(IF)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(ID)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder indexOf(Ljava/lang/String;)I
java/lang/AbstractStringBuilder indexOf(Ljava/lang/String;I)I
java/lang/AbstractStringBuilder lastIndexOf(Ljava/lang/String;)I
java/lang/AbstractStringBuilder lastIndexOf(Ljava/lang/String;I)I
java/lang/AbstractStringBuilder
reverse()Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder toString()Ljava/lang/String;
java/lang/AbstractStringBuilder getValue()[C
java/lang/AbstractStringBuilder append(C)Ljava/lang/Appendable;
java/lang/AbstractStringBuilder append(Ljava/lang/CharSequence;II)Ljava/lang/Appendable;
java/lang/AbstractStringBuilder append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;

```

```

java/lang/AbstractStringBuilder <clinit>()V
class java/lang/Appendable java/lang/Object
java/lang/Appendable append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
java/lang/Appendable append(Ljava/lang/CharSequence;I)Ljava/lang/Appendable;
java/lang/Appendable append(C)Ljava/lang/Appendable;
class java/util/Vector java/util/AbstractList
java/util/Vector elementData
java/util/Vector elementCount
java/util/Vector capacityIncrement
java/util/Vector serialVersionUID
java/util/Vector <init>(II)V
java/util/Vector <init>(I)V
java/util/Vector <init>()V
java/util/Vector
 <init>(Ljava/util/Collection;)V
java/util/Vector copyInto([Ljava/lang/Object;)V
java/util/Vector trimToSize()V
java/util/Vector ensureCapacity(I)V
java/util/Vector ensureCapacityHelper(I)V
java/util/Vector setSize(I)V
java/util/Vector capacity()I
java/util/Vector size()I
java/util/Vector isEmpty()Z
java/util/Vector elements()Ljava/util/Enumeration;
java/util/Vector contains(Ljava/lang/Object;)Z
java/util/Vector indexOf(Ljava/lang/Object;)I
java/util/Vector indexOf(Ljava/lang/Object;I)I
java/util/Vector lastIndexOf(Ljava/lang/Object;)I
java/util/Vector lastIndexOf(Ljava/lang/Object;I)I
java/util/Vector elementAt(I)Ljava/lang/Object;
java/util/Vector firstElement()Ljava/lang/Object;
java/util/Vector lastElement()Ljava/lang/Object;
java/util/Vector setElementAt(Ljava/lang/Object;I)V
java/util/Vector removeElementAt(I)V
java/util/Vector insertElementAt(Ljava/lang/Object;I)V
java/util/Vector addElement(Ljava/lang/Object;)V
java/util/Vector removeElement(Ljava/lang/Object;)Z
java/util/Vector
 removeAllElements()V
java/util/Vector clone()Ljava/lang/Object;
java/util/Vector toArray()[Ljava/lang/Object;
java/util/Vector toArray([Ljava/lang/Object;)Ljava/lang/Object;
java/util/Vector get(I)Ljava/lang/Object;
java/util/Vector set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/Vector add(Ljava/lang/Object;)Z
java/util/Vector remove(Ljava/lang/Object;)Z
java/util/Vector add(ILjava/lang/Object;)V
java/util/Vector remove(I)Ljava/lang/Object;

```

```

java/util/Vector clear()V
java/util/Vector containsAll(Ljava/util/Collection;)Z
java/util/Vector addAll(Ljava/util/Collection;)Z
java/util/Vector removeAll(Ljava/util/Collection;)Z
java/util/Vector retainAll(Ljava/util/Collection;)Z
java/util/Vector addAll(ILjava/util/Collection;)Z
java/util/Vector equals(Ljava/lang/Object;)Z
java/util/Vector hashCode()I
java/util/Vector toString()Ljava/lang/String;
java/util/Vector subList(II)Ljava/util/List;
java/util/Vector removeRange(II)V
java/util/Vector writeObject(Ljava/io/ObjectOutputStream;)V
class
 java/util/AbstractList java/util/AbstractCollection
java/util/AbstractList modCount
java/util/AbstractList <init>()V
java/util/AbstractList add(Ljava/lang/Object;)Z
java/util/AbstractList get(I)Ljava/lang/Object;
java/util/AbstractList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/AbstractList add(ILjava/lang/Object;)V
java/util/AbstractList remove(I)Ljava/lang/Object;
java/util/AbstractList indexOf(Ljava/lang/Object;)I
java/util/AbstractList lastIndexOf(Ljava/lang/Object;)I
java/util/AbstractList clear()V
java/util/AbstractList addAll(ILjava/util/Collection;)Z
java/util/AbstractList iterator()Ljava/util/Iterator;
java/util/AbstractList listIterator()Ljava/util/ListIterator;
java/util/AbstractList listIterator(I)Ljava/util/ListIterator;
java/util/AbstractList subList(II)Ljava/util/List;
java/util/AbstractList equals(Ljava/lang/Object;)Z
java/util/AbstractList hashCode()I
java/util/AbstractList removeRange(II)V
class java/util/AbstractCollection java/lang/Object
java/util/AbstractCollection
 <init>()V
java/util/AbstractCollection iterator()Ljava/util/Iterator;
java/util/AbstractCollection size()I
java/util/AbstractCollection isEmpty()Z
java/util/AbstractCollection contains(Ljava/lang/Object;)Z
java/util/AbstractCollection toArray()[Ljava/lang/Object;
java/util/AbstractCollection toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/AbstractCollection add(Ljava/lang/Object;)Z
java/util/AbstractCollection remove(Ljava/lang/Object;)Z
java/util/AbstractCollection containsAll(Ljava/util/Collection;)Z
java/util/AbstractCollection addAll(Ljava/util/Collection;)Z
java/util/AbstractCollection removeAll(Ljava/util/Collection;)Z
java/util/AbstractCollection retainAll(Ljava/util/Collection;)Z
java/util/AbstractCollection clear()V

```



```

java/util/AbstractCollection toString()Ljava/lang/String;
class java/util/RandomAccess java/lang/Object
class java/util/List java/lang/Object
java/util/List size()I
java/util/List isEmpty()Z
java/util/List contains(Ljava/lang/Object;)Z
java/util/List
 iterator()Ljava/util/Iterator;
java/util/List toArray()[Ljava/lang/Object;
java/util/List toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/List add(Ljava/lang/Object;)Z
java/util/List remove(Ljava/lang/Object;)Z
java/util/List containsAll(Ljava/util/Collection;)Z
java/util/List addAll(Ljava/util/Collection;)Z
java/util/List addAll(ILjava/util/Collection;)Z
java/util/List removeAll(Ljava/util/Collection;)Z
java/util/List retainAll(Ljava/util/Collection;)Z
java/util/List clear()V
java/util/List equals(Ljava/lang/Object;)Z
java/util/List hashCode()I
java/util/List get(I)Ljava/lang/Object;
java/util/List set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/List add(ILjava/lang/Object;)V
java/util/List remove(I)Ljava/lang/Object;
java/util/List indexOf(Ljava/lang/Object;)I
java/util/List lastIndexOf(Ljava/lang/Object;)I
java/util/List listIterator()Ljava/util/ListIterator;
java/util/List listIterator(I)Ljava/util/ListIterator;
java/util/List subList(II)Ljava/util/List;
class
 java/util/Collection java/lang/Object
java/util/Collection size()I
java/util/Collection isEmpty()Z
java/util/Collection contains(Ljava/lang/Object;)Z
java/util/Collection iterator()Ljava/util/Iterator;
java/util/Collection toArray()[Ljava/lang/Object;
java/util/Collection toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/Collection add(Ljava/lang/Object;)Z
java/util/Collection remove(Ljava/lang/Object;)Z
java/util/Collection containsAll(Ljava/util/Collection;)Z
java/util/Collection addAll(Ljava/util/Collection;)Z
java/util/Collection removeAll(Ljava/util/Collection;)Z
java/util/Collection retainAll(Ljava/util/Collection;)Z
java/util/Collection clear()V
java/util/Collection equals(Ljava/lang/Object;)Z
java/util/Collection hashCode()I
class java/lang/Iterable java/lang/Object
java/lang/Iterable iterator()Ljava/util/Iterator;

```

```

class java/lang/reflect/Constructor java/lang/reflect/AccessibleObject
java/lang/reflect/Constructor clazz
java/lang/reflect/Constructor slot
java/lang/reflect/Constructor
 parameterTypes
java/lang/reflect/Constructor exceptionTypes
java/lang/reflect/Constructor modifiers
java/lang/reflect/Constructor signature
java/lang/reflect/Constructor genericInfo
java/lang/reflect/Constructor annotations
java/lang/reflect/Constructor parameterAnnotations
java/lang/reflect/Constructor constructorAccessor
java/lang/reflect/Constructor root
java/lang/reflect/Constructor EMPTY_ANNOTATION_ARRAY
java/lang/reflect/Constructor declaredAnnotations
java/lang/reflect/Constructor getFactory()Lsun/reflect/generics/factory/GenericsFactory;
java/lang/reflect/Constructor getGenericInfo()Lsun/reflect/generics/repository/ConstructorRepository;
java/lang/reflect/Constructor
 <init>(Ljava/lang/Class;[Ljava/lang/Class;[Ljava/lang/Class;IILjava/lang/String;[B[B)V
java/lang/reflect/Constructor copy()Ljava/lang/reflect/Constructor;
java/lang/reflect/Constructor getDeclaringClass()Ljava/lang/Class;
java/lang/reflect/Constructor getName()Ljava/lang/String;
java/lang/reflect/Constructor
 getModifiers()I
java/lang/reflect/Constructor getTypeParameters()[Ljava/lang/reflect/TypeVariable;
java/lang/reflect/Constructor getParameterTypes()[Ljava/lang/Class;
java/lang/reflect/Constructor getGenericParameterTypes()[Ljava/lang/reflect/Type;
java/lang/reflect/Constructor getExceptionTypes()[Ljava/lang/Class;
java/lang/reflect/Constructor getGenericExceptionTypes()[Ljava/lang/reflect/Type;
java/lang/reflect/Constructor equals(Ljava/lang/Object;)Z
java/lang/reflect/Constructor hashCode()I
java/lang/reflect/Constructor toString()Ljava/lang/String;
java/lang/reflect/Constructor toGenericString()Ljava/lang/String;
java/lang/reflect/Constructor newInstance([Ljava/lang/Object;)Ljava/lang/Object;
java/lang/reflect/Constructor isVarArgs()Z
java/lang/reflect/Constructor isSynthetic()Z
java/lang/reflect/Constructor acquireConstructorAccessor()V
java/lang/reflect/Constructor getConstructorAccessor()Lsun/reflect/ConstructorAccessor;
java/lang/reflect/Constructor setConstructorAccessor(Lsun/reflect/ConstructorAccessor;)V
java/lang/reflect/Constructor
 getSlot()I
java/lang/reflect/Constructor getSignature()Ljava/lang/String;
java/lang/reflect/Constructor getRawAnnotations()[B
java/lang/reflect/Constructor getRawParameterAnnotations()[B
java/lang/reflect/Constructor getAnnotation(Ljava/lang/Class;)Ljava/lang/annotation/Annotation;
java/lang/reflect/Constructor getDeclaredAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/reflect/Constructor declaredAnnotations()Ljava/util/Map;
java/lang/reflect/Constructor getParameterAnnotations()[[Ljava/lang/annotation/Annotation;

```

```

java/lang/reflect/Constructor <clinit>()V
class java/lang/reflect/Method java/lang/reflect/AccessibleObject
java/lang/reflect/Method clazz
java/lang/reflect/Method slot
java/lang/reflect/Method name
java/lang/reflect/Method returnType
java/lang/reflect/Method parameterTypes
java/lang/reflect/Method exceptionTypes
java/lang/reflect/Method modifiers
java/lang/reflect/Method signature
java/lang/reflect/Method
 genericInfo
java/lang/reflect/Method annotations
java/lang/reflect/Method parameterAnnotations
java/lang/reflect/Method annotationDefault
java/lang/reflect/Method methodAccessor
java/lang/reflect/Method root
java/lang/reflect/Method securityCheckTargetClassCache
java/lang/reflect/Method EMPTY_ANNOTATION_ARRAY
java/lang/reflect/Method declaredAnnotations
java/lang/reflect/Method getGenericSignature()Ljava/lang/String;
java/lang/reflect/Method getFactory()Lsun/reflect/generics/factory/GenericsFactory;
java/lang/reflect/Method getGenericInfo()Lsun/reflect/generics/repository/MethodRepository;
java/lang/reflect/Method
 <init>(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;Ljava/lang/Class;[Ljava/lang/Class;IILjava/lang/String;
 [B[B[B)V
java/lang/reflect/Method copy()Ljava/lang/reflect/Method;
java/lang/reflect/Method getDeclaringClass()Ljava/lang/Class;
java/lang/reflect/Method getName()Ljava/lang/String;
java/lang/reflect/Method getModifiers()I
java/lang/reflect/Method
 getTypeParameters()[Ljava/lang/reflect/TypeVariable;
java/lang/reflect/Method getReturnType()Ljava/lang/Class;
java/lang/reflect/Method getGenericReturnType()Ljava/lang/reflect/Type;
java/lang/reflect/Method getParameterTypes()[Ljava/lang/Class;
java/lang/reflect/Method getGenericParameterTypes()[Ljava/lang/reflect/Type;
java/lang/reflect/Method getExceptionTypes()[Ljava/lang/Class;
java/lang/reflect/Method getGenericExceptionTypes()[Ljava/lang/reflect/Type;
java/lang/reflect/Method equals(Ljava/lang/Object;)Z
java/lang/reflect/Method hashCode()I
java/lang/reflect/Method toString()Ljava/lang/String;
java/lang/reflect/Method toGenericString()Ljava/lang/String;
java/lang/reflect/Method invoke(Ljava/lang/Object;[Ljava/lang/Object;)Ljava/lang/Object;
java/lang/reflect/Method isBridge()Z
java/lang/reflect/Method isVarArgs()Z
java/lang/reflect/Method isSynthetic()Z
java/lang/reflect/Method acquireMethodAccessor()V
java/lang/reflect/Method getMethodAccessor()Lsun/reflect/MethodAccessor;

```

```

java/lang/reflect/Method
 setMethodAccessor(Lsun/reflect/MethodAccessor;)V
java/lang/reflect/Method getAnnotation(Ljava/lang/Class;)Ljava/lang/annotation/Annotation;
java/lang/reflect/Method getDeclaredAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/reflect/Method declaredAnnotations()Ljava/util/Map;
java/lang/reflect/Method getDefaultValue()Ljava/lang/Object;
java/lang/reflect/Method getParameterAnnotations()[[Ljava/lang/annotation/Annotation;
java/lang/reflect/Method <clinit>()V
class java/lang/reflect/Field java/lang/reflect/AccessibleObject
java/lang/reflect/Field clazz
java/lang/reflect/Field slot
java/lang/reflect/Field name
java/lang/reflect/Field type
java/lang/reflect/Field modifiers
java/lang/reflect/Field signature
java/lang/reflect/Field genericInfo
java/lang/reflect/Field annotations
java/lang/reflect/Field fieldAccessor
java/lang/reflect/Field overrideFieldAccessor
java/lang/reflect/Field root
java/lang/reflect/Field securityCheckTargetClassCache
java/lang/reflect/Field
 EMPTY_ANNOTATION_ARRAY
java/lang/reflect/Field declaredAnnotations
java/lang/reflect/Field getGenericSignature()Ljava/lang/String;
java/lang/reflect/Field getFactory()Lsun/reflect/generics/factory/GenericsFactory;
java/lang/reflect/Field getGenericInfo()Lsun/reflect/generics/repository/FieldRepository;
java/lang/reflect/Field <init>(Ljava/lang/Class;Ljava/lang/String;Ljava/lang/Class;IILjava/lang/String;[B)V
java/lang/reflect/Field copy()Ljava/lang/reflect/Field;
java/lang/reflect/Field getDeclaringClass()Ljava/lang/Class;
java/lang/reflect/Field getName()Ljava/lang/String;
java/lang/reflect/Field getModifiers()I
java/lang/reflect/Field isEnumConstant()Z
java/lang/reflect/Field isSynthetic()Z
java/lang/reflect/Field getType()Ljava/lang/Class;
java/lang/reflect/Field getGenericType()Ljava/lang/reflect/Type;
java/lang/reflect/Field equals(Ljava/lang/Object;)Z
java/lang/reflect/Field hashCode()I
java/lang/reflect/Field toString()Ljava/lang/String;
java/lang/reflect/Field toGenericString()Ljava/lang/String;
java/lang/reflect/Field
 get(Ljava/lang/Object;)Ljava/lang/Object;
java/lang/reflect/Field getBoolean(Ljava/lang/Object;)Z
java/lang/reflect/Field getByte(Ljava/lang/Object;)B
java/lang/reflect/Field getChar(Ljava/lang/Object;)C
java/lang/reflect/Field getShort(Ljava/lang/Object;)S
java/lang/reflect/Field getInt(Ljava/lang/Object;)I
java/lang/reflect/Field getLong(Ljava/lang/Object;)J

```

```

java/lang/reflect/Field getFloat(Ljava/lang/Object;)F
java/lang/reflect/Field getDouble(Ljava/lang/Object;)D
java/lang/reflect/Field set(Ljava/lang/Object;Ljava/lang/Object;)V
java/lang/reflect/Field setBoolean(Ljava/lang/Object;Z)V
java/lang/reflect/Field setByte(Ljava/lang/Object;B)V
java/lang/reflect/Field setChar(Ljava/lang/Object;C)V
java/lang/reflect/Field setShort(Ljava/lang/Object;S)V
java/lang/reflect/Field setInt(Ljava/lang/Object;I)V
java/lang/reflect/Field setLong(Ljava/lang/Object;J)V
java/lang/reflect/Field setFloat(Ljava/lang/Object;F)V
java/lang/reflect/Field
 setDouble(Ljava/lang/Object;D)V
java/lang/reflect/Field getFieldAccessor(Ljava/lang/Object;)Lsun/reflect/FieldAccessor;
java/lang/reflect/Field acquireFieldAccessor(Z)Lsun/reflect/FieldAccessor;
java/lang/reflect/Field getFieldAccessor(Z)Lsun/reflect/FieldAccessor;
java/lang/reflect/Field setFieldAccessor(Lsun/reflect/FieldAccessor;Z)V
java/lang/reflect/Field doSecurityCheck(Ljava/lang/Object;)V
java/lang/reflect/Field getTypeName(Ljava/lang/Class;)Ljava/lang/String;
java/lang/reflect/Field getAnnotation(Ljava/lang/Class;)Ljava/lang/annotation/Annotation;
java/lang/reflect/Field getDeclaredAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/reflect/Field declaredAnnotations()Ljava/util/Map;
java/lang/reflect/Field <clinit>()V
class java/lang/reflect/Member java/lang/Object
java/lang/reflect/Member PUBLIC
java/lang/reflect/Member DECLARED
java/lang/reflect/Member getDeclaringClass()Ljava/lang/Class;
java/lang/reflect/Member getName()Ljava/lang/String;
java/lang/reflect/Member getModifiers()I
java/lang/reflect/Member
 isSynthetic()Z
class java/lang/reflect/AccessibleObject java/lang/Object
java/lang/reflect/AccessibleObject ACCESS_PERMISSION
java/lang/reflect/AccessibleObject securityCheckCache
java/lang/reflect/AccessibleObject override
java/lang/reflect/AccessibleObject reflectionFactory
java/lang/reflect/AccessibleObject setAccessible([Ljava/lang/reflect/AccessibleObject;Z)V
java/lang/reflect/AccessibleObject setAccessible(Z)V
java/lang/reflect/AccessibleObject setAccessible0(Ljava/lang/reflect/AccessibleObject;Z)V
java/lang/reflect/AccessibleObject isAccessible()Z
java/lang/reflect/AccessibleObject <init>()V
java/lang/reflect/AccessibleObject getAnnotation(Ljava/lang/Class;)Ljava/lang/annotation/Annotation;
java/lang/reflect/AccessibleObject isAnnotationPresent(Ljava/lang/Class;)Z
java/lang/reflect/AccessibleObject getAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/reflect/AccessibleObject getDeclaredAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/reflect/AccessibleObject
 <clinit>()V
class java/util/Properties java/util/Hashtable
java/util/Properties serialVersionUID

```

```

java/util/Properties defaults
java/util/Properties hexDigit
java/util/Properties <init>()V
java/util/Properties <init>(Ljava/util/Properties;)V
java/util/Properties setProperty(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/Object;
java/util/Properties load(Ljava/io/InputStream;)V
java/util/Properties loadConvert([CII[C)Ljava/lang/String;
java/util/Properties saveConvert(Ljava/lang/String;Z)Ljava/lang/String;
java/util/Properties save(Ljava/io/OutputStream;Ljava/lang/String;)V
java/util/Properties store(Ljava/io/OutputStream;Ljava/lang/String;)V
java/util/Properties writeln(Ljava/io/BufferedWriter;Ljava/lang/String;)V
java/util/Properties loadFromXML(Ljava/io/InputStream;)V
java/util/Properties storeToXML(Ljava/io/OutputStream;Ljava/lang/String;)V
java/util/Properties storeToXML(Ljava/io/OutputStream;Ljava/lang/String;Ljava/lang/String;)V
java/util/Properties
 getProperty(Ljava/lang/String;)Ljava/lang/String;
java/util/Properties getProperty(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/util/Properties propertyNames()Ljava/util/Enumeration;
java/util/Properties list(Ljava/io/PrintStream;)V
java/util/Properties list(Ljava/io/PrintWriter;)V
java/util/Properties enumerate(Ljava/util/Hashtable;)V
java/util/Properties toHex(I)C
java/util/Properties <clinit>()V
class java/util/Hashtable java/util/Dictionary
java/util/Hashtable table
java/util/Hashtable count
java/util/Hashtable threshold
java/util/Hashtable loadFactor
java/util/Hashtable modCount
java/util/Hashtable serialVersionUID
java/util/Hashtable keySet
java/util/Hashtable entrySet
java/util/Hashtable values
java/util/Hashtable KEYS
java/util/Hashtable VALUES
java/util/Hashtable ENTRIES
java/util/Hashtable emptyEnumerator
java/util/Hashtable emptyIterator
java/util/Hashtable <init>(IF)V
java/util/Hashtable <init>(I)V
java/util/Hashtable <init>()V
java/util/Hashtable <init>(Ljava/util/Map;)V
java/util/Hashtable
 size()I
java/util/Hashtable isEmpty()Z
java/util/Hashtable keys()Ljava/util/Enumeration;
java/util/Hashtable elements()Ljava/util/Enumeration;
java/util/Hashtable contains(Ljava/lang/Object;)Z

```

```

java/util/Hashtable containsValue(Ljava/lang/Object;)Z
java/util/Hashtable containsKey(Ljava/lang/Object;)Z
java/util/Hashtable get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Hashtable rehash()V
java/util/Hashtable put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/Hashtable remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Hashtable putAll(Ljava/util/Map;)V
java/util/Hashtable clear()V
java/util/Hashtable clone()Ljava/lang/Object;
java/util/Hashtable toString()Ljava/lang/String;
java/util/Hashtable getEnumeration(I)Ljava/util/Enumeration;
java/util/Hashtable getIterator(I)Ljava/util/Iterator;
java/util/Hashtable keySet()Ljava/util/Set;
java/util/Hashtable entrySet()Ljava/util/Set;
java/util/Hashtable values()Ljava/util/Collection;
java/util/Hashtable
 equals(Ljava/lang/Object;)Z
java/util/Hashtable hashCode()I
java/util/Hashtable writeObject(Ljava/io/ObjectOutputStream;)V
java/util/Hashtable readObject(Ljava/io/ObjectInputStream;)V
java/util/Hashtable reconstitutionPut(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/Hashtable access$100(Ljava/util/Hashtable;I)Ljava/util/Iterator;
java/util/Hashtable access$200(Ljava/util/Hashtable;)I
java/util/Hashtable access$400(Ljava/util/Hashtable;)[Ljava/util/Hashtable$Entry;
java/util/Hashtable access$508(Ljava/util/Hashtable;)I
java/util/Hashtable access$210(Ljava/util/Hashtable;)I
java/util/Hashtable access$500(Ljava/util/Hashtable;)I
java/util/Hashtable <clinit>()V
class java/util/Dictionary java/lang/Object
java/util/Dictionary <init>()V
java/util/Dictionary size()I
java/util/Dictionary isEmpty()Z
java/util/Dictionary keys()Ljava/util/Enumeration;
java/util/Dictionary elements()Ljava/util/Enumeration;
java/util/Dictionary get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Dictionary
 put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/Dictionary remove(Ljava/lang/Object;)Ljava/lang/Object;
class java/util/Map java/lang/Object
java/util/Map size()I
java/util/Map isEmpty()Z
java/util/Map containsKey(Ljava/lang/Object;)Z
java/util/Map containsValue(Ljava/lang/Object;)Z
java/util/Map get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Map put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/Map remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Map putAll(Ljava/util/Map;)V
java/util/Map clear()V

```

```

java/util/Map keySet()Ljava/util/Set;
java/util/Map values()Ljava/util/Collection;
java/util/Map entrySet()Ljava/util/Set;
java/util/Map equals(Ljava/lang/Object;)Z
java/util/Map hashCode()I
class java/lang/ThreadGroup java/lang/Object
java/lang/ThreadGroup parent
java/lang/ThreadGroup name
java/lang/ThreadGroup maxPriority
java/lang/ThreadGroup destroyed
java/lang/ThreadGroup daemon
java/lang/ThreadGroup vmAllowSuspension
java/lang/ThreadGroup
 nUnstartedThreads
java/lang/ThreadGroup nthreads
java/lang/ThreadGroup threads
java/lang/ThreadGroup ngroups
java/lang/ThreadGroup groups
java/lang/ThreadGroup <init>()V
java/lang/ThreadGroup <init>(Ljava/lang/String;)V
java/lang/ThreadGroup <init>(Ljava/lang/ThreadGroup;Ljava/lang/String;)V
java/lang/ThreadGroup getName()Ljava/lang/String;
java/lang/ThreadGroup getParent()Ljava/lang/ThreadGroup;
java/lang/ThreadGroup getMaxPriority()I
java/lang/ThreadGroup isDaemon()Z
java/lang/ThreadGroup isDestroyed()Z
java/lang/ThreadGroup setDaemon(Z)V
java/lang/ThreadGroup setMaxPriority(I)V
java/lang/ThreadGroup parentOf(Ljava/lang/ThreadGroup;)Z
java/lang/ThreadGroup checkAccess()V
java/lang/ThreadGroup activeCount()I
java/lang/ThreadGroup enumerate([Ljava/lang/Thread;)I
java/lang/ThreadGroup enumerate([Ljava/lang/Thread;Z)I
java/lang/ThreadGroup enumerate([Ljava/lang/Thread;IZ)I
java/lang/ThreadGroup activeGroupCount()I
java/lang/ThreadGroup enumerate([Ljava/lang/ThreadGroup;)I
java/lang/ThreadGroup
 enumerate([Ljava/lang/ThreadGroup;Z)I
java/lang/ThreadGroup enumerate([Ljava/lang/ThreadGroup;IZ)I
java/lang/ThreadGroup stop()V
java/lang/ThreadGroup interrupt()V
java/lang/ThreadGroup suspend()V
java/lang/ThreadGroup stopOrSuspend(Z)Z
java/lang/ThreadGroup resume()V
java/lang/ThreadGroup destroy()V
java/lang/ThreadGroup add(Ljava/lang/ThreadGroup;)V
java/lang/ThreadGroup remove(Ljava/lang/ThreadGroup;)V
java/lang/ThreadGroup addUnstarted()V

```



```

java/lang/ThreadGroup add(Ljava/lang/Thread;)V
java/lang/ThreadGroup remove(Ljava/lang/Thread;)V
java/lang/ThreadGroup list()V
java/lang/ThreadGroup list(Ljava/io/PrintStream;I)V
java/lang/ThreadGroup uncaughtException(Ljava/lang/Thread;Ljava/lang/Throwable;)V
java/lang/ThreadGroup allowThreadSuspension(Z)Z
java/lang/ThreadGroup toString()Ljava/lang/String;
class java/lang/Thread$UncaughtExceptionHandler java/lang/Object
java/lang/Thread$UncaughtExceptionHandler uncaughtException(Ljava/lang/Thread;Ljava/lang/Throwable;)V
class
 java/lang/Thread java/lang/Object
java/lang/Thread name
java/lang/Thread priority
java/lang/Thread threadQ
java/lang/Thread eetop
java/lang/Thread started
java/lang/Thread single_step
java/lang/Thread daemon
java/lang/Thread stillborn
java/lang/Thread target
java/lang/Thread group
java/lang/Thread contextClassLoader
java/lang/Thread inheritedAccessControlContext
java/lang/Thread threadInitNumber
java/lang/Thread threadLocals
java/lang/Thread inheritableThreadLocals
java/lang/Thread stackSize
java/lang/Thread tid
java/lang/Thread threadSeqNumber
java/lang/Thread threadStatus
java/lang/Thread blocker
java/lang/Thread blockerLock
java/lang/Thread MIN_PRIORITY
java/lang/Thread NORM_PRIORITY
java/lang/Thread MAX_PRIORITY
java/lang/Thread EMPTY_STACK_TRACE
java/lang/Thread SUBCLASS_IMPLEMENTATION_PERMISSION
java/lang/Thread subclassAudits
java/lang/Thread uncaughtExceptionHandler
java/lang/Thread defaultUncaughtExceptionHandler
java/lang/Thread registerNatives()V
java/lang/Thread
 nextThreadNum()I
java/lang/Thread nextThreadID()J
java/lang/Thread blockedOn(Lsun/nio/ch/Interruptible;)V
java/lang/Thread currentThread()Ljava/lang/Thread;
java/lang/Thread yield()V
java/lang/Thread sleep(J)V

```

java/lang/Thread sleep(J)V  
java/lang/Thread init(Ljava/lang/ThreadGroup;Ljava/lang/Runnable;Ljava/lang/String;J)V  
java/lang/Thread <init>()V  
java/lang/Thread <init>(Ljava/lang/Runnable;)V  
java/lang/Thread <init>(Ljava/lang/ThreadGroup;Ljava/lang/Runnable;)V  
java/lang/Thread <init>(Ljava/lang/String;)V  
java/lang/Thread <init>(Ljava/lang/ThreadGroup;Ljava/lang/String;)V  
java/lang/Thread <init>(Ljava/lang/Runnable;Ljava/lang/String;)V  
java/lang/Thread <init>(Ljava/lang/ThreadGroup;Ljava/lang/Runnable;Ljava/lang/String;)V  
java/lang/Thread <init>(Ljava/lang/ThreadGroup;Ljava/lang/Runnable;Ljava/lang/String;J)V  
java/lang/Thread start()V  
java/lang/Thread start0()V  
java/lang/Thread run()V  
java/lang/Thread exit()V  
java/lang/Thread stop()V  
java/lang/Thread stop(Ljava/lang/Throwable;)V  
java/lang/Thread  
    interrupt()V  
java/lang/Thread interrupted()Z  
java/lang/Thread isInterrupted()Z  
java/lang/Thread isInterrupted(Z)Z  
java/lang/Thread destroy()V  
java/lang/Thread isAlive()Z  
java/lang/Thread suspend()V  
java/lang/Thread resume()V  
java/lang/Thread setPriority(I)V  
java/lang/Thread getPriority()I  
java/lang/Thread setName(Ljava/lang/String;)V  
java/lang/Thread getName()Ljava/lang/String;  
java/lang/Thread getThreadGroup()Ljava/lang/ThreadGroup;  
java/lang/Thread activeCount()I  
java/lang/Thread enumerate([Ljava/lang/Thread;)I  
java/lang/Thread countStackFrames()I  
java/lang/Thread join(J)V  
java/lang/Thread join(JI)V  
java/lang/Thread join()V  
java/lang/Thread dumpStack()V  
java/lang/Thread setDaemon(Z)V  
java/lang/Thread isDaemon()Z  
java/lang/Thread checkAccess()V  
java/lang/Thread toString()Ljava/lang/String;  
java/lang/Thread getContextClassLoader()Ljava/lang/ClassLoader;  
java/lang/Thread setContextClassLoader(Ljava/lang/ClassLoader;)V  
java/lang/Thread holdsLock(Ljava/lang/Object;)Z  
java/lang/Thread  
    getStackTrace()[Ljava/lang/StackTraceElement;  
java/lang/Thread getAllStackTraces()Ljava/util/Map;  
java/lang/Thread isCCLOverridden(Ljava/lang/Class;)Z

```

java/lang/Thread auditSubclass(Ljava/lang/Class;)Z
java/lang/Thread dumpThreads([Ljava/lang/Thread;)[Ljava/lang/StackTraceElement;
java/lang/Thread getThreads()[Ljava/lang/Thread;
java/lang/Thread getId()J
java/lang/Thread getState()Ljava/lang/Thread$State;
java/lang/Thread setDefaultUncaughtExceptionHandler(Ljava/lang/Thread$UncaughtExceptionHandler;)V
java/lang/Thread getDefaultUncaughtExceptionHandler()Ljava/lang/Thread$UncaughtExceptionHandler;
java/lang/Thread getUncaughtExceptionHandler()Ljava/lang/Thread$UncaughtExceptionHandler;
java/lang/Thread setUncaughtExceptionHandler(Ljava/lang/Thread$UncaughtExceptionHandler;)V
java/lang/Thread dispatchUncaughtException(Ljava/lang/Throwable;)V
java/lang/Thread setPriority0(I)V
java/lang/Thread stop0(Ljava/lang/Object;)V
java/lang/Thread suspend0()V
java/lang/Thread resume0()V
java/lang/Thread
 interrupt0()V
java/lang/Thread <clinit>()V
class java/lang/Runnable java/lang/Object
java/lang/Runnable run()V
class java/lang/ref/Finalizer java/lang/ref/FinalReference
java/lang/ref/Finalizer queue
java/lang/ref/Finalizer unfinalized
java/lang/ref/Finalizer lock
java/lang/ref/Finalizer next
java/lang/ref/Finalizer prev
java/lang/ref/Finalizer invokeFinalizeMethod(Ljava/lang/Object;)V
java/lang/ref/Finalizer hasBeenFinalized()Z
java/lang/ref/Finalizer add()V
java/lang/ref/Finalizer remove()V
java/lang/ref/Finalizer <init>(Ljava/lang/Object;)V
java/lang/ref/Finalizer register(Ljava/lang/Object;)V
java/lang/ref/Finalizer runFinalizer()V
java/lang/ref/Finalizer forkSecondaryFinalizer(Ljava/lang/Runnable;)V
java/lang/ref/Finalizer runFinalization()V
java/lang/ref/Finalizer runAllFinalizers()V
java/lang/ref/Finalizer access$000(Ljava/lang/ref/ReferenceQueue;
java/lang/ref/Finalizer access$100(Ljava/lang/ref/Finalizer;)V
java/lang/ref/Finalizer access$200(Ljava/lang/Object;
java/lang/ref/Finalizer
 access$300(Ljava/lang/ref/Finalizer;
java/lang/ref/Finalizer access$302(Ljava/lang/ref/Finalizer;)Ljava/lang/ref/Finalizer;
java/lang/ref/Finalizer access$400(Ljava/lang/ref/Finalizer;)Ljava/lang/ref/Finalizer;
java/lang/ref/Finalizer <clinit>()V
class java/lang/ref/PhantomReference java/lang/ref/Reference
java/lang/ref/PhantomReference get()Ljava/lang/Object;
java/lang/ref/PhantomReference <init>(Ljava/lang/Object;Ljava/lang/ref/ReferenceQueue;)V
class java/lang/ref/FinalReference java/lang/ref/Reference
java/lang/ref/FinalReference <init>(Ljava/lang/Object;Ljava/lang/ref/ReferenceQueue;)V

```

```

class java/lang/ref/WeakReference java/lang/ref/Reference
java/lang/ref/WeakReference <init>(Ljava/lang/Object;)V
java/lang/ref/WeakReference <init>(Ljava/lang/Object;Ljava/lang/ref/ReferenceQueue;)V
class java/lang/ref/SoftReference java/lang/ref/Reference
java/lang/ref/SoftReference clock
java/lang/ref/SoftReference timestamp
java/lang/ref/SoftReference <init>(Ljava/lang/Object;)V
java/lang/ref/SoftReference
<init>(Ljava/lang/Object;Ljava/lang/ref/ReferenceQueue;)V
java/lang/ref/SoftReference get()Ljava/lang/Object;
class java/lang/ref/Reference java/lang/Object
java/lang/ref/Reference referent
java/lang/ref/Reference queue
java/lang/ref/Reference next
java/lang/ref/Reference discovered
java/lang/ref/Reference lock
java/lang/ref/Reference pending
java/lang/ref/Reference get()Ljava/lang/Object;
java/lang/ref/Reference clear()V
java/lang/ref/Reference isEnqueued()Z
java/lang/ref/Reference enqueue()Z
java/lang/ref/Reference <init>(Ljava/lang/Object;)V
java/lang/ref/Reference <init>(Ljava/lang/Object;Ljava/lang/ref/ReferenceQueue;)V
java/lang/ref/Reference access$100(Ljava/lang/ref/Reference$Lock;
java/lang/ref/Reference access$200(Ljava/lang/ref/Reference;
java/lang/ref/Reference access$202(Ljava/lang/ref/Reference;)Ljava/lang/ref/Reference;
java/lang/ref/Reference <clinit>()V
class java/lang/StackOverflowError java/lang/VirtualMachineError
java/lang/StackOverflowError
<init>()V
java/lang/StackOverflowError <init>(Ljava/lang/String;)V
class java/lang/OutOfMemoryError java/lang/VirtualMachineError
java/lang/OutOfMemoryError <init>()V
java/lang/OutOfMemoryError <init>(Ljava/lang/String;)V
class java/lang/VirtualMachineError java/lang/Error
java/lang/VirtualMachineError <init>()V
java/lang/VirtualMachineError <init>(Ljava/lang/String;)V
class java/lang/ArrayStoreException java/lang/RuntimeException
java/lang/ArrayStoreException <init>()V
java/lang/ArrayStoreException <init>(Ljava/lang/String;)V
class java/lang/ClassCastException java/lang/RuntimeException
java/lang/ClassCastException <init>()V
java/lang/ClassCastException <init>(Ljava/lang/String;)V
class java/lang/NoClassDefFoundError java/lang/LinkageError
java/lang/NoClassDefFoundError <init>()V
java/lang/NoClassDefFoundError <init>(Ljava/lang/String;)V
class java/lang/LinkageError java/lang/Error
java/lang/LinkageError <init>()V

```

```

java/lang/LinkageError <init>(Ljava/lang/String;)V
class
 java/lang/ClassNotFoundException java/lang/Exception
java/lang/ClassNotFoundException serialVersionUID
java/lang/ClassNotFoundException ex
java/lang/ClassNotFoundException <init>()V
java/lang/ClassNotFoundException <init>(Ljava/lang/String;)V
java/lang/ClassNotFoundException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/ClassNotFoundException getException()Ljava/lang/Throwable;
java/lang/ClassNotFoundException getCause()Ljava/lang/Throwable;
class java/security/AccessControlContext java/lang/Object
java/security/AccessControlContext context
java/security/AccessControlContext isPrivileged
java/security/AccessControlContext privilegedContext
java/security/AccessControlContext combiner
java/security/AccessControlContext debugInit
java/security/AccessControlContext debug
java/security/AccessControlContext getDebug()Lsun/security/util/Debug;
java/security/AccessControlContext <init>([Ljava/security/ProtectionDomain;)V
java/security/AccessControlContext
 <init>(Ljava/security/AccessControlContext;Ljava/security/DomainCombiner;)V
java/security/AccessControlContext
 <init>([Ljava/security/ProtectionDomain;Z)V
java/security/AccessControlContext isPrivileged()Z
java/security/AccessControlContext getDomainCombiner()Ljava/security/DomainCombiner;
java/security/AccessControlContext checkPermission(Ljava/security/Permission;)V
java/security/AccessControlContext optimize()Ljava/security/AccessControlContext;
java/security/AccessControlContext
 goCombiner([Ljava/security/ProtectionDomain;Ljava/security/AccessControlContext;)Ljava/security/AccessControlContext;
java/security/AccessControlContext equals(Ljava/lang/Object;)Z
java/security/AccessControlContext containsAllPDs(Ljava/security/AccessControlContext;)Z
java/security/AccessControlContext hashCode()I
java/security/AccessControlContext <clinit>()V
class java/security/ProtectionDomain java/lang/Object
java/security/ProtectionDomain codesource
java/security/ProtectionDomain classloader
java/security/ProtectionDomain
 principals
java/security/ProtectionDomain permissions
java/security/ProtectionDomain staticPermissions
java/security/ProtectionDomain debug
java/security/ProtectionDomain <init>(Ljava/security/CodeSource;Ljava/security/PermissionCollection;)V
java/security/ProtectionDomain
 <init>(Ljava/security/CodeSource;Ljava/security/PermissionCollection;Ljava/lang/ClassLoader;[Ljava/security/Principal;)V
java/security/ProtectionDomain getCodeSource()Ljava/security/CodeSource;
java/security/ProtectionDomain getClassLoader()Ljava/lang/ClassLoader;

```

```

java/security/ProtectionDomain getPrincipals()[Ljava/security/Principal;
java/security/ProtectionDomain getPermissions()[Ljava/security/PermissionCollection;
java/security/ProtectionDomain implies(Ljava/security/Permission;)Z
java/security/ProtectionDomain toString()Ljava/lang/String;
java/security/ProtectionDomain seeAllp()Z
java/security/ProtectionDomain mergePermissions()[Ljava/security/PermissionCollection;
java/security/ProtectionDomain <clinit>()V
class
 java/lang/RuntimeException java/lang/Exception
 java/lang/RuntimeException serialVersionUID
 java/lang/RuntimeException <init>()V
 java/lang/RuntimeException <init>(Ljava/lang/String;)V
 java/lang/RuntimeException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
 java/lang/RuntimeException <init>(Ljava/lang/Throwable;)V
 class java/lang/Exception java/lang/Throwable
 java/lang/Exception serialVersionUID
 java/lang/Exception <init>()V
 java/lang/Exception <init>(Ljava/lang/String;)V
 java/lang/Exception <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
 java/lang/Exception <init>(Ljava/lang/Throwable;)V
 class java/lang/ThreadDeath java/lang/Error
 java/lang/ThreadDeath <init>()V
 class java/lang/Error java/lang/Throwable
 java/lang/Error serialVersionUID
 java/lang/Error <init>()V
 java/lang/Error <init>(Ljava/lang/String;)V
 java/lang/Error <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
 java/lang/Error <init>(Ljava/lang/Throwable;)V
 class java/lang/Throwable java/lang/Object
 java/lang/Throwable serialVersionUID
 java/lang/Throwable
 backtrack
 java/lang/Throwable detailMessage
 java/lang/Throwable cause
 java/lang/Throwable stackTrace
 java/lang/Throwable <init>()V
 java/lang/Throwable <init>(Ljava/lang/String;)V
 java/lang/Throwable <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
 java/lang/Throwable <init>(Ljava/lang/Throwable;)V
 java/lang/Throwable getMessage()Ljava/lang/String;
 java/lang/Throwable getLocalizedMessage()Ljava/lang/String;
 java/lang/Throwable getCause()Ljava/lang/Throwable;
 java/lang/Throwable initCause(Ljava/lang/Throwable;)Ljava/lang/Throwable;
 java/lang/Throwable toString()Ljava/lang/String;
 java/lang/Throwable printStackTrace()V
 java/lang/Throwable printStackTrace(Ljava/io/PrintStream;)V
 java/lang/Throwable printStackTraceAsCause(Ljava/io/PrintStream;[Ljava/lang/StackTraceElement;)V
 java/lang/Throwable printStackTrace(Ljava/io/PrintWriter;)V

```

```

java/lang/Throwable printStackTraceAsCause(Ljava/io/PrintWriter;[Ljava/lang/StackTraceElement;)V
java/lang/Throwable fillInStackTrace()Ljava/lang/Throwable;
java/lang/Throwable
 getStackTrace()[Ljava/lang/StackTraceElement;
java/lang/Throwable getOurStackTrace()[Ljava/lang/StackTraceElement;
java/lang/Throwable setStackTrace([Ljava/lang/StackTraceElement;)V
java/lang/Throwable getStackTraceDepth()I
java/lang/Throwable getStackTraceElement(I)Ljava/lang/StackTraceElement;
java/lang/Throwable writeObject(Ljava/io/ObjectOutputStream;)V
class java/lang/System java/lang/Object
java/lang/System in
java/lang/System out
java/lang/System err
java/lang/System security
java/lang/System props
java/lang/System registerNatives()V
java/lang/System <init>()V
java/lang/System setIn(Ljava/io/InputStream;)V
java/lang/System setOut(Ljava/io/PrintStream;)V
java/lang/System setErr(Ljava/io/PrintStream;)V
java/lang/System inheritedChannel()Ljava/nio/channels/Channel;
java/lang/System checkIO()V
java/lang/System setIn0(Ljava/io/InputStream;)V
java/lang/System setOut0(Ljava/io/PrintStream;)V
java/lang/System setErr0(Ljava/io/PrintStream;)V
java/lang/System
 setSecurityManager(Ljava/lang/SecurityManager;)V
java/lang/System setSecurityManager0(Ljava/lang/SecurityManager;)V
java/lang/System getSecurityManager()Ljava/lang/SecurityManager;
java/lang/System currentTimeMillis()J
java/lang/System nanoTime()J
java/lang/System arraycopy(Ljava/lang/Object;ILjava/lang/Object;II)V
java/lang/System identityHashCode(Ljava/lang/Object;)I
java/lang/System initProperties(Ljava/util/Properties;)Ljava/util/Properties;
java/lang/System getProperties()Ljava/util/Properties;
java/lang/System setProperties(Ljava/util/Properties;)V
java/lang/System getProperty(Ljava/lang/String;)Ljava/lang/String;
java/lang/System getProperty(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/lang/System setProperty(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/lang/System clearProperty(Ljava/lang/String;)Ljava/lang/String;
java/lang/System checkKey(Ljava/lang/String;)V
java/lang/System getenv(Ljava/lang/String;)Ljava/lang/String;
java/lang/System
 getenv(Ljava/util/Map;
java/lang/System exit(I)V
java/lang/System gc()V
java/lang/System runFinalization()V
java/lang/System runFinalizersOnExit(Z)V

```

```

java/lang/System load(Ljava/lang/String;)V
java/lang/System loadLibrary(Ljava/lang/String;)V
java/lang/System mapLibraryName(Ljava/lang/String;)Ljava/lang/String;
java/lang/System nullInputStream()Ljava/io/InputStream;
java/lang/System nullPrintStream()Ljava/io/PrintStream;
java/lang/System initializeSystemClass()V
java/lang/System getCallerClass()Ljava/lang/Class;
java/lang/System <clinit>()V
class java/lang/ClassLoader java/lang/Object
java/lang/ClassLoader initialized
java/lang/ClassLoader parent
java/lang/ClassLoader package2certs
java/lang/ClassLoader nocerts
java/lang/ClassLoader classes
java/lang/ClassLoader domains
java/lang/ClassLoader packages
java/lang/ClassLoader bootstrapClassPath
java/lang/ClassLoader scl
java/lang/ClassLoader sclSet
java/lang/ClassLoader defaultDomain
java/lang/ClassLoader loadedLibraryNames
java/lang/ClassLoader
 systemNativeLibraries
java/lang/ClassLoader nativeLibraries
java/lang/ClassLoader nativeLibraryContext
java/lang/ClassLoader usr_paths
java/lang/ClassLoader sys_paths
java/lang/ClassLoader defaultAssertionStatus
java/lang/ClassLoader packageAssertionStatus
java/lang/ClassLoader classAssertionStatus
java/lang/ClassLoader registerNatives()V
java/lang/ClassLoader addClass(Ljava/lang/Class;)V
java/lang/ClassLoader <init>(Ljava/lang/ClassLoader;)V
java/lang/ClassLoader <init>()V
java/lang/ClassLoader loadClass(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader loadClass(Ljava/lang/String;Z)Ljava/lang/Class;
java/lang/ClassLoader loadClassInternal(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader checkPackageAccess(Ljava/lang/Class;Ljava/security/ProtectionDomain;)V
java/lang/ClassLoader findClass(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader defineClass([BII)Ljava/lang/Class;
java/lang/ClassLoader defineClass(Ljava/lang/String;[BII)Ljava/lang/Class;
java/lang/ClassLoader
 preDefineClass(Ljava/lang/String;Ljava/security/ProtectionDomain;)Ljava/security/ProtectionDomain;
java/lang/ClassLoader defineClassSourceLocation(Ljava/security/ProtectionDomain;)Ljava/lang/String;
java/lang/ClassLoader
 defineTransformedClass(Ljava/lang/String;[BIILjava/security/ProtectionDomain;Ljava/lang/ClassFormatError;Ljava
a/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader postDefineClass(Ljava/lang/Class;Ljava/security/ProtectionDomain;)V

```



```

java/lang/ClassLoader defineClass(Ljava/lang/String;[BILjava/security/ProtectionDomain;)Ljava/lang/Class;
java/lang/ClassLoader
defineClass(Ljava/lang/String;Ljava/nio/ByteBuffer;Ljava/security/ProtectionDomain;)Ljava/lang/Class;
java/lang/ClassLoader defineClass0(Ljava/lang/String;[BILjava/security/ProtectionDomain;)Ljava/lang/Class;
java/lang/ClassLoader
defineClass1(Ljava/lang/String;[BILjava/security/ProtectionDomain;Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader
defineClass2(Ljava/lang/String;Ljava/nio/ByteBuffer;ILjava/security/ProtectionDomain;Ljava/lang/String;)Ljava/
ang/Class;
java/lang/ClassLoader
checkName(Ljava/lang/String;)Z
java/lang/ClassLoader checkCerts(Ljava/lang/String;Ljava/security/CodeSource;)V
java/lang/ClassLoader compareCerts([Ljava/security/cert/Certificate;[Ljava/security/cert/Certificate;)Z
java/lang/ClassLoader resolveClass(Ljava/lang/Class;)V
java/lang/ClassLoader resolveClass0(Ljava/lang/Class;)V
java/lang/ClassLoader findSystemClass(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader findBootstrapClass0(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader findBootstrapClass(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader check()V
java/lang/ClassLoader findLoadedClass(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader findLoadedClass0(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader setSigners(Ljava/lang/Class;[Ljava/lang/Object;)V
java/lang/ClassLoader getResource(Ljava/lang/String;)Ljava/net/URL;
java/lang/ClassLoader
getResources(Ljava/lang/String;)Ljava/util/Enumeration;
java/lang/ClassLoader findResource(Ljava/lang/String;)Ljava/net/URL;
java/lang/ClassLoader findResources(Ljava/lang/String;)Ljava/util/Enumeration;
java/lang/ClassLoader getSystemResource(Ljava/lang/String;)Ljava/net/URL;
java/lang/ClassLoader getSystemResources(Ljava/lang/String;)Ljava/util/Enumeration;
java/lang/ClassLoader getBootstrapResource(Ljava/lang/String;)Ljava/net/URL;
java/lang/ClassLoader getBootstrapResources(Ljava/lang/String;)Ljava/util/Enumeration;
java/lang/ClassLoader getBootstrapClassPath()Ljava/lang/String;
java/lang/ClassLoader getResourceAsStream(Ljava/lang/String;)Ljava/io/InputStream;
java/lang/ClassLoader getSystemResourceAsStream(Ljava/lang/String;)Ljava/io/InputStream;
java/lang/ClassLoader getParent()Ljava/lang/ClassLoader;
java/lang/ClassLoader getSystemClassLoader()Ljava/lang/ClassLoader;
java/lang/ClassLoader initSystemClassLoader()V
java/lang/ClassLoader isAncestor(Ljava/lang/ClassLoader;)Z
java/lang/ClassLoader
getCallerClassLoader()Ljava/lang/ClassLoader;
java/lang/ClassLoader
definePackage(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lan
g/String;Ljava/lang/String;Ljava/net/URL;)Ljava/lang/Package;
java/lang/ClassLoader getPackage(Ljava/lang/String;)Ljava/lang/Package;
java/lang/ClassLoader getPackages()[Ljava/lang/Package;
java/lang/ClassLoader findLibrary(Ljava/lang/String;)Ljava/lang/String;
java/lang/ClassLoader getDefaultDomain()Ljava/security/ProtectionDomain;
java/lang/ClassLoader initializePath(Ljava/lang/String;)[Ljava/lang/String;

```

```

java/lang/ClassLoader loadLibrary(Ljava/lang/Class;Ljava/lang/String;Z)V
java/lang/ClassLoader loadLibrary0(Ljava/lang/Class;Ljava/io/File;)Z
java/lang/ClassLoader findNative(Ljava/lang/ClassLoader;Ljava/lang/String;)J
java/lang/ClassLoader setDefaultAssertionStatus(Z)V
java/lang/ClassLoader setPackageAssertionStatus(Ljava/lang/String;Z)V
java/lang/ClassLoader setClassAssertionStatus(Ljava/lang/String;Z)V
java/lang/ClassLoader
 clearAssertionStatus()V
java/lang/ClassLoader desiredAssertionStatus(Ljava/lang/String;)Z
java/lang/ClassLoader initializeJavaAssertionMaps()V
java/lang/ClassLoader retrieveDirectives()Ljava/lang/AssertionStatusDirectives;
java/lang/ClassLoader access$000()Ljava/util/Vector;
java/lang/ClassLoader access$100()Ljava/util/Stack;
java/lang/ClassLoader <clinit>()V
class java/lang/Cloneable java/lang/Object
class java/lang/Class java/lang/Object
java/lang/Class ANNOTATION
java/lang/Class ENUM
java/lang/Class SYNTHETIC
java/lang/Class cachedConstructor
java/lang/Class newInstanceCallerCache
java/lang/Class name
java/lang/Class allPermDomain
java/lang/Class useCaches
java/lang/Class declaredFields
java/lang/Class publicFields
java/lang/Class declaredMethods
java/lang/Class publicMethods
java/lang/Class declaredConstructors
java/lang/Class publicConstructors
java/lang/Class declaredPublicFields
java/lang/Class declaredPublicMethods
java/lang/Class
 classRedefinedCount
java/lang/Class lastRedefinedCount
java/lang/Class genericInfo
java/lang/Class serialVersionUID
java/lang/Class serialPersistentFields
java/lang/Class reflectionFactory
java/lang/Class initted
java/lang/Class enumConstants
java/lang/Class enumConstantDirectory
java/lang/Class EMPTY_ANNOTATIONS_ARRAY
java/lang/Class annotations
java/lang/Class declaredAnnotations
java/lang/Class annotationType
java/lang/Class registerNatives()V
java/lang/Class <init>()V

```

```

java/lang/Class toString()Ljava/lang/String;
java/lang/Class forName(Ljava/lang/String;)Ljava/lang/Class;
java/lang/Class forName(Ljava/lang/String;ZLjava/lang/ClassLoader;)Ljava/lang/Class;
java/lang/Class forName0(Ljava/lang/String;ZLjava/lang/ClassLoader;)Ljava/lang/Class;
java/lang/Class newInstance()Ljava/lang/Object;
java/lang/Class newInstance0()Ljava/lang/Object;
java/lang/Class isInstance(Ljava/lang/Object;)Z
java/lang/Class isAssignableFrom(Ljava/lang/Class;)Z
java/lang/Class isInterface()Z
java/lang/Class
 isArray()Z
java/lang/Class isPrimitive()Z
java/lang/Class isAnnotation()Z
java/lang/Class isSynthetic()Z
java/lang/Class getName()Ljava/lang/String;
java/lang/Class getName0()Ljava/lang/String;
java/lang/Class getClassLoader()Ljava/lang/ClassLoader;
java/lang/Class getClassLoader0()Ljava/lang/ClassLoader;
java/lang/Class getTypeParameters()[Ljava/lang/reflect/TypeVariable;
java/lang/Class getSuperclass()Ljava/lang/Class;
java/lang/Class getGenericSuperclass()Ljava/lang/reflect/Type;
java/lang/Class getPackage()Ljava/lang/Package;
java/lang/Class getInterfaces()[Ljava/lang/Class;
java/lang/Class getGenericInterfaces()[Ljava/lang/reflect/Type;
java/lang/Class getComponentType()Ljava/lang/Class;
java/lang/Class getModifiers()I
java/lang/Class getSigners()[Ljava/lang/Object;
java/lang/Class setSigners([Ljava/lang/Object;)V
java/lang/Class getEnclosingMethod()Ljava/lang/reflect/Method;
java/lang/Class getEnclosingMethod0()Ljava/lang/Object;
java/lang/Class getEnclosingMethodInfo()Ljava/lang/Class$EnclosingMethodInfo;
java/lang/Class
 toClass(Ljava/lang/reflect/Type;)Ljava/lang/Class;
java/lang/Class getEnclosingConstructor()Ljava/lang/reflect/Constructor;
java/lang/Class getDeclaringClass()Ljava/lang/Class;
java/lang/Class getEnclosingClass()Ljava/lang/Class;
java/lang/Class getSimpleName()Ljava/lang/String;
java/lang/Class isAsciiDigit(C)Z
java/lang/Class getCanonicalName()Ljava/lang/String;
java/lang/Class isAnonymousClass()Z
java/lang/Class isLocalClass()Z
java/lang/Class isMemberClass()Z
java/lang/Class getSimpleBinaryName()Ljava/lang/String;
java/lang/Class isLocalOrAnonymousClass()Z
java/lang/Class getClasses()[Ljava/lang/Class;
java/lang/Class getFields()[Ljava/lang/reflect/Field;
java/lang/Class getMethods()[Ljava/lang/reflect/Method;
java/lang/Class getConstructors()[Ljava/lang/reflect/Constructor;

```

```

java/lang/Class getField(Ljava/lang/String;)Ljava/lang/reflect/Field;
java/lang/Class getMethod(Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/lang/Class
 getConstructor([Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/lang/Class getDeclaredClasses()[Ljava/lang/Class;
java/lang/Class getDeclaredFields()[Ljava/lang/reflect/Field;
java/lang/Class getDeclaredMethods()[Ljava/lang/reflect/Method;
java/lang/Class getDeclaredConstructors()[Ljava/lang/reflect/Constructor;
java/lang/Class getDeclaredField(Ljava/lang/String;)Ljava/lang/reflect/Field;
java/lang/Class getDeclaredMethod(Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/lang/Class getDeclaredConstructor([Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/lang/Class getResourceAsStream(Ljava/lang/String;)Ljava/io/InputStream;
java/lang/Class getResource(Ljava/lang/String;)Ljava/net/URL;
java/lang/Class getProtectionDomain()Ljava/security/ProtectionDomain;
java/lang/Class getProtectionDomain0()Ljava/security/ProtectionDomain;
java/lang/Class setProtectionDomain0(Ljava/security/ProtectionDomain;)V
java/lang/Class getPrimitiveClass(Ljava/lang/String;)Ljava/lang/Class;
java/lang/Class
 checkMemberAccess(ILjava/lang/ClassLoader;)V
java/lang/Class resolveName(Ljava/lang/String;)Ljava/lang/String;
java/lang/Class clearCachesOnClassRedefinition()V
java/lang/Class getGenericSignature()Ljava/lang/String;
java/lang/Class getFactory()Lsun/reflect/generics/factory/GenericsFactory;
java/lang/Class getGenericInfo()Lsun/reflect/generics/repository/ClassRepository;
java/lang/Class getRawAnnotations()[B
java/lang/Class getConstantPool()Lsun/reflect/ConstantPool;
java/lang/Class privateGetDeclaredFields(Z)[Ljava/lang/reflect/Field;
java/lang/Class privateGetPublicFields(Ljava/util/Set;)[Ljava/lang/reflect/Field;
java/lang/Class addAll(Ljava/util/Collection;[Ljava/lang/reflect/Field;)V
java/lang/Class privateGetDeclaredConstructors(Z)[Ljava/lang/reflect/Constructor;
java/lang/Class privateGetDeclaredMethods(Z)[Ljava/lang/reflect/Method;
java/lang/Class privateGetPublicMethods()[Ljava/lang/reflect/Method;
java/lang/Class searchFields([Ljava/lang/reflect/Field;Ljava/lang/String;)Ljava/lang/reflect/Field;
java/lang/Class
 getField0(Ljava/lang/String;)Ljava/lang/reflect/Field;
java/lang/Class
 searchMethods([Ljava/lang/reflect/Method;Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/lang/Class getMethod0(Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/lang/Class getConstructor0([Ljava/lang/Class;I)Ljava/lang/reflect/Constructor;
java/lang/Class arrayContentsEq([Ljava/lang/Object;[Ljava/lang/Object;)Z
java/lang/Class copyFields([Ljava/lang/reflect/Field;)[Ljava/lang/reflect/Field;
java/lang/Class copyMethods([Ljava/lang/reflect/Method;)[Ljava/lang/reflect/Method;
java/lang/Class copyConstructors([Ljava/lang/reflect/Constructor;)[Ljava/lang/reflect/Constructor;
java/lang/Class getDeclaredFields0(Z)[Ljava/lang/reflect/Field;
java/lang/Class getDeclaredMethods0(Z)[Ljava/lang/reflect/Method;
java/lang/Class getDeclaredConstructors0(Z)[Ljava/lang/reflect/Constructor;
java/lang/Class getDeclaredClasses0()[Ljava/lang/Class;
java/lang/Class

```

```

argumentTypesToString([Ljava/lang/Class;)Ljava/lang/String;
java/lang/Class desiredAssertionStatus()Z
java/lang/Class desiredAssertionStatus0(Ljava/lang/Class;)Z
java/lang/Class isEnum()Z
java/lang/Class getReflectionFactory()Lsun/reflect/ReflectionFactory;
java/lang/Class checkInitted()V
java/lang/Class getEnumConstants()[Ljava/lang/Object;
java/lang/Class enumConstantDirectory()Ljava/util/Map;
java/lang/Class cast(Ljava/lang/Object;)Ljava/lang/Object;
java/lang/Class asSubclass(Ljava/lang/Class;)Ljava/lang/Class;
java/lang/Class getAnnotation(Ljava/lang/Class;)Ljava/lang/annotation/Annotation;
java/lang/Class isAnnotationPresent(Ljava/lang/Class;)Z
java/lang/Class getAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/Class getDeclaredAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/Class initAnnotationsIfNecessary()V
java/lang/Class setAnnotationType(Lsun/reflect/annotation/AnnotationType;)V
java/lang/Class getAnnotationType()Lsun/reflect/annotation/AnnotationType;
java/lang/Class
 access$100([Ljava/lang/Object;[Ljava/lang/Object;)Z
java/lang/Class access$202(Z)Z
java/lang/Class access$302(Z)Z
java/lang/Class <clinit>()V
class java/lang/reflect/AnnotatedElement java/lang/Object
java/lang/reflect/AnnotatedElement isAnnotationPresent(Ljava/lang/Class;)Z
java/lang/reflect/AnnotatedElement getAnnotation(Ljava/lang/Class;)Ljava/lang/annotation/Annotation;
java/lang/reflect/AnnotatedElement getAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/reflect/AnnotatedElement getDeclaredAnnotations()[Ljava/lang/annotation/Annotation;
class java/lang/reflect/Type java/lang/Object
class java/lang/reflect/GenericDeclaration java/lang/Object
java/lang/reflect/GenericDeclaration getTypeParameters()[Ljava/lang/reflect/TypeVariable;
class java/lang/String java/lang/Object
java/lang/String value
java/lang/String offset
java/lang/String count
java/lang/String hash
java/lang/String serialVersionUID
java/lang/String
 serialPersistentFields
java/lang/String CASE_INSENSITIVE_ORDER
java/lang/String <init>()V
java/lang/String <init>(Ljava/lang/String;)V
java/lang/String <init>([C)V
java/lang/String <init>([CII)V
java/lang/String <init>([III)V
java/lang/String <init>([BIII)V
java/lang/String <init>([BI)V
java/lang/String checkBounds([BII)V
java/lang/String <init>([BII)Ljava/lang/String;)V

```

```

java/lang/String <init>([BLjava/lang/String;)V
java/lang/String <init>([BII)V
java/lang/String <init>([B)V
java/lang/String <init>(Ljava/lang/StringBuffer;)V
java/lang/String <init>(Ljava/lang/StringBuilder;)V
java/lang/String <init>(II[C)V
java/lang/String length()I
java/lang/String charAt(I)C
java/lang/String codePointAt(I)I
java/lang/String codePointBefore(I)I
java/lang/String codePointCount(II)I
java/lang/String offsetByCodePoints(II)I
java/lang/String getChars([CI)V
java/lang/String getChars(II[CI)V
java/lang/String getBytes(II[B)V
java/lang/String getBytes(Ljava/lang/String;)[B
java/lang/String getBytes()[B
java/lang/String
 equals(Ljava/lang/Object;)Z
java/lang/String contentEquals(Ljava/lang/StringBuffer;)Z
java/lang/String contentEquals(Ljava/lang/CharSequence;)Z
java/lang/String equalsIgnoreCase(Ljava/lang/String;)Z
java/lang/String compareTo(Ljava/lang/String;)I
java/lang/String compareToIgnoreCase(Ljava/lang/String;)I
java/lang/String regionMatches(ILjava/lang/String;II)Z
java/lang/String regionMatches(ZILjava/lang/String;II)Z
java/lang/String startsWith(Ljava/lang/String;)Z
java/lang/String startsWith(Ljava/lang/String;)Z
java/lang/String endsWith(Ljava/lang/String;)Z
java/lang/String hashCode()I
java/lang/String indexOf(I)I
java/lang/String indexOf(II)I
java/lang/String lastIndexOf(I)I
java/lang/String lastIndexOf(II)I
java/lang/String indexOf(Ljava/lang/String;)I
java/lang/String indexOf(Ljava/lang/String;I)I
java/lang/String indexOf([CII[CIII)I
java/lang/String lastIndexOf(Ljava/lang/String;)I
java/lang/String lastIndexOf(Ljava/lang/String;I)I
java/lang/String lastIndexOf([CII[CIII)I
java/lang/String
 substring(I)Ljava/lang/String;
java/lang/String substring(II)Ljava/lang/String;
java/lang/String subSequence(II)Ljava/lang/CharSequence;
java/lang/String concat(Ljava/lang/String;Ljava/lang/String;
java/lang/String replace(CC)Ljava/lang/String;
java/lang/String matches(Ljava/lang/String;)Z
java/lang/String contains(Ljava/lang/CharSequence;)Z

```

```

java/lang/String replaceFirst(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/lang/String replaceAll(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/lang/String replace(Ljava/lang/CharSequence;Ljava/lang/CharSequence;)Ljava/lang/String;
java/lang/String split(Ljava/lang/String;I)[Ljava/lang/String;
java/lang/String split(Ljava/lang/String;)[Ljava/lang/String;
java/lang/String toLowerCase(Ljava/util/Locale;)Ljava/lang/String;
java/lang/String toLowerCase()Ljava/lang/String;
java/lang/String toUpperCase(Ljava/util/Locale;)Ljava/lang/String;
java/lang/String toUpperCase()Ljava/lang/String;
java/lang/String
 trim()Ljava/lang/String;
java/lang/String toString()Ljava/lang/String;
java/lang/String toCharArray()[C
java/lang/String format(Ljava/lang/String;[Ljava/lang/Object;)Ljava/lang/String;
java/lang/String format(Ljava/util/Locale;Ljava/lang/String;[Ljava/lang/Object;)Ljava/lang/String;
java/lang/String valueOf(Ljava/lang/Object;)Ljava/lang/String;
java/lang/String valueOf([C)Ljava/lang/String;
java/lang/String valueOf([CII)Ljava/lang/String;
java/lang/String copyValueOf([CII)Ljava/lang/String;
java/lang/String copyValueOf([C)Ljava/lang/String;
java/lang/String valueOf(Z)Ljava/lang/String;
java/lang/String valueOf(C)Ljava/lang/String;
java/lang/String valueOf(I)Ljava/lang/String;
java/lang/String valueOf(J)Ljava/lang/String;
java/lang/String valueOf(F)Ljava/lang/String;
java/lang/String valueOf(D)Ljava/lang/String;
java/lang/String intern()Ljava/lang/String;
java/lang/String compareTo(Ljava/lang/Object;)I
java/lang/String <clinit>()V
class java/lang/CharSequence java/lang/Object
java/lang/CharSequence
 length()I
java/lang/CharSequence charAt(I)C
java/lang/CharSequence subSequence(II)Ljava/lang/CharSequence;
java/lang/CharSequence toString()Ljava/lang/String;
class java/lang/Comparable java/lang/Object
java/lang/Comparable compareTo(Ljava/lang/Object;)I
class java/io/Serializable java/lang/Object
class java/lang/Object null
java/lang/Object <init>()V
java/lang/Object registerNatives()V
java/lang/Object getClass()Ljava/lang/Class;
java/lang/Object hashCode()I
java/lang/Object equals(Ljava/lang/Object;)Z
java/lang/Object clone()Ljava/lang/Object;
java/lang/Object toString()Ljava/lang/String;
java/lang/Object notify()V
java/lang/Object notifyAll()V

```

java/lang/Object wait(J)V  
java/lang/Object wait(JI)V  
java/lang/Object wait()V  
java/lang/Object finalize()V  
java/lang/Object <clinit>()V

Found in path(s):

\* /asm-6-0-sources-11-jar/org/objectweb/asm/tools/jdk1-5-0-12-txt-gz/jdk1.5.0.12.txt

No license file was found, but licenses were detected in source scan.

/\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Constructs a new {@link LocalVariableAnnotationNode}. <i>Subclasses must

\* not use this constructor</i>. Instead, they must use the

\* {@link #LocalVariableAnnotationNode(int, TypePath, LabelNode[], LabelNode[], int[], String)}

\* version.

\*

\* @param typeRef



- \* a reference to the annotated type. See {@link TypeReference}.
- \* @param typePath
  - \* the path to the annotated type argument, wildcard bound, array
  - \* element type, or static inner type within 'typeRef'. May be
  - \* <tt>null</tt> if the annotation targets 'typeRef' as a whole.
- \* @param start
  - \* the first instructions corresponding to the continuous ranges
  - \* that make the scope of this local variable (inclusive).
- \* @param end
  - \* the last instructions corresponding to the continuous ranges
  - \* that make the scope of this local variable (exclusive). This
  - \* array must have the same size as the 'start' array.
- \* @param index
  - \* the local variable's index in each range. This array must have
  - \* the same size as the 'start' array.
- \* @param desc
  - \* the class descriptor of

the annotation class.

\*/

Found in path(s):

\* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/LocalVariableAnnotationNode.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2011 INRIA, France Telecom
- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- \* "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /asm-6-0-sources-11-jar/org/objectweb/asm/util/ASMifiable.java  
\* /asm-6-0-sources-11-jar/org/objectweb/asm/util/Textifiable.java

No license file was found, but licenses were detected in source scan.

/\*

\* ASM: a very small and fast Java bytecode manipulation framework  
\* Copyright (c) 2000-2013 INRIA, France Telecom  
\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

- \* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
\* "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /asm-6-0-sources-11-jar/org/objectweb/asm/TypePath.java  
\* /asm-6-0-sources-11-jar/org/objectweb/asm/TypeReference.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Constructs a new {@link ClassNode}. *<i>Subclasses must not use this*

\* constructor*</i>*. Instead, they must use the {@link #ClassNode(int)}

\* version.

\*

\* @throws IllegalStateException

\* If a subclass calls this constructor.

\*/

Found in path(s):

\* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/ClassNode.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- \* "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.
- \*/

Found in path(s):

- \* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/Method.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/SimpleRemapper.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/LocalVariablesSorter.java
- \*
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/Item.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/LocalVariableNode.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/MethodWriter.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/Handler.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/Analyzer.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/util/TraceAnnotationVisitor.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/util/CheckModuleAdapter.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/CodeSizeEvaluator.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/ClassRemapper.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/IncInsnNode.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/MethodVisitor.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/InnerClassNode.java
- \* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/AnnotationNode.java
- \*

```

/asm-6-0-sources-11-jar/org/objectweb/asm/signature/SignatureReader.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/Opcodes.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/SourceValue.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/util/TraceFieldVisitor.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/InstructionAdapter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/CurrentFrame.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/Frame.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/ModuleNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/util/TraceSignatureVisitor.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/MethodRemapper.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/Type.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/ClassVisitor.java
*
/asm-6-0-sources-11-jar/org/objectweb/asm/tree/LabelNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tools/ModuleInfoBndPlugin.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/Subroutine.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/util/TraceClassVisitor.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/TryCatchBlockSorter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/Remapper.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/ModuleWriter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/JumpInsnNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/ModuleResolutionAttribute.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/FieldNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/AnnotationWriter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/AbstractInsnNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/util/CheckMethodAdapter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/Attribute.java
*
/asm-6-0-sources-11-jar/org/objectweb/asm/ClassReader.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/TableSwitchInsnNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/FrameNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/ModuleVisitor.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/FieldInsnNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/ModuleRequireNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/VarInsnNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/RemappingFieldAdapter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/ModuleHashesAttribute.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/util/CheckSignatureAdapter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/ModuleRemapper.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/InsnList.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/InsnNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/FieldWriter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/signature/SignatureWriter.java
*

```

```

/asm-6-0-sources-11-jar/org/objectweb/asm/tree/ParameterNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/util/TraceModuleVisitor.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/RemappingClassAdapter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/RemappingSignatureAdapter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/util/CheckFieldAdapter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/LdcInsnNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/TypeAnnotationNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/FieldRemapper.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/IntInsnNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/BasicVerifier.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/AnalyzerException.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/TypeInsnNode.java
*
/asm-6-0-sources-11-jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/ModuleTargetAttribute.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/ByteVector.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/Label.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/RemappingAnnotationAdapter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/signature/SignatureVisitor.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/util/ASMifier.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tools/Retrofitter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/RemappingMethodAdapter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/Handle.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/AnnotationVisitor.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/SignatureRemapper.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/AdviceAdapter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/Interpreter.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java
*
/asm-6-0-sources-11-jar/org/objectweb/asm/tree/MethodInsnNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/Frame.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/Value.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/SmallSet.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/StaticInitMerger.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/util/Printer.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/util/TraceMethodVisitor.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/LineNumberNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/TryCatchBlockNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/ModuleProvideNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/FieldVisitor.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/MethodNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/ModuleExportNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/util/CheckClassAdapter.java
*
/asm-6-0-sources-11-jar/org/objectweb/asm/Context.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/ModuleOpenNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/BasicValue.java

```

\* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/AnnotationRemapper.java  
\* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/TableSwitchGenerator.java  
\* /asm-6-0-sources-11-jar/org/objectweb/asm/Edge.java  
\* /asm-6-0-sources-11-jar/org/objectweb/asm/ClassWriter.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
\* Copyright (c) 2000-2011 INRIA, France Telecom  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
\* "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new {@link AnalyzerAdapter}. *Subclasses must not use this*  
\* constructor*.* Instead, they must use the  
\* {@link #AnalyzerAdapter(int, String, int, String, String, MethodVisitor)}  
\* version.  
\*  
\* @param owner  
\*  
\* the owner's class name.  
\* @param access  
\* the method's access flags (see {@link Opcodes}).  
\* @param name

```

* the method's name.
* @param desc
* the method's descriptor (see {@link Type Type}).
* @param mv
* the method visitor to which this adapter delegates calls. May
* be <tt>null</tt>.
* @throws IllegalStateException
* If a subclass calls this constructor.
*/

```

Found in path(s):

\* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/AnalyzerAdapter.java

No license file was found, but licenses were detected in source scan.

<!--

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

-->

Found in path(s):

\* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/package.html

\* /asm-6-0-sources-11-jar/org/objectweb/asm/util/package.html



\* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/package.html

\* /asm-6-0-sources-11-jar/org/objectweb/asm/package.html

\*

/asm-6-0-sources-11-jar/org/objectweb/asm/signature/package.html

\* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/package.html

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM XML Adapter

\* Copyright (c) 2004-2011, Eugene Kuleshov

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES,

INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /asm-6-0-sources-11-jar/org/objectweb/asm/xml/ASMContentHandler.java

\* /asm-6-0-sources-11-jar/org/objectweb/asm/xml/SAXAdapter.java

\* /asm-6-0-sources-11-jar/org/objectweb/asm/xml/SAXCodeAdapter.java

\* /asm-6-0-sources-11-jar/org/objectweb/asm/xml/SAXAnnotationAdapter.java

\* /asm-6-0-sources-11-jar/org/objectweb/asm/xml/SAXClassAdapter.java

\*

/asm-6-0-sources-11-jar/org/objectweb/asm/xml/SAXModuleAdapter.java

\* /asm-6-0-sources-11-jar/org/objectweb/asm/xml/SAXFieldAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new JSRInliner. *<i>Subclasses must not use this*

\* constructor*</i>*. Instead, they must use the

\* `{@link #JSRInlinerAdapter(int, MethodVisitor, int, String, String, String, String[])}`

\* version.

\*

\* `@param mv`

\*

the `MethodVisitor` to send the resulting inlined

\* method code to (use `null` for none).

\* `@param access`

\* the method's access flags (see `{@link Opcodes}`). This

\* parameter also indicates if the method is synthetic and/or

\* deprecated.

\* `@param name`

\* the method's name.

```

* @param desc
* the method's descriptor (see {@link Type}).
* @param signature
* the method's signature. May be <tt>null</tt>.
* @param exceptions
* the internal names of the method's exception classes (see
* {@link Type#getInternalName() getInternalName}). May be
* <tt>null</tt>.
* @throws IllegalStateException
* If a subclass calls this constructor.
*/

```

Found in path(s):

\* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/JSRInlinerAdapter.java

No license file was found, but licenses were detected in source scan.

<!--

\* ASM XML Adapter

\* Copyright (c) 2004-2011, Eugene Kuleshov

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES,

INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

-->

Found in path(s):

\* /asm-6-0-sources-11-jar/org/objectweb/asm/xml/package.html

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Constructs a new {@link Textifier}. *Subclasses must not use this*

\* constructor*.* Instead, they must use the {@link #Textifier(int)}

\* version.

\*

\* @throws IllegalStateException

\* If a subclass calls this constructor.

\*/

Found in path(s):

\* /asm-6-0-sources-11-jar/org/objectweb/asm/util/Textifier.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

\* "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new {@link GeneratorAdapter}. *Subclasses must not use this*

\* constructor*.* Instead, they must use the

\* {@link #GeneratorAdapter(int, MethodVisitor, int, String, String)}

\* version.

\*

\* @param mv

\* the

method visitor to which this adapter delegates calls.

\* @param access

\* the method's access flags (see {@link Opcodes}).

\* @param name

\* the method's name.

\* @param desc

\* the method's descriptor (see {@link Type Type}).

\* @throws IllegalStateException

\* If a subclass calls this constructor.

\*/

Found in path(s):

\* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/GeneratorAdapter.java

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /asm-6-0-sources-11-jar/org/objectweb/asm/xml/asm-xml.dtd

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM XML Adapter

\* Copyright (c) 2004-2011, Eugene Kuleshov

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES,
- INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

- \* Constructs a new {@link InputSlicingHandler SubdocumentHandler}
- \* object.

\*

- \* @param subdocumentRoot

- \* name/path to the root element of the subdocument

- \* @param rootHandler

- \* content handler for the entire document (subdocument

- \* envelope).

- \* @param subdocumentHandlerFactory

- \* a {@link ContentHandlerFactory ContentHandlerFactory} used

- \* to create {@link ContentHandler ContentHandler} instances

- \* for subdocuments.

\*/

/\*\*

- \* Constructs a new {@link OutputSlicingHandler SubdocumentHandler}

- \* object.

\*

- \* @param subdocumentHandlerFactory

- \* a {@link ContentHandlerFactory ContentHandlerFactory} used

- \* to create {@link ContentHandler ContentHandler} instances

- \* for subdocuments.

- \* @param entryElement

- \* TODO.

- \* @param isXml

- \* TODO.

\*/

Found in path(s):

- \* /asm-6-0-sources-11-jar/org/objectweb/asm/xml/Processor.java

# 1.93 client-spi 2.20.128

## 1.93.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all



other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

## 1.94 jnr-x86asm 1.0.2

## 1.95 spring-expression 5.3.39

### 1.95.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only



on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

### SPRING FRAMEWORK 5.3.39 SUBCOMPONENTS:

Spring Framework 5.3.39 includes a number of subcomponents with separate copyright notices and license terms. The product that includes this file does not necessarily use all the open source subcomponents referred to below. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

>>> ASM 9.1 (org.ow2.asm:asm:9.1, org.ow2.asm:asm-commons:9.1):

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms,  
with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 1999-2009, OW2 Consortium <<https://www.ow2.org/>>

>>> CGLIB 3.3 (cglib:cglib:3.3):

Per the LICENSE file in the CGLIB JAR distribution downloaded from [https://github.com/cglib/cglib/releases/download/RELEASE\\_3\\_3\\_0/cglib-3.3.0.jar](https://github.com/cglib/cglib/releases/download/RELEASE_3_3_0/cglib-3.3.0.jar), CGLIB 3.3 is licensed under the Apache License, version 2.0, the text of which is included above.

>>> Objenesis 3.2 (org.objenesis:objenesis:3.2):

Per the LICENSE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html>, Objenesis 3.2 is licensed under the Apache License, version 2.0, the text of which is included above.

Per

the NOTICE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html> and corresponding to section 4d of the Apache License, Version 2.0, in this case for Objenesis:

Objenesis

Copyright 2006-2019 Joe Walnes, Henri Tremblay, Leonardo Mesquita

=====

To the extent any open source components are licensed under the EPL and/or other similar licenses that require the source code and/or modifications to source code to be made available (as would be noted above), you may obtain a copy of the source code corresponding to the binaries for such open source components and modifications thereto, if any, (the "Source Files"), by downloading the Source Files from <https://spring.io/projects>, Pivotal's website at <https://network.pivotal.io/open-source>, or by sending a request, with your name and address to: Pivotal Software, Inc., 875 Howard Street, 5th floor, San Francisco, CA 94103, Attention:

General Counsel. All such requests should clearly specify: OPEN SOURCE FILES REQUEST, Attention General Counsel. Pivotal can mail a copy of the Source Files to you on a CD or equivalent physical medium.

This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product. Alternatively, the Source Files may accompany the Software.

Spring Framework 5.3.39

Copyright (c) 2002-2024 Pivotal, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license.txt file.

## 1.96 sqs 2.20.128

### 1.96.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by

Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.



# 1.97 jdom 1.1.3

## 1.97.1 Notifications :

This product includes software developed by the JDOM Project (<http://www.jdom.org/>).

## 1.97.2 Available under license :

/\*

\$Id: jaxen.license,v 1.2 2009/07/23 06:35:55 jhunter Exp \$

Copyright 2003-2006 The Werken Company. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Jaxen Project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*

\* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*

\* 3. The end-user documentation included with the redistribution,  
 \* if any, must include the following acknowledgment:  
 \* "This product includes software developed by the  
 \* Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately, this acknowledgment may appear in the software itself,  
 \* if and wherever such third-party acknowledgments normally appear.  
 \*

\* 4. The names "Xalan" and "Apache Software Foundation" must  
 \* not be used to endorse or promote products derived from this  
 \* software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*

\* 5. Products derived from this software may not be called "Apache",  
 \* nor may "Apache" appear in their name, without prior written  
 \* permission of the Apache Software Foundation.  
 \*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS  
 \* OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*

\* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation and was  
 \* originally based on software copyright (c) 1999, Lotus  
 \* Development Corporation., <http://www.lotus.com>. For more  
 \* information on the Apache Software Foundation, please see  
 \* <<http://www.apache.org/>>.  
 \*/

/\*--

Copyright (C) 2000-2012 Jason Hunter & Brett McLaughlin.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the disclaimer that follows these conditions in the documentation and/or other materials provided with the distribution.
3. The name "JDOM" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact <request\_AT\_jdom\_DOT\_org>.
4. Products derived from this software may not be called "JDOM", nor may "JDOM" appear in their name, without prior written permission from the JDOM Project Management <request\_AT\_jdom\_DOT\_org>.

In addition, we request (but do not require) that you include in the end-user documentation provided with the redistribution and/or in the software itself an acknowledgement equivalent to the following:

"This product includes software developed by the  
JDOM Project (<http://www.jdom.org/>)."

Alternatively, the acknowledgment may be graphical using the logos available at <http://www.jdom.org/images/logos>.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE JDOM AUTHORS OR THE PROJECT CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the JDOM Project and was originally created by Jason Hunter <jhunter\_AT\_jdom\_DOT\_org> and Brett McLaughlin <brett\_AT\_jdom\_DOT\_org>. For more information on the JDOM Project, please see <<http://www.jdom.org/>>.

\*/

\*

\* Copyright (c) 1999 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

\* "This product includes software developed by the  
\* Apache Software Foundation (<http://www.apache.org/>)."  
\* Alternately, this acknowledgment may appear in the software itself,  
\* if and wherever such third-party acknowledgments normally appear.

\*

\* 4. The names "Xerces" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND

\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation and was  
\* originally based on software copyright (c) 1999, International  
\* Business Machines, Inc., <http://www.ibm.com>. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.  
\*/

## 1.98 hibernate-jboss-cache 3.3.1.GA

### 1.98.1 Available under license :

Found license 'GNU Lesser General Public License' in '\*' indicated by the @author tags or express copyright attribution \* distributed under license by Red Hat Middleware LLC. \* This copyrighted material is made available to anyone wishing to use, modify, \* copy, or redistribute it subject to the terms and conditions of the GNU \* Lesser General Public License, as published by the Free Software Foundation. \* This program is distributed in the hope that it will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY \* or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License \* for more details. \* You should have received a copy of the GNU Lesser General Public License \* Boston, MA 02110-1301 USA'

## 1.99 reactor-core 3.4.27

### 1.99.1 Available under license :

No license file was found, but licenses were detected in source scan.

# Copyright (c) 2019-2021 VMware Inc. or its affiliates, All Rights Reserved.

#

# Licensed under the Apache License, Version 2.0 (the "License");

# you may not use this file except in compliance with the License.

# You may obtain a copy of the License at

#

# <https://www.apache.org/licenses/LICENSE-2.0>

#

# Unless required by applicable law or agreed to in writing, software

# distributed under the License is distributed on an "AS IS" BASIS,

# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

# See the License for the specific language governing permissions and

# limitations under the License.

Found in path(s):

\* /reactor-core-3-4-27-1-jar/META-INF/services/reactor.blockhound.integration.BlockHoundIntegration

# 1.100 s3-transfer-manager 2.20.128

## 1.100.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang  
Copyright 2001-2020  
The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and



(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

# 1.101 activemq-run 5.15.11

## 1.101.1 Available under license :

ActiveMQ :: Run Jar  
Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.102 jsp 2.3

## 1.102.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)  
Version 1.0

\*

1. Definitions.

o

1.1. ?Contributor? means each individual or entity that creates or contributes to the creation of Modifications.

o

1.2. ?Contributor Version? means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

o

1.3. ?Covered Software? means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

o

1.4. ?Executable? means the Covered Software in any form other than Source Code.

o

1.5. ?Initial Developer? means the individual or entity that first makes Original Software available under this License.

o

1.6. ?Larger Work? means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

o

1.7. ?License? means this document.

o

1.8. ?Licensable? means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

o

1.9. ?Modifications? means the Source Code and Executable form of any of the following:

+

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

+

B. Any new file that contains any part of the Original Software or previous Modification; or

+

C. Any new file that is contributed  
or otherwise made available under the terms of this License.

o

1.10. ?Original Software? means the Source Code and Executable form of computer software code that is



originally released under this License.

o

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

o

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

o

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control"

means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

\*

## 2. License Grants.

o

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

+

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

+

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

o

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

+

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

+

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

\*

### 3. Distribution Obligations.

o

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available

in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

o

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You

represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

o

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

o

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

o

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

o

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

\*

## 4. Versions of the License.

o

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

o

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

o

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

\*

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

\*

#### 6. TERMINATION.

o

##### 6.1. This

License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

o

##### 6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial

Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as ?Participant?) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or

2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

o

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

\*

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

\*

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a ?commercial item,? as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of ?commercial computer software? (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and ?commercial computer software documentation? as such terms are used in 48

C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

\*

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it

enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

\*

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

# 1.103 tomcat-jaspic-api 9.0.83

## 1.103.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/config/RegistrationListener.java  
\*  
/tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/callback/PasswordValidationCallback.java  
\* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/AuthException.java

```

* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/config/AuthConfigProvider.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/callback/GroupPrincipalCallback.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/config/ClientAuthContext.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/callback/PrivateKeyCallback.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/module/ServerAuthModule.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/callback/CertStoreCallback.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/AuthStatus.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/MessageInfo.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/ClientAuth.java
*
/tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/config/ClientAuthConfig.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/ServerAuth.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/callback/CallerPrincipalCallback.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/callback/TrustStoreCallback.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/config/ServerAuthConfig.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/callback/SecretKeyCallback.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/config/AuthConfig.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/config/AuthConfigFactory.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/MessagePolicy.java
* /tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/module/ClientAuthModule.java
*
/tomcat-jaspic-api-9-0-83-sources-jar/javax/security/auth/message/config/ServerAuthContext.java

```

## 1.104 hibernate-jboss-cache2 3.3.1.GA

### 1.104.1 Available under license :

Found license 'GNU Lesser General Public License' in '~' indicated by the @author tags or express copyright attribution ~ distributed under license by Red Hat Middleware LLC. ~ This copyrighted material is made available to anyone wishing to use, modify, ~ copy, or redistribute it subject to the terms and conditions of the GNU ~ Lesser General Public License, as published by the Free Software Foundation. ~ This program is distributed in the hope that it will be useful, ~ but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY ~ or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License ~ for more details. ~ You should have received a copy of the GNU Lesser General Public License ~ Boston, MA 02110-1301 USA'

Found license 'GNU Lesser General Public License' in '\*' indicated by the @author tags or express copyright attribution \* distributed under license by Red Hat Middleware LLC. \* This copyrighted material is made available to anyone wishing to use, modify, \* copy, or redistribute it subject to the terms and conditions of the GNU \* Lesser General Public License, as published by the Free Software Foundation. \* This program is distributed in the hope that it will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY \* or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License \* for more details. \* You should have received a copy of the GNU Lesser General Public License \* Boston, MA 02110-1301 USA'

Found license 'GNU Lesser General Public License' in '\*' Copyright (c) 2007, Red Hat Middleware, LLC. All rights reserved. \* This copyrighted material is made available to anyone wishing to use, modify, \* copy, or redistribute it subject to the terms and conditions of the GNU \* Lesser General Public License, v. 2.1. This program is distributed in the \* warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU \* Lesser General Public License for more details. You should have received a \* copy of the GNU Lesser General

# 1.105 netty-resolver 4.1.89.Final

## 1.105.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

\* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/HostsFileEntriesProvider.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

\* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/AddressResolverGroup.java

\* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/package-info.java

\* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/NoopAddressResolverGroup.java



```
* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/NoopAddressResolver.java
*
/netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/NameResolver.java
* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/SimpleNameResolver.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/RoundRobinInetAddressResolver.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /netty-resolver-4-1-89-final-sources-1-jar/META-INF/maven/io.netty/netty-resolver/pom.xml
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2017 The Netty Project
```

```

*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/HostsFileEntries.java
* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/ResolvedAddressTypes.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/DefaultHostsFileEntriesResolver.java
* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/HostsFileParser.java
* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/HostsFileEntriesResolver.java
*
* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/AddressResolver.java
* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/CompositeNameResolver.java
* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/DefaultNameResolver.java
* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/InetSocketAddressResolver.java
* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/InetNameResolver.java
* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/AbstractAddressResolver.java
* /netty-resolver-4-1-89-final-sources-1-jar/io/netty/resolver/DefaultAddressResolverGroup.java

```

# 1.106 ehcache 1.7.1

## 1.106.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2003-2009 Terracotta, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/Ehcache.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/statistics/CacheUsageListener.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/store/Store.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/DefaultElementEvictionData.java
*
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/statistics/NullLiveCacheStatisticsData.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/config/ConfigurationFactory.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/RMICacheManagerPeerListener.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/CacheManagerPeerListener.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/RMICacheManagerPeerListenerFactory.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/config/FactoryConfiguration.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/loader/CacheLoader.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/loader/CacheLoaderFactory.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/sampled/SampledMBeanRegistrationProvider.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/constructs/blocking/CacheEntryFactory.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/RMISynchronousCacheReplicator.java
*
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/ManagementService.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/sampled/SampledCacheManagerMBean.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/ProductInfo.java
* /ehcache-core-1-7-1-sources-1-
jar/net/sf/ehcache/management/provider/MBeanRegistrationProviderFactoryImpl.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/counter/sampled/TimeStampedCounterValue.java
* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/CircularLossyQueue.java
```

- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/RMICachePeer.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/CacheManagerPeerProviderFactory.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/FailSafeTimer.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/config/DiskStoreConfiguration.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/exceptionhandler/CacheExceptionHandler.java
- \*
- /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/CacheManager.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/concurrent/Sync.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/Cache.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/counter/sampled/SampledCounterImpl.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/ElementEvictionData.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/sampled/SampledCache.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/MulticastKeepaliveHeartbeatSender.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/statistics/sampled/SampledCacheStatisticsImpl.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/RMICacheManagerPeerProviderFactory.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/ManualRMICacheManagerPeerProvider.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/event/CacheManagerEventListener.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/CacheException.java
- \*
- /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/MimeTypeByteArray.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/RMICacheReplicatorFactory.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/config/Configuration.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/event/RegisteredEventListeners.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/statistics/LiveCacheStatisticsData.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/ConfigurableRMIClientSocketFactory.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/CachePeer.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/store/LfuPolicy.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/concurrent/ConcurrencyUtil.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/store/StoreFactory.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/RMIBootstrapCacheLoader.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/provider/MBeanRegistrationProviderFactory.java
- \*
- /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/CacheConfiguration.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/store/MemoryStore.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/UpdateChecker.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/event/CacheEventListener.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/PropertyUtil.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/statistics/LiveCacheStatistics.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/bootstrap/BootstrapCacheLoaderFactory.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/exceptionhandler/ExceptionHandlingDynamicCacheProxy.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/Statistics.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/CacheManagerMBean.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/statistics/LiveCacheStatisticsWrapper.java
- \*
- /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/Element.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/event/CacheEventListenerFactory.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/Cache.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/counter/sampled/SampledRateCounterImpl.java

- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/RemoteCacheException.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/constructs/blocking/LockTimeoutException.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/exceptionhandler/CacheExceptionHandlerFactory.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/provider/MBeanRegistrationProvider.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/extension/CacheExtensionFactory.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/CacheConfigurationMBean.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/sampled/SampledCacheMBean.java
- \*
- /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/config/BeanHandler.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/statistics/sampled/NullSampledCacheStatistics.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/counter/CounterImpl.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/CacheManager.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/constructs/blocking/BlockingCache.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/RMICacheManagerPeerProvider.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/constructs/blocking/UpdatingCacheEntryFactory.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/statistics/LiveCacheStatisticsImpl.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/constructs/blocking/SelfPopulatingCache.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/concurrent/LockType.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/provider/MBeanRegistrationProviderImpl.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/extension/CacheExtension.java
- \*
- /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/sampled/SampledEhcacheMBeans.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/constructs/blocking/UpdatingSelfPopulatingCache.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/store/FifoPolicy.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/counter/CounterManager.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/config/InvalidConfigurationException.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/store/LruMemoryStore.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/concurrent/StripedReadWriteLockSync.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/constructs/web/ShutdownListener.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/PayloadUtil.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/store/Policy.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/store/LruPolicy.java
- \*
- /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/RMIAynchronousCacheReplicator.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/CacheManagerPeerListenerFactory.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/hibernate/EhCache.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/CacheStatistics.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/CacheManagerPeerProvider.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/statistics/sampled/SampledCacheStatisticsWrapper.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/bootstrap/BootstrapCacheLoader.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/concurrent/CacheLockProvider.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/EventMessage.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/counter/sampled/SampledRateCounterConfig.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/store/DiskStore.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/event/CacheManagerEventListenerRegistry.java
- \*
- /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/TerracottaStoreHelper.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/provider/NullMBeanRegistrationProvider.java

- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/counter/sampled/SampledRateCounter.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/config/CacheConfiguration.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/counter/sampled/SampledCounterConfig.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/sampled/SampledCacheManager.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/RMIBootstrapCacheLoaderFactory.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/CacheReplicator.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/ClassLoaderUtil.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/store/AbstractPolicy.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/Status.java
- \*
- /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/store/MemoryStoreEvictionPolicy.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/config/ConfigurationHelper.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/counter/Counter.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/TimeUtil.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/MemoryEfficientByteArrayOutputStream.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/event/CacheManagerEventListenerFactory.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/counter/CounterManagerImpl.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/counter/CounterConfig.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/statistics/sampled/SampledCacheStatistics.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/config/TerracottaConfigConfiguration.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/concurrent/ReadWriteLockSync.java
- \*
- /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/hibernate/EhCacheProvider.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/hibernate/SingletonEhCacheProvider.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/MulticastRMICacheManagerPeerProvider.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/CacheMBean.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/config/TerracottaConfigConfiguration.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/ObjectExistsException.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/management/CacheStatisticsMBean.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/util/counter/sampled/SampledCounter.java
- \* /ehcache-core-1-7-1-sources-1-jar/net/sf/ehcache/distribution/MulticastKeepaliveHeartbeatReceiver.java
- \* /ehcache-core-1-7-1-sources-1-
- jar/net/sf/ehcache/management/provider/MBeanRegistrationProviderException.java

## 1.107 openapi-parser 1.0.6

### 1.107.1 Available under license :

Apache-2.0

## 1.108 apache-client 2.20.128

### 1.108.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by

Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the



Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

# 1.109 quartz 2.3.2

## 1.109.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously

marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensors and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensors and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for

inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.110 jasypt 1.9.2

### 1.110.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their



Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2007-2010, The JASYPT team (<http://www.jasypt.org>)

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

This distribution includes cryptographic software. The country in which you currently reside may have restrictions on the import, possession, use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check your country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted. See <http://www.wassenaar.org/> for more information.

The U.S. Government Department of Commerce, Bureau of Industry and Security (BIS), has classified this software as Export Commodity Control Number (ECCN) 5D002.C.1, which includes information security software using or performing cryptographic functions with asymmetric algorithms. The form and manner of this distribution makes it eligible for export under the License Exception ENC Technology Software Unrestricted (TSU) exception (see the BIS Export Administration Regulations, Section 740.13) for both object code and source code.

The following provides more details on the cryptographic software used (note that this software is not included in the distribution):

\* The PBE Encryption facilities require the Java Cryptography extensions: <http://java.sun.com/javase/technologies/security/>.

-----

Distributions of this software may include software developed by The Apache Software Foundation (<http://www.apache.org/>).

-----

ICU License - ICU 1.8.1 and later

#### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2006 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any

person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

## 1.111 sts 2.20.128

### 1.111.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>

- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions



for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

## 1.112 syslog-java-client 1.1.7

### 1.112.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2010-2013, CloudBees Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

```

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/util/CachingReference.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2010-2014, CloudBees Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/Facility.java
* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/Severity.java
* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/sender/UdpSyslogMessageSender.java
* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/sender/SyslogMessageSender.java
*
* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/sender/TcpSyslogMessageSender.java
* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/util/ConcurrentDateFormat.java
* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/SyslogMessage.java
* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/MessageFormat.java
* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/util/InternalLogger.java
* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/SDElement.java
* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/util/IOUtils.java
* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/SDParam.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (c) 2010-2013 the original author or authors

```

\*  
 \* Permission is hereby granted, free of charge, to any person obtaining  
 \* a copy of this software and associated documentation files (the  
 \* "Software"), to deal in the Software without restriction, including  
 \* without limitation the rights to use, copy, modify, merge, publish,  
 \* distribute, sublicense, and/or sell copies of the Software, and to  
 \* permit persons to whom the Software is furnished to do so, subject to  
 \* the following conditions:  
 \*  
 \* The above copyright notice and this permission notice shall be  
 \* included in all copies or substantial portions of the Software.  
 \*  
 \* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
 \* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
 \* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
 \* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
 \*  
 \* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
 \* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
 \* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
 \*  
 \*/

Found in path(s):

\* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/integration/jul/AbstractHandler.java  
 \* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/integration/jul/SyslogMessageFormatter.java  
 \* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/integration/jul/util/LevelHelper.java  
 \* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/integration/jul/util/LogManagerHelper.java  
 \* /syslog-java-client-1-1-7-sources-5-jar/com/cloudbees/syslog/integration/jul/SyslogHandler.java

## 1.113 hibernate-swarmcache 3.3.1.GA

### 1.113.1 Available under license :

Found license 'GNU Lesser General Public License' in '\*' indicated by the @author tags or express copyright attribution \* distributed under license by Red Hat Middleware LLC. \* This copyrighted material is made available to anyone wishing to use, modify, \* copy, or redistribute it subject to the terms and conditions of the GNU \* Lesser General Public License, as published by the Free Software Foundation. \* This program is distributed in the hope that it will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY \* or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License \* for more details. \* You should have received a copy of the GNU Lesser General Public License \* Boston, MA 02110-1301 USA'

## 1.114 tomcat-jdbc 9.0.83

## 1.114.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
- You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate



comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Tomcat JDBC Pool

Copyright 2008-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.115 commons-compress 1.5

## 1.115.1 Available under license :

Apache Commons Compress

Copyright 2002-2012 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the  
attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications  
and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as

required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License,

Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

# 1.116 backport-util-concurrent 2.3.0

## 1.116.1 Available under license :

JacORB Licensing

-----

JacORB 2.2.3, January 2006

(C) The JacORB project, 1997-2006

JacORB is free software may be used in accordance with the terms of the GNU LIBRARY GENERAL PUBLIC LICENSE as reproduced below. JacORB is nonetheless copyrighted. This copyright applies to all documents, code, binaries etc. in this distribution. This license file must be retained in all redistributions of JacORB or parts thereof.

-- Licenses of included libraries ---

This product includes parts of the CUP Parser Generator library, v 0.9e, Copyright 1996-1999 by Scott Hudson, Frank Flannery, C. Scott Ananian.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Please see the Apache 1.1 Software License, which is reproduced below.

This product includes version 2.7.2 of the ANTLR parser and compiler framework (<http://wwwantlr.org>), which is in the public domain and may be freely redistributed.

This product includes the "backport-util-concurrent" class library maintained by Dawid Kurzyniec (<http://www.mathcs.emory.edu/dcl/util/backport-util-concurrent/>), according to the license reproduced below.

This product includes software copyrighted by TanukiSoftware (<http://wrapper.tanukisoftware.org>), according to the Tanuki license reproduced below.

This product includes software copyrighted by the PicoContainer Organization (<http://www.picocontainer.org>), according to the license reproduced below.

=====

# GNU LIBRARY GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.

675 Mass Ave, Cambridge, MA 02139, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is numbered 2 because it goes with version 2 of the ordinary GPL.]

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.



The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

## GNU LIBRARY GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code"

for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's

complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those

sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based

on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or

linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever

changes

were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library

facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any

particular

circumstance, the balance of the section is intended to apply,  
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing

and reuse of software generally.

## NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE

ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### Appendix: How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either



version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without  
even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
Library General Public License for more details.

You should have received a copy of the GNU Library General Public  
License along with this library; if not, write to the Free  
Software Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the library, if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

=====  
The Apache Software License, Version  
1.1  
=====

Copyright (C) 1997-2003 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modifica-  
tion, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,  
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,  
this list of conditions and the following disclaimer in the documentation  
and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must  
include the following acknowledgment: "This product includes software  
developed by the Apache Software Foundation (<http://www.apache.org/>)."  
Alternately, this acknowledgment may appear in the software itself, if

and wherever such  
third-party acknowledgments normally appear.

4. The names "LogKit", "Jakarta" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [apache@apache.org](mailto:apache@apache.org).

5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <http://www.apache.org/>.

=====

The software comprising backport-util-concurrent is based in large part on the code from JSR166, and the package `dl.util.concurrent`. The software has been released to the public domain, as explained at: <http://creativecommons.org/licenses/publicdomain>, excepting portions of the class `edu.emory.mathcs.backport.java.util.concurrent.CopyOnWriteArrayList`, which were adapted from class `java.util.ArrayList`, written by Sun Microsystems, Inc, which are used with kind permission, and subject to the following:

Copyright 2002-2004 Sun Microsystems, Inc. All rights reserved. Use is subject to the following license terms.

"Sun hereby grants you a non-exclusive, worldwide, non-transferrable license to use and distribute the Java Software technologies as part of a larger work in source and binary forms, with or without modification, provided that the following conditions are met:

-Neither the name of or trademarks of Sun may be used to endorse or promote products derived from the Java Software technology without specific prior written permission.

-Redistributions of source or binary code must be accompanied by the following notice and disclaimers:

Portions copyright Sun Microsystems, Inc. Used with kind permission.

This software is provided AS IS, without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PUPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN MICROSYSTEMS, INC. AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES SUFFERED BY LICENSEE AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN MICROSYSTEMS, INC. OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT,CONSQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OR LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN MICROSYSTEMS, INC. HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You acknowledge that Software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility."

=====

Copyright (c) 1999, 2004 Tanuki Software

Permission is hereby granted, free of charge,  
to any person  
obtaining a copy of the Java Service Wrapper and associated  
documentation files (the "Software"), to deal in the Software  
without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sub-license,  
and/or sell copies of the Software, and to permit persons to  
whom the Software is furnished to do so, subject to the  
following conditions:

The above copyright notice and this permission notice shall be  
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Portions

of the Software have been derived from source code developed by Silver Egg Technology under the following license:

Copyright (c) 2001 Silver Egg Technology

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sub-license, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

=====

Copyright (c) 2003-2004, PicoContainer Organization  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the PicoContainer Organization nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/\*

\* \$Header: /home/cvs/jakarta-commons/LICENSE,v 1.1.1.1 2001/03/20 00:23:43 craigmcc Exp \$

\* \$Revision: 1.1.1.1 \$

\* \$Date: 2001/03/20 00:23:43 \$

\*

\* =====

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999-2001 The Apache Software Foundation. All rights

\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in

\* the documentation and/or other materials provided with the

\* distribution.

\*

\* 3. The end-user documentation included with the redistribution, if

\* any, must include the following acknowledgement:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgement may appear in the software itself,

\* if and wherever such third-party acknowledgements normally appear.

\*

\* 4. The names "The Jakarta Project", "Commons", and "Apache Software

\* Foundation" must not be used to endorse or promote products derived

\* from this software without prior written permission. For written

\* permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache"

\* nor may "Apache" appear in their names without prior written

\* permission of the Apache Group.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION

OR

\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF

\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND

\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT

\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many

\* individuals on behalf of the Apache Software Foundation. For more

\* information on the Apache Software Foundation, please see

\* <http://www.apache.org/>.

\*

\*/

/\*

=====

The Apache Software License, Version 1.1

=====

Copyright (C) 1997-2003 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modifica-  
tion, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,  
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,  
this list of conditions and the following disclaimer in the documentation  
and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must  
include the following acknowledgment: "This product includes software  
developed by the Apache Software

Foundation (<http://www.apache.org/>)."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "LogKit", "Jakarta" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [apache@apache.org](mailto:apache@apache.org).

5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <http://www.apache.org/>.

\*/

Copyright (c) 2000-2003, XDoclet Team  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the XDoclet team nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS ``AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.117 activemq-mqtt 5.15.11

### 1.117.1 Available under license :

ActiveMQ :: MQTT Protocol  
Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.



"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.118 commons-dbutils 1.0

## 1.118.1 Notifications :

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

## 1.118.2 Available under license :

```

/*
* =====
*
* The Apache Software License, Version 1.1
*
* Copyright (c) 2002-2003 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution, if
* any, must include the following acknowledgement:
* "This product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately,
* this acknowledgement may appear in the software itself,
* if and wherever such third-party acknowledgements normally appear.
*
* 4. The names "The Jakarta Project", "Commons", and "Apache Software
* Foundation" must not be used to endorse or promote products derived
* from this software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* nor may "Apache" appear in their names without prior written
* permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

```

\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*

\*/

# 1.119 activemq-client 5.15.11

## 1.119.1 Available under license :

ActiveMQ :: Client

Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside



or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.120 json-utils 2.20.128

## 1.120.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](https://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

# 1.121 snake-yaml 1.33

## 1.121.1 Available under license :

/\*\*

\* Copyright (c) 2008, SnakeYAML

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.



"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

No license file was found, but licenses were detected in source scan.

```
// This module is multi-licensed and may be used under the terms
// EPL, Eclipse Public License, V1.0 or later, http://www.eclipse.org/legal
// LGPL, GNU Lesser General Public License, V2.1 or later, http://www.gnu.org/licenses/lgpl.html
// GPL, GNU General Public License, V2 or later, http://www.gnu.org/licenses/gpl.html
// AL, Apache License, V2.0 or later, http://www.apache.org/licenses
// BSD, BSD License, http://www.opensource.org/licenses/bsd-license.php
/**
 * A Base64 encoder/decoder.
 *
```

```

* <p>
* This class is used to encode and decode data in Base64 format as described in RFC 1521.
*
* <p>
* Project home page: www.
* source-code.biz/base64coder/java

* Author: Christian d'Heureuse, Inventec Informatik AG, Zurich, Switzerland

* Multi-licensed: EPL / LGPL / GPL / AL / BSD.
*/

```

Found in path(s):

```

* /snakeyaml-1-33-sources-jar/org/yaml/snakeyaml/external/biz/base64Coder/Base64Coder.java

```

# 1.122 activemq-http 5.15.11

## 1.122.1 Available under license :

Apache License  
 Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,



and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

ActiveMQ :: HTTP Protocol Support  
Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.123 activemq-kahadb-store 5.15.11

## 1.123.1 Available under license :

ActiveMQ :: KahaDB Store

Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.124 ion-java 1.0.2

### 1.124.1 Available under license :

Amazon Ion Java

Copyright 2007-2016 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensors and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained



within such NOTICE file, excluding  
those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

# 1.125 swarmcache 1.0RC2

## 1.125.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Hibernate, Relational Persistence for Idiomatic Java

\*

\* Copyright (c) 2007, Red Hat Middleware LLC or third-party contributors as

\* indicated by the @author tags or express copyright attribution

\* statements applied by the authors. All third-party contributions are

\* distributed under license by Red Hat Middleware LLC.

\*

\* This copyrighted material is made available to anyone wishing to use, modify,

\* copy, or redistribute it subject to the terms and conditions of the GNU

\* Lesser General Public License, as published by the Free Software Foundation.

\*

\* This program is distributed in the hope that it will be useful,

\* but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY

\* or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License

\* for more details.

\*

\* You should have received a copy of the GNU Lesser General Public License  
\* along with this distribution;  
if not, write to:  
\* Free Software Foundation, Inc.  
\* 51 Franklin Street, Fifth Floor  
\* Boston, MA 02110-1301 USA  
\*/

Found in path(s):

\* /hibernate-swarmcache-3-5-4-final-sources-jar/org/hibernate/cache/SwarmCache.java  
\* /hibernate-swarmcache-3-5-4-final-sources-jar/org/hibernate/cache/SwarmCacheProvider.java

# 1.126 jackson-databind 2.14.0

## 1.126.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0  
To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.127 log4j-api 2.20.0

## 1.127.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).



"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache Log4j 1.x Compatibility API  
Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.128 shiro 1.10.1

### 1.128.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at



<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based on initial ideas from Dr. Heinz Kabutz's publicly posted version available at <http://www.javaspecialists.eu/archive/Issue015.html>, with continued modifications.

Certain parts (StringUtils, IPAddressMatcher, etc.) of the source code for this product was copied for simplicity and to reduce dependencies from the source code developed by the Spring Framework Project (<http://www.springframework.org>).

# 1.129 tomcat-coyote 9.0.83

## 1.129.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

# 1.130 boxable 1.6

## 1.130.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,



any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### Preamble

The GNU General Public License is a free, copyleft license for  
software and other kinds of works.

The licenses for most software and other practical works are designed  
to take away your freedom to share and change the works. By contrast,  
the GNU General Public License is intended to guarantee your freedom to  
share and change all versions of a program--to make sure it remains free  
software for all its users. We, the Free Software Foundation, use the  
GNU General Public License for most of our software; it applies also to  
any other work released this way by its authors. You can apply it to  
your programs, too.

When we speak of free software, we are referring to

freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a

covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

#### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

#### 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.



A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently

reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims

owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is

conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided

above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate



parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see [<http://www.gnu.org/licenses/>](http://www.gnu.org/licenses/).

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read [<http://www.gnu.org/philosophy/why-not-lgpl.html>](http://www.gnu.org/philosophy/why-not-lgpl.html).

## 1.131 spring-framework 5.3.39

### 1.131.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2022 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /spring-core-5-3-39-sources-jar/org/springframework/core/task/TaskRejectedException.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/XmlValidationModeDetector.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/MergedAnnotation.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/AnnotationTypeMappings.java
*
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/StringToCurrencyConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/DefaultPropertiesPersister.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/AbstractEncoder.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/MimeType.java
```

- \* /spring-core-5-3-39-sources-jar/org/springframework/util/TypeUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/Resource.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/AnnotationConfigurationException.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/StandardReflectionParameterNameDiscoverer.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/LocalVariableTableParameterNameDiscoverer.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/support/ResourcePatternResolver.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/core/SimpleAliasRegistry.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/TypeMappedAnnotation.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/AbstractEnvironment.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/converter/ConvertingComparator.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/type/classreading/SimpleMetadataReader.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/VfsResource.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/AnnotatedElementUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/task/AsyncTaskExecutor.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/StringToTimeZoneConverter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/RepeatableContainers.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/SocketUtils.java
- \*
- /spring-core-5-3-39-sources-
- jar/org/springframework/core/annotation/SynthesizedMergedAnnotationInvocationHandler.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/Property.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/KotlinReflectionParameterNameDiscoverer.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/NestedIOException.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/AbstractMergedAnnotation.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/log/CompositeLog.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/StringToLocaleConverter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/unit/DataSize.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/CoroutinesUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/DefaultParameterNameDiscoverer.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/AliasFor.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/core/io/AbstractFileResolvingResource.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/buffer/DataBuffer.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/DigestUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/AbstractResource.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/StringToCharsetConverter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/task/TaskTimeoutException.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/NestedExceptionUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/CollectionUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/UrlResource.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/concurrent/SettableListenableFuture.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/MergedAnnotations.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/core/io/DefaultResourceLoader.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/task/support/TaskExecutorAdapter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/SerializationUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/AnnotationTypeMapping.java

\* /spring-core-5-3-39-sources-jar/org/springframework/util/FastByteArrayOutputStream.java

\* /spring-core-5-3-39-sources-jar/org/springframework/util/AntPathMatcher.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2011 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ConfigurableConversionService.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2010 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/ConversionException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2019 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /spring-core-5-3-39-sources-jar/org/springframework/core/type/classreading/AnnotationReadingVisitorUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/AbstractDataBufferDecoder.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/MergedAnnotationSelector.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/core/io/buffer/NettyDataBuffer.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/PriorityOrdered.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ConversionUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/CharSequenceEncoder.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/Ordered.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/type/AnnotationMetadata.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/unit/DataUnit.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/TransformerUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/ReactiveAdapter.java
- \* /spring-core-5-3-39-sources-
- jar/org/springframework/core/type/classreading/RecursiveAnnotationArrayVisitor.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/DataBufferEncoder.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/ByteArrayEncoder.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/IntegerToEnumConverterFactory.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/ByteBufferEncoder.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/Base64Utils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/ByteArrayDecoder.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/IntrospectionFailureLogger.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/DataBufferDecoder.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/PackagesAnnotationFilter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/SpringVersion.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/MissingMergedAnnotation.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/buffer/DataBufferWrapper.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/MultiValueMap.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/util/SimpleRouteMatcher.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/type/classreading/ClassMetadataReadingVisitor.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/MergedAnnotationPredicates.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/ResourceEncoder.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/type/AnnotatedTypeMetadata.java

```

* /spring-core-5-3-39-sources-
jar/org/springframework/core/type/classreading/RecursiveAnnotationAttributesVisitor.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/PathMatcher.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/RouteMatcher.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/env/PropertyResolverExtensions.kt
* /spring-core-5-3-39-sources-jar/org/springframework/core/DecoratingProxy.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/io/support/ResourcePatternUtils.java
*
/spring-core-5-3-39-sources-jar/org/springframework/lang/NonNullFields.java
* /spring-core-5-3-39-sources-jar/org/springframework/lang/NonNull.java
* /spring-core-5-3-39-sources-
jar/org/springframework/core/type/classreading/AnnotationAttributesReadingVisitor.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/ByteBufferDecoder.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/SynthesizingMethodParameter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/style/DefaultValueStyler.java
* /spring-core-5-3-39-sources-jar/org/springframework/lang/Nullable.java
* /spring-core-5-3-39-sources-jar/org/springframework/cglib/core/ClassLoaderAwareGeneratorStrategy.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/type/filter/AnnotationTypeFilter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/AbstractDecoder.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/MergedAnnotationSelectors.java
*
/spring-core-5-3-39-sources-
jar/org/springframework/core/type/classreading/AbstractRecursiveAnnotationVisitor.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/StaxUtils.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/AbstractStaxXMLReader.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/AnnotationAwareOrderComparator.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2024 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/ResourceDecoder.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/Decoder.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/TypeDescriptor.java

```

```

* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ObjectToObjectConverter.java
*
/spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ArrayToArrayConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/BridgeMethodResolver.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/ResolvableType.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/TypeMappedAnnotations.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/SerializableTypeWrapper.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/metrics/DefaultApplicationStartup.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/AnnotationsScanner.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/MethodIntrospector.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/io/support/ResourcePropertiesPersister.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/AnnotationUtils.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/type/filter/AbstractTypeHierarchyTraversingFilter.java
*
/spring-core-5-3-39-sources-jar/org/springframework/core/env/PropertiesPropertySource.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/io/support/PathMatchingResourcePatternResolver.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/ClassUtils.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/AttributeMethods.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/MultiValueMapAdapter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/io/buffer/DataBufferUtils.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/ReactiveTypeDescriptor.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/StringUtils.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2009 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

```

Found in path(s):
* /spring-core-5-3-39-sources-jar/org/springframework/core/type/classreading/MetadataReader.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2023 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");

```

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/ClassPathResource.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/backoff/ExponentialBackOff.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/Profiles.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/ReflectionUtils.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/core/io/FileSystemResource.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/serializer/support/DeserializingConverter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/log/LogMessage.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/ConversionFailedException.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/GenericConversionService.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/PathResource.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/ObjectUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/CollectionFactory.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/MethodInvoker.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/CommandLinePropertySource.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/Environment.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/core/MethodParameter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/task/support/ExecutorServiceAdapter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/ConcurrencyThrottleSupport.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/ConcurrentReferenceHashMap.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/log/LogFormatUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/OrderUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/ReactiveAdapterRegistry.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/ProfilesParser.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/task/SimpleAsyncTaskExecutor.java
- \* /spring-core-5-3-39-sources-
- jar/org/springframework/core/type/classreading/SimpleAnnotationMetadataReadingVisitor.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/InstanceFilter.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/core/ParameterizedTypeReference.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/FileSystemUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/serializer/DefaultDeserializer.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/comparator/NullSafeComparator.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2017 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /spring-core-5-3-39-sources-jar/org/springframework/core/env/MissingRequiredPropertiesException.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/ConversionService.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/ResolvableTypeProvider.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ObjectToArrayConverter.java
*
/spring-core-5-3-39-sources-jar/org/springframework/core/io/support/EncodedResource.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/concurrent/ListenableFutureAdapter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/DecoratingClassLoader.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/type/filter/AspectJTypeFilter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/io/FileSystemResourceLoader.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/style/ToStringStyler.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/io/support/DefaultPropertySourceFactory.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/CodecException.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/StreamConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/MethodClassKey.java
*
/spring-core-5-3-39-sources-jar/org/springframework/util/xml/AbstractStaxHandler.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ConvertingPropertyEditorAdapter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/Order.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/AbstractXMLReader.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/ConverterNotFoundException.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/env/EnvironmentCapable.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/StringValueResolver.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/io/ResourceEditor.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/CollectionToObjectConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/io/WritableResource.java
* /spring-core-5-3-39-sources-jar/org/springframework/lang/NonNullApi.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/CollectionToArrayConverter.java
*
```



```

/spring-core-5-3-39-sources-jar/org/springframework/util/concurrent/FutureAdapter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/env/CompositePropertySource.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/EncodingException.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/type/ClassMetadata.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/InvalidMimeTypeException.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ObjectToOptionalConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/DecodingException.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/StringToArrayConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/DefaultConversionService.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/io/support/VfsPatternUtils.java
*
/spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/IdToEntityConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/converter/GenericConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/StaxResult.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/NumberUtils.java
* /spring-core-5-3-39-sources-
jar/org/springframework/core/convert/support/AbstractConditionalEnumConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/style/DefaultToStringStyler.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002,2003,2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

```

Found in path(s):
* /spring-core-5-3-39-sources-jar/org/springframework/cglib/proxy/Enhancer.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2021 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0

```

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /spring-core-5-3-39-sources-jar/org/springframework/core/AttributeAccessor.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/PropertyPlaceholderHelper.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/SmartClassLoader.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/StaxEventXMLReader.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/util/LinkedCaseInsensitiveMap.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/ConcurrentLruCache.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/ByteArrayResource.java
- \* /spring-core-5-3-39-sources-
- jar/org/springframework/core/type/classreading/SimpleMethodMetadataReadingVisitor.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/ResourceLoader.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/type/StandardClassMetadata.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/AnnotationAttributes.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/StopWatch.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/AnnotationFilter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/type/StandardAnnotationMetadata.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/type/StandardMethodMetadata.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/ValueExtractor.java
- \* /spring-core-5-3-39-sources-
- jar/org/springframework/core/type/classreading/MergedAnnotationReadingVisitor.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/PatternMatchUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/NativeDetector.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/Constants.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/StandardEnvironment.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/type/classreading/SimpleAnnotationMetadata.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/InputStreamSource.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/asm/SpringAsmInfo.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/SpringProperties.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/buffer/LimitedDataBufferList.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/AnnotationsProcessor.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/buffer/DataBufferLimitException.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/JOptCommandLinePropertySource.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/metrics/jfr/FlightRecorderApplicationStartup.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/type/classreading/SimpleMethodMetadata.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/type/MethodMetadata.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/buffer/DefaultDataBuffer.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/SimpleCommandLinePropertySource.java

\* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/Encoder.java  
\* /spring-core-5-3-39-sources-jar/org/springframework/core/log/LogDelegateFactory.java

No license file was found, but licenses were detected in source scan.

# Copyright 2002-2020 the original author or authors.

#

# Licensed under the Apache License, Version 2.0 (the "License");

# you may not use this file except in compliance with the License.

# You may obtain a copy of the License at

#

# <https://www.apache.org/licenses/LICENSE-2.0>

#

# Unless required by applicable law or agreed to in writing, software

# distributed under the License is distributed on an "AS IS" BASIS,

# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

# See the License for the specific language governing permissions and

# limitations under the License.

org.springframework.core.ReactiveAdapterRegistry\$SpringCoreBlockHoundIntegration

Found in path(s):

\* /spring-core-5-3-39-sources-jar/META-INF/services/reactor.blockhound.integration.BlockHoundIntegration

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2003,2004 The Apache Software Foundation

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /spring-core-5-3-39-sources-jar/org/springframework/cglib/proxy/MethodProxy.java

\* /spring-core-5-3-39-sources-jar/org/springframework/cglib/core/AbstractClassGenerator.java

\* /spring-core-5-3-39-sources-jar/org/springframework/cglib/beans/BeanCopier.java

\* /spring-core-5-3-39-sources-jar/org/springframework/cglib/beans/ImmutableBean.java

\*

/spring-core-5-3-39-sources-jar/org/springframework/cglib/core/ReflectUtils.java

\* /spring-core-5-3-39-sources-jar/org/springframework/cglib/beans/BulkBeanEmitter.java

\* /spring-core-5-3-39-sources-jar/org/springframework/cglib/beans/BeanMap.java  
\* /spring-core-5-3-39-sources-jar/org/springframework/cglib/core/AsmApi.java  
\* /spring-core-5-3-39-sources-jar/org/springframework/cglib/core/KeyFactory.java  
\* /spring-core-5-3-39-sources-jar/org/springframework/cglib/beans/BeanMapEmitter.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ZonedDateTimeToCalendarConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/EnumToIntegerConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/ConfigurableObjectInputStream.java
*
/spring-core-5-3-39-sources-jar/org/springframework/lang/UsesSunMisc.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/CharacterToNumberFactory.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/converter/ConverterRegistry.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/task/TaskExecutor.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/concurrent/FailureCallback.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/ErrorHandler.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/CollectionToStringConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/type/filter/TypeFilter.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/backoff/BackOff.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/io/ProtocolResolver.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/env/ConfigurablePropertyResolver.java
*
/spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ZoneIdToTimeZoneConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/backoff/BackOffExecution.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/EnumToStringConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/env/CommandLineArgs.java
* /spring-core-5-3-39-sources-jar/org/springframework/objenesis/SpringObjenesis.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/StringToPropertiesConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/type/filter/AssignableTypeFilter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012-2024 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

\* /spring-core-5-3-39-sources-jar/org/springframework/core/metrics/jfr/FlightRecorderStartupStep.java

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

```
* /spring-core-5-3-39-sources-jar/org/springframework/asm/MethodTooLargeException.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/Handle.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/Edge.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/MethodWriter.java
*
/spring-core-5-3-39-sources-jar/org/springframework/asm/Frame.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/AnnotationVisitor.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/Label.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/ModuleWriter.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/CurrentFrame.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/RecordComponentWriter.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/MethodVisitor.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/SymbolTable.java
```

```

* /spring-core-5-3-39-sources-jar/org/springframework/asm/Context.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/Type.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/ClassReader.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/ClassVisitor.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/AnnotationWriter.java
*
/spring-core-5-3-39-sources-jar/org/springframework/asm/Attribute.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/TypeReference.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/ByteVector.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/Constants.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/ModuleVisitor.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/ConstantDynamic.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/FieldVisitor.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/Opcodes.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/ClassWriter.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/ClassTooLargeException.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/TypePath.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/Symbol.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/Handler.java
*
/spring-core-5-3-39-sources-jar/org/springframework/asm/RecordComponentVisitor.java
* /spring-core-5-3-39-sources-jar/org/springframework/asm/FieldWriter.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2020 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/MergedAnnotationsCollection.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/converter/Converter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/AttributeAccessorSupport.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/MimeTypeUtils.java
*
/spring-core-5-3-39-sources-jar/org/springframework/core/serializer/support/SerializingConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/StringToNumberConverterFactory.java

```

- \* /spring-core-5-3-39-sources-jar/org/springframework/util/StreamUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/StaxStreamXMLReader.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/support/SpringFactoriesLoader.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/SimpleIdGenerator.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/FileCopyUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/GenericTypeResolver.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/buffer/DefaultDataBufferFactory.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/support/PropertiesLoaderUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/KotlinDetector.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/util/IdGenerator.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/MapToMapConverter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/StringToEnumConverterFactory.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/Hints.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/SimpleCommandLineArgsParser.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/task/TaskDecorator.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/buffer/PooledDataBuffer.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/PropertyResolver.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/support/PropertySourceFactory.java
- \* /spring-core-5-3-39-sources-
- jar/org/springframework/core/type/classreading/AnnotationMetadataReadingVisitor.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/MutablePropertySources.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/core/Conventions.java
- \* /spring-core-5-3-39-sources-
- jar/org/springframework/core/convert/support/NumberToNumberConverterFactory.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/SystemPropertyUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/concurrent/MonoToListenableFutureAdapter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/concurrent/ListenableFutureCallbackRegistry.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/metrics/StartupStep.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/metrics/ApplicationStartup.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/log/LogAccessor.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/metrics/jfr/FlightRecorderStartupEvent.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/FileUrlResource.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/util/PropertiesPersister.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/comparator/InstanceComparator.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/support/ResourceArrayPropertyEditor.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/StringToBooleanConverter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/PrioritizedParameterNameDiscoverer.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/NettyByteBufDecoder.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/MergedAnnotationCollectors.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/OrderComparator.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/StringToCharacterConverter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/CustomizableThreadCreator.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/MapPropertySource.java
- \*

```

/spring-core-5-3-39-sources-jar/org/springframework/core/env/PropertySource.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/env/AbstractPropertyResolver.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/SortedProperties.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/serializer/Deserializer.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/Assert.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/env/EnumerablePropertySource.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/CommonsLogWriter.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/LinkedMultiValueMap.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/StringDecoder.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/AliasRegistry.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/type/classreading/MethodMetadataReadingVisitor.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/ResourceRegionEncoder.java
*
/spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/StringToUUIDConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/io/support/PropertiesLoaderSupport.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/AbstractSingleValueEncoder.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/codec/NettyByteBufferEncoder.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/serializer/Serializer.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /spring-core-5-3-39-sources-jar/org/springframework/util/comparator/BooleanComparator.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/NamedThreadLocal.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/io/buffer/NettyDataBufferFactory.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/env/ReadOnlySystemAttributesMap.java
*
/spring-core-5-3-39-sources-jar/org/springframework/util/xml/ListBasedXMLEventReader.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/StaxEventHandler.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/NamedInheritableThreadLocal.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/io/VfsUtils.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/CompositeIterator.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/concurrent/CompletableToListenableFutureAdapter.java

```



- \* /spring-core-5-3-39-sources-jar/org/springframework/core/task/AsyncListenableTaskExecutor.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/type/classreading/CachingMetadataReaderFactory.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/type/classreading/SimpleMetadataReaderFactory.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/comparator/Comparators.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/util/concurrent/ListenableFutureCallback.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/ResourceUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/NestedRuntimeException.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/comparator/InvertibleComparator.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/XMLStreamWriter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/lang/UsesJava7.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/style/ToStringCreator.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/lang/UsesSunHttpServer.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/lang/UsesJava8.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/concurrent/DelegatingCompletableFuture.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/PropertySourcesPropertyResolver.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/buffer/DataBufferFactory.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ByteBufferConverter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/UpdateMessageDigestInputStream.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/NestedCheckedException.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/ConfigurableEnvironment.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/AutoPopulatingList.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ConversionServiceFactory.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/concurrent/SuccessCallback.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/function/SingletonSupplier.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/DomContentHandler.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/AbstractXMLStreamReader.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/util/xml/DomUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/support/LocalizedResourceHelper.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/concurrent/ListenableFutureTask.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/function/SupplierUtils.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/PropertySources.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/StaxSource.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/support/ResourceRegion.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/DescriptiveResource.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/SimpleNamespaceContext.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/comparator/ComparableComparator.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/XMLStreamReader.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/converter/ConverterFactory.java
- \*
- /spring-core-5-3-39-sources-jar/org/springframework/core/OverridingClassLoader.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/concurrent/ListenableFuture.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/ExceptionDepthComparator.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/AbstractXMLStreamReader.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/backoff/FixedBackOff.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/io/support/ResourcePropertySource.java

\* /spring-core-5-3-39-sources-jar/org/springframework/util/comparator/CompoundComparator.java  
\* /spring-core-5-3-39-sources-jar/org/springframework/core/ParameterNameDiscoverer.java  
\* /spring-core-5-3-39-sources-jar/org/springframework/core/io/InputStreamResource.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2007 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

\* /spring-core-5-3-39-sources-jar/org/springframework/core/type/filter/RegexPatternTypeFilter.java  
\* /spring-core-5-3-39-sources-jar/org/springframework/core/io/ContextResource.java  
\* /spring-core-5-3-39-sources-jar/org/springframework/core/style/ValueStyler.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2014 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

\* /spring-core-5-3-39-sources-jar/org/springframework/cglib/SpringCglibInfo.java  
\* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ArrayToObjectConverter.java  
\* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/CollectionToCollectionConverter.java  
\*

```

/spring-core-5-3-39-sources-jar/org/springframework/util/xml/StaxStreamHandler.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ArrayToCollectionConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ObjectToCollectionConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/converter/ConditionalConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/cglib/core/SpringNamingPolicy.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ArrayToStringConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/PropertiesToStringConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/StringToCollectionConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/type/filter/AbstractClassTestingTypeFilter.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/ExceptionTypeFilter.java
*
/spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/ObjectToStringConverter.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2012 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /spring-core-5-3-39-sources-jar/org/springframework/core/InfrastructureProxy.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/serializer/support/SerializationFailedException.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/io/ClassRelativeResourceLoader.java
*
/spring-core-5-3-39-sources-jar/org/springframework/core/task/SyncTaskExecutor.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/type/classreading/MetadataReaderFactory.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/SimpleTransformErrorListener.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/task/support/ConcurrentExecutorAdapter.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/NumberToCharacterConverter.java
* /spring-core-5-3-39-sources-jar/org/springframework/util/xml/SimpleSaxErrorHandler.java
* /spring-core-5-3-39-sources-jar/org/springframework/core/style/StyleUtils.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2003 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");

```

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /spring-core-5-3-39-sources-jar/org/springframework/cglib/beans/BulkBean.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/cglib/beans/FixedKeySet.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/cglib/beans/BulkBeanException.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/cglib/beans/BeanGenerator.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2015 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

- \* /spring-core-5-3-39-sources-jar/org/springframework/core/serializer/support/SerializationDelegate.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/converter/ConditionalGenericConverter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/JdkIdGenerator.java
- \*
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/convert/support/FallbackObjectToStringConverter.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/ResizableByteArrayOutputStream.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/serializer/DefaultSerializer.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/util/AlternativeJdkIdGenerator.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/env/SystemEnvironmentPropertySource.java
- \* /spring-core-5-3-39-sources-jar/org/springframework/core/annotation/SynthesizedAnnotation.java

# 1.132 reactive-streams 1.0.4

## 1.132.1 Available under license :

MIT-0

# 1.133 httpcomponents-core 4.4.14

## 1.133.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability



incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

Apache HttpComponents Core

Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache HttpComponents Core

Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.134 tomcat-ssi 9.0.83

### 1.134.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
- You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the



content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.135 mariadb-java-client 2.7.3

### 1.135.1 Available under license :

Found license 'GNU Lesser General Public License' in '# This library is free software; you can redistribute it and/or modify it under # the terms of the GNU Lesser General Public License as published by the Free # Software Foundation; either version 2.1 of the License, or (at your option) # any later version. # This library is distributed in the hope that it will be useful, but # WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or # FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License # for more details. # You should have received a copy of the GNU Lesser General Public License along # Redistribution and use in source and binary forms, with or without modification, # are permitted provided that the following conditions are met: # Redistributions of source code must retain the above copyright notice, this list # of conditions and the following disclaimer. # Redistributions in binary form must reproduce the above copyright notice, this # list

of conditions and the following disclaimer in the documentation and/or # Neither the name of the driver nor the names of its contributors may not be'

Found license 'GNU Lesser General Public License' in '# This library is free software; you can redistribute it and/or modify it under # the terms of the GNU Lesser General Public License as published by the Free # Software Foundation; either version 2.1 of the License, or (at your option) # any later version. # This library is distributed in the hope that it will be useful, but # WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or # FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License # for more details. # You should have received a copy of the GNU Lesser General Public License along'

Found license 'GNU Lesser General Public License' in '~ This library is free software; you can redistribute it and/or modify it under ~ the terms of the GNU Lesser General Public License as published by the Free ~ Software Foundation; either version 2.1 of the License, or (at your option) ~ any later version. ~ This library is distributed in the hope that it will be useful, but ~ WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or ~ FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License ~ for more details. ~ You should have received a copy of the GNU Lesser General Public License along ~ Redistribution and use in source and binary forms, with or without modification, ~ are permitted provided that the following conditions are met: ~ Redistributions of source code must retain the above copyright notice, this list ~ of conditions and the following disclaimer. ~ Redistributions in binary form must reproduce the above copyright notice, this ~ list

of conditions and the following disclaimer in the documentation and/or ~ Neither the name of the driver nor the names of its contributors may not be'

# 1.136 aws-xml-protocol 2.20.128

## 1.136.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang  
Copyright 2001-2020  
The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

## 1.137 commons-csv 1.8

### 1.137.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or  
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,



and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)

the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own

copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons CSV

Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

# 1.138 netty-transport-classes-epoll

## 4.1.86.Final

## 1.138.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
/**
 * Set the {@code TCP_MD5SIG} option on the socket. See {@code linux/tcp.h} for more details.
 * Keys can only be set on, not read to prevent a potential leak, as they are confidential.
 * Allowing them being read would mean anyone with access to the channel could get them.
 *
 */
/**
 * Set the {@code TCP_QUICKACK} option on the socket.
 * See TCP_QUICKACK
 * for more details.
 *
 */
```

Found in path(s):

\* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollSocketChannelConfig.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
```

\*/

Found in path(s):

\* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/SegmentedDatagramPacket.java

\* /netty-transport-classes-epoll-4-1-86-final-sources-1-

jar/io/netty/channel/epoll/EpollDomainDatagramChannelConfig.java

\* /netty-transport-classes-epoll-4-1-86-final-sources-1-

jar/io/netty/channel/epoll/EpollDomainDatagramChannel.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollDatagramChannelConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/NativeDatagramPacketArray.java

```

* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollChannelOption.java
* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/AbstractEpollChannel.java
*
/netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollServerSocketChannel.java
* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollDatagramChannel.java
* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/package-info.java
* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollTcpInfo.java
* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollEventLoopGroup.java
* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/Epoll.java
* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollSocketChannel.java
* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollEventLoop.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/Native.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

- \* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollChannelConfig.java
- \* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollServerChannelConfig.java
- \* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/TcpMd5Util.java
- \*
- /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollDomainSocketChannelConfig.java
- \* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollEventArray.java
- \* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollRecvByteAllocatorHandle.java
- \* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollServerDomainSocketChannel.java
- \* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollMode.java
- \* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollDomainSocketChannel.java
- \* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/EpollRecvByteAllocatorStreamingHandle.java
- \* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/AbstractEpollStreamChannel.java
- \* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/AbstractEpollServerChannel.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2016 The Netty Project
- \*
- \* The Netty Project licenses this file to you under the Apache License,
- \* version 2.0 (the "License"); you may not use this file except in compliance
- \* with the License. You may obtain a copy of the License at:
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

- \* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/LinuxSocket.java
- \* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/io/netty/channel/epoll/NativeStaticallyReferencedJniMethods.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2014 The Netty Project
- \*
- \* The Netty Project licenses this file to you under the Apache License,
- \* version 2.0 (the "License"); you may not use this file except in compliance



```

* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
 * Set the {@code TCP_MD5SIG} option on the socket. See {@code linux/tcp.h} for more details.
 * Keys can only be set on, not read to prevent a potential leak, as they are confidential.
 * Allowing them being read would mean anyone with access to the channel could get them.
 */

```

Found in path(s):

```

* /netty-transport-classes-epoll-4-1-86-final-sources-1-
jar/io/netty/channel/epoll/EpollServerSocketChannelConfig.java
No license file was found, but licenses were detected in source scan.

```

```

<!--
~ Copyright 2021 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

```

Found in path(s):

```

* /netty-transport-classes-epoll-4-1-86-final-sources-1-jar/META-INF/maven/io.netty/netty-transport-classes-
epoll/pom.xml

```

## 1.139 activemq-stomp 5.15.11

## 1.139.1 Available under license :

ActiveMQ :: STOMP Protocol

Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.140 openapi-schema-validator 1.0.6

### 1.140.1 Available under license :

Apache-2.0

## 1.141 protocol-core 2.20.128

### 1.141.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-

2010 AOL Inc.

- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,



where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

## 1.142 shiro-ehcache 1.10.1

### 1.142.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache Shiro

Copyright 2008-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The implementation for `org.apache.shiro.util.SoftHashMap` is based  
on initial ideas from Dr. Heinz Kabutz's publicly posted version  
available at <http://www.javaspecialists.eu/archive/Issue015.html>,  
with continued modifications.

Certain parts (`StringUtils`, `IpAddressMatcher`, etc.) of the source  
code for this product was copied for simplicity and to reduce  
dependencies from the source code developed by the Spring Framework  
Project (<http://www.springframework.org>).

## 1.143 asm 4.0

### 1.143.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2011 INRIA, France Telecom
- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its



- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- \* "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.
- \*/
- /\*\*
- \* Constructs a new {@link ClassNode}. *<i>Subclasses must not use this*
- \* constructor*</i>.* Instead, they must use the {@link #ClassNode(int)}
- \* version.
- \*/

Found in path(s):

\* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/ClassNode.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2011 INRIA, France Telecom
- \* Copyright (c) 2011 Google
- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE
- \* COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
 \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
 \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
 \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
 \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
 \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
 \* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new {@link GeneratorAdapter}. *<i>Subclasses must not use this*

\* constructor*</i>. Instead, they must use the*

\* {@link #GeneratorAdapter(int, MethodVisitor, int, String, String)}

\* version.

\*

\* @param

mv the method visitor to which this adapter delegates calls.

\* @param access the method's access flags (see {@link Opcodes}).

\* @param name the method's name.

\* @param desc the method's descriptor (see {@link Type Type}).

\*/

Found in path(s):

\* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/GeneratorAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
 \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
 \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
 \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
 \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
 \* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new JSRInliner. <i>Subclasses must not use this  
 \* constructor</i>. Instead, they must use the  
 \* {@link #JSRInlinerAdapter(int, MethodVisitor, int, String, String, String, String[])}  
 \* version.

\*

\* @param mv the <code>MethodVisitor</code>

to send the resulting inlined

\* method code to (use <code>null</code> for none).  
 \* @param access the method's access flags (see {@link Opcodes}). This  
 \* parameter also indicates if the method is synthetic and/or  
 \* deprecated.  
 \* @param name the method's name.  
 \* @param desc the method's descriptor (see {@link Type}).  
 \* @param signature the method's signature. May be <tt>null</tt>.  
 \* @param exceptions the internal names of the method's exception classes  
 \* (see {@link Type#getInternalName() getInternalName}). May be  
 \* <tt>null</tt>.

\*/

Found in path(s):

\* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/JSRInlinerAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM XML Adapter

\* Copyright (c) 2004-2011, Eugene Kuleshov

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES,  
\* INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /asm-4-0-sources-1-jar/org/objectweb/asm/xml/SAXAnnotationAdapter.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/xml/ASMContentHandler.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/xml/SAXFieldAdapter.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/xml/SAXCodeAdapter.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/xml/SAXClassAdapter.java  
\*  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/xml/SAXAdapter.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/xml/Processor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
\* Copyright (c) 2000-2011 INRIA, France Telecom  
\* Copyright (c) 2011 Google  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE  
\* COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/AdviceAdapter.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/util/TraceMethodVisitor.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/util/TraceClassVisitor.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Analyzer.java  
\*

/asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/ClassOptimizer.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/MethodNode.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/util/ASMifier.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/util/TraceFieldVisitor.java

No license file was found, but licenses were detected in source scan.

/\*

\* ASM: a very small and fast Java bytecode manipulation framework  
\* Copyright (c) 2000-2011 INRIA, France Telecom  
\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

- \* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
\* "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/CodeSizeEvaluator.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/TryCatchBlockSorter.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/Remapper.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/InsnNode.java  
\*  
/asm-4-0-sources-1-jar/org/objectweb/asm/util/TraceAnnotationVisitor.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/TypeInsnNode.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/AnnotationConstantsCollector.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/AnnotationWriter.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Value.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/StaticInitMerger.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/LdcInsnNode.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/Constant.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/util/CheckSignatureAdapter.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingFieldAdapter.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/Item.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/util/CheckFieldAdapter.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/Opcodes.java  
\*  
/asm-4-0-sources-1-jar/org/objectweb/asm/tree/FieldInsnNode.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/MethodWriter.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingMethodAdapter.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/LocalVariablesSorter.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/Attribute.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/TryCatchBlockNode.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/InstructionAdapter.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/Label.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/VarInsnNode.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/MethodOptimizer.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/MethodConstantsCollector.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/LocalVariableNode.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/ConstantPool.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/AnalyzerException.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/Shrinker.java  
\*  
/asm-4-0-sources-1-jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/AbstractInsnNode.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicVerifier.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/ClassVisitor.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/NameMapping.java  
\* /asm-4-0-sources-1-jar/org/objectweb/asm/util/CheckMethodAdapter.java

- \* /asm-4-0-sources-1-jar/org/objectweb/asm/Frame.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/SimpleRemapper.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/ClassWriter.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SmallSet.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/util/TraceSignatureVisitor.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Frame.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java
- \*
- /asm-4-0-sources-1-jar/org/objectweb/asm/tree/InsnNode.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/FieldWriter.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/signature/SignatureVisitor.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/Type.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/FieldVisitor.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/ByteVector.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/AnnotationVisitor.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/FrameNode.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingClassAdapter.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/AnnotationNode.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/FieldNode.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/InnerClassNode.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/TableSwitchGenerator.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/Handler.java
- \*
- /asm-4-0-sources-1-jar/org/objectweb/asm/Edge.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/MethodVisitor.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/MethodInsnNode.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Interpreter.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/FieldConstantsCollector.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/ClassReader.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/util/CheckClassAdapter.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/LineNumberNode.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicValue.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/util/Printer.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Subroutine.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/signature/SignatureWriter.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/Handle.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/IntInsnNode.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/TableSwitchInsnNode.java
- \*
- /asm-4-0-sources-1-jar/org/objectweb/asm/tree/LabelNode.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/ClassConstantsCollector.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/InsnList.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingSignatureAdapter.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/Method.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java

- \* /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/JarOptimizer.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingAnnotationAdapter.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/JumpInsnNode.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/signature/SignatureReader.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SourceValue.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*

- \* ASM: a very small and fast Java bytecode manipulation framework

- \* Copyright (c) 2000-2011 INRIA, France Telecom

- \* All rights reserved.

- \*

- \* Redistribution and use in source and binary forms, with or without

- \* modification, are permitted provided that the following conditions

- \* are met:

- \* 1. Redistributions of source code must retain the above copyright

- \* notice, this list of conditions and the following disclaimer.

- \* 2. Redistributions in binary form must reproduce the above copyright

- \* notice, this list of conditions and the following disclaimer in the

- \* documentation and/or other materials provided with the distribution.

- \* 3. Neither the name of the copyright holders nor the names of its

- \* contributors may be used to endorse or promote products derived from

- \* this software without specific prior written permission.

- \*

- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

- "AS IS"

- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

- \* THE POSSIBILITY OF SUCH DAMAGE.

- \*/

/\*\*

- \* Constructs a new {@link Textifier}. *<i>*Subclasses must not use this

- \* constructor*</i>*. Instead, they must use the {@link #Textifier(int)}

- \* version.

- \*/

Found in path(s):

- \* /asm-4-0-sources-1-jar/org/objectweb/asm/util/Textifier.java

No license file was found, but licenses were detected in source scan.



/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new {@link AnalyzerAdapter}. *Subclasses must not use this*

\* constructor*.* Instead, they must use the

\* {@link #AnalyzerAdapter(int, String, int, String, String, MethodVisitor)}

\* version.

\*

\* @param owner the owner's class

name.

\* @param access the method's access flags (see {@link Opcodes}).

\* @param name the method's name.

\* @param desc the method's descriptor (see {@link Type Type}).

\* @param mv the method visitor to which this adapter delegates calls. May

\* be `null`.

\*/

Found in path(s):

\* /asm-4-0-sources-1-jar/org/objectweb/asm/commons/AnalyzerAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2011 INRIA, France Telecom
- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- \* "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.
- \*/

Found in path(s):

- \* /asm-4-0-sources-1-jar/org/objectweb/asm/util/ASMifiable.java
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/util/Textifiable.java

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the

- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

- \* /asm-4-0-sources-1-jar/org/objectweb/asm/attrs/package.html
  - \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/package.html
  - \* /asm-4-0-sources-1-jar/org/objectweb/asm/util/package.html
  - \* /asm-4-0-sources-1-jar/org/objectweb/asm/package.html
  - \* /asm-4-0-sources-1-jar/org/objectweb/asm/tree/package.html
  - \* /asm-4-0-sources-1-jar/org/objectweb/asm/signature/package.html
  - \*
  - /asm-4-0-sources-1-jar/org/objectweb/asm/commons/package.html
- No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov

- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED
- WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /asm-4-0-sources-1-jar/org/objectweb/asm/xml/package.html

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /asm-4-0-sources-1-jar/org/objectweb/asm/xml/asm-xml.dtd

No license file was found, but licenses were detected in source scan.

#All rights reserved.

#Redistribution and use in source and binary forms, with or without  
#modification, are permitted provided that the following conditions  
#are met:

#1. Redistributions of source code must retain the above copyright  
# notice, this list of conditions and the following disclaimer.  
#2. Redistributions in binary form must reproduce the above copyright  
# notice, this list of conditions and the following disclaimer in the  
# documentation and/or other materials provided with the distribution.  
#3. Neither the name of the copyright holders nor the names of its  
# this software without specific prior written permission.

Found in path(s):

- \* /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-frames.properties
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink.properties
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-writer.properties
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-signatures.properties
- \*
- /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-resize.properties
- \* /asm-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-annotations.properties

## 1.144 hawtbuf 1.11

### 1.144.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (C) 2010, FuseSource Corp. All rights reserved.
 */
```

Found in path(s):

- \* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/AbstractVarIntSupport.java

No license file was found, but licenses were detected in source scan.

```
/**
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/AbstractBufferCodec.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/FixedBufferCodec.java
*
/hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/DataByteArrayInputStream.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/AsciiBuffer.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/StringCodec.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/Codec.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/BufferCodec.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/ByteArrayInputStream.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/VariableCodec.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/IntegerCodec.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/AsciiBufferCodec.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/VarLongCodec.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/BufferInputStream.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/VarIntegerCodec.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/ByteArrayOutputStream.java
*
/hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/VarSignedLongCodec.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/UTF8Buffer.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/HexSupport.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/VarSignedIntegerCodec.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/UTF8BufferCodec.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/BufferEditor.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/Buffer.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/ObjectCodec.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/DataByteArrayOutputStream.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/BytesCodec.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/BufferOutputStream.java
* /hawtbuf-1-11-sources-6-jar/org/fusesource/hawtbuf/codec/LongCodec.java
```

## 1.145 annotations 2.20.128

### 1.145.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.

- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable



by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

# 1.146 jackson-dataformat-yaml 2.14.0

## 1.146.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.147 activemq-jms-pool 5.15.11

## 1.147.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

ActiveMQ :: Generic JMS Pool

Copyright 2005-2019 The Apache Software Foundation



This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.148 asm-commons 4.0

## 1.148.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/ASMifiable.java

\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/Textifiable.java

No license file was found, but licenses were detected in source scan.

#All rights reserved.

#Redistribution and use in source and binary forms, with or without

#modification, are permitted provided that the following conditions  
#are met:

- #1. Redistributions of source code must retain the above copyright  
# notice, this list of conditions and the following disclaimer.
- #2. Redistributions in binary form must reproduce the above copyright  
# notice, this list of conditions and the following disclaimer in the  
# documentation and/or other materials provided with the distribution.
- #3. Neither the name of the copyright holders nor the names of its  
# this software without specific prior written permission.

Found in path(s):

- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-annotations.properties
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-frames.properties
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink.properties
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-writer.properties
- \*
- /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-resize.properties
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-signatures.properties

No license file was found, but licenses were detected in source scan.

/\*\*\*\*

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2011 INRIA, France Telecom
- \* Copyright (c) 2011 Google
- \* All rights reserved.
- \*

- \* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:
- \* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.
- \*

- \* THIS SOFTWARE IS PROVIDED BY THE

COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new {@link GeneratorAdapter}. *Subclasses must not use this  
\* constructor*. Instead, they must use the

\* {@link #GeneratorAdapter(int, MethodVisitor, int, String, String)}  
\* version.

\*

\* @param

mv the method visitor to which this adapter delegates calls.

\* @param access the method's access flags (see {@link Opcodes}).

\* @param name the method's name.

\* @param desc the method's descriptor (see {@link Type Type}).

\*/

Found in path(s):

\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/GeneratorAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM XML Adapter

\* Copyright (c) 2004-2011, Eugene Kuleshov

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES,

INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/xml/SAXFieldAdapter.java  
\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/xml/SAXAnnotationAdapter.java  
\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/xml/SAXCodeAdapter.java  
\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/xml/ASMContentHandler.java  
\*  
/asm-commons-4-0-sources-1-jar/org/objectweb/asm/xml/SAXAdapter.java  
\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/xml/Processor.java  
\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/xml/SAXClassAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
\* Copyright (c) 2000-2011 INRIA, France Telecom  
\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/Remapper.java  
\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicVerifier.java

```

* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/signature/SignatureReader.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/AnnotationConstantsCollector.java
*
/asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/Constant.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/NameMapping.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/TypeInsnNode.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/TryCatchBlockSorter.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Value.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/TraceAnnotationVisitor.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/signature/SignatureWriter.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/Printer.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/VarInsnNode.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/Opcodes.java
*
/asm-commons-4-0-sources-1-jar/org/objectweb/asm/Edge.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/FieldWriter.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SmallSet.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/LdcInsnNode.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/MethodWriter.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/JarOptimizer.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingAnnotationAdapter.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/Frame.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/MethodInsnNode.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/InsnList.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/CheckFieldAdapter.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/FieldVisitor.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/CheckSignatureAdapter.java
*
/asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingSignatureAdapter.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingFieldAdapter.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/TableSwitchGenerator.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/MethodConstantsCollector.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/AbstractInsnNode.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/IncnInsnNode.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/JumpInsnNode.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Interpreter.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/ClassVisitor.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/MethodVisitor.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/Method.java
*
/asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/Label.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicValue.java
* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Subroutine.java

```

- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/TableSwitchInsnNode.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/ConstantPool.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SourceValue.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/InnerClassNode.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/TryCatchBlockNode.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingMethodAdapter.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/SimpleRemapper.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/MethodOptimizer.java
- \*
- /asm-commons-4-0-sources-1-jar/org/objectweb/asm/Type.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/Attribute.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/IntInsnNode.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/LocalVariableNode.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/ClassConstantsCollector.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/FieldConstantsCollector.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/LocalVariablesSorter.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/Handler.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/TraceSignatureVisitor.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/FrameNode.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/LineNumberNode.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/InstructionAdapter.java
- \*
- /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/StaticInitMerger.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/CheckMethodAdapter.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/InsnNode.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/Item.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/ByteVector.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingClassAdapter.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/AnnotationWriter.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/Handle.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/ClassWriter.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/Shrinker.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/CodeSizeEvaluator.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/AnnotationVisitor.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/FieldNode.java
- \*
- /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/CheckClassAdapter.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/FieldInsnNode.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/ClassReader.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Frame.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/LabelNode.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/AnnotationNode.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/signature/SignatureVisitor.java
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/AnalyzerException.java

No license file was found, but licenses were detected in source scan.

/\*\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
\* Copyright (c) 2000-2011 INRIA, France Telecom  
\* Copyright (c) 2011 Google  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE  
\* COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/TraceFieldVisitor.java  
\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/MethodNode.java  
\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Analyzer.java  
\*  
\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/AdviceAdapter.java  
\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/TraceMethodVisitor.java  
\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/optimizer/ClassOptimizer.java  
\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/ASMifier.java  
\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/TraceClassVisitor.java

No license file was found, but licenses were detected in source scan.

/\*\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

\* "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new {@link AnalyzerAdapter}. *Subclasses must not use this*

\* constructor*.* Instead, they must use the

\* {@link #AnalyzerAdapter(int, String, int, String, String, MethodVisitor)}

\* version.

\*

\* @param owner the owner's class

name.

\* @param access the method's access flags (see {@link Opcodes}).

\* @param name the method's name.

\* @param desc the method's descriptor (see {@link Type Type}).

\* @param mv the method visitor to which this adapter delegates calls. May

\* be `null`.

\*/

Found in path(s):

\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/AnalyzerAdapter.java

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov



All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/xml/asm-xml.dtd

No license file was found, but licenses were detected in source scan.

/\*\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Constructs a new {@link Textifier}. <i>Subclasses must not use this  
\* constructor</i>. Instead, they must use the {@link #Textifier(int)}  
\* version.  
\*/

Found in path(s):

\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/Textifier.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
\* Copyright (c) 2000-2011 INRIA, France Telecom  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Constructs a new {@link ClassNode}. *Subclasses must not use this*  
\* constructor*.* Instead, they must use the {@link #ClassNode(int)}  
\* version.  
\*/

Found in path(s):

\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/ClassNode.java

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

- \* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/xml/package.html

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/attrs/package.html
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/package.html
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/util/package.html
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/package.html
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/tree/package.html
- \*
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/signature/package.html
- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/package.html

No license file was found, but licenses were detected in source scan.

/\*\*

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2011 INRIA, France Telecom
- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright

- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- \* "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.
- \*/
- /\*\*
- \* Creates a new JSRInliner. <i>Subclasses must not use this
- \* constructor</i>. Instead, they must use the
- \* {@link #JSRInlinerAdapter(int, MethodVisitor, int, String, String, String, String[])}
- \* version.
- \*
- \* @param mv the <code>MethodVisitor</code>

to send the resulting inlined

- \* method code to (use <code>null</code> for none).
- \* @param access the method's access flags (see {@link Opcodes}). This
- \* parameter also indicates if the method is synthetic and/or
- \* deprecated.
- \* @param name the method's name.
- \* @param desc the method's descriptor (see {@link Type}).
- \* @param signature the method's signature. May be <tt>null</tt>.
- \* @param exceptions the internal names of the method's exception classes
- \* (see {@link Type#getInternalName() getInternalName}). May be
- \* <tt>null</tt>.
- \*/

Found in path(s):

- \* /asm-commons-4-0-sources-1-jar/org/objectweb/asm/commons/JSRInlinerAdapter.java

## 1.149 utils 2.20.128

## 1.149.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one



of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed

with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

# 1.150 activemq-console 5.15.11

## 1.150.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

ActiveMQ :: Console  
Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.151 aws-java-sdk-core 1.12.105

## 1.151.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
*
* Copyright (c) 2016 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
```

\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*  
\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/SdkCborGenerator.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/SdkStructuredPlainJsonFactory.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/StructuredJsonGenerator.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/SdkJsonProtocolFactory.java  
\*  
/aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/SdkStructuredCborFactory.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/JsonResponseHandler.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2011-2021 Amazon Technologies, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at:  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES  
\* OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/AWSSessionCredentials.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/ClassLoaderHelper.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/AWSSessionCredentialsProvider.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/ServiceClientHolderInputStream.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/jmx/spi/SdkMBeanRegistry.java  
\*  
/aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/json/Jackson.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/BasicSessionCredentials.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/RequestClientOptions.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/MetricAdmin.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/jmx/JmxInfoProviderSupport.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/MetricAdminMBean.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/jmx/spi/JmxInfoProvider.java

No license file was found, but licenses were detected in source scan.



```

/*
 * Copyright 2014-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */

```

Found in path(s):

```

* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/event/SyncProgressListener.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/event/SDKProgressPublisher.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/internal/SignerKey.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/event/request/ProgressSupport.java
*
/aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/ProcessCredentialsProvider.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/event/ResponseProgressInputStream.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/Releasable.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkInputStream.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/profile/ProfilesConfigFile.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/event/ProgressInputStream.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/event/ProgressTracker.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/event/DeliveryMode.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/profile/internal/Profile.java
* /aws-java-sdk-core-1-12-105-sources-
jar/com/amazonaws/auth/profile/internal/securitytoken/ProfileCredentialsService.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/internal/AWS4SignerUtils.java
*
/aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/profile/ProfileCredentialsProvider.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/FIFOCache.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/profile/internal/securitytoken/RoleInfo.java
* /aws-java-sdk-core-1-12-105-sources-
jar/com/amazonaws/auth/profile/internal/securitytoken/STSProfileCredentialsServiceLoader.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/profile/ProfilesConfigFileWriter.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/UnreliableFilterInputStream.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/event/RequestProgressInputStream.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/internal/AWS4SignerRequestParams.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/profile/package-info.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/event/ProgressEventFilter.java
*
/aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/event/request/Progress.java
* /aws-java-sdk-core-1-12-105-sources-

```

```

jar/com/amazonaws/auth/profile/internal/AbstractProfilesConfigFileScanner.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/UnreliableTestConfig.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/LengthCheckInputStream.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/profile/internal/BasicProfileConfigLoader.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/internal/SignerConstants.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/BoundedLinkedHashMap.java
* /aws-java-sdk-core-1-12-105-sources-
jar/com/amazonaws/auth/profile/internal/ProfileProcessCredentialsProvider.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkSocket.java
* /aws-java-sdk-core-1-12-105-sources-
jar/com/amazonaws/auth/profile/internal/securitytoken/STSPProfileCredentialsServiceProvider.java
*
/
aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/Platform.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkSSLSocket.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/DelegateSSLSocket.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2013-2021 Amazon Technologies, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at:
*
* http://aws.amazon.com/apache2.0
*
* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
* OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/ServiceAbbreviations.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/Regions.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2012-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance
with
* the License. A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR

```

\* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions  
\* and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/annotation/GuardedBy.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/annotation/ThreadSafe.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/annotation/NotThreadSafe.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/annotation/SdkInternalApi.java  
\*  
/aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/annotation/SdkProtectedApi.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/annotation/Immutable.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/annotation/Beta.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/annotation/SdkTestInternalApi.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/log/InternalLogApi.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights  
\* Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\*/

\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/adapters/types/StringToInputStreamAdapter.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/auth/SignerProvider.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/adapters/types/TypeAdapter.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/NullResponseMetadataCache.java  
\*  
/aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/auth/SignerProviderContext.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/adapters/types/StringToByteBufferAdapter.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/MetadataCache.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/auth/NoOpSignerProvider.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/auth/DefaultSignerProvider.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/conn/SdkConnectionKeepAliveStrategy.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/exception/HttpRequestTimeoutException.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/timers/client/ClientExecutionAbortTrackerTask.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/SdkThreadLocals.java  
\*  
/aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/timers/request/HttpRequestAbortTaskImpl.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/timers/client/ClientExecutionAbortTask.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/timers/request/HttpRequestTimer.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkIOUtils.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/PredefinedClientConfigurations.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/handlers/HandlerContextKey.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/SdkHttpUtils.java

- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/timers/request/HttpRequestAbortTaskTracker.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/SDKGlobalTime.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/JsonErrorResponseHandler.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/handlers/StackedRequestHandler.java
- \*
- /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/DelegatingDnsResolver.java
- \* /aws-java-sdk-core-1-12-105-sources-
- jar/com/amazonaws/http/timers/client/ClientExecutionTimeoutException.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/Base16Lower.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/timers/request/HttpRequestAbortTask.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/SystemDefaultDnsResolver.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkInternalList.java
- \* /aws-java-sdk-core-1-12-105-sources-
- jar/com/amazonaws/http/timers/client/NoOpClientExecutionAbortTrackerTask.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/timers/client/ClientExecutionTimer.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/log/CommonsLogFactory.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/ValidationUtils.java
- \*
- /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/timers/client/ClientExecutionAbortTaskImpl.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/log/JulLog.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/log/InternalLog.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/UriResourcePathUtils.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkMetricsSocket.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/JsonErrorUnmarshaller.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/SignableRequest.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/http/JsonErrorCodeParser.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/log/JulLogFactory.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/timers/TimeoutThreadPoolBuilder.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/JavaVersionParser.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/log/CommonsLog.java
- \*
- /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/DnsResolver.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/http/JsonErrorMessageParser.java
- \* /aws-java-sdk-core-1-12-105-sources-
- jar/com/amazonaws/http/conn/ssl/privileged/PrivilegedMasterSecretValidator.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/ReadLimitInfo.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkThreadLocalsRegistry.java
- \* /aws-java-sdk-core-1-12-105-sources-
- jar/com/amazonaws/http/timers/request/HttpRequestAbortTaskTrackerImpl.java
- \* /aws-java-sdk-core-1-12-105-sources-
- jar/com/amazonaws/http/timers/client/ClientExecutionAbortTrackerTaskImpl.java
- \* /aws-java-sdk-core-1-12-105-sources-
- jar/com/amazonaws/http/timers/request/NoOpHttpRequestAbortTaskTracker.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkInternalMap.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/client/ConnectionFactory.java
- \*
- /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/NumberUtils.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/DelegateSocket.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/conn/ssl/MasterSecretValidators.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/DelegateInputStream.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkSSLMetricsSocket.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/client/HttpClientFactory.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/settings/HttpClientSettings.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/ComparableUtils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2019. Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/EnhancedJsonErrorUnmarshaller.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/ReflectionMethodInvoker.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/endpoint/RegionFromEndpointResolver.java

\* /aws-java-sdk-core-1-12-105-sources-

jar/com/amazonaws/regions/MetadataSupportedRegionFromEndpointProvider.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/RegionFromEndpointResolverAwareSigner.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/endpoint/DefaultRegionFromEndpointResolver.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2016-2019. Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/apache/request/impl/ApacheHttpRequestFactory.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/apache/utils/ApacheUtils.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/CustomBackoffStrategy.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/EC2MetadataClient.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/AWSCredentialsProviderChain.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/IdleConnectionReaper.java  
\*  
/aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/CRC32MismatchException.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/HandlerContextAware.java

```

* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/InstanceProfileCredentialsProvider.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/AwsHostNameUtils.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/EnvironmentVariableCredentialsProvider.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/ClasspathPropertiesFileCredentialsProvider.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/DefaultAWSCredentialsProviderChain.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/DynamoDBBackoffStrategy.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/SystemPropertiesCredentialsProvider.java

```

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright 2011-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */

```

Found in path(s):

```

* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/internal/JsonProtocolMarshaller.java

```

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright 2011-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */

/**
 * Interface for providing AWS region information. Implementations are free to use any strategy for
 * providing region information.
 */

```

Found in path(s):



\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/AwsRegionProvider.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2016-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\* <p/>

\* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance with

\* the License. A copy of the License is located at

\* <p/>

\* <http://aws.amazon.com/apache2.0>

\* <p/>

\* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR

\* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions

\* and limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/partitions/model/Partitions.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015-2021 Amazon.com, Inc. or its affiliates. All Rights

\* Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is

\* distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY

\* KIND, either

\* express or implied. See the License for the specific language

\* governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/CredentialUtils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2016. Amazon.com, Inc. or its affiliates. All Rights Reserved.

```

*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

```

Found in path(s):

```

* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/conn/ssl/ShouldClearSslSessionPredicate.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/handlers/IRequestHandler2.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/log/InternalLogFactory.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/apache/client/impl/ApacheHttpClientFactory.java
*
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/apache/client/impl/SdkHttpClient.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/DateTimeJsonSerializer.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/SdkStructuredJsonFactory.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/CanHandleNullCredentials.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/IdempotentUtils.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/FakeIOException.java
* /aws-java-sdk-core-1-12-105-sources-
jar/com/amazonaws/http/apache/client/impl/ApacheConnectionFactory.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/timers/package-info.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/CapacityManager.java
* /aws-java-sdk-core-1-12-105-sources-
jar/com/amazonaws/http/apache/client/impl/ConnectionFactoryAwareHttpClient.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2011-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/
/**

```

- \* Interface for providing AWS credentials. Implementations are free to use any
- \* strategy for providing AWS credentials, such as simply providing static
- \* credentials that don't change, or more complicated implementations, such as
- \* integrating with existing key management systems.

\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/AWSCredentialsProvider.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/config/SignerConfigJsonHelper.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/config/JsonIndex.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/ImmutableMapParameter.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/config/Builder.java

\*

\*/aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/Protocol.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/config/SignerConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/HostnameValidator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012-2021 Amazon Technologies, Inc.

\*

\* Portions copyright 2006-2009 James Murty. Please see LICENSE.txt

\* for applicable license terms and NOTICE.txt for applicable notices.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at:

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES

\* OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/Md5Utils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/NamedDefaultThreadFactory.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/WaiterExecutorServiceFactory.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/handlers/AsyncHandler.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/JodaTime.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/StringMapBuilder.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *

```

\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/HttpMethodName.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/SimpleTypeUnmarshallers.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/LegacyErrorUnmarshaller.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/AWSCredentials.java  
\*  
/aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/AmazonClientException.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/VoidUnmarshaller.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/XmlUtils.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/Unmarshaller.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/SigningAlgorithm.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/SignatureVersion.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Portions copyright 2006-2009 James Murty. Please see LICENSE.txt  
\* for applicable license terms and NOTICE.txt for applicable notices.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/ReleasableInputStream.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/ResettableInputStream.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2018-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.

\* A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/PolicyUtils.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"). You may not  
\* use this file except in compliance with the License. A copy of the License is  
\* located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed on  
\* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/SimpleTypeIonUnmarshallers.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/IonFactory.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/IonParser.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.

\*/

Found in path(s):

- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/Codec.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkFilterInputStream.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/EC2MetadataUtils.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/HttpClientWrappingInputStream.java
- \*
- /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/AWS4Signer.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/RegionMetadata.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/RegionAwareSigner.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/jmx/MBeans.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/Throwables.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/Base32.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/Base64Codec.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/EncodingSchemeEnum.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/EncodingScheme.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/AbortedException.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/AbstractBase32Codec.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/RegionUtils.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/Base64.java
- \*
- /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/CodecUtils.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/ListWithAutoConstructFlag.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/Base16Codec.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/ServiceAwareSigner.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/jmx/SdkMBeanRegistrySupport.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/RegionMetadataParser.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkFilterOutputStream.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkBufferedInputStream.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/IOUtils.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/ResetException.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/Base32Codec.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/MetricsInputStream.java
- \*
- /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/Base16.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkDigestInputStream.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/SdkRuntime.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/Region.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/MetricAware.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2016-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License"). You may not
- \* use this file except in compliance with the License. A copy of the License is
- \* located at



\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed on  
\* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/http/CompositeErrorCodeParser.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/http/ErrorCodeParser.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/http/IonErrorCodeParser.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015-2021 Amazon Technologies, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at:  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES  
\* OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkSSLContext.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/annotation/package-info.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.

\*/

Found in path(s):

- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/MaxAttemptsRetryStrategy.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/internal/AuthRetryParameters.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/AcceptorPathMatcher.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/MetricCollector.java
- \*
- /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/TlsKeyManagersProvider.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/AwsClientSideMonitoringMetrics.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/ServiceMetricType.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/Condition.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/HttpFailureStatusAcceptor.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/package-info.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/Response.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/JsonUnmarshallerContextImpl.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/AmazonWebServiceRequest.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/endpointdiscovery/DefaultEndpointDiscoveryProviderChain.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/Marshaller.java
- \*
- /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/RetryPolicy.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/monitoring/CsmConfigurationProviderChain.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/StructuredJsonMarshaller.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/AmazonHttpClient.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/AWSServiceMetrics.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/cache/EndpointDiscoveryCacheLoader.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/ServiceMetricCollector.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/RetryUtils.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/handlers/CredentialsRequestHandler.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/monitoring/ApiCallAttemptMonitoringEvent.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/PollingStrategy.java
- \*
- /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/Waiter.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/endpointdiscovery/EndpointDiscoveryProvider.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/apache/request/impl/HttpGetWithBody.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/impl/client/HttpRequestNoRetryHandler.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/handlers/HandlerAfterAttemptContext.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/IdentityEndpointBuilder.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/ByteThroughputProvider.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/conditions/BooleanCondition.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/config/InternalConfig.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/WaiterImpl.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkPredicate.java
- \*
- /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/arn/ArnResource.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/VoidJsonUnmarshaller.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/AbstractAWSSigner.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/arn/AwsResource.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/impl/client/SdkHttpRequestRetryHandler.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/DefaultErrorResponseHandler.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/conditions/NumericCondition.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/monitoring/StaticCsmConfigurationProvider.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/SignerParams.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/SignerFactory.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/resources/package-info.java  
 \*  
 /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/cache/Cache.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/PropertiesFileCredentialsProvider.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/ServiceNameFactory.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/CollectionUtils.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/config/HostRegexToRegionMapping.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/endpointdiscovery/EndpointDiscoveryProviderChain.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/config/HttpClientConfigJsonHelper.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/conn/Wrapped.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/StandardErrorUnmarshaller.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/monitoring/internal/AgentMonitoringListener.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/monitoring/ApiCallMonitoringEvent.java  
 \*  
 /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/WaiterBuilder.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/endpointdiscovery/Constants.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/VoidStaxUnmarshaller.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/ThroughputMetricType.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/DefaultServiceEndpointBuilder.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/WebIdentityTokenCredentialsProvider.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/conn/ClientConnectionManagerFactory.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/RuntimeHttpUtils.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/WaiterParameters.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/AbstractFileTlsKeyManagersProvider.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/Request.java  
 \*  
 /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/AWS4UnsignedPayloadSigner.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/config/HostRegexToRegionMappingJsonHelper.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/SimpleTypeJsonUnmarshallers.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/WaiterTimedOutException.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/NoOpSigner.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/internal/RetryModeResolver.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/handlers/RequestHandler2Adaptor.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/AWSRequestMetrics.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/conditions/ConditionFactory.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/monitoring/EnvironmentVariableCsmConfigurationProvider.java  
 \*

/aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/CompositeAcceptor.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/WaiterUnrecoverableException.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/JsonUnmarshallerContext.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/WaiterExecutionBuilder.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/actions/package-info.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/package-info.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/handlers/RequestHandler.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/protocol/SdkHttpRequestExecutor.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/monitoring/MonitoringEvent.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/SimpleServiceMetricType.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/monitoring/MonitoringListener.java  
 \*  
 /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/handlers/HandlerChainFactory.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/BasicAWSCredentials.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/HttpResponseHandler.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/HttpResponse.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/internal/JsonPolicyWriter.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/conditions/package-info.java  
 \* /aws-java-sdk-core-1-12-105-sources-  
 jar/com/amazonaws/monitoring/DefaultCsmConfigurationProviderChain.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/VersionInfoUtils.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/HttpMethod.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/AmazonServiceException.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/config/InternalConfigJsonHelper.java  
 \*  
 /aws-java-sdk-core-1-12-105-sources-  
 jar/com/amazonaws/endpointdiscovery/EnvironmentVariableEndpointDiscoveryProvider.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/Action.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/NoOpWaiterHandler.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/conditions/DateCondition.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/QueryStringSigner.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/WaiterHandler.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/MapEntry.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/SimpleThroughputMetricType.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/Policy.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/WaiterAcceptor.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/monitoring/ProfileCsmConfigurationProvider.java  
 \*  
 /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/DefaultRequest.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/WaiterExecution.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/internal/JsonPolicyReader.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/Resource.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/endpointdiscovery/DaemonThreadFactory.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/apache/Utils/HttpContextUtils.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/RepeatableInputStreamRequestEntity.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/MetricInputStreamEntity.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/CRC32ChecksumCalculatingInputStream.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/StringUtils.java

- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/FileStoreTlsKeyManagersProvider.java
- \*
- /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/PolicyReaderOptions.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/cache/CacheLoader.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/monitoring/ApiMonitoringEvent.java
- \* /aws-java-sdk-core-1-12-105-sources-
- jar/com/amazonaws/monitoring/internal/AsynchronousAgentDispatcher.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/monitoring/CsmConfiguration.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/ServiceLatencyProvider.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/ResponseMetadataCache.java
- \* /aws-java-sdk-core-1-12-105-sources-
- jar/com/amazonaws/endpointdiscovery/EndpointDiscoveryIdentifiersRefreshCache.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/ByteThroughputHelper.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/handlers/HandlerBeforeAttemptContext.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/Statement.java
- \*
- /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/RequestMetricCollector.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/SignerTypeAware.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/AWS3Signer.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/AWSRequestMetricsFullSupport.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/CountingInputStream.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/conditions/StringCondition.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/internal/MaxAttemptsResolver.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/AmazonWebServiceClient.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/ProxyAuthenticationMethod.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/XpathUtils.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/SystemPropertyTlsKeyManagersProvider.java
- \*
- /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/MetricType.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/event/ProgressEventType.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/client/builder/AdvancedConfig.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/arn/ArnConverter.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/config/HttpClientConfig.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/AmazonWebServiceResponse.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/ServiceEndpointBuilder.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/AnonymousAWSCredentials.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/profile/internal/BasicProfileConfigFileLoader.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/event/ProgressListener.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/event/ProgressEvent.java
- \*
- /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/Presigner.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/SimpleMetricType.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/event/ProgressListenerChain.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/internal/JsonDocumentFields.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/NamespaceRemovingInputStream.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/internal/AuthErrorRetryStrategy.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/SdkFunction.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/TimestampFormat.java

```

* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/conn/ClientConnectionFactory.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/ResponseMetadata.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/internal/ServiceMetricTypeGuesser.java
*
/ aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/AwsSdkMetrics.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/handlers/AbstractRequestHandler.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/HttpSuccessStatusAcceptor.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/ClientConfiguration.java
* /aws-java-sdk-core-1-12-105-sources-
jar/com/amazonaws/monitoring/SystemPropertyCsmConfigurationProvider.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/PollingStrategyContext.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/PredefinedRetryPolicies.java
* /aws-java-sdk-core-1-12-105-sources-
jar/com/amazonaws/monitoring/internal/ClientSideMonitoringRequestHandler.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/MetricFilterInputStream.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/conn/SdkPlainSocketFactory.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/NoneTlsKeyManagersProvider.java
*
/ aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/FixedDelayStrategy.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/Principal.java
* /aws-java-sdk-core-1-12-105-sources-
jar/com/amazonaws/endpointdiscovery/AwsProfileEndpointDiscoveryProvider.java
* /aws-java-sdk-core-1-12-105-sources-
jar/com/amazonaws/endpointdiscovery/EndpointDiscoveryRefreshCache.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/metrics/RequestMetricType.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/monitoring/CsmConfigurationProvider.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/ApacheHttpClientConfig.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/Signer.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/handlers/RequestHandler2.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/conditions/IpAddressCondition.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/config/EndpointDiscoveryConfig.java
*
/ aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/arn/Arn.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/StaxUnmarshallerContext.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/SDKGlobalConfiguration.java
* /aws-java-sdk-core-1-12-105-sources-
jar/com/amazonaws/endpointdiscovery/SystemPropertyEndpointDiscoveryProvider.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/StaxResponseHandler.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/PropertiesCredentials.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/SimpleTypeStaxUnmarshallers.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/waiters/WaiterState.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/policy/conditions/ArnCondition.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/cache/KeyConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2011-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*

```

- \* Licensed under the Apache License, Version 2.0 (the "License").
- \* You may not use this file except in compliance with the License.
- \* A copy of the License is located at
- \*
- \* <http://aws.amazon.com/apache2.0>
- \*
- \* or in the "license" file accompanying this file. This file is distributed
- \* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
- \* express or implied. See the License for the specific language governing
- \* permissions and limitations under the License.
- \*
- \*/

Found in path(s):

- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/ImmutableRequest.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/RequestSigner.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/SignerAsRequestSigner.java

No license file was found, but licenses were detected in source scan.

```
/*
 * =====
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an
 * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
 * KIND, either express or implied. See the License for the
 * specific language governing permissions and limitations
 * under the License.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <http://www.apache.org/>.
 *
 */
```

Found in path(s):

- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/NameValuePair.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/BasicNameValuePair.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/URLEncodedUtils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed

\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/v2/AndRetryCondition.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/MapUnmarshaller.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/Protocol.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/ListUnmarshaller.java

\*

/aws-java-sdk-core-1-12-105-sources-

jar/com/amazonaws/auth/profile/internal/ProfileAssumeRoleCredentialsProvider.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/AwsSystemPropertyRegionProvider.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/profile/internal/BasicProfile.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/InstanceMetadataRegionProvider.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/AWSStaticCredentialsProvider.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/SdkClock.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/internal/ValueToStringConverters.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/SdkClientException.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/V2CompatibleBackoffStrategy.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/client/ClientHandlerParams.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/AmazonWebServiceRequestAdapter.java

\*

/aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/internal/JsonMarshaller.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/SdkBaseException.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/SdkStructuredJsonFactoryImpl.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/v2/RetryOnStatusCodeCondition.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/internal/JsonMarshallerContext.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/ClientConfigurationFactory.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/StructuredPojo.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/v2/RetryPolicy.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/MarshallLocation.java

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/timers/client/SdkInterruptedException.java



\*  
 /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/client/builder/AwsClientBuilder.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/StaticSignerProvider.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/client/builder/AwsAsyncClientBuilder.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/ProtocolRequestMarshaller.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/presign/PresignerParams.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/v2/MaxNumberOfRetriesCondition.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/profile/path/AwsProfileFileLocationProviderChain.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/client/builder/ExecutorFactory.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/profile/internal/AllProfiles.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/client/ClientHandler.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/v2/RetryCondition.java  
 \*  
 /aws-java-sdk-core-1-12-105-sources-  
 jar/com/amazonaws/profile/path/cred/CredentialsDefaultLocationProvider.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/response/AwsResponseHandlerAdapter.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/TimingInfoFullSupport.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/PathMarshallers.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/client/builder/AwsSyncClientBuilder.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/AwsProfileRegionProvider.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/ExecutionContext.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/v2/RetryPolicyContext.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/profile/internal/AwsProfileNameLoader.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/AbstractErrorUnmarshaller.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/v2/SimpleRetryPolicy.java  
 \*  
 /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/DefaultAwsRegionProviderChain.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/JsonErrorShapeMetadata.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/TimingInfoUnmodifiable.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/StaticCredentialsProvider.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/internal/MarshallerRegistry.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/profile/path/AwsDirectoryBasePathProvider.java  
 \* /aws-java-sdk-core-1-12-105-sources-  
 jar/com/amazonaws/profile/path/config/SharedConfigDefaultLocationProvider.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkFunction.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/V2CompatibleBackoffStrategyAdapter.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/JsonProtocolMarshallerBuilder.java  
 \*  
 /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/AWSRefreshableSessionCredentials.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/RetryPolicyAdapter.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/JsonErrorResponseMetadata.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/v2/RetryOnExceptionsCondition.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/client/ClientExecutionParams.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/presign/PresignerFacade.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/EndpointToRegion.java  
 \* /aws-java-sdk-core-1-12-105-sources-  
 jar/com/amazonaws/profile/path/config/ConfigEnvVarOverrideLocationProvider.java  
 \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/client/AwsAsyncClientParams.java

```

* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/JsonClientMetadata.java
*
/ aws-java-sdk-core-1-12-105-sources-
jar/com/amazonaws/auth/profile/internal/ProfileStaticCredentialsProvider.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/internal/SimpleTypeJsonMarshallers.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/TimingInfo.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/v2/OrRetryCondition.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/internal/SimpleTypePathMarshallers.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/OperationInfo.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/StringInputStream.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/JsonContentTypeResolverImpl.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/JsonOperationMetadata.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/PredefinedBackoffStrategies.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/client/ClientHandlerImpl.java
*
/ aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/internal/HeaderMarshallers.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/ProtocolMarshaller.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/DefaultMarshallingType.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/AwsRegionProviderChain.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/RequestConfig.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/SdkJsonGenerator.java
* /aws-java-sdk-core-1-12-105-sources-
jar/com/amazonaws/profile/path/cred/CredentialsLegacyConfigLocationProvider.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/MarshallingInfo.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/JsonContent.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/request/HttpRequestFactory.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/profile/internal/ProfileKeyConstants.java
*
/ aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/profile/path/AwsProfileFileLocationProvider.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/AwsEnvVarOverrideRegionProvider.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/client/AwsSyncClientParams.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/JsonContentTypeResolver.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/AwsErrorResponseHandler.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/SdkHttpMetadata.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/SdkJsonMarshallerFactory.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/v2/FixedDelayBackoffStrategy.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/v2/BackoffStrategy.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/internal/QueryParamMarshallers.java
*
/ aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/MarshallingType.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/XMLWriter.java
* /aws-java-sdk-core-1-12-105-sources-
jar/com/amazonaws/profile/path/cred/CredentialsEnvVarOverrideLocationProvider.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/AmazonWebServiceResult.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/DefaultValueSupplier.java
* /aws-java-sdk-core-1-12-105-sources-
jar/com/amazonaws/protocol/json/internal/NullAsEmptyBodyProtocolRequestMarshaller.java

```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2019-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at:
 *
 * http://aws.amazon.com/apache2.0
 *
 * This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
 * OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/SdkRequestRetryHeaderProvider.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/ClockSkewAdjuster.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/RegionMetadataProvider.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/RegionMetadataFactory.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/InMemoryRegionsProvider.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/partitions/model/CredentialScope.java
- \*
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/apache/client/impl/CRC32ChecksumResponseInterceptor.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/partitions/model/Endpoint.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/partitions/PartitionMetadataProvider.java
- \* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/partitions/model/Service.java

```

* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/apache/SdkProxyRoutePlanner.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/RegionImpl.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/LegacyRegionXmlMetadataBuilder.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/partitions/model/Partition.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/partitions/PartitionsLoader.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/SdkStructuredIonFactory.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/LegacyRegionXmlLoadUtils.java
*
/ aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/AbstractRegionMetadataProvider.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/partitions/PartitionRegionImpl.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/partitions/model/Region.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/protocol/json/SdkIonGenerator.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/regions/InMemoryRegionImpl.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/transform/SimpleTypeCborUnmarshallers.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Portions copyright 2006-2009 James Murty. Please see LICENSE.txt
* for applicable license terms and NOTICE.txt for applicable notices.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

```

Found in path(s):

```

* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/BinaryUtils.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/DateUtils.java
* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/util/Classes.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2014-2021 Amazon Technologies, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at:
*
* http://aws.amazon.com/apache2.0

```

\*  
\* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES  
\* OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/conn/ssl/TLSProtocol.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/http/conn/ssl/SdkTLSSocketFactory.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2011-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at:  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES  
\* OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/InstanceMetadataServiceCredentialsFetcher.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/TokenBucket.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/ContainerCredentialsProvider.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/internal/CredentialsEndpointRetryParameters.java  
\*  
/aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/InstanceMetadataServiceResourceFetcher.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/BaseCredentialsFetcher.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/ContainerCredentialsRetryPolicy.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/ContainerCredentialsFetcher.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/EC2ContainerCredentialsProviderWrapper.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/RetryMode.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/auth/EndpointPrefixAwareSigner.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/ConnectionUtils.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/retry/internal/CredentialsEndpointRetryPolicy.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/EC2ResourceFetcher.java  
\* /aws-java-sdk-core-1-12-105-sources-jar/com/amazonaws/internal/CredentialsEndpointProvider.java

# 1.152 spring-jdbc 5.3.39

## 1.152.1 Available under license :

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.



Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

#### SPRING FRAMEWORK 5.3.39 SUBCOMPONENTS:

Spring Framework 5.3.39 includes a number of subcomponents with separate copyright notices and license terms. The product that includes this file does not necessarily use all the open source subcomponents referred to below. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

>>> ASM 9.1 (org.ow2.asm:asm:9.1, org.ow2.asm:asm-commons:9.1):

Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms,  
with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 1999-2009, OW2 Consortium <<https://www.ow2.org/>>

>>> CGLIB 3.3 (cglib:cglib:3.3):

Per the LICENSE file in the CGLIB JAR distribution downloaded from [https://github.com/cglib/cglib/releases/download/RELEASE\\_3\\_3\\_0/cglib-3.3.0.jar](https://github.com/cglib/cglib/releases/download/RELEASE_3_3_0/cglib-3.3.0.jar), CGLIB 3.3 is licensed under the Apache License, version 2.0, the text of which is included above.

>>> Objenesis 3.2 (org.objenesis:objenesis:3.2):

Per the LICENSE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html>, Objenesis 3.2 is licensed under the Apache License, version 2.0, the text of which is included above.

Per the NOTICE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html> and corresponding to section 4d of the Apache License, Version 2.0, in this case for Objenesis:

Objenesis  
Copyright 2006-2019 Joe Walnes, Henri Tremblay, Leonardo Mesquita

=====

To the extent any open source components are licensed under the EPL and/or other similar licenses that require the source code and/or modifications to source code to be made available (as would be noted above), you may obtain a copy of the source code corresponding to the binaries for such open source components and modifications thereto, if any, (the "Source Files"), by downloading the Source Files from <https://spring.io/projects>, Pivotal's website at <https://network.pivotal.io/open-source>, or by sending a request, with your name and address to: Pivotal Software, Inc., 875 Howard Street, 5th floor, San Francisco, CA 94103, Attention: General Counsel. All such requests should clearly specify: OPEN SOURCE FILES REQUEST, Attention General Counsel. Pivotal can mail a copy of the Source Files to you on a CD or equivalent physical medium.

This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product. Alternatively, the Source Files may accompany the Software.

Spring Framework 5.3.39

Copyright (c) 2002-2024 Pivotal, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license.txt file.

## 1.153 woodstox 4.3.0

### 1.153.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\* Woodstox XML processor

\*

\* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi

\*

\* Licensed under the License specified in the file LICENSE,

\* included with the source code.

\* You may not use this file except in compliance with the License.

\*

\* Unless required by applicable law or agreed to in writing, softwar

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sw/RepairingNsStreamWriter.java

No license file was found, but licenses were detected in source scan.

/\* Woodstox XML processor

\*

\* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi

\*

\* Licensed under the License specified in the file LICENSE,

\* included with the source code.

\* You may not use this file except in compliance with the License.

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sw/BaseNsStreamWriter.java

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sw/SimpleNsStreamWriter.java

No license file was found, but licenses were detected in source scan.

/\* Woodstox XML processor

\*

\* Copyright (c) 2004 Tatu Saloranta, tatu.saloranta@iki.fi

\*

\* Licensed under the License specified in file LICENSE, included with

\* the source code.

\* You may not use this file except in compliance with the License.

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/io/EBCDICCodec.java

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/io/AsciiReader.java

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/io/UTF8Reader.java

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/util/PrefixName.java

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/stax/WstxEventFactory.java

```

*
/woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/io/UTF32Reader.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/evt/DefaultEventAllocator.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/evt/BaseStartElement.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/io/WstxInputData.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/PrefixedNameSet.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/io/WstxInputLocation.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/util/BaseNsContext.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/ent/EntityDecl.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/exc/WstxException.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/exc/WstxLazyException.java
No license file was found, but licenses were detected in source scan.

```

```

/* Woodstox XML processor
*
* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi
*
* Licensed under the License specified in the file LICENSE which is
* included with the source code.
* You may not use this file except in compliance with the License.
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/msv/W3CSchemaFactory.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/DTDElement.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/msv/W3CSchema.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/DTDSubset.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/DTDAtribute.java
*
/woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/msv/RelaxNGSchema.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/DTDId.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sw/NonNsStreamWriter.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/util/ElementIdMap.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/stax/WstxOutputFactory.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/msv/BaseSchemaFactory.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/DTDSchemaFactory.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/msv/GenericMsvValidator.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/util/SymbolTable.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/evt/WstxEventReader.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/msv/RelaxNGSchemaFactory.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sr/ValidatingStreamReader.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/stax/WstxInputFactory.java

```

\*

/woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/msv/AttributeProxy.java

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/DefaultAttrValue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi

\*

\* Licensed under the License specified in file LICENSE, included with

\* the source code.

\* You may not use this file except in compliance with the License.

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sax/WstxSAXParser.java

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sax/WrappedSaxException.java

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sax/SAXFeature.java

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sax/WstxSAXParserFactory.java

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sax/SAXProperty.java

No license file was found, but licenses were detected in source scan.

/\* Woodstox XML processor

\*

\* Copyright (c) 2005 Tatu Saloranta, tatu.saloranta@iki.fi

\*

\* Licensed under the License specified in file LICENSE, included with

\* the source code.

\* You may not use this file except in compliance with the License.

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/util/BijectiveNsMap.java

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sw/SimpleOutputElement.java

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sw/OutputElementBase.java

No license file was found, but licenses were detected in source scan.

```

/* Woodstox XML processor
*
* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi
*
* Licensed under the License specified in file LICENSE, included with
* the source code.
* You may not use this file except in compliance with the License.
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/DTDEventListener.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sr/NsDefaultProvider.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sw/TypedStreamWriter.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sr/InputElementStack.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/DTDValidator.java
*
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/DTDSubsetImpl.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sr/Element.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sr/TypedStreamReader.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sw/BufferingXmlWriter.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sw/EncodingXmlWriter.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/io/ISOLatinReader.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sr/Attribute.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sr/StreamScanner.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sr/BasicStreamReader.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sr/AttributeCollector.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/io/ReaderBootstrapper.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sw/XmlWriter.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sw/ISOLatin1XmlWriter.java
*
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sw/BaseStreamWriter.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/DTDValidatorBase.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/FullDTDReader.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sw/AsciiXmlWriter.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/sw/XmlWriterWrapper.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/io/WstxInputSource.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/DTDDTypingNonValidator.java
* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/MinimalDTDReader.java
No license file was found, but licenses were detected in source scan.

```

```

/* Woodstox XML processor
*

```



\* Copyright (c) 2004 Tatu Saloranta, tatu.saloranta@iki.fi  
\*  
\* Licensed under the License specified in the file LICENSE which is  
\* included with the source code.  
\* You may not use this file except in compliance with the License.  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/DFASState.java  
\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/StructValidator.java  
\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/ContentSpec.java  
\* /woodstox-core-asl-4-3-0-sources-jar/com/ctc/wstx/dtd/DFAValidator.java

## 1.154 jackson 2.14.0

### 1.154.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

## ## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0  
To find the details that apply to this artifact see the accompanying LICENSE file.

## ## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.155 activemq-broker 5.15.11

## 1.155.1 Available under license :

ActiveMQ :: Broker

Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution



notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.156 lucene 6.5.1

## 1.156.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was  
derived from unicode conversion examples available at  
<http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright  
from those sources:

```
/*
 * Copyright 2001-2004 Unicode, Inc.
 *
 * Disclaimer
 *
 * This source code is provided as is by Unicode, Inc. No claims are
 * made as to fitness for any particular purpose. No warranties of any
 * kind are expressed or implied. The recipient agrees to determine
 * applicability of information provided. If this file has been
 * purchased on magnetic or optical media from Unicode, Inc., the
 * sole remedy for any claim
 * will be exchange of defective media
 * within 90 days of receipt.
 *
 * Limitations on Rights to Redistribute This Code
 *
 * Unicode, Inc. hereby grants the right to freely use the information
 * supplied in this file in the creation of products supporting the
 * Unicode Standard, and to make copies of this file in any form
 * for internal or external distribution as long as this notice
 * remains attached.
 */
```

Some code in core/src/java/org/apache/lucene/util/ArrayUtil.java was  
derived from Python 2.4.2 sources available at

<http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from Python 3.1.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in core/src/java/org/apache/lucene/util/automaton was derived from Brics automaton sources available at [www.brics.dk/automaton/](http://www.brics.dk/automaton/).

Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton were automatically generated with the moman/finenight FSA package. Here is the copyright for those sources:

```
Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
```



```
#
Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including
without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:
#
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
#
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
```

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was  
derived from ICU (<http://www.icu-project.org>)

The full license is available  
here:

<http://source.icu-project.org/repos/icu/icu/trunk/license.html>

```
/*
 * Copyright (C) 1999-2010, International Business Machines
 * Corporation and others. All Rights Reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining a copy
 * of this software and associated documentation files (the "Software"), to deal
 * in the Software without restriction, including without limitation the rights
 * to use, copy, modify, merge, publish, distribute, and/or sell copies of the
 * Software, and to permit persons to whom the Software is furnished to do so,
 * provided that the above copyright notice(s) and this permission notice appear
 * in all copies of the Software and that both the above copyright notice(s) and
 * this permission notice appear in supporting documentation.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 * FITNESS FOR A PARTICULAR
 * PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
 * IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE
 * LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR
```

\* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER  
\* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT  
\* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* Except as contained in this notice, the name of a copyright holder shall not  
\* be used in advertising or otherwise to promote the sale, use or other  
\* dealings in this Software without prior written authorization of the  
\* copyright holder.

\*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter

Copyright (c) 2002, Richard Boulton

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,  
\* this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holders nor the names of its contributors  
\* may be used to endorse or promote products derived from this software  
\* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE  
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR  
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER  
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,

Center for Intelligent Information Retrieval,

University of Massachusetts, Amherst.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,

are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact [info@ciir.cs.umass.edu](mailto:info@ciir.cs.umass.edu).

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The  
following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss  
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN tagset.

---

The following license applies to the Morfeusz project, used by `org.apache.lucene.analysis.morfologik`.

BSD-licensed dictionary of Polish (SGJP)  
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Włodzimierz Gruszczyski,  
Marcin Wołowski, Robert Wołosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS

OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Lucene

Copyright 2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Ant
- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is  
BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were  
automatically generated with the moman/finenight FSA library, created by  
Jean-Philippe Barrette-LaPierre.

This library is available under an MIT license,  
see <http://sites.google.com/site/rrettesite/moman> and  
<http://bitbucket.org/jpbarrette/moman/overview/>

The class org.apache.lucene.util.WeakIdentityMap was derived from  
the Apache CXF project and is Apache License 2.0.

The Google Code Prettify is Apache License 2.0.  
See <http://code.google.com/p/google-code-prettify/>

JUnit (junit-4.10) is licensed under the Common Public License v. 1.0

See <http://junit.sourceforge.net/cpl-v10.html>

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checking Package (jaspell): <http://jaspell.sourceforge.net/>

License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in

`analysis/common/src/java/net/sf/snowball`

were developed by Martin Porter and Richard Boulton.

The snowball stopword lists in

`analysis/common/src/resources/org/apache/lucene/analysis/snowball`

were developed by Martin Porter and Richard Boulton.

The full snowball package

is available from

<http://snowball.tartarus.org/>

The KStem stemmer in

`analysis/common/src/org/apache/lucene/analysis/en`

was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)

under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, and Hindi analyzers (common) come with a default stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:

`analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,`

`analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,`

`analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,`

`analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,`

`analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt`

See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers (common) are based on BSD-licensed reference implementations created by Jacques Savoy and

Ljiljana Dolamic. These files reside in:

`analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java`

The Stempel analyzer (stempel) includes BSD-licensed

software developed  
by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil,  
and Edmond Nolan.

The Polish analyzer (stempel) comes with a default  
stopword list that is BSD-licensed created by the Carrot2 project. The file resides  
in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt.  
See <http://project.carrot2.org/license.html>.

The SmartChineseAnalyzer source code (smartcn) was  
provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

WordBreakTestUnicode\_\*.java (under modules/analysis/common/src/test/)  
is derived from Unicode data such as the Unicode Character Database.  
See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software  
developed by Dawid Weiss and Marcin Mikowski (<http://morfologik.blogspot.com/>).

Morfologik uses data from Polish ispell/myspell dictionary  
(<http://www.sjp.pl/slownik/en/>) licenced on the terms of (inter alia)  
LGPL and Creative Commons ShareAlike.

Morfologic  
includes data from BSD-licensed dictionary of Polish (SGJP)  
(<http://sgjp.pl/morfeusz/>)

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original  
source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====  
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====  
mecab-ipadic-2.7.0-20070801 Notice

=====

Nara

Institute of Science and Technology (NAIST),  
the copyright holders, disclaims all warranties with regard to this  
software, including all implied warranties of merchantability and  
fitness, in no event shall NAIST be liable for  
any special, indirect or consequential damages or any damages  
whatsoever resulting from loss of use, data or profits, whether in an  
action of contract, negligence or other tortuous action, arising out  
of or in connection with the use or performance of this software.

A large portion of the dictionary entries  
originate from ICOT Free Software. The following conditions for ICOT  
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its  
original form or modified, to any third party or parties, PROVIDED  
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear  
on, or be attached to, the Program, which is distributed substantially  
in the same form as set out herein and that such intended  
distribution,  
if actually made, will neither violate or otherwise  
contravene any of the laws and regulations of the countries having  
jurisdiction over the User or the intended distribution itself.

#### NO WARRANTY

The program was produced on an experimental basis in the course of the  
research and development conducted during the project and is provided  
to users as so produced on an experimental basis. Accordingly, the  
program is provided without any warranty whatsoever, whether express,  
implied, statutory or otherwise. The term "warranty" used herein  
includes, but is not limited to, any warranty of the quality,  
performance, merchantability and fitness for a particular purpose of  
the program and the nonexistence of any infringement or violation of  
any right of any third party.

Each user of the program will agree and understand, and be deemed to  
have agreed and understood, that there is no warranty whatsoever for  
the program and, accordingly, the entire risk arising from or  
otherwise connected  
with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other  
organization that participated in or was otherwise related to the  
development of the program and their respective officials, directors,  
officers and other employees shall be held liable for any and all



damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

## 1.157 antlr 4.11.1

### 1.157.1 Available under license :

BSD-3-Clause

## 1.158 commons-lang3 2.1

### 1.158.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has

been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor

harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.159 cglib 2.1\_3

## 1.159.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2003,2004 The Apache Software Foundation

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*  
 \* <http://www.apache.org/licenses/LICENSE-2.0>  
 \*  
 \* Unless required by applicable law or agreed to in writing, software  
 \* distributed under the License is distributed on an "AS IS" BASIS,  
 \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 \* See the License for the specific language governing permissions and  
 \* limitations under the License.  
 \*/

Found in path(s):

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/beans/BeanMapEmitter.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/reflect/FastClassEmitter.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/FixedValueGenerator.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/DispatcherGenerator.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/CodeEmitter.java  
 \*  
 /cglib-2-1-3-sources-5-jar/net/sf/cglib/reflect/FastMethod.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/beans/BeanMap.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/NoOpGenerator.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/MixinEmitter.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/AbstractClassLoader.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/DebuggingClassWriter.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/ClassTransformerChain.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/MethodWrapper.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/MethodProxy.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/EmitUtils.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/Proxy.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/MethodInterceptorGenerator.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/reflect/MethodDelegate.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/reflect/MulticastDelegate.java  
 \*  
 /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/AbstractClassGenerator.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/beans/BulkBeanEmitter.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/CallbackFilter.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/beans/ImmutableBean.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/ClassFilterTransformer.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/impl/AddStaticInitTransformer.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/beans/BeanCopier.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/CallbackGenerator.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/LazyLoaderGenerator.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/ReflectUtils.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/InvocationHandlerGenerator.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/TypeUtils.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/DefaultNamingPolicy.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/VisibilityPredicate.java  
 \*

/cglib-2-1-3-sources-5-jar/net/sf/cglib/reflect/FastClass.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/KeyFactory.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/Mixin.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/CollectionUtils.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/MethodInfoTransformer.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/impl/AbstractInterceptFieldCallback.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/MixinEverythingEmitter.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/CallbackHelper.java  
\*  
/cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/InterfaceMaker.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/impl/AddInitTransformer.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/MethodInfo.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/AbstractClassFilterTransformer.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/RejectModifierPredicate.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/ClassInfo.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/CallbackInfo.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2003,2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/AbstractTransformTask.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2003 The Apache Software Foundation

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/util/ParallelSorter.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/Signature.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/ClassGenerator.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/Transformer.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/Dispatcher.java

\*

/\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/Callback.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/NamingPolicy.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/LazyLoader.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/NoOp.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/AbstractClassTransformer.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/MethodFilterTransformer.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/ClassTransformer.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/impl/InterceptFieldEnabled.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/ProxyRefDispatcher.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/impl/InterceptFieldTransformer.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/beans/BulkBeanException.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/ProcessSwitchCallback.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/InvocationHandler.java

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/TransformingClassGenerator.java

\*

/cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/NullClassVisitor.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/TransformingClassLoader.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/impl/UndeclaredThrowableTransformer.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/FixedValue.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/impl/AddPropertyTransformer.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/impl/AccessFieldTransformer.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/TinyBitSet.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/impl/FieldProvider.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/CodeGenerationException.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/impl/UndeclaredThrowableStrategy.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/DuplicatesPredicate.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/hook/AbstractPreProcessor.java  
 \*  
 /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/ClassNameReader.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/reflect/ConstructorDelegate.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/GeneratorStrategy.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/MethodFilter.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/impl/FieldProviderTransformer.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/ClassEmitterTransformer.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/MixinBeanEmitter.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/DefaultGeneratorStrategy.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/beans/BulkBean.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/ClassEmitter.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/Converter.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/AbstractProcessTask.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/ClassTransformerTee.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/CodeVisitorTee.java  
 \*  
 /cglib-2-1-3-sources-5-jar/net/sf/cglib/util/StringSwitcher.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/Constants.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/ClassTransformerFactory.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/impl/InterceptFieldCallback.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/ClassVisitorTee.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/Block.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/ProcessArrayCallback.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/ClassFilter.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/RemappingCodeVisitor.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/reflect/FastConstructor.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/impl/AddDelegateTransformer.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/Customizer.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/util/ParallelSorterEmitter.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/ClassesKey.java  
 \*  
 /cglib-2-1-3-sources-5-jar/net/sf/cglib/beans/BeanGenerator.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/ClassReaderGenerator.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/beans/FixedKeySet.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/Local.java  
 \* /cglib-2-1-3-sources-5-jar/net/sf/cglib/reflect/FastMember.java



\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/Predicate.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/core/ObjectSwitchCallback.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/hook/AsmClassLoaderPreProcessor.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/util/SorterTemplate.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/transform/impl/InterceptFieldFilter.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002,2003 The Apache Software Foundation  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/MethodInterceptor.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/UndeclaredThrowableException.java  
\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/Factory.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002,2003,2004 The Apache Software Foundation  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /cglib-2-1-3-sources-5-jar/net/sf/cglib/proxy/Enhancer.java

# 1.160 ecj 3.26.0

## 1.160.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 292478 - Report potentially null across variable assignment
* bug 332637 - Dead Code detection removing code that isn't dead
* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional
* Bug 411964 - [1.8][null] leverage null type annotation in foreach statement
* Bug 421035 - [resource]
* False alarm of resource leak warning when casting a closeable in its assignment
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/flow/FlowInfo.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 370639 - [compiler][resource] restore the default for resource leak warnings

```

- \* bug 265744 - Enum switch should warn about missing default
- \* bug 374605 - Unreasonable warning for enum-based switch statements
- \* bug 381443
- [compiler][null] Allow parameter widening from @NonNull to unannotated
- \* Bug 441208 - [1.8][null] SuppressWarnings("null") does not suppress / marked Unnecessary
- \* Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/IrritantSet.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/NullLiteral.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"

\* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ArrayTypeReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2011 BEA Systems, Inc.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* wharley@bea.com - initial API and implementation

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/ProcessorInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\* Bug 415790 - [compiler][resource]Incorrect potential resource leak warning in for loop with close in try/catch

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/DoStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365519 - editorial cleanup after bug 186342 and bug 365387

\* bug 358903 - Filter practically unimportant resource leak warnings

\* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults

\* bug 388281 - [compiler][null] inheritance of null annotations as an option

\* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.

\* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types

\* bug 400421 - [compiler] Null analysis for fields does not take @com.google.inject.Inject into account

\* bug 382069 - [null] Make the null analysis consider JUnit's assertNotNull similarly to assertions

\* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations

\* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

\* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables

\* Bug

400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"

\* Bug 426792 - [1.8][inference][impl] generify new type inference engine

\* Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.

\* Bug 427199 - [1.8][resource] avoid resource leak warnings on Streams that have no resource

\* Bug 418743 - [1.8][null] contradictory annotations on invocation of generic method not reported

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Bug 431581 - Eclipse compiles what it should not

\* Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable

\* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression

\* Bug 446442 - [1.8] merge null annotations from

super methods

\* Bug 456532 - [1.8][null] ReferenceBinding.appendNullAnnotation() includes phantom annotations in error messages

\* Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object),

Collection#remove(Object) et al.

- \* Jesper S Moller - Contributions for
- \* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
- \* bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
- \* bug 527554 - [1.8.3] Compiler support for JEP 286 Local-Variable Type
- \* Ulrich Grave <ulrich.grave@gmx.de> - Contributions for
- \* bug 386692 - Missing "unused" warning on "autowired" fields
- \* Pierre-Yves B. <pyvesdev@gmail.com> - Contribution for
- \* bug 542520 - [JUnit 5] Warning The method xxx from the type X is never used locally is shown when using MethodSource
- \* Sebastian Zarnekow - Contributions for
- \* bug 544921 - [performance] Poor performance with large source files

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ReferenceBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2020 IBM Corporation and others.

- \*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

- \*

- \* SPDX-License-Identifier: EPL-2.0

- \*

- \* Contributors:

- \* IBM Corporation - initial API and implementation

- \* Stephan Herrmann - Contributions for

- \* bug 343713 - [compiler] bogus line number in constructor of inner class in 1.5 compliance

- \* bug 349326 - [1.7] new warning for missing try-with-resources

- \* bug 186342 - [compiler][null] Using annotations for null checking

- \* bug 361407 - Resource leak warning when resource is assigned to a field outside of constructor

- \* bug 368546 - [compiler][resource] Avoid

remaining false positives found when compiling the Eclipse SDK

- \* bug 383690 - [compiler] location of error re uninitialized final field should be aligned

- \* bug 331649 - [compiler][null] consider null annotations for fields

- \* bug 383368 - [compiler][null] syntactic null analysis for field references

- \* bug 400421 - [compiler] Null analysis for fields does not take @com.google.inject.Inject into account

- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

- \* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables

- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations

- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

- \* Bug 415399 - [1.8][compiler] Type annotations on constructor results dropped by the code generator

- \* Ulrich Grave <ulrich.grave@gmx.de> - Contributions

for

```
* bug 386692 - Missing "unused" warning on "autowired" fields
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ConstructorDeclaration.java

No license file was found, but licenses were detected in source scan.

```
/******
 * Copyright (c) 2000, 2012 IBM Corporation and others.
 *
 * This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License 2.0
 * which accompanies this distribution, and is available at
 * https://www.eclipse.org/legal/epl-2.0/
 *
 * SPDX-License-Identifier: EPL-2.0
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 * Stephan Herrmann - Contribution for
 * Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
 * Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
 *****/
```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/SingleTypeReference.java

No license file was found, but licenses were detected in source scan.

```
/******
 * Copyright (c) 2000, 2020 IBM Corporation and others.
 *
 * This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License 2.0
 * which accompanies this distribution, and is available at
 * https://www.eclipse.org/legal/epl-2.0/
 *
 * SPDX-License-Identifier: EPL-2.0
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 * Stephan Herrmann - Contributions for
 * Bug 360328 - [compiler][null] detect null problems in nested code (local class inside a loop)
 * Bug 388630 - @NonNull diagnostics at line 0
 * Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
 * Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
 * Bug 424727 - [compiler][null] NullPointerException
 *****/
```

in nullAnnotationUnsupportedLocation(ProblemReporter.java:5708)

- \* Bug 457210 - [1.8][compiler][null] Wrong Nullness errors given on full build build but not on incremental build?
- \* Keigo Imai - Contribution for bug 388903 - Cannot extend inner class as an anonymous class when it extends the outer class
- \* Pierre-Yves B. <pyvesdev@gmail.com> - Contributions for
- \* Bug 542520 - [JUnit 5] Warning The method xxx from the type X is never used locally is shown when using MethodSource
- \* Bug 546084 - Using Junit 5s MethodSource leads to ClassCastException

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/TypeDeclaration.java
- No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2020, 2021 IBM Corporation and others.

\*

- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>

\*

- \* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

- \* IBM Corporation - initial API and implementation

\*

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/RecordComponentBinding.java
- No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2006, 2018 BEA Systems, Inc.

\*

- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>

\*

- \* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

- \* wharley@bea.com - initial API and implementation
- \* philippe.marschall@netcetera.ch - Fix for 338370
- \* IBM Corporation - Fix for validating relative name

\*\*\*\*\*/



Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/BatchFilerImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2015, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Kenneth Olson - initial API and implementation

\* Dennis Hendriks - initial API and implementation

\* IBM Corporation - Contribution for bug 188796

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathJsr199.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Gauthier JACQUES - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/BatchCompilerRequestor.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/tool/EclipseCompilerRequestor.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2010 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/Constant.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/ByteConstant.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/AccessRuleSet.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/DoubleConstant.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/FloatConstant.java

\*

/ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/CharConstant.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/StringConstant.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/BooleanConstant.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/LongConstant.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfObject.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/JavadocArgumentExpression.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/ShortConstant.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/IntConstant.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2012, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for

\* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/AnnotationContext.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2018, 2020 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/SwitchExpression.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/ISourceType.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ImportBinding.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ASTVisitor.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/JavadocTagConstants.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/MissingTypeBinding.java  
\*

/ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/JavadocParser.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ImportReference.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at

```

```

* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephen Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 133125 - [compiler][null] need to report the null status of expressions and analyze them simultaneously
* bug 292478 - Report potentially null across variable assignment
* bug 324178 - [null] ConditionalExpression.nullStatus(..) doesn't take into account the analysis of condition itself
* bug 354554 - [null] conditional with redundant condition
yields weak error message
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* bug 383368 - [compiler][null] syntactic null analysis for field references
* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
* Bug 426078 - [1.8] VerifyError when conditional expression passed as an argument
* Bug 427438 - [1.8][compiler] NPE at
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
* Bug 418537 - [1.8][null] Fix null type annotation analysis for poly conditional expressions
* Bug 428352 - [1.8][compiler] Resolution errors don't always surface
* Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ConditionalExpression.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2013 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Jesper Steen Moller - Contributions for:
* Bug 412149: [1.8][compiler] Emit repeated annotations into the designated container
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/SingleMemberAnnotation.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 358827 - [1.7] exception analysis for t-w-r spoils null analysis

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

\* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations

\* bug 345305 - [compiler][null]

Compiler misidentifies a case of "variable can only be null"

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check

\* bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields

\* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\* Bug 453483 - [compiler][null][loop] Improve null analysis for loops

\* Bug 455723 - Nonnull argument not correctly inferred in loop

\* Bug 415790 - [compiler][resource] Incorrect potential resource leak warning in for loop with close in try/catch

\* Bug 446691 - [1.8][null][compiler] NullPointerException in SingleNameReference.analyseCode

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/flow/FlowContext.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contributions for  
\* bug 349326 - [1.7] new warning for missing try-with-resources  
\* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files  
\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis  
\* Bug 467032 - TYPE\_USE Null Annotations: IllegalStateException with annotated arrays of Enum when accessed via BinaryTypeBinding

\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/UnresolvedReferenceBinding.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2012, 2020 GK Software SE, IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ImplicitNullAnnotationVerifier.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for

\* Bug 407191 - [1.8] Binary access support for type annotations

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/FieldInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Jesper S Moller - Contributions for

\* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335

\* Bug 406982 - [1.8][compiler] Generation of MethodParameters Attribute in classfile

\* Bug 416885 - [1.8][compiler]IncompatibleClassChange error (edit)

\* Bug 412149 - [1.8][compiler] Emit repeated annotations into the designated container

\* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com

- Contributions for

\* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\* Bug 409236 - [1.8][compiler] Type annotations on intersection cast types dropped by code generator

\* Bug 409246 - [1.8][compiler] Type annotations on catch parameters not handled properly

\* Bug 415541 - [1.8][compiler] Type annotations in the body of static initializer get dropped

\* Bug 415399 - [1.8][compiler] Type annotations on constructor results dropped by the code generator

\* Bug 415470 - [1.8][compiler] Type annotations on class declaration go vanishing

\* Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas

\* Bug 434556 - Broken class file generated for incorrect annotation usage

\* Bug 442416

- \$deserializeLambda\$ missing cases for nested lambdas

\* Stephan Herrmann - Contribution for

\* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables

\* Olivier Tardieu tardieu@us.ibm.com - Contributions for

\* Bug 442416 - \$deserializeLambda\$ missing cases for nested lambdas

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ClassFile.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2020 IBM Corporation and others.  
\* All rights reserved. This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License v1.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/JavaFeature.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*  
\* Copyright (c) 2016 GoPivotal, Inc.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for  
\* Bug 407191 - [1.8] Binary access support for type annotations  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/TypeAnnotationInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*  
\* Copyright (c) 2000, 2021 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contributions for



- \* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
- \* bug 349326 - [1.7] new warning for missing try-with-resources
- \* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
- \* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking
- \* Bug 415790
  - [compiler][resource] Incorrect potential resource leak warning in for loop with close in try/catch

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/WhileStatement.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ForStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Matt McCutchen - partial fix for [https://bugs.eclipse.org/bugs/show\\_bug.cgi?id=122995](https://bugs.eclipse.org/bugs/show_bug.cgi?id=122995)

\* Karen Moore - fix for [https://bugs.eclipse.org/bugs/show\\_bug.cgi?id=207411](https://bugs.eclipse.org/bugs/show_bug.cgi?id=207411)

\* Stephan Herrmann <[stephan@cs.tu-berlin.de](mailto:stephan@cs.tu-berlin.de)> - Contributions for

\* bug 185682 - Increment/decrement operators mark local variables as read

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365519 - editorial cleanup after

bug 186342 and bug 365387

\* bug 374605 - Unreasonable warning for enum-based switch statements

\* bug 384870 - [compiler] @Deprecated annotation not detected if preceded by other annotation

\* bug 393719 - [compiler] inconsistent warnings on iteration variables

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 424742 - [1.8] NPE in LambdaExpression.isCompatibleWith

\* Bug 424710 - [1.8][compiler] CCE in SingleNameReference.localVariableBinding

\* Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation

\* Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.

\* Bug 426366

- [1.8][compiler] Type inference doesn't handle multiple candidate target types in outer overload context

\* Bug 427282 - [1.8][compiler] AIOOB (-1) at

org.eclipse.jdt.internal.compiler.ClassFile.traverse(ClassFile.java:6209)

\* Bug 427483 - [Java 8] Variables in lambdas sometimes can't be resolved

- \* Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- \* Bug 427163 - [1.8][null] bogus error "Contradictory null specification" on varargs
- \* Bug 432348 - [1.8] Internal compiler error (NPE) after upgrade to 1.8
- \* Bug 440143 - [1.8][null] one more case of contradictory null annotations regarding type variables
- \* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
- \* Bug 434483 - [1.8][compiler][inference] Type inference not picked up with method reference
- \* Bug 446442 - [1.8] merge null annotations from super methods
- \* Bug 437072 - [compiler][null] Null analysis emits possibly incorrect warning for new int[][] despite @NonNullByDefault
- \* Jesper S Moller - Contributions for
  - \* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment
  - \* bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
  - \* bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
  - \* bug 412149 - [1.8][compiler] Emit repeated annotations into the designated container
  - \* bug 419209 - [1.8] Repeating container annotations should be rejected in the presence of annotation it contains
- \* Till Brychcy - Contributions for
  - \* bug 467094 - [1.8][null] TYPE\_USE NullAnnotations of array contents are applied to field.

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ASTNode.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/AbstractVariableDeclaration.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2007, 2014 BEA Systems, Inc. and others.

\*

\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\*   wharley@bea.com - initial API and implementation  
\*   IBM Corporation - Java 8 support  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/TypeMirrorImpl.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/PrimitiveTypeImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2005, 2010 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\*   IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/StackMapFrame.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2016 IBM Corporation.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\*   IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/BasicModule.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/ModuleReferenceImpl.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2012 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
*****/

```

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ContinueStatement.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2012, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's
work)
* Stephan Herrmann - Contribution for
* Bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
*****/

```

Found in

path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/AnnotationTargetTypeConstants.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2007, 2018 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Frits Jalvingh - fix for bug 533830.
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/tool/ExceptionDiagnostic.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2008, 2014 Technical University Berlin, Germany and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Stephan Herrmann - Initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/Sorting.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2014 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*

```

\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contributions for  
\* Bug 365662 - [compiler][null] warn on contradictory and redundant null annotations  
\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault  
\* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations  
\* Keigo Imai - Contribution for bug 388903 - Cannot extend inner class as an anonymous class when it extends the outer class

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/NestedTypeBinding.java  
No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2005, 2018 BEA Systems, Inc and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* tyeung@bea.com - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/MethodInfoWithAnnotations.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IBinaryAnnotation.java  
No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2016 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/FileFinder.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/Messages.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredInitializer.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/MemberTypeBinding.java  
\*  
/ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/problem/ProblemSeverities.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/SuffixConstants.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/SourceTypeCollisionException.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2000, 2020 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contribution for  
\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)  
\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault  
\*\*\*\*\*/

Found in path(s):  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/Javadoc.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2005, 2017 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contribution for  
\* bug 349326 - [1.7] new warning for missing try-with-resources  
\* bug 359362 - FUP of bug 349326: Resource leak on non-Closeable resource  
\* bug 358903 - Filter practically unimportant resource leak warnings  
\* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.

- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
- \* Bug 426676 - [1.8][compiler] Wrong generic method type inferred from lambda expression
- \* Bug 427411 - [1.8][generics] JDT reports type mismatch when using method that returns generic type
- \* Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.
- \* Bug 435962 - [RC2] StackOverflowError when building
- \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
- \* Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable
- \* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/WildcardBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2016 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \*

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ModuleStatement.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredOpensStatement.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredModuleStatement.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredUsesStatement.java
- \*
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfModule.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredExport.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ExportsStatement.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredProvidesStatement.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredTypeReference.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredExportsStatement.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredPackageVisibilityStatement.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredModuleReference.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredRequiresStatement.java

No license file was found, but licenses were detected in source scan.



/\*\*\*\*\*

\* Copyright (c) 2011 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/PolymorphicMethodBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2015, 2017 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/ITypeAnnotationWalker.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2016 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Jesper S Moller - Bug 392671  
\* NPE with a method with explicit this and a following incomplete parameter  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredMethod.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2007, 2018 BEA Systems, Inc.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* wharley@bea.com - initial API and implementation  
\*  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/BaseAnnotationProcessorManager.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2005, 2017 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/BatchAnnotationProcessorManager.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/ElementImpl.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ClassFilePool.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2014, 2017 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/SyntheticFactoryMethodBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   IBM Corporation - initial API and implementation

\*   Stephan Herrmann - Contribution for

\*   bug 384380 - False positive on a "Potential null pointer access" after a continue

\*   Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/InvocationSite.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Perry James - nullStatus method improvement (165346)  
\* Stephan Herrmann - Contribution for  
\* bug 383368 - [compiler][null] syntactic null analysis for field references  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/OperatorExpression.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contributions for  
\* bug 349326 - [1.7] new warning for missing try-with-resources  
\* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK  
\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"  
\* bug 383368 - [compiler][null] syntactic null analysis for field references  
\* bug 402993 - [null] Follow up  
of bug 401088: Missing warning about redundant null check  
\* Bug 440282 - [resource] Resource leak detection false negative with empty finally block  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/Block.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2006 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IGenericMethod.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IBinaryNestedType.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IGenericType.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/ISourceField.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IGenericField.java  
\*  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/ISourceMethod.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contributions for  
\* bug 186342 - [compiler][null] Using annotations for null checking  
\* bug 365519 - editorial cleanup after bug 186342 and bug 365387  
\* bug 388281 - [compiler][null] inheritance of null annotations as an option  
\* bug 388795 - [compiler] detection of name clash depends on order of super interfaces  
\* bug 388739 - [1.8][compiler] consider default methods when detecting whether  
a class needs to be declared abstract  
\* bug 390883 - [1.8][compiler] Unable to override default method  
\* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.  
\* bug 401246 - [1.8][compiler] abstract class method should now trump conflicting default methods  
\* bug 401796 - [1.8][compiler] don't treat default methods as overriding an independent inherited abstract method  
\* bug 403867 - [1.8][compiler] Suspect error about duplicate default methods  
\* bug 391376 - [1.8] check interaction of default methods with bridge methods and generics  
\* bug 395681 - [compiler] Improve simulation of javac6 behavior from bug 317719 after fixing bug 388795  
\* bug 409473 - [compiler] JDT cannot compile against JRE 1.8  
\* Bug 420080 - [1.8] Overridden Default method is reported as duplicated  
\* Bug 404690 - [1.8][compiler] revisit bridge generation after VM bug is fixed  
\* Bug 410325 - [1.7][compiler] Generified method override different between javac and eclipse compiler  
\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault  
\* Bug 390889 - [1.8][compiler] Evaluate options to support 1.7- projects against 1.8 JRE.  
\* Bug 440773 - [1.8][null]DefaultLocation.RETURN\_TYPE erroneously affects method parameters in  
@NonNullByDefault  
\* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations

\* Bug 446442 - [1.8] merge null annotations from super methods

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/MethodVerifier15.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 364890 - BinaryTypeBinding should use char constants from Util

\* bug 365387 - [compiler][null] bug 186342: Issues to follow up post review and verification.

\* bug 358903 - Filter practically unimportant resource leak warnings

\* bug

365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults

\* bug 388800 - [1.8][compiler] detect default methods in class files

\* bug 388281 - [compiler][null] inheritance of null annotations as an option

\* bug 331649 - [compiler][null] consider null annotations for fields

\* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

\* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled

\* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 427199 - [1.8][resource] avoid resource leak warnings on Streams that have no resource

\* Bug 392245 - [1.8][compiler][null] Define whether

/ how @NonNullByDefault applies to TYPE\_USE locations

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Bug 390889 - [1.8][compiler] Evaluate options to support 1.7- projects against 1.8 JRE.

\* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables

\* Bug 439516 - [1.8][null] NonNullByDefault wrongly applied to implicit type bound of binary type

\* Bug 434602 - Possible error with inferred null annotations leading to contradictory null annotations

\* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation

\* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull

\* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations

\* Bug 453475 - [1.8][null] Contradictory null annotations (4.5 M3 edition)

\* Bug 454182 - Internal compiler error when using

### 1.8 compliance for simple project

- \* Bug 470467 - [null] Nullness of special Enum methods not detected from .class file
  - \* Bug 447661 - [1.8][null] Incorrect 'expression needs unchecked conversion' warning
  - \* Jesper Steen Moller - Contributions for
  - \* Bug 412150 [1.8] [compiler] Enable reflected parameter names during annotation processing
  - \* Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
  - \* Sebastian Zarnekow - Contributions for
  - \* bug 544921 - [performance] Poor performance with large source files
  - \* Alexander Lehmann - Contributions for
  - \* bug 566258 - Intermittent NPE in APT RoundDispatcher
- \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/BinaryTypeBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\* bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields

\* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\* Bug

422796 - [compiler][null] boxed boolean reported as potentially null after null test in lazy disjunction

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/OR\_OR\_Expression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2007, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

```
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* IBM Corporation - fix for 342936
* Kenneth Olson - Contribution for bug 188796 - [jsr199] Using JSR199 to extend ECJ
* Dennis Hendriks - Contribution for bug 188796 - [jsr199] Using JSR199 to extend ECJ
* Frits Jalvingh - fix for bug 533830.
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/tool/EclipseCompilerImpl.java
```

No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 361407 - Resource leak warning when resource is assigned to a field outside of constructor
* bug 370639 - [compiler][resource] restore the default for resource leak warnings
* bug 388996 - [compiler][resource] Incorrect
'potential resource leak'
* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred
checking
* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
* Bug 424710 - [1.8][compiler] CCE in SingleNameReference.localVariableBinding
* Bug 425152 - [1.8] [compiler] Lambda Expression not resolved but flow analyzed leading to NPE.
* Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation
* Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.
* Bug 426366 - [1.8][compiler] Type inference doesn't handle multiple candidate target types in outer overload
context
* Bug 426290 - [1.8][compiler] Inference + overloading => wrong method resolution ?
* Bug 427483 - [Java 8] Variables in lambdas sometimes can't be resolved
* Bug 427438 - [1.8][compiler]
```



NPE at org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

- \* Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 409245 - [1.8][compiler] Type annotations dropped when call is routed through a synthetic bridge method

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ExplicitConstructorCall.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

\* Bug 407191 - [1.8] Binary access support for type annotations

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IBinaryField.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2019 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for

\* Bug 473178

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ConstraintExpressionFormula.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2011 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/WildcardTypeImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.

\* bug 331649 - [compiler][null] consider null annotations for fields

\* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic

\* Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

\* Bug 429403 - [1.8][null] null mismatch from type arguments is not reported at field initializer

\* Bug 453483 - [compiler][null][loop] Improve null analysis for loops

\* Bug 458396 - NPE in CodeStream.invoke()

\* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for

\* Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/FieldDeclaration.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2015 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Genady Beriozkin - added support for reporting assignment with no effect

\* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for

\* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

\* bug 292478 - Report potentially null across variable assignment

\* bug 335093 - [compiler][null] minimal hook for future null annotation support

\* bug 349326 - [1.7] new warning for missing

try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 358903 - Filter practically unimportant resource leak warnings

\* bug 370639 - [compiler][resource] restore the default for resource leak warnings

\* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'

\* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional

\* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.

\* bug 331649 - [compiler][null] consider null annotations for fields

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\* bug 402993 - [null] Follow up of bug 401088: Missing

warning about redundant null check

\* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

\* Bug 453483 - [compiler][null][loop] Improve null analysis for loops

\* Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/Assignment.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation  
 \* Stephan Herrmann - Contribution for  
 \*   bug 400710 - [1.8][compiler] synthetic access to default method generates wrong code  
 \*   Bug 459967 - [null] compiler should know about nullness of special methods like MyEnum.valueOf()  
 \*   Bug 470467 - [null] Nullness of special Enum methods not detected from .class file  
 \*   Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for  
 \*       Bug 405104 -  
 \*   [1.8][compiler][codegen] Implement support for serializable lambdas  
 \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/SyntheticMethodBinding.java  
 No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation  
 \* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for  
 \*   bug 292478 - Report potentially null across variable assignment,  
 \*   bug 185682 - Increment/decrement operators mark local variables as read  
 \*   bug 331649 - [compiler][null] consider null annotations for fields  
 \*   bug 383368 - [compiler][null] syntactic null analysis for field references  
 \*   Bug 412203 - [compiler] Internal compiler error: java.lang.IllegalArgumentException:  
 info cannot be null  
 \*   Bug 458396 - NPE in CodeStream.invoke()  
 \*   Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null  
 \* Jesper S Moller - <jesper@selskabet.org> - Contributions for  
 \*   bug 382721 - [1.8][compiler] Effectively final variables needs special treatment  
 \*   bug 378674 - "The method can be declared as static" is wrong

\* bug 404657 - [1.8][compiler] Analysis for effectively final variables fails to consider loops  
\* bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/SingleNameReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"

\* Bug 426676 - [1.8][compiler] Wrong generic method type inferred from lambda expression

\* Bug 426542 - [1.8] Most specific method not picked when one method has intersection type as type parameter

\* Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.

\* Andy

Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for

\* Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas

\* Jesper S Møller - Contributions for bug 381345 : [1.8] Take care of the Java 8 major version

\* Bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/IntersectionTypeBinding18.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

- \* Stephan Herrmann - Contributions for
- \* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE
- \* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
- \* bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields
- \* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/AssertStatement.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2013, 2019 GK Software AG, and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\* IBM Corporation - Bug fixes

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/InferenceContext18.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2017, 2019 GK Software AG, and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/SourceModuleBinding.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* bug 388281 - [compiler][null] inheritance of null annotations as an option
* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
*****/

```

Found

in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/TagBits.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2011, 2013 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's
work)
* Bug 409246 - [1.8][compiler] Type annotations on catch parameters not handled properly
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/MultiCatchExceptionLabel.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2017 IBM Corporation.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/tool/ModuleLocationHandler.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2014 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/flow/ExceptionInferenceFlowContext.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation

```



- \* Stephan Herrmann - Contribution for
- \* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
- \* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- \* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled
- \* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
- \* Bug 427163 - [1.8][null] bogus error "Contradictory null specification" on varargs
- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- \* Bug 434570 - Generic type mismatch for parametrized class annotation attribute with inner class
- \* Bug 434600 - Incorrect null analysis error reporting on type parameters
- \* Bug 439516 - [1.8][null] NonNullByDefault wrongly applied to implicit type bound of binary type
- \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
- \* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 437072 - [compiler][null] Null analysis emits possibly incorrect warning for new int[][] despite @NonNullByDefault
- \* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
- \* Bug 409236 - [1.8][compiler] Type annotations on intersection cast types dropped by code generator
- \* Bug 415399 - [1.8][compiler] Type annotations on constructor results dropped by the code generator
- \* Jesper S Møller <jesper@selskabet.org> - Contributions for
- \* bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type
- \* bug 529556 - [18.3] Add content assist support for 'var' as a type
- \*

\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/TypeReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/util/EclipseFileManager.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/tool/EclipseFileManager.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/StackMapFrameCodeStream.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2017 Till Brychcy and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/AutomaticModuleNaming.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2006, 2016 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/ExecutableTypeImpl.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

```

* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 328281 - visibility leaks not detected when analyzing unused field in private class
* bug 382353 - [1.8][compiler] Implementation property modifiers should be accepted on default methods.
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ExtraCompilerModifiers.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2007, 2015 BEA Systems, Inc. and others
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* wharley@bea.com - initial API and implementation
* IBM Corporation - Java 8 support
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/NoTypeImpl.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2016, 2018 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:

```

\* IBM Corporation - initial API and implementation

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/RequiresStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/RecordComponent.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/JavadocModuleReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredLocalVariable.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/GenericXMLWriter.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/ManifestAnalyzer.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/UnresolvedAnnotationBinding.java

\*

/ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/ReferenceContext.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/DefaultErrorHandlingPolicies.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/problem/DefaultProblemFactory.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/Receiver.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/flow/InsideSubRoutineFlowContext.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/core/JDTCompilerAdapter.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/CompilerStats.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/IErrorHandlingPolicy.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2011, 2014 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contribution for  
\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault  
\*\*\*\*\*/

Found in path(s):  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/UnionTypeReference.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2020, 2021 IBM Corporation.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/RecordComponentElementImpl.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Jesper S Moller - Contributions for

\* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression

\* Stephan Herrmann - Contribution for

\* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 416182 - [1.8][compiler][null]

Contradictory null annotations not rejected

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemReasons.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/BinaryExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2014 IBM Corporation and others.

```

*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 428811 - [1.8][compiler] Type witness unnecessarily required
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/PolyTypeBinding.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 358903 - Filter practically unimportant resource leak warnings
* bug 381445 - [compiler][resource] Can the resource leak check be made aware of Closeables.closeQuietly?
* bug 400421 - [compiler] Null analysis for fields does not take @com.google.inject.Inject into account
* bug 382069 - [null] Make
the null analysis consider JUnit's assertNotNull similarly to assertions
* Bug 405569 - Resource leak check false positive when using DbUtils.closeQuietly
* Bug 427199 - [1.8][resource] avoid resource leak warnings on Streams that have no resource
* Bug 425183 - [1.8][inference] make CaptureBinding18 safe
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
* Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object),
Collection#remove(Object) et al.
* Jesper S Moller - Contributions for
* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
* Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
* bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

```

\* Bug 405104 - [1.8][compiler][codegen]  
Implement support for serializable lambdas  
\* Ulrich Grave <ulrich.grave@gmx.de> - Contributions for  
\* bug 386692 - Missing "unused" warning on "autowired" fields  
\* Pierre-Yves B. <pyvesdev@gmail.com> - Contribution for  
\* bug 542520 - [JUnit 5] Warning The method xxx from the type X is never used locally is shown  
when using MethodSource

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/TypeConstants.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2001, 2007 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/AptProblem.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2015 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 331649 - [compiler][null] consider null annotations for fields

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 458396 - NPE in CodeStream.invoke()

\*\*\*\*\*/



Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/VariableBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* BEA - Patch for bug 172743

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/AbstractAnnotationProcessorManager.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 360328 - [compiler][null] detect null problems in nested code (local class inside a loop)

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365835 - [compiler][null] inconsistent error reporting.

\* bug 365519 - editorial cleanup after bug 186342 and bug 365387

\* bug 358903 - Filter practically unimportant resource leak warnings

\* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

\* bug 370639 - [compiler][resource] restore the default for resource leak warnings

\* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

- \* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
- \* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional
- \* bug 383368 - [compiler][null] syntactic null analysis for field references
- \* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
- \* bug 401030 - [1.8][null] Null analysis support for lambda methods.
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- \* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking
- \* Bug 417758 - [1.8][null] Null safety compromise during array creation.
- \* Bug 427438 - [1.8][compiler] NPE at  
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- \* Bug 430150 - [1.8][null] stricter checking against type variables
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- \* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
- \* Bug 455723 - Nonnull argument not correctly inferred in loop
- \* Jesper S Moller - Contributions

for

- \* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ReturnStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2020 IBM Corporation and others.

- \*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

- \*

- \* SPDX-License-Identifier: EPL-2.0

- \*

- \* Contributors:

- \* IBM Corporation - initial API and implementation

- \* Stephan Herrmann - Contributions for

- \* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

- \* bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields

- \* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

- \* Bug 422796 - [compiler][null] boxed boolean reported as potentially null after null test in lazy disjunction

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/AND\_AND\_Expression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Jesper S Moller - Contributions for

\* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression

\* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335

\* Stephan Herrmann - Contribution for

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 423504 - [1.8] Implement "18.5.3

Functional Interface Parameterization Inference"

\* Bug 425142 - [1.8][compiler] NPE in ConstraintTypeFormula.reduceSubType

\* Bug 425153 - [1.8] Having wildcard allows incompatible types in a lambda expression

\* Bug 425156 - [1.8] Lambda as an argument is flagged with incompatible error

\* Bug 424403 - [1.8][compiler] Generic method call with method reference argument fails to resolve properly.

\* Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

\* Bug 428352 - [1.8][compiler] Resolution errors don't always surface

\* Bug 446442 - [1.8] merge null annotations from super methods

\* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for

\* Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas

\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/FunctionalExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2018 BEA Systems, Inc.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*  
\* Contributors:  
\* wharley@bea.com - initial API and implementation  
\* IBM Corporation - fix for 342598  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/DeclaredTypeImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2014 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contributions for  
\* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/IPolyExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2007, 2015 BEA Systems, Inc.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* wharley@bea.com - initial API and implementation  
\* IBM Corporation - fix for 342470  
\* IBM Corporation - fix for 342598  
\* IBM Corporation - Java 8 support  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/TypeParameterElementImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for

\* bug 185682 - Increment/decrement operators mark local variables as read

\* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types

\* bug 331649 - [compiler][null] consider null annotations for fields

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\* bug 392384 - [1.8][compiler][null] Restore nullness

info from type annotations in class files

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 411964 - [1.8][null] leverage null type annotation in foreach statement

\* Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/Reference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IModule.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Jesper S Moller - Contributions for

\* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression

\* Bug 384687 - [1.8] Wildcard type arguments should be rejected for lambda and reference expressions

\* Bug 416885 - [1.8][compiler] IncompatibleClassChange error (edit)

\* Stephan Herrmann - Contribution for

\* bug 402028 - [1.8][compiler] null analysis for reference expressions

\* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super via I.super.m() syntax

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"

\* Bug 424637 - [1.8][compiler][null] AIOOB in ReferenceExpression.resolveType with a method reference to Files::walk

\* Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.

\* Bug 424403 - [1.8][compiler] Generic method call with method reference argument fails to resolve properly.

\* Bug 427196 - [1.8][compiler] Compiler error for method reference to overloaded method

\* Bug 427438

- [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

\* Bug 428264 - [1.8] method reference of generic class causes problems (wrong inference result or NPE)

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

\* Bug 426537 - [1.8][inference] Eclipse compiler thinks I<? super J> is compatible with I<J<?>> - raw type J involved

\* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"

\* Bug 435689 - [1.8][inference] Type inference not occurring with lambda expression and method reference

\* Bug 438383 - [1.8][null] Bogus warning: Null type safety at method return type

\* Bug 434483 - [1.8][compiler][inference] Type inference not picked up with method reference

\* Bug 441734 - [1.8][inference] Generic method with nested parameterized type argument fails on method reference

\* Bug 438945 - [1.8] NullPointerException

InferenceContext18.checkExpression in java 8 with generics, primitives, and overloading

\* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression

\* Bug 448709 - [1.8][null] ensure we don't infer types that violate null constraints on a type parameter's bound

- \* Bug 459967 - [null] compiler should know about nullness of special methods like MyEnum.valueOf()
- \* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
- \* Bug 470542 - NullPointerException in ReferenceExpression.isPotentiallyCompatibleWith (962)
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contribution for
- \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ReferenceExpression.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365662 - [compiler][null] warn on contradictory and redundant null annotations

\* bug 331649 - [compiler][null] consider null annotations for fields

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 415043 - [1.8][null] Follow-up re null type annotations

after bug 392099

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

\* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled

\* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 424728 - [1.8][null] Unexpected error: The nullness annotation 'XXXX' is not applicable at this location

\* Bug 392245 - [1.8][compiler][null] Define whether / how @NonNullByDefault applies to TYPE\_USE locations

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations

\* Bug 457210 - [1.8][compiler][null] Wrong Nullness errors given on full build build but not on incremental build?

\* Bug 469584 - ClassCastException in Annotation.detectStandardAnnotation (320)

\* Andy Clement (GoPivotal,

Inc) aclement@gopivotal.com - Contributions for

\* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\* Bug 409517 - [1.8][compiler] Type annotation problems on more elaborate array references

\* Bug 415397 - [1.8][compiler] Type Annotations on wildcard type argument dropped

\* Bug 414384 - [1.8] type annotation on abbreviated inner class is not marked as inner type

\* Jesper S Moller <jesper@selskabet.org> - Contributions for

\* Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable  
\* Bug 412151 - [1.8][compiler] Check repeating annotation's collection type  
\* Bug 412149 - [1.8][compiler] Emit repeated annotations into the designated container  
\* Bug 419209 - [1.8] Repeating container annotations  
should be rejected in the presence of annotation it contains

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/Annotation.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* Bug 440687 - [compiler][batch][null] improve command line option for external annotations

\* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for

\* Bug 473178

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathDirectory.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations



- \* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 417295 - [1.8][null]

Message type annotated null analysis to gel well with deep encoded type bindings.

- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
- \* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
- \* Andy Clement - Contributions for
- \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/InstanceOfExpression.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2015 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredBlock.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 365662 - [compiler][null] warn on contradictory and redundant null annotations

\* bug 401030 - [1.8][null] Null analysis support for lambda methods.

```
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
*****/
```

Found

in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/LocalTypeBinding.java

No license file was found, but licenses were detected in source scan.

```
/******
```

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for

\* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

\* bug 292478 - Report potentially null across variable assignment

\* bug 335093 - [compiler][null] minimal hook for future null annotation support

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 358903 - Filter practically unimportant resource leak warnings

\* bug 370639 - [compiler][resource] restore the default for resource leak warnings

\* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations

\* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'

\* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional

\* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

\* Bug 430150 - [1.8][null] stricter checking against type variables

\* Bug 453483 - [compiler][null][loop] Improve null analysis for loops

\* Jesper S Moller - Contributions for

\* Bug 378674 - "The method can be declared as static" is wrong

\* Bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type

\* Bug 529556 - [18.3] Add content assist support for 'var' as a type

\* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

\* Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation

\* Bug 426616 - [1.8][compiler] Type Annotations, multiple problems

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/LocalDeclaration.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2012 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/Literal.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/diagnose/LexStream.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/NormalAnnotation.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2019, 2020 SAP SE and others

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ModuleScope.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

```
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/AnnotationDiscoveryVisitor.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2007, 2020 BEA Systems, Inc. and others
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* wharley@bea.com - derived base class from BatchMessengerImpl
*
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/BaseMessengerImpl.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2016, 2018 IBM Corporation.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathJrt.java
```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 440474 - [null] textual encoding of external null annotations
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/SignatureWrapper.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2017 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 342671 - ClassCastException: org.eclipse.jdt.internal.compiler.lookup.SourceTypeBinding cannot be cast to
org.eclipse.jdt.internal.compiler.lookup.ArrayBinding
* Bug 420894 - ClassCastException in DefaultBindingResolver.resolveType(Type)
* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 415043 - [1.8][null] Follow-up re null type
annotations after bug 392099
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
* Bug 434600 - Incorrect null analysis error reporting on type parameters
* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
* Bug 456508 - Unexpected RHS PolyTypeBinding for: <code-snippet>
* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
* Andy Clement - Contributions for
* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's

```

work)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ParameterizedSingleTypeReference.java

No license file was found, but licenses were detected in source scan.

Public License Version 2.0 ("EPL"). A copy of the EPL is

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/about.html

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2005, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* This is an implementation of an early-draft specification developed under the Java

\* Community Process (JCP) and is made available for testing and evaluation purposes

\* only. The code is not compatible with any specification of the JCP.

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/TypeElementImpl.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Carmi Grushko - Bug 465048 - Binding is null for class literals in synchronized blocks

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/SynchronizedStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/JavadocImplicitTypeReference.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ElementValuePair.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/flow/SwitchFlowContext.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/BreakStatement.java

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2007, 2015 IBM Corporation and others.

This program and the accompanying materials  
are made available under the terms of the Eclipse Public License 2.0  
which accompanies this distribution, and is available at  
<https://www.eclipse.org/legal/epl-2.0/>

SPDX-License-Identifier: EPL-2.0

Contributors:

IBM Corporation - initial API and implementation

-->

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/build.xml

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2016, 2020 Google, Inc. and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stefan Xenos <sxenos@gmail.com> (Google) - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/ExternalAnnotationDecorator.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation



- \* Stephan Herrmann - Contributions for
- \* bug 186342 - [compiler][null] Using annotations for null checking
- \* bug 365519 - editorial cleanup after bug 186342 and bug 365387
- \* Bug 434570 - Generic type mismatch for parametrized class annotation attribute with inner class

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/MemberValuePair.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 325755 - [compiler] wrong initialization state after conditional expression

\* bug 320170 - [compiler] [null] Whitebox issues in null analysis

\* bug 292478 - Report potentially null across variable assignment

\* bug 332637 - Dead Code detection removing code that isn't dead

\* bug 341499 - [compiler][null] allocate extra bits in all methods of UnconditionalFlowInfo

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 386181 - [compiler][null] wrong transition in UnconditionalFlowInfo.mergedWith()

\* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional

\* Bug 453483 - [compiler][null][loop] Improve null analysis for loops

\* Bug 454031 - [compiler][null][loop] bug in null analysis; wrong "dead code" detection

\* Bug 421035 - [resource] False alarm of resource leak warning when casting a closeable in its assignment

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/flow/UnconditionalFlowInfo.java

No license file was found, but licenses were detected in source scan.

# This program and the accompanying materials

# are made available under the terms of the Eclipse Public License 2.0

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/messages.properties

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/antadapter/messages.properties

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/messages.properties

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/problem/messages.properties

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2017 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/InferenceSubstitution.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/TypeAnnotationWalker.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2017 GK Software AG and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/flow/TryFlowContext.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

```

* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
* Bug 429384 - [1.8][null] implement conformance rules for null-annotated lower / upper type bounds
* Bug 441797 - [1.8] synchronize type annotations on capture and its wildcard
* Bug 456497 - [1.8][null] during inference nullness from target type is lost against weaker
 hint from applicability analysis
* Bug 456924 - StackOverflowError during compilation
* Bug 462790 - [null] NPE in Expression.computeConversion()
* Jesper S Møller - Contributions for bug 381345 : [1.8] Take care of the Java 8 major version
* Bug 527554 - [1.8.3] Compiler support for JEP 286 Local-Variable Type
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/CaptureBinding.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2019, 2020 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/ComponentInfoWithAnnotation.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:

```

- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
- \* Bug 328281 - visibility leaks not detected when analyzing unused field in private class
- \* Bug 300576 - NPE Computing type hierarchy when compliance doesn't match libraries
- \* Bug 354536 - compiling package-info.java still depends on the order of compilation units
- \* Bug 349326 - [1.7] new warning for missing try-with-resources
- \* Bug
- 358903 - Filter practically unimportant resource leak warnings
- \* Bug 395977 - [compiler][resource] Resource leak warning behavior possibly incorrect for anonymous inner class
- \* Bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
- \* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
- \* Bug 427199 - [1.8][resource] avoid resource leak warnings on Streams that have no resource
- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- \* Bug 434570 - Generic type mismatch for parametrized class annotation attribute with inner class
- \* Bug 444024 - [1.8][compiler][null] Type mismatch error in annotation generics assignment which happens "sometimes"
- \* Bug 459967 - [null] compiler should know about nullness of special methods like MyEnum.valueOf()
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 415821 - [1.8][compiler] CLASS\_EXTENDS target type annotation missing for anonymous classes
- \* het@google.com - Bug 456986 - Bogus error when annotation processor generates annotation type
- \* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
- \* Bug 473178

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ClassScope.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for

\* bug 328281 - visibility leaks not detected when analyzing unused field in private class

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365836 - [compiler][null] Incomplete propagation of null defaults.

\* bug 365519 - editorial cleanup after bug 186342

and bug 365387

- \* bug 365662 - [compiler][null] warn on contradictory and redundant null annotations
- \* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults
- \* bug 366063 - Compiler should not add synthetic @NonNull annotations
- \* bug 384663 - Package Based Annotation Compilation Error in JDT 3.8/4.2 (works in 3.7.2)
- \* bug 386356 - Type mismatch error with annotations and generics
- \* bug 388281 - [compiler][null] inheritance of null annotations as an option
- \* bug 331649 - [compiler][null] consider null annotations for fields
- \* bug 380896 - [compiler][null] Enum constants not recognised as being NonNull.
- \* bug 391376 - [1.8] check interaction of default methods with bridge methods and generics
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled
- \* Bug 416172 - [1.8][compiler][null] null type annotation not evaluated on method return type
- \* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
- \* Bug 426048 - [1.8] NPE in TypeVariableBinding.internalBoundCheck when parentheses are not balanced
- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- \* Bug 432348 - [1.8] Internal compiler error (NPE) after upgrade to 1.8
- \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
- \* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"
- \* Bug 441693 - [1.8][null]

Bogus warning for type argument annotated with @NonNull

- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 457210 - [1.8][compiler][null] Wrong Nullness errors given on full build build but not on incremental build?
- \* Bug 461250 - ArrayIndexOutOfBoundsException in SourceTypeBinding.fields
- \* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
- \* Jesper S Moller <jesper@selskabet.org> - Contributions for
- \* Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
- \* Till Brychcy - Contributions for
- \* bug 415269 - NonNullByDefault is not always inherited to nested classes
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 405104 - [1.8][compiler][codegen] Implement support for serializeable lambdas
- \* Sebastian Zarnekow - Contributions

for

- \* bug 544921 - [performance] Poor performance with large source files

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/SourceTypeBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2014 IBM Corporation and others.

\*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation  
 \* Stephan Herrmann - Contribution for  
 \* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.  
 \* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.  
 \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables  
 \*\*\*\*\*/

Found  
 in path(s):  
 \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/BaseTypeBinding.java  
 No license file was found, but licenses were detected in source scan.

/\* \*\*\*\*\*/  
 \* Copyright (c) 2000, 2019 IBM Corporation and others.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation  
 \* Stephan Herrmann - Contribution for  
 \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault  
 \*\*\*\*\*/

Found in path(s):  
 \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/JavadocQualifiedTypeReference.java  
 \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/JavadocSingleTypeReference.java  
 No license file was found, but licenses were detected in source scan.

/\* \*\*\*\*\*/  
 \* Copyright (c) 2000, 2020 IBM Corporation and others.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0

```

*
* Contributors:
* IBM Corporation - initial API and implementation
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* bug 407191 - [1.8] Binary access support for type annotations
* Stephan Herrmann - Contribution for
* Bug 440474 - [null] textual encoding of external null annotations
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IBinaryType.java

No license file was found, but licenses were detected in source scan.

```

/*****

```

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Benjamin Muskalla - Contribution for bug 239066

\* Stephan Herrmann - Contributions for

- \* bug 236385 - [compiler] Warn for potential programming problem if an object is created but not used
- \* bug 338303 - Warning about Redundant assignment conflicts with definite assignment
- \* bug 349326 - [1.7] new warning for missing try-with-resources
- \* bug 186342 - [compiler][null] Using annotations for null checking
- \* bug 365519 - editorial cleanup after bug 186342 and bug 365387
- \* bug 365662 - [compiler][null] warn on contradictory and redundant null annotations
- \* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults
- \* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
- \* bug 374605 - Unreasonable warning for enum-based switch statements
- \* bug 382353 - [1.8][compiler] Implementation property modifiers should be accepted on default methods.
- \* bug 382347 - [1.8][compiler] Compiler accepts incorrect default method inheritance
- \* bug 388281 - [compiler][null] inheritance of null annotations as an option
- \* bug 376053 - [compiler][resource] Strange potential resource leak problems
- \* bug 381443 - [compiler][null] Allow parameter widening from @NonNull to unannotated
- \* bug 393719 - [compiler] inconsistent warnings on iteration variables
- \* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
- \* bug 388739 - [1.8][compiler] consider default methods when detecting whether a class needs to be declared abstract
- \* bug 331649 - [compiler][null] consider null annotations for fields
- \* bug 382789 - [compiler][null] warn when syntactically-nonnull expression is compared against null

- \* bug 376590 - Private fields with @Inject are ignored by unused field validation
- \* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
- \* bug 402028 - [1.8][compiler] null analysis for reference expressions
- \* bug 401796 - [1.8][compiler] don't treat default methods as overriding an independent inherited abstract method
- \* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super
- \* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
- \* Bug
- 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- \* Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations
- \* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled
- \* Bug 414380 - [compiler][internal] QualifiedNameReference#indexOfFirstFieldBinding does not point to the first field
- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking
- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 424637 - [1.8][compiler][null] AIOOB in ReferenceExpression.resolveType with a method reference to Files::walk
- \* Bug 428294 - [1.8][compiler] Type mismatch: cannot convert from List<Object> to Collection<Object[]>
- \* Bug 428366 - [1.8] [compiler] The method valueAt(ObservableList<Object>, int) is ambiguous for the type
- Bindings
- \* Bug 416190 - [1.8][null] detect incompatible overrides due to null type annotations
- \* Bug 392245 - [1.8][compiler][null] Define whether / how @NonNullByDefault applies to TYPE\_USE locations
- \* Bug 390889 - [1.8][compiler] Evaluate options to support 1.7- projects against 1.8 JRE.
- \* Bug 430150 - [1.8][null] stricter checking against type variables
- \* Bug 434600 - Incorrect null analysis error reporting on type parameters
- \* Bug 439516 - [1.8][null] NonNullByDefault wrongly applied to implicit type bound of binary type
- \* Bug 438467 - [compiler][null] Better error position for "The method \_ cannot implement the corresponding method \_ due to incompatible nullness constraints"
- \* Bug 439298 - [null] "Missing code implementation in the compiler" when using @NonNullByDefault in package-info.java
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 446442 - [1.8] merge null annotations from super methods
- \* Bug 455723 - Nonnull argument not correctly inferred in loop
- \* Bug 458361 - [1.8][null] reconciler throws NPE in ProblemReporter.illegalReturnRedefinition()
- \* Bug 459967 - [null] compiler should know about nullness of special methods like MyEnum.valueOf()
- \* Bug 461878 - [1.7][1.8][compiler][null] ECJ compiler does not allow to use null annotations on annotations
- \* Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.
- \* Jesper S Moller <jesper@selskabet.org> - Contributions for
- \* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
- \* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment
- \* bug 384567 - [1.5][compiler] Compiler accepts illegal modifiers on package declaration
- \* bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
- \* bug 412151 - [1.8][compiler] Check repeating annotation's collection type
- \* bug 419209 - [1.8] Repeating container annotations should be rejected in the presence of annotation it contains



- \* Bug 429384 - [1.8][null] implement conformance rules for null-annotated lower / upper type bounds
- \* Bug 416182 - [1.8][compiler][null] Contradictory null annotations not rejected
- \* bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type
- \* Ulrich Grave <ulrich.grave@gmx.de> - Contributions for
- \* bug 386692 - Missing "unused" warning on "autowired" fields

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/problem/ProblemReporter.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Nick Teryaev - fix for bug ([https://bugs.eclipse.org/bugs/show\\_bug.cgi?id=40752](https://bugs.eclipse.org/bugs/show_bug.cgi?id=40752))

\* Stephan Herrmann - Contributions for

\* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 358903 - Filter practically unimportant resource leak warnings

\* bug

370639 - [compiler][resource] restore the default for resource leak warnings

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'

\* bug 379784 - [compiler] "Method can be static" is not getting reported

\* bug 379834 - Wrong "method can be static" in presence of qualified super and different staticness of nested super class.

\* bug 388281 - [compiler][null] inheritance of null annotations as an option

\* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types

\* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional

\* bug 381445 - [compiler][resource] Can the resource leak check be made aware of Closeables.closeQuietly?

\* bug 331649 - [compiler][null] consider null annotations for fields

\* bug 383368 - [compiler][null] syntactic null

analysis for field references

\* bug 382069 - [null] Make the null analysis consider JUnit's assertNotNull similarly to assertions

\* bug 382350 - [1.8][compiler] Unable to invoke inherited default method via I.super.m() syntax

\* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super

\* bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields

\* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred

checking

- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- \* Bug 405569 - Resource leak check false positive when using DbUtils.closeQuietly
- \* Bug 411964 - [1.8][null] leverage null type annotation in foreach statement
- \* Bug 417295 - [1.8][null] Massage type annotated null analysis

to gel well with deep encoded type bindings.

- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
- \* Bug 424710 - [1.8][compiler] CCE in SingleNameReference.localVariableBinding
- \* Bug 425152 - [1.8] [compiler] Lambda Expression not resolved but flow analyzed leading to NPE.
- \* Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation
- \* Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.
- \* Bug 426366 - [1.8][compiler] Type inference doesn't handle multiple candidate target types in outer overload

context

- \* Bug 426290 - [1.8][compiler] Inference + overloading => wrong method resolution ?
- \* Bug 427483 - [Java 8] Variables in lambdas sometimes can't be resolved
- \* Bug 427438 - [1.8][compiler]

NPE at org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

- \* Bug 426996 - [1.8][inference] try to avoid method Expression.unresolve()?
- \* Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- \* Bug 429430 - [1.8] Lambdas and method reference infer wrong exception type with generics (RuntimeException instead of IOException)
- \* Bug 441734 - [1.8][inference] Generic method with nested parameterized type argument fails on method reference
- \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- \* Bug 456487 - [1.8][null] @Nullable type variant of @NonNull-constrained type parameter causes grief
- \* Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null
- \* Bug 472618 - [compiler][null] assertNotNull vs. Assert.assertNotNull
- \* Bug 470958 - [1.8] Unable to convert lambda
- \* Bug 410218 - Optional warning

for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.

- \* Jesper S Moller - Contributions for
- \* Bug 378674 - "The method can be declared as static" is wrong
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

- \* Bug 409245 - [1.8][compiler] Type annotations dropped when call is routed through a synthetic bridge method

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/MessageSend.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2006, 2013 IBM Corporation and others.

\*

- \* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/TypeVariableImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Nick Teryaev - fix for bug ([https://bugs.eclipse.org/bugs/show\\_bug.cgi?id=40752](https://bugs.eclipse.org/bugs/show_bug.cgi?id=40752))

\* Stephan Herrmann - Contributions for

\* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.

\* bug

383368 - [compiler][null] syntactic null analysis for field references

\* bug 401017 - [compiler][null] casted reference to @Nullable field lacks a warning

\* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

\* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

\* Bug 430150 - [1.8][null] stricter checking against type variables

\* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style

null annotations

\* Bug 407414 - [compiler][null] Incorrect warning on a primitive type being null

\* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for

\* Bug 415541 - [1.8][compiler] Type annotations in the body of static initializer get dropped

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/CastExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2005, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* IBM Corporation - Fix for bug 328575

\* het@google.com - Bug 415274 - Annotation processing throws a NPE in getElementsAnnotatedWith()

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/RoundEnvImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2008 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/CharArrayCache.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/HashSetOfInt.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/core/compiler/InvalidInputException.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/BranchLabel.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/ObjectVector.java

\*

/ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/VerificationTypeInfo.java

No license file was found, but licenses were detected in source scan.

```

/*****
 * Copyright (c) 2016, 2017 IBM Corporation and others.
 *
 * This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License 2.0
 * which accompanies this distribution, and is available at
 * https://www.eclipse.org/legal/epl-2.0/
 *
 * SPDX-License-Identifier: EPL-2.0
 *
 * Contributors:
 * IBM Corporation - initial API and implementation
 *****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IModuleAwareNameEnvironment.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ProvidesStatement.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/INameEnvironmentExtension.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IMultiModuleEntry.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
 * Copyright (c) 2013, 2015 GK Software AG.
 *
 * This program and the accompanying materials
 * are made available under the terms of the Eclipse Public License 2.0
 * which accompanies this distribution, and is available at
 * https://www.eclipse.org/legal/epl-2.0/
 *
 * SPDX-License-Identifier: EPL-2.0
 *
 * Contributors:
 * Stephan Herrmann - initial API and implementation
 * Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
 * Bug 473178
 *****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ConstraintFormula.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ConstraintExceptionFormula.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
 * Copyright (c) 2005, 2016 BEA Systems, Inc.
 *
 * This program and the accompanying materials

```

\* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* tyeung@bea.com - initial API and implementation  
 \* IBM Corporation - fix for bug 342757  
 \* Stephan Herrmann - Contribution for bug 186342 - [compiler][null] Using annotations for null checking  
 \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/MethodInfoWithParameterAnnotations.java  
 No license file was found, but licenses were detected in source scan.

/\* \*\*\*\*\*/  
 \* Copyright (c) 2000, 2020 IBM Corporation and others.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation  
 \* Jesper S Moller - Contributions for  
 \* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335  
 \* Bug 406973 - [compiler] Parse MethodParameters attribute  
 \* Andy Clement - Contributions for  
 \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)  
 \*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/AttributeNamesConstants.java  
 No license file was found, but licenses were detected in source scan.

/\* \*\*\*\*\*/  
 \* Copyright (c) 2000, 2019 IBM Corporation and others.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>

```

*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 440687 - [compiler][batch][null] improve command line option for external annotations
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/FileSystem.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2007, 2017 BEA Systems, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* wharley@bea.com - initial API and implementation
*
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/PackageElementImpl.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2017 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Benjamin Muskalla - Contribution for bug 239066
* Stephan Herrmann - Contribution for
* bug 382347 - [1.8][compiler] Compiler accepts incorrect default method inheritance
* bug 388954 - [1.8][compiler] detect default methods in class files

```

- \* bug 388281 - [compiler][null] inheritance of null annotations as an option
- \* bug 388739 - [1.8][compiler] consider default methods when detecting whether a class needs to be declared abstract
- \* bug 390883 - [1.8][compiler] Unable to override default method
- \* bug 401796 - [1.8][compiler] don't treat default methods as overriding an independent inherited abstract method
- \* bug 395681 - [compiler] Improve simulation of javac6 behavior from bug 317719 after fixing bug 388795
- \* bug 406928 - computation of inherited methods seems damaged (affecting @Overrides)
- \* bug 409473 - [compiler] JDT cannot compile against JRE 1.8
- \* Bug 420080 - [1.8] Overridden Default method is reported as duplicated

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/MethodVerifier.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for bug 186342 - [compiler][null] Using annotations for null checking

\* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for

\* Bug 407191 - [1.8] Binary access support for type annotations

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IBinaryMethod.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2005, 2009 BEA Systems, Inc.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* [tyeung@bea.com](mailto:tyeung@bea.com) - initial API and implementation



\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IBinaryElementValuePair.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2012, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Jesper S Moller - Contributions for

\* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression

\* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment

\* Bug 416885 - [1.8][compiler]IncompatibleClassChange error (edit)

\* Stephan Herrmann - Contribution for

\* bug 401030 - [1.8][null] Null analysis support for lambda methods.

\* Bug 392099

- [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"

\* Bug 425142 - [1.8][compiler] NPE in ConstraintTypeFormula.reduceSubType

\* Bug 425153 - [1.8] Having wildcard allows incompatible types in a lambda expression

\* Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation

\* Bug 425798 - [1.8][compiler] Another NPE in ConstraintTypeFormula.reduceSubType

\* Bug 425156 - [1.8] Lambda as an argument is flagged with incompatible error

\* Bug 424403 - [1.8][compiler] Generic method call with method reference argument fails to resolve properly.

\* Bug 426563 - [1.8] AIOOBE when method with error

invoked with lambda expression as argument

\* Bug 420525 - [1.8] [compiler] Incorrect error "The type Integer does not define sum(Object, Object) that is applicable here"

\* Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

\* Bug 428294 - [1.8][compiler] Type mismatch: cannot convert from List<Object> to Collection<Object[]>

\* Bug 428786 - [1.8][compiler] Inference needs to compute the "ground target type" when reducing a lambda compatibility constraint

\* Bug 428980 - [1.8][null] simple expression as lambda body doesn't leverage null annotation on argument

\* Bug 429430 - [1.8] Lambdas and method reference infer wrong exception type with generics (RuntimeException instead of IOException)

\* Bug 432110 - [1.8][compiler] nested lambda type incorrectly inferred vs javac

- \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
- \* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
- \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- \* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
- \* Bug 455723 - Nonnull argument not correctly inferred in loop
- \* Bug 463728 - [1.8][compiler][inference] Ternary operator in lambda derives wrong type
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/LambdaExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2020 IBM Corporation and others.

- \*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

- \*

- \* SPDX-License-Identifier: EPL-2.0

- \*

- \* Contributors:

- \* IBM Corporation - initial API and implementation

- \* Stephan Herrmann - Contributions for

- \* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

- \* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

- \* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

- \* Bug 417758 - [1.8][null] Null safety compromise during array creation.

- \* Bug

- \* 427163 - [1.8][null] bogus error "Contradictory null specification" on varargs

- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

- \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

- \* Bug 409247 - [1.8][compiler] Verify error with code allocating multidimensional array

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ArrayAllocationExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2014, 2015 IBM Corporation and others.

- \*

\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Gauthier JACQUES - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/tool/EclipseDiagnostic.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 319201 - [null] no warning when unboxing SimpleNameReference causes NPE

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

\* bug 370639 - [compiler][resource] restore the

default for resource leak warnings

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'

\* bug 395977 - [compiler][resource] Resource leak warning behavior possibly incorrect for anonymous inner class

\* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

\* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 416267 - NPE in QualifiedAllocationExpression.resolveType

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 424415 - [1.8][compiler] Eventual

resolution of ReferenceExpression is not seen to be happening.

\* Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

- \* Jesper S Moller <jesper@selskabet.org> - Contributions for
- \* bug 378674 - "The method can be declared as static" is wrong
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
- \* Bug 409245 - [1.8][compiler] Type annotations dropped when call is routed through a synthetic bridge method
- \* Till Brychcy - Contributions for
- \* bug 413460 - NonNullByDefault is not inherited to Constructors when accessed via Class File

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/QualifiedAllocationExpression.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*/

- \* Copyright (c) 2004, 2011 IBM Corporation and others.
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \* SPDX-License-Identifier: EPL-2.0
- \* Contributors:
- \* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/FloatUtil.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*/

- \* Copyright (c) 2013, 2020 GK Software AG.
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \* SPDX-License-Identifier: EPL-2.0
- \* Contributors:
- \* Stephan Herrmann - initial API and implementation
- \* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
- \* Bug 473178
- \* IBM Corporation - Bug fixes

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/BoundSet.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2017 BEA Systems, Inc.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* wharley@bea.com - initial API and implementation

\* (originally in org.eclipse.jdt.apr.core)

\* IBM Corporation - Bug 513790

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apr/util/ManyToMany.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 387612 - Unreachable catch block...exception is never thrown from the try

\* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.

\* bug 401456 - Code compiles from javac/intellij, but fails from eclipse

\* bug 401271 - StackOverflowError

when searching for a methods references

\* bug 405706 - Eclipse compiler fails to give compiler error when return type is a inferred generic

\* Bug 408441 - Type mismatch using Arrays.asList with 3 or more implementations of an interface with the interface type as the last parameter

- \* Bug 413958 - Function override returning inherited Generic Type
  - \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
  - \* Bug 416183 - [1.8][compiler][null] Overload resolution fails with null annotations
  - \* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
  - \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
  - \* Bug 424710 - [1.8][compiler] CCE in SingleNameReference.localVariableBinding
  - \* Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation
  - \* Bug 424415 - [1.8][compiler]
- Eventual resolution of ReferenceExpression is not seen to be happening.
- \* Bug 426366 - [1.8][compiler] Type inference doesn't handle multiple candidate target types in outer overload context
  - \* Bug 426290 - [1.8][compiler] Inference + overloading => wrong method resolution ?
  - \* Bug 426589 - [1.8][compiler] Compiler error with generic method/constructor invocation as vargs argument
  - \* Bug 426590 - [1.8][compiler] Compiler error with tenary operator
  - \* Bug 426764 - [1.8] Presence of conditional expression as method argument confuses compiler
  - \* Bug 426998 - [1.8][compiler] method(java.lang.Class, java.lang.String) not applicable for the arguments (java.lang.Class, java.lang.String)
  - \* Bug 423505 - [1.8] Implement "18.5.4 More Specific Method Inference"
  - \* Bug 427196 - [1.8][compiler] Compiler error for method reference to overloaded method
  - \* Bug 427483 - [Java 8] Variables in lambdas sometimes can't be resolved
  - \* Bug 427728 - [1.8] Type Inference rejects calls requiring boxing/unboxing
  - \* Bug 427218 - [1.8][compiler] Verify error varargs + inference
  - \* Bug 426836 - [1.8] special handling for return type in references to method getClass()?
  - \* Bug 427628 - [1.8] regression : The method \* is ambiguous for the type \*
  - \* Bug 428352 - [1.8][compiler] Resolution errors don't always surface
  - \* Bug 428366 - [1.8] [compiler] The method valueAt(ObservableList<Object>, int) is ambiguous for the type
- Bindings
- \* Bug 424728 - [1.8][null] Unexpected error: The nullness annotation 'XXXX' is not applicable at this location
  - \* Bug 428811 - [1.8][compiler] Type witness unnecessarily required
  - \* Bug 429424 - [1.8][inference] Problem inferring type of method's parameter
  - \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
  - \* Bug 434570 - Generic type mismatch for parametrized class annotation attribute with inner class
  - \* Bug 434483 - [1.8][compiler][inference] Type inference not picked up with method reference
  - \* Bug 441734 - [1.8][inference] Generic method with nested parameterized type argument fails on method reference
  - \* Bug 452194 - Code no longer compiles in 4.4.1, but with confusing error
  - \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
  - \* Bug 456236 - [1.8][null] Cannot infer type when constructor argument is annotated with @Nullable
  - \* Bug 437072 - [compiler][null] Null analysis emits possibly incorrect warning for new int[][] despite @NonNullByDefault
  - \* Bug 462083 - [1.8][inference] Java 8 generic return type mismatch with interface involving type parameter.
- Jesper S Moller - Contributions for
- \* Bug 378674 - "The method can be declared as static" is wrong
  - \* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
- Andy Clement (GoPivotal, Inc)  
 aclement@gopivotal.com - Contributions for
- \* Bug 405104 - [1.8][compiler][codegen] Implement support for serializeable lambdas

\* Pierre-Yves B. <pyvesdev@gmail.com> - Contributions for  
\* Bug 559618 - No compiler warning for import from same package  
\* Bug 560630 - No warning on unused import on class from same package  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/Scope.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*  
\* Copyright (c) 2006, 2009 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveryScannerData.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/SimpleSetOfCharArray.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/CachedIndexEntry.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*  
\* Copyright (c) 2008, 2016 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ProcessTaskManager.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2014, 2017 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   Stephan Herrmann - initial API and implementation

\*   Lars Vogel <Lars.Vogel@vogella.com> - Contributions for

\*   Bug 473178

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/ExternalAnnotationProvider.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2019 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/CaptureBinding18.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:



- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - Contribution for
- \* bug 400710 - [1.8][compiler] synthetic access to default method generates wrong code
- \* bug 391376 - [1.8] check interaction of default methods with bridge methods and generics
- \* bug 421543 - [1.8][compiler] Compiler fails to recognize default method being turned into abstract by subtype
- \* Jesper S Moller - Contributions for
- \* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
- \* Bug 409247 - [1.8][compiler] Verify error with code allocating multidimensional array
- \* Bug 409236 - [1.8][compiler] Type annotations on intersection cast types dropped by code generator
- \* Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation
- \* Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas
- \* Bug 449467 - [1.8][compiler] Invalid lambda deserialization with anonymous class
- \* Olivier Tardieu (tardieu@us.ibm.com) - Contributions for
- \* Bug 442418 - \$deserializeLambda\$ off-by-one error when deserializing the captured arguments of a lambda that also capture this

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/CodeStream.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* daolaf@gmail.com - Contribution for bug 3292227

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/Util.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

```

* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check
* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
* Bug 421035 - [resource] False alarm of resource leak warning when casting a closeable in its assignment
*****/

```

Found

in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/flow/ExceptionHandlingFlowContext.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2005, 2010 BEA Systems, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* tyeung@bea.com - initial API and implementation
* olivier_thomann@ca.ibm.com - add hashCode() and equals(..) methods
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/ClassSignature.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/EnumConstantSignature.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/

```

```

*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Tom Tromey - Contribution for bug 125961
* Tom Tromey - Contribution for bug 159641
* Benjamin Muskalla - Contribution for bug 239066
* Stephan Herrmann - Contributions for
* bug 236385 - [compiler] Warn for potential programming problem if an object is created but not used
* bug 295551 - Add option to automatically promote all warnings to errors
* bug 359721 - [options] add command line option
* for new warning token "resource"
* bug 365208 - [compiler][batch] command line options for annotation based null analysis
* bug 374605 - Unreasonable warning for enum-based switch statements
* bug 375366 - ECJ ignores unusedParameterIncludeDocCommentReference unless enableJavadoc option is set
* bug 388281 - [compiler][null] inheritance of null annotations as an option
* bug 381443 - [compiler][null] Allow parameter widening from @NonNull to unannotated
* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation
* Bug 440687 - [compiler][batch][null] improve command line option for external annotations
* Bug 408815 - [batch][null] Add CLI option for
COMPILER_PB_SYNTACTIC_NULL_ANALYSIS_FOR_FIELDS
* Jesper S Moller - Contributions for
* bug 407297 - [1.8][compiler] Control generation of parameter names by option
* Mat Booth - Contribution for bug 405176
* Frits Jalvingh -
* fix for bug 533830.

```

```

*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/Main.java

```

No license file was found, but licenses were detected in source scan.

```

/*****

```

```

* Copyright (c) 2000, 2021 IBM Corporation and others.

```

```

*

```

```

* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*

```

```

* SPDX-License-Identifier: EPL-2.0

```

```

*

```

```

*Contributors:

```

```

* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 429813 - [1.8][dom ast] IMethodBinding#getJavaElement() should return IMethod for lambda

```

```

*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/Initializer.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2015 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/InferenceVariable.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   IBM Corporation - initial API and implementation

\*   Stephen Herrmann <stephan@cs.tu-berlin.de> - Contributions for

\*   bug 317046 - Exception during debugging when hover mouse over a field

\*   bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.

\*   bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types

\*   bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files

\*   Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\*   Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations

\*   Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.

\*   Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\*   Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"

\*   Bug 424712 - [1.8][compiler] NPE in TypeBinding.isProvablyDistinctTypeArgument

\*   Bug 426792 - [1.8][inference][impl] generify new type inference engine

- \* Bug 426764 - [1.8] Presence of conditional expression as method argument confuses compiler
- \* Bug 423505 - [1.8] Implement "18.5.4 More Specific Method Inference"
- \* Bug 427626 - [1.8] StackOverflow while typing new ArrayList<String>().toArray( and asking for code completion
- \* Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.
- \* Bug 435962 - [RC2] StackOverFlowError when building
- \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
- \* Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable
- \* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
- \* Bug 446434 - [1.8][null] Enable interned captures also when analysing null type annotations
- \* Jesper S Moller <jesper@selskabet.org> - Contributions for
- \* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
- \* bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type
- \*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/TypeBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2015 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 331649 - [compiler][null] consider null annotations for fields

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\* Jesper S Moller - Contributions for

\* Bug 378674 - "The method can be declared as static" is wrong

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ThisReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2015 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/util/Options.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/tool/ArchiveFileObject.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/util/Util.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/tool/Util.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/util/ArchiveFileObject.java

\*

/ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/tool/Archive.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2007, 2020 BEA Systems, Inc. and others

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* wharley@bea.com - initial API and implementation

\* IBM Corporation - fix for 342598

\* IBM Corporation - Java 8 support

\* het@google.com - Bug 427943 - The method

org.eclipse.jdt.internal.compiler.apt.model.Factory.getPrimitiveType does not throw IllegalArgumentException

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/Factory.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2020, 2021 Andrey Loskutov and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Andrey Loskutov <loskutov@gmx.de> - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/CtSym.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2016, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IModulePathEntry.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2013, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* Bug 427438 - [1.8][compiler] NPE at

org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ExpressionContext.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2013, 2020 GK Software AG and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Stephan Herrmann - initial API and implementation
* Till Brychcy - Contributions for
*
* Bug 467482 - TYPE_USE null annotations: Incorrect "Redundant null check"-warning
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/NullAnnotationMatching.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2008 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/core/compiler/CompilationProgress.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredAnnotation.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2006, 2018 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/

```



\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Frits Jalvingh - fix for bug 533830.  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/tool/EclipseCompiler.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2016 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/PackageExportImpl.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/UsesStatement.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/OpensStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2008, 2013 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ReadManager.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2017 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
* Bug 417295 - [1.8][null] Massage type annotated
* null analysis to gel well with deep encoded type bindings.
* Bug 425152 - [1.8] [compiler] Lambda Expression not resolved but flow analyzed leading to NPE.
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ParameterizedMethodBinding.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Tom Tromey - patch for readTable(String) as described in http://bugs.eclipse.org/bugs/show_bug.cgi?id=32196
* Stephan Herrmann - Contributions for
* bug 366003 - CCE in ASTNode.resolveAnnotations(ASTNode.java:639)
* bug 374605 - Unreasonable warning for enum-based switch statements
* bug 393719 - [compiler] inconsistent warnings on iteration variables
* bug 382353 - [1.8][compiler] Implementation property modifiers

```

should be accepted on default methods.

- \* bug 383973 - [1.8][compiler] syntax recovery in the presence of default methods
- \* bug 401035 - [1.8] A few tests have started failing recently
- \* Jesper S Moller - Contributions for
- \* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression
- \* bug 399695 - [1.8][compiler] [1.8][compiler] migrate parser to other syntax for default methods
- \* bug 384567 - [1.5][compiler] Compiler accepts illegal modifiers on package declaration
- \* bug 393192 - Incomplete type hierarchy with > 10 annotations
- \* bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type
- \* Andy Clement - Contributions for
- \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)
- \* Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation
- \* Bug 415821 - [1.8][compiler] CLASS\_EXTENDS target type annotation missing for anonymous classes

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/Parser.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/flow/LabelFlowContext.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

- \*
  - \* SPDX-License-Identifier: EPL-2.0
  - \*
    - \* Contributors:
      - \* IBM Corporation - initial API and implementation
      - \* IBM Corporation - added the following constants
        - \* NonStaticAccessToStaticField
        - \* NonStaticAccessToStaticMethod
        - \* Task
        - \* ExpressionShouldBeAVariable
        - \* AssignmentHasNoEffect
      - \* IBM Corporation - added the following constants
        - \* TooManySyntheticArgumentSlots
        - \* TooManyArrayDimensions
        - \* TooManyBytesForStringConstant
        - \* TooManyMethods
        - \* TooManyFields
        - \* NonBlankFinalLocalAssignment
        - \* ObjectCannotHaveSuperTypes
        - \* MissingSemiColon
        - \* InvalidParenthesizedExpression
        - \* EnclosingInstanceInConstructorCall
        - \* BytecodeExceeds64KLimitForConstructor
        - \* IncompatibleReturnTypeForNonInheritedInterfaceMethod
        - \* UnusedPrivateMethod
        - \* UnusedPrivateConstructor
        - \* UnusedPrivateType
        - \* UnusedPrivateField
        - \* IncompatibleExceptionInThrowsClauseForNonInheritedInterfaceMethod
        - \* InvalidExplicitConstructorCall
      - \* IBM Corporation - added the following constants
        - \* PossibleAccidentalBooleanAssignment
        - \* SuperfluousSemicolon
        - \* IndirectAccessToStaticField
        - \* IndirectAccessToStaticMethod
        - \* IndirectAccessToStaticType
        - \* BooleanMethodThrowingException
        - \* UnnecessaryCast
        - \* UnnecessaryArgumentCast
        - \* UnnecessaryInstanceOf
    - \* FinallyMustCompleteNormally
      - \* UnusedMethodDeclaredThrownException
      - \* UnusedConstructorDeclaredThrownException
      - \* InvalidCatchBlockSequence
      - \* UnqualifiedFieldAccess
    - \* IBM Corporation - added the following constants
      - \* Javadoc

- \* JavadocUnexpectedTag
- \* JavadocMissingParamTag
- \* JavadocMissingParamName
- \* JavadocDuplicateParamName
- \* JavadocInvalidParamName
- \* JavadocMissingReturnTag
- \* JavadocDuplicateReturnTag
- \* JavadocMissingThrowsTag
- \* JavadocMissingThrowsClassName
- \* JavadocInvalidThrowsClass
- \* JavadocDuplicateThrowsClassName
- \* JavadocInvalidThrowsClassName
- \* JavadocMissingSeeReference
- \* JavadocInvalidSeeReference
- \* JavadocInvalidSeeHref
- \* JavadocInvalidSeeArgs
- \* JavadocMissing
- \* JavadocInvalidTag
- \* JavadocMessagePrefix
- \* EmptyControlFlowStatement
- \* IBM Corporation - added the following constants
- \* IllegalUsageOfQualifiedTypeReference
- \* InvalidDigit
- \* IBM Corporation - added the following constants
- \* ParameterAssignment
- \* FallthroughCase
- \* IBM Corporation - added the following constants
- \* UnusedLabel
- \* UnnecessaryNLSTag
- \* LocalVariableMayBeNull
- \* EnumConstantsCannotBeSurroundedByParenthesis
- \* JavadocMissingIdentifier
- \* JavadocNonStaticTypeFromStaticInvocation
- \* RawTypeReference
- \* NoAdditionalBoundAfterTypeVariable
- \* UnsafeGenericArrayForVarargs
- \* IllegalAccessFromTypeVariable
- \* AnnotationValueMustBeArrayInitializer
- \* InvalidEncoding
- \* CannotReadSource
- \* EnumStaticFieldInInInitializerContext
- \* ExternalProblemNotFixable
- \* ExternalProblemFixable
- \* IBM Corporation - added the following constants
- \* AnnotationValueMustBeAnEnumConstant
- \* OverridingMethodWithoutSuperInvocation
- \* MethodMustOverrideOrImplement

- \* TypeHidingTypeParameterFromType
- \* TypeHidingTypeParameterFromMethod
- \* TypeHidingType
- \* IBM Corporation - added the following constants
- \* NullLocalVariableReference
- \* PotentialNullLocalVariableReference
- \* RedundantNullCheckOnNullLocalVariable
- \* NullLocalVariableComparisonYieldsFalse
- \* RedundantLocalVariableNullAssignment
- \* NullLocalVariableInstanceofYieldsFalse
- \* RedundantNullCheckOnNonNullLocalVariable
- \* NonNullLocalVariableComparisonYieldsFalse
- \* IBM Corporation - added the following constants
- \* InvalidUsageOfTypeParametersForAnnotationDeclaration
- \* InvalidUsageOfTypeParametersForEnumDeclaration
- \* IBM Corporation - added the following constants
- \* RedundantSuperinterface
- \* Benjamin Muskalla - added the following constants
- \* MissingSynchronizedModifierInInheritedMethod
- \* Stephan Herrmann - added the following constants
- \* UnusedObjectAllocation
- \* PotentiallyUnclosedCloseable
- \* PotentiallyUnclosedCloseableAtExit
- \* UnclosedCloseable
- \* UnclosedCloseableAtExit
- \* ExplicitlyClosedAutoCloseable
- \* RequiredNonNullButProvidedNull
- \* RequiredNonNullButProvidedPotentialNull
- \* RequiredNonNullButProvidedUnknown
- \* NullAnnotationNameMustBeQualified
- \* IllegalReturnNullityRedefinition
- \* IllegalRedefinitionToNonNullParameter
- \* IllegalDefinitionToNonNullParameter
- \* ParameterLackingNonNullAnnotation
- \* ParameterLackingNullableAnnotation
- \* PotentialNullMessageSendReference
- \* RedundantNullCheckOnNonNullMessageSend
- \* CannotImplementIncompatibleNullness
- \* RedundantNullAnnotation
- \* RedundantNullDefaultAnnotation
- \* RedundantNullDefaultAnnotationPackage
- \* RedundantNullDefaultAnnotationType
- \* RedundantNullDefaultAnnotationMethod
- \* ContradictoryNullAnnotations
- \* IllegalAnnotationForBaseType
- \* RedundantNullCheckOnSpecdNonNullLocalVariable
- \* SpecdNonNullLocalVariableComparisonYieldsFalse
- \* RequiredNonNullButProvidedSpecdNullable

- \* MissingDefaultCase
- \* MissingEnumConstantCaseDespiteDefault
- \* UninitializedLocalVariableHintMissingDefault
- \* UninitializedBlankFinalFieldHintMissingDefault
- \* ShouldReturnValueHintMissingDefault
- \* IllegalModifierForInterfaceDefaultMethod
- \* InheritedDefaultMethodConflictsWithOtherInherited
- \* ConflictingNullAnnotations
- \* ConflictingInheritedNullAnnotations
- \* UnsafeElementTypeConversion
- \* ArrayReferencePotentialNullReference
- \* DereferencingNullableExpression
- \* NullityMismatchingTypeAnnotation
- \* NullityMismatchingTypeAnnotationSuperHint
- \* NullityUncheckedTypeAnnotationDetail
- \* NullityUncheckedTypeAnnotationDetailSuperHint
- \* NullableFieldReference
- \* UninitializedNonNullField
- \* UninitializedNonNullFieldHintMissingDefault
- \* NonNullMessageSendComparisonYieldsFalse
- \* RedundantNullCheckOnNonNullSpecdField
- \* NonNullSpecdFieldComparisonYieldsFalse
- \* NonNullExpressionComparisonYieldsFalse
- \* RedundantNullCheckOnNonNullExpression
- \* ReferenceExpressionParameterNullityMismatch
- \* ReferenceExpressionParameterNullityUnchecked
- \* ReferenceExpressionReturnNullRedef
- \* ReferenceExpressionReturnNullRedefUnchecked
- \* DuplicateInheritedDefaultMethods
- \* SuperAccessCannotBypassDirectSuper
- \* SuperCallCannotBypassOverride
- \* ConflictingNullAnnotations
- \* ConflictingInheritedNullAnnotations
- \* UnsafeElementTypeConversion
- \* PotentialNullUnboxing
- \* NullUnboxing
- \* NullExpressionReference
- \* PotentialNullExpressionReference
- \* RedundantNullCheckAgainstNonNullType
- \* NullAnnotationUnsupportedLocation
- \* NullAnnotationUnsupportedLocationAtType
- \* NullityMismatchTypeArgument
- \* ContradictoryNullAnnotationsOnBound
- \* UnsafeNullnessCast
- \* ContradictoryNullAnnotationsInferred
- \* NonNullDefaultDetailIsNotEvaluated
- \* NullNotCompatibleToFreeTypeVariable
- \* NullityMismatchAgainstFreeTypeVariable

- \* ImplicitObjectBoundNonNullDefault
- \* IllegalParameterNullityRedefinition
- \* ContradictoryNullAnnotationsInferredFunctionType
- \* IllegalReturnNullityRedefinitionFreeTypeVariable
- \* UnlikelyCollectionMethodArgumentType
- \* UnlikelyEqualsArgumentType
- \* Jesper S Moller - added the following constants
- \* TargetTypeNotAFunctionalInterface
- \* OuterLocalMustBeEffectivelyFinal
- \* IllegalModifiersForPackage
- \* DuplicateAnnotationNotMarkedRepeatable
- \* DisallowedTargetForContainerAnnotation
- \* RepeatedAnnotationWithContainerAnnotation
- \* ContainingAnnotationMustHaveValue
- \* ContainingAnnotationHasNonDefaultMembers
- \* ContainingAnnotationHasWrongValueType
- \* ContainingAnnotationHasShorterRetention
- \* RepeatableAnnotationHasTargets
- \* RepeatableAnnotationTargetMismatch
- \* RepeatableAnnotationIsDocumented
- \* RepeatableAnnotationIsInherited
- \* RepeatableAnnotationWithRepeatingContainerAnnotation
- \* VarLocalMultipleDeclarators
- \* VarLocalCannotBeArray
- \* VarLocalReferencesItself
- \* VarLocalWithoutInitializer
- \* VarLocalInitializedToNull
- \* VarLocalCannotBeArrayInitializers
- \* VarLocalCannotBeLambda
- \* VarLocalCannotBeMethodReference
- \* VarIsReserved
- \* VarIsReservedInFuture
- \* VarIsNotAllowedHere

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/core/compiler/IPProblem.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0



```

*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 382350 - [1.8][compiler] Unable to invoke inherited default method via I.super.m() syntax
* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super
* Jesper S Moller <jesper@selskabet.org> - Contributions for
* bug 378674 - "The method can be declared as static" is wrong

```

```

*****/

```

Found

in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/QualifiedThisReference.java
No license file was found, but licenses were detected in source scan.

```

```

/*****

```

```

* Copyright (c) 2013, 2018 GK Software AG, and others
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Stephan Herrmann - initial API and implementation
* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
* Bug 473178

```

```

*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ConstraintTypeFormula.java
No license file was found, but licenses were detected in source scan.

```

```

/*****

```

```

* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for

```

- \* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
- \* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
- \* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug
- 415291 - [1.8][null] differentiate type incompatibilities due to null annotations
- \* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled
- \* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
- \* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.
- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 425460 - [1.8] [inference] Type not inferred on stream.toArray
- \* Bug 426792 - [1.8][inference][impl] generify new type inference engine
- \* Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.
- \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
- \* Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable
- \* Bug 441693 -
- [1.8][null] Bogus warning for type argument annotated with @NonNull
- \* Jesper S Møller - Contributions for bug 381345 : [1.8] Take care of the Java 8 major version
- \* Bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ArrayBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2014 IBM Corporation and others.

- \*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

- \*

- \* SPDX-License-Identifier: EPL-2.0

- \*

- \* Contributors:

- \* IBM Corporation - initial API and implementation

- \* Stephan Herrmann - Contributions for

- \* Bug 186342 - [compiler][null] Using annotations for null checking

- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/MostSpecificExceptionMethodBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2006, 2017 IBM Corporation and others.

```

*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Walter Harley - Patch for ensuring the parent folders are created
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/util/EclipseFileObject.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/tool/EclipseFileObject.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 370930 - NonNull annotation not considered for enhanced for loops
* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* bug 393719 - [compiler] inconsistent warnings
* on iteration variables
* Bug 411964 - [1.8][null] leverage null type annotation in foreach statement
* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
* Bug 415790 - [compiler][resource] Incorrect potential resource leak warning in for loop with close in try/catch
* Jesper S Moller - Contribution for
* bug 401853 - Eclipse Java compiler creates invalid bytecode (java.lang.VerifyError)
* bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ForeachStatement.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2005, 2015 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Jesper Steen Moller - Bug 412150 [1.8] [compiler] Enable reflected parameter names during annotation
processing
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/ExecutableElementImpl.java  
No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2014 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/StringLiteral.java  
No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2016, 2017 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*

```

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/PackageVisibilityStatement.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredModule.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ModuleReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2015, 2020 IBM Corporation.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/JRTUtil.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Erling Ellingsen - patch for bug 125570

\* Stephan Herrmann - Contribution for

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Bug 434570 - Generic type mismatch for parametrized class annotation attribute with inner class

\* Sebastian Zarnekow - Contribution for

\* Bug 544921 - [performance] Poor performance with large source files

\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/CompilationUnitScope.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2005, 2016 BEA Systems, Inc.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* [tyeung@bea.com](mailto:tyeung@bea.com) - initial API and implementation

\* [olivier\\_thomann@ca.ibm.com](mailto:olivier_thomann@ca.ibm.com) - add hashCode() and equals(..) methods

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/AnnotationInfo.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/ElementValuePairInfo.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2005, 2016 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* [het@google.com](mailto:het@google.com) - Bug 441790

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/AnnotationMirrorImpl.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2016, 2017 GK Software AG.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\*   Stephan Herrmann - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ExternalAnnotationSuperimposer.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2003, 2013 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\*   IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/CatchParameterBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2006, 2017 BEA Systems, Inc. and others  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\*   Igor Fedorenko - extracted from ElementsImpl  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/ElementsImpl9.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2011 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contribution for bug 185682 - Increment/decrement operators  
mark local variables as read

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/JavadocFieldReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2015 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Jesper Steen Moeller - Contributions for:

\* Bug 407297: [1.8][compiler] Control generation of parameter names by option

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/tool/Options.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*



- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - Contributions for
- \* bug 186342 - [compiler][null] Using annotations for null checking
- \* bug 365519 - editorial cleanup after bug 186342 and bug 365387
- \* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
- \* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations
- \* bug 385626 - @NonNull fails across
- loop boundaries
- \* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
- \* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred
- checking
- \* Bug 453483 - [compiler][null][loop] Improve null analysis for loops
- \* Bug 455723 - Nonnull argument not correctly inferred in loop
- \* Jesper S Moller - Contributions for
- \* bug 404657 - [1.8][compiler] Analysis for effectively final variables fails to consider loops

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/flow/FinallyFlowContext.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2009, 2015 IBM Corporation and others.

\*

- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

- \* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/AptSourceLocalVariableBinding.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation  
 \* Stephan Herrmann - Contributions for  
 \* bug 332637 - Dead Code detection removing code that isn't dead  
 \* bug 358827 - [1.7] exception analysis for t-w-r spoils null analysis  
 \* bug 349326 - [1.7] new warning for missing try-with-resources  
 \* bug 359334 - Analysis for resource leak warnings does not consider exceptions as method exit points  
 \* bug 358903 - Filter practically unimportant resource  
 leak warnings  
 \* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"  
 \* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'  
 \* bug 401088 - [compiler][null] Wrong warning "Redundant null check" inside nested try statement  
 \* bug 401092 - [compiler][null] Wrong warning "Redundant null check" in outer catch of nested try  
 \* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check  
 \* bug 384380 - False positive on a ?? Potential null pointer access ?? after a continue  
 \* Bug 415790 - [compiler][resource] Incorrect potential resource leak warning in for loop with close in try/catch  
 \* Bug 371614 - [compiler][resource] Wrong "resource leak" problem on return/throw inside while loop  
 \* Bug 444964 - [1.7+][resource] False resource leak warning (try-with-resources for ByteArrayOutputStream -  
 return inside for loop)  
 \* Jesper Steen Moller -  
 Contributions for  
 \* bug 404146 - [1.7][compiler] nested try-catch-finally-blocks leads to unrunnable Java byte code  
 \* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for  
 \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's  
 work)  
 \*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/TryStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2015, 2017 GK Software AG and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

```
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Stephan Herrmann - initial API and implementation
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/UnlikelyArgumentCheck.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2000, 2016 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 382350 - [1.8][compiler] Unable to invoke inherited default method via I.super.m() syntax
* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super
* bug 404728 - [1.8]NPE on QualifiedSuperReference error
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/QualifiedSuperReference.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2000, 2014 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
* bug 370639 - [compiler][resource] restore the default for resource leak warnings
```

- \* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'
- \* Bug 417758 - [1.8][null] Null safety compromise during array creation.
- \* Bug 427438 - [1.8][compiler] NPE at  
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ArrayInitializer.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2020 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - Contribution for
- \* bug 331649 - [compiler][null] consider null annotations for fields
- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 426996 - [1.8][inference] try to avoid method Expression.unresolve()?
- \* Jesper S Moller - Contributions for
- \* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/NameReference.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2014 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*

\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contribution for bug 349326 - [1.7] new warning for missing try-with-resources  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemReferenceBinding.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2014 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*

\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contribution for  
\* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/VoidTypeBinding.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/NullTypeBinding.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2017, 2018 GK Software AG, and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*

\* Contributors:  
\* Stephan Herrmann - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/ISourceModule.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IBinaryModule.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IUpdatableModule.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2006, 2017 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathSourceJar.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/util/Archive.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2019 Simeon Andreev and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Simeon Andreev - initial API and implementation
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ReferenceBindingSetWrapper.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2014, 2015 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0

```

\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/PolyParameterizedGenericMethodBinding.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013 Jesper S Moller and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*

\* Contributors:  
\* Jesper S Moller <[jesper@selskabet.org](mailto:jesper@selskabet.org)> - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ContainerAnnotation.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2005, 2017 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*

\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* [het@google.com](mailto:het@google.com) - Bug 441790  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/AnnotationValueImpl.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2019 IBM Corporation and others.

```

*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 365519 - editorial cleanup after bug 186342 and bug 365387
* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/PackageBinding.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2017 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ArrayQualifiedTypeReference.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2012, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*

```



\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for  
\* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's  
work)  
\* Bug 409247 - [1.8][compiler] Verify error with code allocating multidimensional array  
\* Bug 409517 - [1.8][compiler] Type annotation problems on more elaborate array references  
\*  
Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/TypeAnnotationCodeStream.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for

\* bug 185682 - Increment/decrement operators mark local variables as read

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations

\* bug 331649 - [compiler][null] consider

null annotations for fields

\* Bug 466308 - [hovering] Javadoc header for parameter is wrong with annotation-based null analysis

\* Jesper S Møller <jesper@selskabet.org> - Contributions for

\* Bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/LocalVariableBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2015 IBM Corporation and others.

```

*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
* bug 383368 - [compiler][null] syntactic null analysis for field references
* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred
checking
*****/

```

```

Found
in path(s):
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ArrayReference.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2020 Julian Honnen.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Julian Honnen - initial API and implementation
*****/

```

```

Found in path(s):
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/core/compiler/SubwordMatcher.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/

```

```

*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 185682 - Increment/decrement operators mark local variables as read
* bug 331649 - [compiler][null] consider null annotations for fields
* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
* Bug 447088 - [null] @Nullable on fully qualified field type is ignored
* Bug 435805 - [1.8][compiler][null]
Java 8 compiler does not recognize declaration style null annotations
* Bug 458396 - NPE in CodeStream.invoke()
* Bug 446217 - [null] @NonNullByDefault in package-info.java causes bogus "null type safety" warning
* Till Brychcy - Contribution for
* bug 467094 - [1.8][null] TYPE_USE NullAnnotations of array contents are applied to field.
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/FieldBinding.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2017 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/CompilationResult.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredElement.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredUnit.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredField.java
*
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/AnnotationMethodDeclaration.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathLocation.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/ICompilationUnit.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/NameEnvironmentAnswer.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ClassLiteralAccess.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/INameEnvironment.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* bug 383368 - [compiler][null] syntactic null analysis for field references
* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check
* Jesper S Moller - Contributions for
* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/CompoundAssignment.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2018 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for bug 186342 - [compiler][null] Using annotations for null checking
* Jesper Steen Moeller - Contribution for bug 406973 - [compiler] Parse MethodParameters attribute
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 407191 - [1.8] Binary access support for type annotations
*****/

```

Found

in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/MethodInfo.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2007, 2019 BEA Systems, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* wharley@bea.com - initial API and implementation
* IBM Corporation - fix for 342598
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/BaseProcessingEnvImpl.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2014 Gauthier JACQUES, IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Gauthier JACQUES - Initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/tool/EclipseBatchRequestor.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2011 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0

```

\*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation  
 \* Stephan Herrmann - Contribution for bug 349326 - [1.7] new warning for missing try-with-resources  
 \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/EmptyStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for

\* bug 282152 - [1.5][compiler] Generics code rejected by Eclipse but accepted by javac

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 359362 - FUP of bug 349326: Resource leak on non-Closeable resource

\* bug 358903 - Filter practically unimportant resource leak warnings

\* bug 395002 - Self bound generic class

doesn't resolve bounds properly for wildcards for certain parametrisation.

\* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files

\* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

\* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 426792 - [1.8][inference][impl] generify new type inference engine

\* Bug 428019 - [1.8][compiler] Type inference failure with nested generic invocation.

\* Bug 429384 - [1.8][null] implement conformance rules for null-annotated lower / upper type bounds

\* Bug 431269 - [1.8][compiler][null] StackOverflow in nullAnnotatedReadableName

\* Bug 431408 - Java 8 (1.8) generics bug

\* Bug 435962 - [RC2] StackOverFlowError when building

\* Bug

438458 - [1.8][null] clean up handling of null type annotations wrt type variables

\* Bug 438250 - [1.8][null] NPE trying to report bogus null annotation conflict

\* Bug 438179 - [1.8][null] 'Contradictory null annotations' error on type variable with explicit null-annotation.

\* Bug 440143 - [1.8][null] one more case of contradictory null annotations regarding type variables

\* Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable

\* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull

\* Bug 456497 - [1.8][null] during inference nullness from target type is lost against weaker hint from applicability analysis

- \* Bug 456459 - Discrepancy between Eclipse compiler and javac - Enums, interfaces, and generics
- \* Bug 456487 - [1.8][null] @Nullable type variant of @NonNull-constrained type parameter causes grief
- \* Bug 462790 - [null] NPE in Expression.computeConversion()
- \* Bug 456532 - [1.8][null] ReferenceBinding.appendNullAnnotation() includes phantom annotations in error messages
- \* Jesper S Møller <jesper@selskabet.org> - Contributions for bug 381345 : [1.8] Take care of the Java 8 major version
- \* Bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/TypeVariableBinding.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2013 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

\* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's work)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/ExceptionLabel.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2007, 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/ElementTypeElement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Luiz-Otavio Zorzella <zorzella at gmail dot com> - Improve CamelCase algorithm

\* Gábor Kövesdán - Contribution for Bug 350000 - [content assist] Include non-prefix matches in auto-complete suggestions

\* Stefan Xenos <sxenos@gmail.com> (Google) - Bug 501283 - Lots of hash collisions during indexing

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/core/compiler/CharOperation.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2018 GK Software AG and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\* IBM Corporation - bug fixes

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/TypeBound.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.



```

*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
* Bug 433478 - [compiler][null] NPE in ReferenceBinding.isCompatibleWith
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemMethodBinding.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2019 IBM Corporation and others.
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/ComponentInfoWithTypeAnnotation.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/CompactConstructorDeclaration.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/TextBlock.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*

```

- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - Contributions for
- \* bug 292478 - Report potentially null across variable assignment
- \* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
- \* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types
- \* bug 331649 - [compiler][null] consider null annotations for fields
- \* bug 383368 - [compiler][null] syntactic null analysis for field
- references
- \* bug 400761 - [compiler][null] null may be return as boolean without a diagnostic
- \* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check
- \* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.
- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 426792 - [1.8][inference][impl] generify new type inference engine
- \* Bug 423505 - [1.8] Implement "18.5.4 More Specific Method Inference"
- \* Bug 427438 - [1.8][compiler] NPE at  
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- \* Bug 426996 - [1.8][inference]  
try to avoid method Expression.unresolve()?
- \* Bug 428274 - [1.8] [compiler] Cannot cast from Number to double
- \* Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- \* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
- \* Bug 473178

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/Expression.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2005, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

- \* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.
- \* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
- \* Bug 392099
- [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations
- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- \* Bug 412076 - [compiler] @NonNullByDefault doesn't work for varargs parameter when in generic interface
- \* Bug 403216 - [1.8][null] TypeReference#captureTypeAnnotations treats type annotations as type argument annotations
- \* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled
- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- \* Bug 416175 - [1.8][compiler][null] NPE with a code snippet that used null annotations on wildcards
- \* Bug 416174 - [1.8][compiler][null] Bogus name clash error with null annotations
- \* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
- \* Bug 400874 - [1.8][compiler]

Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

- \* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
- \* Bug 425278 - [1.8][compiler] Suspect error: The target type of this expression is not a well formed parameterized type due to bound(s) mismatch
- \* Bug 425798 - [1.8][compiler] Another NPE in ConstraintTypeFormula.reduceSubType
- \* Bug 425156 - [1.8] Lambda as an argument is flagged with incompatible error
- \* Bug 426563 - [1.8] AIOOBE when method with error invoked with lambda expression as argument
- \* Bug 426792 - [1.8][inference][impl] generify new type inference engine
- \* Bug 428294 - [1.8][compiler] Type mismatch: cannot convert from List<Object> to Collection<Object[]>
- \* Bug 427199 - [1.8][resource] avoid resource leak warnings on Streams that have no resource
- \* Bug 416182 - [1.8][compiler][null] Contradictory null annotations not rejected
- \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
- \* Bug 438179 - [1.8][null] 'Contradictory null annotations' error on type variable with explicit null-annotation.
- \* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
- \* Bug 446434 - [1.8][null] Enable interned captures also when analysing null type annotations
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 456508 - Unexpected RHS PolyTypeBinding for: <code-snippet>
- \* Bug 390064 - [compiler][resource] Resource leak warning missing when extending parameterized class
- \* Jesper S Møller - Contributions for bug 381345 : [1.8] Take care of the Java 8 major version
- \* Bug 527554 - [18.3] Compiler support for JEP 286 Local-Variable Type

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ParameterizedTypeBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\* Stephan Herrmann - Contribution for bug 186342 - [compiler][null] Using annotations for null checking  
\* Jesper S Moller -. Contribution for bug 400830: [1.8][formatter] Code formatter for Java 8  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/Scanner.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2013, 2016 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/TypeBindingVisitor.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*  
\* Copyright (c) 2009 IBM Corporation and others.  
\*  
\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>  
\*  
\* SPDX-License-Identifier: EPL-2.0  
\*  
\* Contributors:  
\* IBM Corporation - initial API and implementation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/AptBinaryLocalVariableBinding.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2018 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 185682 - Increment/decrement operators mark local variables as read
* bug 331649 - [compiler][null] consider null annotations for fields
* bug 383368 - [compiler][null] syntactic null analysis for field references
* Bug 412203 - [compiler] Internal compiler error: java.lang.IllegalArgumentException: info cannot be null
* Bug 400874 - [1.8][compiler]
* Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
* Bug 458396 - NPE in CodeStream.invoke()
* Jesper S Moller - Contributions for
* Bug 378674 - "The method can be declared as static" is wrong
* Robert Roth <robert.roth.off@gmail.com> - Contributions for
* Bug 361039 - NPE in FieldReference.optimizedBooleanConstant
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/FieldReference.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2007 - 2017 BEA Systems, Inc. and others
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Walter Harley - initial API and implementation
* IBM Corporation - fix for 342598, 382590
* Jean-Marie Henaff <jmhenaff@google.com> (Google) - Bug 481555
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/TypesImpl.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2013 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*
* Jesper S Moller - Contributions for
* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/Opcodes.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2016 Till Brychcy and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Till Brychcy - initial API and implementation
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-

jar/org/eclipse/jdt/internal/compiler/classfmt/AnnotationMethodInfoWithTypeAnnotations.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/flow/FieldInitsFakingFlowContext.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2014 IBM Corporation and others.
*

```

\* This program and the accompanying materials  
\* are made available under the terms of the Eclipse Public License 2.0  
\* which accompanies this distribution, and is available at  
\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Jesper S Moller - Contributions for

\* Bug 378674 - "The method can be declared as static" is wrong

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/SuperReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2011, 2020 GK Software AG and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\* Nikolay Metchev (nikolaymetchev@gmail.com) - Contributions for

\* bug 411098 - [compiler][resource] Invalid Resource Leak Warning using ternary operator inside try-with-resource

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/FakedTrackingVariable.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013, 2014 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/Invocation.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2019 Red Hat Inc. and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Red Hat Inc. - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/IJavadocTypeReference.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/Substitution.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/problem/DefaultProblem.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/LabeledStatement.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/CompilationUnit.java

\*

/ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/ITypeRequestor.java

No license file was found, but licenses were detected in source scan.



/\*\*\*\*\*

\* Copyright (c) 2009, 2017 Vladimir Piskarev and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Vladimir Piskarev - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/AnnotationMemberValue.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2016 GoPivotal, Inc.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

\* Bug 407191 - [1.8] Binary access support for type annotations

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/MethodInfoWithTypeAnnotations.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2013 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/InferenceFailureException.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ReductionResult.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\* bug 403147 - [compiler][null] FUP of bug 400761:

consolidate interaction between unboxing, NPE, and deferred checking

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/IfStatement.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 331649 - [compiler][null] consider null annotations for fields

- \* bug 383368 - [compiler][null] syntactic null analysis for field references
  - \* bug 382069 - [null] Make the null analysis consider JUnit's assertNotNull similarly to assertions
  - \* bug 403086 - [compiler][null] include the effect of 'assert'
- in syntactic null analysis for fields

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/EqualExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 236385 - [compiler] Warn for potential programming problem if an object is created but not used

\* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 358903 - Filter practically unimportant resource

leak warnings

\* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

\* bug 370639 - [compiler][resource] restore the default for resource leak warnings

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'

\* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

\* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 424727 - [compiler][null] NullPointerException in

nullAnnotationUnsupportedLocation(ProblemReporter.java:5708)

\* Bug 424710

- [1.8][compiler] CCE in SingleNameReference.localVariableBinding

\* Bug 425152 - [1.8] [compiler] Lambda Expression not resolved but flow analyzed leading to NPE.

\* Bug 424205 - [1.8] Cannot infer type for diamond type with lambda on method invocation

\* Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.

\* Bug 426366 - [1.8][compiler] Type inference doesn't handle multiple candidate target types in outer overload context

\* Bug 426290 - [1.8][compiler] Inference + overloading => wrong method resolution ?

- \* Bug 426764 - [1.8] Presence of conditional expression as method argument confuses compiler
- \* Bug 424930 - [1.8][compiler] Regression: "Cannot infer type arguments" error from compiler.
- \* Bug 427483 - [Java 8] Variables in lambdas sometimes can't be resolved
- \* Bug 427438 - [1.8][compiler] NPE at  
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- \* Bug 426996 - [1.8][inference] try to avoid method Expression.unresolve()?
- \* Bug 428352 - [1.8][compiler] Resolution errors don't always surface
- \* Bug 429203 - [1.8][compiler] NPE in AllocationExpression.binding
- \* Bug 429430 - [1.8] Lambdas and method reference infer wrong exception type with generics (RuntimeException instead of IOException)
- \* Bug 434297 - [1.8] NPE in LambdaExpression.analyseCode with lambda expression nested in a conditional expression
- \* Bug 452788 - [1.8][compiler] Type not correctly inferred in lambda expression
- \* Bug 448709 - [1.8][null] ensure we don't infer types that violate null constraints on a type parameter's bound
- \* Jesper S Moller <jesper@selskabet.org> - Contributions for
- \* bug 378674 - "The method can be declared as static" is wrong
- \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
- \* Bug 383624 - [1.8][compiler] Revive  
code generation support for type annotations (from Olivier's work)
- \* Bug 409245 - [1.8][compiler] Type annotations dropped when call is routed through a synthetic  
bridge method
- \* Till Brychcy - Contributions for
- \* bug 413460 - NonNullByDefault is not inherited to Constructors when accessed via Class File
- \* Lars Vogel <Lars.Vogel@vogella.com> - Contributions for
- \* Bug 473178

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/AllocationExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/YieldStatement.java

No license file was found, but licenses were detected in source scan.

```
/*

* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation

/
```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/AnnotationBinding.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/AbstractCommentParser.java
```

No license file was found, but licenses were detected in source scan.

```
/*

* Copyright (c) 2013, 2018 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 432977 - [1.8][null] Incorrect 'type is not visible' compiler error
* Bug 446434 - [1.8][null] Enable interned captures also when analysing null type annotations

/
```

/\* Taking the binding of QTR as an example, there could be different annotatable components, but we come in a with a single binding, e.g:

```
@T Z; type => Z annotations => [[@T]]
 @T Y.@T Z type => Z annotations => [[@T][@T]]
 @T X.@T Y.@T Z type => Z annotations => [[@T][@T][@T]]
 java.lang.@T X.@T Y.@T Z type => Z annotations => [[[]][@T][@T][@T]]
 in all these cases the incoming type binding is for Z, but annotations are for different levels. We need to align their
 layout for proper attribution.
*/
```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/AnnotatableTypeSystem.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365519 - editorial cleanup after bug 186342 and bug 365387

\* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

\* Bug 435570 - [1.8][null] @NonNullByDefault

illegally tries to affect "throws E"

\* Bug 438012 - [1.8][null] Bogus Warning: The nullness annotation is redundant with a default that applies to this location

\* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param

\* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

\* Bug 409246 - [1.8][compiler] Type annotations on catch parameters not handled properly

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/Argument.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2007, 2015 BEA Systems, Inc.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* wharley@bea.com - initial API and implementation

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/VariableElementImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files

\* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

\* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for

\* Bug 415543 - [1.8][compiler] Incorrect bound index in RuntimeInvisibleTypeAnnotations attribute

\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/TypeParameter.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfPackage.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/BranchStatement.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/JavadocAllocationExpression.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemPackageBinding.java

```

*
/ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/JavadocMessageSend.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/CaseStatement.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/ParserBasicInformation.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/ClassFormatException.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/ConflictedParser.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/diagnose/DiagnoseParser.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/QualifiedTypeReference.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/TerminalTokens.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/core/compiler/CategorizedProblem.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredStatement.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2000, 2009 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/StringLiteralConcatenation.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ICompilerRequestor.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/AccessRestriction.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/diagnose/RangeUtil.java
*
/ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/OperatorIds.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/AccessRule.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/FalseLiteral.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/ClassFileStruct.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IDependent.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemBinding.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfIntValues.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/SimpleLookupTable.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/ISourceImport.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/problem/AbortMethod.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/problem/ShouldNotImplement.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredImport.java
*
/ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfType.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/SubRoutineStatement.java

```



- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/DoubleCache.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/InnerEmulationDependency.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/JavadocReturnStatement.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/problem/AbortCompilationUnit.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/NLSTag.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/PrefixExpression.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/IDebugRequestor.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/TrueLiteral.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/SimpleSet.java
- \*
- /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/CharLiteral.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/antadapter/AntAdapterMessages.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/problem/AbortType.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfObjectToInt.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/problem/AbortCompilation.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/IProblemFactory.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/SyntheticFieldBinding.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfInt.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/FloatCache.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ImportConflictBinding.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ExtendedStringLiteral.java
- \*
- /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/Label.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/AnnotationHolder.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/InnerClassInfo.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/PostfixExpression.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/JavadocArrayQualifiedTypeReference.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfLong.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ProblemFieldBinding.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/JavadocSingleNameReference.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/IntegerCache.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/ObjectCache.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/SyntheticArgumentBinding.java
- \*
- /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/MagicLiteral.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ParameterizedFieldBinding.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfObjectToIntArray.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/LongCache.java
- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/CaseLabel.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

```
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* bug 383368 - [compiler][null] syntactic null analysis for field references
* bug 403086 - [compiler][null] include the effect of 'assert' in syntactic null analysis for fields
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/UnaryExpression.java  
No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) 2019 GK Software SE, and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Stephan Herrmann - initial API and implementation
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/PlainPackageBinding.java  
No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) 2000, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 359362 - FUP of bug 349326: Resource leak on non-Closeable resource
* bug 186342 - [compiler][null] Using annotations for null checking
```

- \* bug 358903 - Filter practically unimportant resource leak warnings
- \* bug 400421 - [compiler] Null analysis for fields does not take @com.google.inject.Inject into account
- \* bug 382069 - [null] Make the null analysis consider JUnit's assertNotNull similarly to assertions
- \* Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.
- \* Jesper S Moller <jesper@selskabet.org> - Contributions for
- \* Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable
- \* Ulrich Grave <ulrich.grave@gmx.de> - Contributions for
- \* bug 386692 - Missing "unused" warning on "autowired" fields
- \* Pierre-Yves B. <pyvesdev@gmail.com> - Contribution for
- \* bug 542520 - [JUnit 5] Warning The method xxx from the type X is never used locally is shown when using MethodSource

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/TypeIds.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2019, 2021 IBM Corporation.
- \* All rights reserved. This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License v2.0
- \* which accompanies this distribution, and is available at
- \* <http://www.eclipse.org/legal/epl-v20.html>
- \*

- \* Contributors:

- \* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathJep247Jdk12.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2018, 2020 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*

- \* SPDX-License-Identifier: EPL-2.0

- \*

- \* Contributors:

- \* IBM Corporation - initial API and implementation

- \*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/ModuleElementImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*

\* Copyright (c) 2005, 2013 BEA Systems, Inc.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* tyeung@bea.com - initial API and implementation

\* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for

\* Bug 407191 - [1.8] Binary access support for type annotations

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/FieldInfoWithAnnotation.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*

\* Copyright (c) 2000, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for bug 295551

\* Jesper S Moller - Contributions for

\* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335

\* Frits Jalvingh - contributions for bug 533830.

\* Red Hat Inc. - add module-info Javadoc support

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/CompilationUnitDeclaration.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2016 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 332637 - Dead Code detection removing code that isn't dead

\* bug 391517 - java.lang.VerifyError on code that runs correctly in Eclipse 3.7 and eclipse 3.6

\* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/flow/ConditionalFlowInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - contributions for

\* bug 337868 - [compiler][model] incomplete support for package-info.java when using SearchableEnvironment

\* bug 186342 - [compiler][null] Using annotations for null checking

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/Compiler.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2011, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation  
 \* Stephan Herrmann - Contribution for  
 \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault  
 \* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for  
 \* Bug 409236 - [1.8][compiler] Type annotations on intersection cast types dropped by code  
 generator  
 \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/IntersectionCastTypeReference.java  
 No license file was found, but licenses were detected in source scan.

/\*  
 \* Copyright (c) 2018 Till Brychcy and others.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* Till Brychcy - initial API and implementation  
 \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ParameterNonNullDefaultProvider.java  
 No license file was found, but licenses were detected in source scan.

/\*  
 \* Copyright (c) 2006, 2014 IBM Corporation and others.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveryScanner.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation

\* Bug 440687 - [compiler][batch][null] improve command line option for external annotations

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathJar.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Jesper Steen Moller - Contributions for

\* Bug 412150 [1.8] [compiler]

Enable reflected parameter names during annotation processing

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/Binding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2014, 2018 GK Software AG.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-

jar/org/eclipse/jdt/internal/compiler/classfmt/NonNullDefaultAwareTypeAnnotationWalker.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2012 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\*   IBM Corporation - initial API and implementation

\*   Stephan Herrmann - Contribution for

\*   bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/CombinedBinaryExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* \* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0



\* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* IBM Corporation - initial API and implementation  
 \* Stephan Herrmann - Contributions for  
 \* bug 349326 - [1.7] new warning for missing try-with-resources  
 \* bug 374605 - Unreasonable warning for enum-based switch statements  
 \* bug 382353 - [1.8][compiler] Implementation property modifiers should be accepted on default methods.  
 \* bug 382354 - [1.8][compiler] Compiler silent on conflicting modifier  
 \* bug 401030 - [1.8][null] Null analysis support for lambda methods.  
 \* Bug  
 416176 - [1.8][compiler][null] null type annotations cause grief on type variables  
 \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault  
 \* Jesper S Moller - Contributions for  
 \* bug 382701 - [1.8][compiler] Implement semantic analysis of Lambda expressions & Reference expression  
 \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/MethodScope.java  
 No license file was found, but licenses were detected in source scan.

/\*  
 \* Copyright (c) 2018, 2020 IBM Corporation.  
 \* All rights reserved. This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License v2.0  
 \* which accompanies this distribution, and is available at  
 \* <http://www.eclipse.org/legal/epl-v20.html>  
 \*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation  
 \*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathJep247.java  
 No license file was found, but licenses were detected in source scan.

/\*  
 \* Copyright (c) 2007, 2011 BEA Systems, Inc.  
 \*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*

\* Contributors:

\* wharley@bea.com - initial API and implementation

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/IElementInfo.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2017, 2019 GK Software SE, and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stephan Herrmann - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/SplitPackageBinding.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/BinaryModuleBinding.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2016, 2020 IBM Corporation.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/ModuleFinder.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

\* Copyright (c) 2005, 2012 IBM Corporation and others.

```

*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/MarkerAnnotation.java
```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2006, 2007 BEA Systems, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* wharley@bea.com - initial API and implementation
*
*****/

```

Found in path(s):

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/IProcessorProvider.java
```

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/NameImpl.java
```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2019, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation

```

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/RecordComponentInfo.java
  - \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IRecordComponent.java
- No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2011 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/DoubleLiteral.java
  - \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/NumberLiteral.java
  - \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/LongLiteral.java
  - \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/flow/InitializationFlowContext.java
  - \*
  - \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/IntLiteral.java
  - \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/FloatLiteral.java
  - \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/IntLiteralMinValue.java
  - \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/InferenceContext.java
  - \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/LongLiteralMinValue.java
- No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2020 IBM Corporation and others.
- \*
- \* This program and the accompanying materials
- \* are made available under the terms of the Eclipse Public License 2.0
- \* which accompanies this distribution, and is available at
- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - contributions for
- \* bug 337868 - [compiler][model] incomplete support for package-info.java when using SearchableEnvironment

- \* bug 186342 - [compiler][null] Using annotations for null checking
- \* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults
- \* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* bug
- 392862 - [1.8][compiler][null] Evaluate null annotations on array types
- \* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations
- \* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
- \* Bug 415850 - [1.8] Ensure RunJDTCoreTests can cope with null annotations enabled
- \* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099
- \* Bug 416183 - [1.8][compiler][null] Overload resolution fails with null annotations
- \* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking
- \* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.
- \* Bug 416190 - [1.8][null]

detect incompatible overrides due to null type annotations

- \* Bug 424624 - [1.8][null] if a static-object with annotation @NonNull is used, a warning is shown
- \* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
- \* Bug 439516 - [1.8][null] NonNullByDefault wrongly applied to implicit type bound of binary type
- \* Bug 434602 - Possible error with inferred null annotations leading to contradictory null annotations
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 453475 - [1.8][null] Contradictory null annotations (4.5 M3 edition)
- \* Bug 457079 - Regression: type inference
- \* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation
- \* Bug 455180 - IllegalStateException in AnnotatableTypeSystem.getRawType
- \* Bug 470467 - [null] Nullness of special Enum methods not detected from .class file

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/LookupEnvironment.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2007, 2014 BEA Systems, Inc. and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* wharley@bea.com - initial API and implementation

\* IBM Corporation - fix for 342598

\* IBM Corporation - Java 8 support

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/ArrayTypeImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 367203 - [compiler][null] detect assigning null to nonnull argument

\* bug 365519 - editorial cleanup after bug 186342 and bug 365387

\* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults

\* bug 382353 - [1.8][compiler] Implementation property modifiers

should be accepted on default methods.

\* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* bug 388281 - [compiler][null] inheritance of null annotations as an option

\* bug 401030 - [1.8][null] Null analysis support for lambda methods.

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

\* Bug 403216 - [1.8][null] TypeReference#captureTypeAnnotations treats type annotations as type argument annotations

\* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

\* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"

\* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize

declaration style null annotations

\* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/AbstractMethodDeclaration.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2005, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

```
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* David Foerster - patch for toUpperCase as described in https://bugs.eclipse.org/bugs/show_bug.cgi?id=153125
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/ScannerHelper.java
```

No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) 2019 Sebastian Zarnekow and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Sebastian Zarnekow - initial API and implementation
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/SortedCompoundNameVector.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/SortedCharArrays.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/SortedSimpleNameVector.java
```

No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) 2015, 2017 IBM Corporation.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/util/JrtFileSystem.java

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/tool/JrtFileSystem.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Jesper S Moller - Contributions for

\* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335

\* Bug 406982 - [1.8][compiler] Generation of MethodParameters Attribute in classfile

\* Bug 416885 - [1.8][compiler]IncompatibleClassChange error (edit)

\* Bug 412153 - [1.8][compiler] Check validity of annotations which may be repeatable

\* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com)

- Contributions for

\* Bug 405104 - [1.8][compiler][codegen] Implement support for serializeable lambdas

\* Bug 439889 - [1.8][compiler] [lambda] Deserializing lambda fails with IllegalArgumentException:  
"Invalid lambda deserialization"

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/codegen/ConstantPool.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 367203 - [compiler][null] detect assigning null to nonnull argument

\* bug 365519 - editorial cleanup after bug 186342 and bug 365387



- \* bug 365662 - [compiler][null] warn on contradictory and redundant null annotations
- \* bug 365531 - [compiler][null] investigate alternative strategy for internally encoding nullness defaults
- \* bug 388281 - [compiler][null] inheritance of null annotations as an option
- \* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
- \* Bug 417295 - [1.8][null] Massage type annotated null analysis to gel well with deep encoded type bindings.
- \* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 425152 - [1.8] [compiler] Lambda Expression not resolved but flow analyzed leading to NPE.
- \* Bug 423505 - [1.8] Implement "18.5.4 More Specific Method Inference"
- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- \* Bug 438012 - [1.8][null] Bogus Warning: The nullness annotation is redundant with a default that applies to this location
- \* Bug 440759 - [1.8][null] @NonNullByDefault should never affect wildcards and uses of a type variable
- \* Bug 443347 - [1.8][null] @NonNullByDefault should not affect constructor arguments of an anonymous instantiation
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
- \* Bug 456584 - [1.8][null] Bogus warning for return type variable's @NonNull annotation being 'redundant'
- \* Bug 471611 - Error on hover on call to generic method with null annotation
- \* Jesper Steen Moller - Contributions for
- \* Bug 412150 [1.8] [compiler] Enable reflected parameter names during annotation processing

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/MethodBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2005, 2016 BEA Systems, Inc.
- \*
  - \* This program and the accompanying materials
  - \* are made available under the terms of the Eclipse Public License 2.0
  - \* which accompanies this distribution, and is available at
  - \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
  - \* SPDX-License-Identifier: EPL-2.0
- \*
  - \* Contributors:
  - \* tyeung@bea.com - initial API and implementation

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/AnnotationMethodInfo.java

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/AnnotationMethodInfoWithAnnotations.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2008, 2019 IBM Corporation and others.

```

*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/

```

Found in path(s):

`/ecj-3-26-0-sources-3-jar/org/eclipse/jdt/core/compiler/batch/BatchCompiler.java`

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 349326 - [1.7] new warning for missing try-with-resources
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 365519 - editorial cleanup after bug 186342 and bug 365387
* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
* bug 382353 - [1.8][compiler] Implementation property modifiers should
be accepted on default methods.
* bug 383368 - [compiler][null] syntactic null analysis for field references
* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis
* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations
* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables
* Bug 438012 - [1.8][null] Bogus Warning: The nullness annotation is redundant with a default that applies to this
location
* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param
* Jesper S Moller <jesper@selskabet.org> - Contributions for
* bug 378674 - "The method can be declared as static" is wrong
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/MethodDeclaration.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2017 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 342671 - ClassCastException: org.eclipse.jdt.internal.compiler.lookup.SourceTypeBinding cannot be cast to  
org.eclipse.jdt.internal.compiler.lookup.ArrayBinding

\* bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

\* Bug 416181 - [1.8][compiler][null] Invalid assignment

is not rejected by the compiler

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Bug 434600 - Incorrect null analysis error reporting on type parameters

\* Bug 435570 - [1.8][null] @NonNullByDefault illegally tries to affect "throws E"

\* Bug 456508 - Unexpected RHS PolyTypeBinding for: <code-snippet>

\* Bug 466713 - Null Annotations: NullPointerException using <int @Nullable []> as Type Param

\* Andy Clement - Contributions for

\* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's  
work)

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ParameterizedQualifiedTypeReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2012 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/IQualifiedTypeResolutionListener.java  
No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2016 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for

\* Bug 415397 - [1.8][compiler] Type Annotations on wildcard type argument dropped

\* Stephan Herrmann - Contribution for

\* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

\* Bug 417295 - [1.8][null] Message type annotated null analysis to gel well with deep encoded type bindings.

\* Bug 429958

- [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Bug 440462 - [null][compiler]NPE in EJC for erroneous null annotations

\* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/Wildcard.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/batch/ClasspathJmod.java  
\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/util/HashtableOfInteger.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2007 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/JavadocArraySingleTypeReference.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2006, 2014 BEA Systems, Inc. and others

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* wharley@bea.com - initial API and implementation

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/HookedJavaFileObject.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2014 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

```

*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contributions for
* bug 359334 - Analysis for resource leak warnings does not consider exceptions as method exit points
* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"
* Bug 429430 - [1.8] Lambdas and method reference infer wrong exception type with
 generics (RuntimeException instead of IOException)
*****/

```

Found in path(s):

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ThrowStatement.java
```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2006, 2015 BEA Systems, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* wharley@bea.com - initial API and implementation
*
*****/

```

Found in path(s):

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/BatchProcessingEnvImpl.java
```

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/RoundDispatcher.java
```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2013, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:

```

- \* IBM Corporation - initial API and implementation
- \* Stephan Herrmann - Contribution for
- \* Bug 434602 - Possible error with inferred null annotations leading to contradictory null annotations
- \* Bug 456497 - [1.8][null] during inference nullness from target type is lost against weaker hint from applicability analysis
- \* Bug 456487 - [1.8][null] @Nullable type variant of @NonNull-constrained type parameter causes grief
- \* Till Brychcy - Contribution for
- \* Bug 473713
- [1.8][null] Type mismatch: cannot convert from @NonNull A1 to @NonNull A1

```

*****/
/* Cache the derived type, tagging it as a derivative of both the key type and the naked type.
 E.g: int @NonNull [] would be tagged as a derived type of both int and int []. This is not
 needed for correctness, but for annotated object reuse. We provide two alternate ways to
 annotate a type:

```

Taking parameterized types as an example, a call to getParameterizedType can be made with annotations to create @NonNull List<@NonNull String> in one stroke. Or a parameterized type can be created first and then annotated via getAnnotatedType. In the former case, the tables get looked up with List as the key, in the latter with List<String> as the key.

Binary vs source, substitutions, annotation re-attribution from SE7 locations etc trigger these alternate code paths. Unless care is exercised, we will end up with duplicate objects (that share the same TypeBinding.id => correctness is not an issue, but memory wastage is)

```

*/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/TypeSystem.java
No license file was found, but licenses were detected in source scan.

```

```

/*****
* Copyright (c) 2013 GoPivotal, Inc.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 407191 - [1.8] Binary access support for type annotations
*****/

```

Found in path(s):

```

* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/env/IBinaryTypeAnnotation.java
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/FieldInfoWithTypeAnnotation.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2016 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann - Contribution for
* Bug 458396 - NPE in CodeStream.invoke()
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/problem/ProblemHandler.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2016, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*
*****/

```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ModuleBinding.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) 2000, 2019 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/

```



```
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Patrick Wienands <pwienands@abit.de> - Contribution for bug 393749
* Stephan Herrmann - Contribution for
* bug 331649 - [compiler][null] consider null annotations for fields
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/Clinit.java  
No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) 2020, 2021 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ExtendedTagBits.java  
No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) 2006, 2018 BEA Systems, Inc. and others
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* wharley@bea.com - initial API and implementation
* IBM Corporation - Fix for bug 341494
* IBM Corporation - Fix for bug 328575
* IBM Corporation - Java 8 support
*****/
```

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/ElementsImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 335093 - [compiler][null] minimal hook for future null annotation support

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365983 - [compiler][null] AIOOB with null annotation analysis and varargs

\* bug 368546 - [compiler][resource] Avoid remaining false positives found when  
compiling the Eclipse SDK

\* bug 370930 - NonNull annotation not considered for enhanced for loops

\* bug 365859 - [compiler][null] distinguish warnings based on flow analysis vs. null annotations

\* bug 392862 - [1.8][compiler][null] Evaluate null annotations on array types

\* bug 331649 - [compiler][null] consider null annotations for fields

\* bug 383368 - [compiler][null] syntactic null analysis for field references

\* Bug 392099 - [1.8][compiler][null] Apply null annotation on types for null analysis

\* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

\* Bug 415291 - [1.8][null] differentiate type incompatibilities due to null annotations

\* Bug 392238 - [1.8][compiler][null] Detect semantically invalid null type annotations

\* Bug 416307 - [1.8][compiler][null] subclass with type parameter substitution confuses null checking

\* Bug 417758 - [1.8][null] Null safety compromise

during array creation.

\* Bug 400874 - [1.8][compiler] Inference infrastructure should evolve to meet JLS8 18.x (Part G of JSR335 spec)

\* Bug 424415 - [1.8][compiler] Eventual resolution of ReferenceExpression is not seen to be happening.

\* Bug 418537 - [1.8][null] Fix null type annotation analysis for poly conditional expressions

\* Bug 428352 - [1.8][compiler] Resolution errors don't always surface

\* Bug 429430 - [1.8] Lambdas and method reference infer wrong exception type with generics (RuntimeException  
instead of IOException)

\* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations

\* Bug 453483 - [compiler][null][loop] Improve null analysis for loops

\* Bug 455723 - Nonnull argument not correctly inferred in loop

\* Andy Clement - Contributions for

\* Bug 383624 - [1.8][compiler] Revive code generation support for type annotations (from Olivier's

work)

\* Bug 409250 - [1.8][compiler] Various loose ends in 308 code generation  
\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/Statement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 319201 - [null] no warning when unboxing SingleNameReference causes NPE

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 265744 - Enum switch should warn about missing default

\* bug 374605 - Unreasonable warning for enum-based switch statements

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/SwitchStatement.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contribution for

\* bug 392384 - [1.8][compiler][null] Restore nullness info from type annotations in class files

\* Bug 416174 - [1.8][compiler][null] Bogus name clash error with null annotations

\* Bug 416176 - [1.8][compiler][null] null type annotations cause grief on type variables

```
* Bug 423504 - [1.8] Implement "18.5.3 Functional Interface Parameterization Inference"
* Bug 425783 - An
internal error occurred during: "Requesting Java AST from selection". java.lang.StackOverflowError
* Bug 438458 - [1.8][null] clean up handling of null type annotations wrt type variables
* Bug 441693 - [1.8][null] Bogus warning for type argument annotated with @NonNull
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/RawTypeBinding.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2006-2009 BEA Systems, Inc. and others
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* wharley@bea.com - initial API and implementation
*
*****/
```

Found in path(s):

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/dispatch/BatchMessengerImpl.java
No license file was found, but licenses were detected in source scan.
```

```
/******
* Copyright (c) 2000, 2020 IBM Corporation and others.
*
* This program and the accompanying materials
* are made available under the terms of the Eclipse Public License 2.0
* which accompanies this distribution, and is available at
* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Jesper S Moller - Contributions for
* Bug 405066 - [1.8][compiler][codegen] Implement code generation infrastructure for JSR335
* Bug 406982 - [1.8][compiler] Generation of MethodParameters Attribute in classfile
* Andy Clement (GoPivotal, Inc) aclement@gopivotal.com - Contributions for
* Bug 405104 - [1.8][compiler][codegen] Implement support for serializable lambdas
*****/
```

Found

in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/ClassFileConstants.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 349326 - [1.7] new warning for missing try-with-resources

\* bug 359334 - Analysis for resource leak warnings does not consider exceptions as method exit points

\* bug 358903 - Filter practically unimportant resource leak warnings

\* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

\* bug 370639 - [compiler][resource]

restore the default for resource leak warnings

\* bug 388996 - [compiler][resource] Incorrect 'potential resource leak'

\* bug 379784 - [compiler] "Method can be static" is not getting reported

\* bug 394768 - [compiler][resource] Incorrect resource leak warning when creating stream in conditional

\* bug 404649 - [1.8][compiler] detect illegal reference to indirect or redundant super

\* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault

\* Bug 371614 - [compiler][resource] Wrong "resource leak" problem on return/throw inside while loop

\* Bug 421035 - [resource] False alarm of resource leak warning when casting a closeable in its assignment

\* Bug 444964 - [1.7+][resource] False resource leak warning (try-with-resources for ByteArrayOutputStream - return inside for loop)

\* Bug 396575 - [compiler][resources] Incorrect Errors/Warnings check for potential resource leak when surrounding with try-catch

\* Jesper S Moller <jesper@selskabet.org> - Contributions for

\* bug 378674 - "The method can be declared as static" is wrong

\* Keigo Imai - Contribution for bug 388903 - Cannot extend inner class as an anonymous class when it extends the outer class

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/BlockScope.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2021 IBM Corporation and others.

\*  
 \* This program and the accompanying materials  
 \* are made available under the terms of the Eclipse Public License 2.0  
 \* which accompanies this distribution, and is available at  
 \* <https://www.eclipse.org/legal/epl-2.0/>  
 \*  
 \* SPDX-License-Identifier: EPL-2.0  
 \*  
 \* Contributors:  
 \* IBM Corporation - initial API and implementation  
 \* Stephan Herrmann - Contribution for  
 \* Bug 365992 - [builder] [null] Change of nullness for a parameter doesn't trigger a build for the files that call the method  
 \* Bug 440477 - [null] Infrastructure for feeding external annotations into compilation  
 \* Bug 440687 - [compiler][batch][null] improve command line option for external annotations  
 \* Andy Clement (GoPivotal, Inc) [aclement@gopivotal.com](mailto:aclement@gopivotal.com) - Contributions for  
 \*  
 \* bug 407191 - [1.8] Binary access support for type annotations

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/ClassFileReader.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2015, 2016 Google, Inc and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* Stefan Xenos (Google) - Initial implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/BinaryTypeFormatter.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>
- \*
- \* SPDX-License-Identifier: EPL-2.0
- \*
- \* Contributors:
- \* IBM Corporation - initial API and implementation
- \* Benjamin Muskalla - Contribution for bug 239066
- \* Stephan Herrmann - Contributions for
- \* bug 236385 - [compiler] Warn for potential programming problem if an object is created but not used
- \* bug 295551 - Add option to automatically promote all warnings to errors
- \* bug 349326 - [1.7] new warning for missing try-with-resources
- \* bug 186342 - [compiler][null] Using annotations for null checking
- \* bug
- 370639 - [compiler][resource] restore the default for resource leak warnings
- \* bug 366063 - Compiler should not add synthetic @NonNull annotations
- \* bug 374605 - Unreasonable warning for enum-based switch statements
- \* bug 388281 - [compiler][null] inheritance of null annotations as an option
- \* bug 381443 - [compiler][null] Allow parameter widening from @NonNull to unannotated
- \* bug 383368 - [compiler][null] syntactic null analysis for field references
- \* Bug 435805 - [1.8][compiler][null] Java 8 compiler does not recognize declaration style null annotations
- \* Bug 410218 - Optional warning for arguments of "unexpected" types to Map#get(Object), Collection#remove(Object) et al.
- \* Jesper Steen Moller - Contributions for
- \* bug 404146 - [1.7][compiler] nested try-catch-finally-blocks leads to unrunnable Java byte code
- \* bug 407297 - [1.8][compiler] Control generation of parameter names by option

\*\*\*\*\*/

Found

in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/impl/CompilerOptions.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2019 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - Contributions for

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 395002 - Self bound generic class doesn't resolve bounds properly for wildcards for certain parametrisation.

\* Bug 415043 - [1.8][null] Follow-up re null type annotations after bug 392099

- \* bug 413958 - Function override returning inherited Generic Type
- \* Bug 400874 - [1.8][compiler] Inference infrastructure  
should evolve to meet JLS8 18.x (Part G of JSR335 spec)
- \* Bug 424710 - [1.8][compiler] CCE in SingleNameReference.localVariableBinding
- \* Bug 423505 - [1.8] Implement "18.5.4 More Specific Method Inference"
- \* Bug 427438 - [1.8][compiler] NPE at  
org.eclipse.jdt.internal.compiler.ast.ConditionalExpression.generateCode(ConditionalExpression.java:280)
- \* Bug 418743 - [1.8][null] contradictory annotations on invocation of generic method not reported
- \* Bug 416182 - [1.8][compiler][null] Contradictory null annotations not rejected
- \* Bug 429958 - [1.8][null] evaluate new DefaultLocation attribute of @NonNullByDefault
- \* Bug 434602 - Possible error with inferred null annotations leading to contradictory null annotations
- \* Bug 434483 - [1.8][compiler][inference] Type inference not picked up with method reference
- \* Bug 446442 - [1.8] merge null annotations from super methods
- \* Bug 457079 - Regression: type  
inference

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/lookup/ParameterizedGenericMethodBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2000, 2020 IBM Corporation and others.

- \*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at

- \* <https://www.eclipse.org/legal/epl-2.0/>

- \*

- \* SPDX-License-Identifier: EPL-2.0

- \*

- \* Contributors:

- \* IBM Corporation - initial API and implementation

- \* Stephan Herrmann - Contributions for

- \* bug 366003 - CCE in ASTNode.resolveAnnotations(ASTNode.java:639)

- \* bug 383973 - [1.8][compiler] syntax recovery in the presence of default methods

\*\*\*\*\*/

Found in path(s):

- \* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/parser/RecoveredType.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

- \* Copyright (c) 2015, 2019 IBM Corporation and others.

- \*

- \* This program and the accompanying materials

- \* are made available under the terms of the Eclipse Public License 2.0

- \* which accompanies this distribution, and is available at



\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/ModuleDeclaration.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2020 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\* Stephan Herrmann - contributions for

\* bug 336428 - [compiler][null] bogus warning "redundant null check" in condition of do {} while() loop

\* bug 186342 - [compiler][null] Using annotations for null checking

\* bug 365519 - editorial cleanup after bug 186342 and bug 365387

\* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK

\* bug 365859 - [compiler][null]

distinguish warnings based on flow analysis vs. null annotations

\* bug 385626 - @NonNull fails across loop boundaries

\* bug 345305 - [compiler][null] Compiler misidentifies a case of "variable can only be null"

\* bug 376263 - Bogus "Potential null pointer access" warning

\* bug 403147 - [compiler][null] FUP of bug 400761: consolidate interaction between unboxing, NPE, and deferred checking

\* bug 406384 - Internal error with I20130413

\* Bug 415413 - [compiler][null] NullPointerException in Null Analysis caused by interaction of LoopingFlowContext and FinallyFlowContext

\* Bug 453483 - [compiler][null][loop] Improve null analysis for loops

\* Bug 455557 - [jdt] NPE LoopingFlowContext.recordNullReference

\* Bug 455723 - Nonnull argument not correctly inferred in loop

\* Bug 415790 - [compiler][resource] Incorrect potential resource leak warning in for loop with close in try/catch

\* Bug 421035 - [resource]

False alarm of resource leak warning when casting a closeable in its assignment

\* Jesper S Moller - contributions for

\* bug 404657 - [1.8][compiler] Analysis for effectively final variables fails to consider loops

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/flow/LoopingFlowContext.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2007, 2015 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/apt/model/ErrorTypeImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2016, 2017 IBM Corporation.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

\* <https://www.eclipse.org/legal/epl-2.0/>

\*

\* SPDX-License-Identifier: EPL-2.0

\*

\* Contributors:

\* IBM Corporation - initial API and implementation

\*\*\*\*\*/

Found in path(s):

\* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/classfmt/ModuleInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2000, 2018 IBM Corporation and others.

\*

\* This program and the accompanying materials

\* are made available under the terms of the Eclipse Public License 2.0

\* which accompanies this distribution, and is available at

```

* https://www.eclipse.org/legal/epl-2.0/
*
* SPDX-License-Identifier: EPL-2.0
*
* Contributors:
* IBM Corporation - initial API and implementation
* Stephan Herrmann <stephan@cs.tu-berlin.de> - Contributions for
* bug 185682 - Increment/decrement operators mark local variables as read
* bug 186342 - [compiler][null] Using annotations for null checking
* bug 365519 - editorial cleanup after bug 186342 and bug 365387
* bug 368546 - [compiler][resource] Avoid remaining false positives found when compiling the Eclipse SDK
* bug 345305 - [compiler][null]
* Compiler misidentifies a case of "variable can only be null"
* Bug 414380 - [compiler][internal] QualifiedNameReference#indexOfFirstFieldBinding does not point to the first
* field
* Bug 458396 - NPE in CodeStream.invoke()
* Jesper S Moller - Contributions for
* bug 382721 - [1.8][compiler] Effectively final variables needs special treatment
* bug 331649 - [compiler][null] consider null annotations for fields
* bug 383368 - [compiler][null] syntactic null analysis for field references
* bug 402993 - [null] Follow up of bug 401088: Missing warning about redundant null check
* Jesper S Moller <jesper@selskabet.org> - Contributions for
* bug 378674 - "The method can be declared as static" is wrong
*****/

```

Found in path(s):

```
* /ecj-3-26-0-sources-3-jar/org/eclipse/jdt/internal/compiler/ast/QualifiedNameReference.java
```

# 1.161 protobuf-java 3.21.12

## 1.161.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.

```

Found in path(s):

```

* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/Message.java
* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/FieldType.java

```

- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ExtensionSchemas.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ProtocolMessageEnum.java
- \*
- /protobuf-java-3-21-12-sources-jar/com/google/protobuf/UnmodifiableLazyStringList.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/LazyStringArrayList.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/Extension.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/CodedOutputStream.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/RopeByteString.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/SingleFieldBuilder.java
- \* /protobuf-java-3-21-12-sources-jar/google/protobuf/duration.proto
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/CodedOutputStreamWriter.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/BufferAllocator.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ProtocolStringList.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/BlockingService.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/StructuralMessageInfo.java
- \*
- /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MessageInfoFactory.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ArrayDecoders.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MapFieldLite.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ManifestSchemaFactory.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/IterableByteBufferInputStream.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/RawMessageInfo.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/GeneratedMessageInfoFactory.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ByteBufferWriter.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ExtensionRegistryFactory.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/RpcChannel.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/BinaryWriter.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/SmallSortedMap.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/UnsafeByteOperations.java
- \*
- /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ExperimentalApi.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/SchemaUtil.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MessageOrBuilder.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MapFieldSchemas.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/FloatArrayList.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/SchemaFactory.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MapField.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/CanIgnoreReturnValue.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/TextFormatParseLocation.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MessageLiteToString.java
- \* /protobuf-java-3-21-12-sources-jar/google/protobuf/struct.proto
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ByteString.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ExtensionRegistryLite.java
- \*
- /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ExtensionRegistry.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/CheckReturnValue.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/Protobuf.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/UnknownFieldSetSchema.java

- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ExtensionSchema.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/Schema.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/DiscardUnknownFieldsParser.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MessageLiteOrBuilder.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/LongArrayList.java
- \* /protobuf-java-3-21-12-sources-jar/google/protobuf/any.proto
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/TextFormat.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/Internal.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/FieldInfo.java
- \*
- /protobuf-java-3-21-12-sources-jar/com/google/protobuf/CodedInputStreamReader.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MapFieldSchemaFull.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/TypeRegistry.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/AbstractMessageLite.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/OneofInfo.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/LazyFieldLite.java
- \* /protobuf-java-3-21-12-sources-jar/google/protobuf/api.proto
- \* /protobuf-java-3-21-12-sources-jar/google/protobuf/empty.proto
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MapEntryLite.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/NewInstanceSchemas.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/CompileTimeConstant.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/JavaType.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/Writer.java
- \*
- /protobuf-java-3-21-12-sources-jar/com/google/protobuf/DynamicMessage.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/NioByteString.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ProtobufLists.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/UnknownFieldSchema.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/BinaryReader.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MessageSchema.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ExtensionSchemaLite.java
- \* /protobuf-java-3-21-12-sources-jar/google/protobuf/wrappers.proto
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/RpcCallback.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/RpcController.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/AbstractParser.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MessageReflection.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MapEntry.java
- \*
- /protobuf-java-3-21-12-sources-jar/com/google/protobuf/UnsafeUtil.java
- \* /protobuf-java-3-21-12-sources-jar/google/protobuf/compiler/plugin.proto
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/Android.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/RepeatedFieldBuilder.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/TextFormatEscaper.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/GeneratedMessageV3.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/AbstractMessage.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MapFieldSchemaLite.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/FieldSet.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/IntArrayList.java

- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/SingleFieldBuilderV3.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ProtoSyntax.java
- \* /protobuf-java-3-21-12-sources-jar/google/protobuf/descriptor.proto
- \*
- /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MapFieldSchema.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/GeneratedMessage.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/Descriptors.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MessageLite.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/CodedInputStream.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/AbstractProtobufList.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/NewInstanceSchemaLite.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/NewInstanceSchemaFull.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ProtobufArrayList.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/UnknownFieldSetLite.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/GeneratedMessageLite.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/TextFormatParseInfoTree.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/BooleanArrayList.java
- \*
- /protobuf-java-3-21-12-sources-jar/com/google/protobuf/DescriptorMessageInfoFactory.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/Reader.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MessageInfo.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/NewInstanceSchema.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/AllocatedBuffer.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ServiceException.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/RpcUtil.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/UninitializedMessageException.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/BlockingRpcChannel.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MessageSetSchema.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/Utf8.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/UnknownFieldSetLiteSchema.java
- \*
- /protobuf-java-3-21-12-sources-jar/com/google/protobuf/DoubleArrayList.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/InlineMe.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ExtensionLite.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/Parser.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ByteOutput.java
- \* /protobuf-java-3-21-12-sources-jar/google/protobuf/type.proto
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/RepeatedFieldBuilderV3.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/MutabilityOracle.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/UnknownFieldSet.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ExtensionSchemaFull.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/LazyField.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/Service.java
- \* /protobuf-java-3-21-12-sources-jar/google/protobuf/timestamp.proto
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/ListFieldSchema.java
- \*
- /protobuf-java-3-21-12-sources-jar/com/google/protobuf/PrimitiveNonBoxingCollection.java
- \* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/WireFormat.java

\* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/InvalidProtocolBufferException.java  
\* /protobuf-java-3-21-12-sources-jar/google/protobuf/source\_context.proto  
\* /protobuf-java-3-21-12-sources-jar/com/google/protobuf/LazyStringList.java  
\* /protobuf-java-3-21-12-sources-jar/google/protobuf/field\_mask.proto

# 1.162 jnr-enxio 0.5

## 1.162.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred

form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal

Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and
2. You must cause any modified files to carry prominent notices stating that You changed the files; and
3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and



assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor

be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.163 activemq-pool 5.15.11

### 1.163.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

ActiveMQ :: Pool

Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.164 camel-core 2.24.1

## 1.164.1 Available under license :

```
=====
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Camel distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Please read the different LICENSE files present in the licenses directory of  
this distribution.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and



may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Camel :: Core

Copyright 2007-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.165 regions 2.20.128

## 1.165.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by

Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

# 1.166 arns 2.20.128

## 1.166.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common



control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding  
those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

# 1.167 antlr 2.7.6

## 1.167.1 Available under license :

[The "BSD licence"]

Copyright (c) 2002-2005 Kunle Odutola

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code MUST RETAIN the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form MUST REPRODUCE the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior WRITTEN permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

### SOFTWARE RIGHTS

ANTLR 1989-2005 Developed by Terence Parr

Partially supported by University of San Francisco & jGuru.com

We reserve no legal rights to the ANTLR--it is fully in the public domain. An individual or company may do whatever they wish with source code distributed with ANTLR or the code generated by ANTLR, including the incorporation of ANTLR, or its output, into commercial software.

We encourage users to develop software with ANTLR. However, we do ask that credit is given to us for developing ANTLR. By "credit", we mean that if you use ANTLR or incorporate any source code into one of your programs (commercial product, research project, or otherwise) that you acknowledge this fact somewhere in the documentation, research report, etc... If you like ANTLR and have developed a nice tool with the output, please mention that you developed it using ANTLR. In addition, we ask that the headers remain intact in our source code. As long as these guidelines are kept, we expect to continue enhancing this system and expect to make other tools available as they are completed.

The primary ANTLR guy:

Terence Parr  
parrt@cs.usfca.edu  
parrt@antlr.org

# 1.168 apache-log4j 2.20.0

## 1.168.1 Available under license :

Apache Log4j Core  
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java  
Copyright 2005-2006 Tim Fennell

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and



(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.169 slf4j 1.7.5

### 1.169.1 Available under license :

Copyright (c) 2004-2008 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.170 hibernate-ehcache 3.3.1.GA

### 1.170.1 Available under license :

Found license 'GNU Lesser General Public License' in '\* indicated by the @author tags or express copyright attribution \* distributed under license by Red Hat Middleware LLC. \* This copyrighted material is made available to anyone wishing to use, modify, \* copy, or redistribute it subject to the terms and conditions of the GNU \* Lesser General Public License, as published by the Free Software Foundation. \* This program is distributed in the hope that it will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY \* or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License \* for more details. \* You should have received a copy of the GNU Lesser General Public License \* Boston, MA 02110-1301 USA'

# 1.171 castor 0.9.5

## 1.171.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*

\* Copyright 1999-2003  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: UnmarshalHandler.java,v 1.8 2003/05/28 08:10:07 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/UnmarshalHandler.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2001-2003  
(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: DateTimeValidator.java,v 1.2 2003/03/03 09:57:21 kvisco Exp \$

\* Date Author Changes

\* 05/30/2001 Arnaud Blandin Created

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/validators/DateTimeValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XMLInfo.java,v 1.1.1.1 2003/03/03 07:07:48 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/XMLInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\*

\* Contribution(s):

\*

\* - Jeff Norris, Jeff.Norris@jpl.nasa.gov

\* - Original Author

\*

\* \$Id: EventListenerList.java,v 1.1.1.1 2003/03/03 07:09:04 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/EventListenerList.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.



\*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2002  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: InstanceFactory.java,v 1.1.1.1 2003/03/03 07:08:50 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/spi/InstanceFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior

written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: UnknownUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:43 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/UnknownUnmarshaller.java  
No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2000  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: Year.java,v 1.1.1.1 2003/03/03 07:09:03 kvisco Exp \$  
 \* Date Author Changes  
 \* 11/01/2000 Arnaud Blandin Created  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/Year.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: ParseTreeWalker.java,v 1.1.1.1 2003/03/03 07:08:25 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/oql/ParseTreeWalker.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XSNormalizedString.java,v 1.1.1.1 2003/03/03 07:08:00 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSNormalizedString.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a

- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: DecimalValidator.java,v 1.3 2003/03/03 17:29:36 blandin Exp \$
- \* Date Author Changes
- \* 10/31/2000 Arnaud Blandin Created
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/validators/DecimalValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XSNMToken.java,v 1.1.1.1 2003/03/03 07:07:59 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSNMToken.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000  
\* (C) Intalio, Inc. All Rights Reserved.

\*

\* Id: DepositBox.java

\*/



Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/DepositBox.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Facet.java,v 1.1.1.1 2003/03/03 07:09:31 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Facet.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: URILocation.java,v 1.1.1.1 2003/03/03 07:08:39 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/net/URILocation.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: DTDResolver.java,v 1.1.1.1 2003/03/03 07:08:04 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/schema/DTDResolver.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2001

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: SimpleTypeReference.java,v 1.1.1.1 2003/03/03 07:09:35 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/SimpleTypeReference.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: GYearDescriptor.java,v 1.2 2003/04/23 06:35:24 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/GYearDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
 \* Copyright 1999  
 (C) Intalio, Inc. All Rights Reserved.

\*  
 \* \$Id: ObjectNotFoundException.java,v 1.1.1.1 2003/03/03 07:08:07 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/ObjectNotFoundException.java  
 No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.

\*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: IdentityKeyGenerator.java,v 1.1.1.1 2003/03/03 07:08:12 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/IdentityKeyGenerator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior



written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.

\*

- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).

\*

- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

- \* Copyright 2000-2003
- (C) Intalio, Inc. All Rights Reserved.

\*

- \* \$Id: DoubleValidator.java,v 1.2 2003/03/03 09:57:21 kvisco Exp \$
- \* Date Author Changes
- \* 12/06/2000 Arnaud Blandin Created
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/validators/DoubleValidator.java
- No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written

- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: PersistenceQuery.java,v 1.1.1.1 2003/03/03 07:08:51 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/spi/PersistenceQuery.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.

\*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: SQLTypes.java,v 1.1.1.1 2003/03/03 07:08:21 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/SQLTypes.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: KeyRef.java,v 1.1.1.1 2003/03/03 07:09:32 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/KeyRef.java

No license file was found, but licenses were detected in source scan.

/\*

\*

- \* The contents of this file are subject to the Netscape Public
- \* License Version 1.1 (the "License"); you may not use this file
- \* except in compliance with the License. You may obtain a copy of
- \* the License at <http://www.mozilla.org/NPL/>

\*

\* Software distributed under the License is distributed on an "AS  
\* IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or  
\* implied. See the License for the specific language governing  
\* rights and limitations under the License.

\*

\* The Original Code is mozilla.org code.

\*

\* The Initial Developer of the Original Code is Netscape

\* Communications Corporation. Portions created by Netscape are

\* Copyright (C) 1999 Netscape Communications Corporation. All

\* Rights Reserved.

\*

\* Contributor(s):

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/MimeBase64Encoder.java

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/MimeBase64Decoder.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their
- \* names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY  
OF SUCH DAMAGE.

\*

\* Copyright 2000 (C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: InputCharStream.java,v 1.1.1.1 2003/03/03 07:09:26 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/dtd/parser/InputCharStream.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Types.java,v 1.4 2003/04/23 08:48:20 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/loader/Types.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).



\*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
 \* Copyright 1999-2003  
 (C) Intalio, Inc. All Rights Reserved.

\*  
 \* \$Id: Documentation.java,v 1.2 2003/03/03 09:57:19 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Documentation.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written

\* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.

\*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2003  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: ContentModelGroupImpl.java,v 1.1.1.1 2003/03/03 07:09:30 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/ContentModelGroupImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior

written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.

\*

- \* 5. Due credit should be given to the Exolab Project

- \* (<http://www.exolab.org/>).

\*

- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

- \* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

- \* Copyright 2000-2003

(C) Intalio, Inc. All Rights Reserved.

\*

- \* \$Id: DurationValidator.java,v 1.2 2003/03/03 09:57:21 kvisco Exp \$

- \* Date Author Changes

- \* 10/26/2000 Arnaud Blandin Created

\*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/validators/DurationValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided

- \* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a

- \* copy of this document.

\*

- \* 2. Redistributions in binary form must reproduce the

- \* above copyright notice, this list of conditions and the

- \* following disclaimer in the documentation and/or other

- \* materials provided with the distribution.

\*

- \* 3. The name "Exolab" must not be used to endorse or promote

- \* products derived from this Software without prior written

- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2000
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: RealType.java,v 1.1.1.1 2003/03/03 07:09:44 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/simpletypes/RealType.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.

\*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2000  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: FieldMolder.java,v 1.2 2003/03/25 16:27:44 mguessan Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/FieldMolder.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001-2002
- (C) Intalio, Inc. All Rights Reserved.
- \* \$Id: XSGDay.java,v 1.1.1.1 2003/03/03 07:07:57 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSGDay.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: MozillaConsumer.java,v 1.1.1.1 2003/03/03 07:08:03 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/mozilla/MozillaConsumer.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: AbstractFieldHandler.java,v 1.3 2003/04/16 07:16:19 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/AbstractFieldHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation



- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: TimeDuration.java,v 1.1.1.1 2003/03/03 07:09:02 kvisco Exp \$
- \* Date      Author      Changes
- \* 10/26/2000   Arnaud Blandin   add TimeDuration(long l)
- \* 10/26/2000   Arnaud Blandin   change parse method
- \* 10/23/2000   Arnaud Blandin   Created
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/TimeDuration.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: OQLQuery.java,v 1.1.1.1 2003/03/03 07:08:08 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/OQLQuery.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JDOClassDescriptor.java,v 1.1.1.1 2003/03/03 07:08:17 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/JDOClassDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ValidationContext.java,v 1.1.1.1 2003/03/03 07:09:15 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/ValidationContext.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* Copyright 2002-2003

(C) Intalio, Inc. All Rights Reserved.

\* \$Id: RootArrayDescriptor.java,v 1.1.1.1 2003/03/03 07:09:18 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/descriptors/RootArrayDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ClassNotPersistenceCapableException.java,v 1.1.1.1 2003/03/03 07:08:06 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/ClassNotPersistenceCapableException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2002  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: GeneralizedFieldHandler.java,v 1.2 2003/04/16 07:15:57 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/GeneralizedFieldHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior



written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ImportDescriptor.java,v 1.1.1.1 2003/03/03 07:08:02 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/ImportDescriptor.java  
No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: JSourceWriter.java,v 1.1.1.1 2003/03/03 07:09:56 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JSourceWriter.java  
 No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XMLFieldHandler.java,v 1.1.1.1 2003/03/03 07:09:16 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/XMLFieldHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other

- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XSInt.java,v 1.1.1.1 2003/03/03 07:07:58 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSInt.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: AttributeSetImpl.java,v 1.1.1.1 2003/03/03 07:09:47 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/util/AttributeSetImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: OQLQueryImpl.java,v 1.3 2003/04/16 21:53:48 mguessan Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/OQLQueryImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ContainerFieldHandler.java,v 1.1.1.1 2003/03/03 07:09:27 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/handlers/ContainerFieldHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
\* written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2002  
\* (C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: UnmarshalListener.java,v 1.1.1.1 2003/03/03 07:09:15 kvisco Exp \$

\*

\* Date        Author        Changes  
\* 09-13-2002 Paul Christmann Initial Revision



\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/UnmarshalListener.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: FieldHandlerImpl.java,v 1.2 2003/04/16 07:15:35 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/loader/FieldHandlerImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: KeyGeneratorDescriptor.java,v 1.1.1.1 2003/03/03 07:08:17 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/KeyGeneratorDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: AttributeGroup.java,v 1.1.1.1 2003/03/03 07:09:28 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/AttributeGroup.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2000  
(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JMember.java,v 1.1.1.1 2003/03/03 07:09:55 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JMember.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: CastorException.java,v 1.1.1.1 2003/03/03 07:09:08 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/CastorException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* Copyright 1999-2002  
(C) Intalio, Inc. All Rights Reserved.

\*  
\* \$Id: XSSString.java,v 1.1.1.1 2003/03/03 07:08:00 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSSString.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: MySQLQueryExpression.java,v 1.1.1.1 2003/03/03 07:08:14 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/MySQLQueryExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior



written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.

\*

- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).

\*

- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.

\*

- \* \$Id: Consumer.java,v 1.1.1.1 2003/03/03 07:08:02 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/Consumer.java
- No license file was found, but licenses were detected in source scan.

# Copyright 1999 (C) Exoffice Technologies Inc. All Rights Reserved.

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/util/resources/messages.properties
- No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other

- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: DateFieldHandler.java,v 1.5 2003/05/30 04:58:07 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/handlers/DateFieldHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: HighLowKeyGenerator.java,v 1.1.1.1 2003/03/03 07:08:11 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/HighLowKeyGenerator.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: AnnotationItem.java,v 1.1 2003/03/03 09:57:19 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/AnnotationItem.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XSID.java,v 1.1.1.1 2003/03/03 07:07:58 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSID.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000

(C) Intalio, Inc. All Rights Reserved.

\*

\* Contribution(s):

\*

\* - Frank Thelen, [frank.thelen@poet.de](mailto:frank.thelen@poet.de)

\* - initial contributor

\*  
\* \$Id: CollectionInfoJ2.java,v 1.1.1.1 2003/03/03 07:07:42 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/CollectionInfoJ2.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* Copyright 2001  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: XMLInstance2SchemaHandler.java,v 1.1.1.1 2003/03/03 07:09:45 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/util/XMLInstance2SchemaHandler.java  
No license file was found, but licenses were detected in source scan.

/\*\*  
\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,



\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: URIException.java,v 1.1.1.1 2003/03/03 07:08:39 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/net/URIException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003  
(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Schema.java,v 1.3 2003/03/03 18:13:37 blandin Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Schema.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* Copyright 2001-2002

(C) Intalio Inc. All Rights Reserved.

\* \$Id: FieldOrSelectorUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:39 kvisco Exp \$

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/FieldOrSelectorUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XSNegativeInteger.java,v 1.1.1.1 2003/03/03 07:07:59 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSNegativeInteger.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: KeyGeneratorRegistry.java,v 1.1.1.1 2003/03/03 07:08:18 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/KeyGeneratorRegistry.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior

written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: AppInfo.java,v 1.2 2003/03/03 09:57:19 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/AppInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2001  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: Form.java,v 1.1.1.1 2003/03/03 07:09:31 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Form.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2000
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: JField.java,v 1.1.1.1 2003/03/03 07:09:54 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/javasource/JField.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other



- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: SchemaReader.java,v 1.1.1.1 2003/03/03 07:09:41 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/SchemaReader.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: GYearMonthDescriptor.java,v 1.2 2003/04/23 06:35:24 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/GYearMonthDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: TransactionAbortedException.java,v 1.1.1.1 2003/03/03 07:08:08 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/TransactionAbortedException.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2000
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: DurationType.java,v 1.1.1.1 2003/03/03 07:09:44 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/simpletypes/DurationType.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
\* written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999  
\* (C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: DelegateFieldDescriptor.java,v 1.1.1.1 2003/03/03 07:08:29 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/loader/DelegateFieldDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ClassInfoResolver.java,v 1.1.1.1 2003/03/03 07:07:41 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/ClassInfoResolver.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ContainerElement.java,v 1.1.1.1 2003/03/03 07:09:47 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/util/ContainerElement.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED



\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 1999  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* The Original Source for this file is XSL:P  
\*  
\* \$Id: Iterator.java,v 1.1.1.1 2003/03/03 07:09:04 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/Iterator.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/UUIDKeyGenerator.java

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/UUIDKeyGeneratorFactory.java

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/PersistenceInfoGroup.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2000 (C) Intalio Inc. All Rights Reserved.

\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\* 1. Redistributions of source code must retain copyright statements

\* and notices. Redistributions must also contain a copy of this

\* document.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name "ExoLab" must not be used to endorse or promote products

\* derived from this Software without prior written permission of

\* Intalio Inc. For written permission, please contact [info@exolab.org](mailto:info@exolab.org).

\* 4. Products derived from this Software may not be called "Castor"

\* nor may "Castor" appear in their names

without prior written

\* permission of Intalio Inc. Exolab, Castor and Intalio are

\* trademarks of Intalio Inc.

\* 5. Due credit should be given to the ExoLab Project

\* (<http://www.exolab.org/>).

\* THIS SOFTWARE IS PROVIDED BY INTALIO AND CONTRIBUTORS ``AS IS" AND

\* ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,

\* THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

\* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTALIO OR ITS

\* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY

\* OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE  
\* USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH  
\* DAMAGE.  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSListJ2.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 1999  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: OQLSyntaxException.java,v 1.1.1.1 2003/03/03 07:08:23 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/oql/OQLSyntaxException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*

\* Copyright 1999  
(C) Intalio, Inc. All Rights Reserved.

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/InformixFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Dialog.java,v 1.1.1.1 2003/03/03 07:08:02 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/util/Dialog.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: DuplicateIdentityException.java,v 1.1.1.1 2003/03/03 07:08:07 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/DuplicateIdentityException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Order.java,v 1.1.1.1 2003/03/03 07:09:32 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Order.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered



\* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2000-2003  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: MonthDescriptor.java,v 1.2 2003/04/23 06:35:24 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/MonthDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"

- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: DTXQuery.java,v 1.1.1.1 2003/03/03 07:08:05 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/dtx/DTXQuery.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,

- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: VectorClassDescriptor.java,v 1.1.1.1 2003/03/03 07:09:18 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/descriptors/VectorClassDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ImportUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:40 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/ImportUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the

- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: SequenceKeyGeneratorFactory.java,v 1.1.1.1 2003/03/03 07:08:15 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/SequenceKeyGeneratorFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2002  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: XMLClassDescriptor.java,v 1.1.1.1 2003/03/03 07:09:16 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/XMLClassDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: OracleQueryExpression.java,v 1.1.1.1 2003/03/03 07:08:14 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/OracleQueryExpression.java

No license file was found, but licenses were detected in source scan.

/\*

\* (C) Copyright Keith Visco 1998, 1999 All rights reserved.

\*  
 \* The contents of this file are released under an Open Source  
 \* Definition (OSD) compliant license; you may not use this file  
 \* except in compliance with the license. Please see license.txt,  
 \* distributed with this file. You may also obtain a copy of the  
 \* license at <http://www.clc-marketing.com/xslp/license.txt>  
 \*  
 \* The program is provided "as is" without any warranty express or  
 \* implied, including the warranty of non-infringement and the implied  
 \* warranties of merchantability and fitness for a particular purpose.  
 \* The Copyright owner will not be liable for any damages suffered by  
 \* you as a result of using the Program. In no event will the Copyright  
 \* owner be liable for any special, indirect or consequential damages or  
 \* lost profits even if the Copyright owner has been advised of the  
 \* possibility of their occurrence.  
 \*  
 \* \$Id:  
 \* OrderedMap.java,v 1.1.1.1 2003/03/03 07:09:06 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/OrderedMap.java  
 No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written

\* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.



\*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: ScopableResolver.java,v 1.1.1.1 2003/03/03 07:09:34 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/ScopableResolver.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior

written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999,
- 2000 (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: DefaultNaming.java,v 1.1.1.1 2003/03/03 07:09:47 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/util/DefaultNaming.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2003  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \*  
 \* \$Id: SourceGenerator.java,v 1.6 2003/06/02 13:24:10 blandin Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/SourceGenerator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: StringValidator.java,v 1.2 2003/03/03 09:57:21 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/validators/StringValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the

- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: SequenceKeyGenerator.java,v 1.1.1.1 2003/03/03 07:08:15 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/SequenceKeyGenerator.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2000  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id  
 \* Date Author Changes  
 \* 12/05/2000 Arnaud Blandin Added the support for OperationNotSupportedException  
 \* 11/01/2000 Arnaud Blandin Created  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/Century.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2001
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: Structure.java,v 1.1.1.1 2003/03/03 07:09:35 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Structure.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 2001  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: Duration.java,v 1.1.1.1 2003/03/03 07:08:55 kvisco Exp \$  
\* Date Author Changes



\* 07/04/2002 Arnaud Support for milliseconds  
\* 04/18/2002 Arnaud String constructor  
\* 05/22/2000 Arnaud Blandin Created  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/Duration.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: MapItem.java,v 1.1.1.1 2003/03/03 07:08:27 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/MapItem.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: YearDescriptor.java,v 1.2 2003/04/23 06:35:24 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/YearDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ObjectNotPersistentException.java,v 1.1.1.1 2003/03/03 07:08:08 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/ObjectNotPersistentException.java

No license file was found, but licenses were detected in source scan.

/\*

\* (C) Copyright Keith Visco 1998-2002. All rights reserved.

\*

\* The contents of this file are released under an Open Source

\* Definition (OSD) compliant license; you may not use this file

\* except in compliance with the license. Please see license.txt,

\* distributed with this file. You may also obtain a copy of the

\* license at <http://kvisco.com/xslp/license.txt>

\*

\* The program is provided "as is" without any warranty express or

\* implied, including the warranty of non-infringement and the implied

\* warranties of merchantability and fitness for a particular purpose.

\* The Copyright owner will not be liable for any damages suffered by

\* you as a result of using the Program. In no event will the Copyright

\* owner be liable for any special, indirect or consequential damages or

\* lost profits even if the Copyright owner has been advised of the

\* possibility of their occurrence.

\*

\* \$Id: List.java,v 1.1.1.1

2003/03/03 07:09:05 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/List.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/HsqlFactory.java  
 \* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/HsqlQueryExpression.java  
 \* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSListODMG30.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: AttributeGroupUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:36 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/AttributeGroupUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 1999  
\* (C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: Messages.java,v 1.1.1.1 2003/03/03 07:09:06 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/Messages.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*



\* Copyright 1999  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: JNamedMap.java,v 1.1.1.1 2003/03/03 07:09:56 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JNamedMap.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: DefaultObjectFactory.java,v 1.1 2003/04/23 06:36:31 kvisco Exp \$

\*

\* Date Author Changes

\* 04/21/2003 Keith Visco Created

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/DefaultObjectFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: SimpleContent.java,v 1.1 2003/03/03 17:44:01 blandin Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/SimpleContent.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2001

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: QueryAnalyser.java,v 1.1.1.1 2003/03/03 07:08:06 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/gui/QueryAnalyser.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: TypeValidator.java,v 1.1.1.1 2003/03/03 07:09:13 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/TypeValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Exoffice Technologies. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without

prior written

\* permission of Exoffice Technologies. Exolab is a registered

\* trademark of Exoffice Technologies.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY EXOFFICE TECHNOLOGIES AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* EXOFFICE TECHNOLOGIES OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY  
 \* OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999 (C) Exoffice Technologies Inc. All Rights Reserved.  
 \*  
 \* \$Id: MySQLFactory.java,v 1.1.1.1 2003/03/03 07:08:13 kvisco Exp \$  
 \* Date Author Changes  
 \* Nov 3 2000 Leonardo Bueno Created  
 \*  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/MySQLFactory.java  
 No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written

- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: Timestampable.java,v 1.1.1.1 2003/03/03 07:08:08 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/Timestampable.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.

\*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: FacetListEnumerator.java,v 1.1.1.1 2003/03/03 07:09:31 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/FacetListEnumerator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the



- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: CollectionHandlers.java,v 1.2 2003/03/03 09:57:16 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/loader/CollectionHandlers.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a

- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ParseTest.java,v 1.1.1.1 2003/03/03 07:08:24 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/oql/ParseTest.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:

\*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2002  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: MapHandler.java,v 1.1.1.1 2003/03/03 07:08:26 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/MapHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: JNDIImporter.java,v 1.1.1.1 2003/03/03 07:08:03 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/jndi/JNDIImporter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 1999,  
2000 (C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: ContentModelGroup.java,v 1.1.1.1 2003/03/03 07:09:29 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/ContentModelGroup.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 1999-2002

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: ComplexContentUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:37 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/ComplexContentUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: GDayDescriptor.java,v 1.2 2003/04/23 06:35:24 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/GDayDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)



\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: BaseFactory.java,v 1.1.1.1 2003/03/03 07:08:16 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/BaseFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: J1MapHandler.java,v 1.1.1.1 2003/03/03 07:08:28 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/handlers/J1MapHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: CharacterUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:37 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/CharacterUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
 \* Copyright 1999  
 (C) Intalio, Inc. All Rights Reserved.

\*  
 \* \$Id: JDBCSTyntax.java,v 1.1.1.1 2003/03/03 07:08:17 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/JDBCSTyntax.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written

\* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.

\*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: SapDbQueryExpression.java,v 1.1.1.1 2003/03/03 07:08:14 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/SapDbQueryExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior

written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: IncludeUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:40 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/IncludeUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2000  
 (C) Intalio Inc. All Rights Reserved.  
 \*  
 \* \$Id: Token.java,v 1.1.1.1 2003/03/03 07:09:26 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/dtd/parser/Token.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: Importer.java,v 1.1.1.1 2003/03/03 07:08:02 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/Importer.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other



- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: JClass.java,v 1.1.1.1 2003/03/03 07:09:53 kvisco Exp \$
- \*
- \* Contributors:
- \* -----
- \* Keith Visco ([kvisco@intalio.com](mailto:kvisco@intalio.com)) - Original Author
- \* Martin Skopp ([skopp@riege.de](mailto:skopp@riege.de)) - Moved some core code into JStructure
- \* and revised to extend JStructure
- \*
- \*
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JClass.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: MultiRSCallQuery.java,v 1.1.1.1 2003/03/03 07:08:13 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/MultiRSCallQuery.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 2001  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: Time.java,v 1.1.1.1 2003/03/03 07:09:01 kvisco Exp \$  
\* Date Author Changes

\* 10/02/2002 Arnaud Added support for 3 figure millisecond and clean up  
\* 04/18/2002 Arnaud String Constructor  
\* 05/22/2001 Arnaud Blandin Created  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/Time.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XML.java,v 1.1.1.1 2003/03/03 07:08:03 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/XML.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JDOFieldDescriptor.java,v 1.1.1.1 2003/03/03 07:08:17 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/JDOFieldDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999  
(C) Intalio, Inc. All Rights Reserved.

\*

\* This file was adapted From XSL:P

\*

\* \$Id: DOMEEventProducer.java,v 1.1.1.1 2003/03/03 07:09:48 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/util/DOMEEventProducer.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ModelGroupUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:40 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/ModelGroupUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*



\* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: FieldDescriptor.java,v 1.1.1.1 2003/03/03 07:08:26 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/FieldDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior

written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: KeyGenerator.java,v 1.1.1.1 2003/03/03 07:08:51 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/spi/KeyGenerator.java  
No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2000  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: DTXClassDescriptor.java,v 1.1.1.1 2003/03/03 07:08:05 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dtx/DTXClassDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001-2002
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: IdentityConstraintUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:40 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/IdentityConstraintUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other

- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: Sax2ComponentReader.java,v 1.1.1.1 2003/03/03 07:09:40 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/Sax2ComponentReader.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: DurationDescriptor.java,v 1.2 2003/04/23 06:35:24 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/DurationDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: FieldHandlerFriend.java,v 1.1 2003/04/16 06:29:08 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/loader/FieldHandlerFriend.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: NoMoreTokensException.java,v 1.1.1.1 2003/03/03 07:08:22 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/oql/NoMoreTokensException.java

No license file was found, but licenses were detected in source scan.



/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ClobImpl.java,v 1.1.1.1 2003/03/03 07:08:16 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/ClobImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Logger.java,v 1.1.1.1 2003/03/03 07:09:06 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/Logger.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JDocDescriptor.java,v 1.1.1.1 2003/03/03 07:09:54 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JDocDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: TimeInstant.java,v 1.1.1.1 2003/03/03 07:09:02 kvisco Exp \$

\* Date Author Changes

\* 11/02/2000 Arnaud Blandin Changed the constructor

\* 26/10/2000 Arnaud Blandin Created

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/TimeInstant.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: SchemaLocation.java,v 1.1.1.1 2003/03/03 07:09:41 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/SchemaLocation.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: DB2Factory.java,v 1.1.1.1 2003/03/03 07:08:11 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/DB2Factory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.

\*  
 \* \$Id: JNDIEntryConsumer.java,v 1.1.1.1 2003/03/03 07:08:03 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/jndi/JNDIEntryConsumer.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written

\* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.



\*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: TokenTypes.java,v 1.1.1.1 2003/03/03 07:08:25 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/oql/TokenTypes.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior

written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: DatabaseImpl.java,v 1.1.1.1 2003/03/03 07:08:16 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/DatabaseImpl.java  
No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2002  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: FieldInfoFactory.java,v 1.1.1.1 2003/03/03 07:07:43 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/FieldInfoFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: GYearMonth.java,v 1.1.1.1 2003/03/03 07:08:58 kvisco Exp \$
- \* Date Author Changes
- \* 04/18/2002 Arnaud constructor with string
- \* 05/24/2001 Arnaud Blandin Created
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/types/GYearMonth.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2000
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: DeferredSimpleType.java,v 1.1.1.1 2003/03/03 07:09:30 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/DeferredSimpleType.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2002
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: SimpleTypeRestrictionUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:43 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/SimpleTypeRestrictionUnmarshaller.java  
 No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: Mapping.java,v 1.1.1.1 2003/03/03 07:08:27 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/Mapping.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: TimeDurationDescriptor.java,v 1.2 2003/04/23 06:35:24 kvisco Exp \$

\*/

Found in path(s):



\* /castor-0-9-5-sources-jar/org/exolab/castor/types/TimeDurationDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: InvalidCharException.java,v 1.1.1.1 2003/03/03 07:08:22 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/oql/InvalidCharException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: QueryException.java,v 1.1.1.1 2003/03/03 07:08:08 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/QueryException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2001-2002

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: SimpleTypeListUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:42 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/SimpleTypeListUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XSPositiveInteger.java,v 1.1.1.1 2003/03/03 07:08:00 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSPositiveInteger.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2001

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: AnyNode2SAX.java,v 1.1.1.1 2003/03/03 07:09:46 kvisco Exp \$

\* Date Author Changes

\* 04/06/2001 Arnaud Blandin Created

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/util/AnyNode2SAX.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: DebugHandler.java,v 1.1.1.1 2003/03/03 07:09:09 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/DebugHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2000  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: RecurringDurationBase.java,v 1.1.1.1 2003/03/03 07:09:00 kvisco Exp \$  
 \* Date Author Changes  
 \* 12/05/2000 Arnaud Blandin Added the support for NotSupportedOperationException  
 \* 11/07/2000 Arnaud Blandin Added a new constructor and setValues method  
 \* 11/02/2000 Arnaud Blandin Changed the constructor  
 \* 26/10/2000 Arnaud Blandin Created  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/RecurringDurationBase.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,



- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: BooleanValidator.java,v 1.2 2003/03/03 09:57:21 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/validators/BooleanValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2000
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Resolver.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other

- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: SearchDescriptor.java,v 1.1.1.1 2003/03/03 07:08:03 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/SearchDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: DatingService.java,v 1.1.1.1 2003/03/03 07:08:42 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/persist/DatingService.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: TransactionManagerFactoryRegistry.java,v 1.1.1.1 2003/03/03 07:08:25 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/transactionmanager/TransactionManagerFactoryRegistry.java  
 No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2002

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: BindingException.java,v 1.1.1.1 2003/03/03 07:07:49 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/binding/BindingException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: FieldValidator.java,v 1.1.1.1 2003/03/03 07:09:09 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/FieldValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XMLClassDescriptorImpl.java,v 1.1.1.1 2003/03/03 07:09:49 kvisco Exp \$



\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/util/XMLClassDescriptorImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: ElementDecl.java,v 1.2 2003/03/03 09:57:19 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/ElementDecl.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Location.java,v 1.1.1.1 2003/03/03 07:09:10 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/Location.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: URIResolver.java,v 1.1.1.1 2003/03/03 07:08:39 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/net/URIResolver.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JNDIExporter.java,v 1.1.1.1 2003/03/03 07:08:03 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/jndi/JNDIExporter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: IdentityKeyGeneratorFactory.java,v 1.1.1.1 2003/03/03 07:08:12 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/IdentityKeyGeneratorFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
 \* Copyright 1999-2002  
 (C) Intalio, Inc. All Rights Reserved.

\*  
 \* \$Id: XMLException.java,v 1.1.1.1 2003/03/03 07:09:16 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/XMLException.java  
 No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written

\* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.

\*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2002  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: ProcessingInstruction.java,v 1.1.1.1 2003/03/03 07:09:13 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/ProcessingInstruction.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior



written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: GMonthDescriptor.java,v 1.2 2003/04/23 06:35:24 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/GMonthDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2001  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: Key.java,v 1.1.1.1 2003/03/03 07:09:32 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Key.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: OID.java,v 1.1.1.1 2003/03/03 07:08:46 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/persist/OID.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other

- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ObjectLock.java,v 1.1.1.1 2003/03/03 07:08:46 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/persist/ObjectLock.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ClassMolder.java,v 1.4 2003/04/16 21:51:32 mguessan Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/ClassMolder.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: GenericFactory.java,v 1.1.1.1 2003/03/03 07:08:11 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/GenericFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: TransactionNotInProgressException.java,v 1.1.1.1 2003/03/03 07:08:08 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/TransactionNotInProgressException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: GroupInfo.java,v 1.1.1.1 2003/03/03 07:07:43 kvisco Exp \$

\*/

Found in path(s):



\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/GroupInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: FieldHandler.java,v 1.1.1.1 2003/03/03 07:08:26 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/FieldHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ResolvableReference.java,v 1.1.1.1 2003/03/03 07:09:33 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/ResolvableReference.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY
- \* OF SUCH DAMAGE.
- \*
- \* Copyright 2000 (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: Element.java,v 1.1.1.1 2003/03/03 07:09:20 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/dtd/Element.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*

\* Copyright 1999-2002  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: SchemaException.java,v 1.1.1.1 2003/03/03 07:09:34 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/SchemaException.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their  
names without prior written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY  
OF SUCH DAMAGE.

\*

\* Copyright 2000 (C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: Notation.java,v 1.1.1.1 2003/03/03 07:09:20 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/dtd/Notation.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.



\*  
\* Copyright 1999  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: DataObjects.java,v 1.1.1.1 2003/03/03 07:08:07 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/DataObjects.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 1999,  
2000 (C) Intalio, Inc. All Rights Reserved.  
\*  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/util/SAX2DOMHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: DTXEngine.java,v 1.1.1.1 2003/03/03 07:08:05 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dtx/DTXEngine.java

No license file was found, but licenses were detected in source scan.

/\*

\* (C) Copyright Keith Visco 1998, 1999 All rights reserved.

\*

\* The contents of this file are released under an Open Source  
\* Definition (OSD) compliant license; you may not use this file  
\* except in compliance with the license. Please see license.txt,  
\* distributed with this file. You may also obtain a copy of the  
\* license at <http://www.clc-marketing.com/xslp/license.txt>

\*

\* The program is provided "as is" without any warranty express or  
\* implied, including the warranty of non-infringement and the implied  
\* warranties of merchantability and fitness for a particular purpose.  
\* The Copyright owner will not be liable for any damages suffered by  
\* you as a result of using the Program. In no event will the Copyright  
\* owner be liable for any special, indirect or consequential damages or  
\* lost profits even if the Copyright owner has been advised of the  
\* possibility of their occurrence.

\*

\* \$Id:

CommandLineOptions.java,v 1.1.1.1 2003/03/03 07:09:03 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/CommandLineOptions.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ObjectDeletedWaitingForLockException.java,v 1.1.1.1 2003/03/03 07:08:45 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/ObjectDeletedWaitingForLockException.java  
 No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ImportEventListener.java,v 1.1.1.1 2003/03/03 07:08:02 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/ImportEventListener.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ParseTreeNode.java,v 1.1.1.1 2003/03/03 07:08:24 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/oql/ParseTreeNode.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: SaxUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:41 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/SaxUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999



(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ImportExportException.java,v 1.1.1.1 2003/03/03 07:08:02 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/ImportExportException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Exporter.java,v 1.1.1.1 2003/03/03 07:08:02 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/Exporter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: SybaseQueryExpression.java,v 1.1.1.1 2003/03/03 07:08:15 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/SybaseQueryExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their  
names without prior written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY  
OF SUCH DAMAGE.

\*

\* Copyright 2000 (C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: Attribute.java,v 1.1.1.1 2003/03/03 07:09:19 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/dtd/Attribute.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: PatternValidator.java,v 1.1.1.1 2003/03/03 07:09:52 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/validators/PatternValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2000

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: DateTimeType.java,v 1.1.1.1 2003/03/03 07:09:44 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/simpletypes/DateTimeType.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: QueryExpression.java,v 1.1.1.1 2003/03/03 07:08:52 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/spi/QueryExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project



\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: SQLServerQueryExpression.java,v 1.1.1.1 2003/03/03 07:08:15 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/SQLServerQueryExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2000  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: JNaming.java,v 1.1.1.1 2003/03/03 07:09:56 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JNaming.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"

- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: JNDIConsumer.java,v 1.1.1.1 2003/03/03 07:08:03 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/jndi/JNDIConsumer.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.

\*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: MappingTool.java,v 1.2 2003/03/03 09:57:17 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/tools/MappingTool.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$id: \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/TxDatabaseMap.java

No license file was found, but licenses were detected in source scan.

/\*

\* (C) Copyright Keith Visco 1998, 1999 All rights reserved.

\*

- \* The contents of this file are released under an Open Source
- \* Definition (OSD) compliant license; you may not use this file
- \* except in compliance with the license. Please see license.txt,
- \* distributed with this file. You may also obtain a copy of the
- \* license at <http://www.clc-marketing.com/xslp/license.txt>
- \*

- \* The program is provided "as is" without any warranty express or
- \* implied, including the warranty of non-infringement and the implied

- \* warranties of merchantability and fitness for a particular purpose.
- \* The Copyright owner will not be liable for any damages suffered by
- \* you as a result of using the Program. In no event will the Copyright
- \* owner be liable for any special, indirect or consequential damages or
- \* lost profits even if the Copyright owner has been advised of the
- \* possibility of their occurrence.
- \*
- \* The
- original source for this file is XSL:P
- \*
- \* \$Id: AttributeListWrapper.java,v 1.1.1.1 2003/03/03 07:09:47 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/util/AttributeListWrapper.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* Copyright 2000-2001

(C) Intalio, Inc. All Rights Reserved.

\* \$Id: SQLRelationLoader.java,v 1.1.1.1 2003/03/03 07:08:48 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/SQLRelationLoader.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XSNonPositiveInteger.java,v 1.1.1.1 2003/03/03 07:07:59 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSNonPositiveInteger.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*



\* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2001-2002  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \* \$Id: XSGYearMonth.java,v 1.1.1.1 2003/03/03 07:07:58 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSGYearMonth.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: EventProducer.java,v 1.1.1.1 2003/03/03 07:09:09 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/EventProducer.java  
 No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"

- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ExtendedFieldHandler.java,v 1.1.1.1 2003/03/03 07:08:29 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/loader/ExtendedFieldHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.

\*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,

- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: SchemaUnmarshallerState.java,v 1.1.1.1 2003/03/03 07:09:41 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/SchemaUnmarshallerState.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2000
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: TypeReference.java,v 1.1.1.1 2003/03/03 07:09:35 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/TypeReference.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the

- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XSNCName.java,v 1.1.1.1 2003/03/03 07:07:59 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSNCName.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2000  
 \* (C) Intalio Inc. All Rights Reserved.  
 \*  
 \* \$Id: CharStream.java,v 1.1.1.1 2003/03/03 07:09:20 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/dtd/parser/CharStream.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: LocalConfiguration.java,v 1.3 2003/05/01 07:06:32 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/LocalConfiguration.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation



- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: DescriptorSourceFactory.java,v 1.2 2003/03/03 17:09:16 blandin Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/builder/DescriptorSourceFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000  
(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: IDResolver.java,v 1.1.1.1 2003/03/03 07:09:09 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/IDResolver.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their  
names without prior written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY EXOFFICE TECHNOLOGIES AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* EXOFFICE TECHNOLOGIES OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\*

OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000 (C) Intalio Inc. All Rights Reserved.

```

*
* $Id: DTDInitialParser.jj,v 1.1.1.1 2003/03/03 07:09:21 kvisco Exp $
*/

options {
 LOOKAHEAD = 1;
 CHOICE_AMBIGUITY_CHECK = 2;
 OTHER_AMBIGUITY_CHECK = 1;
 STATIC = false;
 DEBUG_PARSER = false;
 DEBUG_LOOKAHEAD = false;
 DEBUG_TOKEN_MANAGER = false;
 ERROR_REPORTING = true;
 JAVA_UNICODE_ESCAPE = false;
 UNICODE_INPUT = false;
 IGNORE_CASE = false;
 USER_TOKEN_MANAGER = false;
 USER_CHAR_STREAM = true;
 BUILD_PARSER = true;
 BUILD_TOKEN_MANAGER = true;
 SANITY_CHECK = true;
 FORCE_LA_CHECK = false;
}

PARSER_BEGIN(DTDInitialParser)

package org.exolab.castor.xml.dtd.parser;

import org.exolab.castor.xml.dtd.DTDException;

import java.util.Hashtable;
import java.io.*;

/**
 * Initial XML DTD parser. Searches for parameter entity declarations
 * and substitutes parameter entity references by
 * corresponding
 * replacement text.
 * @author Alexander Totok
 * @version $Revision: 1.1.1.1 $ $Date: 2003/03/03 07:09:21 $
 */
public class DTDInitialParser {
}

PARSER_END(DTDInitialParser)

TOKEN:
{

```

< #LETTER: ["\u0041"- "\u005A", "\u0061"- "\u007A", "\u00C0"- "\u00D6",  
 "\u00D8"- "\u00F6", "\u00F8"- "\u00FF", "\u0100"- "\u0131",  
 "\u0134"- "\u013E", "\u0141"- "\u0148", "\u014A"- "\u017E",  
 "\u0180"- "\u01C3", "\u01CD"- "\u01F0", "\u01F4"- "\u01F5",  
 "\u01FA"- "\u0217", "\u0250"- "\u02A8", "\u02BB"- "\u02C1",  
 "\u0386", "\u0388"- "\u038A", "\u038C", "\u038E"- "\u03A1",  
 "\u03A3"- "\u03CE", "\u03D0"- "\u03D6", "\u03DA", "\u03DC",  
 "\u03DE", "\u03E0", "\u03E2"- "\u03F3", "\u0401"- "\u040C",  
 "\u040E"- "\u044F", "\u0451"- "\u045C", "\u045E"- "\u0481",  
 "\u0490"- "\u04C4", "\u04C7"- "\u04C8", "\u04CB"- "\u04CC",  
 "\u04D0"- "\u04EB", "\u04EE"- "\u04F5", "\u04F8"- "\u04F9",  
 "\u0531"- "\u0556", "\u0559", "\u0561"- "\u0586",  
 "\u05D0"- "\u05EA", "\u05F0"- "\u05F2", "\u0621"- "\u063A",  
 "\u0641"- "\u064A", "\u0671"- "\u06B7", "\u06BA"- "\u06BE",  
 "\u06C0"- "\u06CE", "\u06D0"- "\u06D3", "\u06D5",  
 "\u06E5"- "\u06E6", "\u0905"- "\u0939", "\u093D",  
 "\u0958"- "\u0961", "\u0985"- "\u098C", "\u098F"- "\u0990",  
 "\u0993"- "\u09A8", "\u09AA"- "\u09B0", "\u09B2",  
 "\u09B6"- "\u09B9", "\u09DC"- "\u09DD", "\u09DF"- "\u09E1",  
 "\u09F0"- "\u09F1", "\u0A05"- "\u0A0A", "\u0A0F"- "\u0A10",  
 "\u0A13"- "\u0A28", "\u0A2A"- "\u0A30", "\u0A32"- "\u0A33",  
 "\u0A35"- "\u0A36", "\u0A38"- "\u0A39", "\u0A59"- "\u0A5C",  
 "\u0A5E", "\u0A72"- "\u0A74", "\u0A85"- "\u0A8B", "\u0A8D",  
 "\u0A8F"- "\u0A91", "\u0A93"- "\u0AA8", "\u0AAA"- "\u0AB0",  
 "\u0AB2"- "\u0AB3", "\u0AB5"- "\u0AB9", "\u0ABD", "\u0AE0",  
 "\u0B05"- "\u0B0C", "\u0B0F"- "\u0B10", "\u0B13"- "\u0B28",  
 "\u0B2A"- "\u0B30", "\u0B32"- "\u0B33", "\u0B36"- "\u0B39",  
 "\u0B3D", "\u0B5C"- "\u0B5D", "\u0B5F"- "\u0B61",  
 "\u0B85"- "\u0B8A", "\u0B8E"- "\u0B90", "\u0B92"- "\u0B95",  
 "\u0B99"- "\u0B9A", "\u0B9C", "\u0B9E"- "\u0B9F",  
 "\u0BA3"- "\u0BA4", "\u0BA8"- "\u0BAA", "\u0BAE"- "\u0BB5",  
 "\u0BB7"- "\u0BB9", "\u0C05"- "\u0C0C", "\u0C0E"- "\u0C10",  
 "\u0C12"- "\u0C28", "\u0C2A"- "\u0C33", "\u0C35"- "\u0C39",  
 "\u0C60"- "\u0C61", "\u0C85"- "\u0C8C", "\u0C8E"- "\u0C90",  
 "\u0C92"- "\u0CA8", "\u0CAA"- "\u0CB3", "\u0CB5"- "\u0CB9",  
 "\u0CDE", "\u0CE0"- "\u0CE1", "\u0D05"- "\u0D0C",  
 "\u0D0E"- "\u0D10", "\u0D12"- "\u0D28", "\u0D2A"- "\u0D39",  
 "\u0D60"- "\u0D61",  
 "\u0E01"- "\u0E2E", "\u0E30",  
 "\u0E32"- "\u0E33", "\u0E40"- "\u0E45", "\u0E81"- "\u0E82",  
 "\u0E84", "\u0E87"- "\u0E88", "\u0E8A", "\u0E8D",  
 "\u0E94"- "\u0E97", "\u0E99"- "\u0E9F", "\u0EA1"- "\u0EA3",  
 "\u0EA5", "\u0EA7", "\u0EAA"- "\u0EAB", "\u0EAD"- "\u0EAE",  
 "\u0EB0", "\u0EB2"- "\u0EB3", "\u0EBD", "\u0EC0"- "\u0EC4",  
 "\u0F40"- "\u0F47", "\u0F49"- "\u0F69", "\u0A0"- "\u0C5",  
 "\u0D0"- "\u0F6", "\u01100", "\u01102"- "\u01103",  
 "\u01105"- "\u01107", "\u01109", "\u0110B"- "\u0110C",  
 "\u0110E"- "\u01112", "\u0113C", "\u0113E", "\u01140", "\u0114C",

"\u114E", "\u1150", "\u1154"-" \u1155", "\u1159",  
"\u115F"-" \u1161", "\u1163", "\u1165", "\u1167", "\u1169",  
"\u116D"-" \u116E", "\u1172"-" \u1173", "\u1175", "\u119E",  
"\u11A8", "\u11AB", "\u11AE"-" \u11AF", "\u11B7"-" \u11B8",  
"\u11BA",  
"\u11BC"-" \u11C2", "\u11EB", "\u11F0", "\u11F9",  
"\u1E00"-" \u1E9B", "\u1EA0"-" \u1EF9", "\u1F00"-" \u1F15",  
"\u1F18"-" \u1F1D", "\u1F20"-" \u1F45", "\u1F48"-" \u1F4D",  
"\u1F50"-" \u1F57", "\u1F59", "\u1F5B", "\u1F5D",  
"\u1F5F"-" \u1F7D", "\u1F80"-" \u1FB4", "\u1FB6"-" \u1FBC",  
"\u1FBE", "\u1FC2"-" \u1FC4", "\u1FC6"-" \u1FCC",  
"\u1FD0"-" \u1FD3", "\u1FD6"-" \u1FDB", "\u1FE0"-" \u1FEC",  
"\u1FF2"-" \u1FF4", "\u1FF6"-" \u1FFC", "\u2126",  
"\u212A"-" \u212B", "\u212E", "\u2180"-" \u2182",  
"\u3041"-" \u3094", "\u30A1"-" \u30FA", "\u3105"-" \u312C",  
"\uAC00"-" \uD7A3", "\u4E00"-" \u9FA5", "\u3007",  
"\u3021"-" \u3029"] >

| < #DIGIT: ["\u0030"-" \u0039", "\u0660"-" \u0669", "\u06F0"-" \u06F9",  
"\u0966"-" \u096F", "\u09E6"-" \u09EF", "\u0A66"-" \u0A6F",  
"\u0AE6"-" \u0AEF", "\u0B66"-" \u0B6F",  
"\u0BE7"-" \u0BEF",  
"\u0C66"-" \u0C6F", "\u0CE6"-" \u0CEF", "\u0D66"-" \u0D6F",  
"\u0E50"-" \u0E59", "\u0ED0"-" \u0ED9", "\u0F20"-" \u0F29"] >

| < #COMBINING\_CHAR: ["\u0300"-" \u0345", "\u0360"-" \u0361", "\u0483"-" \u0486",  
"\u0591"-" \u05A1", "\u05A3"-" \u05B9", "\u05BB"-" \u05BD",  
"\u05BF", "\u05C1"-" \u05C2", "\u05C4", "\u064B"-" \u0652",  
"\u0670", "\u06D6"-" \u06DC", "\u06DD"-" \u06DF",  
"\u06E0"-" \u06E4", "\u06E7"-" \u06E8", "\u06EA"-" \u06ED",  
"\u0901"-" \u0903", "\u093C", "\u093E"-" \u094C", "\u094D",  
"\u0951"-" \u0954", "\u0962"-" \u0963", "\u0981"-" \u0983",  
"\u09BC", "\u09BE", "\u09BF", "\u09C0"-" \u09C4",  
"\u09C7"-" \u09C8", "\u09CB"-" \u09CD", "\u09D7",  
"\u09E2"-" \u09E3", "\u0A02", "\u0A3C", "\u0A3E",

"\u0A3F", "\u0A40"-" \u0A42", "\u0A47"-" \u0A48",  
"\u0A4B"-" \u0A4D", "\u0A70"-" \u0A71", "\u0A81"-" \u0A83",  
"\u0ABC", "\u0ABE"-" \u0AC5", "\u0AC7"-" \u0AC9",  
"\u0ACB"-" \u0ACD", "\u0B01"-" \u0B03", "\u0B3C",  
"\u0B3E"-" \u0B43", "\u0B47"-" \u0B48", "\u0B4B"-" \u0B4D",  
"\u0B56"-" \u0B57", "\u0B82"-" \u0B83", "\u0BBE"-" \u0BC2",  
"\u0BC6"-" \u0BC8", "\u0BCA"-" \u0BCD", "\u0BD7",  
"\u0C01"-" \u0C03", "\u0C3E"-" \u0C44", "\u0C46"-" \u0C48",  
"\u0C4A"-" \u0C4D", "\u0C55"-" \u0C56", "\u0C82"-" \u0C83",  
"\u0CBE"-" \u0CC4", "\u0CC6"-" \u0CC8", "\u0CCA"-" \u0CCD",  
"\u0CD5"-" \u0CD6", "\u0D02"-" \u0D03", "\u0D3E"-" \u0D43",  
"\u0D46"-" \u0D48", "\u0D4A"-" \u0D4D", "\u0D57", "\u0E31",

```

 "\u0E34"-" \u0E3A", "\u0E47"-" \u0E4E",
 "\u0EB1",
 "\u0EB4"-" \u0EB9", "\u0EBB"-" \u0EBC", "\u0EC8"-" \u0ECD",
 "\u0F18"-" \u0F19", "\u0F35", "\u0F37", "\u0F39", "\u0F3E",
 "\u0F3F", "\u0F71"-" \u0F84", "\u0F86"-" \u0F8B",
 "\u0F90"-" \u0F95", "\u0F97", "\u0F99"-" \u0FAD",
 "\u0FB1"-" \u0FB7", "\u0FB9", "\u20D0"-" \u20DC", "\u20E1",
 "\u302A"-" \u302F", "\u3099", "\u309A"] >

| < #EXTENDER: ["\u00B7", "\u02D0", "\u02D1", "\u0387", "\u0640", "\u0E46",
 "\u0EC6", "\u3005", "\u3031"-" \u3035", "\u309D"-" \u309E",
 "\u30FC"-" \u30FE"] >

| < #NAMECHAR: <LETTER> | <DIGIT> | <COMBINING_CHAR> | <EXTENDER> |
 [".", "-", "_", ":", "'] >
| < #NAME: (<LETTER> | ["_", ":", "']) (<NAMECHAR>)* >
}

```

<DEFAULT> TOKEN :

```

{
 < #S: (["\t", "\r", "\n", " "])+ >
 | < TEXT_UNIT: ((~["%", "<"])+ | "%" | "<") >
 | < BEGIN_PE_DECL: "<!ENTITY"
 <S> "%" <S> > : WithinPEdecl
 | < PE_REFERENCE_D: "%" <NAME> "; " >
}

```

<WithinPEdecl> TOKEN :

```

{
 < NAME_OF_PE: (<LETTER> | ["_", ":", "']) (<NAMECHAR>)* >
 | < SPACE: (["\t", "\r", "\n", " "])+ >
 | < START_DQ: "\"" > : WithinEntityValueDQ
 | < START_SQ: "'" > : WithinEntityValueSQ
 | < END_PE_DECL: ">" > : DEFAULT
}

```

<WithinEntityValueDQ> TOKEN :

```

{
 < ENTITY_VALUE_TEXT_DQ: (~["%", "\""])+ >
 | < PE_REFERENCE_DQ: "%" <NAME> "; " >
 | < END_DQ: "\"" > : WithinPEdecl
}

```

<WithinEntityValueSQ> TOKEN :

```

{
 < ENTITY_VALUE_TEXT_SQ: (~["%", "'"])+ >
 | < PE_REFERENCE_SQ: "%" <NAME> "; " >
 | < END_SQ: "'" > : WithinPEdecl
}

```

```

}

/**
 * Main method that starts parsing process.
 * @return result of the parsing process - document with parameter entity
 * references expanded.
 */
String Input() throws DTDEException :
{
 Hashtable parameterEntities = new Hashtable();
 String result = "";
 Token token;
 String peReference;
 String
 key;
 String value;
}
{
 (
 token = <TEXT_UNIT> { result += token.image; }
 |
 token = <PE_REFERENCE_D>
 {
 peReference = token.image;
 key = peReference.substring(1,peReference.length()-1);
 value = (String)parameterEntities.get(key);
 if (value == null) {
 String err = "Initial Parser: parameter entity named \"\" + key;
 err += "\" has not been defined, while is tried to be referenced...";
 throw new DTDEException(err);
 } else {
 result += value;
 }
 }
 |
 PEdecl(parameterEntities)
)*
 <EOF>

 { return result; }
}

/**
 * Parsing procedure corresponding to the Parameter Entity Declaration
 * nonterminal.
 */
void PEdecl(Hashtable parameterEntities) throws DTDEException:
{

```



```

Token token;
String name;
String replacementText;
}
{
<BEGIN_PE_DECL> token = <NAME_OF_PE>
{
 name = token.image;
 if (parameterEntities.containsKey(name)) {
 String err = "Initial Parser: parameter entity named \"\" + name;
 err += "\" has been already defined, while is tried ";
 err += "to be defined again...";
 throw new DTDEException(err);
 }
}
<SPACE> replacementText = EntityValue(parameterEntities)
{ parameterEntities.put(name,replacementText); }
(<SPACE>)? <END_PE_DECL>
}

/**
 * Parsing procedure corresponding to the Entity Value nonterminal.
 */
String EntityValue(Hashtable parameterEntities) throws DTDEException :
{
 Token token;
 String peReference;
 String key;
 String value;
 String replacementText = "";
}
{
 (
 <START_DQ>
 (
 token = <ENTITY_VALUE_TEXT_DQ> { replacementText += token.image; }
 |
 token = <PE_REFERENCE_DQ>
 {
 peReference = token.image;
 key = peReference.substring(1,peReference.length()-1);

value = (String)parameterEntities.get(key);
 if (value == null) {
 String err = "Initial Parser: parameter entity named \"\" + key;
 err += "\" has not been defined, while is tried to be referenced...";
 throw new DTDEException(err);
 } else {

```

```

 replacementText += value;
 }
}
)*
<END_DQ>
|
<START_SQ>
(
 token = <ENTITY_VALUE_TEXT_SQ> { replacementText += token.image; }
|
 token = <PE_REFERENCE_SQ>
 {
 peReference = token.image;
 key = peReference.substring(1,peReference.length()-1);
 value = (String)parameterEntities.get(key);
 if (value == null) {
 String err = "Initial Parser: parameter entity named \"" + key;
 err += "\" has not been defined, while is tried to be referenced...";
 throw new DTDException(err);
 }
 } else {
 replacementText += value;
 }
}
)*
<END_SQ>
)

{ return replacementText; }
}

```

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/dtd/parser/DTDInitialParser.jj

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2000  
 \* (C) Intalio Inc. All Rights Reserved.  
 \*  
 \* \$Id: TypeProperty.java,v 1.1.1.1 2003/03/03 07:09:44 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/simpletypes/factory/TypeProperty.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: AttributeSet.java,v 1.1.1.1 2003/03/03 07:09:08 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/AttributeSet.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a

- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2000
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: BlockList.java,v 1.1.1.1 2003/03/03 07:09:29 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/BlockList.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:

\*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2003  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: XMLClassDescriptorAdapter.java,v 1.2 2003/03/03 09:57:20 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/util/XMLClassDescriptorAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: TransactionManagerAcquireException.java,v 1.1.1.1 2003/03/03 07:08:25 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/transactionmanager/TransactionManagerAcquireException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003  
(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XMLFieldDescriptor.java,v 1.5 2003/04/24 02:09:01 kvisco Exp \$

\*/



Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/XMLFieldDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2001-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JStructure.java,v 1.1.1.1 2003/03/03 07:09:57 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JStructure.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ObjectFactory.java,v 1.1 2003/04/23 06:36:31 kvisco Exp \$

\*

\* Date Author Changes

\* 04/21/2003 Keith Visco Created

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/ObjectFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: MozillaProducer.java,v 1.1.1.1 2003/03/03 07:08:04 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/mozilla/MozillaProducer.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: J2CollectionHandlers.java,v 1.1.1.1 2003/03/03 07:08:31 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/loader/J2CollectionHandlers.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
 \* Copyright 1999  
 (C) Intalio, Inc. All Rights Reserved.

\*  
 \* \$Id: ClassDescriptorImpl.java,v 1.1.1.1 2003/03/03 07:08:29 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/loader/ClassDescriptorImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written

\* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.

\*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2000  
 \* (C) Intalio Inc. All Rights Reserved.  
 \*  
 \* \$Id: SimpleTypeDefinition.java,v 1.1.1.1 2003/03/03 07:09:42 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/SimpleTypeDefinition.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior

written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.

\*

- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).

\*

- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

- \* Copyright 2000
- (C) Intalio, Inc. All Rights Reserved.

\*

- \* \$Id: TimePeriod.java,v 1.1.1.1 2003/03/03 07:09:02 kvisco Exp \$
- \* Date Author Changes
- \* 12/05/2000 Arnaud Blandin Added support for OperationNotSupportedException
- \* 11/02/2000 Arnaud Blandin Changed the constructor
- \* 26/10/2000 Arnaud Blandin Created

\*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/types/TimePeriod.java
- No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.

\*



- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: JDocComment.java,v 1.2 2003/03/08 07:30:52 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/javasource/JDocComment.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the

- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: Parser.java,v 1.1.1.1 2003/03/03 07:08:23 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/oql/Parser.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: SQLServerFactory.java,v 1.1.1.1 2003/03/03 07:08:15 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/SQLServerFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XSShort.java,v 1.1.1.1 2003/03/03 07:08:00 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSShort.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: FacetUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:39 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/FacetUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 2001  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: GYear.java,v 1.1.1.1 2003/03/03 07:08:58 kvisco Exp \$  
\* Date Author Changes

\* 05/24/2001 Arnaud Blandin Created

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/GYear.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: DatabaseRegistry.java,v 1.1.1.1 2003/03/03 07:08:17 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/DatabaseRegistry.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)



\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003  
(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XMLMappingLoader.java,v 1.5 2003/04/23 08:44:42 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/XMLMappingLoader.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: DocumentationUnmarshaller.java,v 1.2 2003/03/03 09:57:20 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/DocumentationUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XSLong.java,v 1.1.1.1 2003/03/03 07:07:59 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSLong.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: FieldInfo.java,v 1.2 2003/03/08 07:35:42 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/FieldInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XSDecimal.java,v 1.1.1.1 2003/03/03 07:07:56 kvisco Exp \$

\* Date      Author      Changes

\* 06/01/2001   Arnaud Blandin   Upgrade to XML Schema Recommendation

\* 10/31/200    Arnaud Blandin   support for min/max, scale&precision facets

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSDecimal.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\*    statements and notices. Redistributions must also contain a

\*    copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\*    above copyright notice, this list of conditions and the

\*    following disclaimer in the documentation and/or other

\*    materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\*    products derived from this Software without prior written

\*    permission of Intalio, Inc. For written permission,

\*    please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: TxSynchronizable.java,v 1.1.1.1 2003/03/03 07:08:50 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/TxSynchronizable.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,

- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: MappingRuntimeException.java,v 1.1.1.1 2003/03/03 07:08:28 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/MappingRuntimeException.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001-2002
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: UnionUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:43 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/UnionUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the



- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: TypeConversion.java,v 1.1.1.1 2003/03/03 07:07:48 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/TypeConversion.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: ClassInfoResolverImpl.java,v 1.1.1.1 2003/03/03 07:08:01 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/util/ClassInfoResolverImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ComponentReader.java,v 1.1.1.1 2003/03/03 07:09:38 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/ComponentReader.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: MozillaExporter.java,v 1.1.1.1 2003/03/03 07:08:04 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/mozilla/MozillaExporter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 1999  
\* (C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: PersistenceEngineFactory.java,v 1.1.1.1 2003/03/03 07:08:47 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/PersistenceEngineFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 2002

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: BindingComponent.java,v 1.1.1.1 2003/03/03 07:07:40 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/BindingComponent.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 1999  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: MappingResolver.java,v 1.1.1.1 2003/03/03 07:08:28 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/MappingResolver.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)



\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: AttributeGroupDecl.java,v 1.2 2003/03/03 09:57:19 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/AttributeGroupDecl.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: SimpleQueryExecutor.java,v 1.1.1.1 2003/03/03 07:08:18 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/SimpleQueryExecutor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2000

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: AnyURIType.java,v 1.1.1.1 2003/03/03 07:09:43 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/simpletypes/AnyURIType.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* Copyright 1999-2002  
(C) Intalio, Inc. All Rights Reserved.

\*  
\* \$Id: XSBinary.java,v 1.1.1.1 2003/03/03 07:07:55 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSBinary.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: JDOMappingLoader.java,v 1.2 2003/03/25 10:00:03 mguessan Exp \$  
 \*/  
 /\*\*  
 \* Used by the constructor for creating key generators.  
 \* Each database must have a proprietary KeyGeneratorRegistry instance  
 \* Otherwise it is impossible to implement correctly stateful  
 \* key generator algorithms like HIGH-LOW.  
 \* See {@link #loadMapping}.  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/JDOMappingLoader.java  
 No license file was found, but licenses were detected in source scan.

/\*\*  
 \* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*/

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: TransactionContextImpl.java,v 1.2 2003/03/03 17:14:16 blandin Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/TransactionContextImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the

- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: GroupNaming.java,v 1.1.1.1 2003/03/03 07:07:43 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/builder/GroupNaming.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2002  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: GroupUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:39 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/GroupUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*



- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: FileLocation.java,v 1.1.1.1 2003/03/03 07:09:09 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/FileLocation.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XAResourceImpl.java,v 1.1.1.1 2003/03/03 07:08:50 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/persist/XAResourceImpl.java

No license file was found, but licenses were detected in source scan.

```
/*
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
* statements and notices. Redistributions must also contain a
* copy of this document.
*
* 2. Redistributions in binary form must reproduce the
* above copyright notice, this list of conditions and the
* following disclaimer in the documentation and/or other
* materials provided with the distribution.
*
* 3. The name "Exolab" must not be used to endorse or promote
* products derived from this Software without prior written
* permission of Intalio, Inc. For written permission,
* please contact info@exolab.org.
*
* 4. Products derived from this Software may not be called "Exolab"
* nor may "Exolab" appear in their names without prior
* written
* permission of Intalio, Inc. Exolab is a registered
* trademark of Intalio, Inc.
*
* 5. Due credit should be given to the Exolab Project
* (http://www.exolab.org/).
*
* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 2001
* (C) Intalio, Inc. All Rights Reserved.
*
* $Id: GDay.java,v 1.1.1.1 2003/03/03 07:08:56 kvisco Exp $
* Date Author Changes
```

\* 04/18/2002 Arnaud String constructor  
\* 05/24/2001 Arnaud Blandin Created  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/GDay.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* Copyright 1999  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* The Original Source for this file is XSL:P  
\*  
\* \$Id: Stack.java,v 1.1.1.1 2003/03/03 07:09:07 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/Stack.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: PrintImportListener.java,v 1.1.1.1 2003/03/03 07:08:04 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/tools/PrintImportListener.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XSDatetime.java,v 1.1.1.1 2003/03/03 07:07:56 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSDatetime.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000-2001

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ConsoleDialog.java,v 1.1.1.1 2003/03/03 07:08:01 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/util/ConsoleDialog.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project



\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: ListType.java,v 1.1.1.1 2003/03/03 07:09:44 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/simpletypes/ListType.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2000  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: SimpleType.java,v 1.1.1.1 2003/03/03 07:09:34 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/SimpleType.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"

- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: SimpleTypeUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:43 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/SimpleTypeUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.

\*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,

- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2002-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: URIUtils.java,v 1.1.1.1 2003/03/03 07:08:39 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/net/util/URIUtils.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001-2002
- (C) Intalio, Inc. All Rights Reserved.
- \* \$Id: XSGMonthDay.java,v 1.1.1.1 2003/03/03 07:07:57 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSGMonthDay.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other

- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: SchemaUnmarshaller.java,v 1.2 2003/03/03 17:26:36 blandin Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/SchemaUnmarshaller.java  
 No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XSAnyURI.java,v 1.1.1.1 2003/03/03 07:07:55 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSAnyURI.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: CallbackInterceptor.java,v 1.1.1.1 2003/03/03 07:08:50 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/spi/CallbackInterceptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided



\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ValidityException.java,v 1.1.1.1 2003/03/03 07:08:28 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/ValidityException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: MappingLoader.java,v 1.4 2003/04/23 08:50:51 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/loader/MappingLoader.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JConstructor.java,v 1.1.1.1 2003/03/03 07:09:54 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JConstructor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their

names without prior written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY EXOFFICE TECHNOLOGIES AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* EXOFFICE TECHNOLOGIES OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\*

OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000 (C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: DTDParser.jj,v 1.1.1.1 2003/03/03 07:09:24 kvisco Exp \$

\*/

```
options {
 LOOKAHEAD = 3;
 CHOICE_AMBIGUITY_CHECK = 2;
 OTHER_AMBIGUITY_CHECK = 1;
 STATIC = false;
 DEBUG_PARSER = false;
 DEBUG_LOOKAHEAD = false;
 DEBUG_TOKEN_MANAGER = false;
 ERROR_REPORTING = true;
 JAVA_UNICODE_ESCAPE = false;
 UNICODE_INPUT = false;
 IGNORE_CASE = false;
 USER_TOKEN_MANAGER = false;
 USER_CHAR_STREAM = true;
 BUILD_PARSER = true;
 BUILD_TOKEN_MANAGER = true;
 SANITY_CHECK = true;
 FORCE_LA_CHECK = false;
}
```

PARSER\_BEGIN(DTDParser)

package org.exolab.castor.xml.dtd.parser;

import org.exolab.castor.xml.dtd.\*;

import java.io.\*;

/\*\*

\* Main XML DTD parser. Parses DTD documents with <b>parameter entity

\* references</b> already substituted by corresponding <b>replacement text</b>.

\* Constructs DTD document object.

\* @author <a

href="mailto:totok@intalio.com">Alexander Totok</a>

\* @version \$Revision: 1.1.1.1 \$ \$Date: 2003/03/03 07:09:24 \$

\*/

```
public class DTDParser {
}
```

PARSER\_END(DTDParser)

TOKEN :

{

< #LETTER: ["\u0041"- "\u005A", "\u0061"- "\u007A", "\u00C0"- "\u00D6",  
"\u00D8"- "\u00F6", "\u00F8"- "\u00FF", "\u0100"- "\u0131",  
"\u0134"- "\u013E", "\u0141"- "\u0148", "\u014A"- "\u017E",  
"\u0180"- "\u01C3", "\u01CD"- "\u01F0", "\u01F4"- "\u01F5",  
"\u01FA"- "\u0217", "\u0250"- "\u02A8", "\u02BB"- "\u02C1",  
"\u0386", "\u0388"- "\u038A", "\u038C", "\u038E"- "\u03A1",  
"\u03A3"- "\u03CE", "\u03D0"- "\u03D6", "\u03DA", "\u03DC",  
"\u03DE", "\u03E0", "\u03E2"- "\u03F3", "\u0401"- "\u040C",  
"\u040E"- "\u044F", "\u0451"- "\u045C", "\u045E"- "\u0481",  
"\u0490"- "\u04C4", "\u04C7"- "\u04C8", "\u04CB"- "\u04CC",  
"\u04D0"- "\u04EB", "\u04EE"- "\u04F5", "\u04F8"- "\u04F9",  
"\u0531"- "\u0556", "\u0559", "\u0561"- "\u0586",  
"\u05D0"- "\u05EA", "\u05F0"- "\u05F2", "\u0621"- "\u063A",  
"\u0641"- "\u064A", "\u0671"- "\u06B7", "\u06BA"- "\u06BE",  
"\u06C0"- "\u06CE", "\u06D0"- "\u06D3", "\u06D5",  
"\u06E5"- "\u06E6", "\u0905"- "\u0939", "\u093D",  
"\u0958"- "\u0961", "\u0985"- "\u098C", "\u098F"- "\u0990",  
"\u0993"- "\u09A8", "\u09AA"- "\u09B0", "\u09B2",  
"\u09B6"- "\u09B9", "\u09DC"- "\u09DD", "\u09DF"- "\u09E1",  
"\u09F0"- "\u09F1", "\u0A05"- "\u0A0A", "\u0A0F"- "\u0A10",  
"\u0A13"- "\u0A28", "\u0A2A"- "\u0A30", "\u0A32"- "\u0A33",  
"\u0A35"- "\u0A36", "\u0A38"- "\u0A39", "\u0A59"- "\u0A5C",  
"\u0A5E", "\u0A72"- "\u0A74", "\u0A85"- "\u0A8B", "\u0A8D",  
"\u0A8F"- "\u0A91", "\u0A93"- "\u0AA8", "\u0AAA"- "\u0AB0",  
"\u0AB2"- "\u0AB3", "\u0AB5"- "\u0AB9",  
"\u0ABD", "\u0AE0",  
"\u0B05"- "\u0B0C", "\u0B0F"- "\u0B10", "\u0B13"- "\u0B28",  
"\u0B2A"- "\u0B30", "\u0B32"- "\u0B33", "\u0B36"- "\u0B39",  
"\u0B3D", "\u0B5C"- "\u0B5D", "\u0B5F"- "\u0B61",  
"\u0B85"- "\u0B8A", "\u0B8E"- "\u0B90", "\u0B92"- "\u0B95",  
"\u0B99"- "\u0B9A", "\u0B9C", "\u0B9E"- "\u0B9F",  
"\u0BA3"- "\u0BA4", "\u0BA8"- "\u0BAA", "\u0BAE"- "\u0BB5",  
"\u0BB7"- "\u0BB9", "\u0C05"- "\u0C0C", "\u0C0E"- "\u0C10",  
"\u0C12"- "\u0C28", "\u0C2A"- "\u0C33", "\u0C35"- "\u0C39",  
"\u0C60"- "\u0C61", "\u0C85"- "\u0C8C", "\u0C8E"- "\u0C90",  
"\u0C92"- "\u0CA8", "\u0CAA"- "\u0CB3", "\u0CB5"- "\u0CB9",  
"\u0CDE", "\u0CE0"- "\u0CE1", "\u0D05"- "\u0D0C",  
"\u0D0E"- "\u0D10", "\u0D12"- "\u0D28", "\u0D2A"- "\u0D39",  
"\u0D60"- "\u0D61", "\u0E01"- "\u0E2E", "\u0E30",  
"\u0E32"- "\u0E33",  
"\u0E40"- "\u0E45", "\u0E81"- "\u0E82",  
"\u0E84", "\u0E87"- "\u0E88", "\u0E8A", "\u0E8D",  
"\u0E94"- "\u0E97", "\u0E99"- "\u0E9F", "\u0EA1"- "\u0EA3",  
"\u0EA5", "\u0EA7", "\u0EAA"- "\u0EAB", "\u0EAD"- "\u0EAE",  
"\u0EB0", "\u0EB2"- "\u0EB3", "\u0EBD", "\u0EC0"- "\u0EC4",  
"\u0F40"- "\u0F47", "\u0F49"- "\u0F69", "\u10A0"- "\u10C5",  
"\u10D0"- "\u10F6", "\u1100", "\u1102"- "\u1103",  
"\u1105"- "\u1107", "\u1109", "\u110B"- "\u110C",

"\u110E"-" \u1112", "\u113C", "\u113E", "\u1140", "\u114C",  
"\u114E", "\u1150", "\u1154"-" \u1155", "\u1159",  
"\u115F"-" \u1161", "\u1163", "\u1165", "\u1167", "\u1169",  
"\u116D"-" \u116E", "\u1172"-" \u1173", "\u1175", "\u119E",  
"\u11A8", "\u11AB", "\u11AE"-" \u11AF", "\u11B7"-" \u11B8",  
"\u11BA", "\u11BC"-" \u11C2", "\u11EB", "\u11F0", "\u11F9",  
"\u1E00"-" \u1E9B", "\u1EA0"-" \u1EF9", "\u1F00"-" \u1F15",  
"\u1F18"-" \u1F1D", "\u1F20"-" \u1F45", "\u1F48"-" \u1F4D",  
"\u1F50"-" \u1F57", "\u1F59", "\u1F5B", "\u1F5D",  
"\u1F5F"-" \u1F7D", "\u1F80"-" \u1FB4", "\u1FB6"-" \u1FBC",  
"\u1FBE", "\u1FC2"-" \u1FC4", "\u1FC6"-" \u1FCC",  
"\u1FD0"-" \u1FD3", "\u1FD6"-" \u1FDB", "\u1FE0"-" \u1FEC",  
"\u1FF2"-" \u1FF4", "\u1FF6"-" \u1FFC", "\u2126",  
"\u212A"-" \u212B", "\u212E", "\u2180"-" \u2182",  
"\u3041"-" \u3094", "\u30A1"-" \u30FA", "\u3105"-" \u312C",  
"\uAC00"-" \uD7A3", "\u4E00"-" \u9FA5", "\u3007",  
"\u3021"-" \u3029"] >

| < #DIGIT: ["\u0030"-" \u0039", "\u0660"-" \u0669", "\u06F0"-" \u06F9",  
"\u0966"-" \u096F", "\u09E6"-" \u09EF", "\u0A66"-" \u0A6F",  
"\u0AE6"-" \u0AEF", "\u0B66"-" \u0B6F", "\u0BE7"-" \u0BEF",  
"\u0C66"-" \u0C6F",  
"\u0CE6"-" \u0CEF", "\u0D66"-" \u0D6F",  
"\u0E50"-" \u0E59", "\u0ED0"-" \u0ED9", "\u0F20"-" \u0F29"] >

| < #COMBINING\_CHAR: ["\u0300"-" \u0345", "\u0360"-" \u0361", "\u0483"-" \u0486",  
"\u0591"-" \u05A1", "\u05A3"-" \u05B9", "\u05BB"-" \u05BD",  
"\u05BF", "\u05C1"-" \u05C2", "\u05C4", "\u064B"-" \u0652",  
"\u0670", "\u06D6"-" \u06DC", "\u06DD"-" \u06DF",  
"\u06E0"-" \u06E4", "\u06E7"-" \u06E8", "\u06EA"-" \u06ED",  
"\u0901"-" \u0903", "\u093C", "\u093E"-" \u094C", "\u094D",  
"\u0951"-" \u0954", "\u0962"-" \u0963", "\u0981"-" \u0983",  
"\u09BC", "\u09BE", "\u09BF", "\u09C0"-" \u09C4",  
"\u09C7"-" \u09C8", "\u09CB"-" \u09CD", "\u09D7",  
"\u09E2"-" \u09E3", "\u0A02", "\u0A3C", "\u0A3E",  
"\u0A3F", "\u0A40"-" \u0A42", "\u0A47"-" \u0A48",

"\u0A4B"-" \u0A4D", "\u0A70"-" \u0A71", "\u0A81"-" \u0A83",  
"\u0ABC", "\u0ABE"-" \u0AC5", "\u0AC7"-" \u0AC9",  
"\u0ACB"-" \u0ACD", "\u0B01"-" \u0B03", "\u0B3C",  
"\u0B3E"-" \u0B43", "\u0B47"-" \u0B48", "\u0B4B"-" \u0B4D",  
"\u0B56"-" \u0B57", "\u0B82"-" \u0B83", "\u0BBE"-" \u0BC2",  
"\u0BC6"-" \u0BC8", "\u0BCA"-" \u0BCD", "\u0BD7",  
"\u0C01"-" \u0C03", "\u0C3E"-" \u0C44", "\u0C46"-" \u0C48",  
"\u0C4A"-" \u0C4D", "\u0C55"-" \u0C56", "\u0C82"-" \u0C83",  
"\u0CBE"-" \u0CC4", "\u0CC6"-" \u0CC8", "\u0CCA"-" \u0CCD",  
"\u0CD5"-" \u0CD6", "\u0D02"-" \u0D03", "\u0D3E"-" \u0D43",  
"\u0D46"-" \u0D48", "\u0D4A"-" \u0D4D", "\u0D57", "\u0E31",

```

 "\u0E34"-" \u0E3A", "\u0E47"-" \u0E4E", "\u0EB1",
 "\u0EB4"-" \u0EB9", "\u0EBB"-" \u0EBC",
 "\u0EC8"-" \u0ECD",
 "\u0F18"-" \u0F19", "\u0F35", "\u0F37", "\u0F39", "\u0F3E",
 "\u0F3F", "\u0F71"-" \u0F84", "\u0F86"-" \u0F8B",
 "\u0F90"-" \u0F95", "\u0F97", "\u0F99"-" \u0FAD",
 "\u0FB1"-" \u0FB7", "\u0FB9", "\u20D0"-" \u20DC", "\u20E1",
 "\u302A"-" \u302F", "\u3099", "\u309A"] >

| < #EXTENDER: ["\u00B7", "\u02D0", "\u02D1", "\u0387", "\u0640", "\u0E46",
 "\u0EC6", "\u3005", "\u3031"-" \u3035", "\u309D"-" \u309E",
 "\u30FC"-" \u30FE"] >

| < #NAMECHAR: <LETTER> | <DIGIT> | <COMBINING_CHAR> | <EXTENDER> |
 [".", "-", "_", ":"] >
}

```

<DEFAULT> TOKEN :

```

{
 < S: (["\t", "\r", "\n", " "])+ >
 | < LEFT_PAREN: "(" >
 | < RIGHT_PAREN: ")" >
 | < OR: "|" >
 | < AND: "," >
 | < STAR: "*" >
 | < QUESTION: "?" >
 | < PLUS: "+" >
 | < ANY: "ANY" >
 | < EMPTY: "EMPTY" >
 | < BEGIN_ELEMENT_DECL: "<!ELEMENT" >
 | < END_ELEMENT_DECL: ">" >
 | < PCDATA: "#PCDATA">
 | < BEGIN_ATTR_DECL: "<!ATTLIST" > : WithinAttrDecl
 | < BEGIN_COMMENT: "<!--" > : WithinComment
 | < BEGIN_GE_DECL: "<!ENTITY" > : WithinGEDecl
 | < BEGIN_NOTATION_DECL: "<!NOTATION" > : WithinNotationDecl
 | < NAME: (<LETTER> | ["_", ":"]) (<NAMECHAR>)* >
}

```

<WithinComment> TOKEN :

```

{
 < COMMENT_CHAR: ["\t", "\r", "\n", "\u0020"-" \u002c", "\u002e"-" \uD7ff",
 "\uE000"-" \uFFFD"] >
 | < DASH: "-" >
 | < END_COMMENT: "-->" > : DEFAULT
}

```

<WithinAttrDecl> TOKEN :



```

{
 < S_ATTR: (["t","r","n"," "])+ >
| < LEFT_PAREN_ATTR: "(" >
| < RIGHT_PAREN_ATTR: ")" >
| < OR_ATTR: "|" >
| < CDATA: "CDATA" >
| < ID: "ID" >
| < IDREF: "IDREF" >
| < IDREFS: "IDREFS" >
| < ENTITY: "ENTITY" >
| < ENTITIES: "ENTITIES" >
| < NMTOKEN: "NMTOKEN" >
| < NMTOKENS: "NMTOKENS" >
| < NOTATION: "NOTATION" >
| < REQUIRED: "#REQUIRED" >
| < IMPLIED: "#IMPLIED" >
| < FIXED: "#FIXED" >
| < START_DQ_ATTR: "\"" > : WithinAttrValueDQ
| < START_SQ_ATTR: "'" > : WithinAttrValueSQ
| < END_ATTR_DECL: ">" > : DEFAULT
| < NAME_ATTR: (<LETTER> | ["_",":"]) (<NAMECHAR>)* >
| < NMTOKEN_ATTR: (<NAMECHAR>)+ >
}

```

<WithinAttrValueDQ> TOKEN :

```

{
 < ATTR_VALUE_CHAR_DQ: ~["\"", "<"] >
| < END_DQ_ATTR: "\"" > : WithinAttrDecl
}

```

<WithinAttrValueSQ> TOKEN :

```

{
 < ATTR_VALUE_CHAR_SQ: ~["'", "<"] >
| < END_SQ_ATTR: "'" > : WithinAttrDecl
}

```

<WithinGEDecl> TOKEN :

```

{
 < S_GE: (["t","r","n"," "])+ >
| < END_GE_DECL: ">" > : DEFAULT
| < START_DQ_GE: "\"" > : WithinGEValueDQ
| < START_SQ_GE: "'" > : WithinGEValueSQ
| < PUBLIC_GE: "PUBLIC" (["t","r","n"," "])+ > : Public_GE
| < SYSTEM_GE: "SYSTEM" (["t","r","n"," "])+ > : System_GE
| < NDATA: "NDATA" >
| < NAME_GE: (<LETTER> | ["_",":"]) (<NAMECHAR>)* >
}

```

<System\_GE>

TOKEN :

```
{
 < SYSLITER_GE: ("\"" (~["\""]) * "\""
 | "'" (~["'"]) * "'") > : WithinGEDecl
}
```

<Public\_GE> TOKEN :

```
{
 < #PUBIDCHAR_GE: [" ", "\r", "\n", "a"-"z", "A"-"Z", "!", "#"-"%", "("-";", "=", "?"-"@", "_"] >
 | < PUBLITER_GE: ("\"" (<PUBIDCHAR_GE> | "'") * "\""
 | "'" (<PUBIDCHAR_GE> | "\"") * "'") >
 | < S_GE_PUB: (["\t", "\r", "\n", " "] + > : System_GE
}
```

<WithinGEValueDQ> TOKEN :

```
{
 < GE_VAIUE_CHAR_DQ: ~["%", "\""] >
 | < END_DQ_GE: "\"" > : WithinGEDecl
}
```

<WithinGEValueSQ> TOKEN :

```
{
 < GE_VAIUE_CHAR_SQ: ~["%", "'"] >
 | < END_SQ_GE: "'" > : WithinGEDecl
}
```

<WithinNotationDecl> TOKEN:

```
{
 < S_NOT: (["\t", "\r", "\n", " "] + >
 | < PUBLIC_NOT: "PUBLIC" (["\t", "\r", "\n", " "] + > : Public_NOT
 | < SYSTEM_NOT: "SYSTEM" (["\t", "\r", "\n", " "] + > : System_NOT
 | < NAME_NOT: (<LETTER> | ["_", ":"]) (<NAMECHAR>) * >
}
```

<System\_NOT> TOKEN:

```
{
 < SYSLITER_NOT: (
 "\"" (~["\""]) * "\""
 | "'" (~["'"]) * "'") >
 | < S_NOT_SYS: (["\t", "\r", "\n", " "] + >
 | < END_NOTATION_DECL: ">" > : DEFAULT
}
```

<Public\_NOT> TOKEN:

```
{
 < #PUBIDCHAR_NOT: [" ", "\r", "\n", "a"-"z", "A"-"Z", "!", "#"-"%", "("-";", "=", "?"-"@", "_"] >
 | < PUBLITER_NOT: ("\"" (<PUBIDCHAR_NOT> | "'") * "\""
 | "'" (<PUBIDCHAR_NOT> | "\"") * "'") >
}
```

```

 | "" (<PUBIDCHAR_NOT> | "") * "") > : System_NOT
 }

/**
 * Main parsing method that starts parsing process.
 * @return corresponding DTD document object.
 */
DTDdocument Input() throws DTDException :
{
 DTDdocument document = new DTDdocument();
}
{
 (<S>)?
 (
 ElementDecl(document) (<S>)?
 |
 AttlistDecl(document) (<S>)?
 |
 GEntityDecl(document) (<S>)?
 |
 NotationDecl(document) (<S>)?
 |
 Comment() (<S>)?
) *
 <EOF>

 { return document; }
}

/**
 * Parsing procedure corresponding to the Element Declaration nonterminal.
 * @param document
 * DTD document to add this Element Declaration to.
 */
void ElementDecl(DTDdocument document) throws DTDException :
{
 Token token;
 Element element = new Element(document);
 ContentParticle cp;
}
{
 <BEGIN_ELEMENT_DECL> <S>
 token = <NAME> { element.setName(token.image); }
 <S>
 (
 <ANY> { element.setAnyContent(); }
 |
 <EMPTY> { element.setEmptyContent(); }

```

```

|
(
 Mixed(element)
|
 cp = SeqOrChoiceContPart()
 (OccuranceSpecification(cp))?
 { element.setElemOnlyContent(cp); }
)
)
(<S>)? <END_ELEMENT_DECL>

{ document.addElement(element); }
}

/**
 * Parsing procedure corresponding to the Mixed Element Content
 * nonterminal.
 * @param element Element which content is being defined.
 */
void Mixed(Element element) throws DTDEException :
{
 Token token;
}
{
 <LEFT_PAREN> (<S>)? <PCDATA> (<S>)? { element.setMixedContent(); }
 (
 (
 <OR> (<S>)? token = <NAME> (<S>)?
 { element.addMixedContentChild(token.image); }
)+
 <RIGHT_PAREN> <STAR>
 |
 <RIGHT_PAREN>
)
}

/**
 * Parsing procedure corresponding to the Content Particle nonterminal.
 * @return corresponding Content Particle object.
 */
ContentParticle ContPart() :
{
 ContentParticle cp;
 Token token;
}
{
 (
 token = <NAME> { cp = new ContentParticle(token.image); }

```

```

|
 cp = SeqOrChoiceContPart()
)
(OccuranceSpecification(cp))?

{ return cp; }
}

/**
 * Parsing procedure corresponding to the Content Particle nonterminal
 * of the partial form: choice list of content particles, or sequence list
 * of content particles.
 * @return corresponding Content Particle object.
 */
ContentParticle SeqOrChoiceContPart() :
{
 ContentParticle cp = new ContentParticle();
 ContentParticle auxilCP;
}
{
 <LEFT_PAREN> (<S>)? auxilCP = ContPart()
 (<S>)?
 (
 (
 <OR> { cp.addChild(auxilCP); }
 (<S>)? auxilCP = ContPart() (<S>)?
)+
 { cp.addChild(auxilCP); cp.setChoiceType(); }
 <RIGHT_PAREN>
|
 (
 <AND> { cp.addChild(auxilCP); }
 (<S>)? auxilCP = ContPart() (<S>)?
)+
 { cp.addChild(auxilCP); cp.setSeqType(); }
 <RIGHT_PAREN>
|
 <RIGHT_PAREN> { cp = auxilCP; }
)

{ return cp; }
}

/**
 * Method to parse occurance specification of a Content Particle,
 * that is "?", "*" or "+".
 * @param cp Content Particle being processed.
 */

```

```

void OccuranceSpecification(ContentParticle cp) :
{
{
(
<STAR> { cp.setZeroOrMoreOccurrences(); }
|
<PLUS>
{
if (cp.isOneOccurance() || cp.isOneOrMoreOccurrences())
cp.setOneOrMoreOccurrences();
else cp.setZeroOrMoreOccurrences();
}
|
<QUESTION>
{
if (cp.isOneOccurance() || cp.isZeroOrOneOccurance())
cp.setZeroOrOneOccurance();
else cp.setZeroOrMoreOccurrences();
}
)
}

/**
 * Parsing procedure corresponding to the Attribute Declaration nonterminal.
 * @param document DTD document to add this Attribute Declaration to.
 */
void AttlistDecl(DTDdocument document) throws DTDException :
{
Token token;
Element element;
Attribute attribute;
String str;
}
{
<BEGIN_ATTR_DECL> <S_ATTR> token = <NAME_ATTR>
{
element = document.getElement(token.image);
if (element == null) {
String err = "Main parser: element \"" + token.image + "\" has not been";
err += " defined, while its attribute is being defined...";
throw new DTDException(err);
}
}
}
(
<S_ATTR> token = <NAME_ATTR> <S_ATTR>
{ attribute = new Attribute(element, token.image); }
(
<CDATA>

```

```

 { attribute.setStringType(); }
|
<ID>
 { attribute.setIDType(); }
|
<IDREF>
 { attribute.setIDREFType(); }
|
<IDREFS>
 { attribute.setIDREFSType(); }
|
<ENTITY>
 { attribute.setENTITYType(); }
|
<ENTITIES>
 { attribute.setENTITIESType(); }
|
<NMTOKEN>
 { attribute.setNMTOKENType(); }
|
<NMTOKENS>
 { attribute.setNMTOKENSType(); }
|
<NOTATION> <S_ATTR>
 { attribute.setNOTATIONType(); }
<LEFT_PAREN_ATTR> (<S_ATTR>)? token = <NAME_ATTR> (<S_ATTR>)?
 { attribute.addValue(token.image); }
(
 <OR_ATTR> (<S_ATTR>)? token = <NAME_ATTR> (<S_ATTR>)?
 { attribute.addValue(token.image); }
)*
<RIGHT_PAREN_ATTR>
|
<LEFT_PAREN_ATTR> (<S_ATTR>)?
(token = <NAME_ATTR> | token = <NMTOKEN_ATTR>)
(<S_ATTR>)?
 { attribute.addValue(token.image); }
}

(
 <OR_ATTR> (<S_ATTR>)?
 (token = <NAME_ATTR> | token = <NMTOKEN_ATTR>)
 (<S_ATTR>)?
 { attribute.addValue(token.image); }
)*
<RIGHT_PAREN_ATTR>
 { attribute.setEnumerationType(); }
)
<S_ATTR>

```

```

(
 <REQUIRED>
 { attribute.setREQUIRED(); }
|
 <IMPLIED>
 { attribute.setIMPLIED(); }
|
 <FIXED> <S_ATTR>
 str = AttrValue()
 {
 attribute.setDefaultValue(str);
 attribute.setFIXED();
 }
|
 str = AttrValue()
 { attribute.setDefaultValue(str); }
)
{ element.addAttribute(attribute); }
)+
(<S_ATTR>)? <END_ATTR_DECL>
}

/**
 * Parsing procedure corresponding to the Attribute Value nonterminal.
 * @return String containing parsed value.
 */
String AttrValue() :
{
 Token token;
 String value = "";
}
{
 (
 <START_DQ_ATTR>
 (
 token = <ATTR_VALUE_CHAR_DQ>
 { value += token.image; }
)*
 <END_DQ_ATTR>
 |
 <START_SQ_ATTR>
 (
 token = <ATTR_VALUE_CHAR_SQ>
 { value += token.image; }
)*
 <END_SQ_ATTR>
)
 { return value; }
}

```



```

}

/**
 * Parsing procedure corresponding to the General Entity
 * Declaration nonterminal.
 * @param document DTD document to add this General Entity Declaration to.
 */
void GEntityDecl(DTDdocument document) :
{
 Token token;
 GeneralEntity ge;
 String str;
 String pubLit;
 String sysLit;
}
{
 <BEGIN_GE_DECL> <S_GE> token = <NAME_GE> <S_GE>
 { ge = new GeneralEntity(document, token.image); }
 (
 str = GEValue()
 { ge.setValue(str); }
 |
 (
 <PUBLIC_GE>
 token = <PUBLITER_GE>
 {
 str = token.image;
 pubLit = str.substring(1,str.length()-1);
 }

 <S_GE_PUB>
 token = <SYSLITER_GE>
 {
 str = token.image;
 sysLit = str.substring(1,str.length()-1);
 ge.setExternalPublic(pubLit,sysLit);
 }
 |
 <SYSTEM_GE>
 token = <SYSLITER_GE>
 {
 str = token.image;
 sysLit = str.substring(1,str.length()-1);
 ge.setExternalSystem(sysLit);
 }
)
)
 (
 <S_GE> <NDATA> <S_GE>

```

```

 token = <NAME_GE>
 { ge.setNDATA(token.image); }
)?
)
(<S_GE>)? <END_GE_DECL>

```

```

 { document.addGeneralEntity(ge); }
}

```

/\*\*

\* Parsing procedure corresponding to the <b>General Entity Value</b> nonterminal.

\* @return String containing parsed value.

\*/

String GEValue() :

```

{
 Token token;
 String value = "";
}
{
 (
 <START_DQ_GE>
 (
 token = <GE_VALUE_CHAR_DQ>
 { value += token.image; }
)*
 <END_DQ_GE>
 |
 <START_SQ_GE>
 (
 token = <GE_VALUE_CHAR_SQ>
 { value += token.image; }
)*
 <END_SQ_GE>
)
 { return value; }
}

```

/\*\*

\* Parsing procedure corresponding to the <b>Notation Declaration</b> nonterminal.

\* @param document DTD document to add this <b>Notation Declaration</b> to.

\*/

void NotationDecl(DTDdocument document) throws DTDException :

```

{
 Token token;
 Notation notation;
 String str;
 String pubLit;
}

```

```

String sysLit = "";
}
{
<BEGIN_NOTATION_DECL> <S_NOT>
token = <NAME_NOT> <S_NOT>
{ notation = new Notation(document, token.image); }
(
<PUBLIC_NOT>
token = <PUBLITER_NOT>
{
str = token.image;
pubLit = str.substring(1,str.length()-1);
}
(<S_NOT_SYS>)?
(
token = <SYSLITER_NOT>
{
str = token.image;
sysLit = str.substring(1,str.length()-1);
}
)?
{ notation.setPublic(pubLit,sysLit); }
|
<SYSTEM_NOT>
token = <SYSLITER_NOT>
{
str = token.image;
sysLit = str.substring(1,str.length()-1);
notation.setSystem(sysLit);
}
)
(<S_NOT_SYS>)? <END_NOTATION_DECL>

{ document.addNotation(notation); }
}

/**
* Parsing procedure corresponding to the Comment nonterminal.
*/
void Comment () :
{}
{
<BEGIN_COMMENT>
(
<COMMENT_CHAR>
|
<DASH> <COMMENT_CHAR>
)*

```

<END\_COMMENT>

}

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/dtd/parser/DTDParser.jj

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: TransactionManagerFactory.java,v 1.1.1.1 2003/03/03 07:08:25 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/transactionmanager/TransactionManagerFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 2000  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: XSNonNegativeInteger.java,v 1.1.1.1 2003/03/03 07:07:59 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSNonNegativeInteger.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2001

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: IdentityField.java,v 1.1.1.1 2003/03/03 07:09:32 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/IdentityField.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: AccessRights.java,v 1.1.1.1 2003/03/03 07:09:08 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/AccessRights.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote



- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their
- names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY  
OF SUCH DAMAGE.

\*

\* Copyright 1999 (C) Intalio, Inc. All Rights Reserved.

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/InformixQueryExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: QueryResults.java,v 1.1.1.1 2003/03/03 07:08:47 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/QueryResults.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JDBCQueryExpression.java,v 1.1.1.1 2003/03/03 07:08:13 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/JDBCQueryExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: CollectionHandler.java,v 1.1.1.1 2003/03/03 07:08:26 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/CollectionHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2001-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JInterface.java,v 1.1.1.1 2003/03/03 07:09:55 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JInterface.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

```

* trademark of Intalio, Inc.
*
* 5. Due credit should be given to the Exolab Project
* (http://www.exolab.org/).
*
* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
*
* Copyright 1999
* (C) Intalio, Inc. All Rights Reserved.
*
* $Id: MozillaImporter.java,v 1.1.1.1 2003/03/03 07:08:04 kvisco Exp $
*/

```

Found in path(s):

```

* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/mozilla/MozillaImporter.java

```

No license file was found, but licenses were detected in source scan.

```

/**
* Redistribution and use of this software and associated documentation
* ("Software"), with or without modification, are permitted provided
* that the following conditions are met:
*
* 1. Redistributions of source code must retain copyright
* statements and notices. Redistributions must also contain a
* copy of this document.
*
* 2. Redistributions in binary form must reproduce the
* above copyright notice, this list of conditions and the
* following disclaimer in the documentation and/or other
* materials provided with the distribution.
*
* 3. The name "Exolab" must not be used to endorse or promote
* products derived from this Software without prior written
* permission of Intalio, Inc. For written permission,
* please contact info@exolab.org.
*
* 4. Products derived from this Software may not be called "Exolab"

```

- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: KeyGeneratorFactoryRegistry.java,v 1.1.1.1 2003/03/03 07:08:43 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/KeyGeneratorFactoryRegistry.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.

\*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,



- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: PersistenceFactoryRegistry.java,v 1.1.1.1 2003/03/03 07:08:47 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/PersistenceFactoryRegistry.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: ComplexTypeUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:38 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/ComplexTypeUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the

- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: AttributeDecl.java,v 1.2 2003/03/03 09:57:19 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/AttributeDecl.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: LockNotGrantedException.java,v 1.1.1.1 2003/03/03 07:08:07 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/LockNotGrantedException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: NodeType.java,v 1.1.1.1 2003/03/03 07:09:12 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/NodeType.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* Contributors:
- \* -----
- \* Gary Shea ([shea@gtsdesign.com](mailto:shea@gtsdesign.com)) - Original Author
- \* Keith Visco ([kvisco@intalio.com](mailto:kvisco@intalio.com)) - Changed JCompElement references to
- \* JStructure, some additional tweaking
- \* to get it working with the current

\*  
\*                   Javasource package.  
\*  
\* \$Id: JCompUnit.java,v 1.1.1.1 2003/03/03 07:09:53 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JCompUnit.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\*   statements and notices. Redistributions must also contain a  
\*   copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\*   above copyright notice, this list of conditions and the  
\*   following disclaimer in the documentation and/or other  
\*   materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\*   products derived from this Software without prior written  
\*   permission of Intalio, Inc. For written permission,  
\*   please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\*   nor may "Exolab" appear in their names without prior  
\*   written  
\*   permission of Intalio, Inc. Exolab is a registered  
\*   trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\*   (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JMethod.java,v 1.1.1.1 2003/03/03 07:09:55 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JMethod.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)



\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: FieldDescriptorImpl.java,v 1.1.1.1 2003/03/03 07:08:29 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/loader/FieldDescriptorImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ReturnedRSCallQuery.java,v 1.1.1.1 2003/03/03 07:08:14 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/ReturnedRSCallQuery.java

No license file was found, but licenses were detected in source scan.

/\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2001

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: GMonth.java,v 1.1.1.1 2003/03/03 07:08:56 kvisco Exp \$

\* Date Author Changes

\* 04/18/2002 Arnaud String constructor

\* 05/24/2001 Arnaud Blandin Created

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/GMonth.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: FatalPersistenceException.java,v 1.1.1.1 2003/03/03 07:08:07 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/FatalPersistenceException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior

written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: Token.java,v 1.1.1.1 2003/03/03 07:08:25 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/oql/Token.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2000  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: AttributeGroupReference.java,v 1.1.1.1 2003/03/03 07:09:28 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/AttributeGroupReference.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ClassDescriptor.java,v 1.1.1.1 2003/03/03 07:08:26 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/ClassDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their
- \* names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND



\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY  
\* OF SUCH DAMAGE.

\*

\* Copyright 2000 (C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: DTDdocument.java,v 1.1.1.1 2003/03/03 07:09:19 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/dtd/DTDdocument.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: URILocationImpl.java,v 1.1.1.1 2003/03/03 07:08:39 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/net/util/URILocationImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the

- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XercesRegExpEvaluator.java,v 1.1.1.1 2003/03/03 07:09:07 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/XercesRegExpEvaluator.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2003  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: TypeInfo.java,v 1.3 2003/04/22 23:18:12 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/loader/TypeInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: DescriptorType.java,v 1.1.1.1 2003/03/03 07:09:09 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/DescriptorType.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XMLFieldDescriptors.java,v 1.1.1.1 2003/03/03 07:09:50 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/util/XMLFieldDescriptors.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 1999  
\* (C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: MozillaEntryConsumer.java,v 1.1.1.1 2003/03/03 07:08:04 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/mozilla/MozillaEntryConsumer.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999



- 2002 (C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ModelGroup.java,v 1.1.1.1 2003/03/03 07:09:32 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/ModelGroup.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: FloatValidator.java,v 1.2 2003/03/03 09:57:21 kvisco Exp \$

\* Date Author Changes

\* 12/06/2000 Arnaud Blandin Created

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/validators/FloatValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ParamInfo.java,v 1.1.1.1 2003/03/03 07:08:23 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/oql/ParamInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* Copyright 1999-2002

(C) Intalio, Inc. All Rights Reserved.

\* \$Id: XSClass.java,v 1.1.1.1 2003/03/03 07:07:55 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSClass.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Marshaller.java,v 1.4 2003/05/30 02:20:25 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/Marshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2000  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: FinalList.java,v 1.1.1.1 2003/03/03 07:09:31 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/FinalList.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior

written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: LexTest.java,v 1.1.1.1 2003/03/03 07:08:22 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/oql/LexTest.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: JComment.java,v 1.1.1.1 2003/03/03 07:09:53 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JComment.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote



- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: LockEngine.java,v 1.1.1.1 2003/03/03 07:08:44 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/persist/LockEngine.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided

- \* that the following conditions are met:

- \*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their
- \* names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY  
\* OF SUCH DAMAGE.

\*

\* Copyright 2000 (C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: DTDEException.java,v 1.1.1.1 2003/03/03 07:09:20 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/dtd/DTDEException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XSDuration.java,v 1.1.1.1 2003/03/03 07:07:56 kvisco Exp \$
- \* Date Author Changes
- \* 05/22/2001 Arnaud Blandin Created
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSDuration.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: UrType.java,v 1.1.1.1 2003/03/03 07:09:44 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/simpletypes/UrType.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: AppInfoUnmarshaller.java,v 1.2 2003/03/03 09:57:20 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/AppInfoUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright
  - \* statements and notices. Redistributions must also contain a
  - \* copy of this document.
- \* 2. Redistributions in binary form must reproduce the
  - \* above copyright notice, this list of conditions and the
  - \* following disclaimer in the documentation and/or other
  - \* materials provided with the distribution.
- \* 3. The name "Exolab" must not be used to endorse or promote
  - \* products derived from this Software without prior written
  - \* permission of Intalio, Inc. For written permission,
  - \* please contact [info@exolab.org](mailto:info@exolab.org).
- \* 4. Products derived from this Software may not be called "Exolab"
  - \* nor may "Exolab" appear in their names without prior
  - written
  - \* permission of Intalio, Inc. Exolab is a registered
  - \* trademark of Intalio, Inc.
- \* 5. Due credit should be given to the Exolab Project
  - \* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: DescriptorJClass.java,v 1.1.1.1 2003/03/03 07:08:02 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/util/DescriptorJClass.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
\* written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999  
\* (C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: KeyGeneratorFactory.java,v 1.1.1.1 2003/03/03 07:08:51 kvisco Exp \$

\*/

Found in path(s):



\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/spi/KeyGeneratorFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ClassDescriptorResolverImpl.java,v 1.2 2003/03/19 08:13:28 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/util/ClassDescriptorResolverImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999,

2000 (C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Group.java,v 1.2 2003/05/22 18:16:15 blandin Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Group.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: PostgreSQLQueryExpression.java,v 1.1.1.1 2003/03/03 07:08:14 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/PostgreSQLQueryExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Validator.java,v 1.1.1.1 2003/03/03 07:09:16 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/Validator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: AccessMode.java,v 1.1.1.1 2003/03/03 07:08:26 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/AccessMode.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: RecurringDuration.java,v 1.1.1.1 2003/03/03 07:09:00 kvisco Exp \$

\* Date Author Changes

\* 05/13/2001 Arnaud Blandin Added the support for omitted components (section 4.5 of ISO8601)

\* 12/05/2000 Arnaud Blandin Added the support for NotSupportedOperationException

\* 11/08/2000 Arnaud Blandin Added new constructor and setValues method

\* 11/07/2000 Arnaud Blandin Added isEqual() and isGreater() methods

\* 11/02/2000 Arnaud Blandin Changed the constructor

\* 10/26/2000 Arnaud Blandin Created

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/RecurringDuration.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: Introspector.java,v 1.3 2003/04/23 06:42:51 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/Introspector.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,



\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior written permission of Intalio, Inc. Exolab is a registered trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999  
(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: StringClassDescriptor.java,v 1.1.1.1 2003/03/03 07:09:18 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/descriptors/StringClassDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: JakartaOroEvaluator.java,v 1.1.1.1 2003/03/03 07:09:05 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/JakartaOroEvaluator.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the

- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: IdentitySelector.java,v 1.1.1.1 2003/03/03 07:09:32 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/IdentitySelector.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2001  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: ClassValidator.java,v 1.1.1.1 2003/03/03 07:09:09 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/ClassValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: AnnotationUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:36 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/AnnotationUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: DTDResolver.java,v 1.1.1.1 2003/03/03 07:09:04 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/util/DTDResolver.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 1999,2000  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* Contribution(s):  
\*

\* - Frank Thelen, frank.thelen@poet.de  
\* - Moved creation of access methods into an appropriate  
\* set of separate methods, for extensibility  
\*  
\* \$Id: CollectionInfo.java,v 1.1.1.1 2003/03/03 07:07:41 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/CollectionInfo.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact info@exolab.org.  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,



\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JType.java,v 1.1.1.1 2003/03/03 07:09:57 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JType.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2000  
(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JModifiers.java,v 1.1.1.1 2003/03/03 07:09:55 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JModifiers.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* Copyright 1999-2000

(C) Intalio Inc. All Rights Reserved.

\* \$Id: AtomicType.java,v 1.1.1.1 2003/03/03 07:09:43 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/simpletypes/AtomicType.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2002

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: SimpleTypesFactory.java,v 1.1.1.1 2003/03/03 07:09:35 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/SimpleTypesFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written

\* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: PersistenceException.java,v 1.1.1.1 2003/03/03 07:08:08 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/PersistenceException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior

written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: MarshalException.java,v 1.1.1.1 2003/03/03 07:09:10 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/MarshalException.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: Complex.java,v 1.2 2003/03/03 09:57:17 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/spi/Complex.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2002
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: ExtensionUnmarshaller.java,v 1.2 2003/03/03 17:25:42 blandin Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/ExtensionUnmarshaller.java  
 No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other



- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: SimpleTypeValidator.java,v 1.1.1.1 2003/03/03 07:09:13 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/SimpleTypeValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ClassDescriptorEnumeration.java,v 1.1.1.1 2003/03/03 07:09:08 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/ClassDescriptorEnumeration.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ExtendedFieldHandler.java,v 1.2 2003/04/16 07:16:10 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/ExtendedFieldHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their
- \* names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY

\* OF SUCH DAMAGE.

\*

\* Copyright 2000 (C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: GeneralEntity.java,v 1.1.1.1 2003/03/03 07:09:20 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/dtd/GeneralEntity.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: IntegerValidator.java,v 1.2 2003/03/03 09:57:21 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/validators/IntegerValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: AlwaysTrueRegExpEvaluator.java,v 1.1.1.1 2003/03/03 07:09:46 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/util/AlwaysTrueRegExpEvaluator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 1999-2003  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: AttributeUnmarshaller.java,v 1.2 2003/03/03 09:57:20 kvisco Exp \$  
\*/



Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/AttributeUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2000

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: BinaryType.java,v 1.1.1.1 2003/03/03 07:09:44 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/simpletypes/BinaryType.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: EnumFieldHandler.java,v 1.1.1.1 2003/03/03 07:09:27 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/handlers/EnumFieldHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000-2002

(C) Intalio, Inc. All Rights Reserved.

\* \$Id: XSDDate.java,v 1.1.1.1 2003/03/03 07:07:56 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSDDate.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JDOCallback.java,v 1.1.1.1 2003/03/03 07:08:17 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/JDOCallback.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2001-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ByteValidator.java,v 1.2 2003/03/03 09:57:21 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/validators/ByteValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JNDIProducer.java,v 1.1.1.1 2003/03/03 07:08:03 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/jndi/JNDIProducer.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: HighLowKeyGeneratorFactory.java,v 1.1.1.1 2003/03/03 07:08:11 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/HighLowKeyGeneratorFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior



written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: ElementUnmarshaller.java,v 1.2 2003/03/03 09:57:20 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/ElementUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2000  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: Lazy.java,  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/Lazy.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: TransactionManagerRegistry.java,v 1.1.1.1 2003/03/03 07:08:25 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/transactionmanager/TransactionManagerRegistry.java  
 No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other

- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$\$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/gui/QueryHistory.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: MappingException.java,v 1.1.1.1 2003/03/03 07:08:28 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/MappingException.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: MaxKeyGenerator.java,v 1.1.1.1 2003/03/03 07:08:13 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/MaxKeyGenerator.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: SourceFactory.java,v 1.5 2003/06/03 18:50:36 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/SourceFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2002

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: ExtendedBinding.java,v 1.2 2003/03/03 09:57:15 kvisco Exp \$

\*/

Found in path(s):



\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/binding/ExtendedBinding.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: UnknownDef.java,v 1.1.1.1 2003/03/03 07:09:36 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/UnknownDef.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ValidationUtils.java,v 1.1.1.1 2003/03/03 07:09:52 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/validators/ValidationUtils.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 1999,  
2000 (C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: XMLNaming.java,v 1.1.1.1 2003/03/03 07:09:17 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/XMLNaming.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XSDCompiler.java,v 1.1.1.1 2003/03/03 07:08:52 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/tools/XSDCompiler.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: RegExpEvaluator.java,v 1.1.1.1 2003/03/03 07:09:06 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/RegExpEvaluator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2000

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: SchemaNames.java,v 1.1.1.1 2003/03/03 07:09:34 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/SchemaNames.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
 \* Copyright 2000-2002  
 (C) Intalio, Inc. All Rights Reserved.

\*  
 \* \$Id: XSFloat.java,v 1.1.1.1 2003/03/03 07:07:57 kvisco Exp \$  
 \* Date Author Changes  
 \* 12/06/2000 Arnaud Blandin Created  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSFloat.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

- \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.
- \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.
- \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).
- \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior



written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2000
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: DecimalType.java,v 1.1.1.1 2003/03/03 07:09:44 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/simpletypes/DecimalType.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2001  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: JSourceCode.java,v 1.1.1.1 2003/03/03 07:09:56 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JSourceCode.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: URIResolverImpl.java,v 1.2 2003/03/03 09:57:16 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/net/util/URIResolverImpl.java  
 No license file was found, but licenses were detected in source scan.

/\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other

- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: TransactionContext.java,v 1.2 2003/03/03 17:18:29 blandin Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/TransactionContext.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: MarshalListener.java,v 1.1.1.1 2003/03/03 07:09:12 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/MarshalListener.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XSList.java,v 1.1.1.1 2003/03/03 07:07:59 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSList.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their
- \* names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY

\* OF SUCH DAMAGE.

\*

\* Copyright 2000 (C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: Converter.java,v 1.2 2003/03/03 09:57:18 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/dtd/Converter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*



- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: IdentityInfo.java,v 1.1.1.1 2003/03/03 07:07:44 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/IdentityInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: TokenMgrError.java,v 1.1.1.1 2003/03/03 07:09:26 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/dtd/parser/TokenMgrError.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 2002  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: MapHandlers.java,v 1.1.1.1 2003/03/03 07:08:28 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/handlers/MapHandlers.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2001-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Namespaces.java,v 1.2 2003/03/03 09:57:18 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/Namespaces.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2001-2002

(C) Intalio, Inc. All Rights Reserved.

\* \$Id: XSGYear.java,v 1.1.1.1 2003/03/03 07:07:58 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSGYear.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: CoreDescriptors.java,v 1.1.1.1 2003/03/03 07:09:17 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/descriptors/CoreDescriptors.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XPathLocation.java,v 1.1.1.1 2003/03/03 07:09:17 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/XPathLocation.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND



\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\* \$Id: Particle.java,v 1.1.1.1 2003/03/03 07:09:32 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Particle.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2001

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: StringType.java,v 1.1.1.1 2003/03/03 07:09:44 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/simpletypes/StringType.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written

\* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: FacetList.java,v 1.1.1.1 2003/03/03 07:09:31 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/FacetList.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior

written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ObjectModifiedException.java,v 1.1.1.1 2003/03/03 07:08:07 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/ObjectModifiedException.java  
No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2002  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: XSDouble.java,v 1.1.1.1 2003/03/03 07:07:56 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSDouble.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: BindingLoader.java,v 1.2 2003/03/03 09:57:15 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/builder/binding/BindingLoader.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided

- \* that the following conditions are met:

- \*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
  - \* 2. Redistributions in binary form must reproduce the
  - \* above copyright notice, this list of conditions and the
  - \* following disclaimer in the documentation and/or other
  - \* materials provided with the distribution.
  - \*
    - \* 3. The name "Exolab" must not be used to endorse or promote
    - \* products derived from this Software without prior written
    - \* permission of Intalio, Inc. For written permission,
    - \* please contact [info@exolab.org](mailto:info@exolab.org).
    - \*
      - \* 4. Products derived from this Software may not be called "Exolab"
      - \* nor may "Exolab" appear in their
      - \* names without prior written
      - \* permission of Intalio, Inc. Exolab is a registered
      - \* trademark of Intalio, Inc.
      - \*
        - \* 5. Due credit should be given to the Exolab Project
        - \* (<http://www.exolab.org/>).
        - \*
          - \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
          - \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
          - \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY  
\* OF SUCH DAMAGE.

\*

\* Copyright 2000 (C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: ContentParticle.java,v 1.1.1.1 2003/03/03 07:09:19 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/dtd/ContentParticle.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*



- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: GMonthDayDescriptor.java,v 1.2 2003/04/23 06:35:24 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/GMonthDayDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the

- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: Annotation.java,v 1.1.1.1 2003/03/03 07:09:27 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Annotation.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2001  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: Unique.java,v 1.1.1.1 2003/03/03 07:09:35 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Unique.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: JMethodSignature.java,v 1.1.1.1 2003/03/03 07:09:55 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JMethodSignature.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XSBoolean.java,v 1.1.1.1 2003/03/03 07:07:55 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSBoolean.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 2001  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: SAX2ANY.java,v 1.1.1.1 2003/03/03 07:09:48 kvisco Exp \$  
\* Date Author Changes

\* 04/06/2001 Arnaud Blandin Created

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/util/SAX2ANY.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2002  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: Version.java,v 1.2 2003/03/03 09:57:17 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/Version.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)



\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Persistence.java,v 1.1.1.1 2003/03/03 07:08:51 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/spi/Persistence.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JDO.java,v 1.1.1.1 2003/03/03 07:08:07 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/JDO.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Annotated.java,v 1.1.1.1 2003/03/03 07:09:27 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Annotated.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: PersistenceFactory.java,v 1.1.1.1 2003/03/03 07:08:51 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/spi/PersistenceFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: PostgreSQLCallQuery.java,v 1.1.1.1 2003/03/03 07:08:14 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/PostgreSQLCallQuery.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: RelationCollection.java,v 1.1.1.1 2003/03/03 07:08:47 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/RelationCollection.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* \$Id: LRU.java
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/persist/LRU.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"

- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: JavaNaming.java,v 1.1.1.1 2003/03/03 07:09:10 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/JavaNaming.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,



\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior written permission of Intalio, Inc. Exolab is a registered trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2001 (C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: NestedIOException.java,v 1.1.1.1 2003/03/03 07:09:06 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/NestedIOException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: GMonthDay.java,v 1.1.1.1 2003/03/03 07:08:57 kvisco Exp \$
- \* Date Author Changes
- \* 04/18/2002 Arnaud Constructor with string
- \* 05/24/2001 Arnaud Blandin Created
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/GMonthDay.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2002  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: Unmarshaller.java,v 1.1.1.1 2003/03/03 07:09:15 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/Unmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ValidationException.java,v 1.1.1.1 2003/03/03 07:09:16 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/ValidationException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: JakartaRegExpEvaluator.java,v 1.1.1.1 2003/03/03 07:09:05 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/util/JakartaRegExpEvaluator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 2000-2003  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: TimePeriodDescriptor.java,v 1.2 2003/04/23 06:35:24 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/TimePeriodDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: PostgreSQLFactory.java,v 1.1.1.1 2003/03/03 07:08:14 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/PostgreSQLFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED



\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2000

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: XMLType.java,v 1.1.1.1 2003/03/03 07:09:36 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/XMLType.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ListClassDescriptor.java,v 1.1.1.1 2003/03/03 07:09:18 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/descriptors/ListClassDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: OracleFactory.java,v 1.1.1.1 2003/03/03 07:08:14 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/OracleFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ClassDescriptorResolver.java,v 1.1.1.1 2003/03/03 07:09:09 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/ClassDescriptorResolver.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* Copyright 1999-2002  
(C) Intalio Inc. All Rights Reserved.

\*  
\* \$Id: SimpleContentUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:42 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/SimpleContentUnmarshaller.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2000  
 \* (C) Intalio Inc. All Rights Reserved.  
 \*  
 \* \$Id: ParseException.java,v 1.1.1.1 2003/03/03 07:09:26 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/dtd/parser/ParseException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior

written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/validators/ShortValidator.java  
No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*

- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: IteratorEnumeration.java,v 1.1.1.1 2003/03/03 07:09:05 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/util/IteratorEnumeration.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:

\*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.

\*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written



- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: SQLEngine.java,v 1.2 2003/03/03 09:57:15 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/engine/SQLEngine.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.

\*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2002  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: XSIIdRef.java,v 1.1.1.1 2003/03/03 07:07:58 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSIIdRef.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: BaseDescriptor.java,v 1.1 2003/04/23 06:34:14 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/types/BaseDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a

- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2002
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: AnyType.java,v 1.1.1.1 2003/03/03 07:09:27 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/AnyType.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:

\*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2000-2002  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \* \$Id: XSTime.java,v 1.1.1.1 2003/03/03 07:08:01 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSTime.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: SGTypes.java,v 1.1.1.1 2003/03/03 07:07:44 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/builder/SGTypes.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 2001  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: AnyNode.java,v 1.1.1.1 2003/03/03 07:08:53 kvisco Exp \$  
\* Date Author Changes

\* 04/24/2001 Arnaud Blandin Rewrited from scratch  
\* 04/22/2001 Arnaud Blandin Clean-up and support of comments  
\* 04/04/2001 Arnaud Blandin Created  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/AnyNode.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"



- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY
- \* OF SUCH DAMAGE.
- \*
- \* Copyright 1999 (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: Query.java,v 1.1.1.1 2003/03/03 07:08:08 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/Query.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*

\* Copyright 1999-2003  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: J1CollectionHandlers.java,v 1.2 2003/03/03 09:57:16 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/loader/J1CollectionHandlers.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 2001-2002  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: XSByte.java,v 1.1.1.1 2003/03/03 07:07:55 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSByte.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2001

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Union.java,v 1.1.1.1 2003/03/03 07:09:35 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Union.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2000

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: Type.java,v 1.1.1.1 2003/03/03 07:09:44 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/simpletypes/factory/Type.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: TimeDescriptor.java,v 1.2 2003/04/23 06:35:24 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/TimeDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: JParameter.java,v 1.1.1.1 2003/03/03 07:09:56 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/javasource/JParameter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior



written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2002
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: ComplexContentRestrictionUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:37 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/ComplexContentRestrictionUnmarshaller.java  
No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2003  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: UnmarshalState.java,v 1.2 2003/03/13 09:07:19 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/UnmarshalState.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2002(C)
- Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XSType.java,v 1.1.1.1 2003/03/03 07:08:01 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSType.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other

- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XSQName.java,v 1.1.1.1 2003/03/03 07:08:00 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSQName.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: MaxKeyGeneratorFactory.java,v 1.1.1.1 2003/03/03 07:08:13 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/MaxKeyGeneratorFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/persist/PersistenceInfo.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:

\*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: SybaseFactory.java,v 1.1.1.1 2003/03/03 07:08:15 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/SybaseFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: ClassInfo.java,v 1.1.1.1 2003/03/03 07:07:41 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/builder/ClassInfo.java



No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999  
(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Database.java,v 1.1.1.1 2003/03/03 07:08:06 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/Database.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: LongValidator.java,v 1.2 2003/03/03 09:57:21 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/validators/LongValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 2001-2002(C)  
Intalio, Inc. All Rights Reserved.  
\* \$Id: XSGMonth.java,v 1.1.1.1 2003/03/03 07:07:57 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSGMonth.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: NameValidator.java,v 1.2 2003/03/03 09:57:21 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/validators/NameValidator.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003  
(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: SchemaWriter.java,v 1.3 2003/03/03 17:28:03 blandin Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/writer/SchemaWriter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* Copyright 2001-2002

(C) Intalio, Inc. All Rights Reserved.

\* \$Id: XMLInstance2Schema.java,v 1.1.1.1 2003/03/03 07:09:45 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/util/XMLInstance2Schema.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Month.java,v 1.1.1.1 2003/03/03 07:08:59 kvisco Exp \$

\* Date Author Changes

\* 11/01/2000 Arnaud Blandin added toDate(), enhancements

\* 10/23/2000 Arnaud Blandin Created

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/Month.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior



written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: SGStateInfo.java,v 1.1.1.1 2003/03/03 07:07:44 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/builder/SGStateInfo.java
- No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 2000-2002  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: DateTimeBase.java,v 1.1.1.1 2003/03/03 07:08:55 kvisco Exp \$  
 \* Date Author Changes  
 \* 08/30/2001 Arnaud Blandin added to Calendar() (patch from Sébastien Stormacq [S.Stormacq@aubay-si.lu])  
 \* 05/29/2001 Arnaud Blandin Added order methods  
 \* 05/22/2001 Arnaud Blandin Created  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/DateTimeBase.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the

- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: CollectionFieldHandler.java,v 1.1.1.1 2003/03/03 07:09:26 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/handlers/CollectionFieldHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: XAResourceSource.java,v 1.1.1.1 2003/03/03 07:08:50 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/XAResourceSource.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*

- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2002
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: SimpleContentRestrictionUnmarshaller.java,v 1.2 2003/03/03 17:24:53 blandin Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/SimpleContentRestrictionUnmarshaller.java  
 No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2000
- (C) Intalio Inc. All Rights Reserved.
- \*
- \* \$Id: TypeList.java,v 1.1.1.1 2003/03/03 07:09:44 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/simplytypes/factory/TypeList.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 1999  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: WebSphereTransactionManagerFactory.java,v 1.1.1.1 2003/03/03 07:08:26 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-

jar/org/exolab/castor/jdo/transactionmanager/spi/WebSphereTransactionManagerFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000-2003



(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: RecurringDurationDescriptor.java,v 1.2 2003/04/23 06:35:24 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/RecurringDurationDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Persistent.java,v 1.1.1.1 2003/03/03 07:08:08 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/Persistent.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: QueryResults.java,v 1.1.1.1 2003/03/03 07:08:08 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/QueryResults.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XSInteger.java,v 1.2 2003/03/03 09:57:15 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSInteger.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: DTXException.java,v 1.1.1.1 2003/03/03 07:08:05 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dtx/DTXException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
 \* Copyright 2000  
 (C) Intalio, Inc. All Rights Reserved.

\* \$Id: Date.java,v 1.1.1.1 2003/03/03 07:08:54 kvisco Exp \$  
 \* Date Author Changes  
 \* 10/02/2002 Arnaud Clean up  
 \* 04/18/2002 Arnaud String constructor  
 \* 05/23/2001 Arnaud Blandin Update to be compliant with XML Schema Recommendation  
 \* 11/16/2000 Arnaud Blandin Constructor Date(java.util.Date)  
 \* 11/01/2000 Arnaud Blandin Enhancements (constructor, methods access...)  
 \* 10/23/2000 Arnaud Blandin Created  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/Date.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,

- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: SapDbFactory.java,v 1.1.1.1 2003/03/03 07:08:14 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/SapDbFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*

- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2002
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: XSPatternBase.java,v 1.1.1.1 2003/03/03 07:08:00 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/types/XSPatternBase.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the



- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2001
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: DataObjectAccessException.java,v 1.1.1.1 2003/03/03 07:08:07 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/DataObjectAccessException.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.

\*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2000  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: OperationNotSupportedException.java,v 1.1.1.1 2003/03/03 07:08:59 kvisco Exp \$  
 \*  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/OperationNotSupportedException.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 \* written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: Producer.java,v 1.1.1.1 2003/03/03 07:08:02 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/dsml/Producer.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: Referable.java,v 1.1.1.1 2003/03/03 07:09:32 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Referable.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 1999-2002  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: WildcardUnmarshaller.java,v 1.1.1.1 2003/03/03 07:09:43 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/reader/WildcardUnmarshaller.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2000

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: DateClassDescriptor.java,v 1.1.1.1 2003/03/03 07:09:17 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/descriptors/DateClassDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.  
\*  
\* Copyright 1999  
(C) Intalio, Inc. All Rights Reserved.  
\*  
\* \$Id: LogInterceptor.java,v 1.1.1.1 2003/03/03 07:08:51 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/spi/LogInterceptor.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:  
\*  
\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.  
\*  
\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.  
\*  
\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).  
\*  
\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written  
\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.  
\*  
\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).  
\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)



\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2001

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: IdentityConstraint.java,v 1.1.1.1 2003/03/03 07:09:32 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/IdentityConstraint.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2002-2003

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: XMLBindingComponent.java,v 1.4 2003/06/02 13:51:45 blandin Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/binding/XMLBindingComponent.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: MemberFactory.java,v 1.2 2003/03/03 09:57:14 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/builder/MemberFactory.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*  
\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*  
\* Copyright 2002

(C) Intalio, Inc. All Rights Reserved.

\*  
\* \$Id: J2MapHandler.java,v 1.1.1.1 2003/03/03 07:08:28 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/handlers/J2MapHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*  
\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*  
\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*  
\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999  
 \* (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: OutputLogInterceptor.java,v 1.1.1.1 2003/03/03 07:08:46 kvisco Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/persist/OutputLogInterceptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:  
 \*  
 \* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.  
 \*  
 \* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.  
 \*  
 \* 3. The name "Exolab" must not be used to endorse or promote  
 \* products derived from this Software without prior written  
 \* permission of Intalio, Inc. For written permission,  
 \* please contact [info@exolab.org](mailto:info@exolab.org).  
 \*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior

written

- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: TypeConvertor.java,v 1.1.1.1 2003/03/03 07:08:28 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/mapping/TypeConvertor.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).

\*  
 \* 4. Products derived from this Software may not be called "Exolab"  
 \* nor may "Exolab" appear in their names without prior  
 written  
 \* permission of Intalio, Inc. Exolab is a registered  
 \* trademark of Intalio, Inc.  
 \*  
 \* 5. Due credit should be given to the Exolab Project  
 \* (<http://www.exolab.org/>).  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT  
 \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
 \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
 \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
 \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
 \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
 \* OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* Copyright 1999-2003  
 (C) Intalio, Inc. All Rights Reserved.  
 \*  
 \* \$Id: ContentType.java,v 1.2 2003/03/03 18:08:27 blandin Exp \$  
 \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/ContentType.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
 \* ("Software"), with or without modification, are permitted provided  
 \* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
 \* statements and notices. Redistributions must also contain a  
 \* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
 \* above copyright notice, this list of conditions and the  
 \* following disclaimer in the documentation and/or other  
 \* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: CenturyDescriptor.java,v 1.2 2003/04/23 06:35:24 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/types/CenturyDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other



- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: Configuration.java,v 1.2 2003/05/01 07:06:45 kvisco Exp \$
- \*/

Found in path(s):

- \* /castor-0-9-5-sources-jar/org/exolab/castor/util/Configuration.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright
- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*

- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 1999
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: Lexer.java,v 1.1.1.1 2003/03/03 07:08:22 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/oql/Lexer.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided
- \* that the following conditions are met:
- \*

- \* 1. Redistributions of source code must retain copyright

- \* statements and notices. Redistributions must also contain a
- \* copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the
- \* above copyright notice, this list of conditions and the
- \* following disclaimer in the documentation and/or other
- \* materials provided with the distribution.
- \*
- \* 3. The name "Exolab" must not be used to endorse or promote
- \* products derived from this Software without prior written
- \* permission of Intalio, Inc. For written permission,
- \* please contact [info@exolab.org](mailto:info@exolab.org).
- \*
- \* 4. Products derived from this Software may not be called "Exolab"
- \* nor may "Exolab" appear in their names without prior
- written
- \* permission of Intalio, Inc. Exolab is a registered
- \* trademark of Intalio, Inc.
- \*
- \* 5. Due credit should be given to the Exolab Project
- \* (<http://www.exolab.org/>).
- \*
- \* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS
- \* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT
- \* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
- \* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
- \* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
- \* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
- \* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- \* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \*
- \* Copyright 2000-2003
- (C) Intalio, Inc. All Rights Reserved.
- \*
- \* \$Id: DateDescriptor.java,v 1.2 2003/04/23 06:35:24 kvisco Exp \$
- \*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/types/DateDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2000

(C) Intalio Inc. All Rights Reserved.

\*

\* \$Id: BooleanType.java,v 1.1.1.1 2003/03/03 07:09:44 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/simplytypes/BooleanType.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 2001

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: Wildcard.java,v 1.1.1.1 2003/03/03 07:09:36 kvisco Exp \$

\* Date Author Changes

\* 04/02/2001 Arnaud Blandin Created

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/Wildcard.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: XMLFieldDescriptorImpl.java,v 1.5 2003/04/24 02:16:19 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/util/XMLFieldDescriptorImpl.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: DB2QueryExpression.java,v 1.1.1.1 2003/03/03 07:08:11 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/jdo/drivers/DB2QueryExpression.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation

\* ("Software"), with or without modification, are permitted provided

\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)



\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2002

(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: DatatypeHandler.java,v 1.2 2003/03/12 20:53:50 kvisco Exp \$

\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/util/DatatypeHandler.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright

\* statements and notices. Redistributions must also contain a

\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the

\* above copyright notice, this list of conditions and the

\* following disclaimer in the documentation and/or other

\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote

\* products derived from this Software without prior written

\* permission of Intalio, Inc. For written permission,

\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"

\* nor may "Exolab" appear in their names without prior

written

\* permission of Intalio, Inc. Exolab is a registered

\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project

\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS

\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL

\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003  
(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: ComplexType.java,v 1.3 2003/03/03 18:13:51 blandin Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/schema/ComplexType.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Redistribution and use of this software and associated documentation  
\* ("Software"), with or without modification, are permitted provided  
\* that the following conditions are met:

\*

\* 1. Redistributions of source code must retain copyright  
\* statements and notices. Redistributions must also contain a  
\* copy of this document.

\*

\* 2. Redistributions in binary form must reproduce the  
\* above copyright notice, this list of conditions and the  
\* following disclaimer in the documentation and/or other  
\* materials provided with the distribution.

\*

\* 3. The name "Exolab" must not be used to endorse or promote  
\* products derived from this Software without prior written  
\* permission of Intalio, Inc. For written permission,  
\* please contact [info@exolab.org](mailto:info@exolab.org).

\*

\* 4. Products derived from this Software may not be called "Exolab"  
\* nor may "Exolab" appear in their names without prior  
written

\* permission of Intalio, Inc. Exolab is a registered  
\* trademark of Intalio, Inc.

\*

\* 5. Due credit should be given to the Exolab Project  
\* (<http://www.exolab.org/>).

\*

\* THIS SOFTWARE IS PROVIDED BY INTALIO, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT

\* NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
\* INTALIO, INC. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
\* (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Copyright 1999-2003  
(C) Intalio, Inc. All Rights Reserved.

\*

\* \$Id: MarshalFramework.java,v 1.4 2003/04/24 02:10:27 kvisco Exp \$  
\*/

Found in path(s):

\* /castor-0-9-5-sources-jar/org/exolab/castor/xml/MarshalFramework.java

# 1.172 tomcat-annotations-api 9.0.83

## 1.172.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.173 sqlite-jdbc 3.46.0.0

## 1.173.1 Available under license :

This product includes the following softwares developed by David Crawshaw.  
See LICENSE.zentus file.

And also, NestedVM (Apache License Version 2.0) is used inside sqlite-  
GNU LESSER GENERAL PUBLIC LICENSE  
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
Licenses are intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some  
specially designated software packages--typically libraries--of the  
Free Software Foundation and other authors who decide to use it. You  
can use it too, but we suggest  
you first think carefully about whether  
this license or the ordinary General Public License is the better  
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,  
not price. Our General Public Licenses are designed to make sure that  
you have the freedom to distribute copies of free software (and charge  
for this service if you wish); that you receive source code or can get  
it if you want it; that you can change the software and use pieces of  
it in new free programs; and that you are informed that you can do  
these things.

To protect your rights, we need to make restrictions that forbid  
distributors to deny you these rights or to ask you to surrender these  
rights. These restrictions translate to certain responsibilities for  
you if you distribute copies of the library or if you modify it.



For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less

of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under

copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library

refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves,

then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for

that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may

distribute the object code for the work under the terms of Section 6.

Any executables

containing that work also fall under Section 6,

whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable

source code for the Library including whatever

changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user

installs one, as long as the modified version is

interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy

from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not

signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to



be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time.

Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of

all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY

AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if

necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
library 'Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

Copyright 1992, 1993, 1994, 1997 Henry Spencer. All rights reserved.

This software is not subject to any license of the American Telephone  
and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on  
any computer system, and to alter it and redistribute it, subject  
to the following restrictions:

1. The author is not responsible for the consequences of use of this  
software, no matter how awful, even if they arise from flaws in it.
2. The origin of this software must not be misrepresented, either by  
explicit claim or by omission. Since few users ever read sources,  
credits must appear in the documentation.
3. Altered versions must be plainly marked as such, and must not be  
misrepresented as being the original software. Since few users  
ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.

Copyright (c) 2006, David Crawshaw. All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND  
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE  
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS  
OR SERVICES; LOSS

OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY  
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or  
Object form, made available under the License, as indicated by a  
copyright notice that is included in or attached to the work  
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object  
form, that is based on (or derived from) the Work and for which the

editorial  
revisions, annotations, elaborations, or other modifications  
represent, as a whole, an original work of authorship. For the purposes  
of this License, Derivative Works shall not include works that remain  
separable from, or merely link (or bind by name) to the interfaces of,  
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including  
the original version of the Work and any modifications or additions  
to that Work or Derivative Works thereof, that is intentionally  
submitted to Licensor for inclusion in the Work by the copyright owner  
or by an individual or Legal Entity authorized to submit on behalf of  
the copyright owner. For the purposes of this definition, "submitted"  
means any form of electronic, verbal, or written communication sent  
to the Licensor or its representatives, including but not limited to  
communication on electronic mailing lists, source code control systems,  
and issue tracking systems that are managed by, or on behalf of, the  
Licensor for the purpose of discussing and improving the Work, but  
excluding communication that is conspicuously marked or otherwise  
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity  
on behalf of whom a Contribution has been received by Licensor and  
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of  
this License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
copyright license to reproduce, prepare Derivative Works of,  
publicly display, publicly perform, sublicense, and distribute the  
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of  
this  
License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
(except as stated in this section) patent license to make, have made,  
use, offer to sell, sell, import, and otherwise transfer the Work,  
where such license applies only to those patent claims licensable  
by such Contributor that are necessarily infringed by their  
Contribution(s) alone or by combination of their Contribution(s)  
with the Work to which such Contribution(s) was submitted. If You  
institute patent litigation against any entity (including a  
cross-claim or counterclaim in a lawsuit) alleging that the Work  
or a Contribution incorporated within the Work constitutes direct  
or contributory patent infringement, then any patent licenses  
granted to You under this License for that Work shall terminate  
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.174 spi-annotations 2.24.1

### 1.174.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or



otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Camel :: SPI Annotations

Copyright 2007-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.175 jul-to-slf4j 2.0.16

## 1.175.1 Available under license :

Copyright (c) 2004-2022 QOS.ch Sarl (Switzerland)  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.176 tomcat 9.0.83

## 1.176.1 Available under license :

Apache Tomcat  
Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The original XML Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd
- javaee\_web\_services\_1\_2.xsd
- javaee\_web\_services\_client\_1\_2.xsd
- javaee\_6.xsd
- javaee\_web\_services\_1\_3.xsd

- javaee\_web\_services\_client\_1\_3.xsd
- jsp\_2\_2.xsd
- web-app\_3\_0.xsd
- web-common\_3\_0.xsd
- web-fragment\_3\_0.xsd
- javaee\_7.xsd
- javaee\_web\_services\_1\_4.xsd
- javaee\_web\_services\_client\_1\_4.xsd
- jsp\_2\_3.xsd
- web-app\_3\_1.xsd
- web-common\_3\_1.xsd
- web-fragment\_3\_1.xsd
- javaee\_8.xsd
- web-app\_4\_0.xsd
- web-common\_4\_0.xsd
- web-fragment\_4\_0.xsd

may be obtained from:

<http://www.oracle.com/webfolder/technetwork/jsc/xml/ns/javaee/index.html>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided



that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices and license terms. Your use of these subcomponents is subject to the terms and conditions of the following licenses.

For the following XML Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd
- javaee\_web\_services\_1\_2.xsd
- javaee\_web\_services\_client\_1\_2.xsd
- javaee\_6.xsd
- javaee\_web\_services\_1\_3.xsd
- javaee\_web\_services\_client\_1\_3.xsd
- jsp\_2\_2.xsd
- web-app\_3\_0.xsd
- web-common\_3\_0.xsd
- web-fragment\_3\_0.xsd
- javaee\_7.xsd
- javaee\_web\_services\_1\_4.xsd
- javaee\_web\_services\_client\_1\_4.xsd
- jsp\_2\_3.xsd
- web-app\_3\_1.xsd
- web-common\_3\_1.xsd
- web-fragment\_3\_1.xsd
- javaee\_8.xsd
- web-app\_4\_0.xsd
- web-common\_4\_0.xsd
- web-fragment\_4\_0.xsd

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark)  
Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
- (c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.
- (d) Notwithstanding Section 2.1(b) above, no patent license is granted:  
(1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark)  
Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).
- (c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted:

(1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License.

You must include a copy of this License  
with every copy of the Source Code

form of the Covered Software You distribute or otherwise make available.

You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive  
text giving

attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as

a result of warranty, support, indemnity or liability terms You offer.

### 3.5.

#### Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You

may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach.

Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate

prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.



6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original

Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

## 1.177 protobuf-java 2.5.0

### 1.177.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/LazyField.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/Utf8.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/ServiceException.java
- \*
- /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/RpcChannel.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/GeneratedMessage.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/BlockingService.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-
- jar/com/google/protobuf/MessageLiteOrBuilder.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/RpcUtil.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-
- jar/com/google/protobuf/ProtocolMessageEnum.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/Message.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/LazyStringArrayList.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/UnknownFieldSet.java
- \*
- /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/BlockingRpcChannel.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/WireFormat.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-
- jar/com/google/protobuf/GeneratedMessageLite.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/LiteralByteString.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-
- jar/com/google/protobuf/InvalidProtocolBufferException.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/SmallSortedMap.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/Service.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/AbstractMessageLite.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/DynamicMessage.java
- \*
- /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/ByteString.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/CodedOutputStream.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/RopeByteString.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/ExtensionRegistryLite.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/ExtensionRegistry.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/RepeatedFieldBuilder.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/FieldSet.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/AbstractParser.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/AbstractMessage.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/SingleFieldBuilder.java
- \*
- /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/Descriptors.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-
- jar/com/google/protobuf/UnmodifiableLazyStringList.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/Internal.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-
- jar/com/google/protobuf/UninitializedMessageException.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/BoundedByteString.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/Parser.java
- \* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/MessageLite.java

\* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/CodedInputStream.java  
\* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/MessageOrBuilder.java  
\*  
/protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/TextFormat.java  
\* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/LazyStringList.java  
\* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/RpcCallback.java  
\* /protobuf-java-2-5-0-sources-zip/protobuf-java-2-5-0-sources-jar/com/google/protobuf/RpcController.java

# 1.178 snmp-4j 2.2.5

## 1.178.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole

responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed

under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*

\* The Apache Software License, Version 1.1

\*

\*

\* Copyright (c) 1999-2002 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright



```

* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution,
* if any, must include the following acknowledgment:
* "This product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgment may appear in the software
* itself,
* if and wherever such third-party acknowledgments normally appear.
*
* 4. The names "Xerces" and "Apache Software Foundation" must
* not be used to endorse or promote products derived from this
* software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache",
* nor may "Apache" appear in their name, without prior written
* permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation and was
* originally based on software copyright (c) 1999, International
* Business Machines, Inc., http://www.ibm.com. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*/
=====
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the SNMP4J distribution. ==
=====

```

This product includes software developed by  
SNMP4J.org (<http://www.snmp4j.org/>).

Please read the different LICENSE files present in the root directory of  
this distribution.

The names "SNMP4J" and "Apache Software Foundation" must not be used to  
endorse or promote products derived from this software without prior  
written permission. For written permission, please contact  
[info@snmp4j.org](mailto:info@snmp4j.org) (SNMP4J) or [apache@apache.org](mailto:apache@apache.org).

# 1.179 tomcat-api 9.0.83

## 1.179.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.180 avalon-framework 4.1.5

## 1.180.1 Notifications :

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

## 1.180.2 Available under license :

=====

The Apache Software License, Version 1.1

=====

Copyright (C) 1997-2003 The Apache Software Foundation.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."  
Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The names "Apache", "Avalon", "Excalibur", "Fortress", "Phoenix", "Merlin" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [apache@apache.org](mailto:apache@apache.org).
5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <http://www.apache.org/>.

# 1.181 jctools-core 3.1.0

## 1.181.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred

form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal

Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.



3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and
2. You must cause any modified files to carry prominent notices stating that You changed the files; and
3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor

be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.182 jackson-xc 2.14.0

### 1.182.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-jaxb-annotations` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.183 failureaccess 1.0.1

## 1.183.1 Available under license :

No license file was found, but licenses were detected in source scan.

/opt/cola/permits/2665668644\_1759873713.7185001/0/failureaccess-1-0-1-sources-15-jar/com/google/common/util/concurrent/internal/InternalFutures.java/\*

Found in path(s):

\*

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /failureaccess-1-0-1-sources-15-jar/com/google/common/util/concurrent/internal/InternalFutureFailureAccess.java

# 1.184 xerces-j 2.12.2

## 1.184.1 Available under license :

Apache XML Commons Resolver

Copyright 2006 The Apache Software Foundation.

This product includes software developed at

The Apache Software Foundation <http://www.apache.org/>

Portions of this code are derived from classes placed in the  
public domain by Arbortext on 10 Apr 2000. See:

[http://www.arbortext.com/customer\\_support/updates\\_and\\_technical\\_notes/catalogs/docs/README.htm](http://www.arbortext.com/customer_support/updates_and_technical_notes/catalogs/docs/README.htm)

Apache License

Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or  
Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices  
stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works  
that You distribute, all copyright, patent, trademark, and  
attribution notices from the Source form of the Work,  
excluding those notices that do not pertain to any part of  
the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its  
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own  
copyright statement to Your modifications and  
may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names

of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xerces Java distribution. ==  
=====

Apache Xerces Java  
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.  
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.  
- voluntary contributions made by Paul Eng on behalf of the  
Apache Software Foundation that were originally developed at iClick, Inc.,  
software copyright (c) 1999.

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xalan Java distribution. ==  
=====

Apache Xalan (Xalan serializer)  
Copyright 1999-2012 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software was originally based on the following:  
- software copyright (c) 1999-2002, Lotus Development Corporation.,



<http://www.lotus.com>.

- software copyright (c) 2001-2002, Sun Microsystems.,

<http://www.sun.com>.

- software copyright (c) 2003, IBM Corporation.,

<http://www.ibm.com>.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the

Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as  
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed

under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.185 spring-context 5.3.39

## 1.185.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,



unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

## SPRING FRAMEWORK 5.3.39 SUBCOMPONENTS:

Spring Framework 5.3.39 includes a number of subcomponents with separate copyright notices and license terms. The product that includes this file does not necessarily use all the open source subcomponents referred to below. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

>>> ASM 9.1 (org.ow2.asm:asm:9.1, org.ow2.asm:asm-commons:9.1):

Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms,  
with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 1999-2009, OW2 Consortium <<https://www.ow2.org/>>

>>> CGLIB 3.3 (cglib:cglib:3.3):

Per the LICENSE file in the CGLIB JAR distribution downloaded from [https://github.com/cglib/cglib/releases/download/RELEASE\\_3\\_3\\_0/cglib-3.3.0.jar](https://github.com/cglib/cglib/releases/download/RELEASE_3_3_0/cglib-3.3.0.jar), CGLIB 3.3 is licensed under the Apache License, version 2.0, the text of which is included above.

>>> Objenesis 3.2 (org.objenesis:objenesis:3.2):

Per the LICENSE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html>, Objenesis 3.2 is licensed under the Apache License, version 2.0, the text of which is included above.

Per the NOTICE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html> and corresponding to section 4d of the Apache License, Version 2.0, in this case for Objenesis:

Objenesis  
Copyright 2006-2019 Joe Walnes, Henri Tremblay, Leonardo Mesquita

=====

To the extent any open source components are licensed under the EPL and/or other similar licenses that require the source code and/or modifications to source code to be made available (as would be noted above), you may obtain a copy of the source code corresponding to the binaries for such open source components and modifications thereto, if any, (the "Source Files"), by downloading the Source Files from <https://spring.io/projects>, Pivotal's website at <https://network.pivotal.io/open-source>, or by sending a request, with your name and address to: Pivotal Software, Inc., 875 Howard Street, 5th floor, San Francisco, CA 94103, Attention: General Counsel. All such requests should clearly specify: OPEN SOURCE FILES REQUEST, Attention General Counsel. Pivotal can mail a copy of the Source Files to you on a CD or equivalent physical medium.

This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product. Alternatively, the Source Files may accompany the Software.  
Spring Framework 5.3.39  
Copyright (c) 2002-2024 Pivotal, Inc.

This product is licensed to you under the Apache License, Version 2.0

(the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license.txt file.

# 1.186 activemq 5.15.11

## 1.186.1 Available under license :

ActiveMQ :: Client  
Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2007-2010, The JASYPT team (<http://www.jasypt.org>)

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,



WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-----

This distribution includes cryptographic software. The country in which you currently reside may have restrictions on the import, possession, use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check your country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted. See <http://www.wassenaar.org/> for more information.

The U.S. Government Department of Commerce, Bureau of Industry and Security (BIS), has classified this software as Export Commodity Control Number (ECCN) 5D002.C.1, which includes information security software using or performing cryptographic functions with asymmetric algorithms. The form and manner of this distribution makes it eligible for export under the License Exception ENC Technology Software Unrestricted (TSU) exception (see the BIS Export Administration Regulations, Section 740.13) for both object code and source code.

The following provides more details on the cryptographic software used (note that this software is not included in the distribution):

\* The PBE Encryption facilities require the Java Cryptography extensions: <http://java.sun.com/javase/technologies/security/>.

-----

Distributions of this software may include software developed by The Apache Software Foundation (<http://www.apache.org/>).

-----

ICU License - ICU 1.8.1 and later

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2006 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

## 1.187 hibernate-jmx 3.3.1.GA

### 1.187.1 Available under license :

LGPL-2.1

## 1.188 istack-commons 3.0.5

### 1.188.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 1997-2017 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at [http://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](http://glassfish.java.net/public/CDDL+GPL_1_1.html) or packager/legal/LICENSE.txt. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath"

exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:

"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

\* /istack-commons-runtime-3-0-5-jar/META-INF/maven/com.sun.istack/istack-commons-runtime/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-Description: istack common utility code  
Implementation-Title: istack common utility code runtime  
Bundle-License: [https://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.java.net/public/CDDL+GPL_1_1.html), [https://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.java.net/public/CDDL+GPL_1_1.html)  
Bundle-SymbolicName: com.sun.istack.common-runtime  
Implementation-Version: 3.0.5  
Built-By: build  
Bnd-LastModified: 1486772850426  
Bundle-ManifestVersion: 2  
Implementation-Vendor-Id: com.sun.istack  
Bundle-DocURL: <http://www.oracle.com/>  
Bundle-Vendor: Oracle Corporation  
Import-Package: javax.activation,javax.xml.namespace,javax.xml.stream,org.xml.sax,org.xml.sax.helpers  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.7))"  
Tool: Bnd-3.2.0.201605172007  
Implementation-Vendor: Oracle Corporation  
Export-Package: com.sun.istack;uses="javax.activation,javax.xml.stream,org.xml.sax,org.xml.sax.helpers";version="3.0.5",com.sun.istack.logging;version="3.0.5",com.sun.istack.localization;version="3.0.5"  
Bundle-Name:  
istack common utility code runtime  
Bundle-Version: 3.0.5  
Implementation-Build-Id: tags/istack-commons-3.0.5-321, 2017-02-11T01:27:24+0100  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_112

Found in path(s):

\* /istack-commons-runtime-3-0-5-jar/META-INF/MANIFEST.MF

# 1.189 tomcat-util-scan 9.0.83

## 1.189.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");



you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.190 openapi-core 1.0.6

### 1.190.1 Available under license :

MIT

## 1.191 gxt 3.0.1

### 1.191.1 Available under license :

/\*\*

\* Sencha GXT 3.0.1 - Sencha for GWT  
\* Copyright(c) 2007-2012, Sencha, Inc.  
\* [licensing@sencha.com](mailto:licensing@sencha.com)  
\*  
\* <http://www.sencha.com/products/gxt/license/>  
\*/

GNU GENERAL PUBLIC LICENSE  
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If

such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that

patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

## 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated

conditions

are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all

recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

#### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

#### 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the

machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded

from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation



available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for

any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under

this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within

the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the

business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will

be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT  
UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING  
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.  
This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

## 1.192 ssm 2.20.128

### 1.192.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt



- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed  
with the accompanying software if such terms are included in the directory containing the accompanying software.  
Such other license terms will then apply in lieu of the terms of the software license above.

## 1.193 spring-aop 5.3.39

### 1.193.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2024 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/annotation/AbstractAspectJAdvisorFactory.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/annotation/ReflectiveAspectJAdvisorFactory.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/AdvisedSupport.java  
\*  
/spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/AspectJExpressionPointcut.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/AopUtils.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/annotation/BeanFactoryAspectJAdvisorsBuilder.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/annotation/InstantiationModelAwarePointcutAdvisorImpl.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/annotation/AspectMetadata.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2012 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/AopInvocationException.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/DynamicMethodMatcherPointcut.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/PoolingConfig.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/adapter/MethodBeforeAdviceAdapter.java  
\*  
/spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/LazyInitTargetSource.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/ThreadLocalTargetSourceStats.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/dynamic/Refreshable.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/Pointcut.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/scope/ScopedObject.java

```

* /spring-aop-5-3-39-sources-2-
jar/org/springframework/aop/target/dynamic/BeanFactoryRefreshableTargetSource.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/AopProxy.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/PointcutAdvisor.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/adapter/AdvisorAdapter.java
* /spring-aop-5-3-39-sources-2-
jar/org/springframework/aop/framework/adapter/AdvisorAdapterRegistrationManager.java
*
/spring-aop-5-3-39-sources-2-
jar/org/springframework/aop/framework/adapter/UnknownAdviceTypeException.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/AfterReturningAdvice.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/AopProxyFactory.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/StaticMethodMatcherPointcut.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/SpringConfiguredBeanDefinitionParser.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/IntroductionAdvisor.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/JdkRegexpMethodPointcut.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/PointcutComponentDefinition.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/SimpleBeanTargetSource.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/AspectJAopUtils.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/adapter/AfterReturningAdviceAdapter.java
*
/spring-aop-5-3-39-sources-2-jar/org/springframework/aop/scope/DefaultScopedObject.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/AopConfigException.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/IntroductionInfo.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/ScopedProxyBeanDefinitionDecorator.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2013 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/AspectJWeaverMessageHandler.java
No license file was found, but licenses were detected in source scan.

```

```

/*

```

- \* Copyright 2002-2018 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /spring-aop-5-3-39-sources-2-jar/org/aopalliance/intercept/ConstructorInvocation.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/SimpleAspectInstanceFactory.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/ProxyProcessorSupport.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/autoproxy/DefaultAdvisorAutoProxyCreator.java
- \*
- /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/RegexpMethodPointcutAdvisor.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/annotation/NotAnAtAspectException.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/autoproxy/ProxyCreationContext.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/AbstractSingletonProxyFactoryBean.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/AspectJPrecedenceInformation.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/IntroductionInfoSupport.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/TargetSource.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/autoproxy/AutoProxyUtils.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/adapter/DefaultAdvisorAdapterRegistry.java
- \*
- /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/RuntimeTestWalker.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/annotation/BeanFactoryAspectInstanceFactory.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/adapter/AdvisorAdapterRegistry.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/autoproxy/AbstractBeanFactoryAwareAdvisingPostProcessor.java
- \* /spring-aop-5-3-39-sources-2-jar/org/aopalliance/aop/AspectException.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/DefaultAdvisorChainFactory.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/DeclareParentsAdvisor.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/IntroductionAwareMethodMatcher.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/ConfigBeanDefinitionParser.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/AbstractPrototypeBasedTargetSource.java
- \*
- /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/CommonsPool2TargetSource.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/AdvisorComponentDefinition.java



```

* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/TrueMethodMatcher.java
* /spring-aop-5-3-39-sources-2-
jar/org/springframework/aop/framework/autoproxy/BeanFactoryAdvisorRetrievalHelper.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/DynamicMethodMatcher.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/interceptor/AsyncExecutionInterceptor.java
* /spring-aop-5-3-39-sources-2-
jar/org/springframework/aop/interceptor/SimpleAsyncUncaughtExceptionHandler.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/TrueClassFilter.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/StaticMethodMatcher.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/AopNamespaceUtils.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/dynamic/AbstractRefreshableTargetSource.java
*
/spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/AbstractRegexpMethodPointcut.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/AdvisorChainFactory.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/StaticMethodMatcherPointcutAdvisor.java
* /spring-aop-5-3-39-sources-2-
jar/org/springframework/aop/framework/autoproxy/target/QuickTargetSourceCreator.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/AspectJPointcutAdvisor.java
* /spring-aop-5-3-39-sources-2-
jar/org/springframework/aop/framework/adapter/GlobalAdvisorAdapterRegistry.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/scope/ScopedProxyFactoryBean.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/MethodBeforeAdvice.java
* /spring-aop-5-3-39-sources-2-jar/org/aopalliance/intercept/MethodInterceptor.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/AopConfigUtils.java
*
/spring-aop-5-3-39-sources-2-jar/org/springframework/aop/TruePointcut.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2023 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/SingletonTargetSource.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/ThreadLocalTargetSource.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/JdkDynamicAopProxy.java

```

```

* /spring-aop-5-3-39-sources-2-
jar/org/springframework/aop/aspectj/annotation/MetadataAwareAspectInstanceFactory.java
*
/spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/AspectJAdviceParameterNameDiscoverer.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/AbstractBeanFactoryBasedTargetSource.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/AbstractLazyCreationTargetSource.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/CglibAopProxy.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/EmptyTargetSource.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/HotSwappableTargetSource.java
* /spring-aop-5-3-39-sources-2-
jar/org/springframework/aop/framework/autoproxy/target/AbstractBeanFactoryBasedTargetSourceCreator.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2014 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

```

Found in path(s):
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/PrototypeTargetSource.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/NameMatchMethodPointcutAdvisor.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2022 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

```

\*/

Found in path(s):

- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/annotation/AnnotationMatchingPointcut.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/AbstractAspectJAdvice.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/autoproxy/AbstractAutoProxyCreator.java
- \*

- /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/ProxyFactoryBean.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/annotation/AnnotationMethodMatcher.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/interceptor/AsyncExecutionAspectSupport.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/AopProxyUtils.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/DefaultAopProxyFactory.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/annotation/AspectJProxyFactory.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/annotation/AnnotationClassFilter.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2008 the original author or authors.

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at

\*

- \* <https://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and

- \* limitations under the License.

\*/

Found in path(s):

- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/ThrowsAdvice.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2019 the original author or authors.

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at

\*

- \* <https://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/ClassFilter.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/Pointcuts.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/ComposablePointcut.java  
\* /spring-aop-5-3-39-sources-2-jar/org/aopalliance/intercept/Interceptor.java  
\*  
/spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/ReflectiveMethodInvocation.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/MethodMatcher.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/ClassFilters.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/RootClassFilter.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/scope/ScopedProxyUtils.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/ObjenesisCglibAopProxy.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/MethodMatchers.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/NameMatchMethodPointcut.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/TypePatternClassFilter.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/interceptor/AsyncUncaughtExceptionHandler.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2020 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/AspectJAfterThrowingAdvice.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/DelegatingIntroductionInterceptor.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/AdvisorEntry.java  
\*  
/spring-aop-5-3-39-sources-2-jar/org/springframework/aop/interceptor/CustomizableTraceInterceptor.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/autoproxy/BeanNameAutoProxyCreator.java  
\* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/interceptor/AbstractTraceInterceptor.java  
\* /spring-aop-5-3-39-sources-2-

```

jar/org/springframework/aop/framework/autoproxy/target/LazyInitTargetSourceCreator.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/AspectEntry.java
* /spring-aop-5-3-39-sources-2-
jar/org/springframework/aop/framework/adapter/MethodBeforeAdviceInterceptor.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/adapter/ThrowsAdviceInterceptor.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/AdviceEntry.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/interceptor/ConcurrencyThrottleInterceptor.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/AopContext.java
*
/spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/AspectJAfterAdvice.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/Advised.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/AspectJAroundAdvice.java
* /spring-aop-5-3-39-sources-2-
jar/org/springframework/aop/framework/autoproxy/AbstractAdvisorAutoProxyCreator.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/interceptor/DebugInterceptor.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/interceptor/AbstractMonitoringInterceptor.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/autoproxy/AspectJPrecedenceComparator.java
* /spring-aop-5-3-39-sources-2-
jar/org/springframework/aop/aspectj/autoproxy/AspectJAwareAdvisorAutoProxyCreator.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/AspectJProxyUtils.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/PointcutEntry.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/interceptor/ExposeBeanNameAdvisors.java
*
/spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/ProxyCreatorSupport.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/interceptor/ExposeInvocationInterceptor.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/interceptor/SimpleTraceInterceptor.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/AopNamespaceHandler.java
* /spring-aop-5-3-39-sources-2-
jar/org/springframework/aop/framework/adapter/AfterReturningAdviceInterceptor.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2021 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/DynamicIntroductionAdvice.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/MethodInvocationProceedingJoinPoint.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/AbstractAdvisingBeanPostProcessor.java
*
/spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/DefaultIntroductionAdvisor.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/target/AbstractPoolingTargetSource.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/AbstractBeanFactoryPointcutAdvisor.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/ControlFlowPointcut.java
* /spring-aop-5-3-39-sources-2-jar/org/aopalliance/intercept/Joinpoint.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/adapter/ThrowsAdviceAdapter.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/ProxyConfig.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2006 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/InstantiationModelAwarePointcutAdvisor.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2015 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/AspectJMethodBeforeAdvice.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/annotation/AspectJAdvisorFactory.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/TargetClassAware.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/annotation/PrototypeAspectInstanceFactory.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/ProxyMethodInvocation.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/SingletonAspectInstanceFactory.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2016 the original author or authors.
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Found in path(s):

- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/AspectJAfterReturningAdvice.java
- \* /spring-aop-5-3-39-sources-2-jar/org/aopalliance/intercept/Invocation.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/AspectJAutoProxyBeanDefinitionParser.java
- \* /spring-aop-5-3-39-sources-2-jar/org/aopalliance/intercept/MethodInvocation.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/ProxyFactory.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/autoproxy/TargetSourceCreator.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/annotation/SimpleMetadataAwareAspectInstanceFactory.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/annotation/SingletonMetadataAwareAspectInstanceFactory.java
- \* /spring-aop-5-3-39-sources-2-jar/org/aopalliance/aop/Advice.java
- \* /spring-aop-5-3-39-sources-2-jar/org/aopalliance/intercept/ConstructorInterceptor.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2017 the original author or authors.
- \* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/annotation/LazySingletonAspectInstanceFactoryDecorator.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/AspectComponentDefinition.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/MethodLocatingFactoryBean.java
- \*
- /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/AbstractGenericPointcutAdvisor.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/ExpressionPointcut.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/annotation/AnnotationAwareAspectJAutoProxyCreator.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/interceptor/PerformanceMonitorInterceptor.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/AspectJExpressionPointcutAdvisor.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/DelegatePerTargetObjectIntroductionInterceptor.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/autoproxy/InfrastructureAdvisorAutoProxyCreator.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/SimpleBeanFactoryAwareAspectInstanceFactory.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/interceptor/JamonPerformanceMonitorInterceptor.java
- \*
- /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/aspectj/AspectInstanceFactory.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/DefaultBeanFactoryPointcutAdvisor.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/config/AbstractInterceptorDrivenBeanDefinitionDecorator.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/DefaultPointcutAdvisor.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/AbstractExpressionPointcut.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/support/AbstractPointcutAdvisor.java
- \* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/Advisor.java

No license file was found, but licenses were detected in source scan.

- /\*
- \* Copyright 2002-2007 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at



```

*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/AdvisedSupportListener.java
* /spring-aop-5-3-39-sources-2-
jar/org/springframework/aop/framework/InterceptorAndDynamicMethodMatcher.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/SpringProxy.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/BeforeAdvice.java
*
/spring-aop-5-3-39-sources-2-jar/org/springframework/aop/framework/AopInfrastructureBean.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/IntroductionInterceptor.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/RawTargetAccess.java
* /spring-aop-5-3-39-sources-2-jar/org/springframework/aop/AfterAdvice.java

```

# 1.194 netty-codec 4.1.89.Final

## 1.194.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/xml/XmlFrameDecoder.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/JdkZlibDecoder.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Crc32c.java

```

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

\* /netty-codec-4-1-89-final-sources-1-jar/META-INF/maven/io.netty/netty-codec/pom.xml

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/DefaultHeadersImpl.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/ValueConverter.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/CharSequenceValueConverter.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
```

```

* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Written by Robert Harder and released to the public domain, as explained at
* https://creativecommons.org/licenses/publicdomain
*/
/**
* Enumeration of supported Base64 dialects.
* <p>
* The internal lookup tables in this class has been derived from
* Robert
 Harder's Public Domain
* Base64 Encoder/Decoder.
*/

```

Found in path(s):

\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/base64/Base64Dialect.java

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Written by Robert Harder and released to the public domain, as explained at
* https://creativecommons.org/licenses/publicdomain
*/
/**

```

```

* Utility class for {@link ByteBuf} that encodes and decodes to and from
* Base64 notation.
* <p>
* The encoding and decoding algorithm in this class has been derived from
* Robert Harder's Public Domain
* Base64 Encoder/Decoder.
*/

```

Found in path(s):

```

* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/base64/Base64.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/HeadersUtils.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/ProtocolDetectionResult.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/ProtocolDetectionState.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/protobuf/ProtobufVarint32FrameDecoder.java
*

```

```

/netty-codec-4-1-89-final-sources-1-
jar/io/netty/handler/codec/protobuf/ProtobufVarint32LengthFieldPrepender.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/protobuf/ProtobufEncoder.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/protobuf/ProtobufDecoder.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/UnsupportedValueConverter.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/protobuf/ProtobufDecoderNano.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/protobuf/ProtobufEncoderNano.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a

```

- \* copy of the License at:
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software distributed under the License
- \* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
- express
- \* or implied. See the License for the specific language governing permissions and limitations under
- \* the License.
- \*/

Found in path(s):

- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/EmptyHeaders.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/DefaultHeaders.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/Headers.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */

/**
 * A decoder that splits the received {@link ByteBuf}s dynamically by the
 * value of the length field in the message. It is particularly useful when you
 * decode a binary message which has an integer header field that represents the
 * length of the message body or the whole message.
 *
 * <p>
 * {@link LengthFieldBasedFrameDecoder} has many configuration parameters so
 * that it can decode any message with a length field, which is often seen in
 * proprietary client-server protocols. Here are some example that will give
 * you the basic idea on which option does what.
 *
 * <h3>2 bytes length field at offset 0, do not strip header</h3>
 *
 * The value of the length field in this example is <tt>12 (0x0C)</tt> which
 * represents the length of "HELLO, WORLD". By default, the decoder assumes

```

\* that the length field represents the number of the bytes that follows the  
 \* length field. Therefore, it can be decoded with the simplistic parameter  
 \* combination.

\* <pre>

\* <b>lengthFieldOffset</b> = <b>0</b>

\* <b>lengthFieldLength</b> = <b>2</b>

\* lengthAdjustment = 0

\* initialBytesToStrip = 0 (= do not strip header)

\*

\* BEFORE DECODE (14 bytes)      AFTER DECODE (14 bytes)

\* +-----+-----+      +-----+-----+

\* | Length | Actual Content

|---->| Length | Actual Content |

\* | 0x000C | "HELLO, WORLD" |      | 0x000C | "HELLO, WORLD" |

\* +-----+-----+      +-----+-----+

\* </pre>

\*

\* <h3>2 bytes length field at offset 0, strip header</h3>

\*

\* Because we can get the length of the content by calling

\* {@link ByteBuffer#readableBytes()}, you might want to strip the length

\* field by specifying <tt>initialBytesToStrip</tt>. In this example, we

\* specified <tt>2</tt>, that is same with the length of the length field, to

\* strip the first two bytes.

\* <pre>

\* lengthFieldOffset = 0

\* lengthFieldLength = 2

\* lengthAdjustment = 0

\* <b>initialBytesToStrip</b> = <b>2</b> (= the length of the Length field)

\*

\* BEFORE DECODE (14 bytes)      AFTER DECODE (12 bytes)

\* +-----+-----+      +-----+

\* | Length | Actual Content |---->| Actual Content |

\* | 0x000C | "HELLO, WORLD" |      | "HELLO, WORLD" |

\* +-----+-----+      +-----+

\* </pre>

\*

\* <h3>2 bytes length field at offset 0, do not strip header, the length field

\* represents the length of the whole message</h3>

\*

\* In most cases, the length field represents the length of the message body

\* only, as shown in the previous examples. However, in some protocols, the

\* length field represents the length of the whole message, including the

\* message header. In such a case, we specify a non-zero

\* <tt>lengthAdjustment</tt>. Because the length value in this example message

\* is always greater than the body length by <tt>2</tt>, we specify <tt>-2</tt>

\* as <tt>lengthAdjustment</tt> for compensation.

\* <pre>

```

* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = -2 (= the length of the Length field)
* initialBytesToStrip = 0
*
* BEFORE DECODE (14 bytes) AFTER DECODE (14 bytes)
* +-----+-----+-----+-----+
* | Length | Actual Content |---->| Length | Actual
 Content |
* | 0x000E | "HELLO, WORLD" | | 0x000E | "HELLO, WORLD" |
* +-----+-----+-----+-----+
* </pre>
*
* <h3>3 bytes length field at the end of 5 bytes header, do not strip header</h3>
*
* The following message is a simple variation of the first example. An extra
* header value is prepended to the message. <tt>lengthAdjustment</tt> is zero
* again because the decoder always takes the length of the prepended data into
* account during frame length calculation.
* <pre>
* lengthFieldOffset = 2 (= the length of Header 1)
* lengthFieldLength = 3
* lengthAdjustment = 0
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes) AFTER DECODE (17 bytes)
* +-----+-----+-----+-----+
* | Header 1 | Length | Actual Content |---->| Header 1 | Length | Actual Content |
* | 0xCAFE | 0x00000C | "HELLO, WORLD" | | 0xCAFE | 0x00000C | "HELLO, WORLD" |
* | 0xCAFE | 0x00000C | "HELLO, WORLD" |
* +-----+-----+-----+-----+
* </pre>
*
* <h3>3 bytes length field at the beginning of 5 bytes header, do not strip header</h3>
*
* This is an advanced example that shows the case where there is an extra
* header between the length field and the message body. You have to specify a
* positive <tt>lengthAdjustment</tt> so that the decoder counts the extra
* header into the frame length calculation.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 3
* lengthAdjustment = 2 (= the length of Header 1)
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes) AFTER DECODE (17 bytes)
* +-----+-----+-----+-----+
* | Length | Header 1 | Actual Content |---->| Length | Header 1 | Actual Content |

```

```

* | 0x00000C | 0xCAFE | "HELLO, WORLD" | | 0x00000C | 0xCAFE | "HELLO,
WORLD" |
* +-----+-----+-----+-----+-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
* strip the first header field and the length field</h3>
*
* This is a combination of all the examples above. There are the prepended
* header before the length field and the extra header after the length field.
* The prepended header affects the <tt>lengthFieldOffset</tt> and the extra
* header affects the <tt>lengthAdjustment</tt>. We also specified a non-zero
* <tt>initialBytesToStrip</tt> to strip the length field and the prepended
* header from the frame. If you don't want to strip the prepended header, you
* could specify <tt>0</tt> for <tt>initialBytesToSkip</tt>.
* <pre>
* lengthFieldOffset = 1 (= the length of HDR1)
* lengthFieldLength = 2
* lengthAdjustment = 1 (= the length of HDR2)
* initialBytesToStrip = 3 (= the length of HDR1 +
LEN)
*
* BEFORE DECODE (16 bytes) AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |-----| HDR2 | Actual Content |
* | 0xCA | 0x000C | 0xFE | "HELLO, WORLD" | | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
* strip the first header field and the length field, the length field
* represents the length of the whole message</h3>
*
* Let's give another twist to the previous example. The only difference from
* the previous example is that the length field represents the length of the
* whole message instead of the message body, just like the third example.
* We have to count the length of HDR1 and Length into <tt>lengthAdjustment</tt>.
* Please note that we don't need to take the length of HDR2 into account
* because
the length field already includes the whole header length.
* <pre>
* lengthFieldOffset = 1
* lengthFieldLength = 2
* lengthAdjustment = -3 (= the length of HDR1 + LEN, negative)
* initialBytesToStrip = 3
*
* BEFORE DECODE (16 bytes) AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+-----+-----+

```



```

* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x0010 | 0xFE | "HELLO, WORLD" | | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+-----+-----+
* </pre>
* @see LengthFieldPrepender
*/

```

Found in path(s):

\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/LengthFieldBasedFrameDecoder.java

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright 2019 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */

```

Found in path(s):

\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Lz4XXHash32.java

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */

```

Found in path(s):

- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/serialization/WeakReferenceMap.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/serialization/CompatibleObjectEncoder.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/serialization/ClassResolvers.java
- \*
- /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/serialization/ObjectEncoderOutputStream.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/FixedLengthFrameDecoder.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/marshalling/UnmarshallerProvider.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/JZlibDecoder.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/marshalling/ThreadLocalMarshallerProvider.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/JZlibEncoder.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/CompressionException.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/DecoderException.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Snappy.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/DelimiterBasedFrameDecoder.java
- \*
- /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/ReplayingDecoder.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/serialization/package-info.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/serialization/ObjectDecoderInputStream.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/ZlibWrapper.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/JdkZlibEncoder.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/SnappyFrameDecoder.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/PrematureChannelClosureException.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/marshalling/MarshallingDecoder.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/MessageToMessageEncoder.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/bytes/ByteArrayDecoder.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/MessageToMessageCodec.java
- \*
- /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/marshalling/LimitingByteInput.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/CorruptedFrameException.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/DecoderResult.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/MessageToByteEncoder.java
- \* /netty-codec-4-1-89-final-sources-1-
- jar/io/netty/handler/codec/marshalling/ThreadLocalUnmarshallerProvider.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/base64/package-info.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/ZlibCodecFactory.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/protobuf/package-info.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/serialization/CachingClassResolver.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/DecompressionException.java
- \*
- /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/serialization/ReferenceMap.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/marshalling/CompatibleMarshallingEncoder.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/ReplayingDecoderByteBuf.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/base64/Base64Encoder.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/marshalling/CompatibleMarshallingDecoder.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/serialization/SoftReferenceMap.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/string/StringEncoder.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/string/package-info.java
- \* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/bytes/package-info.java

```

* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/ZlibEncoder.java
*
/netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/xml/package-info.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/SnappyFrameEncoder.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/EncoderException.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/LineBasedFrameDecoder.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/marshalling/ChannelBufferByteInput.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/bytes/ByteArrayEncoder.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/string/StringDecoder.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/marshalling/MarshallerProvider.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/serialization/CompactObjectInputStream.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/CodecException.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/ByteToMessageDecoder.java
*
/netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/MessageAggregator.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/marshalling/package-info.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/serialization/CompactObjectOutputStream.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/serialization/ClassLoaderClassResolver.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/base64/Base64Decoder.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/Delimiters.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/serialization/ObjectEncoder.java
* /netty-codec-4-1-89-final-sources-1-
jar/io/netty/handler/codec/marshalling/ContextBoundUnmarshallerProvider.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/ByteToMessageCodec.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/serialization/ObjectDecoder.java
*
/netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/marshalling/MarshallingEncoder.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/serialization/ClassResolver.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/MessageToMessageDecoder.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/UnsupportedMessageTypeException.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/TooLongFrameException.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/marshalling/DefaultMarshallerProvider.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/marshalling/ChannelBufferByteOutput.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/LengthFieldPrepender.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/package-info.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/ZlibDecoder.java
*
/netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/package-info.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/marshalling/DefaultUnmarshallerProvider.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/ZlibUtil.java

```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2014 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
```

```
* version 2.0 (the "License"); you may not use this file except in compliance
```

```
* with the License. You may obtain a copy of the License at:
```

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2Decoder.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Lz4FrameDecoder.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/json/package-info.java  
\*  
/netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/json/JsonObjectDecoder.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/FastLzFrameDecoder.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2BlockCompressor.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2Constants.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2HuffmanStageEncoder.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2BitWriter.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2Encoder.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/AsciiHeadersEncoder.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/MessageAggregationException.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2MTFAndRLE2StageEncoder.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2HuffmanStageDecoder.java  
\*  
/netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2BitReader.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/DecoderResultProvider.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Crc32.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2Rand.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/LzfEncoder.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/SnappyFramedEncoder.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/FastLzFrameEncoder.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2DivSufSort.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/FastLz.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2HuffmanAllocator.java  
\*  
/netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2BlockDecompressor.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/LzmaFrameEncoder.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Lz4Constants.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2MoveToFrontTable.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/SnappyFramedDecoder.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Lz4FrameEncoder.java  
\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/LzfDecoder.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/ZstdConstants.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/BrotliDecoder.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/DeflateOptions.java
*
/netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/StandardCompressionOptions.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/ZstdOptions.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/BrotliOptions.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/GzipOptions.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/ZstdEncoder.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Brotli.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/CompressionOptions.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/Zstd.java
* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/BrotliEncoder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2023 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/EncoderUtil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/CompressionUtil.java

\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/DatagramPacketDecoder.java

\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/string/LineEncoder.java

\*

/netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/DateFormatter.java

\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/string/LineSeparator.java

\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/CodecOutputList.java

\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/DatagramPacketEncoder.java

\* /netty-codec-4-1-89-final-sources-1-jar/io/netty/handler/codec/compression/ByteBufChecksum.java

No license file was found, but licenses were detected in source scan.

# The Netty Project licenses this file to you under the Apache License,

# version 2.0 (the "License"); you may not use this file except in compliance

# with the License. You may obtain a copy of the License at:

# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /netty-codec-4-1-89-final-sources-1-jar/META-INF/native-image/io.netty/netty-codec/native-image.properties

## 1.195 camel-jms 2.24.1

### 1.195.1 Available under license :

```
=====
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Camel distribution. ==
```

=====

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Please read the different LICENSE files present in the licenses directory of  
this distribution.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or  
Object form, made available under the License, as indicated by a  
copyright notice that is included in or attached to the work  
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses



granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Camel :: JMS

Copyright 2007-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.196 netty-transport 4.1.89.Final

## 1.196.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/CoalescingBufferQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

/\*\*

\* Handles an I/O event or intercepts an I/O operation, and forwards it to its next handler in  
\* its {@link ChannelPipeline}.

\*

\* <h3>Sub-types</h3>

\* <p>

\* {@link ChannelHandler} itself does not provide many methods, but you usually have to implement one of its  
subtypes:

\* <ul>

\* <li>{@link

ChannelInboundHandler} to handle inbound I/O events, and</li>

\* <li>{@link ChannelOutboundHandler} to handle outbound I/O operations.</li>

\* </ul>

\* </p>

\* <p>

\* Alternatively, the following adapter classes are provided for your convenience:

\* <ul>

\* <li>{@link ChannelInboundHandlerAdapter} to handle inbound I/O events,</li>

\* <li>{@link ChannelOutboundHandlerAdapter} to handle outbound I/O operations, and</li>

\* <li>{@link ChannelDuplexHandler} to handle both inbound and outbound events</li>

\* </ul>

\* </p>

\* <p>

\* For more information, please refer to the documentation of each subtype.

\* </p>

\*

\* <h3>The context object</h3>

\* <p>

\* A {@link ChannelHandler} is provided with a {@link ChannelHandlerContext}

\* object. A {@link ChannelHandler} is supposed to interact with the

\* {@link ChannelPipeline} it belongs to via a context object. Using the

\* context object, the {@link ChannelHandler} can pass events upstream or

\* downstream, modify the pipeline dynamically,

or store the information

\* (using {@link AttributeKey}s) which is specific to the handler.

\*

\* <h3>State management</h3>

\*

\* A {@link ChannelHandler} often needs to store some stateful information.

\* The simplest and recommended approach is to use member variables:

\* <pre>

\* public interface Message {

\*   // your methods here

\* }

\*

\* public class DataServerHandler extends {@link SimpleChannelInboundHandler}&lt;Message> {

\*

\*   <b>private boolean loggedIn;</b>

\*

\*   {@code @Override}

\*   public void channelRead0({@link ChannelHandlerContext} ctx, Message message) {

\*     if (message instanceof LoginMessage) {

\*         authenticate((LoginMessage) message);

\*         <b>loggedIn = true;</b>

\*     } else (message instanceof GetDataMessage) {

\*         if (<b>loggedIn</b>) {

\*             ctx.writeAndFlush(fetchSecret((GetDataMessage) message));

\*         } else {

\*             fail();

\*         }

\*

  }

\*   }

\*   ...

\* }

\* </pre>

\* Because the handler instance has a state variable which is dedicated to

\* one connection, you have to create a new handler instance for each new

\* channel to avoid a race condition where an unauthenticated client can get

\* the confidential information:

\* <pre>

```

* // Create a new handler instance per channel.
* // See {@link ChannelInitializer#initChannel(Channel)}.
* public class DataServerInitializer extends {@link ChannelInitializer}<{@link Channel}> {
* {@code @Override}
* public void initChannel({@link Channel} channel) {
* channel.pipeline().addLast("handler", new DataServerHandler());
* }
* }
*
* </pre>
*
* <h4>Using {@link AttributeKey}s</h4>
*
* Although it's recommended to use member variables to store the state of a
* handler, for some reason you might not want to create many handler instances.
* In such a case, you can use {@link AttributeKey}s which is provided by
* {@link ChannelHandlerContext}:
* <pre>
* public interface Message {
* // your methods here
* }
*
* {@code @Sharable}
* public class DataServerHandler extends {@link SimpleChannelInboundHandler}<Message> {
* private final {@link AttributeKey}<{@link Boolean}> auth =
* {@link AttributeKey#valueOf(String) AttributeKey.valueOf("auth")};
*
* {@code @Override}
* public void channelRead({@link ChannelHandlerContext} ctx, Message message) {
* {@link Attribute}<{@link Boolean}> attr = ctx.attr(auth);
* if (message instanceof LoginMessage) {
* authenticate((LoginMessage) o);
* attr.set(true);
* } else (message instanceof GetDataMessage) {
* if (Boolean.TRUE.equals(attr.get())) {
* ctx.writeAndFlush(fetchSecret((GetDataMessage) o));
* } else {
* fail();
* }
* }
* }
* }
* ...
* }
* </pre>
*
* Now that the
* state of the handler is attached to the {@link ChannelHandlerContext}, you can add the
* same handler instance to different pipelines:
* <pre>

```

```

* public class DataServerInitializer extends {@link ChannelInitializer}<{@link Channel}> {
*
* private static final DataServerHandler SHARED = new DataServerHandler();
*
* {@code @Override}
* public void initChannel({@link Channel} channel) {
* channel.pipeline().addLast("handler", SHARED);
* }
* }
* </pre>

```

\* <h4>The {@code @Sharable} annotation</h4>

\* <p>

\* In the example above which used an {@link AttributeKey},

\* you might have noticed the {@code @Sharable} annotation.

\* <p>

\* If a {@link ChannelHandler} is annotated with the {@code @Sharable}

\* annotation, it means you can create an instance of the handler just once and

\* add it to one or more {@link ChannelPipeline}s multiple times without

\* a race condition.

\* <p>

\* If this annotation is not specified, you have to create

a new handler

\* instance every time you add it to a pipeline because it has unshared state

\* such as member variables.

\* <p>

\* This annotation is provided for documentation purpose, just like

\* <a href="http://www.javaconcurrencyinpractice.com/annotations/doc/">the JCIP annotations</a>.

\*

\* <h3>Additional resources worth reading</h3>

\* <p>

\* Please refer to the {@link ChannelHandler}, and

\* {@link ChannelPipeline} to find out more about inbound and outbound operations,

\* what fundamental differences they have, how they flow in a pipeline, and how to handle

\* the operation in your application.

\*/

Found in path(s):

\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelHandler.java

No license file was found, but licenses were detected in source scan.

# The Netty Project licenses this file to you under the Apache License,

# version 2.0 (the "License"); you may not use this file except in compliance

# with the License. You may obtain a copy of the License at:

# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /netty-transport-4-1-89-final-sources-1-jar/META-INF/native-image/io.netty/netty-transport/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ServerChannelRecvByteBufAllocator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2022 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/nio/SelectorProviderUtil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,



- \* version 2.0 (the "License"); you may not use this file except in compliance
- \* with the License. You may obtain a copy of the License at:
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/MaxBytesRecvByteBufAllocator.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/pool/FixedChannelPool.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/pool/SimpleChannelPool.java
- \*
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/pool/ChannelPoolMap.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DefaultMaxMessagesRecvByteBufAllocator.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/pool/AbstractChannelPoolMap.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/pool/AbstractChannelPoolHandler.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/pool/ChannelPoolHandler.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DefaultMaxBytesRecvByteBufAllocator.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/pool/ChannelPool.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/MaxMessagesRecvByteBufAllocator.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/pool/package-info.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/pool/ChannelHealthChecker.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/AbstractEventLoop.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/embedded/EmbeddedChannelId.java

\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/PendingWriteQueue.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelFactory.java  
\*  
/netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ReflectiveChannelFactory.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/ChannelOutputShutdownException.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/ChannelOutputShutdownEvent.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/internal/package-info.java  
\*  
/netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/ChannelInputShutdownReadComplete.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/oio/DefaultOioDatagramChannelConfig.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/oio/OioDatagramChannelConfig.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/bootstrap/FailedChannel.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/nio/SelectedSelectionKeySetSelector.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/PendingBytesTracker.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DelegatingChannelPromiseNotifier.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/internal/ChannelUtils.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2013 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/group/ChannelMatchers.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DefaultAddressedEnvelope.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelProgressivePromise.java  
\*  
/netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DefaultChannelId.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/nio/SelectedSelectionKeySet.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DefaultChannelProgressivePromise.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelProgressiveFutureListener.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/AddressedEnvelope.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/oio/DefaultOioSocketChannelConfig.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/bootstrap/ChannelFactory.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/SimpleChannelInboundHandler.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelHandlerAdapter.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/group/DefaultChannelGroup.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DefaultMessageSizeEstimator.java  
\*  
/netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/group/ChannelGroup.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/oio/OioServerSocketChannelConfig.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/oio/DefaultOioServerSocketChannelConfig.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ConnectTimeoutException.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/group/ChannelMatcher.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelProgressiveFuture.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelOutboundBuffer.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/MessageSizeEstimator.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelId.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/group/ChannelGroupException.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/AbstractEventLoopGroup.java  
\*  
/netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/oio/OioSocketChannelConfig.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DefaultSelectStrategyFactory.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/SelectStrategyFactory.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/WriteBufferWaterMark.java  
\*  
/netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/DuplexChannel.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/group/VoidChannelGroupFuture.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/SelectStrategy.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/bootstrap/AbstractBootstrapConfig.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DefaultSelectStrategy.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/bootstrap/BootstrapConfig.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/PreferHeapByteBufAllocator.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelOutboundInvoker.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/bootstrap/ServerBootstrapConfig.java  
\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelInboundInvoker.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DefaultChannelHandlerContext.java  
No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project  
~  
~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance

~ with the License. You may obtain a copy of the License at:  
~  
~ <https://www.apache.org/licenses/LICENSE-2.0>  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /netty-transport-4-1-89-final-sources-1-jar/META-INF/maven/io.netty/netty-transport/pom.xml  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License, version 2.0 (the
 * "License"); you may not use this file except in compliance with the License. You may obtain a
 * copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/AbstractCoalescingBufferQueue.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
```

\* under the License.

\*/

Found in path(s):

```
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/oio/AbstractOioMessageChannel.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/nio/AbstractNioMessageChannel.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/CombinedChannelDuplexHandler.java
*
/netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/nio/NioDatagramChannelConfig.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/group/CombinedIterator.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/EventLoopGroup.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelMetadata.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/embedded/EmbeddedSocketAddress.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/nio/NioSocketChannel.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/ServerSocketChannelConfig.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ThreadPerChannelEventLoopGroup.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/oio/OioDatagramChannel.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelInitializer.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/group/ChannelGroupFutureListener.java
*
/netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelPromiseAggregator.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/CompleteChannelFuture.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/group/ChannelGroupFuture.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/local/LocalChannelRegistry.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/MultithreadEventLoopGroup.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/nio/ProtocolFamilyConverter.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelPipelineException.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelFlushPromiseNotifier.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelPromiseNotifier.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/nio/NioDatagramChannel.java
*
/netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/nio/NioServerSocketChannel.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelInboundHandler.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelPipeline.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/EventLoop.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/SucceededChannelFuture.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/FailedChannelFuture.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/oio/package-info.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/nio/package-info.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/VoidChannelPromise.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/oio/OioServerSocketChannel.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/DatagramChannel.java
*
/netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/oio/OioSocketChannel.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/nio/AbstractNioChannel.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/nio/AbstractNioByteChannel.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/DefaultServerSocketChannelConfig.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/SocketChannel.java
```

- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/EventLoopException.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/local/LocalServerChannel.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/oio/AbstractOioByteChannel.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ThreadPerChannelEventLoop.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/InternetProtocolFamily.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/bootstrap/AbstractBootstrap.java
- \*
- /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/FileRegion.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DefaultChannelConfig.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/AbstractChannelHandlerContext.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/oio/OioEventLoopGroup.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/nio/NioTask.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelException.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ServerChannel.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DefaultEventLoopGroup.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/oio/package-info.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelOption.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/Channel.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/embedded/EmbeddedChannel.java
- \*
- /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/AbstractServerChannel.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/DatagramPacket.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/SocketChannelConfig.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/RecvByteBufAllocator.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/group/package-info.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelInboundHandlerAdapter.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/SingleThreadEventLoop.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/bootstrap/Bootstrap.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/nio/package-info.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/FixedRecvByteBufAllocator.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/local/LocalEventLoopGroup.java
- \*
- /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/local/LocalChannel.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/oio/AbstractOioChannel.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelConfig.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/embedded/package-info.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/ServerSocketChannel.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/package-info.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/DatagramChannelConfig.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelOutboundHandlerAdapter.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/local/package-info.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/nio/NioEventLoop.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DefaultFileRegion.java
- \*
- /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/group/DefaultChannelGroupFuture.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/package-info.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DefaultEventLoop.java
- \* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelFuture.java

```

* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/embedded/EmbeddedEventLoop.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/nio/NioEventLoopGroup.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/AdaptiveRecvByteBufAllocator.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/local/LocalAddress.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelHandlerContext.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/DefaultSocketChannelConfig.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/bootstrap/package-info.java
*
/netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelFutureListener.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/bootstrap/ServerBootstrap.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/DefaultDatagramChannelConfig.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelDuplexHandler.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelPromise.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelOutboundHandler.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/AbstractChannel.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DefaultChannelPipeline.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/ChannelInputShutdownEvent.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/DefaultChannelPromise.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

```

Found in path(s):
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ExtendedClosedChannelException.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/ChannelHandlerMask.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/EventLoopTaskQueueFactory.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2018 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

```



```
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/SimpleUserEventChannelHandler.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/nio/NioChannelOption.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/StacklessClosedChannelException.java
* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/socket/DuplexChannelConfig.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /netty-transport-4-1-89-final-sources-1-jar/io/netty/channel/oio/OioByteStreamChannel.java

# 1.197 aws-json-protocol 2.20.128

## 1.197.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,  
excluding those notices that do not pertain to any part of  
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its  
distribution, then any Derivative Works that You distribute must  
include a readable copy of the attribution notices contained  
within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one  
of the following places: within a NOTICE text file distributed  
as part of the Derivative Works; within the Source form or  
documentation, if provided along with the Derivative Works; or,  
within a display generated by the Derivative Works, if and  
wherever such third-party notices normally appear. The contents  
of the NOTICE file are for informational purposes only and  
do not modify the License. You may add Your own attribution  
notices within Derivative Works that You distribute, alongside  
or as an addendum to the NOTICE text from the Work, provided  
that such additional attribution notices cannot be construed  
as modifying the License.

You may add Your own copyright statement to Your modifications and  
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or  
for any such Derivative Works as a whole, provided Your use,  
reproduction, and distribution of the Work otherwise complies with  
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,  
any Contribution intentionally submitted for inclusion in the Work  
by You to the Licensor shall be under the terms and conditions of  
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify  
the terms of any separate license agreement you may have executed  
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade  
names, trademarks, service marks, or product names of the Licensor,  
except as required for reasonable and customary use in describing the  
origin of the Work and reproducing the  
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or  
agreed to in writing, Licensor provides the Work (and each  
Contributor provides its Contributions) on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

## 1.198 aws-java-sdk-sqs 1.12.105

### 1.198.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights
 * Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

`/aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/internal/auth/SQSSignerProvider.java`

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 */
```

\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/MessageMD5ChecksumHandler.java  
\* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/AmazonSQSClientConfigurationFactory.java  
\* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/QueueUrlHandler.java  
\* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/auth/policy/resources/SQSQueueResource.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance  
with  
\* the License. A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT  
WARRANTIES OR  
\* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing  
permissions  
\* and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/transform/MessageNotInflightExceptionUnmarshaller.java  
\* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/transform/DeleteMessageBatchRequestMarshaller.java  
\* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/transform/QueueDoesNotExistExceptionUnmarshaller.java  
\*  
\* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/transform/EmptyBatchRequestExceptionUnmarshaller.java  
\* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/SendMessageBatchResultEntry.java  
\* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/SetQueueAttributesResult.java  
\* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/transform/ReceiveMessageRequestMarshaller.java  
\* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/DeleteQueueResult.java  
\* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/transform/TooManyEntriesInBatchRequestExceptionUnmarshaller.java  
\* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/AmazonSQSClientBuilder.java



```

* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/DeleteQueueRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/GetQueueUrlResultStaxUnmarshaller.java
*
/ aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/AmazonSQSAsync.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/GetQueueUrlRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/ChangeMessageVisibilityRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/UntagQueueRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/SendMessageRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/DeleteMessageBatchResult.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/GetQueueUrlResult.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/ReceiptHandleIsInvalidExceptionUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/GetQueueAttributesResultStaxUnmarshaller.java
*
/ aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/CreateQueueResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/CreateQueueResult.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/AbstractAmazonSQS.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/DeleteMessageBatchRequestEntry.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/UntagQueueRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/MessageStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/DeleteMessageBatchRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/SendMessageBatchRequestEntryStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/AbstractAmazonSQSAsync.java
*
/ aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/AmazonSQSAsyncClient.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/ListQueueTagsRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/SendMessageResult.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/BatchResultErrorEntry.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/ChangeMessageVisibilityBatchRequestEntry.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/SetQueueAttributesRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/DeleteMessageResult.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/UntagQueueResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/ChangeMessageVisibilityBatchRequest.java
*

```

```

/aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/TooManyEntriesInBatchRequestException.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/ChangeMessageVisibilityResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/ListQueuesResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/ChangeMessageVisibilityBatchRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/DeleteMessageBatchRequestEntryStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/InvalidAttributeNameExceptionUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/InvalidIdFormatExceptionUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/ListQueueTagsResultStaxUnmarshaller.java
*
/aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/AmazonSQS.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/BatchEntryIdsNotDistinctExceptionUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/QueueNameExistsExceptionUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/ReceiveMessageResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/MessageSystemAttributeValueStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/InvalidMessageContentsException.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/SendMessageBatchRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/AddPermissionRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/ChangeMessageVisibilityBatchResultEntry.java
*
/aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/QueueDeletedRecentlyExceptionUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/InvalidMessageContentsExceptionUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/PurgeQueueRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/ChangeMessageVisibilityBatchResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/MessageAttributeValueStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/PurgeQueueResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/ListQueuesRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/ListQueuesResult.java
*

```

```

/aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/QueueDeletedRecentlyException.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/BatchRequestTooLongExceptionUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/SendMessageBatchRequestEntry.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/GetQueueAttributesRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/UnsupportedOperationExceptionUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/AmazonSQSClient.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/RemovePermissionRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/PurgeQueueRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/GetQueueUrlRequest.java
*
/aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/package-info.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/QueueAttributeName.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/TagQueueRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/RemovePermissionResult.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/MessageAttributeValue.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/PurgeQueueInProgressException.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/TagQueueResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/DeleteMessageRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/ListDeadLetterSourceQueuesRequestMarshaller.java
*
/aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/AmazonSQSException.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/ChangeMessageVisibilityRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/ReceiptHandleIsInvalidException.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/InvalidIdFormatException.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/DeleteQueueResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/GetQueueAttributesResult.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/QueueDoesNotExistException.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/SendMessageBatchResult.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/EmptyBatchRequestException.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/QueueNameExistsException.java
*
/aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/ChangeMessageVisibilityBatchResult.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/ChangeMessageVisibilityBatchRequestEntryStaxUnmarshaller.java
va
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/AddPermissionResult.java

```

```

* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/CreateQueueRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/MessageSystemAttributeValue.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/SetQueueAttributesResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/DeleteMessageRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/ChangeMessageVisibilityBatchResultEntryStaxUnmarshaller.java
a
*
/ aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/GetQueueAttributesRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/MessageNotInflightException.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/MessageSystemAttributeNameForSends.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/ListQueueTagsRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/BatchRequestTooLongException.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/PurgeQueueResult.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/Message.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/SetQueueAttributesRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/RemovePermissionResultStaxUnmarshaller.java
*
/ aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/AddPermissionResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/PurgeQueueInProgressExceptionUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/ListDeadLetterSourceQueuesResult.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/UntagQueueResult.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/SendMessageResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/SendMessageBatchRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/InvalidAttributeNameException.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/TagQueueRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/InvalidBatchEntryIdExceptionUnmarshaller.java
*
/ aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/ListQueuesRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/AmazonSQSAsyncClientBuilder.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/TagQueueResult.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/DeleteMessageBatchResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-

```

```

jar/com/amazonaws/services/sqs/model/DeleteMessageBatchResultEntry.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/ListDeadLetterSourceQueuesRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/ListDeadLetterSourceQueuesResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/ListQueueTagsResult.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/SendMessageBatchResultEntryStaxUnmarshaller.java
*
/ aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/DeleteMessageResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/OverLimitExceptionUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/BatchEntryIdsNotDistinctException.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/CreateQueueRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/DeleteQueueRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/SendMessageBatchResultStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/OverLimitException.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/AddPermissionRequestMarshaller.java
*
/ aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/BatchResultErrorEntryStaxUnmarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/auth/policy/actions/SQSActions.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/UnsupportedOperationException.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/ChangeMessageVisibilityResult.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/RemovePermissionRequestMarshaller.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/InvalidBatchEntryIdException.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/ReceiveMessageRequest.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/ReceiveMessageResult.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/model/transform/DeleteMessageBatchResultEntryStaxUnmarshaller.java
*
/ aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/MessageSystemAttributeName.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/model/SendMessageRequest.java
No license file was found, but licenses were detected in source scan.

```

```

/*

```

```

* Copyright 2011-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

```

```

*

```

```

* Licensed under the Apache License, Version 2.0 (the "License");

```

```

* you may not use this file except in compliance with the License.

```

```

* You may obtain a copy of the License at:

```

```

*
* http://aws.amazon.com/apache2.0
*
* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
* OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/internal/RequestCopyUtils.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2012-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

```

Found in path(s):

```

* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/buffered/QueueBufferCallback.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/buffered/QueueBufferFuture.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/internal/SQSRequestHandler.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/buffered/QueueBuffer.java
*
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/buffered/SendQueueBuffer.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/buffered/QueueBufferConfig.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/buffered/ResultConverter.java
* /aws-java-sdk-sqs-1-12-105-sources-jar/com/amazonaws/services/sqs/buffered/ReceiveQueueBuffer.java
* /aws-java-sdk-sqs-1-12-105-sources-
jar/com/amazonaws/services/sqs/buffered/AmazonSQSBufferedAsyncClient.java

```

## 1.199 asm-tree 4.0

### 1.199.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:

\* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its  
 \* contributors may be used to endorse or promote products derived from  
 \* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
 \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED  
 WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
 \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
 \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
 \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
 \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
 \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
 \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
 \* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/xml/package.html

No license file was found, but licenses were detected in source scan.

/\*\*\*

\* ASM XML Adapter

\* Copyright (c) 2004-2011, Eugene Kuleshov

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:

\* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its  
 \* contributors may be used to endorse or promote products derived from  
 \* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES,  
INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/xml/SAXFieldAdapter.java  
\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/xml/SAXClassAdapter.java  
\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/xml/SAXAnnotationAdapter.java  
\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/xml/Processor.java  
\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/xml/SAXCodeAdapter.java  
\*

/asm-tree-4-0-sources-1-jar/org/objectweb/asm/xml/ASMContentHandler.java

\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/xml/SAXAdapter.java

No license file was found, but licenses were detected in source scan.

#All rights reserved.

#Redistribution and use in source and binary forms, with or without

#modification, are permitted provided that the following conditions

#are met:

#1. Redistributions of source code must retain the above copyright

# notice, this list of conditions and the following disclaimer.

#2. Redistributions in binary form must reproduce the above copyright

# notice, this list of conditions and the following disclaimer in the

# documentation and/or other materials provided with the distribution.

#3. Neither the name of the copyright holders nor the names of its

# this software without specific prior written permission.

Found in path(s):

\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-signatures.properties  
\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-resize.properties  
\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-annotations.properties  
\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink.properties  
\*

/asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-frames.properties

\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/shrink-writer.properties

No license file was found, but licenses were detected in source scan.

/\*\*\*



- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2011 INRIA, France Telecom
- \* Copyright (c) 2011 Google
- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE
- \* COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.
- \*/

Found in path(s):

- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/TraceMethodVisitor.java
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/MethodNode.java
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/AdviceAdapter.java
- \*
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/TraceFieldVisitor.java
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/ClassOptimizer.java
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Analyzer.java
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/ASMifier.java
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/TraceClassVisitor.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2011 INRIA, France Telecom
- \* All rights reserved.
- \*

- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- \* "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.
- \*/
- /\*\*
- \* Constructs a new {@link ClassNode}. <i>Subclasses must not use this
- \* constructor</i>. Instead, they must use the {@link #ClassNode(int)}
- \* version.
- \*/

Found in path(s):

\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/ClassNode.java

No license file was found, but licenses were detected in source scan.

```

/**
 * ASM: a very small and fast Java bytecode manipulation framework
 * Copyright (c) 2000-2011 INRIA, France Telecom
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.

```

```

* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/
/**
 * Constructs a new {@link Textifier}. <i>Subclasses must not use this
 * constructor</i>. Instead, they must use the {@link #Textifier(int)}
 * version.
 */

```

Found in path(s):

`/asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/Textifier.java`

No license file was found, but licenses were detected in source scan.

```

/****
* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

```

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
 \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
 \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
 \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
 \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
 \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
 \* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new JSRInliner. *<i>Subclasses must not use this  
 \* constructor</i>*. Instead, they must use the  
 \* {@link #JSRInlinerAdapter(int, MethodVisitor, int, String, String, String, String[])}  
 \* version.

\*

\* @param mv the `MethodVisitor`

to send the resulting inlined

\* method code to (use `null` for none).  
 \* @param access the method's access flags (see {@link Opcodes}). This  
 \* parameter also indicates if the method is synthetic and/or  
 \* deprecated.  
 \* @param name the method's name.  
 \* @param desc the method's descriptor (see {@link Type}).  
 \* @param signature the method's signature. May be `null`.  
 \* @param exceptions the internal names of the method's exception classes  
 \* (see {@link Type#getInternalName() getInternalName}). May be  
 \* `null`.

\*/

Found in path(s):

\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/JSRInlinerAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework  
 \* Copyright (c) 2000-2011 INRIA, France Telecom  
 \* All rights reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. Neither the name of the copyright holders nor the names of its  
 \* contributors may be used to endorse or promote products derived from

- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.
- \*/

Found in path(s):

- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/Textifiable.java
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/ASMifiable.java

No license file was found, but licenses were detected in source scan.

/\*\*\*

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2011 INRIA, France Telecom
- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*

- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new {@link AnalyzerAdapter}. *Subclasses must not use this  
\* constructor*. Instead, they must use the  
\* {@link #AnalyzerAdapter(int, String, int, String, String, MethodVisitor)}  
\* version.

\*

\* @param owner the owner's class  
name.

\* @param access the method's access flags (see {@link Opcodes}).

\* @param name the method's name.

\* @param desc the method's descriptor (see {@link Type Type}).

\* @param mv the method visitor to which this adapter delegates calls. May

\* be `null`.

\*/

Found in path(s):

\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/AnalyzerAdapter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM: a very small and fast Java bytecode manipulation framework

\* Copyright (c) 2000-2011 INRIA, France Telecom

\* Copyright (c) 2011 Google

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE

COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\*

\* Creates a new {@link GeneratorAdapter}. *Subclasses must not use this*  
\* constructor*.* Instead, they must use the  
\* {@link #GeneratorAdapter(int, MethodVisitor, int, String, String)}  
\* version.

\*

\* @param

mv the method visitor to which this adapter delegates calls.

\* @param access the method's access flags (see {@link Opcodes}).

\* @param name the method's name.

\* @param desc the method's descriptor (see {@link Type Type}).

\*/

Found in path(s):

\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/GeneratorAdapter.java

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/package.html
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/signature/package.html
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/package.html
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/attrs/package.html
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/package.html
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/package.html
- \*
- /asm-tree-4-0-sources-1-jar/org/objectweb/asm/package.html

No license file was found, but licenses were detected in source scan.

/\*\*\*

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2011 INRIA, France Telecom
- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- \* "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.
- \*/

Found in path(s):

- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/Opcodes.java
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/AbstractInsnNode.java
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/LdcInsnNode.java
- \* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/TryCatchBlockSorter.java



```

*
/asm-tree-4-0-sources-1-jar/org/objectweb/asm/Item.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/FrameNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/Label.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/LabelNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Interpreter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SourceValue.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/FieldWriter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/signature/SignatureVisitor.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/Handle.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/Attribute.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/FieldConstantsCollector.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/StaticInitMerger.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/ByteVector.java
*
/asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/Shrinker.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Frame.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingMethodAdapter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/InsnNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/JumpInsnNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/Handler.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/LocalVariableNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/Method.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/MethodVisitor.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/AnnotationConstantsCollector.java
*
/asm-tree-4-0-sources-1-jar/org/objectweb/asm/signature/SignatureWriter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/Constant.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/TableSwitchInsnNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Value.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/FieldInsnNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/AnnotationWriter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/Remapper.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingAnnotationAdapter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/InsnList.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingClassAdapter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/JarOptimizer.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/NameMapping.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/Frame.java
*
/asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingFieldAdapter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/ClassVisitor.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicValue.java

```

```

* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/MethodOptimizer.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/AnnotationVisitor.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/TableSwitchGenerator.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/Subroutine.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/TypeInsnNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/ConstantPool.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/ClassReader.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/SimpleRemapper.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/InnerClassNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/CodeSizeEvaluator.java
*
/asm-tree-4-0-sources-1-jar/org/objectweb/asm/Edge.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/TraceSignatureVisitor.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/InstructionAdapter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/CheckSignatureAdapter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/RemappingSignatureAdapter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/FieldNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/TryCatchBlockNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/IntInsnNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/LincInsnNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/VarInsnNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/ClassWriter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/ClassConstantsCollector.java
*
/asm-tree-4-0-sources-1-jar/org/objectweb/asm/signature/SignatureReader.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/AnnotationNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/Printer.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/MethodWriter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/AnalyzerException.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/MethodInsnNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/LocalVariablesSorter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/FieldVisitor.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/LineNumberNode.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/CheckFieldAdapter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicVerifier.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/CheckClassAdapter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/optimizer/MethodConstantsCollector.java
*
/asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/CheckMethodAdapter.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/Type.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/tree/analysis/SmallSet.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/util/TraceAnnotationVisitor.java
* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java
No license file was found, but licenses were detected in source scan.

```

2011, Eugene Kuleshov

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /asm-tree-4-0-sources-1-jar/org/objectweb/asm/xml/asm-xml.dtd

## 1.200 jmespath-java 1.12.105

### 1.200.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

\* /jmespath-java-1-12-105-sources-jar/META-INF/maven/com.amazonaws/jmespath-java/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License").

\* You may not use this file except in compliance with the License.

\* A copy of the License is located at

- \*
  - \* <http://aws.amazon.com/apache2.0>
  - \*
    - \* or in the "license" file accompanying this file. This file is distributed
    - \* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
    - \* express or implied. See the License for the specific language governing
    - \* permissions and limitations under the License.
- \*/

Found in path(s):

- \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathExpression.java
- \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/OpNotEquals.java
- \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathFlatten.java
- \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/OpLessThanOrEqualTo.java
- \*
  - /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathVisitor.java
  - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathIdentity.java
  - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathContainsFunction.java
  - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathAndExpression.java
  - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathEvaluationVisitor.java
  - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/OpGreaterThanOrEqualTo.java
  - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathValueProjection.java
  - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathMultiSelectList.java
  - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/NumericComparator.java
  - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/OpEquals.java
  - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathNotExpression.java
  - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/OpGreaterThan.java
  - \*
    - /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathLengthFunction.java
    - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/Comparator.java
    - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/CamelCaseUtils.java
    - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathFunction.java
    - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathFilter.java
    - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/ObjectMapperSingleton.java
    - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathProjection.java
    - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathLiteral.java
    - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/OpLessThan.java
    - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/InvalidTypeException.java
    - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathSubExpression.java
    - \* /jmespath-java-1-12-105-sources-jar/com/amazonaws/jmespath/JmesPathField.java

## 1.201 tomcat-el-api 9.0.83

### 1.201.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following



boilerplate notice, with the fields enclosed by brackets "[ ]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.202 tomcat-catalina 9.0.83

### 1.202.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding  
those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

## 1.203 stax 3.1.4

### 1.203.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/* Stax2 API extension for Streaming Api for Xml processing (StAX).
*
* Copyright (c) 2006- Tatu Saloranta, tatu.saloranta@iki.fi
*
* Licensed under the License specified in file LICENSE, included with
* the source code.
* You may not use this file except in compliance with the License.
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/ri/Stax2WriterAdapter.java
* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/ri/Stax2WriterImpl.java
* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/ri/Stax2ReaderImpl.java
```

No license file was found, but licenses were detected in source scan.

```
/* Stax2 extension for basic Stax API (JSR-173).
*
* Copyright (c) 2005- Tatu Saloranta, tatu.saloranta@iki.fi
*
* Licensed under the License specified in file LICENSE, included with
* the source code.
* You may not use this file except in compliance with the License.
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/typed/Base64Variant.java
* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/typed/Base64Variants.java
* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/XMLStreamReader2.java
```

\* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/typed/TypedXMLStreamReader.java

No license file was found, but licenses were detected in source scan.

/\* Reference Implementation of

\* Stax2 extension API (for basic Stax API, JSR-173)

\*

\* Copyright (c) 2008- Tatu Saloranta, tatu.saloranta@iki.fi

\*

\* Licensed under the License specified in file LICENSE, included with  
\* the source code.

\* You may not use this file except in compliance with the License.

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/ri/typed/ValueDecoderFactory.java

\* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/ri/typed/AsciiValueEncoder.java

No license file was found, but licenses were detected in source scan.

/\* Stax2 API extension for Streaming API for XML processing (StAX).

\*

\* Copyright (c) 2006- Tatu Saloranta, tatu.saloranta@iki.fi

\*

\* Licensed under the License specified in the file LICENSE which is  
\* included with the source code.

\* You may not use this file except in compliance with the License.

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/ri/dom/DOMWrappingReader.java

No license file was found, but licenses were detected in source scan.

/\* StAX2 extension for StAX API (JSR-173).

\*

\* Copyright (c) 2005- Tatu Saloranta, tatu.saloranta@iki.fi

\*

\* Licensed under the License specified in file LICENSE, included with

- \* the source code.
- \* You may not use this file except in compliance with the License.
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/ri/typed/Base64DecoderBase.java
- \* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/ri/typed/CharArrayBase64Decoder.java
- \* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/ri/typed/StringBase64Decoder.java
- \* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/util/StreamWriterDelegate.java
- \*
- /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/ri/typed/NumberUtil.java

No license file was found, but licenses were detected in source scan.

/\* Woodstox XML processor

- \*
- \* Copyright (c) 2004- Tatu Saloranta, tatu.saloranta@iki.fi
- \*
- \* Licensed under the License specified in the file LICENSE which is
- \* included with the source code.
- \* You may not use this file except in compliance with the License.
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/ri/Stax2EventReaderImpl.java

No license file was found, but licenses were detected in source scan.

/\* Reference Implementation of

- \* Stax2 extension API (for basic Stax API, JSR-173)
- \*
- \* Copyright (c) 2005- Tatu Saloranta, tatu.saloranta@iki.fi
- \*
- \* Licensed under the License specified in file LICENSE, included with
- \* the source code.
- \* You may not use this file except in compliance with the License.
- \*
- \* Unless required by applicable law or agreed to in writing, software



\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/ri/typed/ValueEncoderFactory.java

No license file was found, but licenses were detected in source scan.

/\* Stax2 API extension for Streaming Api for Xml processing (StAX).

\*

\* Copyright (c) 2006- Tatu Saloranta, tatu.saloranta@iki.fi

\*

\* Licensed under the License specified in the file LICENSE which is

\* included with the source code.

\* You may not use this file except in compliance with the License.

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/ri/Stax2Util.java

\* /stax2-api-3-1-4-sources-jar/org/codehaus/stax2/ri/dom/DOMWrappingWriter.java

## 1.204 secretsmanager 2.20.128

### 1.204.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by

Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.

- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.

- Apache Commons Lang - <https://github.com/apache/commons-lang>

- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>

- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

# 1.205 activemq-leveldb-store 5.15.11

## 1.205.1 Available under license :

ActiveMQ :: LevelDB Store  
Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:



- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
- You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.206 commons-codec 1.10

### 1.206.1 Available under license :

Apache Commons Codec  
Copyright 2002-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

`src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java`  
contains test data from <http://aspell.net/test/orig/batch0.tab>.  
Copyright (C) 2002 Kevin Atkinson ([kevina@gnu.org](mailto:kevina@gnu.org))

=====

The content of package `org.apache.commons.codec.language.bm` has been translated  
from the original php source code available at <http://stevemorse.org/phoneticinfo.htm>  
with permission from the original authors.

Original source copyright:  
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,  
excluding those notices that do not pertain to any part of  
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its  
distribution, then any Derivative Works that You distribute must  
include a readable copy of the attribution notices contained  
within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one  
of the following places: within a NOTICE text file distributed  
as part of the Derivative Works; within the Source form or  
documentation, if provided along with the Derivative Works; or,  
within a display generated by the Derivative Works, if and  
wherever such third-party notices normally appear. The contents  
of the NOTICE file are for informational purposes only and  
do not modify the License. You may add Your own attribution  
notices within Derivative Works that You distribute, alongside  
or as an addendum to the NOTICE text from the Work, provided  
that such additional attribution notices cannot be construed  
as modifying the License.

You may add Your own copyright statement to Your modifications and  
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or  
for any such Derivative Works as a whole, provided Your use,  
reproduction, and distribution of the Work otherwise complies with  
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,  
any Contribution intentionally submitted for inclusion in the Work  
by You to the Licensor shall be under the terms and conditions of  
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify  
the terms of any separate license agreement you may have executed  
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade  
names, trademarks, service marks, or product names of the Licensor,  
except as required for reasonable and customary use in describing the  
origin of the Work and reproducing the  
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or  
agreed to in writing, Licensor provides the Work (and each  
Contributor provides its Contributions) on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

## 1.207 jnr-ffi 2.0.0

### 1.207.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008-2011 Wayne Meissner

\*

\* This file is part of the JNR project.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/



Found in path(s):

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/FFIProvider.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008-2010 Wayne Meissner

\*

\* This file is part of the JNR project.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/NativeMemoryManager.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/mapper/FromNativeConverter.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/annotations/Out.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/byref/ByteByReference.java

\*

/jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/JNINativeInterface.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/byref/FloatByReference.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/Address.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/SkinnyMethodAdapter.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/IdentityFunctionMapper.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/InAccessibleMemoryIO.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/InvokerUtil.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/BadType.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/byref/LongLongByReference.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/annotations/In.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/AsmLibraryLoader.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/mapper/TypeMapper.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/ByteBufferMemoryIO.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/ShareMemoryIO.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/MemoryManager.java

\*

/jnr-ffi-2-0-0-sources-jar/jnr/ffi/util/EnumMapper.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/byref/PointerByReference.java

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/X86\_64StubCompiler.java

- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/byref/DoubleByReference.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/annotations/IgnoreError.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/AbstractArrayMemoryIO.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/BoundedMemoryIO.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/mapper/MethodResultContext.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/AbstractRuntime.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/AbstractMemoryIO.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/annotations/Transient.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/AsmUtil.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/AbstractX86StubCompiler.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/byref/ShortByReference.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/NativeRuntime.java
- \*
- /jnr-ffi-2-0-0-sources-jar/jnr/ffi/annotations/Direct.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/mapper/ToNativeContext.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/DirectMemoryIO.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/mapper/FromNativeContext.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/AllocatedDirectMemoryIO.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/StubCompiler.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/mapper/ToNativeConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/NativeLong.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/mapper/DataConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/X86\_32StubCompiler.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/annotations/Synchronized.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/mapper/FunctionMapper.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/LibraryLoader.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/annotations/Clear.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/InvocationSession.java
- \*
- /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/CodegenUtils.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/NullTypeMapper.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/CallingConvention.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/Provider.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/Invoker.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/NativeLibrary.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/Platform.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/AsmClassLoader.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/ParameterFlags.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/util/BufferUtil.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/AsmRuntime.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/DelegatingMemoryIO.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/LoadedLibrary.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/annotations/NulTerminate.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/byref/NativeLongByReference.java
- \*
- /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/ArrayMemoryIO.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/byref/ByReference.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/LastError.java

- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/annotations/SaveError.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/SymbolNotFoundError.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/LibraryOption.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/MemoryUtil.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/JNIInvokeInterface.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/Library.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/annotations/StdCall.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/annotations/Pinned.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/mapper/MethodParameterContext.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/NumberUtil.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/byref/IntByReference.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/byref/AddressByReference.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/AbstractBufferMemoryIO.java
- \*

/jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/NullMemoryIO.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008-2012 Wayne Meissner

\*

\* This file is part of the JNR project.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/Pointer.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/DefaultInvokerFactory.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/NativeInvocationHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009-2010 Wayne Meissner

\*

\* This file is part of the JNR project.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/NativeType.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 Wayne Meissner
 *
 * This file is part of the JNR project.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/ClosureUtil.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/NativeClosureFactory.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/NativeClosureManager.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/annotations/LongLong.java
- \*
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/NativeClosurePointer.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2010 Wayne Meissner
 *
 * This file is part of the JNR project.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
```

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/Type.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/byref/AbstractReference.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/Runtime.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/byref/AbstractNumberReference.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/Memory.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 Wayne Meissner
 *
 * This file is part of the JNR project.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/BoxedByteArrayParameterConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/BoxedBooleanArrayParameterConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/BoxedIntegerArrayParameterConverter.java
- \*
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/NativeLibraryLoader.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/BoxedDoubleArrayParameterConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/StructArrayParameterConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/Pointer32ArrayParameterConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/EnumSetConverter.java

- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/CharSequenceParameterConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/NativeLongConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/VariableAccessorGenerator.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/StringResultConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/ReflectionVariableAccessorGenerator.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/CharSequenceArrayParameterConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/ByReferenceParameterConverter.java
- \*
- /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/BoxedShortArrayParameterConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/annotations/Encoding.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/StringUtil.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/BoxedFloatArrayParameterConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/Pointer64ArrayParameterConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/NativeLong64ArrayParameterConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/EnumConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/StringBufferParameterConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/StringBuilderParameterConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/StructByReferenceFromNativeConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/Long32ArrayParameterConverter.java
- \*
- /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/BoxedLong64ArrayParameterConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/NativeLong32ArrayParameterConverter.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/jffi/ReflectionLibraryLoader.java
- \* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/provider/converters/BoxedLong32ArrayParameterConverter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008-2010 Wayne Meissner

\*

\* This file is part of the JNR project.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*

\* Some of the design and code of this class is from the javolution project.

\*

\* Copyright (C) 2006 - Javolution (<http://javolution.org/>)

\* All rights reserved.

\*  
\* Permission to use, copy, modify, and distribute this software is  
\* freely granted, provided that this notice  
\* is preserved.  
\*/

Found in path(s):

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/Struct.java  
\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/Union.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2008 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/util/ref/internal/Finalizer.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2007 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/util/ref/FinalizableWeakReference.java  
\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/util/ref/FinalizableSoftReference.java  
\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/util/ref/FinalizablePhantomReference.java  
\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/util/ref/FinalizableReference.java  
\* /jnr-ffi-2-0-0-sources-jar/jnr/ffi/util/ref/FinalizableReferenceQueue.java

# 1.208 auth 2.20.128

## 1.208.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.



"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

## 1.209 txw2 2.3.0

### 1.209.1 Available under license :

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in 'Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License // This class is in the Public Domain. NO WARRANTY! \* Public Domain, and comes with <strong>NO WARRANTY</strong>.</em>'

Found license 'General Public License 2.0' in '\* Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License // NO WARRANTY! This class is in the public domain.'

# 1.210 ec2 2.20.128

## 1.210.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang  
Copyright 2001-2020  
The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensors and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained



within such NOTICE file, excluding  
those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

## 1.211 jnr-unixsocket 0.4

### 1.211.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009 Wayne Meissner
 *
 * This file is part of the JNR project.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /jnr-unixsocket-0-4-sources-jar/jnr/unixsocket/UnixSocketAddress.java
* /jnr-unixsocket-0-4-sources-jar/jnr/unixsocket/UnixServerSocketChannel.java
* /jnr-unixsocket-0-4-sources-jar/jnr/unixsocket/SockAddrUnix.java
* /jnr-unixsocket-0-4-sources-jar/jnr/unixsocket/UnixServerSocket.java
*
/jnr-unixsocket-0-4-sources-jar/jnr/unixsocket/Native.java
* /jnr-unixsocket-0-4-sources-jar/jnr/unixsocket/UnixSocketChannel.java
* /jnr-unixsocket-0-4-sources-jar/jnr/unixsocket/UnixSocket.java
```

## 1.212 netty-transport-native-unix-common 4.1.89.Final

## 1.212.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /netty-transport-native-unix-common-4-1-89-final-sources-3-
jar/io/netty/channel/unix/DomainDatagramPacket.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-
jar/io/netty/channel/unix/DomainDatagramChannel.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-
jar/io/netty/channel/unix/DomainDatagramSocketAddress.java
*
```

```
/netty-transport-native-unix-common-4-1-89-final-sources-3-
jar/io/netty/channel/unix/DomainDatagramChannelConfig.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-
jar/io/netty/channel/unix/SegmentedDatagramPacket.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2022 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

\* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/RawUnixChannelOption.java

\* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/GenericUnixChannelOption.java

\* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/IntegerUnixChannelOption.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/netty\_unix\_jni.h

\* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/UnixChannelUtil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

```
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/IovArray.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/UnixChannelOption.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/package-info.java
*
/netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/Unix.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2016 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/META-INF/maven/io.netty/netty-transport-native-unix-common/pom.xml
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2018 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/PreferredDirectByteBufAllocator.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/netty_unix_buffer.h
```

\* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/Buffer.java  
\*  
/netty-transport-native-unix-common-4-1-89-final-sources-3-jar/netty\_unix\_buffer.c  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2020 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/netty\_unix.h  
\* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/netty\_unix.c  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2016 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/netty\_unix\_util.c  
\* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/ErrorsStaticallyReferencedJniMethods.java  
\* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/netty\_unix\_util.h  
\*

```

/netty-transport-native-unix-common-4-1-89-final-sources-3-jar/netty_unix_limits.c
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/PeerCredentials.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-
jar/io/netty/channel/unix/SocketWritableByteChannel.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/Limits.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-
jar/io/netty/channel/unix/LimitsStaticallyReferencedJniMethods.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/netty_unix_limits.h
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/netty_unix_socket.c
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/Errors.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/DomainSocketChannel.java
*
/netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/Socket.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/netty_unix_socket.h
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/FileDescriptor.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-
jar/io/netty/channel/unix/ServerDomainSocketChannel.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/UnixChannel.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-
jar/io/netty/channel/unix/DatagramSocketAddress.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/netty_unix_errors.c
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/NativeInetAddress.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/DomainSocketAddress.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/netty_unix_filedescriptor.c
*
/netty-transport-native-unix-common-4-1-89-final-sources-3-
jar/io/netty/channel/unix/DomainSocketReadMode.java
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/netty_unix_filedescriptor.h
* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/netty_unix_errors.h

```



\* /netty-transport-native-unix-common-4-1-89-final-sources-3-jar/io/netty/channel/unix/DomainSocketChannelConfig.java

# 1.213 aws-java-sdk-kms 1.12.105

## 1.213.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance
 * with
 * the License. A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR
 * CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing
 * permissions
 * and limitations under the License.
 */
```

Found in path(s):

```
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/VerifyResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GenerateDataKeyWithoutPlaintextRequestProtocolMarshaller.java
va
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CreateCustomKeyStoreRequestProtocolMarshaller.java
*
/ aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/GenerateDataKeyRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ScheduleKeyDeletionResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/KMSInvalidStateExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListResourceTagsResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListKeysResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UpdatePrimaryRegionResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/RevokeGrantResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ReplicateKeyRequest.java
*
```

```

/aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListRetirableGrantsResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/SigningAlgorithmSpec.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UntagResourceRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListKeysRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/CreateAliasRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/GrantConstraints.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/RetireGrantResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/KeyUnavailableExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/KeyListEntryJsonUnmarshaller.java
*
/aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListResourceTagsRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ListAliasesRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CustomKeyStoresListEntryJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GenerateDataKeyResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ConnectCustomKeyStoreRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ImportKeyMaterialResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GenerateDataKeyPairWithoutPlaintextResultJsonUnmarshaller.j
ava
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/InvalidImportTokenException.java
*
/aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UpdateAliasRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/EncryptResult.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/GetKeyRotationStatusRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ListGrantsResult.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/VerifyRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/DecryptRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ReEncryptRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CreateKeyRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/KeySpec.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/KeyMetadataJsonUnmarshaller.java
*

```

```

/aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/KMSInternalException.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/AWSKMSAsyncClient.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/TagJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ListRetirableGrantsRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ListKeyPoliciesResult.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/InvalidArnException.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/MultiRegionKeyMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListKeyPoliciesRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/SignResult.java
*
/aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/DeleteAliasRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DescribeCustomKeyStoresRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DeleteAliasRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/EnableKeyRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/CreateGrantResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CreateAliasResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/EnableKeyRotationRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GrantListEntryMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/DisabledException.java
*
/aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/AlreadyExistsException.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/DescribeKeyResult.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/AWSKMSEException.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/GetKeyRotationStatusResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/KeyMetadataMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/KMSInvalidSignatureException.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DependencyTimeoutExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GenerateDataKeyRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/UntagResourceResult.java
*
/aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/GenerateDataKeyPairResult.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/InvalidAliasNameException.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/GenerateDataKeyPairWithoutPlaintextResult.java
* /aws-java-sdk-kms-1-12-105-sources-

```

```

jar/com/amazonaws/services/kms/model/CreateCustomKeyStoreRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/SignRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/EnableKeyRotationRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/MultiRegionConfigurationMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ImportKeyMaterialRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListKeysRequestProtocolMarshaller.java
*
/ aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/RetireGrantRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UpdatePrimaryRegionRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CustomKeyStoreHasCMKsExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GetPublicKeyResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/IncorrectKeyMaterialException.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/TagResourceRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListKeyPoliciesRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/MultiRegionKey.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/UpdateKeyDescriptionResult.java
*
/ aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/GrantOperation.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/InvalidImportTokenExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/IncorrectKeyException.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ListResourceTagsResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/GetParametersForImportResult.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/UntagResourceRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/EnableKeyRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/DescribeCustomKeyStoresResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/GenerateDataKeyPairWithoutPlaintextRequest.java
*
/ aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ExpiredImportTokenExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/DisableKeyRotationResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DescribeKeyResultJsonUnmarshaller.java

```

\* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/TagResourceRequest.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ConnectCustomKeyStoreRequest.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/PutKeyPolicyRequest.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/DecryptRequestMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/GenerateDataKeyPairWithoutPlaintextRequestProtocolMarshaller.java  
 \*  
 /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/ScheduleKeyDeletionRequestProtocolMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/AWSKMSAsyncClientBuilder.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/CreateKeyRequestMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ExpirationModelType.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/UnsupportedOperationException.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/CreateGrantRequestMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/UpdateAliasRequest.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/GenerateDataKeyPairRequestMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/VerifyRequestMarshaller.java  
 \*  
 /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/CustomKeyStoreNameInUseExceptionUnmarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/AliasListEntryMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/EnableKeyResultJsonUnmarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/CloudHsmClusterNotFoundExceptionUnmarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/DecryptResultJsonUnmarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/Tag.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/DeleteImportedKeyMaterialRequestProtocolMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/ReplicateKeyRequestMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/NotFoundException.java  
 \*  
 /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/CustomKeyStoresListEntry.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/CreateAliasRequestMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/GenerateDataKeyPairResultJsonUnmarshaller.java

```

* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/EncryptionAlgorithmSpec.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/GenerateRandomRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/InvalidGrantIdException.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/KeyUnavailableException.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/GrantListEntry.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/InvalidGrantTokenException.java
*
/ aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/InvalidKeyUsageException.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GenerateDataKeyRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GetKeyRotationStatusRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/DescribeCustomKeyStoresRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/MultiRegionKeyJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/GetKeyPolicyResult.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/TagResourceResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/TagResourceRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/AbstractAWSKMSAsync.java
*
/ aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CreateCustomKeyStoreResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/AWSKMSSClient.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/ExpiredImportTokenException.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DecryptRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/CustomKeyStoreInvalidStateException.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DeleteImportedKeyMaterialRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UntagResourceRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/UpdatePrimaryRegionRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/KeyMetadata.java
*
/ aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/RevokeGrantRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListRetirableGrantsRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/transform/TagMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CloudHsmClusterInUseExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ScheduleKeyDeletionRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/DeleteImportedKeyMaterialRequest.java

```

\* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ReEncryptResult.java  
 \* /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/transform/PutKeyPolicyRequestProtocolMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/CancelKeyDeletionRequest.java  
 \*  
 /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/transform/DisableKeyRotationRequestProtocolMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/transform/DeleteCustomKeyStoreRequestMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ImportKeyMaterialResult.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/MessageType.java  
 \* /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/transform/InvalidGrantTokenExceptionUnmarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/transform/EncryptRequestMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/transform/CustomKeyStoresListEntryMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/transform/ReEncryptRequestProtocolMarshaller.java  
 \*  
 /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/transform/DisableKeyRequestMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/RevokeGrantResult.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ConnectionStateType.java  
 \* /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/transform/ListGrantsResultJsonUnmarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/CreateCustomKeyStoreResult.java  
 \* /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/transform/InvalidCiphertextExceptionUnmarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ReEncryptRequest.java  
 \* /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/transform/ScheduleKeyDeletionResultJsonUnmarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ListRetirableGrantsResult.java  
 \*  
 /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/GenerateDataKeyWithoutPlaintextResult.java  
 \* /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/transform/CancelKeyDeletionRequestMarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/transform/DeleteImportedKeyMaterialResultJsonUnmarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/transform/IncorrectTrustAnchorExceptionUnmarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/InvalidCiphertextException.java  
 \* /aws-java-sdk-kms-1-12-105-sources-  
 jar/com/amazonaws/services/kms/model/transform/CreateGrantResultJsonUnmarshaller.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/GenerateDataKeyResult.java  
 \* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/DataKeySpec.java  
 \* /aws-java-sdk-kms-1-12-105-sources-

```

jar/com/amazonaws/services/kms/model/DeleteCustomKeyStoreRequest.java
*
/aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ImportKeyMaterialRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/EncryptRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/GetParametersForImportRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListResourceTagsRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GetPublicKeyRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/DisconnectCustomKeyStoreResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/EnableKeyRotationRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CreateAliasRequestProtocolMarshaller.java
*
/aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DisconnectCustomKeyStoreRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GenerateRandomResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/InvalidKeyUsageExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CancelKeyDeletionResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/RevokeGrantRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/DisableKeyRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/AliasListEntry.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DisabledExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/KMSInvalidSignatureExceptionUnmarshaller.java
*
/aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DisableKeyRotationRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/PutKeyPolicyResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/EncryptResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/TagExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GetKeyRotationStatusRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/CreateKeyRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GrantListEntryJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/DisableKeyRotationRequest.java
* /aws-java-sdk-kms-1-12-105-sources-

```



```

jar/com/amazonaws/services/kms/model/transform/InvalidAliasNameExceptionUnmarshaller.java
*
/aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ListKeyPoliciesRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/UpdateCustomKeyStoreResult.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/RetireGrantResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UpdateKeyDescriptionResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/SignResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/DependencyTimeoutException.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DescribeKeyRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DisableKeyRequestProtocolMarshaller.java
*
/aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GrantConstraintsJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/PutKeyPolicyRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ConnectCustomKeyStoreResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UpdateCustomKeyStoreResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GetParametersForImportResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DescribeKeyRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CloudHsmClusterNotActiveExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/InvalidMarkerExceptionUnmarshaller.java
*
/aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ReplicateKeyRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/DeleteAliasResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/EnableKeyRotationResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UpdateAliasResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DeleteAliasResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/AWSKMSSClientBuilder.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ListKeysRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/EnableKeyRotationResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GetParametersForImportRequestProtocolMarshaller.java
*

```

```

/aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UpdateCustomKeyStoreRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/IncorrectKeyExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/DecryptResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DisconnectCustomKeyStoreResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/CustomerMasterKeySpec.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/VerifyRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/DescribeKeyRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/AlgorithmSpec.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GenerateDataKeyWithoutPlaintextRequestMarshaller.java
*
/aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListKeyPoliciesResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/MultiRegionConfiguration.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListAliasesRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GenerateDataKeyWithoutPlaintextResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DescribeCustomKeyStoresResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GetKeyPolicyRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/VerifyResult.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ListAliasesResult.java
*
/aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/CustomKeyStoreNameInUseException.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/AWSKMSAsync.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UpdatePrimaryRegionRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ConnectionErrorCodeType.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CloudHsmClusterNotRelatedExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListAliasesRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GrantConstraintsMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/CancelKeyDeletionResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/InvalidArnExceptionUnmarshaller.java
*
/aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/EncryptRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-

```

```

jar/com/amazonaws/services/kms/model/transform/ConnectCustomKeyStoreRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/EnableKeyRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/KeyUsageType.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GetKeyPolicyRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/MalformedPolicyDocumentExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/InvalidGrantIdExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DeleteCustomKeyStoreRequestProtocolMarshaller.java
*
/aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DisconnectCustomKeyStoreRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/AliasListEntryJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListGrantsRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/UpdateCustomKeyStoreRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ReplicateKeyResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/DisconnectCustomKeyStoreRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UpdateKeyDescriptionRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/PutKeyPolicyResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CustomKeyStoreInvalidStateExceptionUnmarshaller.java
*
/aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UnsupportedOperationExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/InvalidMarkerException.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CloudHsmClusterInvalidConfigurationExceptionUnmarshaller.j
ava
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/SignRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/KeyListEntryMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/TagResourceResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ReEncryptResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GetPublicKeyRequestMarshaller.java
*
/aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DisableKeyResultJsonUnmarshaller.java

```

```

* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/AbstractAWSKMS.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GetParametersForImportRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UpdateCustomKeyStoreRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/MultiRegionConfigurationJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DeleteCustomKeyStoreResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/DataKeyPairSpec.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/RetireGrantRequestProtocolMarshaller.java
*
/ aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/LimitExceededExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CustomKeyStoreNotFoundExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/IncorrectKeyMaterialExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GenerateRandomRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/MultiRegionKeyType.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/DeleteCustomKeyStoreResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DeleteAliasRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/GenerateDataKeyPairRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CreateKeyResultJsonUnmarshaller.java
*
/ aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/RevokeGrantRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GenerateDataKeyPairRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/KMSInvalidStateException.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/CloudHsmClusterNotFoundException.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/KMSInternalExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/CloudHsmClusterNotRelatedException.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ListGrantsRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/CreateAliasResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/CustomKeyStoreHasCMKsException.java
*
/ aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GenerateDataKeyPairWithoutPlaintextRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/KeyListEntry.java

```

```

* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/UpdateKeyDescriptionRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DisableKeyRotationResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/GetPublicKeyRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/TagException.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/MalformedPolicyDocumentException.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GenerateRandomRequestProtocolMarshaller.java
*
/ aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/CloudHsmClusterInUseException.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/OriginType.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/UpdatePrimaryRegionResult.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/package-info.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/EnableKeyResult.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/CreateKeyResult.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/KeyManagerType.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/AWSKMS.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/GetPublicKeyResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/AlreadyExistsExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/LimitExceededException.java
*
/ aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ScheduleKeyDeletionRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/DescribeCustomKeyStoresRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/KeyState.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/DeleteImportedKeyMaterialResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/ConnectCustomKeyStoreResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CancelKeyDeletionRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/CustomKeyStoreNotFoundException.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/GetKeyPolicyRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/UpdateAliasResult.java
*
/ aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CreateCustomKeyStoreRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ImportKeyMaterialRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/SignRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UntagResourceResultJsonUnmarshaller.java

```

```

* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/GenerateDataKeyWithoutPlaintextRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ListKeysResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/NotFoundExceptionUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/ListResourceTagsRequest.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/CloudHsmClusterNotActiveException.java
*
/ aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/GenerateRandomResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GetKeyPolicyResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UpdateAliasRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/CreateGrantRequestProtocolMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/RetireGrantRequest.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/DisableKeyResult.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/IncorrectTrustAnchorException.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/UpdateKeyDescriptionRequestProtocolMarshaller.java
*
/ aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/GetKeyRotationStatusResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/CloudHsmClusterInvalidConfigurationException.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListAliasesResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/WrappingKeySpec.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ReplicateKeyResultJsonUnmarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListRetirableGrantsRequestMarshaller.java
* /aws-java-sdk-kms-1-12-105-sources-
jar/com/amazonaws/services/kms/model/transform/ListGrantsRequestMarshaller.java

```

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance with

\* the License. A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT

## WARRANTIES OR

\* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions  
\* and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/auth/policy/actions/KMSActions.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance with

\* the License. A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR

\* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions

\* and limitations under the License.

\*/

/\*\*

\* <p>

\* Identifies the KMS key for the grant. The grant gives principals permission to use this KMS key.

\* </p>

\* <p>

\* Specify the key ID or key ARN of the KMS key. To specify a KMS key in a different Amazon Web Services account,

\* you must use the key ARN.

\* </p>

\* <p>

\* For example:

\* </p>

\* <ul>

\* <li>

\* <p>

\* Key ID: <code>1234abcd-12ab-34cd-56ef-1234567890ab</code>

\* </p>

\* </li>

\* <li>

\* <p>

\* Key ARN: <code>arn:aws:kms:us-east-2:111122223333:key/1234abcd-12ab-34cd-56ef-1234567890ab</code>

\* </p>

\* </li>

```

*
* <p>
* To get the key ID and key ARN for a KMS key, use <a>ListKeys or <a>DescribeKey.
* </p>
*/
/**
* <p>
* The principal that has permission to use the <a>RetireGrant operation to retire the grant.
* </p>
* <p>
* To specify the principal, use the <a
* href="https://docs.aws.amazon.com/general/latest/gr/aws-arns-and-namespaces.html">Amazon Resource Name
(ARN)
* of an Amazon Web Services principal. Valid Amazon Web Services principals include Amazon Web Services
accounts
* (root), IAM users, federated users, and assumed role users. For examples of the ARN syntax to use for
specifying
* a principal, see <a
* href="https://docs.aws.amazon.com/general/latest/gr/aws-arns-and-namespaces.html#arn-syntax-iam">Amazon
Web
* Services Identity and Access Management (IAM) in the Example ARNs section of the <i>Amazon Web
Services
* General Reference</i>.
* </p>
* <p>
* The grant determines the retiring principal. Other principals might have permission to retire the grant or revoke
* the grant. For details, see <a>RevokeGrant and <a
* href="https://docs.aws.amazon.com/kms/latest/developerguide/grant-manage.html#grant-delete">Retiring and
revoking
* grants in the <i>Key Management Service Developer Guide</i>.
* </p>
*/
/**
* <p>
* Identifies the KMS key for the grant. The grant gives principals permission to use this KMS key.
* </p>
* <p>
* Specify the key ID or key ARN of the KMS key. To specify a KMS key in a different Amazon Web Services
account,
* you must use the key ARN.
* </p>
* <p>
* For example:
* </p>
*
*
* <p>
* Key ID: <code>1234abcd-12ab-34cd-56ef-1234567890ab</code>

```



```

* </p>
*
*
* <p>
* Key ARN: <code>arn:aws:kms:us-east-2:111122223333:key/1234abcd-12ab-34cd-56ef-1234567890ab</code>
* </p>
*
*
* <p>
* To get the key ID and key ARN for a KMS key, use <a>ListKeys or <a>DescribeKey.
* </p>
*
* @param keyId
* Identifies the KMS key for the grant. The grant gives principals permission to use this KMS key.</p>
* <p>
* Specify the key ID or key ARN of the KMS key. To specify a KMS key in a different Amazon Web
Services
* account, you must use the key ARN.
* </p>
* <p>
* For example:
* </p>
*
*
* <p>
* Key ID: <code>1234abcd-12ab-34cd-56ef-1234567890ab</code>
* </p>
*
*
*
* <p>
* Key ARN: <code>arn:aws:kms:us-east-2:111122223333:key/1234abcd-12ab-34cd-56ef-
1234567890ab</code>
* </p>
*
*
* <p>
* To get the key ID and key ARN for a KMS key, use <a>ListKeys or <a>DescribeKey.
*/
/**
* <p>
* Identifies the KMS key for the grant. The grant gives principals permission to use this KMS key.
* </p>
* <p>
* Specify the key ID or key ARN of the KMS key. To specify a KMS key in a different Amazon Web Services
account,
* you must use the key ARN.
* </p>

```

```

* <p>
* For example:
* </p>
*
*
* <p>
* Key ID: <code>1234abcd-12ab-34cd-56ef-1234567890ab</code>
* </p>
*
*
* <p>
* Key ARN: <code>arn:aws:kms:us-east-2:111122223333:key/1234abcd-12ab-34cd-56ef-1234567890ab</code>
* </p>
*
*
* <p>
* To get the
key ID and key ARN for a KMS key, use <a>ListKeys or <a>DescribeKey.
* </p>
*
* @return Identifies the KMS key for the grant. The grant gives principals permission to use this KMS key.</p>
* <p>
* Specify the key ID or key ARN of the KMS key. To specify a KMS key in a different Amazon Web
Services
* account, you must use the key ARN.
* </p>
* <p>
* For example:
* </p>
*
*
* <p>
* Key ID: <code>1234abcd-12ab-34cd-56ef-1234567890ab</code>
* </p>
*
*
* <p>
* Key ARN: <code>arn:aws:kms:us-east-2:111122223333:key/1234abcd-12ab-34cd-56ef-
1234567890ab</code>
* </p>
*
*
* <p>
* To get the key ID and key ARN for a KMS key, use <a>ListKeys or <a>DescribeKey.

*/
/**
* <p>

```

- \* The principal that has permission to use the `<a>RetireGrant</a>` operation to retire the grant.
- \* `</p>`
- \* `<p>`
- \* To specify the principal, use the `<a`
- \* `href="https://docs.aws.amazon.com/general/latest/gr/aws-arns-and-namespaces.html">Amazon Resource Name (ARN)</a>`
- \* of an Amazon Web Services principal. Valid Amazon Web Services principals include Amazon Web Services accounts
- \* (root), IAM users, federated users, and assumed role users. For examples of the ARN syntax to use for specifying
- \* a principal, see `<a`
- \* `href="https://docs.aws.amazon.com/general/latest/gr/aws-arns-and-namespaces.html#arn-syntax-iam">Amazon Web`
- \* `Services Identity and Access Management (IAM)</a>` in the Example ARNs section of the `<i>Amazon Web Services`
- \* `General Reference</i>`.
- \* `</p>`
- \* `<p>`
- \* The grant determines the retiring principal. Other principals might have permission to retire the grant or revoke
- \* the grant. For details,
- see `<a>RevokeGrant</a>` and `<a`
- \* `href="https://docs.aws.amazon.com/kms/latest/developerguide/grant-manage.html#grant-delete">Retiring and`
- revoking
- \* `grants</a>` in the `<i>Key Management Service Developer Guide</i>`.
- \* `</p>`
- \*
- \* `@param retiringPrincipal`
- \* The principal that has permission to use the `<a>RetireGrant</a>` operation to retire the grant. `</p>`
- \* `<p>`
- \* To specify the principal, use the `<a`
- \* `href="https://docs.aws.amazon.com/general/latest/gr/aws-arns-and-namespaces.html">Amazon Resource`
- Name
- \* `(ARN)</a>` of an Amazon Web Services principal. Valid Amazon Web Services principals include Amazon
- Web
- \* `Services accounts (root), IAM users, federated users, and assumed role users. For examples of the ARN`
- \* `syntax to use for specifying a principal, see <a`
- \* `href="https://docs.aws.amazon.com/general/latest/gr/aws-arns-and-namespaces.html#arn-syntax-`
- `iam">Amazon`
- 
- \* `Web Services Identity and Access Management (IAM)</a>` in the Example ARNs section of the `<i>Amazon`
- Web
- \* `Services General Reference</i>`.
- \* `</p>`
- \* `<p>`
- \* The grant determines the retiring principal. Other principals might have permission to retire the grant or
- \* revoke the grant. For details, see `<a>RevokeGrant</a>` and `<a`
- \* `href="https://docs.aws.amazon.com/kms/latest/developerguide/grant-manage.html#grant-delete">Retiring`
- and

```

* revoking grants in the <i>Key Management Service Developer Guide</i>.
*/
/**
* <p>
* The principal that has permission to use the <a>RetireGrant operation to retire the grant.
* </p>
* <p>
* To specify the principal, use the <a
* href="https://docs.aws.amazon.com/general/latest/gr/aws-arns-and-namespaces.html">Amazon Resource Name
(ARN)
* of an Amazon Web Services principal. Valid Amazon Web Services principals include
Amazon Web Services accounts
* (root), IAM users, federated users, and assumed role users. For examples of the ARN syntax to use for
specifying
* a principal, see <a
* href="https://docs.aws.amazon.com/general/latest/gr/aws-arns-and-namespaces.html#arn-syntax-iam">Amazon
Web
* Services Identity and Access Management (IAM) in the Example ARNs section of the <i>Amazon Web
Services
* General Reference</i>.
* </p>
* <p>
* The grant determines the retiring principal. Other principals might have permission to retire the grant or revoke
* the grant. For details, see <a>RevokeGrant and <a
* href="https://docs.aws.amazon.com/kms/latest/developerguide/grant-manage.html#grant-delete">Retiring and
revoking
* grants in the <i>Key Management Service Developer Guide</i>.
* </p>
*
* @return The principal that has permission to use the <a>RetireGrant operation to retire the grant. </p>
* <p>
*
* To specify the principal, use the <a
* href="https://docs.aws.amazon.com/general/latest/gr/aws-arns-and-namespaces.html">Amazon Resource
Name
* (ARN) of an Amazon Web Services principal. Valid Amazon Web Services principals include
Amazon Web
* Services accounts (root), IAM users, federated users, and assumed role users. For examples of the ARN
* syntax to use for specifying a principal, see <a
* href="https://docs.aws.amazon.com/general/latest/gr/aws-arns-and-namespaces.html#arn-syntax-
iam">Amazon
* Web Services Identity and Access Management (IAM) in the Example ARNs section of the
<i>Amazon Web
* Services General Reference</i>.
* </p>
* <p>
* The grant determines the retiring principal. Other principals might have permission to retire the grant
* or revoke the grant. For details, see <a>RevokeGrant and <a

```

\* href="https://docs.aws.amazon.com/kms/latest/developerguide/grant-manage.html#grant-delete">Retiring  
and  
\* revoking grants in the <i>Key Management Service Developer Guide</i>.  
\*/

Found in path(s):

\* /aws-java-sdk-kms-1-12-105-sources-jar/com/amazonaws/services/kms/model/CreateGrantRequest.java

## 1.214 jaxb-api 2.3.1

### 1.214.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

#### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is

originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor

either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof);  
and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the

Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT



WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED

SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the

Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER

INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE

LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4

(June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify

your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to

exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source

code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable

runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives

a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of

this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

#### 9. The Free Software

Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name  
and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision

comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library,

you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless

of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.215 openorb-notification-service 2.3



## 1.215.1 Available under license :

```
/*
* $Header: /home/cvs/jakarta-commons/LICENSE,v 1.1.1.1 2001/03/20 00:23:43 craigmcc Exp $
* $Revision: 1.1.1.1 $
* $Date: 2001/03/20 00:23:43 $
*
* =====
*
* The Apache Software License, Version 1.1
*
* Copyright (c) 1999-2001 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The end-user documentation included with the redistribution, if
* any, must include the following acknowledgement:
*
* "This product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgement may appear in the software itself,
* if and wherever such third-party acknowledgements normally appear.
*
* 4. The names "The Jakarta Project", "Commons", and "Apache Software
* Foundation" must not be used to endorse or promote products derived
* from this software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* nor may "Apache" appear in their names without prior written
* permission of the Apache Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION
* OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
```

\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*

\*/

/\*

=====

### The Apache Software License, Version 1.1

=====

Copyright (C) 1997-2003 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modifica-  
tion, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,  
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,  
this list of conditions and the following disclaimer in the documentation  
and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must  
include the following acknowledgment: "This product includes software  
developed by the Apache Software  
Foundation (<http://www.apache.org/>)."  
Alternately, this acknowledgment may appear in the software itself, if  
and wherever such third-party acknowledgments normally appear.
4. The names "LogKit", "Jakarta" and "Apache Software Foundation" must not  
be used to endorse or promote products derived from this software without  
prior written permission. For written permission, please contact  
[apache@apache.org](mailto:apache@apache.org).
5. Products derived from this software may not be called "Apache", nor may  
"Apache" appear in their name, without prior written permission of the  
Apache Software Foundation.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <<http://www.apache.org/>>.

\*/

#### JacORB Licensing

-----

JacORB 2.2.3, January 2006

(C) The JacORB project, 1997-2006

JacORB is free software may be used in accordance with the terms of the GNU LIBRARY GENERAL PUBLIC LICENSE as reproduced below. JacORB is nonetheless copyrighted. This copyright applies to all documents, code, binaries etc. in this distribution. This license file must be retained in all redistributions of JacORB or parts thereof.

-- Licenses of included libraries ---

This product includes parts of the CUP Parser Generator library, v 0.9e, Copyright 1996-1999 by Scott Hudson, Frank Flannery, C. Scott Ananian.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Please see the Apache 1.1 Software License, which is reproduced below.

This product includes version 2.7.2 of the ANTLR parser and compiler framework (<http://wwwantlr.org>), which is in the public domain and may be freely redistributed.

This product includes the "backport-util-concurrent" class library maintained by Dawid Kurzyniec (<http://www.mathcs.emory.edu/dcl/util/backport-util-concurrent/>), according to the license

reproduced below.

This product includes software copyrighted by TanukiSoftware (<http://wrapper.tanukisoftware.org>), according to the Tanuki license reproduced below.

This product includes software copyrighted by the PicoContainer Organization (<http://www.picocontainer.org>), according to the license reproduced below.

=====

## GNU LIBRARY GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.

675 Mass Ave, Cambridge, MA 02139, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is numbered 2 because it goes with version 2 of the ordinary GPL.]

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also,  
for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries.

This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

## GNU LIBRARY GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation

and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any

application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which



must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot

use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining

where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues),

conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may

not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and

conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### Appendix: How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this library; if not, write to the Free Software Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library 'Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

=====  
The Apache Software License, Version 1.1  
=====

Copyright (C) 1997-2003 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."  
Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The names "LogKit", "Jakarta" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [apache@apache.org](mailto:apache@apache.org).
5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see <http://www.apache.org/>.

=====

The software comprising backport-util-concurrent is based in large part on the code from JSR166, and the package `dl.util.concurrent`. The software has been released to the public domain, as explained at: <http://creativecommons.org/licenses/publicdomain>, excepting portions of the class `edu.emory.mathcs.backport.java.util.concurrent.CopyOnWriteArrayList`,

which were adapted from class java.util.ArrayList, written by Sun Microsystems, Inc, which are used with kind permission, and subject to the following:

Copyright 2002-2004 Sun Microsystems, Inc. All rights reserved. Use is subject to the following license terms.

"Sun hereby grants you a non-exclusive, worldwide, non-transferrable license to use and distribute the Java Software technologies as part of a larger work in source and binary forms, with or without modification, provided that the following conditions are met:

- Neither the name of or trademarks of Sun may be used to endorse or promote products derived from the Java Software technology without specific prior written permission.
- Redistributions of source or binary code must be accompanied by the following notice and disclaimers:

Portions copyright Sun Microsystems, Inc. Used with kind permission.

This software is provided AS IS, without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PUPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN MICROSYSTEMS, INC. AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES SUFFERED BY LICENSEE AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN MICROSYSTEMS, INC. OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR

DATA, OR FOR DIRECT, INDIRECT, CONSQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OR LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN MICROSYSTEMS, INC. HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You acknowledge that Software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility."

=====

Copyright (c) 1999, 2004 Tanuki Software

Permission is hereby granted, free of charge, to any person



obtaining a copy of the Java Service Wrapper and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sub-license, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Portions of the Software have been derived from source code developed by Silver Egg Technology under the following license:

Copyright (c) 2001 Silver Egg Technology

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without

restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sub-license, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

=====

Copyright (c) 2003-2004, PicoContainer Organization  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the PicoContainer Organization nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2000-2003, XDoclet Team  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the XDoclet team nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.216 commons-io 2.18.0

## 1.216.1 Available under license :

Apache Commons IO

Copyright 2002-2024 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.217 commons-cli 1.0

## 1.217.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * $Header: /home/cvs/jakarta-commons-
sandbox/cli/src/java/org/apache/commons/cli/AlreadySelectedException.java,v 1.4 2002/06/06 09:37:26 jstrachan
Exp $
 * $Revision: 1.4 $
 * $Date: 2002/06/06 09:37:26 $
 *
 * =====
```

\*  
 \* The Apache Software License, Version 1.1  
 \*  
 \* Copyright (c) 1999-2001 The Apache Software Foundation. All rights  
 \* reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. The end-user documentation included with the redistribution, if  
 \* any, must include the following acknowledgement:  
 \* "This product includes software developed by the  
 \* Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately, this acknowledgement may appear in the software itself,  
 \* if and wherever such third-party acknowledgements normally appear.  
 \*  
 \* 4. The names "The Jakarta Project", "Commons", and "Apache Software  
 \* Foundation" must not be used to endorse or promote products derived  
 \* from this software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*  
 \* 5. Products derived from this software may not be called "Apache"  
 \* nor may "Apache" appear in their names without prior written  
 \* permission of the Apache Group.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF  
 \* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====



\*  
 \* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation. For more  
 \* information on the Apache Software Foundation, please see  
 \* <<http://www.apache.org/>>.  
 \*  
 \*/

Found in path(s):

\* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/AlreadySelectedException.java

No license file was found, but licenses were detected in source scan.

```
/*
 * $Header: /home/cvs/jakarta-commons/cli/src/java/org/apache/commons/cli/BasicParser.java,v 1.3 2002/09/19
22:59:43 jkeyes Exp $
 * $Revision: 1.3 $
 * $Date: 2002/09/19 22:59:43 $
 *
 * =====
 *
 * The Apache Software License, Version 1.1
 *
 * Copyright (c) 1999-2001 The Apache Software Foundation. All rights
 * reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. The
 * end-user documentation included with the redistribution, if
 * any, must include the following acknowledgement:
 * "This product includes software developed by the
 * Apache Software Foundation (http://www.apache.org/)."
 * Alternately, this acknowledgement may appear in the software itself,
 * if and wherever such third-party acknowledgements normally appear.
 *
 * 4. The names "The Jakarta Project", "Commons", and "Apache Software
 * Foundation" must not be used to endorse or promote products derived
 * from this software without prior written permission. For written
```

```

* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* nor may "Apache" appear in their names without prior written
* permission of the Apache Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/BasicParser.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* $Header: /home/cvs/jakarta-commons/cli/src/java/org/apache/commons/cli/Parser.java,v 1.7 2002/10/24 23:17:49
jkeyes Exp $
* $Revision: 1.7 $
* $Date: 2002/10/24 23:17:49 $
*
* =====
*
* The Apache Software License, Version 1.1
*
* Copyright (c) 1999-2001 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

```

\*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. The end-user  
 documentation included with the redistribution, if  
 \* any, must include the following acknowledgement:  
 \* "This product includes software developed by the  
 \* Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately, this acknowledgement may appear in the software itself,  
 \* if and wherever such third-party acknowledgements normally appear.  
 \*  
 \* 4. The names "The Jakarta Project", "Commons", and "Apache Software  
 \* Foundation" must not be used to endorse or promote products derived  
 \* from this software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*  
 \* 5. Products derived from this software may not be called "Apache"  
 \* nor may "Apache" appear in their names without prior written  
 \* permission of the Apache Group.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS  
 FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*  
 \* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation. For more  
 \* information on the Apache Software Foundation, please see  
 \* <<http://www.apache.org/>>.  
 \*  
 \*/

Found in path(s):

\* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/Parser.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header: /home/cvs/jakarta-commons-sandbox/cli/src/java/org/apache/commons/cli/OptionGroup.java,v 1.2

2002/06/06 09:37:26 jstrachan Exp \$

\* \$Revision: 1.2 \$

\* \$Date: 2002/06/06 09:37:26 \$

\*

\* =====

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999-2001 The Apache Software Foundation. All rights

\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in

\* the documentation and/or other materials provided with the

\* distribution.

\*

\* 3. The end-user documentation included with the redistribution, if

\* any, must include the following acknowledgement:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgement may appear in the software itself,

\* if and wherever such third-party acknowledgements normally appear.

\*

\* 4. The names "The Jakarta Project", "Commons", and "Apache Software

\* Foundation" must not be used to endorse or promote products derived

\* from this software without prior written permission. For written

\* permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache"

\* nor may "Apache" appear in their names without prior written

\* permission of the Apache Group.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY

AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*

\*/

Found in path(s):

\* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/OptionGroup.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header: /home/cvs/jakarta-commons/cli/src/java/org/apache/commons/cli/GnuParser.java,v 1.10 2002/09/19  
22:59:43 jkeyes Exp \$

\* \$Revision: 1.10 \$

\* \$Date: 2002/09/19 22:59:43 \$

\*

\* =====

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999-2001 The Apache Software Foundation. All rights  
\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

```

* 3. The
end-user documentation included with the redistribution, if
* any, must include the following acknowledgement:
* "This product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgement may appear in the software itself,
* if and wherever such third-party acknowledgements normally appear.
*
* 4. The names "The Jakarta Project", "Commons", and "Apache Software
* Foundation" must not be used to endorse or promote products derived
* from this software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* nor may "Apache" appear in their names without prior written
* permission of the Apache Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```
* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/GnuParser.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* $Header: /home/cvs/jakarta-commons-
```

```
sandbox/cli/src/java/org/apache/commons/cli/UnrecognizedOptionException.java,v 1.2 2002/06/06 09:37:26
```

```
jstrachan Exp $
```

```
* $Revision: 1.2 $
```

\* \$Date: 2002/06/06 09:37:26 \$

\*

\* =====

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999-2001 The Apache Software Foundation. All rights  
\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the

\*

distribution.

\*

\* 3. The end-user documentation included with the redistribution, if  
\* any, must include the following acknowledgement:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgement may appear in the software itself,  
\* if and wherever such third-party acknowledgements normally appear.

\*

\* 4. The names "The Jakarta Project", "Commons", and "Apache Software  
\* Foundation" must not be used to endorse or promote products derived  
\* from this software without prior written permission. For written  
\* permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache"  
\* nor may "Apache" appear in their names without prior written  
\* permission of the Apache Group.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT

\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\*  
\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.  
\*  
\*/

Found in path(s):

\* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/UnrecognizedOptionException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* \$Header: /home/cvs/jakarta-commons-sandbox/cli/src/java/org/apache/commons/cli/ParseException.java,v 1.2  
2002/06/06 09:37:26 jstrachan Exp \$  
\* \$Revision: 1.2 \$  
\* \$Date: 2002/06/06 09:37:26 \$

\*

\* =====

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999-2001 The Apache Software Foundation. All rights  
\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. The end-user documentation included with the redistribution, if  
\* any, must include the following acknowledgement:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgement may appear in the software itself,  
\* if and wherever such third-party acknowledgements normally appear.

\*

\* 4. The names "The Jakarta Project", "Commons", and "Apache Software



\* Foundation" must not be used to endorse or promote products derived  
 \* from this software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*  
 \* 5. Products derived from this software may not be called "Apache"  
 \* nor may "Apache" appear in their names without prior written  
 \* permission of the Apache Group.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY  
 \* AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*  
 \* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation. For more  
 \* information on the Apache Software Foundation, please see  
 \* <<http://www.apache.org/>>.  
 \*  
 \*/

Found in path(s):

\* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/ParseException.java

No license file was found, but licenses were detected in source scan.

/\*  
 \* \$Header: /home/cvs/jakarta-commons-  
 sandbox/cli/src/java/org/apache/commons/cli/MissingOptionException.java,v 1.2 2002/06/06 09:37:26 jstrachan  
 Exp \$  
 \* \$Revision: 1.2 \$  
 \* \$Date: 2002/06/06 09:37:26 \$  
 \*  
 \* =====  
 \*  
 \* The Apache Software License, Version 1.1  
 \*  
 \* Copyright (c) 1999-2001 The Apache Software Foundation. All rights  
 \* reserved.  
 \*

- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \*
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \*
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in
- \* the documentation and/or other materials provided with the
- \* distribution.
- \*
- \* 3. The end-user documentation included with the redistribution, if
- \* any, must include the following acknowledgement:
- \* "This product includes software developed by the
- \* Apache Software Foundation (<http://www.apache.org/>)."
- \* Alternately, this acknowledgement may appear in the software itself,
- \* if and wherever such third-party acknowledgements normally appear.
- \*
- \* 4. The names "The Jakarta Project", "Commons", and "Apache Software
- \* Foundation" must not be used to endorse or promote products derived
- \* from this software without prior written permission. For written
- \* permission, please contact [apache@apache.org](mailto:apache@apache.org).
- \*
- \* 5. Products derived from this software may not be called "Apache"
- \* nor may "Apache" appear in their names without prior written
- \* permission of the Apache Group.
- \*
- \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- \* OF
- \* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
- \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- \* SUCH DAMAGE.
- \* =====
- \*
- \* This software consists of voluntary contributions made by many
- \* individuals on behalf of the Apache Software Foundation. For more
- \* information on the Apache Software Foundation, please see
- \* [<http://www.apache.org/>](http://www.apache.org/).
- \*

\*/

Found in path(s):

\* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/MissingOptionException.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header: /home/cvs/jakarta-commons-sandbox/cli/src/java/org/apache/commons/cli/PatternOptionBuilder.java,v  
1.2 2002/06/06 22:49:36 bayard Exp \$

\* \$Revision: 1.2 \$

\* \$Date: 2002/06/06 22:49:36 \$

\*

\* =====

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999-2001 The Apache Software Foundation. All rights  
\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. The end-user documentation included with the redistribution, if  
\* any, must include the following acknowledgement:

\* "This product includes software developed by the  
\* Apache Software Foundation (<http://www.apache.org/>)."  
\* Alternately, this acknowledgement may appear in the software itself,  
\* if and wherever such third-party acknowledgements normally appear.

\*

\* 4. The names "The Jakarta Project", "Commons", and "Apache Software  
\* Foundation" must not be used to endorse or promote products derived  
\* from this software without prior written permission. For written  
\* permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache"  
\* nor may "Apache" appear in their names without prior written  
\* permission of the Apache Group.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
\* OF MERCHANTABILITY  
\* AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*

\*/

Found in path(s):

\* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/PatternOptionBuilder.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header: /home/cvs/jakarta-commons/cli/src/java/org/apache/commons/cli/PosixParser.java,v 1.11 2002/09/19  
22:59:43 jkeyes Exp \$

\* \$Revision: 1.11 \$

\* \$Date: 2002/09/19 22:59:43 \$

\*

\* =====

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999-2001 The Apache Software Foundation. All rights  
\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the

\* distribution.

\*

\* 3.

The end-user documentation included with the redistribution, if

\* any, must include the following acknowledgement:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgement may appear in the software itself,

\* if and wherever such third-party acknowledgements normally appear.

\*

\* 4. The names "The Jakarta Project", "Commons", and "Apache Software

\* Foundation" must not be used to endorse or promote products derived

\* from this software without prior written permission. For written

\* permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache"

\* nor may "Apache" appear in their names without prior written

\* permission of the Apache Group.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE

\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR

\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF

\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND

\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT

\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many

\* individuals on behalf of the Apache Software Foundation. For more

\* information on the Apache Software Foundation, please see

\* [<http://www.apache.org/>](http://www.apache.org/).

\*

\*/

Found in path(s):

\* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/PosixParser.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header: /home/cvs/jakarta-commons-

sandbox/cli/src/java/org/apache/commons/cli/MissingArgumentException.java,v 1.2 2002/06/06 09:37:26 jstrachan

Exp \$

\* \$Revision: 1.2 \$

\* \$Date: 2002/06/06 09:37:26 \$

\*

\* =====

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999-2001 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgement:

\* "This product includes software developed by the  
\* Apache Software Foundation (<http://www.apache.org/>)."  
\* Alternately, this acknowledgement may appear in the software itself,  
\* if and wherever such third-party acknowledgements normally appear.

\*

\* 4. The names "The Jakarta Project", "Commons", and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache" nor may "Apache" appear in their names without prior written permission of the Apache Group.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND

\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*

\*/

Found in path(s):

\* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/MissingArgumentException.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header: /home/cvs/jakarta-commons-sandbox/cli/src/java/org/apache/commons/cli/CommandLine.java,v 1.4  
2002/06/06 22:32:37 bayard Exp \$

\* \$Revision: 1.4 \$

\* \$Date: 2002/06/06 22:32:37 \$

\*

\* =====

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999-2001 The Apache Software Foundation. All rights  
\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. The end-user documentation included with the redistribution, if  
\* any, must include the following acknowledgement:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgement may appear in the software itself,

\* if and wherever such third-party acknowledgements normally appear.

```

*
* 4. The names "The Jakarta Project", "Commons", and "Apache Software
* Foundation" must not be used to endorse or promote products derived
* from this software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* nor may "Apache" appear in their names without prior written
* permission of the Apache Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY
* AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

Found in path(s):
* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/CommandLine.java
*
* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/HelpFormatter.java
No license file was found, but licenses were detected in source scan.

/*
* $Header: /home/cvs/jakarta-commons-sandbox/cli/src/java/org/apache/commons/cli/TypeHandler.java,v 1.2
2002/06/06 22:49:36 bayard Exp $
* $Revision: 1.2 $
* $Date: 2002/06/06 22:49:36 $
*
* =====
*
* The Apache Software License, Version 1.1
*

```



\* Copyright (c) 1999-2001 The Apache Software Foundation. All rights  
 \* reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. The end-user documentation included with the redistribution, if  
 \* any, must include the following acknowledgement:  
 \* "This product includes software developed by the  
 \* Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately, this acknowledgement may appear in the software itself,  
 \* if and wherever such third-party acknowledgements normally appear.  
 \*  
 \* 4. The names "The Jakarta Project", "Commons", and "Apache Software  
 \* Foundation" must not be used to endorse or promote products derived  
 \* from this software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*  
 \* 5. Products derived from this software may not be called "Apache"  
 \* nor may "Apache" appear in their names without prior written  
 \* permission of the Apache Group.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY  
 \* AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*  
 \* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation. For more

\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.  
\*  
\*/

Found in path(s):

\* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/TypeHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header: /home/cvs/jakarta-commons-sandbox/cli/src/java/org/apache/commons/cli/Options.java,v 1.5

2002/06/06 22:32:37 bayard Exp \$

\* \$Revision: 1.5 \$

\* \$Date: 2002/06/06 22:32:37 \$

\*

\* =====

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999-2001 The Apache Software Foundation. All rights  
\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3.

The end-user documentation included with the redistribution, if

\* any, must include the following acknowledgement:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgement may appear in the software itself,  
\* if and wherever such third-party acknowledgements normally appear.

\*

\* 4. The names "The Jakarta Project", "Commons", and "Apache Software  
\* Foundation" must not be used to endorse or promote products derived  
\* from this software without prior written permission. For written  
\* permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache"

\* nor may "Apache" appear in their names without prior written  
 \* permission of the Apache Group.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND  
 \* FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*  
 \* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation. For more  
 \* information on the Apache Software Foundation, please see  
 \* <<http://www.apache.org/>>.  
 \*  
 \*/

Found in path(s):

\* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/Options.java

No license file was found, but licenses were detected in source scan.

/\*  
 \* \$Header: /home/cvs/jakarta-commons/cli/src/java/org/apache/commons/cli/CommandLineParser.java,v 1.4  
 2002/09/19 22:59:43 jkeyes Exp \$  
 \* \$Revision: 1.4 \$  
 \* \$Date: 2002/09/19 22:59:43 \$  
 \*  
 \* =====  
 \*  
 \* The Apache Software License, Version 1.1  
 \*  
 \* Copyright (c) 1999-2001 The Apache Software Foundation. All rights  
 \* reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.

\*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \*  
 \*  
 \* 3. The end-user documentation included with the redistribution, if  
 \* any, must include the following acknowledgement:  
 \* "This product includes software developed by the  
 \* Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately, this acknowledgement may appear in the software itself,  
 \* if and wherever such third-party acknowledgements normally appear.  
 \*  
 \* 4. The names "The Jakarta Project", "Commons", and "Apache Software  
 \* Foundation" must not be used to endorse or promote products derived  
 \* from this software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*  
 \* 5. Products derived from this software may not be called "Apache"  
 \* nor may "Apache" appear in their names without prior written  
 \* permission of the Apache Group.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY  
 \* AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*  
 \* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation. For more  
 \* information on the Apache Software Foundation, please see  
 \* <http://www.apache.org/>.  
 \*  
 \*/

Found in path(s):

\* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/CommandLineParser.java

No license file was found, but licenses were detected in source scan.

```
/*
* $Header: /home/cvs/jakarta-commons/cli/src/java/org/apache/commons/cli/OptionBuilder.java,v 1.12 2002/10/15
22:50:45 jkeyes Exp $
* $Revision: 1.12 $
* $Date: 2002/10/15 22:50:45 $
*
* =====
*
* The Apache Software License, Version 1.1
*
* Copyright (c) 1999-2001 The Apache Software Foundation. All rights
* reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3.
* The end-user documentation included with the redistribution, if
* any, must include the following acknowledgement:
* "This product includes software developed by the
* Apache Software Foundation (http://www.apache.org/)."
* Alternately, this acknowledgement may appear in the software itself,
* if and wherever such third-party acknowledgements normally appear.
*
* 4. The names "The Jakarta Project", "Commons", and "Apache Software
* Foundation" must not be used to endorse or promote products derived
* from this software without prior written permission. For written
* permission, please contact apache@apache.org.
*
* 5. Products derived from this software may not be called "Apache"
* nor may "Apache" appear in their names without prior written
* permission of the Apache Group.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND
```

FITNESS FOR A PARTICULAR PURPOSE ARE

\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*

\*/

Found in path(s):

\* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/OptionBuilder.java

No license file was found, but licenses were detected in source scan.

/\*

\* \$Header: /home/cvs/jakarta-commons-sandbox/cli/src/java/org/apache/commons/cli/Option.java,v 1.6 2002/06/06  
22:50:14 bayard Exp \$

\* \$Revision: 1.6 \$

\* \$Date: 2002/06/06 22:50:14 \$

\*

\* =====

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999-2001 The Apache Software Foundation. All rights  
\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3.

The end-user documentation included with the redistribution, if

\* any, must include the following acknowledgement:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgement may appear in the software itself,

\* if and wherever such third-party acknowledgements normally appear.

\*

\* 4. The names "The Jakarta Project", "Commons", and "Apache Software

\* Foundation" must not be used to endorse or promote products derived

\* from this software without prior written permission. For written

\* permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache"

\* nor may "Apache" appear in their names without prior written

\* permission of the Apache Group.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED

\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND

\* FITNESS FOR A PARTICULAR PURPOSE ARE

\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR

\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF

\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND

\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT

\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many

\* individuals on behalf of the Apache Software Foundation. For more

\* information on the Apache Software Foundation, please see

\* <http://www.apache.org/>.

\*

\*/

/\*

\* Copyright (C) The Apache Software Foundation. All rights reserved.

\*

\* This software

is published under the terms of the Apache Software License

\* version 1.1, a copy of which has been included with this distribution in

\* the LICENSE file.

\*

\* \$Id: Option.java,v 1.6 2002/06/06 22:50:14 bayard Exp \$

\*/

Found in path(s):

\* /commons-cli-1-0-sources-1-jar/org/apache/commons/cli/Option.java

# 1.218 jackson-annotations 2.14.0

## 1.218.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).



"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.219 amqp-client 5.14.1

## 1.219.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright (c) 2007-2020 VMware, Inc. or its affiliates. All rights reserved.
// This software, the RabbitMQ Java client library, is triple-licensed under the
// Mozilla Public License 2.0 ("MPL"), the GNU General Public License version 2
// ("GPL") and the Apache License version 2 ("ASL"). For the MPL, please see
```

Found in path(s):

```
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/HeaderWriteRequest.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/SetQueue.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/SelectorHolder.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/DnsSrvRecordAddressResolver.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/utility/Utility.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/ExternalMechanism.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RecoveryAwareAMQConnectionFactory.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/UnexpectedFrameError.java
*
```

/amqp-client-5-14-1-sources-jar/com/rabbitmq/tools/jsonrpc/JsonRpcClient.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/TopologyRecoveryException.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/Consumer.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/Return.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/ValueReader.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/FrameBuilder.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/NioParams.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/SocketFrameHandler.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/SaslMechanism.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/AutorecoveringChannel.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RecordedExchange.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RecordedQueue.java  
 \*  
 /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/ProtocolVersionMismatchException.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/NioLoopContext.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/GetResponse.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/UnroutableRpcRequestException.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RecordedEntity.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/Connection.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RecordedBinding.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/Method.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/SocketChannelFrameHandler.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/ReturnListener.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RecoveryAwareChannelN.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RecordedExchangeBinding.java  
 \*  
 /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/DnsRecordIpAddressResolver.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/TruncatedInputStream.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/AMQChannel.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/ByteBufferOutputStream.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/tools/jsonrpc/ParameterDescription.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/utility/BlockingValueOrException.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/tools/jsonrpc/JsonRpcServer.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/DefaultSocketChannelConfigurator.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/ConfirmListener.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/SslEngineByteBufferOutputStream.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/TrustEverythingTrustManager.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/ChannelN.java  
 \*  
 /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/Environment.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/Recoverable.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/MethodArgumentReader.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/ShutdownNotifier.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/MapRpcServer.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/MethodArgumentWriter.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/RecoveryListener.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/AbstractMetricsCollector.java  
 \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/AMQCommand.java

- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/LongStringHelper.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/ListAddressResolver.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/ClientVersion.java
- \*
- /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/DefaultSaslConfig.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/MessageProperties.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/BasicProperties.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/tools/jsonrpc/ServiceDescription.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/ConsumerWorkService.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/Version.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/LongString.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/ContentHeaderPropertyReader.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/DefaultExceptionHandler.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/SocketChannelRegistration.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/ConsumerRecoveryListener.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RecordedNamedEntity.java
- \*
- /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/AddressResolver.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/AMQContentHeader.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/RpcClientParams.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/ValueWriter.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/NioLoop.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/SaslConfig.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/AMQConnection.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/ShutdownListener.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/PossibleAuthenticationFailureException.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/StrictExceptionHandler.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/Method.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/SocketChannelConfigurator.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/ShutdownSignalException.java
- \*
- /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RecordedConsumer.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/UnknownClassOrMethodId.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/AMQBasicProperties.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/Command.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/CommandAssembler.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/RpcServer.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/Frame.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/AutorecoveringConnection.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/tools/json/JSONUtil.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RecordedQueueBinding.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/NioHelper.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RecoveryAwareAMQConnection.java
- \*
- /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/ConsumerCancelledException.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/DefaultSocketConfigurator.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/utility/IntAllocator.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/utility/BlockingCell.java

- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/MalformedFrameException.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/FrameWriteRequest.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/FrameHandler.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/NetworkConnection.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/UnexpectedMethodError.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/WorkPool.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/BlockedListener.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/Channel.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/QueueRecoveryListener.java
- \*
- /amqp-client-5-14-1-sources-jar/com/rabbitmq/utility/ValueOrException.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/StringRpcServer.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/AuthenticationFailureException.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/ConsumerDispatcher.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/JDKSaslConfig.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/AMQP.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/ForgivingExceptionHandler.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/RpcClient.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/AMQImpl.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/Envelope.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/DefaultConsumer.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/PlainMechanism.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/ConnectionFactory.java
- \*
- /amqp-client-5-14-1-sources-jar/com/rabbitmq/tools/jsonrpc/ProcedureDescription.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RecoveryCanBeginListener.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/UnknownChannelException.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/SocketChannelFrameHandlerState.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/utility/SensibleClone.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/ContentHeader.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/ContentHeaderPropertyWriter.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/SocketConfigurator.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/NoOpMetricsCollector.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/MissedHeartbeatException.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/WriteRequest.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/MetricsCollector.java
- \*
- /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/RecoveryDelayHandler.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RecoveryAwareChannelManager.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/Address.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/ChannelManager.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/HeartbeatSender.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/SocketFrameHandlerFactory.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/ExceptionHandler.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/ConnectionParams.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/SslEngineFrameBuilder.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/CRDemoMechanism.java
- \* /amqp-client-5-14-1-sources-jar/com/rabbitmq/tools/jsonrpc/JsonRpcException.java

```
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/AlreadyClosedException.java
*
/amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/ShutdownNotifierComponent.java
No license file was found, but licenses were detected in source scan.
```

```
// Copyright (c) 2007-2022 VMware, Inc. or its affiliates. All rights reserved.
// This software, the RabbitMQ Java client library, is triple-licensed under the
// Mozilla Public License 2.0 ("MPL"), the GNU General Public License version 2
// ("GPL") and the Apache License version 2 ("ASL"). For the MPL, please see
```

Found in path(s):

```
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/SocketChannelFrameHandlerFactory.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/nio/SslEngineHelper.java
No license file was found, but licenses were detected in source scan.
```

```
// Copyright (c) 2007-2020 VMware, Inc. or its affiliates. All rights reserved.
// This software, the RabbitMQ Java client library, is triple-licensed under the
// Mozilla Public License 1.1 ("MPL"), the GNU General Public License version 2
// ("GPL") and the Apache License version 2 ("ASL"). For the MPL, please see
/*
```

```
Copyright (c) 2006-2007 Frank Carver
Copyright (c) 2007-2020 VMware, Inc. or its affiliates. All Rights Reserved
```

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language  
governing permissions and  
limitations under the License.

```
*/
```

```
/*
```

```
* Based on org.stringtree.json.JSONReader, licensed under APL and
* LGPL. We've chosen APL (see above). The original code was written
* by Frank Carver. Tony Garnock-Jones has made many changes to it
* since then.
*/
```

Found in path(s):

```
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/tools/json/JSONReader.java
No license file was found, but licenses were detected in source scan.
```

```
// Copyright (c) 2018-2020 VMware, Inc. or its affiliates. All rights reserved.
```



// This software, the RabbitMQ Java client library, is triple-licensed under the  
// Mozilla Public License 1.1 ("MPL"), the GNU General Public License version 2  
// ("GPL") and the Apache License version 2 ("ASL"). For the MPL, please see

Found in path(s):

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/tools/jsonrpc/DefaultJsonRpcMapper.java

No license file was found, but licenses were detected in source scan.

// Copyright (c) 2017-2020 VMware, Inc. or its affiliates. All rights reserved.  
// This software, the RabbitMQ Java client library, is triple-licensed under the  
// Mozilla Public License 2.0 ("MPL"), the GNU General Public License version 2  
// ("GPL") and the Apache License version 2 ("ASL"). For the MPL, please see

Found in path(s):

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/ConnectionFactoryConfigurator.java

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/RpcContinuationRpcWrapper.java

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/SslContextFactory.java

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/RpcWrapper.java

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/UnblockedCallback.java

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/CancelCallback.java

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/BlockedCallback.java

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/Delivery.java

\*

/amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/CompletableFutureRpcWrapper.java

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/SslEngineConfigurator.java

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/DeliverCallback.java

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/ConfirmCallback.java

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/ReturnCallback.java

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/ConsumerShutdownSignalCallback.java

No license file was found, but licenses were detected in source scan.

// Copyright (c) 2007-2020 VMware, Inc. or its affiliates. All rights reserved.  
// This software, the RabbitMQ Java client library, is triple-licensed under the  
// Mozilla Public License 2.0 ("MPL"), the GNU General Public License version 2  
// ("GPL") and the Apache License version 2 ("ASL"). For the MPL, please see  
/\*\*

\* Dropwizard Metrics implementation of {@link MetricsCollector}.

\* Note transactions are not supported (see {@link MetricsCollector}).

\* Metrics provides out-of-the-box support for report backends like JMX,

\* Graphite, Ganglia, or plain HTTP. See Metrics documentation for

\* more details.

\*

\* @see MetricsCollector

\*/

Found in path(s):

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/StandardMetricsCollector.java

No license file was found, but licenses were detected in source scan.

```
// Copyright (c) 2018-2020 VMware, Inc. or its affiliates. All rights reserved.
// This software, the RabbitMQ Java client library, is triple-licensed under the
// Mozilla Public License 2.0 ("MPL"), the GNU General Public License version 2
// ("GPL") and the Apache License version 2 ("ASL"). For the MPL, please see
```

Found in path(s):

```
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/SocketConfigurators.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/SocketChannelConfigurators.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/CredentialsProvider.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/OnErrorWriteListener.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/WorkPoolFullException.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RetryContext.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/SslEngineConfigurators.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/TopologyRecoveryRetryHandlerBuilder.java
*
/amqp-client-5-14-1-sources-jar/com/rabbitmq/tools/jsonrpc/JsonRpcMappingException.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/DefaultCredentialsProvider.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/tools/jsonrpc/JsonRpcMapper.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RetryHandler.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/TopologyRecoveryFilter.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/tools/jsonrpc/JacksonJsonRpcMapper.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/RetryResult.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/BackoffPolicy.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/TopologyRecoveryRetryLogic.java
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/DefaultRetryHandler.java
```

No license file was found, but licenses were detected in source scan.

```
// Copyright (c) 2007-2020 VMware, Inc. or its affiliates. All rights reserved.
// This software, the RabbitMQ Java client library, is triple-licensed under the
// Mozilla Public License 1.1 ("MPL"), the GNU General Public License version 2
// ("GPL") and the Apache License version 2 ("ASL"). For the MPL, please see
```

Found in path(s):

```
* /amqp-client-5-14-1-sources-jar/com/rabbitmq/tools/json/JSONSerializable.java
```

No license file was found, but licenses were detected in source scan.

```
// Copyright (c) 2007-2020 VMware, Inc. or its affiliates. All rights reserved.
// This software, the RabbitMQ Java client library, is triple-licensed under the
// Mozilla Public License 2.0 ("MPL"), the GNU General Public License version 2
// ("GPL") and the Apache License version 2 ("ASL"). For the MPL, please see
```

/\*\*

```
* Micrometer implementation of {@link MetricsCollector}.
* Note transactions are not supported (see {@link MetricsCollector}).
* Micrometer provides out-of-the-box support for report backends like JMX,
* Graphite, Ganglia, Atlas, Datadog, etc. See Micrometer documentation for
* more details.
```

\*  
\* Note Micrometer requires Java 8 or more, so does this {@link MetricsCollector}.  
\*  
\* @see MetricsCollector  
\* @since 4.3.0  
\*/

Found in path(s):

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/MicrometerMetricsCollector.java  
No license file was found, but licenses were detected in source scan.

// Copyright (c) 2019-2020 VMware, Inc. or its affiliates. All rights reserved.  
// This software, the RabbitMQ Java client library, is triple-licensed under the  
// Mozilla Public License 2.0 ("MPL"), the GNU General Public License version 2  
// ("GPL") and the Apache License version 2 ("ASL"). For the MPL, please see

Found in path(s):

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/OAuthTokenManagementException.java  
\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/UpdateSecretExtension.java  
\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/RefreshProtectedCredentialsProvider.java  
\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/DefaultCredentialsRefreshService.java  
\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/TlsUtils.java  
\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/CredentialsRefreshService.java  
\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/OAuth2ClientCredentialsGrantCredentialsProvider.java  
No license file was found, but licenses were detected in source scan.

// Copyright (c) 2020 VMware, Inc. or its affiliates. All rights reserved.  
// This software, the RabbitMQ Java client library, is triple-licensed under the  
// Mozilla Public License 2.0 ("MPL"), the GNU General Public License version 2  
// ("GPL") and the Apache License version 2 ("ASL"). For the MPL, please see

Found in path(s):

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/recovery/Utils.java  
No license file was found, but licenses were detected in source scan.

// Copyright (c) 2007-2020 VMware, Inc. or its affiliates. All rights reserved.  
// This software, the RabbitMQ Java client library, is triple-licensed under the  
// Mozilla Public License 2.0 ("MPL"), the GNU General Public License version 2  
// ("GPL") and the Apache License version 2 ("ASL"). For the MPL, please see  
/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166  
\* Expert Group and released to the public domain, as explained at  
\* <https://creativecommons.org/licenses/publicdomain>  
\*/

Found in path(s):

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/client/impl/VariableLinkedBlockingQueue.java

No license file was found, but licenses were detected in source scan.

```
// Copyright (c) 2007-2020 VMware, Inc. or its affiliates. All rights reserved.
// This software, the RabbitMQ Java client library, is triple-licensed under the
// Mozilla Public License 1.1 ("MPL"), the GNU General Public License version 2
// ("GPL") and the Apache License version 2 ("ASL"). For the MPL, please see
/*
```

Copyright (c) 2006-2007 Frank Carver

Copyright (c) 2007-2020 VMware, Inc. or its affiliates. All Rights Reserved

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language

governing permissions and

limitations under the License.

\*/

/\*

\* Based on org.stringtree.json.JSONWriter, licensed under APL and

\* LGPL. We've chosen APL (see above). The original code was written

\* by Frank Carver. Tony Garnock-Jones has made many changes to it

\* since then.

\*/

Found in path(s):

\* /amqp-client-5-14-1-sources-jar/com/rabbitmq/tools/json/JSONWriter.java

## 1.220 gxt 3.1.0

### 1.220.1 Available under license :

/\*\*

\* Sencha GXT 3.1.0 - Sencha for GWT

\* Copyright(c) 2007-2014, Sencha, Inc.

\* [licensing@sencha.com](mailto:licensing@sencha.com)

\*

\* <http://www.sencha.com/products/gxt/license/>

\*/

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run

modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If

such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the

public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for

the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

## 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid



circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

#### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

#### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the

Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied

by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal

Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your

license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and  
(b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if

the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent

license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the

business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

## 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.



### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF

ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT

UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING

WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

## 1.221 restlet 2.4.3

### 1.221.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2005-2020 Talend  
 \*  
 \* The contents of this file are subject to the terms of one of the following  
 \* open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can  
 \* select the license that you prefer but you may not use this file except in  
 \* compliance with one of these Licenses.  
 \*  
 \* You can obtain a copy of the Apache 2.0 license at  
 \* <http://www.opensource.org/licenses/apache-2.0>  
 \*  
 \* You can obtain a copy of the EPL 1.0 license at  
 \* <http://www.opensource.org/licenses/eclipse-1.0>  
 \*  
 \* See the Licenses for the specific language governing permissions and  
 \* limitations under the Licenses.  
 \*  
 \* Alternatively, you can obtain a royalty free commercial license with less  
 \* limitations, transferable or non-transferable, directly at  
 \* <https://restlet.talend.com/>  
 \*  
 \* Restlet is a registered trademark of Talend S.A.  
 \*/  
 /\*\* Indicates if the call is confidential. \*/  
 /\*\*  
 \* Indicates  
 if the confidentiality of the call is ensured (ex: via SSL).  
 \*  
 \* @return True if the confidentiality of the call is ensured (ex: via SSL).  
 \*/  
 /\*\*  
 \* Indicates if the confidentiality of the call is ensured (ex: via SSL).  
 \*  
 \* @param confidential  
 \* True if the confidentiality of the call is ensured (ex: via  
 \* SSL).  
 \*/

Found in path(s):

\* /org-restlet-2-4-3-sources-jar/org/restlet/engine/adapters/Call.java

No license file was found, but licenses were detected in source scan.

/\*\*  
 \* Copyright 2005-2020 Talend  
 \*  
 \* The contents of this file are subject to the terms of one of the following  
 \* open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can  
 \* select the license that you prefer but you may not use this file except in  
 \* compliance with one of these Licenses.

```

*
* You can obtain a copy of the Apache 2.0 license at
* http://www.opensource.org/licenses/apache-2.0
*
* You can obtain a copy of the EPL 1.0 license at
* http://www.opensource.org/licenses/eclipse-1.0
*
* See the Licenses for the specific language governing permissions and
* limitations under the Licenses.
*
* Alternatively, you can obtain a royalty free commercial license with less
* limitations, transferable or non-transferable, directly at
* https://restlet.talend.com/
*
* Restlet is a registered trademark of Talend S.A.
*/
/**
 * Indicates if the message was or will be exchanged
confidentially, for
 * example via a SSL-secured connection.
 *
 * @return True if the message is confidential.
 */

```

Found in path(s):

```
* /org-restlet-2-4-3-sources-jar/org/restlet/Message.java
```

No license file was found, but licenses were detected in source scan.

```

/**
 * Copyright 2005-2020 Talend
 *
 * The contents of this file are subject to the terms of one of the following
 * open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can
 * select the license that you prefer but you may not use this file except in
 * compliance with one of these Licenses.
 *
 * You can obtain a copy of the Apache 2.0 license at
 * http://www.opensource.org/licenses/apache-2.0
 *
 * You can obtain a copy of the EPL 1.0 license at
 * http://www.opensource.org/licenses/eclipse-1.0
 *
 * See the Licenses for the specific language governing permissions and
 * limitations under the Licenses.
 *
 * Alternatively, you can obtain a royalty free commercial license with less
 * limitations, transferable or non-transferable, directly at
 * https://restlet.talend.com/

```

```

*
* Restlet is a registered trademark of Talend S.A.
*/
/**
 * Indicates if the call came over a confidential channel
such as an
 * SSL-secured connection.
 *
 * @return True if the call came over a confidential channel.
 */

```

Found in path(s):

```

* /org-restlet-2-4-3-sources-jar/org/restlet/util/WrapperRequest.java
* /org-restlet-2-4-3-sources-jar/org/restlet/util/WrapperResponse.java
No license file was found, but licenses were detected in source scan.

```

```

/**
 * Copyright 2005-2020 Talend
 *
 * The contents of this file are subject to the terms of one of the following
 * open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can
 * select the license that you prefer but you may not use this file except in
 * compliance with one of these Licenses.
 *
 * You can obtain a copy of the Apache 2.0 license at
 * http://www.opensource.org/licenses/apache-2.0
 *
 * You can obtain a copy of the EPL 1.0 license at
 * http://www.opensource.org/licenses/eclipse-1.0
 *
 * See the Licenses for the specific language governing permissions and
 * limitations under the Licenses.
 *
 * Alternatively, you can obtain a royalty free commercial license with less
 * limitations, transferable or non-transferable, directly at
 * https://restlet.talend.com/
 *
 * Restlet is a registered trademark of Talend S.A.
 */
/**
 * Optimized public-domain implementation of a Java alphanumeric
sort.
 * <p>
 *
 * This implementation uses a single comparison pass over the characters in a
 * CharSequence, and returns as soon as a differing character is found, unless
 * the difference occurs in a series of numeric characters, in which case that
 * series is followed to its end. Numeric series of equal length are compared

```

- \* numerically, that is, according to the most significant (leftmost) differing
- \* digit. Series of unequal length are compared by their length.
- \* <p>
- \*
- \* This implementation appears to be 2-5 times faster than alphanumeric
- \* comparators based based on substring analysis, with a lighter memory
- \* footprint.
- \* <p>
- \*
- \* This alphanumeric comparator has approximately 20%-50% the performance of the
- \* lexical String.compareTo() operation. Character sequences without numeric
- \* data are compared more quickly.
- \* <p>
- \*
- \* Dedicated to the public domain by the original author:
- \* <http://creativecommons.org/licenses/publicdomain/>
- \*
- \* @author Rob Heittman,
- \* <a href="http://www.solertium.com">Solertium
- \* Corporation</a>
- \*/

Found in path(s):

- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/AlphaNumericComparator.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Copyright 2005-2020 Talend
- \*
- \* The contents of this file are subject to the terms of one of the following
- \* open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can
- \* select the license that you prefer but you may not use this file except in
- \* compliance with one of these Licenses.
- \*
- \* You can obtain a copy of the Apache 2.0 license at
- \* <http://www.opensource.org/licenses/apache-2.0>
- \*
- \* You can obtain a copy of the EPL 1.0 license at
- \* <http://www.opensource.org/licenses/eclipse-1.0>
- \*
- \* See the Licenses for the specific language governing permissions and
- \* limitations under the Licenses.
- \*
- \* Alternatively, you can obtain a royalty free commercial license with less
- \* limitations, transferable or non-transferable, directly at
- \* <https://restlet.talend.com/>
- \*
- \* Restlet is a registered trademark of Talend S.A.

```

*/
/**
 * Indicates if this service is acting in HTTP or HTTPS
mode.
 *
 * @param confidential
 * True if this service is acting in HTTP or HTTPS mode.
 */

```

Found in path(s):

\* /org-restlet-2-4-3-sources-jar/org/restlet/engine/connector/NetServerHelper.java

No license file was found, but licenses were detected in source scan.

```

/**
 * Copyright 2005-2020 Talend
 *
 * The contents of this file are subject to the terms of one of the following
 * open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can
 * select the license that you prefer but you may not use this file except in
 * compliance with one of these Licenses.
 *
 * You can obtain a copy of the Apache 2.0 license at
 * http://www.opensource.org/licenses/apache-2.0
 *
 * You can obtain a copy of the EPL 1.0 license at
 * http://www.opensource.org/licenses/eclipse-1.0
 *
 * See the Licenses for the specific language governing permissions and
 * limitations under the Licenses.
 *
 * Alternatively, you can obtain a royalty free commercial license with less
 * limitations, transferable or non-transferable, directly at
 * https://restlet.talend.com/
 *
 * Restlet is a registered trademark of Talend S.A.
 */
/**
 * Authorizer allowing only confidential calls. Confidential
calls typically
 * come through HTTPS server connectors.
 *
 * @author Jerome Louvel
 */

```

Found in path(s):

\* /org-restlet-2-4-3-sources-jar/org/restlet/security/ConfidentialAuthorizer.java

No license file was found, but licenses were detected in source scan.



```

/**
 * Copyright 2005-2020 Talend
 *
 * The contents of this file are subject to the terms of one of the following
 * open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can
 * select the license that you prefer but you may not use this file except in
 * compliance with one of these Licenses.
 *
 * You can obtain a copy of the Apache 2.0 license at
 * http://www.opensource.org/licenses/apache-2.0
 *
 * You can obtain a copy of the EPL 1.0 license at
 * http://www.opensource.org/licenses/eclipse-1.0
 *
 * See the Licenses for the specific language governing permissions and
 * limitations under the Licenses.
 *
 * Alternatively, you can obtain a royalty free commercial license with less
 * limitations, transferable or non-transferable, directly at
 * https://restlet.talend.com/
 *
 * Restlet is a registered trademark of Talend S.A.
 */
/** The confidentiality. */
/**
 * Constructor.
 *
 * @param schemeName
 * The scheme name.
 * @param name
 * The unique name.
 * @param description
 * The description.
 * @param defaultPort
 * The default port.
 * @param confidential
 * The confidentiality.
 */
/**
 * Indicates if the protocol guarantees the confidentiality of the messages
 * exchanged, for example via a SSL-secured connection.
 *
 * @return True if the protocol is confidential.
 */

```

Found in path(s):

```
* /org-restlet-2-4-3-sources-jar/org/restlet/data/Protocol.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2005-2020 Talend
 *
 * The contents of this file are subject to the terms of one of the following
 * open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can
 * select the license that you prefer but you may not use this file except in
 * compliance with one of these Licenses.
 *
 * You can obtain a copy of the Apache 2.0 license at
 * http://www.opensource.org/licenses/apache-2.0
 *
 * You can obtain a copy of the EPL 1.0 license at
 * http://www.opensource.org/licenses/eclipse-1.0
 *
 * See the Licenses for the specific language governing permissions and
 * limitations under the Licenses.
 *
 * Alternatively, you can obtain a royalty free commercial license with less
 * limitations, transferable or non-transferable, directly at
 * https://restlet.talend.com/
 *
 * Restlet is a registered trademark of Talend S.A.
 */
```

Found in path(s):

```
* /org-restlet-2-4-3-sources-jar/org/restlet/engine/resource/MethodAnnotationInfo.java
*
* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/StringUtils.java
* /org-restlet-2-4-3-sources-jar/org/restlet/representation/DigesterRepresentation.java
* /org-restlet-2-4-3-sources-jar/org/restlet/representation/AppendableRepresentation.java
* /org-restlet-2-4-3-sources-jar/org/restlet/engine/local/ZipClientHelper.java
No license file was found, but licenses were detected in source scan.
```

```
/**
 * Copyright 2005-2020 Talend
 *
 * The contents of this file are subject to the terms of one of the following
 * open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can
 * select the license that you prefer but you may not use this file except in
 * compliance with one of these Licenses.
 *
 * You can obtain a copy of the Apache 2.0 license at
 * http://www.opensource.org/licenses/apache-2.0
 *
 * You can obtain a copy of the EPL 1.0 license at
 * http://www.opensource.org/licenses/eclipse-1.0
```

```

*
* See the Licenses for the specific language governing permissions and
* limitations under the Licenses.
*
* Alternatively, you can obtain a royalty free commercial license with less
* limitations, transferable or non-transferable, directly at
* https://restlet.talend.com/
*
* Restlet is a registered trademark of Talend S.A.
*/
/**
 * Indicates if the message was or will be exchanged
confidentially, for
 * example via a SSL-secured connection.
 *
 * @return True if the message is confidential.
 * @see Request#isConfidential()
 */

```

Found in path(s):

```

* /org-restlet-2-4-3-sources-jar/org/restlet/resource/Resource.java
No license file was found, but licenses were detected in source scan.

```

```

/**
 * Copyright 2005-2020 Talend
 *
 * The contents of this file are subject to the terms of one of the following
 * open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can
 * select the license that you prefer but you may not use this file except in
 * compliance with one of these Licenses.
 *
 * You can obtain a copy of the Apache 2.0 license at
 * http://www.opensource.org/licenses/apache-2.0
 *
 * You can obtain a copy of the EPL 1.0 license at
 * http://www.opensource.org/licenses/eclipse-1.0
 *
 * See the Licenses for the specific language governing permissions and
 * limitations under the Licenses.
 *
 * Alternatively, you can obtain a royalty free commercial license with less
 * limitations, transferable or non-transferable, directly at
 * https://restlet.talend.com/
 *
 * Restlet is a registered trademark of Talend S.A.
*/
/**
 * Sets the reference comparator based on the more friendly

```

"Alphanum

- \* Algorithm" created by David Koelle. The internal implementation used is
- \* based on an optimized public domain implementation provided by Rob
- \* Heittman from the Solertium Corporation.
- \*
- \* @see <a href="http://www.davekoelle.com/alphanum.html">The original
- \* Alphanum Algorithm from David Koelle</a>
- \* @see #setComparator(Comparator)
- \*/

Found in path(s):

- \* /org-restlet-2-4-3-sources-jar/org/restlet/resource/Directory.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Copyright 2005-2020 Talend
- \*
- \* The contents of this file are subject to the terms of one of the following
- \* open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can
- \* select the license that you prefer but you may not use this file except in
- \* compliance with one of these Licenses.
- \*
- \* You can obtain a copy of the Apache 2.0 license at
- \* <http://www.opensource.org/licenses/apache-2.0>
- \*
- \* You can obtain a copy of the EPL 1.0 license at
- \* <http://www.opensource.org/licenses/eclipse-1.0>
- \*
- \* See the Licenses for the specific language governing permissions and
- \* limitations under the Licenses.
- \*
- \* Alternatively, you can obtain a royalty free commercial license with less
- \* limitations, transferable or non-transferable, directly at
- \* <https://restlet.talend.com/>
- \*
- \* Restlet is a registered trademark of Talend S.A.
- \*/

/\*\*

- \* Resolves a name into a value. By default, the {@link #createResolver(Map)}
- \* static method can adapt a Java map into a resolver. Another useful method is
- \* {@link #createResolver(Request, Response)}, which can expose a Restlet call
- \* into a compact data model, with the following variables:
- \*
- \* <table>
- \* <tr>
- \* <th>Model property</th>
- \* <th>Variable name</th>
- \* <th>Content type</th>

```

* </tr>
* <tr>
* <td>request.confidential</td>
* <td>c</td>
* <td>boolean (true|false)</td>
* </tr>
* <tr>
* <td>request.clientInfo.address</td>
* <td>cia</td>
* <td>String</td>
* </tr>
* <tr>
* <td>request.clientInfo.upstreamAddress</td>
* <td>ciua</td>
* <td>String</td>
* </tr>
* <tr>
* <td>request.clientInfo.agent</td>
* <td>cig</td>
* <td>String</td>
* </tr>
* <tr>
* <td>request.challengeResponse.identifier</td>
* <td>cri</td>
* <td>String</td>
* </tr>
* <tr>
* <td>request.challengeResponse.scheme</td>
* <td>crs</td>
* <td>String</td>
* </tr>
* <tr>
* <td>request.date</td>
* <td>d</td>
* <td>Date (HTTP format)</td>
* </tr>
* <tr>
* <td>request.entity.characterSet</td>
* <td>ecs</td>
* <td>String</td>
* </tr>
* <tr>
* <td>response.entity.characterSet</td>
* <td>ECS</td>
* <td>String</td>
* </tr>
* <tr>
* <td>request.entity.encoding</td>

```

```

* <td>ee</td>
* <td>String</td>
* </tr>
* <tr>
* <td>response.entity.encoding</td>
* <td>EE</td>
* <td>String</td>
* </tr>
* <tr>
* <td>request.entity.expirationDate</td>
* <td>eed</td>
* <td>Date (HTTP format)</td>
* </tr>
* <tr>
* <td>response.entity.expirationDate</td>
* <td>EED</td>
* <td>Date (HTTP format)</td>
* </tr>
* <tr>
* <td>request.entity.language</td>
* <td>el</td>
* <td>String</td>
* </tr>
* <tr>
* <td>response.entity.language</td>
* <td>EL</td>
* <td>String</td>
* </tr>
* <tr>
* <td>request.entity.modificationDate</td>
* <td>emd</td>
* <td>Date (HTTP format)</td>
* </tr>
* <tr>
* <td>response.entity.modificationDate</td>
* <td>EMD</td>
* <td>Date (HTTP format)</td>
* </tr>
* <tr>
* <td>request.entity.mediaType</td>
* <td>emt</td>
* <td>String</td>
* </tr>
* <tr>
* <td>response.entity.mediaType</td>
* <td>EMT</td>
* <td>String</td>
* </tr>

```

```

* <tr>
* <td>request.entity.size</td>
* <td>es</td>
* <td>Integer</td>
* </tr>
* <tr>
* <td>response.entity.size</td>
* <td>ES</td>
* <td>Integer</td>
* </tr>
* <tr>
* <td>request.entity.tag</td>
* <td>et</td>
* <td>String</td>
* </tr>
* <tr>
* <td>response.entity.tag</td>
* <td>ET</td>
* <td>String</td>
* </tr>
* <tr>
* <td>request.referrerRef</td>
* <td>f*</td>
* <td>Reference (see table below variable name sub-parts)</td>
* </tr>
* <tr>
* <td>request.hostRef</td>
* <td>h*</td>
* <td>Reference (see table below variable name sub-parts)</td>
* </tr>
* <tr>
* <td>request.method</td>
* <td>m</td>
* <td>String</td>
* </tr>
* <tr>
* <td>request.rootRef</td>
* <td>o*</td>
* <td>Reference (see table below variable name sub-parts)</td>
* </tr>
* <tr>
* <td>request.protocol</td>
* <td>p</td>
* <td>String</td>
* </tr>
* <tr>
* <td>request.resourceRef</td>
* <td>r*</td>

```

```

* <td>Reference (see table below variable name sub-parts)</td>
* </tr>
* <tr>
* <td>response.redirectRef</td>
* <td>R*</td>
* <td>Reference (see table below variable name sub-parts)</td>
* </tr>
* <tr>
* <td>response.status</td>
* <td>S</td>
* <td>Integer</td>
* </tr>
* <tr>
* <td>response.serverInfo.address</td>
* <td>SIA</td>
* <td>String</td>
* </tr>
* <tr>
* <td>response.serverInfo.agent</td>
* <td>SIG</td>
* <td>String</td>
* </tr>
* <tr>
* <td>response.serverInfo.port</td>
* <td>SIP</td>
* <td>Integer</td>
* </tr>
* </table>
*

*
* Below is the list of name sub-parts, for Reference variables, that can
* replace the asterix in the variable names above:

*

*
* <table>
* <tr>
* <th>Reference property</th>
* <th>Sub-part name</th>
* <th>Content type</th>
* </tr>
* <tr>
* <td>authority</td>
* <td>a</td>
* <td>String</td>
* </tr>
* <tr>
* <td>baseRef</td>

```



```

* <td>b*</td>
* <td>Reference</td>
* </tr>
* <tr>
* <td>targetRef</td>
* <td>t*</td>
* <td>Reference</td>
* </tr>
* <tr>
* <td>relativePart</td>
* <td>e</td>
* <td>String</td>
* </tr>
* <tr>
* <td>fragment</td>
* <td>f</td>
* <td>String</td>
* </tr>
* <tr>
* <td>hostIdentifier</td>
* <td>h</td>
* <td>String</td>
* </tr>
* <tr>
* <td>identifier</td>
* <td>i</td>
* <td>String</td>
* </tr>
* <tr>
* <td>path</td>
* <td>p</td>
* <td>String</td>
* </tr>
* <tr>
* <td>query</td>
* <td>q</td>
* <td>String</td>
* </tr>
* <tr>
* <td>remainingPart</td>
* <td>r</td>
* <td>String</td>
* </tr>
* </table>
*
* @author Jerome Louvel
*/

```

Found in path(s):

\* /org-restlet-2-4-3-sources-jar/org/restlet/util/Resolver.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2005-2020 Talend

\*

\* The contents of this file are subject to the terms of one of the following

\* open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can

\* select the license that you prefer but you may not use this file except in

\* compliance with one of these Licenses.

\*

\* You can obtain a copy of the Apache 2.0 license at

\* <http://www.opensource.org/licenses/apache-2.0>

\*

\* You can obtain a copy of the EPL 1.0 license at

\* <http://www.opensource.org/licenses/eclipse-1.0>

\*

\* See the Licenses for the specific language governing permissions and

\* limitations under the Licenses.

\*

\* Alternatively, you can obtain a royalty free commercial license with less

\* limitations, transferable or non-transferable, directly at

\* <https://restlet.talend.com/>

\*

\* Restlet is a registered trademark of Talend S.A.

\*/

Found in path(s):

\* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/DispositionReader.java

\*

/org-restlet-2-4-3-sources-jar/org/restlet/engine/header/ExpectationWriter.java

\* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/DateUtils.java

\* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/SystemUtils.java

\* /org-restlet-2-4-3-sources-jar/org/restlet/resource/Put.java

\* /org-restlet-2-4-3-sources-jar/org/restlet/engine/local/Entity.java

\* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/DateWriter.java

\* /org-restlet-2-4-3-sources-jar/org/restlet/service/DecoderService.java

\* /org-restlet-2-4-3-sources-jar/org/restlet/routing/Validator.java

\* /org-restlet-2-4-3-sources-jar/org/restlet/representation/ReaderRepresentation.java

\* /org-restlet-2-4-3-sources-jar/org/restlet/routing/Template.java

\* /org-restlet-2-4-3-sources-jar/org/restlet/engine/application/Decoder.java

\* /org-restlet-2-4-3-sources-jar/org/restlet/engine/application/CorsFilter.java

\* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/PreferenceWriter.java

\*

/org-restlet-2-4-3-sources-jar/org/restlet/engine/ssl/SslUtils.java

\* /org-restlet-2-4-3-sources-jar/org/restlet/representation/CharacterRepresentation.java

\* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/StringWriter.java

- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/CompositeHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/security/Authenticator.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/ChallengeRequestReader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/service/ConverterService.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/Client.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/io/ReadableSelectionChannel.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/EngineClassLoader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/ChildContext.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/application/Conneg.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/TagWriter.java
- \*
- /org-restlet-2-4-3-sources-jar/org/restlet/engine/resource/VariantInfo.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/resource/Result.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/application/StatusInfo.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Tag.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/routing/Router.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/io/WriterOutputStream.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/Context.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/ImmutableDate.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Range.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Dimension.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/StreamRepresentation.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/routing/VirtualHost.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/WrapperScheduledExecutorService.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/component/ComponentClientDispatcher.java
- \*
- /org-restlet-2-4-3-sources-jar/org/restlet/engine/local/LocalClientHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Expectation.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/io/ReaderInputStream.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/HeaderConstants.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/local/ClapClientHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/ReadableRepresentation.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/ByteArrayRepresentation.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/RepresentationInfo.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/PreferenceReader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/security/ChallengeAuthenticator.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/routing/Route.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/adaptor/HttpClientHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/util/ServiceList.java
- \*
- /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/EncodingReader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Parameter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/component/ComponentContext.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/Application.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/service/ConnectorService.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/application/CorsResponseHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/OutputRepresentation.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/local/FileEntity.java

- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/converter/ConverterHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/io/InputStreamChannel.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/security/SmtpPlainHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/service/LogService.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/resource/ThrowableAnnotationInfo.java
- \*
- /org-restlet-2-4-3-sources-jar/org/restlet/engine/component/ClientRouter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/connector/Method.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/connector/HttpServerHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/Response.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/io/UnclosableOutputStream.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/security/AuthenticatorHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/CallResolver.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/CookieWriter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/CacheDirective.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/EmptyRepresentation.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/CookieSettingWriter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/local/EntityClientHelper.java
- \*
- /org-restlet-2-4-3-sources-jar/org/restlet/util/ClientList.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/local/ZipEntryRepresentation.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/security/User.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/security/Role.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/converter/StatusInfoHtmlConverter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/log/IdentClient.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/resource/Status.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/ExpectationReader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/local/DirectoryServerResource.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/LocalReference.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/service/CorsService.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/converter/ConverterUtils.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/MediaType.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/ReferenceUtils.java
- \*
- /org-restlet-2-4-3-sources-jar/org/restlet/util/SelectionRegistration.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/RecipientInfoReader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/security/Enroler.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/ContentTypeReader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/RangeWriter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/security/AuthenticatorUtils.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/component/ServerRouter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/TagReader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/component/ComponentXmlParser.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/io/WakeupListener.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/connector/ConnectorHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/CookieReader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/ssl/DefaultSslContextFactory.java
- \*

/org-restlet-2-4-3-sources-jar/org/restlet/engine/adapter/ServerAdapter.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/data/ClientInfo.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/routing/Variable.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/InputRepresentation.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/security/MemoryRealm.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/ChannelRepresentation.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/data/ChallengeScheme.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/ProductReader.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/ssl/WrapperSslContextSpi.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/adapter/HttpResponse.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/util/WrapperList.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/data/CharacterSet.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/HeaderReader.java  
 \*  
 /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/DefaultSaxHandler.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/RecipientInfoWriter.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/Edition.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Reference.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/util/ServerList.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/util/RouteList.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/Engine.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/application/RangeFilter.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/data/RecipientInfo.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/data/ReferenceList.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/adapter/Adapter.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/Server.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/DimensionReader.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/LanguageWriter.java  
 \*  
 /org-restlet-2-4-3-sources-jar/org/restlet/resource/ResourceException.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/ContextualRunnable.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/util/CharacterReadingListener.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/local/ZipEntryEntity.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/connector/HttpClientHelper.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/security/CertificateAuthenticator.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Status.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/ObjectRepresentation.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/log/AccessLogFormatter.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/io/PipeStream.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/local/RiapServerHelper.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/resource/Post.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/resource/AnnotationInfo.java  
 \*  
 /org-restlet-2-4-3-sources-jar/org/restlet/resource/Patch.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/service/Service.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/io/UnclosableInputStream.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Digest.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/security/RoleMapping.java

- \* /org-restlet-2-4-3-sources-jar/org/restlet/util/WrapperRestlet.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/io/SelectionChannel.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/ChallengeWriter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/security/Verifier.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/resource/ServerResource.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/util/Series.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Metadata.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/BeanInfoUtils.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/io/RangeInputStream.java
- \*
- /org-restlet-2-4-3-sources-jar/org/restlet/data/ChallengeRequest.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/service/StatusService.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/connector/HttpsServerHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/AuthenticationInfo.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Conditions.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/security/SecretVerifier.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/MethodWriter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/Variant.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/CookieSetting.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/io/SelectorFactory.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/StringReader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/io/BlockableChannel.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Warning.java
- \*
- /org-restlet-2-4-3-sources-jar/org/restlet/Restlet.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/util/WrapperRepresentation.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/Uniform.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/util/ByteReadingListener.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/util/NamedValue.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/FormReader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/log/AccessLogFileHandler.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/security/Group.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/CacheDirectiveReader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Method.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/connector/FtpClientHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/log/SimplestFormatter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/RestletHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/ContentType.java
- \*
- /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/RangeReader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/connector/ServerHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/component/InternalRouter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/connector/ClientHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/WritableRepresentation.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/application/TunnelFilter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/ChallengeMessage.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Disposition.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/routing/Extractor.java

- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/component/ComponentServerDispatcher.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/util/SelectionListener.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/security/MapVerifier.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/local/FileClientHelper.java
- \*
- /org-restlet-2-4-3-sources-jar/org/restlet/data/Encoding.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/util/StringReadingListener.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/ssl/SslContextFactory.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/WarningWriter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/component/ClientRoute.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/log/LogUtils.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/Pool.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/ProductWriter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/application/DecodeRepresentation.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/local/RiapClientHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/resource/Delete.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/application/RangeRepresentation.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/application/FlexibleConneg.java
- \*
- /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/DispositionWriter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Preference.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/ChildClientDispatcher.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/TemplateDispatcher.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/adaptor/HttpRequest.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/security/RoleAuthorizer.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/TokenReader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/service/RangeService.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/LanguageReader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/BufferingRepresentation.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/connector/ProtocolHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/resource/ClientResource.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/WriterRepresentation.java
- \*
- /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/MetadataWriter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/Representation.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/adaptor/ClientCall.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/io/NbChannelInputStream.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/WarningReader.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/application/Encoder.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Form.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Product.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/HeaderWriter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/InternetDateFormat.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/resource/ClientProxy.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/routing/Filter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/io/Utils.java
- \*

/org-restlet-2-4-3-sources-jar/org/restlet/engine/application/MetadataExtension.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/CaseInsensitiveHashSet.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/Component.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/application/EncodeRepresentation.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/service/TunnelService.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/security/MethodAuthorizer.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/data/ChallengeResponse.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/security/LocalVerifier.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Header.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/resource/Finder.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/MethodReader.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/AlphabeticalComparator.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/Helper.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/security/Realm.java  
 \*  
 /org-restlet-2-4-3-sources-jar/org/restlet/engine/adaptor/HttpServerHelper.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/FileRepresentation.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/application/StatusFilter.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/connector/WebDavProtocolHelper.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/util/WrapperMap.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/application/ApplicationHelper.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/routing/TemplateRoute.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/application/StrictConneg.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/log/SimplerFormatter.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/Connector.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/component/HostRoute.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/log/LoggerFacade.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/DimensionWriter.java  
 \*  
 /org-restlet-2-4-3-sources-jar/org/restlet/engine/connector/HttpProtocolHelper.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/CookieSettingReader.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/security/Authorizer.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/representation/StringRepresentation.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Language.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/ssl/WrapperSslServerSocketFactory.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/routing/Redirector.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/security/HttpBasicHelper.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/ListUtils.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/FormUtils.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/connector/ConnectionClosingRepresentation.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/io/NbChannelOutputStream.java  
 \*  
 /org-restlet-2-4-3-sources-jar/org/restlet/engine/ssl/WrapperSslSocketFactory.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/service/MetadataService.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/data/Cookie.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/util/ReadingListener.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/HeaderUtils.java  
 \* /org-restlet-2-4-3-sources-jar/org/restlet/resource/Options.java



- \* /org-restlet-2-4-3-sources-jar/org/restlet/resource/Get.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/resource/ClientInvocationHandler.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/CacheDirectiveWriter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/connector/URLConnectionCall.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/ssl/DefaultSslContext.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/log/LogFilter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/header/EncodingWriter.java
- \*
- /org-restlet-2-4-3-sources-jar/org/restlet/engine/component/ComponentHelper.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/MapResolver.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/data/ServerInfo.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/converter/DefaultConverter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/service/EncoderService.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/adapter/ClientAdapter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/log/LoggingThreadFactory.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/log/DefaultAccessLogFormatter.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/service/ConnegService.java
- \* /org-restlet-2-4-3-sources-jar/org/restlet/engine/util/SetUtils.java

No license file was found, but licenses were detected in source scan.

## 2020 Talend

- \*
- \* The contents of this file are subject to the terms of one of the following
- \* open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can
- \* select the license that you prefer but you may not use this file except in
- \* compliance with one of these Licenses.
- \*
- \* You can obtain a copy of the Apache 2.0 license at
- \* <http://www.opensource.org/licenses/apache>

Found in path(s):

- \* /org-restlet-2-4-3-sources-jar/org/restlet/Component.xsd

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Copyright 2005-2020 Talend
- \*
- \* The contents of this file are subject to the terms of one of the following
- \* open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can
- \* select the license that you prefer but you may not use this file except in
- \* compliance with one of these Licenses.
- \*
- \* You can obtain a copy of the Apache 2.0 license at
- \* <http://www.opensource.org/licenses/apache-2.0>
- \*
- \* You can obtain a copy of the EPL 1.0 license at
- \* <http://www.opensource.org/licenses/eclipse-1.0>
- \*

- \* See the Licenses for the specific language governing permissions and
- \* limitations under the Licenses.
- \*
- \* Alternatively, you can obtain a royalty free commercial license with less
- \* limitations, transferable or non-transferable, directly at
- \* <https://restlet.talend.com/>
- \*
- \* Restlet is a registered trademark of Talend S.A.
- \*/
- /\*\*
- \* Implemented based on the {@link Protocol#isConfidential()}
- method for the
- \* request's protocol returned by {@link #getProtocol()};
- \*/

Found in path(s):

- \* /org-restlet-2-4-3-sources-jar/org/restlet/Request.java

No license file was found, but licenses were detected in source scan.

```

/**
 * Copyright 2005-2020 Talend
 *
 * The contents of this file are subject to the terms of one of the following
 * open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can
 * select the license that you prefer but you may not use this file except in
 * compliance with one of these Licenses.
 *
 * You can obtain a copy of the Apache 2.0 license at
 * http://www.opensource.org/licenses/apache-2.0
 *
 * You can obtain a copy of the EPL 1.0 license at
 * http://www.opensource.org/licenses/eclipse-1.0
 *
 * See the Licenses for the specific language governing permissions and
 * limitations under the Licenses.
 *
 * Alternatively, you can obtain a royalty free commercial license with less
 * limitations, transferable or non-transferable, directly at
 * https://restlet.talend.com/
 *
 * Restlet is a registered trademark of Talend S.A.
 */
/**
 * Application service capable of running and scheduling
 * tasks asynchronously.
 * The service instance returned will not invoke the runnable task in the
 * current thread.

 *


```

- \* In addition to allowing pooling, this method will ensure that the threads
- \* executing the tasks will have the thread local variables copied from the
- \* calling thread. This will ensure that call to static methods like
- \* {@link Application#getCurrent()} still work.<br>
- \* <br>
- \* Also, note that this executor service will be shared among all Restlets and
- \* Resources that are part of your context. In general this context corresponds
- \* to a parent Application's context. If you want to have your own service
- \* instance, you can use the {@link TaskService#wrap(ScheduledExecutorService)}
- \* method to ensure that thread local variables are correctly set.
- \*
- \* @author Jerome Louvel
- \* @author Doug Lea (docs of ExecutorService in public domain)
- \* @author Tim Peierls
- \*/

Found in path(s):

- \* /org-restlet-2-4-3-sources-jar/org/restlet/service/TaskService.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Copyright 2005-2020 Talend

- \*

- \* The contents of this file are subject to the terms of one of the following
- \* open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can
- \* select the license that you prefer but you may not use this file except in
- \* compliance with one of these Licenses.

- \*

- \* You can obtain a copy of the Apache 2.0 license at

- \* <http://www.opensource.org/licenses/apache-2.0>

- \*

- \* You can obtain a copy of the EPL 1.0 license at

- \* <http://www.opensource.org/licenses/eclipse-1.0>

- \*

- \* See the Licenses for the specific language governing permissions and

- \* limitations under the Licenses.

- \*

- \* Alternatively, you can obtain a royalty free commercial license with less

- \* limitations, transferable or non-transferable, directly at

- \* <https://restlet.talend.com/>

- \*

- \* Restlet is a registered trademark of Talend S.A.

- \*/

/\*\*

- \* Constructor.

- \*

- \* @param server

- \* @param

exchange

\* @param confidential

\*/

Found in path(s):

\* /org-restlet-2-4-3-sources-jar/org/restlet/engine/connector/HttpExchangeCall.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2005-2020 Talend

\*

\* The contents of this file are subject to the terms of one of the following

\* open source licenses: Apache 2.0 or or EPL 1.0 (the "Licenses"). You can

\* select the license that you prefer but you may not use this file except in

\* compliance with one of these Licenses.

\*

\* You can obtain a copy of the Apache 2.0 license at

\* <http://www.opensource.org/licenses/apache-2.0>

\*

\* You can obtain a copy of the EPL 1.0 license at

\* <http://www.opensource.org/licenses/eclipse-1.0>

\*

\* See the Licenses for the specific language governing permissions and

\* limitations under the Licenses.

\*

\* Alternatively, you can obtain a royalty free commercial license with less

\* limitations, transferable or non-transferable, directly at

\* <https://restlet.talend.com/>

\*

\* Restlet is a registered trademark of Talend S.A.

\*/

Found in path(s):

\* /org-restlet-2-4-3-sources-jar/org/restlet/engine/adapter/ServerCall.java

\*

/org-restlet-2-4-3-sources-jar/org/restlet/engine/resource/AnnotationUtils.java

## 1.222 jackson-module-jsonschema 2.14.0

### 1.222.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

# 1.223 httpcomponents-client 4.5.13

## 1.223.1 Available under license :

Apache HttpClient

Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf



of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.224 aws-java-sdk-sns 1.12.105

## 1.224.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance
 * with
 * the License. A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT
```

## WARRANTIES OR

- \* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions
- \* and limitations under the License.
- \*/

## Found in path(s):

- \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/message/SnsNotification.java
  - \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/message/SnsUnsubscribeConfirmation.java
  - \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/message/DefaultSnsMessageHandler.java
  - \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/message/SnsSubscriptionConfirmation.java
  - \*
  - /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/message/SnsMessageHandler.java
  - \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/message/SnsMessageManager.java
  - \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/message/SnsUnknownMessage.java
  - \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/message/Utils.java
  - \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/message/SnsMessageUnmarshaller.java
  - \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/message/SigningCertUrlVerifier.java
  - \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/message/SnsMessage.java
  - \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/message/HttpException.java
  - \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/message/SignatureVerifier.java
- No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2010-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License").
- \* You may not use this file except in compliance with the License.
- \* A copy of the License is located at
- \*
- \* <http://aws.amazon.com/apache2.0>
- \*
- \* or in the "license" file accompanying this file. This file is distributed
- \* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
- \* express or implied. See the License for the specific language governing
- \* permissions and limitations under the License.
- \*/

## Found in path(s):

- \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/auth/policy/conditions/SNSConditionFactory.java
  - \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/util/package-info.java
  - \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/util/SignatureChecker.java
- No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2016-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance

with

\* the License. A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR

\* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions

\* and limitations under the License.

\*/

Found in path(s):

\* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/KMSDisabledException.java

\* /aws-java-sdk-sns-1-12-105-sources-

jar/com/amazonaws/services/sns/model/transform/ListSubscriptionsByTopicResultStaxUnmarshaller.java

\* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/AmazonSNSAsync.java

\* /aws-java-sdk-sns-1-12-105-sources-

jar/com/amazonaws/services/sns/model/transform/SetPlatformApplicationAttributesResultStaxUnmarshaller.java

\*

/aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/Tag.java

\* /aws-java-sdk-sns-1-12-105-sources-

jar/com/amazonaws/services/sns/model/transform/ListPlatformApplicationsRequestMarshaller.java

\* /aws-java-sdk-sns-1-12-105-sources-

jar/com/amazonaws/services/sns/model/transform/MessageAttributeValueStaxUnmarshaller.java

\* /aws-java-sdk-sns-1-12-105-sources-

jar/com/amazonaws/services/sns/model/ListSubscriptionsByTopicRequest.java

\* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/CreatePlatformEndpointRequest.java

\* /aws-java-sdk-sns-1-12-105-sources-

jar/com/amazonaws/services/sns/model/transform/AddPermissionResultStaxUnmarshaller.java

\* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/TagPolicyException.java

\* /aws-java-sdk-sns-1-12-105-sources-

jar/com/amazonaws/services/sns/model/transform/KMSAccessDeniedExceptionUnmarshaller.java

\*

/aws-java-sdk-sns-1-12-105-sources-

jar/com/amazonaws/services/sns/model/transform/GetSubscriptionAttributesRequestMarshaller.java

\* /aws-java-sdk-sns-1-12-105-sources-

jar/com/amazonaws/services/sns/model/transform/AuthorizationErrorExceptionUnmarshaller.java

\* /aws-java-sdk-sns-1-12-105-sources-

jar/com/amazonaws/services/sns/model/transform/CreateSMSSandboxPhoneNumberResultStaxUnmarshaller.java

\* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/TagResourceRequest.java

\* /aws-java-sdk-sns-1-12-105-sources-

jar/com/amazonaws/services/sns/model/transform/ConfirmSubscriptionResultStaxUnmarshaller.java

\* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/CreateTopicRequest.java

\* /aws-java-sdk-sns-1-12-105-sources-

jar/com/amazonaws/services/sns/model/transform/ListEndpointsByPlatformApplicationResultStaxUnmarshaller.java

a

\* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/UntagResourceRequest.java

```

*
/ aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/DeleteTopicResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/SMSSandboxPhoneNumber.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ListSubscriptionsByTopicRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/SetSubscriptionAttributesRequest.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/Topic.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/ListEndpointsByPlatformApplicationResult.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/DeleteEndpointResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/SetEndpointAttributesRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/CreatePlatformApplicationRequest.java
*
/ aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/CreatePlatformEndpointResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ValidationException.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/ListSMSSandboxPhoneNumbersResult.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/VerifySMSSandboxPhoneNumberRequest.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ListTopicsRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/CreateSMSSandboxPhoneNumberResult.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/SetEndpointAttributesResult.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/CreateTopicResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ListTagsForResourceRequestMarshaller.java
*
/ aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/PublishRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/GetTopicAttributesRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/CreateTopicResult.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ListPhoneNumbersOptedOutRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/AmazonSNSAsyncClientBuilder.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/DeletePlatformApplicationResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/UserErrorException.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/KMSDisabledExceptionUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/UnsubscribeResultStaxUnmarshaller.java

```

```

*
/ aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/KMSInvalidStateExceptionUnmarshaller.java
* / aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ListSMSSandboxPhoneNumbersRequestMarshaller.java
* / aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/Endpoint.java
* / aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/RemovePermissionResult.java
* / aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/SetSubscriptionAttributesRequestMarshaller.java
* / aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/CheckIfPhoneNumberIsOptedOutRequest.java
* / aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/GetPlatformApplicationAttributesResultStaxUnmarshaller.java
* / aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/OptInPhoneNumberResult.java
*
/ aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/GetSubscriptionAttributesRequest.java
* / aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/UntagResourceRequestMarshaller.java
* / aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/SubscriptionLimitExceededExceptionUnmarshaller.java
* / aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/package-info.java
* / aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/EndpointDisabledExceptionUnmarshaller.java
* / aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/DeleteEndpointRequest.java
* / aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/AmazonSNSAsyncClient.java
* / aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ListPhoneNumbersOptedOutResultStaxUnmarshaller.java
* / aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/GetPlatformApplicationAttributesRequest.java
*
/ aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/LanguageCodeString.java
* / aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/DeleteTopicRequestMarshaller.java
* / aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/RemovePermissionResultStaxUnmarshaller.java
* / aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/DeleteSMSSandboxPhoneNumberResultStaxUnmarshaller.java
* / aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/InvalidParameterException.java
* / aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/SetSMSAttributesRequestMarshaller.java
* / aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/OptInPhoneNumberResultStaxUnmarshaller.java
* / aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/PlatformApplication.java
*
/ aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/UnsubscribeResult.java
* / aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/PublishResultStaxUnmarshaller.java

```

```

* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/CreateSMSSandboxPhoneNumberRequest.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/UntagResourceResult.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/InternalServerErrorExceptionUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/AddPermissionRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/AbstractAmazonSNSAsync.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/ListPlatformApplicationsRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/DeleteSMSSandboxPhoneNumberResult.java
*
/ aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/SetEndpointAttributesRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/GetTopicAttributesResult.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/AuthorizationErrorException.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/SetPlatformApplicationAttributesRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/GetSMSSandboxAccountStatusRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ListSubscriptionsRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/PlatformApplicationDisabledException.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/GetPlatformApplicationAttributesResult.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/SubscriptionStaxUnmarshaller.java
*
/ aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/SetPlatformApplicationAttributesResult.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/KMSNotFoundExceptionUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/UnsubscribeRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/SubscribeRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/InvalidParameterValueExceptionUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/SetPlatformApplicationAttributesRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/TagResourceRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/GetPlatformApplicationAttributesRequestMarshaller.java
*
/ aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/UserErrorExceptionUnmarshaller.java

```

\* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/MessageAttributeValue.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/UnsubscribeRequest.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/transform/InvalidParameterExceptionUnmarshaller.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/StaleTagException.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/GetSubscriptionAttributesResult.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/DeleteSMSSandboxPhoneNumberRequest.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/DeleteEndpointResult.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/SetSMSAttributesResult.java  
 \*  
 /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/transform/TagLimitExceededExceptionUnmarshaller.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/AmazonSNSClientBuilder.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/EndpointDisabledException.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/GetSMSSandboxAccountStatusResult.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/transform/ValidationExceptionUnmarshaller.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/transform/CheckIfPhoneNumberIsOptedOutResultStaxUnmarshaller.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/transform/ListTopicsResultStaxUnmarshaller.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/SetTopicAttributesRequest.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ListSubscriptionsResult.java  
 \*  
 /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/transform/KMSOptInRequiredExceptionUnmarshaller.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/KMSInvalidStateException.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/KMSAccessDeniedException.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/PublishRequest.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/transform/ListSMSSandboxPhoneNumbersResultStaxUnmarshaller.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ConcurrentAccessException.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/InternalServerErrorException.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ListSubscriptionsByTopicResult.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/InvalidSecurityException.java  
 \*  
 /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/GetSMSSandboxAccountStatusRequest.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/SetSubscriptionAttributesResult.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/transform/KMSThrottlingExceptionUnmarshaller.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/transform/GetEndpointAttributesResultStaxUnmarshaller.java  
 \* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/transform/GetSMSSandboxAccountStatusResultStaxUnmarshaller.java  
 \* /aws-java-sdk-sns-1-12-105-sources-

```

jar/com/amazonaws/services/sns/model/DeletePlatformApplicationResult.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/ListEndpointsByPlatformApplicationRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/SMSSandboxPhoneNumberStaxUnmarshaller.java
*
/ aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/StaleTagExceptionUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/CreatePlatformEndpointResult.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/SetTopicAttributesResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/NumberCapability.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/RouteType.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/InvalidSecurityExceptionUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/FilterPolicyLimitExceededExceptionUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ConfirmSubscriptionResult.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/OptedOutException.java
*
/ aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ListSubscriptionsResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ListOriginationNumbersRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/CreateTopicRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/CreatePlatformApplicationResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/AbstractAmazonSNS.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ListTopicsRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/GetSMSAttributesResult.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/RemovePermissionRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/TopicLimitExceededExceptionUnmarshaller.java
*
/ aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/AddPermissionRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/GetSMSAttributesRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/TagResourceResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/GetEndpointAttributesResult.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/SubscribeRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/SetTopicAttributesRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/OptInPhoneNumberRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/TopicLimitExceededException.java

```



```

* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ConfirmSubscriptionRequest.java
*
/ aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/SetTopicAttributesResult.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/CreatePlatformApplicationResult.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/KMSNotFoundException.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/GetSMSAttributesResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/DeleteTopicRequest.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/PhoneNumberInformation.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ListOriginationNumbersResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/transform/TagStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/AddPermissionResult.java
*
/ aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/Subscription.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ResourceNotFoundExceptionUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/SubscribeResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/GetEndpointAttributesRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/SetSMSAttributesResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/SetSubscriptionAttributesResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/KMSThrottlingException.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/SubscribeResult.java
*
/ aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/TagPolicyExceptionUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/DeletePlatformApplicationRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/PlatformApplicationStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/PlatformApplicationDisabledExceptionUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/ListSMSSandboxPhoneNumbersRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/DeleteEndpointRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ListTagsForResourceRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/VerifySMSSandboxPhoneNumberRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/GetSubscriptionAttributesResultStaxUnmarshaller.java
*
/ aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/EndpointStaxUnmarshaller.java

```

```

* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/CreateSMSSandboxPhoneNumberRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ResourceNotFoundException.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/GetSMSAttributesRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/TopicStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/SMSSandboxPhoneNumberVerificationStatus.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ListOriginationNumbersResult.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/CreatePlatformEndpointRequestMarshaller.java
*
/ aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/NotFoundException.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/GetTopicAttributesRequest.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/SetSMSAttributesRequest.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/VerificationException.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/GetTopicAttributesResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/ListPhoneNumbersOptedOutResult.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ListPlatformApplicationsResult.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/TagLimitExceededException.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/OptInPhoneNumberRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/RemovePermissionRequestMarshaller.java
*
/ aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/PublishResult.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/DeleteSMSSandboxPhoneNumberRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/UntagResourceResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/VerifySMSSandboxPhoneNumberResult.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/ListPhoneNumbersOptedOutRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/NotFoundExceptionUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/CheckIfPhoneNumberIsOptedOutRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ListTopicsResult.java
*
/ aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/VerificationExceptionUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ListPlatformApplicationsResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/AmazonSNSClient.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/PhoneNumberInformationStaxUnmarshaller.java

```

```

* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ListEndpointsByPlatformApplicationRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/AmazonSNSException.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/InvalidParameterValueException.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ListSubscriptionsRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ThrottledExceptionUnmarshaller.java
*
/ aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ListTagsForResourceResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/SetEndpointAttributesResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/TagResourceResult.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/OptedOutExceptionUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ConfirmSubscriptionRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/ConcurrentAccessExceptionUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/DeletePlatformApplicationRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ListTagsForResourceResult.java
*
/ aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/FilterPolicyLimitExceededException.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/CreatePlatformApplicationRequestMarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/VerifySMSSandboxPhoneNumberResultStaxUnmarshaller.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/DeleteTopicResult.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ThrottledException.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/SubscriptionLimitExceededException.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/KMSOptInRequiredException.java
* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/model/ListOriginationNumbersRequest.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/CheckIfPhoneNumberIsOptedOutResult.java
*
/ aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/AmazonSNS.java
* /aws-java-sdk-sns-1-12-105-sources-
jar/com/amazonaws/services/sns/model/transform/GetEndpointAttributesRequestMarshaller.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*

```

\* Licensed under the Apache License, Version 2.0 (the "License").  
\* You may not use this file except in compliance with the License.  
\* A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed  
\* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express or implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/services/sns/util/Topics.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2011-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance  
\* with  
\* the License. A copy of the License is located at  
\*  
\* <http://aws.amazon.com/apache2.0>  
\*  
\* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR  
\* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing  
\* permissions  
\* and limitations under the License.  
\*/

Found in path(s):

\* /aws-java-sdk-sns-1-12-105-sources-jar/com/amazonaws/auth/policy/actions/SNSActions.java

# 1.225 activemq-shiro 5.15.11

## 1.225.1 Available under license :

ActiveMQ :: Shiro

Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier



identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

## 1.226 junit 3.8.1

### 1.226.1 Available under license :

from <https://github.com/junit-team/junit/wiki/FAQ> the Supplier's website FAQ:

How is JUnit licensed?

JUnit is Open Source Software, released under the Eclipse Public License Version 1.0 and hosted on GitHub.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and

(ii) are not derivative works  
of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including

warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product

offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance

claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS

SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the

Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This

Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

## 1.227 xml-beans 2.3.0-r540734

### 1.227.1 Available under license :

Jar w3c\_domts contains the test cases from DOMTS 2001, level2,core. Some test cases have been modified, as has been the test harness. For more information on the Dom Conformance Suite, visit <http://www.w3.org/DOM/Test/>

#### W3C" SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

The full text of this NOTICE in a location

viewable to users of the redistributed or derivative work.

Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The

name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

Last revised by Reagle \$Date: 2004-12-08 22:24:26 +0530 (Wed, 08 Dec 2004) \$

#### W3C" SOFTWARE NOTICE AND LICENSE

Copyright " 1994-2002 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

This W3C work (including software, documents, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to use, copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications, that you make:

The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, a short notice of the following form (hypertext is preferred, text is permitted) should be used within the body of any redistributed or derivative code: "Copyright " [\$date-of-software] World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>"

Notice of any changes or modifications to the W3C files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR

CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on August 14 1998 so as to improve compatibility with GPL. This version ensures that W3C software licensing terms are no more restrictive than GPL and consequently W3C software may be distributed in GPL packages. See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

webmaster

(last updated \$Date: 2004-12-08 22:24:26 +0530 (Wed, 08 Dec 2004) \$)

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant



of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed

under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The following xml files are courtesy of Zvon.org:

"Legal notices

Legal notices and terms of use

If not explicitly stated otherwise, the following applies for all material at the ZVON site:

You can freely use and distribute anything you need, but you must give credit to ZVON and link to the ZVON site. It is not a question of copyright; this is simply the right and polite thing to do."

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache XmlBeans distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 2000-2003, BEA Systems, <<http://www.bea.com/>>.

Aside from contributions to the Apache XMLBeans project, this  
software also includes:

- one or more source files from the Apache Xerces-J and Apache Axis  
products, Copyright (c) 1999-2003 Apache Software Foundation
- W3C XML Schema documents Copyright 2001-2003 (c) World Wide Web  
Consortium (Massachusetts Institute of Technology, European Research  
Consortium for Informatics and Mathematics,  
Keio University)
- resolver.jar from Apache Xml Commons project,  
Copyright (c) 2001-2003 Apache Software Foundation
- Piccolo XML Parser for Java from <http://piccolo.sourceforge.net/>,  
Copyright 2002 Yuval Oren under the terms of the Apache Software License 2.0
- JSR-173 Streaming API for XML from <http://sourceforge.net/projects/xmlpullparser/>,  
Copyright 2005 BEA under the terms of the Apache Software License 2.0

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

```
/* Copyright 2004 The Apache Software Foundation
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

## Download Schemas

### TranXML" Open Source License Agreement

#### PURPOSE

The purpose of this TranXML" Open Source License Agreement (the "License") is to set forth the terms and conditions for the use of the Covered Work, as defined below. This License applies to the Original Work, and to any Modifications, which is collectively referred to as the "Covered Work" as such terms are defined in this License. The Covered Work is distributed for free. This License is designed to ensure that you have the right to obtain the Covered Work, distribute copies of the Covered Work, make Modifications to the Covered Work, or otherwise use portions of the Covered Work in new free code. Consistent with the foregoing, however, you have specific responsibilities regarding the Covered Work and any Modifications. These restrictions are designed to ensure that others cannot deny you the rights granted in this License, or require you to surrender these rights. Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Covered Work is not restricted, and the output from the Covered Work is covered only if its contents constitute a Modification (independent of having been made by running the Covered Work).

PLEASE READ THE TERMS AND CONDITIONS OF THIS LICENSE CAREFULLY " IF YOU DO NOT AGREE TO THESE TERMS AND CONDITIONS, YOU ARE NOT GIVEN ANY RIGHTS TO THE COVERED WORK HEREUNDER. WHERE COVERED WORK IS BEING DOWNLOADED, IF AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE, CLICK ON THE BOX LABELED "I ACCEPT" AND THE COVERED WORK WILL BE DOWNLOADED TO YOUR COMPUTER. IF YOU DO NOT AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE, CLICK ON THE BOX LABELED "I DO NOT ACCEPT", AT WHICH POINT YOU WILL RETURN TO THE APPROPRIATE HOME PAGE WITHOUT THE COVERED WORK BEING DOWNLOADED.

#### DEFINITIONS

"Original Work" means the original TranXML" markup language described in the notice required by Exhibit A and which, at the time of its release under this License, is not already Covered Work governed by this License.

"Covered Work" means the Original Work, Modifications, or the combination of the Original Work and Modifications, in each case including portions thereof.

"Modification(s)" means any work that in whole or in part contains or is derived from the Covered Work or any part thereof.

"Larger Work" means a work which combines Covered Work, or portions thereof, with code not covered by the terms of this License.

"Initial Developer" means Transentric, a division of Union Pacific Corporation.

"Contributor" means any individual or entity that creates or contributes to the creation of Modifications. To the extent you create Modifications, you shall also be considered a "Contributor" for the purpose of this License.

"Contributor Version" means the combination of the Original Work, prior Modifications used by the Contributor, and the Modifications made by that particular Contributor.

"You"

means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of fifty percent (50%) or more of the outstanding shares or beneficial ownership of such entity.

"Source Code" means the preferred form of the Covered Work for making Modifications.

"Executable(s)" means Covered Work in any form other than Source Code.

## GRANT OF LICENSE

The Initial Developer Grant. Subject to the terms and conditions of this License, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

to use, reproduce,

modify, display, perform, sublicense and distribute the Original Work (or portions thereof) with or without Modifications, or as part of a Larger Work; and

under patents now or hereafter owned or controlled by Initial Developer, to make, have made, use and sell ("Utilize") the Original Work (or portions thereof), but solely to the extent that any such patent is reasonably necessary to enable You to Utilize the Original Work (or portions thereof) and not to any greater extent than may be necessary to Utilize further Modifications or combinations.

Contributor Grant. Subject to the terms and conditions of this License, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Work or as part of a Larger Work; and

under patents now or hereafter owned or controlled by Contributor, to Utilize the Contributor Version (or portions thereof), but solely to the extent that any such patent is reasonably necessary to enable You to Utilize the Contributor Version (or portions thereof), and not to any greater extent than may be necessary to Utilize further Modifications or combinations.

Trademark Grant. The Initial Developer owns or has the rights to the following trademark: "TranXML" (the "Licensed Trademark"). The Initial Developer hereby grants you a nonexclusive, nontransferable license to use its Licensed Trademark subject to the following restrictions:

Use of the Licensed Trademark shall be permitted only for the limited purpose of indicating the Initial Developer as the copyright holder in and to the Original Work;

The Licensed Trademarks shall be placed prominently in all packaging, advertising and promotional materials used by you in distributing the Covered Work in a manner

consistent with the Initial Developer's use of the Licensed Trademark, or as otherwise reasonably directed by the Initial Developer;

You acknowledges that all right, title and interest in and to the Licensed Trademark is and shall remain with the

Initial Developer;

You agree that you will do nothing inconsistent with such ownership and that all use of the Licensed Trademark shall inure to the benefit of and on behalf of the Initial Developer;

Nothing in this License shall give you any right, title or interest in the Licensed Trademark other than the right to use the Licensed Trademark in accordance with this License;

You further agree that you shall make no claim to or against the Initial Developer's title to the Licensed Trademark, or register the same or any mark confusingly similar to the Licensed Trademarks;

Except as required in any copyright notice set forth in this License, nothing in this License shall give you the right to use the name or trademarks of any Contributors

without their specific, written permission;

TERMS AND CONDITIONS OF LICENSE

**Original Work.** You may use, copy and distribute verbatim copies of the Original Work as you receive it, in any medium, provided that you:

conspicuously and appropriately publish on each copy the appropriate attribution and disclaimer of warranty as set forth in this License;

keep intact all the notices that refer to this License and to the absence of any warranty; and

give any other recipients of the Original Work a copy of this License along with the Original Work.

You may charge a fee for the physical act of transferring a copy of the Original Work, and you may at your option offer warranty protection in exchange for a fee, all at your own risk as set forth in this License.

**Modifications to Covered Work.** You may modify your copy or copies of the Covered Work or any portion of it, thus forming a Modification, and copy and distribute such Modifications under the terms of this License, provided that you also meet all of these conditions:

You meet the attribution obligations set forth in this License;

You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Covered Work or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License; and

If the Modification normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice disclaiming any warranty (or else, saying that you provide a warranty) and that users may redistribute the Modifications under these conditions, and telling the user how to view a copy of this License. Your Modification is not required to print an announcement if the Modification itself is interactive but does not normally print such an announcement.

**Required Notices.** You must cause

all Covered Work to which you contribute to contain a file documenting the changes you made to create that Covered Work and the date of any change. You must duplicate the notice in Exhibit A in each file of the Covered Work, and this License in any documentation for the Covered Work, where you describe recipients' rights relating to Covered Work. This notice includes the name of the Initial Developer and any Contributor, and must be conspicuously placed in (a) the Source Code, and (b) in any Executable or related documentation in which you describe the origin or ownership of the Covered Work. If You created one or more Modification(s), You may add your name as a Contributor to the notice described in Exhibit A. If it is not possible to put such notice in a particular source code file due to its structure, then you must include such notice in a location (such as a relevant directory file) where a user would be likely to look for such a notice. You may choose to offer, and to charge

a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Work. However, you may do so only on your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by you alone,

and you hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms you offer. You may create a Larger Work by combining Covered Work with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, you must make sure the requirements of this License are fulfilled for the Covered Work.

Distribution of Covered Work. You may copy and distribute the Covered Work as an Executable under the terms of this License provided that you also do one of the following:

Accompany it with the complete corresponding machine-readable Source Code, which must be distributed as set forth in this License on a medium customarily used for software interchange; or,

Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding Source Code, to be distributed as set forth in this License on a medium customarily used for software interchange; or

Accompany it with the information you received as to the offer to distribute corresponding Source Code. (This alternative is allowed only for noncommercial distribution and only if you received the program as an Executable with such an offer, in accord with the above.)

For an Executable work, Source Code must include all the Source Code for all modules the Executable contains, plus any associated interface definition files, plus the scripts

used to control compilation and installation of the executable. However, as a special exception, the Source Code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the Executable runs, unless that component itself accompanies the Executable. If distribution of an Executable is made by offering access to copy from a designated place, then offering equivalent access to copy the Source Code from the same place counts as distribution of the Source Code, even though third parties are not compelled to copy the Source Code along with the Executable.

Other Distribution Obligations. The Modifications which You create or to which You contribute are governed by the terms of this License. The Source Code version of the Covered Work may be distributed only under the terms of this License or a future version of this License, and you must include a copy of this

License with every copy of the Covered Work you distribute. You may not offer or impose any terms on any Covered Work version that alters or restricts the applicable version of this License or the recipients' rights hereunder. These requirements apply to the Modification as a whole. If identifiable sections of that work are not derived from the Covered Work, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. When you distribute the same sections as part of a Larger Work, the distribution of the Larger Work must be on the terms of this License, whose permissions for other licensees extend to the Larger Work, and thus to each and every part regardless of who wrote it. It is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Covered Work. In addition, mere aggregation of independent and separate work(s) with the Covered Work on a volume of a storage or distribution medium does not bring the other work under the scope of this License. You may distribute the Executable version of Covered Work under a license of your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the executable version does not attempt to limit or alter the recipient's rights in the source code version from the rights set forth in this License. If you distribute the executable version under a different license, you must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and



every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms you offer.

## RESTRICTIONS

You may not copy, modify, sublicense, or distribute the Covered Work except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Covered Work is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Covered Work or its Modifications. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Covered Work (or any work based on the Covered Work), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Covered Work or works based on it.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Work due to statute or regulation, then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included with all distributions of the Covered Work. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations (whether by court order, agreement or otherwise), then as a consequence you may not distribute the Covered Work at all. For example, if a patent license would not permit royalty-free redistribution of the Covered Work by all those who receive copies directly or indirectly through you, then the only way you could satisfy both the court order and this License would be to refrain entirely from distribution of the Covered Work. The purpose of this restriction is to ensure the integrity of the free distribution of the Covered Work.

## DISCLAIMER OF WARRANTY

COVERED WORK IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED WORK IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED WORK IS WITH YOU, AND NEITHER THE INITIAL DEVELOPER NOR ANY CONTRIBUTOR IS UNDER ANY MAINTENANCE OR ENFORCEMENT OBLIGATION CONCERNING THE COVERED WORK AND THIS LICENSE. SHOULD ANY COVERED WORK PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED WORK IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## TERMINATION

This License and the rights granted hereunder will terminate automatically if you fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Work

which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive. LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED WORK, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO YOU OR ANY OTHER PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE,

COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES AND EVEN IF SUCH COVERED WORK FAILS FOR ITS ESSENTIAL PURPOSE. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THAT EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### U.S. GOVERNMENT END USERS

The Covered Work is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Work with only those rights set forth herein.

#### MISCELLANEOUS

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the laws of the State of Missouri, without regard to its choice of law rules as though all acts and omissions related to this Agreement occurred in that State. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in, the United States of America: [IF ARBITRATION SOUGHT: (a) unless otherwise agreed in writing, all disputes relating to this License (excepting any dispute relating to intellectual property rights) shall be subject to final and binding arbitration, with the losing party paying all costs of arbitration; (b) any arbitration relating to this Agreement shall be held in St. Louis, Missouri, under the auspices of the American Arbitration Association; and (c)] any litigation relating to this Agreement shall be subject to the jurisdiction of the state and federal courts of Missouri, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

#### RESPONSIBILITY FOR CLAIMS

You are responsible for damages arising, directly or indirectly, out of your utilization of rights under this License, based on the number of copies of Covered Work you made available, the revenues you received from utilizing such rights, and other relevant factors. You agree to work with affected parties to distribute responsibility on an equitable basis.

## VERSIONS OF LICENSE

### The Initial

Developer may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number. Once Covered Work has been published under a particular version of the License, you may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by the Initial Developer. No one other than the Initial Developer has the right to modify the terms applicable to Covered Work created under this License.

## XML STATEMENT

It is the Initial Developer's intent that software which is free of any claims beyond the terms and conditions of this License be compatible with the GNU General Public License ("GPL") [<http://www.gnu.org/copyleft/gpl.html>] and WorldWide Web Consortium Recommendation Extensible Markup Language Specification [<http://www.w3.org/Consortium/Legal>]

## EXHIBIT A

"The contents of this file are subject to the TranXML" Public

License Version 1.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.tranxml.org>. Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License. The Initial Developer of the Original Code is Transentric, a division of Union Pacific Corporation. Copyright " 2000-2001. Portions created by Contributor are Copyright " 2001. All Rights Reserved.

Contributor(s):

Kyle Miller, Gregg Dieckhaus, John Lutz, Randy Morin, Fred Domke

# 1.228 awsjavasdkc 1.12.105

## 1.228.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance with

\* the License. A copy of the License is located at

\*

\* <http://aws.amazon.com/apache2.0>

\*

\* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR

\* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing

```

permissions
* and limitations under the License.
*/
/**
 * <p>
 * Describes the ID format settings for your resources on a per-Region basis, for example, to view which resource
 * types are enabled for longer IDs. This request only returns information about resource types whose ID formats
can
 * be modified; it does not return information about other resource types.
 * </p>

 * <p>
 * The following resource types support longer IDs: <code>bundle</code> | <code>conversion-task</code> |
 * <code>customer-gateway</code> | <code>dhcp-options</code> | <code>elastic-ip-allocation</code> |
 * <code>elastic-ip-association</code> | <code>export-task</code> | <code>flow-log</code> |
<code>image</code> |
 * <code>import-task</code> | <code>instance</code> | <code>internet-gateway</code> | <code>network-
acl</code> |
 * <code>network-acl-association</code> | <code>network-interface</code> | <code>network-interface-
attachment</code>
 * | <code>prefix-list</code> | <code>reservation</code> | <code>route-table</code> |
 * <code>route-table-association</code> | <code>security-group</code> | <code>snapshot</code> |
<code>subnet</code>
 * | <code>subnet-cidr-block-association</code> | <code>volume</code> | <code>vpc</code> |
 * <code>vpc-cidr-block-association</code> | <code>vpc-endpoint</code> | <code>vpc-peering-
connection</code> |

 * <code>vpn-connection</code> | <code>vpn-gateway</code>.
 * </p>
 * <p>
 * These settings apply to the IAM user who makes the request; they do not apply to the entire Amazon Web
Services
 * account. By default, an IAM user defaults to the same settings as the root user, unless they explicitly override
 * the settings by running the <a>ModifyIdFormat command. Resources created with longer IDs are visible to
all
 * IAM users, regardless of these settings and provided that they have permission to use the relevant
 * <code>Describe</code> command for the resource type.
 * </p>
 *
 * @param describeIdFormatRequest
 * @return Result of the DescribeIdFormat operation returned by the service.
 * @sample AmazonEC2.DescribeIdFormat
 * @see <a href="http://docs.aws.amazon.com/goto/WebAPI/ec2-2016-11-15/DescribeIdFormat"
target="_top">AWS API
 * Documentation
 */
/**
 * <p>

```

- \* Disassociates an IAM role from an Certificate Manager (ACM) certificate. Disassociating an IAM role from an ACM certificate removes the Amazon S3 object that contains the certificate, certificate chain, and encrypted private key from the Amazon S3 bucket. It also revokes the IAM role's permission to use the KMS key used to encrypt the private key. This effectively revokes the role's permission to use the certificate.

\* </p>

\*

- \* @param disassociateEnclaveCertificateIamRoleRequest
- \* @return Result of the DisassociateEnclaveCertificateIamRole operation returned by the service.
- \* @sample AmazonEC2.DisassociateEnclaveCertificateIamRole
- \* @see <a href="http://docs.aws.amazon.com/goto/WebAPI/ec2-2016-11-15/DisassociateEnclaveCertificateIamRole">

\* target="\_top">AWS API Documentation</a>

\*/

/\*\*

- \* <p>
- \* Modifies the ID format for the specified resource on a per-Region basis. You can specify that resources should receive longer IDs (17-character IDs) when they are created.

\* </p>

\* <p>

- \* This request can only be used to modify longer ID settings for resource types that are within the opt-in period.
- \* Resources currently in their opt-in period include: <code>bundle</code> | <code>conversion-task</code> | <code>customer-gateway</code> | <code>dhcp-options</code> | <code>elastic-ip-allocation</code> | <code>elastic-ip-association</code> | <code>export-task</code> | <code>flow-log</code> | <code>image</code> | <code>import-task</code> | <code>internet-gateway</code> | <code>network-acl</code> | <code>network-acl-association</code> | <code>network-interface</code> | <code>network-interface-attachment</code> | <code>prefix-list</code> | <code>route-table</code> | <code>route-table-association</code> | <code>security-group</code> | <code>subnet</code> | <code>subnet-cidr-block-association</code> | <code>vpc</code> | <code>vpc-cidr-block-association</code> | <code>vpc-endpoint</code> | <code>vpc-peering-connection</code> | <code>vpn-connection</code> | <code>vpn-gateway</code>.

\* </p>

\* <p>

- \* This setting applies to the IAM user who makes the request; it does not apply to the entire Amazon Web Services account. By default, an IAM user defaults to the same settings as the root user. If you're using this action as the root user, then these settings apply to the entire account, unless an IAM user explicitly overrides these settings for themselves. For more information, see <a href="https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/resource-ids.html">Resource IDs</a> in the *Amazon Elastic Compute Cloud User Guide*.

\* </p>

\* <p>



- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at:
- \*
- \* <http://aws.amazon.com/apache2.0>
- \*
- \* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
- \* OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/util/SecurityGroupUtils.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/TimestampFormatRequestHandler.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance
 * with
 * the License. A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR
 * CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing
```

permissions

\* and limitations under the License.

\*/

/\*\*

\* <p>

\* One or more filters.

\* </p>

\* <ul>

\* <li>

\* <p>

\* <code>create-time</code> - The time the launch template version was created.

\* </p>

\* </li>

\* <li>

\* <p>

\* <code>ebs-optimized</code> - A boolean that indicates whether the instance is optimized for Amazon EBS

I/O.

\* </p>

\* </li>

\* <li>

\* <p>

\* <code>iam-instance-profile</code> - The ARN of the IAM instance profile.

\* </p>

\* </li>

\* <li>

\* <p>

\* <code>image-id</code> - The ID of the AMI.

\* </p>

\* </li>

\* <li>

\* <p>

\* <code>instance-type</code> - The instance type.

\* </p>

\* </li>

\* <li>

\* <p>

\* <code>is-default-version</code> - A boolean that indicates whether the launch template version is the default

\* version.

\* </p>

\* </li>

\* <li>

\* <p>

\* <code>kernel-id</code> - The kernel ID.

\* </p>

\* </li>

\* <li>

\* <p>

\* <code>ram-disk-id</code> - The RAM disk ID.



- \* </p>
- \* </li>
- \* </ul>
- \*/

Found in path(s):

- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeLaunchTemplateVersionsRequest.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance
 * with
 * the License. A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR
 * CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing
 * permissions
 * and limitations under the License.
 */
```

Found in path(s):

- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeIdFormatResult.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/AuthorizeClientVpnIngressResultStaxUnmarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/TransitGatewayAssociationStaxUnmarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateLaunchTemplateRequest.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FleetEventType.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FleetExcessCapacityTerminationPolicy.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ResponseLaunchTemplateDataStaxUnmarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImportInstanceVolumeDetailItem.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/FleetLaunchTemplateSpecificationStaxUnmarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyNetworkInterfaceAttributeResult.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/LocalGatewayRouteStaxUnmarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-

```

jar/com/amazonaws/services/ec2/model/ModifyDefaultCreditSpecificationResult.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/UnassignPrivateIpAddressesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CurrencyCodeValues.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyIdentityIdFormatRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkInterfaceCountStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpcEndpointResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateElasticInferenceAcceleratorResponseStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkInsightsPathRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelSpotFleetRequestsResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/HostOffering.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AttachInternetGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LocalGatewayRouteTableVirtualInterfaceGroupAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkInterfaceAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableVolumeIOResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpcRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetDefaultCreditSpecificationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GatewayType.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ResetEbsDefaultKmsKeyIdRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ResetEbsDefaultKmsKeyIdResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DetachNetworkInterfaceRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SecurityGroupRuleStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableEbsEncryptionByDefaultResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AuthorizeSecurityGroupEgressRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeClientVpnEndpointsResult.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/IamInstanceProfileSpecificationStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyImageAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayRouteRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/TagStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/SnapshotCompleted.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateElasticInferenceAcceleratorStaxUnmarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClientDataStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/S3StorageStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateClientVpnRouteRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DirectoryServiceAuthenticationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableTransitGatewayRouteTablePropagationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AttachVolumeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeElasticGpusResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkAclEntryStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteFpgaImageRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateSpotMarketOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/HostPropertiesStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/BaselineEbsBandwidthMbpsRequestStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceIpv6Prefix.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LaunchTemplateErrorCode.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateNetworkAclEntryResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CancelReservedInstancesListingRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/MovingAddressStatusStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpnGatewaysResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeScheduledInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/GetSubnetCidrReservationsResult.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteTagsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PurchaseScheduledInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceEventWindowDisassociationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PlacementStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceptReservedInstancesExchangeQuoteResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImportInstanceRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/StartNetworkInsightsAnalysisRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AvailabilityZoneState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceNetworkInterfaceSpecification.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EbsOptimizedInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeLocalGatewayRouteTablesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayConnectRequestOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/MovingAddressStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTransitGatewayRouteTablesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ImportInstanceLaunchSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/FleetCapacityReservationTenancy.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssociateAddressResult.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelConversionTaskResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyTrafficMirrorSessionResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribePublicIpv4PoolsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AuthorizeSecurityGroupIngressRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateHibernationOptionsRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AuthorizeSecurityGroupEgressResult.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TunnelOptionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewayMulticastDomainsRequestMarshaller.java
a
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetManagedPrefixListEntriesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeIpv6PoolsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkInterfaceResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeClassicLinkInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstanceEventWindowResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ElasticInferenceAcceleratorAssociationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DetachClassicLinkVpcResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyIdFormatRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ProvisionedBandwidth.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceEventNotificationAttributesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/MonitorInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceMarketOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ResetAddressAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceIpv6PrefixStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteRouteResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteKeyPairResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateTagSpecificationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeInternetGatewaysRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeNetworkInsightsPathsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteClientVpnEndpointResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpcEndpointConnectionNotificationsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateNetworkAclRequest.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceptTransitGatewayPeeringAttachmentRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateKeyPairResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteVpcRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpcEndpointConnectionNotificationsRequestMarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FpgaDeviceMemoryInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ConfirmProductInstanceResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyVpcEndpointRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceTagNotificationAttribute.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ElasticGpusStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PurchaseRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayRouteResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateManagedPrefixListResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteInstanceEventWindowRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FederatedAuthenticationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ResetInstanceAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeCoipPoolsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PlatformValues.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UnsuccessfulItemErrorStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TrafficMirrorTargetStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AcceptTransitGatewayVpcAttachmentResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ClientVpnEndpointAttributeStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeAddressesAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateVpcCidrBlockRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayVpcAttachmentRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribePlacementGroupsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyVpnConnectionRequest.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteSecurityGroupRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TrafficDirection.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SpotFleetLaunchSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/BundleTaskState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Volume.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FpgaImageState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/StorageLocation.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpcEndpointType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CancelSpotInstanceRequestsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyTrafficMirrorFilterNetworkServicesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewayConnectsResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReplaceRouteResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CoipAddressUsage.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeNetworkInsightsPathsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetDefaultCreditSpecificationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LocalGatewayRouteState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelCapacityReservationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/MemoryMiBStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociatedTargetNetworkStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeNetworkInsightsAnalysesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ClientVpnAuthorizationRuleStatusCode.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcClassicLinkResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/VpcAvailable.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FleetStateCode.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyInstanceEventStartTimeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceEventWindowState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteLocalGatewayRouteTableVpcAssociationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/NetworkInterfacePermissionStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetTransitGatewayAttachmentPropagationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ScheduledInstancesLaunchSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeScheduledInstanceAvailabilityRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVpcPeeringConnectionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteFlowLogsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceIpv6AddressRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssignPrivateIpAddressesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotDatafeedSubscriptionResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/VolumeAvailable.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/FleetCapacityReservationUsageStrategy.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeLocalGatewayVirtualInterfaceGroupsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssociatedTargetNetwork.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RestoreAddressToClassicResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CoipPoolStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeStatusInfoStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceTypeOfferingsRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeClientVpnRoutesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SuccessfulQueuedPurchaseDeletionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeCustomerGatewaysResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImportVolumeTaskDetails.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVolumeAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/VpcPeeringConnectionDeleted.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ReplaceTransitGatewayRouteRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayRoute.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TrafficMirrorFilterRule.java
*

```



```

/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTrafficMirrorFilterRuleResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateImageResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImportImageResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/InstanceExists.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Ipv4PrefixSpecificationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateTransitGatewayRouteTableResultStaxUnmarshaller.java
a
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CancelBundleTaskResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpcEndpointRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AuthorizationRuleStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteDhcpOptionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeIamInstanceProfileAssociationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PlacementGroup.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CopyImageRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Phase2DHGroupNumbersListValueStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeScheduledInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayRouteType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableSerialConsoleAccessRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayPropagationState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayMulticastDomainResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateInternetGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteLocalGatewayRouteResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayMulticastDomainStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/Phase1DHGroupNumbersListValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TerminateInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CapacityReservationTargetStaxUnmarshaller.java
*

```

```

/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetTransitGatewayRouteTablePropagationsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SubnetCidrReservationType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/HostProperties.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetAssociatedEnclaveCertificateIamRolesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ResetImageAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyFleetResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CancelCapacityReservationFleetsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ConfirmProductInstanceResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PeeringTgwInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceCountStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceCount.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/GetPasswordDataFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayMulticastDomainRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateEnclaveOptionsRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelSpotFleetRequestsErrorStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeBundleTasksRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceptTransitGatewayMulticastDomainAssociationsResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VCpuInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayRouteTableResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointServicePermissionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateFpgaImageResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ResetNetworkInterfaceAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeLocalGatewayVirtualInterfaceGroupsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTransitGatewayConnectPeersResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CidrAuthorizationContextStaxUnmarshaller.java
*

```

```

/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetTransitGatewayPrefixListReferencesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeBundleTasksResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/FleetLaunchTemplateOverridesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstanceAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ResetFpgaImageAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GetPasswordDataResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SubnetAssociationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SubnetCidrReservationStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchPermissionModificationsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetSerialConsoleAccessStatusResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/EnableVpcClassicLinkDnsSupportResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkInsightsPathStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointServicePermissionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RegisterTransitGatewayMulticastGroupSourcesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeCapacityReservationFleetsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayRequestOptionsStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewayPeeringAttachmentsRequestMarshaller.j
ava
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PlacementGroupState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayMulticastDomainRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyInstanceAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ClientVpnEndpointAttributeStatusCode.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImportInstanceResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/IdFormat.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TerminateClientVpnConnectionsRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateVpcCidrBlockResultStaxUnmarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Status.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeAggregateIdFormatRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SubnetCidrBlockStateStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateSubnetResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyTransitGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RegisterTransitGatewayMulticastGroupMembersRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AllocateHostsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTagsRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ElasticGpus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayConnectResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ConnectionNotificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RunInstancesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReservedInstances.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CapacityReservationTarget.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReplaceRootVolumeTaskState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EbsOptimizedInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LocalGatewayRouteTable.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetConsoleOutputRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LaunchTemplateCpuOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateInstanceEventWindowResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/HistoryRecord.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableVgwRoutePropagationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateCpuOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstanceCreditSpecificationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeprovisionByoipCidrRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Host.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpcAttachmentStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFlowLogsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RouteState.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeIdentityIdFormatResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSpotInstanceRequestsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateFleetErrorStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTrafficMirrorSessionsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportInstanceRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteEgressOnlyInternetGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetHostReservationPurchasePreviewRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Phase1IntegrityAlgorithmsListValueStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AcceleratorType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetVpnConnectionDeviceTypesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SnapshotDetail.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpnStaticRoute.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeStaleSecurityGroupsRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeIdentityIdFormatRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetPasswordDataRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AttachNetworkInterfaceRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EnclaveOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnclaveOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Explanation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceNetworkInterfaceAssociationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/DescribeVpcsFunction.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVolumeAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetEbsEncryptionByDefaultRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UpdateSecurityGroupRuleDescriptionsIngressRequestMarshaller.
java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/StatusName.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateClientVpnTargetNetworkResult.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateNatGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TagSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteRouteTableResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AcceptReservedInstancesExchangeQuoteResult.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeLaunchTemplateVersionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RecurringChargeFrequency.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifySecurityGroupRulesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AttachVpnGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RejectVpcPeeringConnectionRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTrafficMirrorSessionRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InternetGatewayAttachment.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeregisterTransitGatewayMulticastGroupSourcesResult.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RemovePrefixListEntryStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetHostReservationPurchasePreviewResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetVpnConnectionDeviceSampleConfigurationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteLaunchTemplateVersionsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateEbsBlockDeviceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeClientVpnAuthorizationRulesResultStaxUnmarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/StartInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EnableVolumeIORequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayAttachmentResourceType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReservedInstancesConfigurationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateInstanceExportTaskResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeLocalGatewayVirtualInterfaceGroupsRequest.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetInstanceTypesFromInstanceRequirementsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CidrAuthorizationContext.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableVpcClassicLinkDnsSupportRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ConversionTaskState.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/Phase2EncryptionAlgorithmsListValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PlacementGroupStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeFleetsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteKeyPairResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateLocalGatewayRouteTableVpcAssociationResultStaxUnma
rshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceAttributeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DiskImageVolumeDescriptionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VcpuCountRange.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkInsightsAnalysesRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/OfferingClassType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTransitGatewayAttachmentsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyTrafficMirrorSessionRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AllocateHostsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/HibernationOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/HostReservationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/FleetLaunchTemplateConfigRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FleetInstanceMatchCriteria.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpnTunnelOptionsSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ExportTransitGatewayRoutesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/StopInstancesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/EbsInstanceBlockDeviceSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyTransitGatewayPrefixListReferenceResultStaxUnmarshal

```

```

ler.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreatePlacementGroupRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociationStatusStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/MemoryGiBPerVCpuStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AcceptVpcEndpointConnectionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeAccountAttributesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableFastSnapshotRestoreSuccessItemStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CapacityReservationOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateVpcEndpointConnectionNotificationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImportImageRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTrafficMirrorFilterResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreditSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ScheduledInstancesIamInstanceProfile.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyTransitGatewayVpcAttachmentResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/OnDemandOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeHostReservationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReservationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ScheduledInstancesBlockDeviceMapping.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClientVpnEndpointAttributeStatusStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkAclEntryResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateInstanceNetworkInterfaceSpecificationRequestS
taxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyVpcEndpointServicePermissionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTrafficMirrorTargetRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/SpotInstanceRequestFulfilled.java

```



```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AcceptTransitGatewayMulticastDomainAssociationsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/UnsuccessfulItem.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReportInstanceStatusResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ImportImageLicenseConfigurationResponse.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/AbstractAmazonEC2.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSnapshotAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DirectoryServiceAuthenticationRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/StartVpcEndpointServicePrivateDnsVerificationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyAvailabilityZoneOptInStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ElasticGpuSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkInterfaceStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/HostInstanceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LicenseConfigurationRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateVpcResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVpcAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateSpotDatafeedSubscriptionResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/DescribeBundleTasksFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayRouteTableAssociationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeNatGatewaysRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateVpcCidrBlockResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFleetInstancesResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CustomerGatewayStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifySnapshotAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ElasticGpuSpecificationResponse.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyTransitGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TerminateClientVpnConnectionsResultStaxUnmarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteSubnetCidrReservationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TrafficMirrorTarget.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateImageRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/StaleIpPermission.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/MemoryGiBPerVCpu.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateDefaultSubnetRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RouteTableAssociationStateStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FederatedAuthenticationRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayPeeringAttachmentRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GetConsoleOutputRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ByoipCidr.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClassicLinkDnsSupport.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReportInstanceStatusRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/MoveAddressToVpcResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTrafficMirrorFilterRuleResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelImportTaskResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AvailabilityZoneStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LocalStorageType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateVpcEndpointServiceConfigurationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UpdateSecurityGroupRuleDescriptionsIngressResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RouteTableStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetTransitGatewayMulticastDomainAssociationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceleratorCountRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Phase1IntegrityAlgorithmsRequestListValueStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/OperationType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteLaunchTemplateVersionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/InstanceMetadataOptionsRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceMetadataOptionsResponse.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeLocalGatewayRouteTableVirtualInterfaceGroupAssociationsResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeCarrierGatewaysResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/VpnConnectionOptionsSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceEventWindowTimeRangeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ProductCodeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeByoipCidrsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeregisterTransitGatewayMulticastGroupSourcesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayRouteTableRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteNetworkAclEntryResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateTransitGatewayRouteTableRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClassicLinkInstance.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetTransitGatewayPrefixListReferencesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableVpcClassicLinkRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateTagSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ApplySecurityGroupsToClientVpnTargetNetworkRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyManagedPrefixListRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CancelBatchErrorCode.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayAttachmentPropagationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ServiceType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewayRouteTablesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TargetReservationValue.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyVpcEndpointResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateHibernationOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceIpv6Address.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyInstanceCapacityReservationAttributesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VolumeStatusEventStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PtrUpdateStatusStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTrafficMirrorFilterRuleRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSecurityGroupReferencesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ResetImageAttributeName.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AmazonEC2Exception.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateNetworkAclEntryResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateCapacityReservationSpecificationRequestStaxU
nmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RegisterTransitGatewayMulticastGroupMembersResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpnConnectionResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteInternetGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateClientVpnTargetNetworkRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ProvisionByoipCidrResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CapacityReservationTargetResponse.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EbsOptimizedSupport.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PoolCidrBlockStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeScheduledInstancesResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceptReservedInstancesExchangeQuoteRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ResetNetworkInterfaceAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeEgressOnlyInternetGatewaysRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeLocalGatewayRouteTablesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifySubnetAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RecurringCharge.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeEgressOnlyInternetGatewaysRequest.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreatePlacementGroupResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PathComponentStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteVpnGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PeeringConnectionOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpcPeeringConnectionVpcInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateVpcCidrBlockRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeKeyPairsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeprovisionByoipCidrRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportInstanceLaunchSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteDhcpOptionsRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AnalysisAclRuleStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplatePlacementRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/WithdrawByoipCidrResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteInternetGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ResetFpgaImageAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeImportImageTasksResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayMulticastDeregisteredGroupSources.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SnapshotInfo.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/SuccessfulQueuedPurchaseDeletion.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyFleetRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClientVpnEndpointStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RecurringChargeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LocalGatewayRouteTableVpcAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateAddressRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeStoreImageTasksResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/ElasticInferenceAcceleratorStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LocalGatewayRouteTableVpcAssociationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteSubnetResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GetLaunchTemplateDataResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableSerialConsoleAccessResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LaunchSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/BundleInstanceRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTrafficMirrorTargetsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/SearchTransitGatewayMulticastGroupsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/Phase2IntegrityAlgorithmsRequestListValue.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Storage.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribePlacementGroupsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ResetInstanceAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeRegionsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpcEndpointConnectionNotificationRequestMarshaller.java
a
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceStatusEventStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesOfferingsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyTransitGatewayRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ConfirmProductInstanceRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DetachNetworkInterfaceResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PlacementGroupInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeMovingAddressesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DestinationFileFormat.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeRouteTablesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayVpcAttachmentResult.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SpotFleetRequestConfigStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SlotStartTimeRangeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotPriceHistoryRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyTrafficMirrorSessionRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ConnectionNotificationState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LicenseConfigurationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotPlacement.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ScheduledInstanceAvailabilityStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSpotFleetInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/AmazonEC2Waiters.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClientVpnAuthenticationType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateTransitGatewayRouteTableRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpcEndpointsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateRouteTableRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetManagedPrefixListAssociationsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeNetworkInterfacesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeregisterTransitGatewayMulticastGroupMembersRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTrafficMirrorSessionRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AttachInternetGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteSubnetResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateHttpTokensState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeLocalGatewayVirtualInterfacesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteSubnetRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImportSnapshotTask.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableFastSnapshotRestoresResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyCapacityReservationFleetRequest.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifySnapshotAttributeRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVpnConnectionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClientVpnConnectionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyTransitGatewayOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeClassicLinkInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/VpnConnectionDeleted.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateIamInstanceProfileResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeletePlacementGroupRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteCustomerGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateInstanceExportTaskRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyImageAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/EnableFastSnapshotRestoresResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetManagedPrefixListEntriesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateCarrierGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PrivateIpAddressSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayRouteRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeRegionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SnapshotDetailStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateImageResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateRouteTableResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteLocalGatewayRouteResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteTrafficMirrorFilterResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyManagedPrefixListResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AnalysisSecurityGroupRule.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetCoipPoolUsageResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-

```



```

jar/com/amazonaws/services/ec2/model/DescribeNetworkInterfacePermissionsResult.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/MemoryMiBRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/PeeringConnectionOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DisassociateAddressRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RebootInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReservedInstancesOffering.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeClientVpnRoutesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkAclAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeIpv6PoolsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVolumesResult.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTrunkInterfaceAssociationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SnapshotDiskContainer.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceStatusDetails.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteCustomerGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PriceScheduleStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateEnclaveCertificateIamRoleRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateAndOverridesResponse.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateElasticInferenceAccelerator.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayPrefixListReferenceRequestMarshaller.java
a
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RegisterImageRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeFpgaImagesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeNetworkInterfaceAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClientVpnEndpointStatusStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ExcessCapacityTerminationPolicy.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SlotDateTimeRangeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeregisterTransitGatewayMulticastGroupSourcesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyIdentityIdFormatResult.java

```

```

*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PlacementResponseStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/HostReservation.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpcEndpointConnectionNotificationRequestMarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PlacementResponse.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteLocalGatewayRouteTableVpcAssociationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateInstanceEventWindowResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ReplaceIamInstanceProfileAssociationRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateReplaceRootVolumeTaskRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReplaceRouteRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GetConsoleScreenshotRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/UnassignIpv6AddressesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportImageRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceTypesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ConnectionNotificationType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVolumeStatusResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/ConversionTaskCompleted.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteVpnConnectionRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceEventWindowTimeRangeRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GetSpotPlacementScoresResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayConnectRequestBgpOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/VpcPeeringConnectionStateReasonCode.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FpgaImageAttributeName.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ScheduledInstanceRecurrence.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReservedInstanceReservationValueStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointServicesRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CopySnapshotRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTrafficMirrorTargetResultStaxUnmarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayPrefixListAttachment.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteLaunchTemplateVersionsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateBlockDeviceMappingRequestStaxUnmarshaller.
java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssociateEnclaveCertificateIamRoleRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateSubnetCidrReservationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/VpcPeeringConnectionOptionsDescription.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceTagNotificationAttributeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssignIpv6AddressesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeBundleTasksResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/StartVpcEndpointServicePrivateDnsVerificationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableFastSnapshotRestoreSuccessItem.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateSnapshotRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransportProtocol.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayAttachmentAssociation.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTransitGatewayRouteTablesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayVpcAttachmentRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeAddressesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointServicesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyHostsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TrafficMirrorPortRange.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteSpotDatafeedSubscriptionResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeLocalGatewayRouteTableVirtualInterfaceGroupAssociationsRequ
est.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyFpgaImageAttributeResultStaxUnmarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetVpnConnectionDeviceTypesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkInsightsPathsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/StatusType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyVpcEndpointServicePermissionsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayMulticastDomainAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssociateTransitGatewayMulticastDomainRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TerminateConnectionStatus.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyVolumeAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AnalysisLoadBalancerListener.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateNatGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkInterfaceAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeAddressesAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ExportTaskS3LocationRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/EnableTransitGatewayRouteTablePropagationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteLaunchTemplateResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceleratorTotalMemoryMiBRequestStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotInstanceStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TrafficMirrorTargetType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RejectTransitGatewayMulticastDomainAssociationsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableEbsEncryptionByDefaultResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Phase2IntegrityAlgorithmsRequestListValueStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RejectTransitGatewayVpcAttachmentResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PaymentOption.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ProductCodeValues.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSecurityGroupsRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ServiceTypeDetail.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayConnectPeerResult.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/waiters/DescribeConversionTasksFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CapacityReservationSpecificationResponseStaxUnmarshaller.java
a
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetManagedPrefixListAssociationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateCapacityReservationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeStaleSecurityGroupsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyTrafficMirrorFilterRuleRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AttachInternetGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateEbsBlockDeviceRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkAcl.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetEbsEncryptionByDefaultResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DetachInternetGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpcClassicLink.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ManagedPrefixList.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetAssociatedEnclaveCertificateIamRolesRequestMarshaller.java
a
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceStatusSummaryStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointConnectionNotificationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyInstancePlacementRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpnConnectionRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyManagedPrefixListRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayVpcAttachmentOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AllocateHostsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ExportImageRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTagsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeLaunchTemplatesResult.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RebootInstancesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VirtualizationType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTransitGatewayVpcAttachmentsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeMovingAddressesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AuthorizationRule.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpnGateway.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointConnectionsResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeStatusItem.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CapacityReservationOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeNatGatewaysResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SnapshotState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Placement.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AllocateAddressResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeregisterImageRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpnConnectionRouteResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReservedInstanceState.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesModificationsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ExportClientVpnClientCertificateRevocationListRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/State.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableTransitGatewayRouteTablePropagationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateVpcEndpointRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayConnectRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetEbsEncryptionByDefaultResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayRouteTableStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DiskInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeSnapshotsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVpcsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImageAttributeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/BurstablePerformance.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/CreateLaunchTemplateVersionResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SearchTransitGatewayMulticastGroupsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeprovisionByoipCidrResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InferenceDeviceInfo.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableTransitGatewayRouteTablePropagationRequestMarshaller
.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UserBucketStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVolumeAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Phase2EncryptionAlgorithmsListValueStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeImportImageTasksRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelCapacityReservationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeAggregateIdFormatRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSpotFleetRequestHistoryResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeTagsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVolumeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReplaceNetworkAclAssociationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceIpv6AddressStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RequestSpotFleetRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpnConnectionResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ApplianceModeSupportValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TerminateConnectionStatusStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AnalysisPacketHeader.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceMetadataOptionsState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DirectoryServiceAuthenticationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AvailabilityZone.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/UserBucketDetails.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeClientVpnTargetNetworksRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/GetDefaultCreditSpecificationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportImageTaskStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInternetGatewaysRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DhcpOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceEventWindowDisassociationRequestStaxUnmarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkInterfacePermissionsResultStaxUnmarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeregisterInstanceTagAttributeRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TotalLocalStorageGBRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayPrefixListReference.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateLaunchTemplateVersionRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LocalGatewayRouteTableVirtualInterfaceGroupAssociationStax
Unmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/MonitorInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TrafficMirrorRuleAction.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RejectVpcPeeringConnectionResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EventCode.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpcEndpointServicePermissionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PeeringAttachmentStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeManagedPrefixListsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeClientVpnAuthorizationRulesResult.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Ipv6PrefixSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DisableVpcClassicLinkRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeFleetInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesOfferingsResultStaxUnmarshaller.java
a
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeRouteTablesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVpcAttributeResult.java

```



```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DefaultRouteTablePropagationValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayMulticastDomainResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcClassicLinkRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClientConnectOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/waiters/DescribeSpotInstanceRequestsFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UnmonitorInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeKeyPairsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateNetworkInsightsPathRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/StateReason.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateVpcCidrBlockResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotInstanceRequestsResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpnConnectionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VCPuInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTrafficMirrorFilterRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpcTenancyRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/FleetSpotMaintenanceStrategiesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeFpgaImageAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyAvailabilityZoneGroupRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceptVpcEndpointConnectionsResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpcClassicLinkStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CapacityReservationState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PrefixListAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AcceleratorCount.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TrafficMirrorPortRangeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceMetadataOptionsResponseStaxUnmarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ElasticGpuHealth.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ElasticGpuSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeHostReservationsRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteManagedPrefixListResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TerminateClientVpnConnectionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/NatGatewayAvailable.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PrivateDnsDetailsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTrafficMirrorFilterRuleResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteFpgaImageResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeprovisionByoipCidrResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotFleetMonitoring.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/BundleTaskComplete.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeBundleTasksRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceTypeOfferingStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateTransitGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceStorageEncryptionSupport.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImageTypeValues.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FleetLaunchTemplateConfigStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LoadBalancersConfigStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayPeeringAttachmentResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CancelSpotFleetRequestsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/SearchLocalGatewayRoutesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateVpnConnectionResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeImportSnapshotTasksRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeInternetGatewaysResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/ImageAvailable.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpcEndpointServiceConfigurationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyFleetResultStaxUnmarshaller.java

```

```

*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableFastSnapshotRestoreStateErrorStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableSerialConsoleAccessRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/DescribeExportTasksFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateEgressOnlyInternetGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/PurchaseReservedInstancesOfferingRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTrafficMirrorFiltersResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateNetworkInterfacePermissionRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableFastSnapshotRestoreStateError.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeLaunchTemplatesRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkInterfaceCount.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TrafficType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ResetImageAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LicenseConfiguration.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateInstanceMetadataProtocolIpv6.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetTransitGatewayRouteTableAssociationsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RejectTransitGatewayPeeringAttachmentRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateSpecificationStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Ipv6PrefixSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DiskInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/MoveAddressToVpcRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ExportClientVpnClientCertificateRevocationListResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AllocateAddressResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssociateEnclaveCertificateIamRoleResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayMulticastRegisteredGroupMembersStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UnassignIpv6AddressesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/VolumeStatusInfoStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteVpnConnectionRouteResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UserBucketDetailsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SendDiagnosticInterruptResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyVpnTunnelOptionsSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkInterfaceIpv6AddressStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateSubnetCidrReservationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateEnclaveOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeFastSnapshotRestoresRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkInterfacePermissionResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/HypervisorType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotFleetRequestsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSnapshotAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AccountAttributeName.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewayAttachmentsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyFpgaImageAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/EnableTransitGatewayRouteTablePropagationResult.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CopyImageResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGateway.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteNetworkInterfacePermissionResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImageDiskContainer.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ResetNetworkInterfaceAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeReplaceRootVolumeTasksResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/SuccessfulInstanceCreditSpecificationItem.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceLifecycle.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/DeleteInstanceEventWindowResult.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/OnDemandOptionsRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RegisterTransitGatewayMulticastGroupMembersRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetInstanceTypesFromInstanceRequirementsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ExportImageTaskStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AllowedPrincipalStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeImageAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyLaunchTemplateRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyTransitGatewayPrefixListReferenceRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/BatchState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AllocationStrategy.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReplaceRouteRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceExportDetails.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeregisterInstanceEventNotificationAttributesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/IpRange.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateTransitGatewayRouteTableResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ResetInstanceAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EgressOnlyInternetGateway.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateSubnetCidrBlockRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VolumeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeExportImageTasksRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/MemoryInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFastSnapshotRestoreSuccessItemStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVolumesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ValidationError.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeInstanceAttributeRequest.java

```

\*  
 /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/CustomerGatewayAvailable.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/RejectTransitGatewayMulticastDomainAssociationsResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/FleetOnDemandAllocationStrategy.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/transform/SpotFleetMonitoringStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateRouteResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesEbsStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/transform/EbsInstanceBlockDeviceSpecificationStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointConnectionNotificationsRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/Phase1IntegrityAlgorithmsRequestListValue.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/transform/EnableVgwRoutePropagationResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/transform/FpgaImageAttributeStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/transform/DisableVpcClassicLinkDnsSupportRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ListingState.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/transform/ReleaseHostsResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/transform/AssociateClientVpnTargetNetworkResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DetachVolumeResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Ipv6Pool.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/CapacityReservationSpecification.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/GetTransitGatewayRouteTablePropagationsResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/transform/DeleteClientVpnEndpointResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeExportTasksResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/transform/DeleteVolumeRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/transform/PrefixListStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/ModifyAddressAttributeRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-  
 jar/com/amazonaws/services/ec2/model/transform/EnableImageDeprecationRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-

```

jar/com/amazonaws/services/ec2/model/transform/DescribeLaunchTemplateVersionsResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeLocalGatewayRouteTableVirtualInterfaceGroupAssociationsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateEnclaveCertificateIamRoleResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteNetworkInsightsAnalysisRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetGroupsForCapacityReservationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SendDiagnosticInterruptResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateIamInstanceProfileRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpcEndpointsRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PrefixListState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/BundleTaskErrorStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ResetFpgaImageAttributeName.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyTrafficMirrorFilterNetworkServicesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableFastSnapshotRestoreErrorItem.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeImagesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeFpgaImageAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeClientVpnConnectionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesPrivateIpAddressConfigStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkInterfacePrivateIpAddressStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyTransitGatewayPrefixListReferenceResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyTransitGatewayOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyVpnConnectionResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ScheduledInstanceRecurrenceRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/IamInstanceProfileStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AccountAttributeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PlacementGroupInfo.java

```

```

*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/MemoryInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SnapshotAttributeName.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteFleetErrorCode.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/EnableFastSnapshotRestoreStateErrorItem.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TerminateInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeInstanceAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTransitGatewayMulticastDomainsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CertificateAuthenticationStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReplaceRouteTableAssociationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AddressAttributeName.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateHibernationOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LocalStorage.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ResetSnapshotAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DetachVpnGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClientCertificateRevocationListStatusStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribePrincipalIdFormatRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CancelExportTaskResult.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteQueuedReservedInstancesErrorStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceExportDetailsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeImagesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteCarrierGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AccountAttributeValue.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateManagedPrefixListResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesOfferingsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableFastSnapshotRestoreStateErrorItemStaxUnmarshaller.java
a
*

```



```

/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AnalysisStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeRouteTablesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyIdFormatRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpcResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkAclsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ExportToS3Task.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ScheduledInstancesNetworkInterface.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteInstanceEventWindowRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateVpnConnectionRouteRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstanceAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeAddressesAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Phase2EncryptionAlgorithmsRequestListValueStaxUnmarshaller
.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceInterruptionBehavior.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RunInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteNetworkInterfaceRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AvailableCapacityStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CpuOptions.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CopyFpgaImageResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteVpcPeeringConnectionRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/UserIdGroupPair.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkAclEntry.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeNetworkInsightsAnalysesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AllowsMultipleInstanceTypes.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceIpv6AddressRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ClientVpnAuthenticationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/StartNetworkInsightsAnalysisResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceptTransitGatewayPeeringAttachmentResultStaxUnmarshalle
r.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CoipAddressUsageStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayAttachmentState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTrafficMirrorSessionsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Instance.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/HostInstance.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstanceMetadataOptionsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DetachNetworkInterfaceResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SubnetCidrBlockState.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateNetworkAclEntryRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateFleetResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyInstanceCapacityReservationAttributesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReservedInstancesListing.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyAvailabilityZoneGroupResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AllocateAddressRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTransitGatewayVpcAttachmentsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReplaceIamInstanceProfileAssociationResultStaxUnmarshaller.java
va
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeCarrierGatewaysRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeCustomerGatewaysRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyTransitGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTrafficMirrorFiltersRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GetConsoleOutputResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateSnapshotsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SendDiagnosticInterruptRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TargetCapacitySpecification.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateSubnetResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/IdFormatStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FilterStaxUnmarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceEventWindowTimeRange.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVolumeStatusRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RunInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CapacityReservationGroup.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceTypeOffering.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportImageLicenseConfigurationRequestStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableVpcClassicLinkDnsSupportRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceEventWindowStateChangeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribePrefixListsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DhcpConfigurationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceMarketOptionsRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateCustomerGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/waiters/DescribeVpcPeeringConnectionsFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DisableVpcClassicLinkResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DiskImage.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TrafficMirrorSessionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeElasticGpusResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteFleetError.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AnalysisSecurityGroupRuleStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ShutdownBehavior.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/Phase2DHGroupNumbersListValue.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Ipv6PrefixSpecificationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkInterfaceCountRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Ipv6CidrAssociationStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CidrBlock.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayRouteTableRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CarrierGateway.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceCapacity.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteCustomerGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteCarrierGatewayResult.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssociateClientVpnTargetNetworkResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpnGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CapacityReservationFleetState.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LoadPermissionModificationsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Phase1EncryptionAlgorithmsListValueStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ConnectionLogResponseOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TotalLocalStorageGB.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcPeeringConnectionsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplatePlacementRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LocalGatewayVirtualInterfaceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateFleetRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetLaunchTemplateDataResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteVpcEndpointConnectionNotificationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/EnableEbsEncryptionByDefaultRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceCapacityStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpcEndpointStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayConnectRequestOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayPrefixListReferenceRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DiskImageDetailStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteLaunchTemplateRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeLocalGatewayVirtualInterfacesResultStaxUnmarshaller.
java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeIdFormatResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVpnGatewaysResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CopyFpgaImageResult.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/CreateNetworkAclRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSpotDatafeedSubscriptionRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpnTunnelOptionsSpecificationStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeImageAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/ExportTaskCompleted.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableFastSnapshotRestoresRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeIpv6PoolsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/MonitorInstancesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UnsuccessfulInstanceCreditSpecificationItemErrorStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CopyFpgaImageRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SearchTransitGatewayRoutesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpcEndpointServiceConfigurationsResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AddressAttributeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyDefaultCreditSpecificationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssociateRouteTableRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ConfirmProductInstanceRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/DescribeSnapshotsFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PeeringTgwInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TerminateInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/PasswordDataAvailable.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayAttachmentAssociationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UserDataStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PrefixListId.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateInstanceMarketOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTrafficMirrorSessionRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetTransitGatewayRouteTablePropagationsRequestMarshaller.java
va

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateNetworkInsightsPathResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImageDiskContainerStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeTransitGatewaysResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EfaInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RequestSpotFleetRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteCarrierGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TrafficMirrorPortRangeRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssociateClientVpnTargetNetworkRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeFleetsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeTagsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/BundleTask.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeFleetsInstances.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AthenaIntegrationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeregisterTransitGatewayMulticastGroupMembersResultStaxUn
marshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayRouteTableRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpcCidrBlockAssociationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeSubnetsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeLocalGatewayRouteTableVpcAssociationsRequestMars
haller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyVpcEndpointServiceConfigurationRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTrafficMirrorFilterResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableVpcClassicLinkResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeHostsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SpotPriceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayRouteTableResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteFleetsRequest.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotFleetRequestHistoryResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribePublicIpv4PoolsRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DetachClassicLinkVpcRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CopySnapshotResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeFleetError.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSnapshotAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EnableVpcClassicLinkRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GpuDeviceMemoryInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotMaintenanceStrategies.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeConversionTasksResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotDatafeedSubscription.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeFlowLogsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/OnDemandOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LocalGatewayRouteTableStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CopyTagsFromSource.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateRouteResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssociateVpcCidrBlockRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TotalLocalStorageGBRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeStatusInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceTypeInfoStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyInstanceEventWindowResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeregisterInstanceEventNotificationAttributesRequestMarshaller
.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Phase2DHGroupNumbersRequestListValueStaxUnmarshaller.jav
a
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateClientVpnTargetNetworkRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceStorageInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteNetworkInterfacePermissionRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/CancelCapacityReservationFleetErrorStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeHostsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateSecurityGroupResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReservedInstancesStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateFlowLogsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeLocalGatewayRouteTableVpcAssociationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/InstanceRunning.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeLocalGatewayVirtualInterfaceGroupsRequestMarshaller
.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/OfferingTypeValues.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreditSpecificationRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/KeyPairInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeregisterInstanceEventNotificationAttributesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetInstanceTypesFromInstanceRequirementsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyVpcEndpointServiceConfigurationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GetConsoleScreenshotResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteQueuedReservedInstancesError.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateRouteTableRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/waiters/DescribeCustomerGatewaysFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeregisterTransitGatewayMulticastGroupMembersRequestMar
shaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FleetLaunchTemplateConfigRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/IamInstanceProfileAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DisassociateRouteTableResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CancelImportTaskResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateVolumeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyVolumeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PrivateDnsNameConfiguration.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RequestSpotInstancesResultStaxUnmarshaller.java

```



```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CancelSpotFleetRequestsErrorItem.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVolumeStatusResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateSnapshotsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/StaleSecurityGroup.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeCoipPoolsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReplaceNetworkAclAssociationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyIdentityIdFormatRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AttachNetworkInterfaceResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PublicIpv4PoolRangeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RegisterInstanceTagAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceBlockDeviceMappingStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpcEndpointConnectionNotificationResultStaxUnmarshaller.java
er.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateIamInstanceProfileSpecificationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/HibernationOptionsRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkAclRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ExportImageTask.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CapacityReservationOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeregisterTransitGatewayMulticastGroupSourcesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeCapacityReservationsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SpotInstanceRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ReplaceNetworkAclAssociationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTrafficMirrorTargetsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RejectVpcPeeringConnectionResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FleetDataStaxUnmarshaller.java
*

```

```

/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayRouteRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyEbsDefaultKmsKeyIdRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpcPeeringConnectionOptionsDescriptionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/BaselineEbsBandwidthMbpsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateReservedInstancesListingResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstanceEventWindowRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateLocalGatewayRouteRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetManagedPrefixListEntriesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateManagedPrefixListRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SearchLocalGatewayRoutesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SubnetCidrReservation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSpotFleetRequestsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointConnectionsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/SearchTransitGatewayMulticastGroupsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewayVpcAttachmentsResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateSnapshotRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SubnetStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceTypeHypervisor.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TargetReservationValueStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkInsightsPathResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateNetworkInterfaceRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/SubnetIpv6CidrBlockAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SecurityGroupRuleRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeNetworkInterfaceAttributeRequest.java

```

```

*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelReservedInstancesListingRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeNatGatewaysResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SpotFleetTagSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PrincipalType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SecurityGroupRuleUpdateStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DefaultRouteTableAssociationValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeStaleSecurityGroupsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetGroupsForCapacityReservationRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GetCoipPoolUsageResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ExportToS3TaskSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSnapshotsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetInstanceTypesFromInstanceRequirementsRequestMarshaller.j
ava
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayAttachment.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateInstanceMetadataOptionsRequestStaxUnmarshal
ler.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateNetworkAclResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RunInstancesRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayRouteTableResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RejectTransitGatewayVpcAttachmentRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesOfferingsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FpgaImageStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PrefixListEntryStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/SearchTransitGatewayRoutesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpnGatewayStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AttachVpnGatewayResultStaxUnmarshaller.java

```

```

*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeregisterTransitGatewayMulticastGroupMembersResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FleetLaunchTemplateSpecificationRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EnableImageDeprecationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Route.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/MemoryMiBRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayConnectResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TargetCapacitySpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelSpotFleetRequestsErrorItemStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RouteTableAssociationState.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportImageResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVolumesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ScheduledInstanceAvailability.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateNatGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyEbsDefaultKmsKeyIdRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ContainerFormat.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateSnapshotResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeCapacityReservationFleetsRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteFleetsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CapacityReservationFleetStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportSnapshotResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EnaSupport.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFleetsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifySnapshotAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceStatusRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeStoreImageTasksRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ServiceTypeDetailStaxUnmarshaller.java
*

```

```

/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeLaunchTemplatesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReferencedSecurityGroup.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RegisterImageRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PrivateIpAddressSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/PurchaseHostReservationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchPermissionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeAggregateIdFormatResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyFpgaImageAttributeRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SearchTransitGatewayMulticastGroupsResultStaxUnmarshaller.j
ava
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkInterfaceIpv6Address.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyVpcPeeringConnectionOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkAclsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateVpcEndpointResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImageStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/StartVpcEndpointServicePrivateDnsVerificationResultStaxUnma
rshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFleetErrorStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SecurityGroupReference.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/HistoryRecordEntry.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteCustomerGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotFleetTagSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/UserData.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateCpuOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetEbsDefaultKmsKeyIdResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateClientVpnEndpointResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/DescribeKeyPairsFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ServiceConfigurationStaxUnmarshaller.java
*

```

```

/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeAddressesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeregisterInstanceEventNotificationAttributesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/VpcPeeringConnectionExists.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/StorageStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClientVpnConnection.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RestoreManagedPrefixListVersionResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyTrafficMirrorFilterRuleResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeAccountAttributesResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyReservedInstancesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LastErrorStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReservationState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PurchaseHostReservationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeStatusEvent.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpnConnectionsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeLaunchTemplatesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ExportTransitGatewayRoutesRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TerminateInstancesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteManagedPrefixListRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyTrafficMirrorFilterNetworkServicesRequestMarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTransitGatewayConnectsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayMulticastDomainOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceptVpcPeeringConnectionRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PciId.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateNetworkInterfacePermissionResult.java
*

```

```

/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVpcPeeringConnectionsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFleetsInstancesStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/VolumeInUse.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ResetImageAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeClientVpnConnectionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/BundleInstanceResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CancelReservedInstancesListingResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateClientVpnTargetNetworkResultStaxUnmarshaller.java
va
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyHostsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReplacementStrategy.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RunScheduledInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RejectTransitGatewayVpcAttachmentResultStaxUnmarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CapacityReservationTenancy.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeHostReservationOfferingsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpnConnectionOptionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImageAttributeName.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpcAttachment.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RequestSpotFleetResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RIProductDescription.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceUsage.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateInstanceEventWindowResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FpgaImageStateCode.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateInstanceMetadataEndpointState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyInstanceEventStartTimeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateIamInstanceProfileResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelExportTaskRequestMarshaller.java
*

```

```

/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTransitGatewaysRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/Phase1DHGroupNumbersRequestListValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/PurchaseScheduledInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVpcClassicLinkResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateReservedInstancesListingRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/KeyType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/SystemStatusOk.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelBundleTaskRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteQueuedReservedInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FailedQueuedPurchaseDeletionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeIamInstanceProfileAssociationsResultStaxUnmarshaller.
java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RegisterImageResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeCustomerGatewaysResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeLocalGatewayRouteTablesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpnStaticRouteSource.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayConnectOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelSpotInstanceRequestsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceRequirementsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LoadPermissionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeScheduledInstanceAvailabilityResultStaxUnmarshaller.j
ava
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTagsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewayAttachmentsResultStaxUnmarshaller.jav
a
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelledSpotInstanceRequestStaxUnmarshaller.java
*

```



```

/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateInstanceEventWindowRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/SearchLocalGatewayRoutesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateAddressResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AcceleratorName.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteFleetsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTrafficMirrorSessionRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/OnDemandOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateDefaultVpcResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateTransitGatewayRouteTableResultStaxUnmarshaller.j
ava
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyVpcTenancyRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTagsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/PurchaseReservedInstancesOfferingResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ExportToS3TaskStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssociateAddressRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeCapacityReservationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeSubnetsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayVpcAttachmentRequestOptions.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableFastSnapshotRestoreSuccessItemStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FailedCapacityReservationFleetCancellationResultStaxUnmarsha
ller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpnProtocol.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DestinationOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AuthorizeClientVpnIngressResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Scope.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TagSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CancelSpotFleetRequestsError.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ProvisionByoipCidrRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TargetCapacitySpecificationRequest.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LaunchPermission.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/KeyPairInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeEgressOnlyInternetGatewaysResultStaxUnmarshaller.j
va
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AllocateAddressRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayMulticastDomainAssociationsStaxUnmarshaller.j
ava
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkInterfaceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/BlockDeviceMapping.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyInstanceCreditSpecificationRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TerminateClientVpnConnectionsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayAttachmentBgpConfigurationStaxUnmarshaller.j
ava
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteQueuedReservedInstancesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstanceMetadataOptionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteSubnetRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImageAttribute.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteFleetSuccessItem.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateTrunkInterfaceResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpcIpv6CidrBlockAssociationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayRouteTablePropagation.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateStoreImageTaskResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkInsightsAnalysis.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableFastSnapshotRestoreErrorItemStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/StaleSecurityGroupStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceNetworkInterfaceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteSpotDatafeedSubscriptionResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceEventWindowAssociationTarget.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeRegionsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/Phase1EncryptionAlgorithmsListValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteNatGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DiskType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTrafficMirrorTargetResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyCapacityReservationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpcEndpointRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ResetNetworkInterfaceAttributeResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReplaceNetworkAclEntryResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpcResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PriceSchedule.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Address.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AlternatePathHint.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FlowLog.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteSpotDatafeedSubscriptionRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceBlockDeviceMapping.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeImportSnapshotTasksResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSecurityGroupReferencesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableFastSnapshotRestoreStateErrorItem.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeClientVpnAuthorizationRulesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RejectTransitGatewayMulticastDomainAssociationsResultStaxU
nmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportImageLicenseConfigurationResponseStaxUnmarshaller.ja
va
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DestinationOptionsResponse.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetVpnConnectionDeviceTypesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceStateStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DetachNetworkInterfaceRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/CapacityReservationTargetResponseStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpcCidrBlockStateCode.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSpotDatafeedSubscriptionResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RejectTransitGatewayPeeringAttachmentRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceEventWindowStateChange.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RegisterInstanceEventNotificationAttributesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InternetGatewayAttachmentStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpcCidrBlockStateStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyDefaultCreditSpecificationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyLaunchTemplateRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateInstanceEventWindowRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TagDescriptionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Region.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSecurityGroupsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RestoreManagedPrefixListVersionRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ServiceConfiguration.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ExportTaskS3Location.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelSpotFleetRequestsSuccessItemStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyTransitGatewayVpcAttachmentRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyInstanceCreditSpecificationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesBlockDeviceMappingStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssociateTrunkInterfaceResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateSubnetCidrBlockResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyClientVpnEndpointRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReleaseAddressResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Ipv4PrefixSpecification.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClientConnectResponseOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/IamInstanceProfileSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RevokeSecurityGroupIngressResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ActivityStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UnmonitorInstancesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotFleetInstancesResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableEbsEncryptionByDefaultResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/NetworkInterfacePermissionState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ResetAddressAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteFpgaImageResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableTransitGatewayRouteTablePropagationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateFlowLogsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateInstanceMetadataOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstancesRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Ipv6SupportValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteVpnConnectionRouteRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewayConnectPeersRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetAssociatedIpv6PoolCidrsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Ipv6Range.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateIamInstanceProfileSpecificationRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RestoreManagedPrefixListVersionResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpnConnectionRouteRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CpuOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateVpcEndpointServiceConfigurationResult.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcClassicLinkDnsSupportResultStaxUnmarshaller.java
a
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetSpotPlacementScoresRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayPrefixListReferenceState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GroupIdentifierStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/EnableSerialConsoleAccessRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteEgressOnlyInternetGatewayRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeAddressesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TunnelOption.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PartitionLoadFrequency.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Ipv6PrefixSpecificationResponseStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeLocalGatewayRouteTableVpcAssociationsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FpgaInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteNatGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayMulticastDomainRequestOptions.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/SubnetAvailable.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceRequirementsWithMetadataRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyFleetRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpcEndpointServiceConfigurationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/HistoryRecordEntryStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AcceptReservedInstancesExchangeQuoteRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ReservedInstancesModificationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FpgaDeviceInfoStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/NetworkInterfaceAttachmentChanges.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceStateChange.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/CapacityReservationOptionsRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImportSnapshotRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplatePlacementStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssociateInstanceEventWindowRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PrivateDnsDetails.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CancelConversionTaskRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcClassicLinkDnsSupportRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteVpcResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteLocalGatewayRouteRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DhcpOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyReservedInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeIamInstanceProfileAssociationsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ReplaceNetworkAclAssociationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotInstanceStateFault.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateRouteTableRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateHibernationOptions.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateEgressOnlyInternetGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ElasticGpuAssociationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ReplaceRouteTableAssociationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayConnectRequestBgpOptionsStaxUnmarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayRouteTable.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReservationValueStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetDefaultCreditSpecificationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFpgaImageAttributeRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/StateReasonStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/AnalysisPacketHeaderStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportVolumeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateSubnetCidrBlockRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RegionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClassicLoadBalancerStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteEgressOnlyInternetGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VolumeStatusActionStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetTransitGatewayRouteTableAssociationsRequestMarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteVpcEndpointsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ImportImageLicenseConfigurationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeReplaceRootVolumeTasksRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeMovingAddressesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceNetworkInterfaceAttachmentStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VolumeStatusAttachmentStatusStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceEventWindow.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteLocalGatewayRouteTableVpcAssociationRequestMarshaller.java
er.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReleaseHostsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AddressStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayConnectPeerState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpnTunnelOptionsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssociateRouteTableResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReservedInstanceLimitPriceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/StartInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeCoipPoolsResult.java
*

```



```

/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableSerialConsoleAccessResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayMulticastDomainAssociations.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpcEndpointResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeStoreImageTasksRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LaunchTemplatePlacement.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableVpcClassicLinkResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FleetLaunchTemplateOverrides.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CopyImageResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyImageAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CertificateAuthenticationRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateFlowLogsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EphemeralNvmeSupport.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FleetLaunchTemplateOverridesRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFastSnapshotRestoresRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/HostTenancy.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TargetNetwork.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ValidationErrorStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateDhcpOptionsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteNetworkAclResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSecurityGroupRulesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableFastSnapshotRestoreStateErrorStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateCapacityReservationFleetResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateNetworkInterfaceResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateSubnetCidrBlockResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateLocalGatewayRouteTableVpcAssociationRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateNatGatewayResultStaxUnmarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateDefaultVpcRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteKeyPairRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateInstanceMetadataOptionsState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateFpgaImageRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/ExportTaskCancelled.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AddPrefixListEntry.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeregisterImageRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceCreditSpecificationsResultStaxUnmarshaller.java
a
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AttachVolumeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/FleetLaunchTemplateSpecificationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RemovePrefixListEntry.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateCarrierGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AcceptVpcPeeringConnectionRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotFleetRequestsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeScheduledInstanceAvailabilityRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeAttachmentState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyVpnTunnelOptionsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateEnclaveOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/ConversionTaskCancelled.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/MonitoringStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AthenaIntegration.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableImageDeprecationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CancelSpotInstanceRequestState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateLocalGatewayRouteRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceptTransitGatewayMulticastDomainAssociationsRequestMar

```

```

shaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateSubnetCidrBlockRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteVolumeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSubnetsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ConnectionLogOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/EnableVgwRoutePropagationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceNetworkInterface.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceStatusDetailsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UnassignPrivateIpAddressesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateReservedInstancesListingResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteLaunchTemplateRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TrafficMirrorSession.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VolumeDetailStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteRouteRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateLaunchTemplateResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVolumeAttributeRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteClientVpnRouteRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CertificateAuthenticationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkCardInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyDefaultCreditSpecificationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeHostReservationsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClientData.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Ipv6PoolStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeKeyPairsResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/NetworkInterfacePermissionStateCode.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/AmazonEC2ClientBuilder.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/BgpStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribePlacementGroupsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteVpnConnectionResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeNetworkAclsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateClientVpnEndpointRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetEbsDefaultKmsKeyIdRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceStorageInfo.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RegisterImageResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FleetSpotCapacityRebalance.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVolumeAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AnalysisRouteTableRouteStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AccountAttribute.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportClientVpnClientCertificateRevocationListRequestMarshal
ler.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ByoipCidrStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClientVpnEndpointStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UpdateSecurityGroupRuleDescriptionsEgressRequestMarshaller.
java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClassicLoadBalancersConfigStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RequestSpotInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayConnectResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReservationFleetInstanceSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/UpdateSecurityGroupRuleDescriptionsIngressResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteInstanceEventWindowResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeKeyPairsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/UnsuccessfulItemError.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotAllocationStrategy.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyTransitGatewayPrefixListReferenceRequest.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SpotPlacementScoreStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceStateChangeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ClientVpnAuthorizationRuleStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeModificationState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TrafficMirrorSessionField.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableFastSnapshotRestoreStateErrorItemStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GpuInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayRouteTableRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AcceleratorCountRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GetCoipPoolUsageRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayPeeringAttachmentRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Protocol.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/EnableVgwRoutePropagationResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyVpnTunnelCertificateResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ResetSnapshotAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpnConnectionRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ResponseError.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClientVpnEndpointStatusCode.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpnConnection.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpcPeeringConnectionRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AcceptTransitGatewayMulticastDomainAssociationsResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TargetGroup.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelBundleTaskResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeRouteTablesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Ipv4PrefixSpecificationRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeStaleSecurityGroupsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AvailableCapacity.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/CreateDefaultSubnetRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RegisterInstanceEventNotificationAttributesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelCapacityReservationFleetsRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteLaunchTemplateVersionsResponseErrorItemStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/IcmpTypeCode.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableFastSnapshotRestoresResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayPrefixListReferenceResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyManagedPrefixListResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LaunchTemplateConfig.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeFastSnapshotRestoresResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeImportImageTasksResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeAttributeName.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Purchase.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeviceType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AttachVpnGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateVersionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InternetGateway.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PtrUpdateStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateDefaultVpcResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeScheduledInstanceAvailabilityResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LaunchTemplateOverrides.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkInterfaceCreationType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/StopInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetSubnetCidrReservationsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SpotOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RejectVpcEndpointConnectionsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteVpcEndpointServiceConfigurationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteSecurityGroupRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewaysRequestMarshaller.java

```

```

*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ExportTask.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayMulticastRegisteredGroupSources.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CoipPool.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateRestoreImageTaskRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateSubnetRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ManagedPrefixListStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayConnectPeerResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ResponseLaunchTemplateData.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateIamInstanceProfileRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewayPeeringAttachmentsResultStaxUnmarsh
aller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeAccountAttributesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpcPeeringConnectionVpcInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateRouteTableResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeInstanceEventWindowsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayPropagationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeStatusDetails.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/BlockDeviceMappingStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LoadPermissionRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSpotPriceHistoryRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ValidationWarningStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateReservedInstancesListingRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTrunkInterfaceAssociationsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeExportImageTasksResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RevokeSecurityGroupEgressRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VolumeModificationStaxUnmarshaller.java

```

```

*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateInstanceEventWindowResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifySubnetAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateLicenseConfigurationRequestStaxUnmarshaller.
java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReplaceNetworkAclEntryResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RevokeSecurityGroupEgressResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableEbsEncryptionByDefaultRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeNatGatewaysRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClientVpnAuthenticationRequestStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ArchitectureType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeAddressesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateSecurityGroupRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NatGatewayAddressStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceEventWindowAssociationTargetStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetConsoleScreenshotRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateCustomerGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointConnectionNotificationsResultStaxUnmars
haller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AttachClassicLinkVpcResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteNetworkAclRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateNetworkInsightsPathResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteDhcpOptionsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTrafficMirrorFilterRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkInterfaceAssociationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/IKEVersionsListValueStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateTransitGatewayMulticastDomainResult.java

```



```

*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/StopInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LocalGatewayVirtualInterfaceGroupStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTrafficMirrorFiltersResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ClientCertificateRevocationListStatusCode.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RejectVpcPeeringConnectionRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssociateIamInstanceProfileResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClientVpnRouteStatusCode.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSpotInstanceRequestsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReportInstanceStatusRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RevokeClientVpnIngressResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayPrefixListAttachmentStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/IKEVersionsRequestListValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTrafficMirrorTargetsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTrafficMirrorTargetRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyCapacityReservationFleetResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateSpotDatafeedSubscriptionRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RejectTransitGatewayMulticastDomainAssociationsRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceStatusStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayPeeringAttachment.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ResetAddressAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceptTransitGatewayVpcAttachmentResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetVpnConnectionDeviceTypesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/DescribeVolumesFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayRouteTablePropagationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointServicePermissionsResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetTransitGatewayPrefixListReferencesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReleaseAddressRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateSecurityGroupRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceMetadataEndpointState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteManagedPrefixListResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/IKEVersionsListValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFlowLogsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyTransitGatewayVpcAttachmentResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateCustomerGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateTagSpecificationRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteDhcpOptionsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyNetworkInterfaceAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateRouteTableRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotFleetRequestHistoryRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AuthorizeSecurityGroupIngressRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesListingsRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeIpv6PoolsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PlacementGroupStrategy.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RejectVpcEndpointConnectionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetVpnConnectionDeviceSampleConfigurationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceTypeInfoFromInstanceRequirementsStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceMetadataProtocolState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayRouteTableState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteKeyPairRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteTrafficMirrorTargetResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SecurityGroupRuleDescription.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteLaunchTemplateVersionsResponseErrorItem.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayConnectPeerRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GroupIdentifier.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpnGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ExportClientVpnClientConfigurationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RegisterTransitGatewayMulticastGroupSourcesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PrefixListAssociationStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/AmazonEC2AsyncClient.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AlternatePathHintStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssignPrivateIpAddressesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateVpcRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/IamInstanceProfile.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetCapacityReservationUsageRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PricingDetail.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LocalGateway.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyIdFormatResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ReservedInstanceReservationValue.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LocationType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateNetworkAclResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EbsEncryptionSupport.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EgressOnlyInternetGatewayStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TotalLocalStorageGBStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Snapshot.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateEbsBlockDeviceRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointConnectionsRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ElasticGpuStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AdvertiseByoipCidrResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkInterfaceAttributeRequestMarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeScheduledInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifySecurityGroupRulesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetReservedInstancesExchangeQuoteResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeByoipCidrsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyVpnConnectionOptionsRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClientVpnRoute.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AnalysisComponentStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/Phase1IntegrityAlgorithmsListValue.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ElasticGpuState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelImportTaskRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LaunchTemplateSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RegisterTransitGatewayMulticastGroupSourcesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTransitGatewayPeeringAttachmentsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayConnectPeerRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Phase1DHGroupNumbersRequestListValueStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeSnapshotsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreatePlacementGroupRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayPeeringAttachmentRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVolumeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LocalGatewayRoute.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetPasswordDataResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Ipv6CidrAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FleetCapacityReservation.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelSpotFleetRequestsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetConsoleOutputResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/ScheduledInstancesPrivateIpAddressConfig.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ActiveInstanceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssociateTransitGatewayRouteTableRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetSpotPlacementScoresResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ResetSnapshotAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AttachNetworkInterfaceRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/WeekDay.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/EnableVpcClassicLinkDnsSupportRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TrafficMirrorFilterRuleStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DetachInternetGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTransitGatewayPeeringAttachmentsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstancePrivateIpAddress.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeImageAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportClientVpnClientCertificateRevocationListResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VolumeStatusItemStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CancelExportTaskRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyVpcEndpointConnectionNotificationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImportVolumeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/UnmonitorInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ExportTransitGatewayRoutesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayRequestOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateNetworkInterfaceRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeNetworkInterfacePermissionsRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceleratorTotalMemoryMiBStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ExportEnvironment.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesListingsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LaunchTemplateVersion.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeAttachment.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RouteOrigin.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayRouteTableResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeClientVpnEndpointsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/EnableFastSnapshotRestoreStateError.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayConnect.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkInterfaceAttachment.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/MarketType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RouteTable.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UnassignPrivateIpAddressesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateSpotDatafeedSubscriptionRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateCapacityReservationSpecificationResponseStax
Unmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReplaceNetworkAclEntryRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/VolumeDeleted.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayMulticastRegisteredGroupSourcesStaxUnmarshal
ler.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Phase1EncryptionAlgorithmsRequestListValueStaxUnmarshaller
.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ExportClientVpnClientConfigurationResultStaxUnmarshaller.jav
a
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DetachVolumeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayVpcAttachmentResultStaxUnmarshaller.ja
va
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CustomGateway.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceCreditSpecificationRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/UnassignIpv6AddressesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayPeeringAttachmentResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RebootInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReservedInstancesIdStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ReplaceRouteTableAssociationRequest.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeletePlacementGroupResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CarrierGatewayStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayMulticastDomainRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkInterfaceType.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyClientVpnEndpointResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InterfacePermissionType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Ipv4PrefixSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeCustomerGatewaysRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateCustomerGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VcpuCountRangeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ServiceState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AnalysisComponent.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelExportTaskResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReservedInstancesConfiguration.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyVolumeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/StoreImageTaskResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EnableVpcClassicLinkResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateEnclaveCertificateIamRoleRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotInstanceType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AcceleratorTotalMemoryMiBRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpcPeeringConnection.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeHostReservationsRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribePrincipalIdFormatResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayMulticastGroupStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SecurityGroupRuleRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReportInstanceStatusResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SlotStartTimeRangeRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RouteTableAssociationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/ExplanationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReplaceTransitGatewayRouteRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ReplaceTransitGatewayRouteResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeHostReservationOfferingsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ConversionTask.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PublicIpv4Pool.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EbsInstanceBlockDevice.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PeeringConnectionOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RouteTableAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateTrunkInterfaceResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/waiters/DescribeSecurityGroupsFunction.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeClientVpnTargetNetworksRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TargetCapacityUnitType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CancelBundleTaskRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeNetworkAclsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayConnectPeerConfiguration.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateIamInstanceProfileResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Subnet.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateInstanceMetadataOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/StopInstancesRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableTransitGatewayRouteTablePropagationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LoadBalancersConfig.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayRouteResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableFastSnapshotRestoresResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTrafficMirrorFilterRuleRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TargetConfigurationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayPrefixListReferenceResultStaxUnmarshaller.java

```



```

*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UserIdGroupPairStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesPlacementStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/WithdrawByoipCidrRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateSpotMarketOptionsRequestStaxUnmarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkInterfaceAttribute.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateLocalGatewayRouteTableVpcAssociationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DiskImageFormat.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AdvertiseByoipCidrResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceTypeInfoFromInstanceRequirements.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ResetImageAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTrunkInterfaceAssociationsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeFlowLogsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/InstanceTerminated.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTagsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayAssociationState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/BaselineEbsBandwidthMbpsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RevokeClientVpnIngressRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribePrefixListsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribePrincipalIdFormatRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeByoipCidrsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CapacityReservationSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteSubnetCidrReservationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AcceptTransitGatewayVpcAttachmentRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteVpcEndpointConnectionNotificationsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/Phase2DHGroupNumbersRequestListValue.java
*

```

```

/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateRestoreImageTaskResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpnConnectionRouteResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteClientVpnEndpointRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateEgressOnlyInternetGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyEbsDefaultKmsKeyIdResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SpotMarketOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LocalGatewayVirtualInterface.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImageState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Ipv6PrefixSpecificationRequestStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSecurityGroupRulesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointServicePermissionsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateCapacityReservationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateDefaultSubnetResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteFlowLogsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVolumeStatusRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateTagsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpnConnectionOptionsStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateRestoreImageTaskResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteTagsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTrafficMirrorTargetRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeClientVpnConnectionsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PortRange.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/HostRecovery.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FleetData.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotFleetRequestConfigData.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RevokeSecurityGroupEgressResult.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeAvailabilityZonesRequestMarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpcAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteSecurityGroupResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetTransitGatewayAttachmentPropagationsRequestMarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CopySnapshotRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribePrefixListsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ResetFpgaImageAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayConnectPeerConfigurationStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceRequirementsWithMetadataRequestStaxUnmarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplatesMonitoringRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeEgressOnlyInternetGatewaysResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RequestLaunchTemplateDataStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AnalysisAclRule.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableVgwRoutePropagationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeClientVpnTargetNetworksResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FleetLaunchTemplateOverridesStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotDatafeedSubscriptionRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DetachVpnGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyTrafficMirrorFilterRuleResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateTransitGatewayMulticastDomainRequestMarshaller.java
a
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateRouteTableResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/UserBucket.java

```

```

*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateTrunkInterfaceRequestMarshaller.java
* / aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetHostReservationPurchasePreviewResultStaxUnmarshaller.java
a
* / aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ScheduledInstancesEbs.java
* / aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayVpcAttachmentResult.java
* / aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateAndOverridesResponseStaxUnmarshaller.java
* / aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeStatusAction.java
* / aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/NetworkInterfacePrivateIpAddress.java
* / aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayMulticastDomainRequestOptionsStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/VpnConnectionAvailable.java
* / aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ExportTaskS3LocationStaxUnmarshaller.java
* / aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Ipv4PrefixSpecificationResponseStaxUnmarshaller.java
* / aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetCapacityReservationUsageRequest.java
* / aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportVolumeRequestMarshaller.java
* / aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CancelConversionTaskResult.java
* / aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeSecurityGroupsResult.java
* / aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AttachClassicLinkVpcRequest.java
* / aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableVolumeIORequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ProvisionedBandwidthStaxUnmarshaller.java
* / aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateSnapshotsRequest.java
* / aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteLaunchTemplateResultStaxUnmarshaller.java
* / aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SpotInstanceStatusStaxUnmarshaller.java
* / aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayPrefixListReferenceStaxUnmarshaller.java
* / aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeConversionTasksRequestMarshaller.java
* / aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateNetworkAclEntryRequestMarshaller.java
* / aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreditSpecificationRequest.java
*

```

```

/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/StaleIpPermissionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFpgaImagesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/DescribeImagesFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteLaunchTemplateVersionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateVpnGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstancePlacementRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClientVpnAuthentication.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeCarrierGatewaysResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpcPeeringConnectionOptionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SubnetState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayVpcAttachmentStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateKeyPairRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AnalysisLoadBalancerListenerStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssociateTransitGatewayRouteTableResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClientVpnConnectionStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteNatGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ProcessorInfoStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/IpPermissionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyInstanceEventWindowRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssociationStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RejectTransitGatewayPeeringAttachmentResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateVolumePermission.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeLocalGatewaysResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateClientVpnTargetNetworkRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetAssociatedIpv6PoolCidrsRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FleetSpotCapacityRebalanceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LastError.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateBlockDeviceMapping.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateNetworkInsightsPathRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayMulticastDomainState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateInstanceMarketOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AddPrefixListEntryStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/waiters/DescribeInstanceStatusFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointsResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReplaceTransitGatewayRouteResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateTransitGatewayMulticastDomainRequestMarshaller.
java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImportVolumeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceptVpcPeeringConnectionResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetSpotPlacementScoresRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ConnectionNotification.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpnConnectionOptions.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateRestoreImageTaskRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstancePlacementResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetSerialConsoleAccessStatusRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeElasticGpusRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EbsBlockDevice.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotFleetLaunchSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateFleetResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableFastSnapshotRestoresRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeAvailabilityZonesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClientVpnRouteStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/InstancePrivateIpAddressStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/UpdateSecurityGroupRuleDescriptionsEgressResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateSubnetCidrReservationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpnConnectionRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetLaunchTemplateDataRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RootDeviceType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateFleetError.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImportKeyPairRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayPeeringAttachmentStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeIdFormatRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkInsightsAnalysisResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Phase1DHGroupNumbersListValueStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateSubnetCidrBlockResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClientVpnEndpoint.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifySpotFleetRequestRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PriceScheduleSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DnsEntry.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateTrafficMirrorFilterResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RegisterInstanceEventNotificationAttributesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ArchitectureValues.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpcEndpointServicePermissionsResultStaxUnmarshaller.
java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceleratorCountStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateInstanceMarketOptionsStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EfaInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFleetsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NatGatewayState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceStateName.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RouteStaxUnmarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceStatusResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayRouteStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateNetworkInterfacePermissionRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeExportTasksRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/HibernationOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ResponseErrorStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayMulticastDeregisteredGroupSourcesStaxUnmars
haller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyVolumeAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateIamInstanceProfileSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PurchaseHostReservationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteClientVpnRouteResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesNetworkInterfaceStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpcCidrBlockAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSpotFleetInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateVpnConnectionRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayMulticastDomainAssociationState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceFamilyCreditSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateInstanceExportTaskRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TrafficMirrorFilter.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PrefixList.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkInterfacePermissionRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SecurityGroupRuleDescriptionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotMarketOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PrefixListIdStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFleetHistoryResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssociateIamInstanceProfileRequest.java

```



\* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/OnDemandAllocationStrategy.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyInstanceMetadataOptionsResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteClientVpnRouteRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/CapacityReservationStaxUnmarshaller.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceSpecification.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/InstanceCreditSpecificationRequestStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SecurityGroupRule.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DescribeAggregateIdFormatResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeImagesResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/TransitGatewayRouteAttachmentStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CancelCapacityReservationRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GetReservedInstancesExchangeQuoteResult.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkInterfacesResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ProductCode.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RequestSpotInstancesResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkAclResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkInsightsAnalysisRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/InferenceAcceleratorInfoStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteNetworkAclEntryRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DeleteTrafficMirrorFilterRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ElasticInferenceAccelerator.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateTransitGatewayRouteRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DescribeClientVpnTargetNetworksResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyAvailabilityZoneGroupRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpcState.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FpgaImage.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/VpcPeeringConnectionStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-

```

jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateDefaultSubnetResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FederatedAuthenticationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeLocalGatewayRouteTableVpcAssociationsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTrafficMirrorFiltersRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplatesMonitoringStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableSerialConsoleAccessResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssociateTrunkInterfaceRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTrafficMirrorSessionResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyVpcEndpointConnectionNotificationResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GetEbsDefaultKmsKeyIdResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/StartNetworkInsightsAnalysisResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayMulticastDomainAssociationStaxUnmarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReservationValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PublicIpv4PoolStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/FailedCapacityReservationFleetCancellationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayMulticastDomainRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AuthorizeClientVpnIngressRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateSubnetRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteLaunchTemplateVersionsResponseSuccessItem.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateCarrierGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteVpnGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateManagedPrefixListRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFpgaImagesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/TransitGatewayAttachmentStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeExportImageTasksRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableVgwRoutePropagationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImportImageTask.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyVpcAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayAttachmentPropagation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeImportSnapshotTasksResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpnTunnelOptionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UpdateSecurityGroupRuleDescriptionsEgressResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpcIpv6CidrBlockAssociation.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EventInformationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotFleetInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateFleetInstance.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyInstancePlacementResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableFastSnapshotRestoresRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableVpcClassicLinkDnsSupportResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ExportTaskState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/MoveAddressToVpcResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ListingStatus.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/SearchTransitGatewayRoutesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VgwTelemetry.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeCoipPoolsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GpuDeviceMemoryInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ScheduledInstancesIpv6Address.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CapacityReservationGroupStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeCapacityReservationFleetsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeImageAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/IpPermission.java
*

```

```

/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeByoipCidrsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyClientVpnEndpointResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FpgaDeviceMemoryInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CpuOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceAttribute.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyCapacityReservationFleetResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReleaseAddressRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteRouteTableRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportSnapshotRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchPermissionModifications.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CidrBlockStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayVpcAttachmentRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InterfaceProtocolType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CapacityReservation.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpnState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyTransitGatewayVpcAttachmentRequestOptions.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewaysResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReservedInstancesId.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyInstanceMetadataOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteLocalGatewayRouteRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/UsageClassType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateImageRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayPropagation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkInterfacePermissionsRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeClassicLinkInstancesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/PurchaseScheduledInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ExportClientVpnClientConfigurationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ElasticGpuAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DnsServersOptionsModifyStructure.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/S3ObjectTagStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/BundleInstanceResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateTagSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetManagedPrefixListEntriesResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DnsEntryStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateRouteRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TargetGroupStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/StartInstancesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteLaunchTemplateVersionsResponseSuccessItemStaxUnmar
shaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayMulticastDomain.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpcEndpoint.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteFleetSuccessItemStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SpotMaintenanceStrategiesStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DiskImageDescriptionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TrafficMirrorNetworkService.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyReservedInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpcEndpointServiceConfigurationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClientVpnRouteStatusStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeElasticGpusRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AcceleratorTotalMemoryMiB.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkInsightsPath.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeAvailabilityZonesResultStaxUnmarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GpuInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyCapacityReservationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTransitGatewayConnectPeersRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/Phase1EncryptionAlgorithmsRequestListValue.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NatGatewayAddress.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVolumesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSpotPriceHistoryResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeCapacityReservationsRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetEbsEncryptionByDefaultRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetSubnetCidrReservationsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/WithdrawByoipCidrRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelSpotInstanceRequestsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetFlowLogsIntegrationTemplateResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateCapacityReservationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PrivateDnsNameConfigurationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SnapshotTaskDetailStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssignPrivateIpAddressesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTrafficMirrorFilterRuleRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetManagedPrefixListAssociationsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/IamInstanceProfileAssociationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportKeyPairResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetFlowLogsIntegrationTemplateRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateInstanceEventWindowResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpnTunnelCertificateResultStaxUnmarshaller.java
*

```

```

/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RequestSpotInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AttachNetworkInterfaceResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyNetworkInterfaceAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LogDestinationType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeDhcpOptionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PrincipalIdFormatStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ResetAddressAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DiskImageDetail.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceAttributeName.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateTransitGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayConnectResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DetachClassicLinkVpcRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTrafficMirrorSessionResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CarrierGatewayState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AttachVolumeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/HostOfferingStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableTransitGatewayRouteTablePropagationRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/MemoryGiBPerVCpuRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GpuDeviceInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportInstanceResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/FleetLaunchTemplateSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RebootInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkAclAssociationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InferenceAcceleratorInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SlotDateTimeRangeRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTrafficMirrorFilterRuleResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelConversionTaskRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetTransitGatewayAttachmentPropagationsResultStaxUnmarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayRouteResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TelemetryStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceCreditSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RevokeSecurityGroupIngressResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeDetail.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateDefaultVpcRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateInstanceNetworkInterfaceSpecificationStaxUnm
arshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LocalGatewayRouteType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceIpv4Prefix.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeRegionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CancelledSpotInstanceRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssociationStatusCode.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyTrafficMirrorFilterNetworkServicesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpcEndpointConnection.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DnsNameState.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteTrafficMirrorFilterRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotInstanceState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/Ipv4PrefixSpecificationResponse.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeInstanceTypesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RejectVpcEndpointConnectionsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SearchLocalGatewayRoutesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetAssociatedIpv6PoolCidrsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceGeneration.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeFleetHistoryResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SpotCapacityRebalanceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceEventWindowsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AllowedPrincipal.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/MonitorInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceNetworkInterfaceSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ExportTaskStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AnalysisLoadBalancerTarget.java

```



```

* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateVolumeRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkInterfaceRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewayConnectPeersResultStaxUnmarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableVgwRoutePropagationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateVpnConnectionRouteResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DestinationOptionsResponseStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/S3Storage.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AttachVolumeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisassociateTransitGatewayMulticastDomainRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceMonitoringStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DisassociateAddressResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AutoAcceptSharedAttachmentsValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LocalGatewayStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ApplySecurityGroupsToClientVpnTargetNetworkRequestMarsha
ller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateTransitGatewayRouteTableRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayMulticastDomainResultStaxUnmarshaller.j
ava
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EnableVolumeIOResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DhcpConfiguration.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ScheduledInstanceRecurrenceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateAddressRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableImageDeprecationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayConnectRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/StartVpcEndpointServicePrivateDnsVerificationRequestMarshall
er.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/BundleInstanceRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayPrefixListReferenceRequestMarshaller.jav
a
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateReplaceRootVolumeTaskRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/UnlimitedSupportedInstanceFamily.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstanceCapacityReservationAttributesRequestMarshaller
.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyAvailabilityZoneGroupResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateDhcpOptionsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ExportClientVpnClientCertificateRevocationListRequestMarshal
ler.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteRouteResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CancelCapacityReservationFleetError.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayMulticastDomainResultStaxUnmarshaller.j
ava
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/MemoryGiBPerVCpuRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkInterfacesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTransitGatewayConnectsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVolumePermissionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/SpotInstanceInterruptionBehavior.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeInstanceTypesRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeIamInstanceProfileAssociationsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotInstanceRequestsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTrafficMirrorSessionResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayStaxUnmarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CapacityReservationSpecificationResponse.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceTypesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AvailabilityZoneOptInStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteSubnetCidrReservationResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyTrafficMirrorSessionResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteFleetErrorItemStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyVpcPeeringConnectionOptionsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayRouteAttachment.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateInternetGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayConnectPeerResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribePrincipalIdFormatResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateRouteTableResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClassicLoadBalancersConfig.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateClientVpnRouteRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetTransitGatewayPrefixListReferencesResultStaxUnmarshaller.
java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AuthorizeSecurityGroupIngressResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeClientVpnAuthorizationRulesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Vpc.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ScheduledInstanceRecurrenceRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpcTenancyResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTrafficMirrorTargetRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DetachVpnGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReleaseHostsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeInstanceCreditSpecificationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DomainType.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotFleetRequestConfig.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/IKEVersionsRequestListValueStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssignIpv6AddressesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifySubnetAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AttachClassicLinkVpcRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayRouteTableAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointServiceConfigurationsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateInstanceEventWindowRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AcceptTransitGatewayPeeringAttachmentResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FleetType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesListingsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/EnableFastSnapshotRestoreErrorItem.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyVpcTenancyResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SecurityGroup.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstanceEventStartTimeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SpotFleetRequestConfigDataStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CopySnapshotResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVolumesModificationsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TrafficMirrorFilterRuleField.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EventType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/ConversionTaskDeleted.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceStatus.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FleetActivityStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeregisterImageResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateEnclaveCertificateIamRoleResultStaxUnmarshaller.j
ava
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateStoreImageTaskRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyNetworkInterfaceAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/EnableSerialConsoleAccessResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceCreditSpecificationsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RuleAction.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DnsSupportValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateLocalGatewayRouteResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReservedInstancesModification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkInsightsAnalysisStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateSnapshotResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateCapacityReservationFleetRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesIamInstanceProfileStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifySecurityGroupRulesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeInstanceEventWindowsRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifySnapshotAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSnapshotAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeCapacityReservationsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeLocalGatewayRouteTableVirtualInterfaceGroupAssociationsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NatGatewayStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/UnmonitorInstancesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateSubnetCidrReservationResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetGroupsForCapacityReservationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RunScheduledInstancesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkAclEntryRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointServicesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/MemoryMiB.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetCoipPoolUsageRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DisassociateRouteTableRequest.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteFleetErrorStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ResetFpgaImageAttributeRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AutoAcceptSharedAssociationsValue.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeDhcpOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteManagedPrefixListRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/SendDiagnosticInterruptRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FlowLogStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ExportImageResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateEnclaveOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateNetworkInterfacePermissionResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplatesMonitoringRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSnapshotsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeModification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateVpcEndpointConnectionNotificationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PurchaseHostReservationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PropagatingVgw.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateRouteRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateCapacityReservationSpecificationRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpcPeeringConnectionRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteClientVpnRouteResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CpuManufacturer.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteSecurityGroupResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetTransitGatewayMulticastDomainAssociationsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceFamilyCreditSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VCpuCountRangeRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/DescribeTrafficMirrorTargetsResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FpgaImageStateStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeInstanceCreditSpecificationsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteVpcEndpointServiceConfigurationsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UnassignIpv6AddressesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableVgwRoutePropagationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteQueuedReservedInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AttachClassicLinkVpcResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteVolumeResult.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeImportSnapshotTasksRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyVpnTunnelCertificateRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyHostsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayVpcAttachmentOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTagsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayMulticastDeregisteredGroupMembersStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Tag.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SearchTransitGatewayRoutesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SubnetAssociation.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesModificationsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayConnectPeerRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ValidationWarning.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyCapacityReservationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteLocalGatewayRouteTableVpcAssociationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribePrefixListsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/GetCapacityReservationUsageResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PeeringConnectionOptionsRequestStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateLaunchTemplateResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceEventWindowsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeManagedPrefixListsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeFleetInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VolumeAttachmentStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CancelCapacityReservationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImportInstanceTaskDetails.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/WithdrawByoipCidrResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AttachInternetGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/UnsuccessfulInstanceCreditSpecificationErrorCode.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyVpnTunnelOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkInterfacePermissionStateStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ScheduledInstancesMonitoring.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointConnectionNotificationsRequestMarshaller
.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/StaticSourcesSupportValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateIamInstanceProfileSpecificationStaxUnmarshall
er.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/waiters/DescribeVpnConnectionsFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/UnassignPrivateIpAddressesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateInstanceExportTaskResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyHostsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/Phase2IntegrityAlgorithmsListValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateKeyPairResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetReservedInstancesExchangeQuoteRequest.java

```



```

* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImportKeyPairResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CancelSpotInstanceRequestsRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkInsightsPathsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteNatGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstancesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkInsightsAnalysesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReservedInstanceLimitPrice.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeInstanceStatusRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportSnapshotTaskStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SubnetCidrBlockStateCode.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CapacityReservationFleetCancellationStateStaxUnmarshaller.java
a
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeClassicLinkInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SecurityGroupRuleUpdate.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EnclaveOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/HibernationOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetTransitGatewayRouteTableAssociationsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssociateDhcpOptionsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssignedPrivateIpAddressStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/VpcPeeringConnectionStateReason.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TunnelInsideIpVersion.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesLaunchSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/DescribeNatGatewaysFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTrafficMirrorFilterRuleRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AccountAttributeValueStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyInstanceAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetAssociatedEnclaveCertificateIamRolesResult.java
*

```

```

/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeAccountAttributesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeAvailabilityZonesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVolumeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateFpgaImageRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReservedInstancesModificationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FastSnapshotRestoreStateCode.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewayRouteTablesResultStaxUnmarshaller.java
a
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GpuDeviceInfoStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyCapacityReservationResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssociateDhcpOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTrunkInterfaceAssociationsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/Ipv6PrefixSpecificationResponse.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/BootModeValues.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DestinationOptionsRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RunScheduledInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableImageDeprecationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateCpuOptionsRequestStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewayVpcAttachmentsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AllocateHostsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AllocationState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkCardInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateTransitGatewayMulticastDomainResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateTransitGatewayMulticastDomainResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVolumePermissionModificationsStaxUnmarshaller.java
*

```

/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteFpgaImageRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/package-info.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteEgressOnlyInternetGatewayRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ImportInstanceTaskDetailsStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/RegisterInstanceEventNotificationAttributesRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GetPasswordDataRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/AssociatedRoleStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ModifyVpnConnectionResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LaunchTemplateInstanceNetworkInterfaceSpecificationRequest.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DeleteVpcRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PermissionGroup.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/TransitGatewayConnectStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LaunchTemplateLicenseConfigurationRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeClientVpnConnectionsResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ConversionTaskStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/PciIdStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeLaunchTemplateVersionsResult.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DeleteVpnGatewayRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateFlowLogsRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ReservedInstancesModificationStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/UnsuccessfulInstanceCreditSpecificationItemError.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DisableImageDeprecationResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CancelSpotFleetRequestsSuccessItem.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LaunchTemplateSpotMarketOptions.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/LoadPermissionRequestStaxUnmarshaller.java

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateLocalGatewayRouteResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/IntegrateServicesStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ConnectionLogOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TrunkInterfaceAssociationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteClientVpnEndpointRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/HistoryRecordStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SnapshotStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AcceleratorManufacturer.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReservedInstancesOfferingStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteNetworkInsightsPathRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SummaryStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpnConnectionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/StartInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CopyImageRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateLicenseConfigurationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayMulticastDomainOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/UnsuccessfulInstanceCreditSpecificationItem.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/FleetSpotCapacityRebalanceRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/IpRangeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSecurityGroupsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateClientVpnEndpointResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstanceCreditSpecificationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TargetConfigurationRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PrefixListEntry.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyVpcAttributeRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeInstanceTypeOfferingsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateReplaceRootVolumeTaskResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SecurityGroupIdentifier.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ImportClientVpnClientCertificateRevocationListRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyLaunchTemplateResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayConnectRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RestoreAddressToClassicRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateSnapshotsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotPriceHistoryResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifySpotFleetRequestRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateInstanceMarketOptionsRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayVpcAttachmentRequestOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteFlowLogsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateReplaceRootVolumeTaskResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteFleetsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceCreditSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RestoreManagedPrefixListVersionRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssociatedNetworkType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReleaseHostsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotPrice.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyImageAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClientConnectOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DefaultTargetCapacityType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/DescribeSubnetsFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteNetworkInsightsAnalysisResult.java
*

```

```

/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/HttpTokensState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointServiceConfigurationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/InstanceStatusOk.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableVpcClassicLinkDnsSupportResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PortRangeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpnConnectionDeviceType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayPeeringAttachmentRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSpotFleetRequestsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelCapacityReservationFleetsResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteVolumeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceEventWindowTimeRangeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeIdentityIdFormatRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteNetworkInsightsPathResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeConversionTasksResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpcAttributeName.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClassicLoadBalancer.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyIdentityIdFormatResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FleetSpotMaintenanceStrategies.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AvailabilityZoneMessage.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpnConnectionRouteRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeFleetHistoryRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesMonitoringStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TrafficMirrorPortRangeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CapacityReservationFleetCancellationState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Phase2IntegrityAlgorithmsListValueStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AvailabilityZoneMessageStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CapacityReservationPreference.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/DisassociateAddressResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AddressAttribute.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeReplaceRootVolumeTasksResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InferenceDeviceInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeHostReservationOfferingsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeHostReservationOfferingsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetTransitGatewayAttachmentPropagationsRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifySpotFleetRequestResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ServiceDetailStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ElasticGpuSpecificationResponseStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PurchaseStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeIdFormatRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayMulticastGroup.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CpuOptionsRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetTransitGatewayRouteTablePropagationsResultStaxUnmarsh
ller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssociatedRole.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkInterfacePermission.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ClientCertificateRevocationListStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayPrefixListReferenceResultStaxUnmarshall
er.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Monitoring.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstanceCapacityReservationAttributesResultStaxUnmars
haller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVpcClassicLinkDnsSupportResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteRouteRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayMulticastRegisteredGroupMembers.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/transform/GetFlowLogsIntegrationTemplateResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RevokeSecurityGroupEgressRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ProvisionByoipCidrRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceTypeOfferingsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/EnableEbsEncryptionByDefaultResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CertificateAuthentication.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeregisterInstanceTagAttributeRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyTransitGatewayVpcAttachmentRequestOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ProcessorInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssociateSubnetCidrBlockRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateLaunchTemplateRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReplaceRouteResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/MembershipType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PurchaseReservedInstancesOfferingResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TargetNetworkStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Tenancy.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RouteTableAssociationStateCode.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EbsInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateLicenseConfiguration.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/StorageLocationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateOverridesStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PropagatingVgwStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifySubnetAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateDhcpOptionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TagDescription.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AcceptVpcEndpointConnectionsResult.java

```



\* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotInstanceRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SelfServicePortal.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateVpnGatewayResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/GetReservedInstancesExchangeQuoteRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DescribeCapacityReservationFleetsResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/S3ObjectTag.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ModifyAddressAttributeResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeLocalGatewayVirtualInterfacesResult.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ScheduledInstance.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FpgaImageAttribute.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateTagsRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ModifyVpnConnectionOptionsResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Filter.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVpcsRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeManagedPrefixListsRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/BareMetal.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DeleteSnapshotResultStaxUnmarshaller.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EndDateType.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TrunkInterfaceAssociation.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateDhcpOptionsRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/AssociateDhcpOptionsResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DescribeImportImageTasksRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ResourceType.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointServiceConfigurationsRequestMarshaller.java  
 va  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PriceScheduleSpecification.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVpcClassicLinkDnsSupportRequest.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/TrafficMirrorFilterStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteInternetGatewayRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ReservedInstancesListingStaxUnmarshaller.java

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RevokeSecurityGroupIngressRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteFleetErrorItem.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreatePlacementGroupResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyLaunchTemplateResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableVpcClassicLinkRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EbsNvmeSupport.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesModificationsResultStaxUnmarshaller
.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ApplySecurityGroupsToClientVpnTargetNetworkResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyTransitGatewayVpcAttachmentRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DetachInternetGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeClientVpnEndpointsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateTrunkInterfaceResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayPrefixListReferenceResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FleetLaunchTemplateConfig.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceMetadataOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SecurityGroupIdentifierStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceBlockDeviceMappingSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateStoreImageTaskRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceNetworkInterfaceAttachment.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EbsInstanceBlockDeviceStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceHealthStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeregisterImageResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClassicLinkDnsSupportStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AuthorizeSecurityGroupIngressResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteSubnetCidrReservationResultStaxUnmarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewayMulticastDomainsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceMatchCriteria.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeExportImageTasksResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FpgaInfoStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnclaveOptionsRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FederatedAuthentication.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PublicIpv4PoolRange.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ResetSnapshotAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkInterfaceAttachmentStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReleaseAddressResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateBlockDeviceMappingStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetTransitGatewayMulticastDomainAssociationsRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteSnapshotRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceptTransitGatewayVpcAttachmentRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssignIpv6AddressesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/VpcExists.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeHostsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateCapacityReservationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetLaunchTemplateDataRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/DescribeInstancesFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeLocalGatewaysResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SpotOptionsRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayAttachmentBgpConfiguration.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/MonitoringState.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/CreateTransitGatewayVpcAttachmentRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeHostsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/EnableFastSnapshotRestoresRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateVpcPeeringConnectionRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteRouteTableResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateCapacityReservationSpecificationResponse.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/AbstractAmazonEC2Async.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFleetInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayVpcAttachmentResultStaxUnmarshaller.java
va
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointServiceConfigurationsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ReplaceNetworkAclEntryRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ActiveInstance.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSecurityGroupReferencesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateElasticInferenceAcceleratorResponse.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayConnectPeerResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetEbsDefaultKmsKeyIdRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AcceptVpcEndpointConnectionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeNetworkInterfacesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteNetworkInterfaceResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NetworkInterface.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSecurityGroupRulesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesModificationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ScheduledInstancesPlacement.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DiskImageDescription.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/SecurityGroupExists.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpcPeeringConnectionOptionsResultStaxUnmarshaller.java

```

```

va
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTransitGatewayAttachmentsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PurchaseReservedInstancesOfferingRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkInterfaceAttachmentChangesStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SecurityGroupStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotCapacityRebalance.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribePlacementGroupsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FleetSpotCapacityRebalanceRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifySecurityGroupRulesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/UpdateSecurityGroupRuleDescriptionsEgressRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ExportClientVpnClientCertificateRevocationListResultStaxUnm
arshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AttachmentStatus.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesListingsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeTransitGatewayConnectsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeCarrierGatewaysRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/waiters/DescribeNetworkInterfacesFunction.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RegisterTransitGatewayMulticastGroupMembersResultStaxUnm
arshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayVpcAttachment.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ReplaceIamInstanceProfileAssociationResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceRequirementsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSecurityGroupRulesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TargetCapacitySpecificationRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateSecurityGroupResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-

```

```

jar/com/amazonaws/services/ec2/model/AssociateInstanceEventWindowResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Image.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/Ipv6CidrBlockStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssignPrivateIpAddressesResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceEventWindowAssociationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeInstanceStatusResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RequestSpotFleetResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVolumeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PeeringAttachmentStatusStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteSnapshotResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/MulticastSupportValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpcStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClientVpnAuthorizationRuleStatusStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateIamInstanceProfileRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ApplySecurityGroupsToClientVpnTargetNetworkResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpnConnectionOptionsSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateClientVpnRouteResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeMovingAddressesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVpnConnectionsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayConnectPeer.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ElasticGpuHealthStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportKeyPairRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayRouteResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ConnectivityType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyAddressAttributeResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ReservationFleetInstanceSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ImportSnapshotResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableEbsEncryptionByDefaultRequestMarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CreateTransitGatewayPrefixListReferenceRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyCapacityReservationFleetRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeReplaceRootVolumeTasksRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportVolumeTaskDetailsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpcEndpointServiceConfigurationsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CancelImportTaskRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFleetHistoryRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DiskImageStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LaunchTemplatesMonitoring.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceStatusEvent.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/NetworkInterfaceAvailable.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ReplaceIamInstanceProfileAssociationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RestoreAddressToClassicResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateLaunchTemplateVersionResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CancelReservedInstancesListingResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceLifecycleType.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssociateVpcCidrBlockResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/HostStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFastSnapshotRestoresResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceRequirementsRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteVpcEndpointsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EbsBlockDeviceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceEventWindowStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/Phase2EncryptionAlgorithmsRequestListValue.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateInstanceMetadataOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AcceptTransitGatewayPeeringAttachmentRequest.java

```

```

*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PurchaseRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpcEndpointConnectionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LoadPermission.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ConnectionLogResponseOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpcPeeringConnectionResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpcEndpointServiceConfigurationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceUsageStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AuthorizeSecurityGroupEgressResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVpcClassicLinkRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetConsoleScreenshotResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VgwTelemetryStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateInstanceEventWindowRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AssociateDhcpOptionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RevokeClientVpnIngressRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PrincipalIdFormat.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetCapacityReservationUsageResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteInternetGatewayResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyFpgaImageAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteSpotDatafeedSubscriptionRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetVpnConnectionDeviceSampleConfigurationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotOptionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ResetInstanceAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/StartNetworkInsightsAnalysisRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-

```



```

jar/com/amazonaws/services/ec2/model/transform/CreateInternetGatewayRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InternetGatewayStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpcPeeringConnectionStateReasonStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteCarrierGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateCapacityReservationFleetResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TargetGroupsConfigStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetVpnConnectionDeviceSampleConfigurationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteVpcPeeringConnectionResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/ImageExists.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/UpdateSecurityGroupRuleDescriptionsIngressRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EventInformation.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Ipv6CidrBlock.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SuccessfulInstanceCreditSpecificationItemStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DetachVolumeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetFlowLogsIntegrationTemplateRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceStatusSummary.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RevokeClientVpnIngressResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateLaunchTemplateVersionRequestMarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/BootModeType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeInstanceTypeOfferingsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CancelCapacityReservationFleetsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CapacityReservationFleet.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/StoreImageTaskResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeStatusName.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AttachVpnGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClientVpnAuthenticationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssociateSubnetCidrBlockResult.java
*

```

```

/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EnableImageDeprecationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ImportClientVpnClientCertificateRevocationListResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpcPeeringConnectionResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstanceEventStartTimeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeLocalGatewaysRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ImportInstanceVolumeDetailItemStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayPeeringAttachmentResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeLocalGatewayRouteTablesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeFastSnapshotRestoreSuccessItem.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FleetCapacityReservationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateTransitGatewayConnectPeerRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LoadPermissionModifications.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReportStatusType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeSpotFleetRequestHistoryRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetManagedPrefixListAssociationsResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeSubnetsResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DetachVolumeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/IntegrateServices.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeImagesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVolumesModificationsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FpgaDeviceInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ServiceDetail.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LocalGatewayVirtualInterfaceGroup.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeDhcpOptionsResultStaxUnmarshaller.java
*

```

/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeDhcpOptionsResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeFpgaImagesResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DeleteTrafficMirrorTargetResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeClientVpnEndpointsRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FailedQueuedPurchaseDeletion.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LicenseConfigurationRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RequestLaunchTemplateData.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeSecurityGroupReferencesResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/VCpuCountRangeStaxUnmarshaller.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ClassicLinkInstanceStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/VpnTunnelOptionsSpecificationStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TargetConfigurationRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ResetEbsDefaultKmsKeyIdResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/FleetSpotMaintenanceStrategiesStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VolumeStatusAttachmentStatus.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/SpotInstanceStateFaultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DetachClassicLinkVpcResult.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/MoveAddressToVpcRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DisassociateEnclaveCertificateIamRoleRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ReferencedSecurityGroupStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifyVpnConnectionOptionsResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/BundleTaskStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeClientVpnRoutesRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/GetSerialConsoleAccessStatusRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GetSubnetCidrReservationsRequest.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GetSerialConsoleAccessStatusResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AnalysisRouteTableRoute.java

```

* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReportInstanceReasonCodes.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateVpnGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeFpgaImageAttributeResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceMonitoring.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/LaunchTemplate.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateSpotDatafeedSubscriptionResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/BundleTaskError.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateEgressOnlyInternetGatewayResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ModifySpotFleetRequestResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AnalysisLoadBalancerTargetStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateConfigStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DirectoryServiceAuthentication.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyReservedInstancesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayConnectOptions.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TransitGatewayRouteState.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateClientVpnRouteResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetHostReservationPurchasePreviewRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ReplaceRootVolumeTask.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyTrafficMirrorFilterRuleRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssignIpv6AddressesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ResetEbsDefaultKmsKeyIdRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RestoreAddressToClassicRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/TransitGatewayOptionsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ModifyClientVpnEndpointRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SecurityGroupReferenceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UnsuccessfulInstanceCreditSpecificationItemStaxUnmarshaller.j
ava
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpcEndpointConnectionNotificationResultStaxUnmarsha

```

ller.java

- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Igmpv2SupportValue.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AutoPlacement.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DescribeLocalGatewaysRequestMarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ProvisionByoipCidrResultStaxUnmarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/GetAssociatedIpv6PoolCidrsRequest.java
- \*
- /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DisassociateTrunkInterfaceRequest.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DescribeTrafficMirrorSessionsRequestMarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteRouteTableRequest.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DnsServersOptionsModifyStructureStaxUnmarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/MoveStatus.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpnEcmpSupportValue.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AuthorizeClientVpnIngressRequest.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointServicesResultStaxUnmarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AcceptVpcPeeringConnectionResult.java
- \*
- /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/SnapshotInfoStaxUnmarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/CreateKeyPairRequestMarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TargetGroupsConfig.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Reservation.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/CreateInstanceEventWindowRequestMarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/LaunchTemplateSpotMarketOptionsStaxUnmarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ModifyIdFormatResultStaxUnmarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ReplaceRouteTableAssociationResultStaxUnmarshaller.java
- \*
- /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/InstanceIpv4PrefixStaxUnmarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/KeyPairStaxUnmarshaller.java
- \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DisableEbsEncryptionByDefaultRequest.java
- \* /aws-java-sdk-ec2-1-12-105-sources-

```

jar/com/amazonaws/services/ec2/model/transform/ExportTransitGatewayRoutesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointConnectionsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CancelSpotFleetRequestsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcPeeringConnectionsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateFleetRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ElasticInferenceAcceleratorAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribePublicIpv4PoolsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RegisterInstanceTagAttributeRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SnapshotTaskDetail.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/RejectTransitGatewayPeeringAttachmentResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/KeyPair.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteTransitGatewayConnectRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SubnetIpv6CidrBlockAssociationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateBlockDeviceMappingRequest.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PoolCidrBlock.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PricingDetailStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/AdvertiseByoipCidrRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetAssociatedEnclaveCertificateIamRolesResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyAddressAttributeRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpnStaticRouteStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceTypeInfo.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeClientVpnRoutesResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SnapshotDiskContainerStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableVpcClassicLinkDnsSupportResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkInterfaceCountRequestStaxUnmarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteFlowLogsRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ExportClientVpnClientConfigurationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ScheduledInstanceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/Affinity.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateCarrierGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyEbsDefaultKmsKeyIdResultStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VolumeStatusDetailsStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateFleetInstanceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DisableImageDeprecationRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteQueuedReservedInstancesErrorCode.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateCapacityReservationFleetRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeExportTasksResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpnTunnelCertificateRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/InstanceRequirements.java
*
/aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateLocalGatewayRouteTableVpcAssociationRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateInternetGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClientVpnRouteStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DeleteQueuedReservedInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DetachInternetGatewayRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/ClientVpnConnectionStatusCode.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeExportTasksRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/FleetSpotMaintenanceStrategiesRequestStaxUnmarshaller.java
*
/aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpcCidrBlockState.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeleteSnapshotRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AuthorizeSecurityGroupEgressRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisassociateTrunkInterfaceRequestMarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceEventWindowAssociationRequestStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DeleteTransitGatewayPeeringAttachmentResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceBlockDeviceMappingSpecificationStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/IcmpTypeCodeStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/BaselineEbsBandwidthMbps.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/SpotDatafeedSubscriptionStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/NetworkAclStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeStoreImageTasksResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribePublicIpv4PoolsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeInstanceEventNotificationAttributesRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeletePlacementGroupResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AdvertiseByoipCidrRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/InstanceStopped.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetGroupsForCapacityReservationResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EnableSerialConsoleAccessRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInternetGatewaysResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RejectTransitGatewayVpcAttachmentRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/TargetConfiguration.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ExportToS3TaskSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DeletePlacementGroupRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeConversionTasksRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DisableFastSnapshotRestoreErrorItemStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateEbsBlockDevice.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/AmazonEC2AsyncClientBuilder.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/InstanceStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/TransitGatewayMulticastDeregisteredGroupMembers.java

```



\* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ProtocolValue.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FleetReplacementStrategy.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/Ipv6RangeStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ReplaceRootVolumeTaskStaxUnmarshaller.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DatafeedSubscriptionState.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/AssociateEnclaveCertificateIamRoleResultStaxUnmarshaller.java  
 a  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/AssociateVpcCidrBlockRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateVolumePermissionModifications.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ModifyVpcAttributeRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DeleteTrafficMirrorSessionResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ExportTaskS3LocationRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/SpotPlacementScore.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PathComponent.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/RevokeSecurityGroupIngressRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/ExportImageRequestMarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/SpotPlacementStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/EnableFastSnapshotRestoreSuccessItem.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ExportImageResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesRequest.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateVpcPeeringConnectionResult.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeTrafficMirrorSessionsRequest.java  
 \*  
 /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DiskImageVolumeDescription.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/TransitGatewayConnectPeerStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/DescribeVolumeAttributeResultStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/transform/CreditSpecificationStaxUnmarshaller.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/VpcTenancy.java  
 \* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/AssignedPrivateIpAddress.java

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ClientVpnConnectionStatusStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/CreateNetworkInterfaceResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceEventNotificationAttributesRequestMarshaller.j
ava
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeManagedPrefixListsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/waiters/KeyPairExists.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpnGatewaysRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/GetTransitGatewayRouteTableAssociationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/UnsuccessfulItemStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeLocalGatewayVirtualInterfacesRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/PlacementStrategy.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/PurchaseScheduledInstancesResultStaxUnmarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateFpgaImageResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateStoreImageTaskResultStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/LaunchTemplateInstanceNetworkInterfaceSpecification.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/AssociateTransitGatewayMulticastDomainResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ByoipCidrState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CopyFpgaImageRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DetachVpnGatewayResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RejectVpcEndpointConnectionsRequest.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/GetTransitGatewayMulticastDomainAssociationsResultStaxUnm
arshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/InstanceNetworkInterfaceAssociation.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeAddressesAttributeRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/IamInstanceProfileAssociationState.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/EbsInfoStaxUnmarshaller.java

```

```

* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesIpv6AddressStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/RegisterTransitGatewayMulticastGroupSourcesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/CreateClientVpnEndpointRequestMarshaller.java
*
/ aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeInstanceEventNotificationAttributesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeVpnGatewaysRequest.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/DescribeIdentityIdFormatResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/CapacityReservationInstancePlatform.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/NatGateway.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeVolumesModificationsResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/DescribeVolumesModificationsRequestMarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/RunScheduledInstancesResult.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/DescribeTransitGatewayMulticastDomainsResult.java
*
/ aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/FlowLogsResourceType.java
* /aws-java-sdk-ec2-1-12-105-sources-
jar/com/amazonaws/services/ec2/model/transform/VpnConnectionDeviceTypeStaxUnmarshaller.java
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/model/ClientConnectResponseOptions.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2016-2021 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance
with
* the License. A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR
* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing
permissions
* and limitations under the License.
*/
/**
* <p>
* Describes the ID format settings for your resources on a per-Region basis, for example, to view which resource
* types are enabled for longer IDs. This request only returns information about resource types whose ID formats
can

```

- \* be modified; it does not return information about other resource types.
- \* </p>
- \* <p>
- \* The following resource types support longer IDs: <code>bundle</code> | <code>conversion-task</code> |
- \* <code>customer-gateway</code> | <code>dhcp-options</code> | <code>elastic-ip-allocation</code> |
- \* <code>elastic-ip-association</code> | <code>export-task</code> | <code>flow-log</code> |
- <code>image</code> |
- \* <code>import-task</code> | <code>instance</code> | <code>internet-gateway</code> | <code>network-
- acl</code> |
- \* <code>network-acl-association</code> | <code>network-interface</code> | <code>network-interface-
- attachment</code>
- \* | <code>prefix-list</code> | <code>reservation</code> | <code>route-table</code> |
- \* <code>route-table-association</code> | <code>security-group</code> | <code>snapshot</code> |
- <code>subnet</code>
- \* | <code>subnet-cidr-block-association</code> | <code>volume</code> | <code>vpc</code> |
- \* <code>vpc-cidr-block-association</code> | <code>vpc-endpoint</code> | <code>vpc-peering-
- connection</code> |
- \* <code>vpn-connection</code> | <code>vpn-gateway</code>.
- \* </p>
- \* <p>
- \* These settings apply to the IAM user who makes the request; they do not apply to the entire Amazon Web
- Services
- \* account. By default, an IAM user defaults to the same settings as the root user, unless they explicitly override
- \* the settings by running the <a>ModifyIdFormat</a> command. Resources created with longer IDs are visible to
- all
- \* IAM users, regardless of these settings and provided that they have permission to use the relevant
- \* <code>Describe</code> command for the resource type.
- \* </p>
- \*
- \* @param describeIdFormatRequest
- \* @return A Java Future containing the result of the DescribeIdFormat operation returned by the service.
- \* @sample AmazonEC2Async.DescribeIdFormat
- \* @see <a href="http://docs.aws.amazon.com/goto/WebAPI/ec2-2016-11-15/DescribeIdFormat">
- target="\_top">AWS API
- \* Documentation</a>
- \*/
- /\*\*
- \* <p>
- \* Disassociates
- an IAM role from an Certificate Manager (ACM) certificate. Disassociating an IAM role from an ACM
- \* certificate removes the Amazon S3 object that contains the certificate, certificate chain, and encrypted private
- \* key from the Amazon S3 bucket. It also revokes the IAM role's permission to use the KMS key used to encrypt
- the
- \* private key. This effectively revokes the role's permission to use the certificate.
- \* </p>
- \*

```

* @param disassociateEnclaveCertificateIamRoleRequest
* @return A Java Future containing the result of the DisassociateEnclaveCertificateIamRole operation returned
by
* the service.
* @sample AmazonEC2Async.DisassociateEnclaveCertificateIamRole
* @see <a href="http://docs.aws.amazon.com/goto/WebAPI/ec2-2016-11-
15/DisassociateEnclaveCertificateIamRole"
* target="_top">AWS API Documentation
*/
/**
* <p>
* Modifies the ID format for the specified resource on a per-Region basis. You
can specify that resources should
* receive longer IDs (17-character IDs) when they are created.
* </p>
* <p>
* This request can only be used to modify longer ID settings for resource types that are within the opt-in period.
* Resources currently in their opt-in period include: <code>bundle</code> | <code>conversion-task</code> |
* <code>customer-gateway</code> | <code>dhcp-options</code> | <code>elastic-ip-allocation</code> |
* <code>elastic-ip-association</code> | <code>export-task</code> | <code>flow-log</code> |
<code>image</code> |
* <code>import-task</code> | <code>internet-gateway</code> | <code>network-acl</code> |
* <code>network-acl-association</code> | <code>network-interface</code> | <code>network-interface-
attachment</code>
* | <code>prefix-list</code> | <code>route-table</code> | <code>route-table-association</code> |
* <code>security-group</code> | <code>subnet</code> | <code>subnet-cidr-block-association</code> |
<code>vpc</code>
* | <code>vpc-cidr-block-association</code> | <code>vpc-endpoint</code> | <code>vpc-peering-
connection</code> |
* <code>vpn-connection</code> | <code>vpn-gateway</code>.
* </p>
* <p>
* This setting applies to the IAM user who makes the request; it does not apply to the entire Amazon Web
Services
* account. By default, an IAM user defaults to the same settings as the root user. If you're using this action as
* the root user, then these settings apply to the entire account, unless an IAM user explicitly overrides these
* settings for themselves. For more information, see <a
* href="https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/resource-ids.html">Resource IDs in the
<i>Amazon
* Elastic Compute Cloud User Guide</i>.
* </p>
* <p>
* Resources created with longer IDs are visible to all IAM roles and users, regardless of these settings and
* provided that they have permission to use the relevant <code>Describe</code>
command for the resource type.
* </p>
*
* @param modifyIdFormatRequest

```

```

* @return A Java Future containing the result of the ModifyIdFormat operation returned by the service.
* @sample AmazonEC2Async.ModifyIdFormat
* @see <a href="http://docs.aws.amazon.com/goto/WebAPI/ec2-2016-11-15/ModifyIdFormat"
target="_top">AWS API
* Documentation
*/

```

Found in path(s):

```
* /aws-java-sdk-ec2-1-12-105-sources-jar/com/amazonaws/services/ec2/AmazonEC2Async.java
```

# 1.229 geronimo-annotation-spec 1.1.1

## 1.229.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or  
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)

the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own



copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Geronimo distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

```
=====
== Geronimo Web Console Notice ==
=====
```

Portions of the Web Console were originally developed by International Business Machines Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement", informally known as the "IBM Console CLA".

=====  
== ANTLR Notice ==  
=====

This product includes software developed by the ANTLR project.  
(<http://www.antlr.org/>)

=====  
== Castor Notice ==  
=====

This product includes software developed by the Exolab project.  
(<http://www.exolab.org/>)

=====  
== Derby Notice ==  
=====

Portions of Derby were originally developed by International Business Machines Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement", informally known as the "Derby CLA".

The portion of the functionTests under 'nist' was originally developed by the National Institute of Standards and Technology (NIST), an agency of the United States Department of Commerce, and adapted by International Business Machines Corporation in accordance with the NIST Software Acknowledgment and Redistribution document at [http://www.itl.nist.gov/div897/ctg/sql\\_form.htm](http://www.itl.nist.gov/div897/ctg/sql_form.htm)

=====  
== DOM4J Notice ==  
=====

This product includes software developed by the DOM4J Project

(<http://www.dom4j.org>).

=====  
== JDBM Notice ==  
=====

This product includes  
software developed by the JDBM Project  
(<http://jdbm.sourceforge.net/>).

=====  
== JDOM Notice ==  
=====

This product includes software developed by the JDOM Project  
(<http://www.jdom.org/>).

=====  
== MX4J Notice ==  
=====

This product includes software developed by the MX4J project  
(<http://sourceforge.net/projects/mx4j>).

=====  
== WSDL4J Notice ==  
=====

The Program includes all or portions of  
the following software which is  
subject to the Common Public License ("CPL Code"). This software  
consists of voluntary contributions made by many individuals on behalf of  
the WSDL4J project.

You may download the source version of the WSDL4J component at  
<http://sourceforge.net/projects/wsdl4j>

=====  
== Xerces Notice ==  
=====

Portions of this software were originally based on the following:  
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.

- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

Portions of this software were originally based on the following:

Aside from contributions to the Apache XMLBeans project, this software also includes:

- W3C XML Schema documents Copyright 2001-2003 (c) World Wide Web Consortium (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University)

- Piccolo XML Parser for Java from <http://piccolo.sourceforge.net/>,  
Copyright 2002 Yuval Oren under the terms of the Apache Software  
License 2.0

This product includes software developed by the Indiana University Extreme! Lab (<http://www.extreme.indiana.edu/>).

(C) Copyright 2004, 2005 International Business Machines Corporation. All rights reserved.

# 1.230 rabbitmq-jms 2.4.0

## 1.230.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2013-2021 VMware, Inc. or its affiliates. All rights reserved. */
```

Found in path(s):

```
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/admin/RMQDestination.java
```

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2014-2020 VMware, Inc. or its affiliates. All rights reserved. */
```

Found in path(s):

```
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/Evaluator.java
```

```
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlExpressionValue.java
```

```
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlEvaluator.java
```

```
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlEvaluatorVisitor.java
```

No license file was found, but licenses were detected in source scan.

```
// This Source Code Form is subject to the terms of the Mozilla Public
```

```
// Copyright (c) 2013-2021 VMware, Inc. or its affiliates. All rights reserved.
```

Found in path(s):

```
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/DeliveryExecutor.java
```

```
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/RMQSession.java
```

```
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/RMQConnection.java
```

```
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/RMQMessageConsumer.java
```

```
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/MessageListenerConsumer.java
```

No license file was found, but licenses were detected in source scan.

```
// This Source Code Form is subject to the terms of the Mozilla Public
```

```
// Copyright (c) 2019-2020 VMware, Inc. or its affiliates. All rights reserved.
```

Found in path(s):

```
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/PublisherConfirmContext.java
```

```
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/PublisherConfirmsUtils.java
```

```
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/ConfirmListener.java
```

```
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/PublishingListener.java
```

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

```
* /rabbitmq-jms-2-4-0-sources-jar/META-INF/maven/com.rabbitmq.jms/rabbitmq-jms/pom.xml
```

No license file was found, but licenses were detected in source scan.

// This Source Code Form is subject to the terms of the Mozilla Public  
// Copyright (c) 2016-2021 VMware, Inc. or its affiliates. All rights reserved.

Found in path(s):

- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/ConnectionParams.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/SessionParams.java

No license file was found, but licenses were detected in source scan.

// This Source Code Form is subject to the terms of the Mozilla Public  
// Copyright (c) 2017-2020 VMware, Inc. or its affiliates. All rights reserved.

Found in path(s):

- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/RMQMessageListenerExecutionJMSEException.java

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2013-2021 VMware, Inc. or its affiliates. All rights reserved. \*/  
/\*\*

- \* Enables TLS on opened connections using the provided TLS protocol
- \* version.
- \* @param protocol TLS or SSL protocol version.
- \* @see <a

href="https://docs.oracle.com/javase/7/docs/technotes/guides/security/SunProviders.html#SunJSSEProvider">JDK  
documentation on protocol names</a>

- \*/

Found in path(s):

- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/admin/RMQConnectionFactory.java

No license file was found, but licenses were detected in source scan.

// This Source Code Form is subject to the terms of the Mozilla Public  
// Copyright (c) 2013-2020 VMware, Inc. or its affiliates. All rights reserved.

Found in path(s):

- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/RMQNullMessage.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/RMQMessage.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/SendingContextConsumer.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/message/RMQBytesMessage.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/message/RMQObjectMessage.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/message/RMQStreamMessage.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/ReceivingContext.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/ReceivingContextConsumer.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/Completion.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/message/RMQMapMessage.java
- \*

- /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/DelayedReceiver.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/message/RMQTextMessage.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/RMQMessageProducer.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/RMQConnectionMetaData.java

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2013-2020 VMware, Inc. or its affiliates. All rights reserved. \*/

Found in path(s):

```
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/Abortable.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/WaiterGate.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/IteratorEnum.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/RMQJMSException.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/RMQJMSSelectorException.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/Util.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/admin/RMQObjectFactory.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/UriCodec.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/Visitor.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/HexDisplay.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/Compiler.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlProduction.java
*
/rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/AbortedException.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/Parser.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/WhiteListObjectInputStream.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlTokenType.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlTreeNode.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/ParseTree.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlTokenValueType.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/RMQMessageFormatException.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlTokenStream.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/TokenStream.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlParser.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/RMQJMSSecurityException.java
*
/rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/TimeTracker.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/ParseTreeTraverser.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlCompiler.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlTypeChecker.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlTreeType.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/AbortableHolder.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlCompilerVisitor.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/Multiples.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/RMQByteArrayOutputStream.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlToken.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlExpressionType.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlTypeSetterVisitor.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/DiscardingObjectOutput.java
*
/rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/util/EntryExitManager.java
* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/parse/sql/SqlParseTree.java
```



No license file was found, but licenses were detected in source scan.

// This Source Code Form is subject to the terms of the Mozilla Public  
// Copyright (c) 2014-2020 VMware, Inc. or its affiliates. All rights reserved.

Found in path(s):

- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/BrowsingMessageEnumeration.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/BrowsingConsumer.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/GenericVersion.java
- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/BrowsingMessageQueue.java

No license file was found, but licenses were detected in source scan.

// This Source Code Form is subject to the terms of the Mozilla Public  
// Copyright (c) 2018-2020 VMware, Inc. or its affiliates. All rights reserved.

Found in path(s):

- \* /rabbitmq-jms-2-4-0-sources-jar/com/rabbitmq/jms/client/SendingContext.java

# 1.231 lettuce-core 6.2.3.RELEASE

## 1.231.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Lettuce Java Redis Client 6.2.3.RELEASE  
Copyright (c) 2011-2020 Mark Paluch

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate

copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license file.

# 1.232 commons-net 1.2.2

## 1.232.1 Available under license :

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or  
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)

the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,



reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.233 pdfbox 2.0.25

## 1.233.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## EXTERNAL COMPONENTS

Apache PDFBox includes a number of components with separate copyright notices and license terms. Your use of these components is subject to the terms and conditions of the following licenses.

Contributions made to the original PDFBox project:

Copyright (c) 2002-2007, [www.pdfbox.org](http://www.pdfbox.org)  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions

in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of pdfbox; nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Adobe Font Metrics (AFM) for PDF Core 14 Fonts

This file and the 14 PostScript(R) AFM files it accompanies may be used, copied, and distributed for any purpose and without charge, with or without modification, provided that all copyright notices are retained; that the AFM files are not distributed without this file; that all modifications to this file or any of the AFM files are prominently noted in the modified file(s); and that this paragraph is not modified. Adobe Systems has no responsibility or obligation to support the use of the AFM files.

CMaps for PDF Fonts (<http://opensource.adobe.com/wiki/display/cmap/Downloads>)

Copyright 1990-2009 Adobe Systems Incorporated.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Adobe Systems Incorporated nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Glyphlist (<http://www.adobe.com/devnet/opentype/archives/glyph.html>)

Copyright (c) 1997,1998,2002,2007 Adobe Systems Incorporated

Permission is hereby granted, free of charge, to any person obtaining a



copy of this documentation file to use, copy, publish, distribute, sublicense, and/or sell copies of the documentation, and to permit others to do the same, provided that:

- No modification, editing or other alteration of this document is allowed; and
- The above copyright notice and this permission notice shall be included in all copies of the documentation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this documentation file, to create their own derivative works from the content of this document to use, copy, publish, distribute, sublicense, and/or sell the derivative works, and to permit others to do the same, provided that the derived work is not represented as being a copy or version of this document.

Adobe shall not be liable to any party for any loss of revenue or profit or for indirect, incidental, special, consequential, or other similar damages, whether based on tort (including without limitation negligence or strict liability), contract or other legal or equitable grounds even if Adobe has been advised or had reason to know of the possibility of such damages. The Adobe materials are provided on an "AS IS" basis. Adobe specifically disclaims all express, statutory, or implied warranties relating to the Adobe materials, including but not limited to those concerning merchantability or fitness for a particular purpose or non-infringement of any third party rights regarding the Adobe materials.

Liberation Fonts (<https://fedorahosted.org/liberation-fonts>)

Digitized data copyright (c) 2010 Google Corporation  
with Reserved Font Arimo, Tinos and Cousine.  
Copyright (c) 2012 Red Hat, Inc.  
with Reserved Font Name Liberation.

This Font Software is licensed under the SIL Open Font License, Version 1.1.

This license is copied below, and is also available with a FAQ at:  
<http://scripts.sil.org/OFL>

SIL OPEN FONT LICENSE Version 1.1 - 26 February 2007

PREAMBLE The goals of the Open Font License (OFL) are to stimulate worldwide development of collaborative font projects, to support the font creation efforts of academic and linguistic communities, and to provide a free and open framework in which fonts may be shared and improved in

partnership with others.

The OFL allows the licensed fonts to be used, studied, modified and redistributed freely as long as they are not sold by themselves. The fonts, including any derivative works, can be bundled, embedded, redistributed and/or sold with any software provided that any reserved names are not used by derivative works. The fonts and derivatives, however, cannot be released under any other type of license. The requirement for fonts to remain under this license does not apply to any document created using the fonts or their derivatives.

#### DEFINITIONS

"Font Software" refers to the set of files released by the Copyright Holder(s) under this license and clearly marked as such. This may include source files, build scripts and documentation.

"Reserved Font Name" refers to any names specified as such after the copyright statement(s).

"Original Version" refers to the collection of Font Software components as distributed by the Copyright Holder(s).

"Modified Version" refers to any derivative made by adding to, deleting, or substituting ? in part or in whole ? any of the components of the Original Version, by changing formats or by porting the Font Software to a new environment.

"Author" refers to any designer, engineer, programmer, technical writer or other person who contributed to the Font Software.

#### PERMISSION & CONDITIONS

Permission is hereby granted, free of charge, to any person obtaining a copy of the Font Software, to use, study, copy, merge, embed, modify, redistribute, and sell modified and unmodified copies of the Font Software, subject to the following conditions:

- 1) Neither the Font Software nor any of its individual components, in Original or Modified Versions, may be sold by itself.
- 2) Original or Modified Versions of the Font Software may be bundled, redistributed and/or sold with any software, provided that each copy contains the above copyright notice and this license. These can be included either as stand-alone text files, human-readable headers or in the appropriate machine-readable metadata fields within text or

binary files as long as those fields can be easily viewed by the user.

- 3) No Modified Version of the Font Software may use the Reserved Font Name(s) unless explicit written permission is granted by the corresponding Copyright Holder. This restriction only applies to the primary font name as presented to the users.
- 4) The name(s) of the Copyright Holder(s) or the Author(s) of the Font Software shall not be used to promote, endorse or advertise any Modified Version, except to acknowledge the contribution(s) of the Copyright Holder(s) and the Author(s) or with their explicit written permission.
- 5) The Font Software, modified or unmodified, in part or in whole, must be distributed entirely under this license, and must not be distributed under any other license. The requirement for fonts to remain under this license does not apply to any document created using the Font Software.

#### TERMINATION

This license becomes null and void if any of the above conditions are not met.

#### DISCLAIMER

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Twelvemonkeys (<https://github.com/haraldk/TwelveMonkeys/>)

Copyright (c) 2008-2016, Harald Kuhr  
All rights reserved.

Redistribution and use in source  
and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

- o Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- o Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

o Neither the name "TwelveMonkeys" nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache PDFBox  
Copyright 2002-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Based on source code contributed to the original PDFBox project.  
Copyright (c) 2002-2007, [www.pdfbox.org](http://www.pdfbox.org)

Includes the Adobe Glyph List  
Copyright 1997, 1998, 2002, 2007, 2010 Adobe Systems Incorporated.

Includes the Zapf Dingbats Glyph List  
Copyright 2002, 2010 Adobe Systems Incorporated.

Includes the Bidi Mirroring Glyph Property (BidiMirroring-8.0.0.txt)  
Copyright 1991-2015 Unicode, Inc.

Includes parts of TwelveMonkeys ImageIO  
Copyright 2008-2016 Harald Kuhr

## 1.234 apache-log4j 1.2.17

### 1.234.1 Available under license :

Apache log4j  
Copyright 2007 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole

responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following



boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

# 1.235 lucene-queryparser 6.5.1

## 1.235.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was  
derived from unicode conversion examples available at  
<http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright  
from those sources:

```
/*
 * Copyright 2001-2004 Unicode, Inc.
 *
 * Disclaimer
 *
 * This source code is provided as is by Unicode, Inc. No claims are
 * made as to fitness for any particular purpose. No warranties of any
 * kind are expressed or implied. The recipient agrees to determine
 * applicability of information provided. If this file has been
 * purchased on magnetic or optical media from Unicode, Inc., the
 * sole remedy for any claim
 * will be exchange of defective media
 * within 90 days of receipt.
 *
 * Limitations on Rights to Redistribute This Code
 *
 * Unicode, Inc. hereby grants the right to freely use the information
 * supplied in this file in the creation of products supporting the
 * Unicode Standard, and to make copies of this file in any form
 * for internal or external distribution as long as this notice
 * remains attached.
 */
```

Some code in `core/src/java/org/apache/lucene/util/ArrayUtil.java` was  
derived from Python 2.4.2 sources available at  
<http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from Python 3.1.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in core/src/java/org/apache/lucene/util/automaton was derived from Brics automaton sources available at [www.brics.dk/automaton/](http://www.brics.dk/automaton/).

Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton were automatically generated with the moman/finenight FSA package. Here is the copyright for those sources:

```
Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
Permission is hereby granted, free of charge, to any person
```

```

obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including
without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:
#
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
#
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

```

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was  
derived from ICU (<http://www.icu-project.org>)

The full license is available

here:

<http://source.icu-project.org/repos/icu/icu/trunk/license.html>

```

/*

```

```

 * Copyright (C) 1999-2010, International Business Machines

```

```

 * Corporation and others. All Rights Reserved.

```

```

 *

```

```

 * Permission is hereby granted, free of charge, to any person obtaining a copy
 * of this software and associated documentation files (the "Software"), to deal
 * in the Software without restriction, including without limitation the rights
 * to use, copy, modify, merge, publish, distribute, and/or sell copies of the
 * Software, and to permit persons to whom the Software is furnished to do so,
 * provided that the above copyright notice(s) and this permission notice appear
 * in all copies of the Software and that both the above copyright notice(s) and
 * this permission notice appear in supporting documentation.
 *

```

```

 *

```

```

 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 * FITNESS FOR A PARTICULAR

```

```

PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

```

```

 * IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE
 * LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR
 * ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
 * IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT

```



\* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* Except as contained in this notice, the name of a copyright holder shall not  
\* be used in advertising or otherwise to promote the sale, use or other  
\* dealings in this Software without prior written authorization of the  
\* copyright holder.

\*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter

Copyright (c) 2002, Richard Boulton

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,  
\* this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holders nor the names of its contributors  
\* may be used to endorse or promote products derived from this software  
\* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE  
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR  
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER  
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,

Center for Intelligent Information Retrieval,

University of Massachusetts, Amherst.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact [info@ciir.cs.umass.edu](mailto:info@ciir.cs.umass.edu).

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss  
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT

NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN tagset.

---

The following license applies to the Morfeusz project, used by `org.apache.lucene.analysis.morfologik`.

BSD-licensed dictionary of Polish (SGJP)  
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Włodzimierz Gruszczyski,  
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE

DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Lucene

Copyright 2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Ant
- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is  
BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were  
automatically generated with the moman/finenight FSA library, created by  
Jean-Philippe Barrette-LaPierre.

This library is available under an MIT license,  
see <http://sites.google.com/site/rrettesite/moman> and  
<http://bitbucket.org/jpbarrette/moman/overview/>

The class org.apache.lucene.util.WeakIdentityMap was derived from  
the Apache CXF project and is Apache License 2.0.

The Google Code Prettify is Apache License 2.0.  
See <http://code.google.com/p/google-code-prettify/>

JUnit (junit-4.10) is licensed under the Common Public License v. 1.0  
See <http://junit.sourceforge.net/cpl-v10.html>

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checking Package (jaspell): <http://jaspell.sourceforge.net/>  
License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in  
`analysis/common/src/java/net/sf/snowball`  
were developed by Martin Porter and Richard Boulton.  
The snowball stopword lists in  
`analysis/common/src/resources/org/apache/lucene/analysis/snowball`  
were developed by Martin Porter and Richard Boulton.  
The full snowball package  
is available from  
<http://snowball.tartarus.org/>

The KStem stemmer in  
`analysis/common/src/org/apache/lucene/analysis/en`  
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)  
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, and Hindi analyzers (common) come with a default  
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:  
`analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt`  
See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers  
(common) are based on BSD-licensed reference implementations created  
by Jacques Savoy and  
Ljiljana Dolamic. These files reside in:  
`analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java`  
`analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java`

The Stempel analyzer (stempel) includes BSD-licensed  
software developed  
by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil,  
and Edmond Nolan.

The Polish analyzer (stempel) comes with a default  
stopword list that is BSD-licensed created by the Carrot2 project. The file resides  
in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt.  
See <http://project.carrot2.org/license.html>.

The SmartChineseAnalyzer source code (smartcn) was  
provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

WordBreakTestUnicode\_\*.java (under modules/analysis/common/src/test/)  
is derived from Unicode data such as the Unicode Character Database.  
See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software  
developed by Dawid Weiss and Marcin Mikowski (<http://morfologik.blogspot.com/>).

Morfologik uses data from Polish ispell/myspell dictionary  
(<http://www.sjp.pl/slownik/en/>) licenced on the terms of (inter alia)  
LGPL and Creative Commons ShareAlike.

Morfologic  
includes data from BSD-licensed dictionary of Polish (SGJP)  
(<http://sgjp.pl/morfeusz/>)

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original  
source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====  
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====  
mecab-ipadic-2.7.0-20070801 Notice  
=====

Nara

Institute of Science and Technology (NAIST), the copyright holders, disclaims all warranties with regard to this software, including all implied warranties of merchantability and fitness, in no event shall NAIST be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

A large portion of the dictionary entries originate from ICOT Free Software. The following conditions for ICOT Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its original form or modified, to any third party or parties, PROVIDED that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear on, or be attached to, the Program, which is distributed substantially in the same form as set out herein and that such intended distribution, if actually made, will neither violate or otherwise contravene any of the laws and regulations of the countries having jurisdiction over the User or the intended distribution itself.

#### NO WARRANTY

The program was produced on an experimental basis in the course of the research and development conducted during the project and is provided to users as so produced on an experimental basis. Accordingly, the program is provided without any warranty whatsoever, whether express, implied, statutory or otherwise. The term "warranty" used herein includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material

or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

## 1.236 tomcat-catalina-ant 9.0.83

### 1.236.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the



outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.237 jaxb-core 2.3.2

## 1.237.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.



To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache CXF  
Copyright 2006-2011 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.238 slf4j 1.7.25

### 1.238.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
```

\* included in all copies or substantial portions of the Software.  
 \*  
 \* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
 \* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
 \* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
 \* NONINFRINGEMENT. IN  
 NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
 \* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
 \* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
 \* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
 \*  
 \*/

Found in path(s):

\* /slf4j-api-1-7-25-sources-jar/org/slf4j/MDC.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/MarkerIgnoringBase.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/LoggerFactory.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/NOPLoggerFactory.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/spi/LocationAwareLogger.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/MessageFormatter.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/NamedLoggerBase.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/spi/MarkerFactoryBinder.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/impl/StaticMDCBinder.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/SubstituteLogger.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/NOPLogger.java  
 \*  
 /slf4j-api-1-7-25-sources-jar/org/slf4j/impl/StaticLoggerBinder.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/Util.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/FormattingTuple.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/MarkerFactory.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/spi/LoggerFactoryBinder.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/SubstituteLoggerFactory.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/Marker.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/spi/MDCAdapter.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/BasicMarker.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/NOPMDCAdapter.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/BasicMDCAdapter.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/impl/StaticMarkerBinder.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/helpers/BasicMarkerFactory.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/Logger.java  
 \* /slf4j-api-1-7-25-sources-jar/org/slf4j/IMarkerFactory.java  
 \*  
 /slf4j-api-1-7-25-sources-jar/org/slf4j/ILoggerFactory.java

## 1.239 hibernate-proxool 3.3.1.GA

## 1.239.1 Available under license :

Found license 'GNU Lesser General Public License' in '\*' indicated by the @author tags or express copyright attribution \* distributed under license by Red Hat Middleware LLC. \* This copyrighted material is made available to anyone wishing to use, modify, \* copy, or redistribute it subject to the terms and conditions of the GNU \* Lesser General Public License, as published by the Free Software Foundation. \* This program is distributed in the hope that it will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY \* or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License \* for more details. \* You should have received a copy of the GNU Lesser General Public License \* Boston, MA 02110-1301 USA'

## 1.240 itext-pdf 1.3.1

### 1.240.1 Available under license :

GNU LIBRARY GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is numbered 2 because it goes with version 2 of the ordinary GPL.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if

you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software

sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

.

#### GNU LIBRARY GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated

interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the

application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany

it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse



engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must

supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally

accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

.

11. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may

not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and

"any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

##### 15. BECAUSE

THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE

OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### MOZILLA PUBLIC LICENSE

Version 1.1

-----

##### 1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. Source Code License.

### 2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property

claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

## 2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation

Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

### 3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be

made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

### 3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that

the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

### 3.4. Intellectual Property Matters

#### (a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups)



reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by

this License.

### 3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable

version of Covered

Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger

Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

## 4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

## 6. Versions of the License.

### 6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

### 6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the

License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

### 6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename

Your license so that

the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

## 7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or

a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

## 9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL,

WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL

NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY

RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

#### 11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable,

such provision shall be reformed only to the extent

necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be

construed against the drafter shall not apply to this

License.

#### 12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to

work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

### 13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

#### EXHIBIT A -Mozilla Public License.

``The contents of this file are subject to the Mozilla  
Public License

Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is \_\_\_\_\_.

The Initial Developer of the Original Code is \_\_\_\_\_.

Portions created by \_\_\_\_\_ are Copyright (C) \_\_\_\_\_  
\_\_\_\_\_. All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms of the \_\_\_\_\_ license (the "[ ] License"), in which case the provisions of [ ] License are applicable instead of those above. If

you wish to allow use of your version of this file only

under the terms of the [ ] License and not to allow others to use your version of this file under the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [ ] License. If you do not delete the provisions above, a recipient may use your version of this file under either the MPL or the [ ] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the

# 1.241 xbean-spring 4.14

## 1.241.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate



as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache XBean :: Spring  
Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.242 xalan 2.4.1

## 1.242.1 Available under license :

IBM Public License Version 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS IBM PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of International Business Machines Corporation ("IBM"), the Original Program, and

b) in the case of each Contributor,

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means IBM and any other entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Original Program" means the original version of the software accompanying this Agreement as released by IBM, including source code, object code and documentation, if any.

"Program" means the Original Program and Contributions.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the

rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Each Contributor must include the following in a conspicuous location in the Program:

Copyright {date here}, International Business Machines Corporation and others. All Rights Reserved.

In addition, each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners

and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

IBM may publish new versions (including revisions) of this Agreement from time to time. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. No one other than IBM has the right to modify this Agreement. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

/\*

\* =====

\*           The Apache Software License, Version 1.1

\* =====

\*

\* Copyright (C) 2000-2002 The Apache Software Foundation. All  
\* rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modifica-  
\* tion, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice,  
\* this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice,  
\* this list of conditions and the following disclaimer in the documentation  
\* and/or other materials provided with the distribution.

\*

\* 3. The end-user documentation included with the redistribution, if any, must  
\* include the following acknowledgment: "This product  
includes software

\* developed by the Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgment may appear in the software itself, if

\* and wherever such third-party acknowledgments normally appear.

\*

\* 4. The names "Ant" and "Apache Software Foundation" must not be used to  
\* endorse or promote products derived from this software without prior  
\* written permission. For written permission, please contact  
\* [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache", nor may  
\* "Apache" appear in their name, without prior written permission of the  
\* Apache Software Foundation.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,  
\* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE  
\* APACHE SOFTWARE FOUNDATION OR ITS  
CONTRIBUTORS BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLU-  
\* DING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS  
\* OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON



\* ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
 \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*  
 \* This software consists of voluntary contributions made by many individuals  
 \* on behalf of the Apache Software Foundation. For more information on the  
 \* Apache Software Foundation, please see <<http://www.apache.org/>>.  
 \*  
 \*/  
 /\*  
 \* The Apache Software License, Version 1.1  
 \*  
 \*  
 \* Copyright (c) 1999 The Apache Software Foundation. All rights  
 \* reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \*  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in  
 \* the documentation and/or other materials provided with the  
 \* distribution.  
 \*  
 \* 3. The end-user documentation included with the redistribution,  
 \* if any, must include the following acknowledgment:  
 \* "This product includes software developed by the  
 \* Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately, this acknowledgment may appear in the software itself,  
 \* if and wherever such third-party acknowledgments normally appear.  
 \*  
 \* 4. The names "Xalan", "Xerces", and "Apache Software Foundation" must  
 \* not be used to endorse or promote products derived from this  
 \* software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*  
 \* 5. Products derived from this software may not be called "Apache",  
 \* nor may "Apache" appear in their name, without prior written  
 \* permission of the Apache Software Foundation.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR

\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
\* SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====  
\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation and was  
\* originally based on software copyright (c) 1999, International  
\* Business Machines, Inc., <http://www.apache.org>. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.

\*/

CUP Parser Generator Copyright Notice, License, and Disclaimer

Copyright 1996-1999 by Scott Hudson, Frank Flannery, C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its  
documentation for any purpose and without fee is hereby granted, provided  
that the above copyright notice appear in all copies and that both  
the copyright notice and this permission notice and warranty disclaimer  
appear in supporting documentation, and that the names of the authors  
or their employers not be used in advertising or publicity pertaining  
to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to  
this software, including all implied warranties of merchantability  
and fitness. In no event shall the authors or their employers be liable  
for any special, indirect or consequential damages or any damages  
whatsoever resulting from loss of use, data or profits, whether  
in an action  
of contract, negligence or other tortious action, arising out of or  
in connection with the use or performance of this software.

/\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999 The Apache Software Foundation. All rights  
\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \*
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in
- \* the documentation and/or other materials provided with the
- \* distribution.
- \*
- \* 3. The end-user documentation included with the redistribution,
- \* if any, must include the following acknowledgment:
- \* "This product includes software developed by the
- \* Apache Software Foundation (<http://www.apache.org/>)."
- \* Alternately, this acknowledgment may appear in the software itself,
- \* if and wherever such third-party acknowledgments normally appear.
- \*
- \* 4. The names "Xalan" and "Apache Software Foundation" must
- \* not be used to endorse or promote products derived from this
- \* software without prior written permission. For written
- \* permission, please contact [apache@apache.org](mailto:apache@apache.org).
- \*
- \* 5. Products derived from this software may not be called "Apache",
- \* nor may "Apache" appear in their name, without prior written
- \* permission of the Apache Software Foundation.
- \*
- \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
- \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
- \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
- \* OF
- \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- \* SUCH DAMAGE.
- \* =====
- \*
- \* This software consists of voluntary contributions made by many
- \* individuals on behalf of the Apache Software Foundation and was
- \* originally based on software copyright (c) 1999, Lotus
- \* Development Corporation., <http://www.lotus.com>. For more
- \* information on the Apache Software Foundation, please see
- \* <http://www.apache.org/>.
- \*/

Apache Software License, Version 1.1

\* Copyright (c) 2001 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

\*

\* 4. The names "Apache" and "Apache Software Foundation" and "Apache BCEL" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache", "Apache BCEL", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many

\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.  
\*/

## JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2000 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract,

negligence or other tortious action, arising out of or in connection with the use or performance of this software.

Java is a trademark of Sun Microsystems, Inc. References to the Java programming language in relation to JLex are not meant to imply that Sun endorses this product.

/\*

\* The Apache Software License, Version 1.1

\*

\*

\* Copyright (c) 1999-2002 The Apache Software Foundation. All rights  
\* reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*  
 \* 3. The end-user documentation included with the redistribution,  
 \* if any, must include the following acknowledgment:  
 \* "This product includes software developed by the  
 \* Apache Software Foundation (<http://www.apache.org/>)."  
 \* Alternately, this acknowledgment may appear in the software  
 \* itself,  
 \* if and wherever such third-party acknowledgments normally appear.  
 \*  
 \* 4. The names "Xerces" and "Apache Software Foundation" must  
 \* not be used to endorse or promote products derived from this  
 \* software without prior written permission. For written  
 \* permission, please contact [apache@apache.org](mailto:apache@apache.org).  
 \*  
 \* 5. Products derived from this software may not be called "Apache",  
 \* nor may "Apache" appear in their name, without prior written  
 \* permission of the Apache Software Foundation.  
 \*  
 \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
 \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
 \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
 \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
 \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
 \* LOSS OF  
 \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
 \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
 \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
 \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \* =====  
 \*  
 \* This software consists of voluntary contributions made by many  
 \* individuals on behalf of the Apache Software Foundation and was  
 \* originally based on software copyright (c) 1999, International  
 \* Business Machines, Inc., <http://www.ibm.com>. For more  
 \* information on the Apache Software Foundation, please see  
 \* <<http://www.apache.org/>>.  
 \*/  
 /\*  
 \* =====  
 \* The Apache Software License, Version 1.1  
 \* =====  
 \*  
 \* Copyright (C) 1999 The Apache Software Foundation. All rights reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without modifica-

\* tion, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice,  
\* this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice,  
\* this list of conditions and the following disclaimer in the documentation  
\* and/or other materials provided with the distribution.

\*

\* 3. The end-user documentation included with the redistribution, if any, must  
\* include the following acknowledgment: "This product includes  
software  
\* developed by the Apache Software Foundation (<http://www.apache.org/>)."  
\* Alternately, this acknowledgment may appear in the software itself, if  
\* and wherever such third-party acknowledgments normally appear.

\*

\* 4. The names "Ant" and "Apache Software Foundation" must not be used to  
\* endorse or promote products derived from this software without prior  
\* written permission. For written permission, please contact  
\* [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache", nor may  
\* "Apache" appear in their name, without prior written permission of the  
\* Apache Software Foundation.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,  
\* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
\* FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE  
\* APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS  
BE LIABLE FOR ANY DIRECT,  
\* INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLU-  
\* DING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS  
\* OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON  
\* ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* This software consists of voluntary contributions made by many individuals  
\* on behalf of the Apache Software Foundation. For more information on the  
\* Apache Software Foundation, please see <<http://www.apache.org/>>.

\*

\*/

/\* =====

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 2001-2002 The Apache Software Foundation. All rights  
\* reserved.

\*

- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \*
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \*
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in
- \* the documentation and/or other materials provided with the
- \* distribution.
- \*
- \* 3. The end-user documentation included with the redistribution,
- \* if any, must include the following acknowledgment:
- \* "This product includes software developed by the
- \* Apache Software Foundation (<http://www.apache.org/>)."
- \*
- Alternately, this acknowledgment may appear in the software itself,
- \* if and wherever such third-party acknowledgments normally appear.
- \*
- \* 4. The names "Apache" and "Apache Software Foundation" must
- \* not be used to endorse or promote products derived from this
- \* software without prior written permission. For written
- \* permission, please contact [apache@apache.org](mailto:apache@apache.org).
- \*
- \* 5. Products derived from this software may not be called "Apache",
- \* nor may "Apache" appear in their name, without prior written
- \* permission of the Apache Software Foundation.
- \*
- \* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
- \* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
- \* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
- \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
- \* NOT
- \* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
- \* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
- \* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
- \* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- \* SUCH DAMAGE.
- \* =====
- \*
- \* This software consists of voluntary contributions made by many
- \* individuals on behalf of the Apache Software Foundation. For more
- \* information on the Apache Software Foundation, please see
- \* <http://www.apache.org/>.



\*/

CUP Parser Generator Copyright Notice, License, and Disclaimer  
(runtime.jar component)

Copyright 1996-1999 by Scott Hudson, Frank Flannery, C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

Java HTML Tidy - JTiny

HTML parser and pretty printer

Copyright (c) 1998-2000 World Wide Web Consortium (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

Contributing Author(s):

Dave Raggett <dsr@w3.org>

Andy Quick <ac.quick@sympatico.ca> (translation to Java)

Gary L Peskin <garyp@firstech.com> (Java development)

Sami Lempinen <sami@lempinen.net> (release management)

The contributing author(s) would like to thank all those who helped with testing, bug fixes, and patience. This wouldn't have been possible without all of you.

COPYRIGHT NOTICE:

This software and documentation is provided "as is," and the copyright holders and contributing author(s) make no representations or warranties, express or implied, including but not limited to, warranties of merchantability or fitness for any particular purpose or that the

use of the software or documentation will not infringe any third party patents, copyrights, trademarks or other rights.

The copyright holders and contributing author(s) will not be liable for any direct, indirect, special or consequential damages arising out of any use of the software or documentation, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, documentation and executables, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The copyright holders and contributing author(s) specifically permit, without fee, and encourage the use of this source code as a component for supporting the Hypertext Markup Language in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

## 1.243 sns 2.20.128

### 1.243.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

# 1.244 activemq-amqp 5.15.11

## 1.244.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,



and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

ActiveMQ :: AMQP

Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.245 bcel 6.7.0

## 1.245.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons BCEL

Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

# 1.246 sdk-core 2.20.128



## 1.246.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang  
Copyright 2001-2020  
The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed

with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

# 1.247 javax-activation 1.2.0

## 1.247.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the

Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.



### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under

the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant

Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other

clause or provision that addresses Government rights in computer

software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

---

### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara

County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This General Public

License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute  
copies of such a program, whether gratis  
or for a fee, you must give the recipients all the rights that you have.  
You must make sure that they, too, receive or can get the source code.  
And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and  
(2) offer you this license which gives you legal permission to copy,  
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this

License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of

it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:



- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works.

These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in

certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

#### 9. The Free Software Foundation

may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM

(INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version  
69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the

appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
program `Gnomovision' (which makes passes at compilers) written by  
James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your  
program  
into proprietary programs. If your program is a subroutine library, you  
may consider it more useful to permit linking proprietary applications  
with the library. If this is what you want to do, use the GNU Library  
General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its  
affiliates are subject to the following clarification and special  
exception to the GPLv2, based on the GNU Project exception for its  
Classpath libraries, known as the GNU Classpath Exception, but only  
where Oracle has expressly included in the particular source file's  
header the words "Oracle designates this particular file as subject to  
the "Classpath" exception as provided by Oracle in the LICENSE file  
that accompanied this code."

You should also note that Oracle includes multiple, independent  
programs in this software package. Some of those programs are provided  
under licenses deemed incompatible with the GPLv2 by the Free Software  
Foundation and  
others. For example, the package includes programs  
licensed under the Apache License, Version 2.0. Such programs are  
licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding  
the Classpath Exception to the necessary parts of its GPLv2 code, which  
permits you to use that code in combination with other independent  
modules not licensed under the GPLv2. However, note that this would  
not permit you to commingle code under an incompatible license with  
Oracle's GPLv2 licensed code by, for example, cutting and pasting such  
code into a file also containing Oracle's GPLv2 licensed code and then

distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included

in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

#### CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.248 jline 3.22.0

### 1.248.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2002-2018, the original author or authors.

\*

\* This software is distributable under the BSD license. See the terms of the

\* BSD license in the documentation provided with this software.

\*

\* <https://opensource.org/licenses/BSD-3-Clause>

```

*/
/*
* Java TelnetD library (embeddable telnet daemon)
* Copyright (c) 2000-2005 Dieter Wimberger
* All rights reserved.
* <p/>
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
* Redistributions of source code must retain the above copyright notice,
* this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
* this list of conditions and the following disclaimer in the documentation
* and/or other materials provided with the distribution.
* <p/>
* Neither the name of the author
* nor the names of its contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.
* <p/>
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS ``AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
* THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
* POSSIBILITY OF SUCH DAMAGE.
***/

```

Found in path(s):

```

* /jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/ConnectionManager.java
*
* /jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/TelnetIO.java
* /jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/ConnectionData.java
* /jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/PortListener.java
* /jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/ConnectionEvent.java
* /jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/Connection.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (c) 2002-2016, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.

```

\*  
\* <https://opensource.org/licenses/BSD-3-Clause>  
\*/

Found in path(s):

\* /jline-3-22-0-sources-8-jar/org/jline/utils/ExecHelper.java  
\* /jline-3-22-0-sources-8-jar/org/jline/terminal/Attributes.java  
\* /jline-3-22-0-sources-8-jar/org/jline/utils/ShutdownHooks.java  
\* /jline-3-22-0-sources-8-jar/org/jline/reader/UserInterruptException.java  
\* /jline-3-22-0-sources-8-jar/org/jline/utils/DiffHelper.java  
\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/win/WindowsAnsiWriter.java  
\* /jline-3-22-0-sources-8-jar/org/jline/utils/AttributedString.java  
\* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/AggregateCompleter.java  
\* /jline-3-22-0-sources-8-jar/org/jline/utils/OSUtils.java  
\* /jline-3-22-0-sources-8-jar/org/jline/reader/Binding.java  
\*  
/jline-3-22-0-sources-8-jar/org/jline/terminal/MouseEvent.java  
\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/MouseSupport.java  
\* /jline-3-22-0-sources-8-jar/org/jline/reader/Widget.java  
\* /jline-3-22-0-sources-8-jar/org/jline/terminal/spi/Pty.java  
\* /jline-3-22-0-sources-8-jar/org/jline/utils/package-info.java  
\* /jline-3-22-0-sources-8-jar/org/jline/reader/package-info.java  
\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/NativeSignalHandler.java  
\* /jline-3-22-0-sources-8-jar/org/jline/utils/ClosedException.java  
\* /jline-3-22-0-sources-8-jar/org/jline/reader/Reference.java  
\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/package-info.java  
\* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/package-info.java  
\* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/EnumCompleter.java  
\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/ExecPty.java  
\* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/NullCompleter.java  
\*  
/jline-3-22-0-sources-8-jar/org/jline/reader/Macro.java  
\* /jline-3-22-0-sources-8-jar/org/jline/terminal/Cursor.java  
\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/AbstractPosixTerminal.java  
\* /jline-3-22-0-sources-8-jar/org/jline/reader/Expander.java  
\* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/DefaultExpander.java  
\* /jline-3-22-0-sources-8-jar/org/jline/utils/InputStreamReader.java  
\* /jline-3-22-0-sources-8-jar/org/jline/utils/Levenshtein.java  
\* /jline-3-22-0-sources-8-jar/org/jline/keymap/KeyMap.java  
\* /jline-3-22-0-sources-8-jar/org/jline/utils/WCWidth.java  
\* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/UndoTree.java  
\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/CursorSupport.java  
\* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/history/package-info.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (c) 2002-2022, the original author or authors.  
\*



\* This software is distributable under the BSD license. See the terms of the  
\* BSD license in the documentation provided with this software.  
\*  
\* <https://opensource.org/licenses/BSD-3-Clause>  
\*/

Found in path(s):

\* /jline-3-22-0-sources-8-jar/org/jline/console/impl/DefaultPrinter.java  
\* /jline-3-22-0-sources-8-jar/org/jline/console/Printer.java  
\* /jline-3-22-0-sources-8-jar/org/jline/console/impl/SystemHighlighter.java  
\* /jline-3-22-0-sources-8-jar/org/jline/builtins/Source.java  
\* /jline-3-22-0-sources-8-jar/org/jline/builtins/Commands.java  
\* /jline-3-22-0-sources-8-jar/org/jline/console/impl/SystemRegistryImpl.java  
\* /jline-3-22-0-sources-8-jar/org/jline/builtins/Less.java  
\* /jline-3-22-0-sources-8-jar/org/jline/console/impl/Builtins.java  
\* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/LineReaderImpl.java  
\* /jline-3-22-0-sources-8-jar/org/jline/builtins/SyntaxHighlighter.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed to the Apache Software Foundation (ASF) under one  
\* or more contributor license agreements. See the NOTICE file  
\* distributed with this work for additional information  
\* regarding copyright ownership. The ASF licenses this file  
\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing,  
\* software distributed under the License is distributed on an  
\* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
\* KIND, either express or implied. See the License for the  
\* specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /jline-3-22-0-sources-8-jar/org/jline/reader/SyntaxError.java  
\* /jline-3-22-0-sources-8-jar/org/jline/reader/EOFError.java  
No license file was found, but licenses were detected in source scan.

#  
# Copyright (c) 2002-2016, the original author or authors.  
#  
# This software is distributable under the BSD license. See the terms of the  
# BSD license in the documentation provided with this software.

```
#
https://opensource.org/licenses/BSD-3-Clause
#

auto_left_margin, bw, bw
auto_right_margin, am, am
back_color_erase, bce, ut
can_change, ccc, cc
ceol_standout_glitch, xhp, xs
col_addr_glitch, xhpa, YA
cpi_changes_res, cpix, YF
cr_cancels_micro_mode, crxm, YB
dest_tabs_magic_smo, xt, xt
eat_newline_glitch, xenl, xn
erase_overstrike, eo, eo
generic_type, gn, gn
hard_copy, hc, hc
hard_cursor, chts, HC
has_meta_key, km, km
has_print_wheel, daisy, YC
has_status_line, hs, hs
hue_lightness_saturation, hls, hl
insert_null_glitch, in, in
lpi_changes_res, lpix, YG
memory_above, da, da
memory_below, db, db
move_insert_mode, mir, mi
move_standout_mode, msgr, ms
needs_xon_xoff, nxon, nx
no_esc_ctlc, xsb, xb
no_pad_char, npc,
NP
non_dest_scroll_region, ndscr, ND
non_rev_rmcup, nrrmc, NR
over_strike, os, os
prtr_silent, mc5i, 5i
row_addr_glitch, xvpa, YD
semi_auto_right_margin, sam, YE
status_line_esc_ok, eslok, es
tilde_glitch, hz, hz
transparent_underline, ul, ul
xon_xoff, xon, xo
columns, cols, co
init_tabs, it, it
label_height, lh, lh
label_width, lw, lw
lines, lines, li
lines_of_memory, lm, lm
```

magic\_cookie\_glitch, xmc, sg  
max\_attributes, ma, ma  
max\_colors, colors, Co  
max\_pairs, pairs, pa  
maximum\_windows, wnum, MW  
no\_color\_video, ncv, NC  
num\_labels, nlab, NI  
padding\_baud\_rate, pb, pb  
virtual\_terminal, vt, vt  
width\_status\_line, wsl, ws  
bit\_image\_entwining, bitwin, Yo  
bit\_image\_type, bitype, Yp  
buffer\_capacity, bufsz, Ya  
buttons, btns, BT  
dot\_horz\_spacing, spinh, Yc  
dot\_vert\_spacing, spinv, Yb  
max\_micro\_address, maddr, Yd  
max\_micro\_jump, mjump, Ye  
micro\_col\_size, mcs, Yf  
micro\_line\_size, mls, Yg  
number\_of\_pins, npins, Yh  
output\_res\_char, orc, Yi  
output\_res\_horz\_inch, orhi, Yk  
output\_res\_line, orl, Yj  
output\_res\_vert\_inch,  
orvi, Yl  
print\_rate, cps, Ym  
wide\_char\_size, widcs, Yn  
acs\_chars, acsc, ac  
back\_tab, cbt, bt  
bell, bel, bl  
carriage\_return, cr, cr  
change\_char\_pitch, cpi, ZA  
change\_line\_pitch, lpi, ZB  
change\_res\_horz, chr, ZC  
change\_res\_vert, cvr, ZD  
change\_scroll\_region, csr, cs  
char\_padding, rmp, rP  
clear\_all\_tabs, tbc, ct  
clear\_margins, mgc, MC  
clear\_screen, clear, cl  
clr\_bol, el1, cb  
clr\_eol, el, ce  
clr\_eos, ed, cd  
column\_address, hpa, ch  
command\_character, cmdch, CC  
create\_window, cwin, CW  
cursor\_address, cup, cm

cursor\_down, cud1, do  
cursor\_home, home, ho  
cursor\_invisible, civis, vi  
cursor\_left, cub1, le  
cursor\_mem\_address, mrcup, CM  
cursor\_normal, cnorm, ve  
cursor\_right, cuf1, nd  
cursor\_to\_ll, ll, ll  
cursor\_up, cuu1, up  
cursor\_visible, cvvis, vs  
define\_char, defc, ZE  
delete\_character, dch1, dc  
delete\_line, dl1, dl  
dial\_phone, dial, DI  
dis\_status\_line, dsl, ds  
display\_clock, dclk, DK  
down\_half\_line, hd, hd  
ena\_acs, enacs, eA  
enter\_alt\_charset\_mode, smacs, as  
enter\_am\_mode, smam,  
SA  
enter\_blink\_mode, blink, mb  
enter\_bold\_mode, bold, md  
enter\_ca\_mode, smcup, ti  
enter\_delete\_mode, smdc, dm  
enter\_dim\_mode, dim, mh  
enter\_doublewide\_mode, swidm, ZF  
enter\_draft\_quality, sdrfq, ZG  
enter\_insert\_mode, smir, im  
enter\_italics\_mode, sitm, ZH  
enter\_leftward\_mode, slm, ZI  
enter\_micro\_mode, smicm, ZJ  
enter\_near\_letter\_quality, snlq, ZK  
enter\_normal\_quality, snrmq, ZL  
enter\_protected\_mode, prot, mp  
enter\_reverse\_mode, rev, mr  
enter\_secure\_mode, invis, mk  
enter\_shadow\_mode, sshm, ZM  
enter\_standout\_mode, smso, so  
enter\_subscript\_mode, ssubm, ZN  
enter\_superscript\_mode, ssupm, ZO  
enter\_underline\_mode, smul, us  
enter\_upward\_mode, sum, ZP  
enter\_xon\_mode, smxon, SX  
erase\_chars, ech, ec  
exit\_alt\_charset\_mode, rmacs, ae  
exit\_am\_mode, rmam, RA  
exit\_attribute\_mode, sgr0, me

exit\_ca\_mode, rmcup, te  
exit\_delete\_mode, rmdc, ed  
exit\_doublewide\_mode, rwidm, ZQ  
exit\_insert\_mode, rmir, ei  
exit\_italics\_mode, ritm, ZR  
exit\_leftward\_mode, rlm, ZS  
exit\_micro\_mode, rmicm, ZT  
exit\_shadow\_mode, rshm,  
ZU  
exit\_standout\_mode, rmso, se  
exit\_subscript\_mode, rsubm, ZV  
exit\_superscript\_mode, rsupm, ZW  
exit\_underline\_mode, rmul, ue  
exit\_upward\_mode, rum, ZX  
exit\_xon\_mode, rmxon, RX  
fixed\_pause, pause, PA  
flash\_hook, hook, fh  
flash\_screen, flash, vb  
form\_feed, ff, ff  
from\_status\_line, fsl, fs  
goto\_window, wingo, WG  
hangup, hup, HU  
init\_1string, is1, i1  
init\_2string, is2, is  
init\_3string, is3, i3  
init\_file, if, if  
init\_prog, iprog, iP  
initialize\_color, initc, Ic  
initialize\_pair, initp, Ip  
insert\_character, ich1, ic  
insert\_line, il1, al  
insert\_padding, ip, ip  
key\_a1, ka1, K1  
key\_a3, ka3, K3  
key\_b2, kb2, K2  
key\_backspace, kbs, kb  
key\_beg, kbeg, @1  
key\_btab, kcbt, kB  
key\_c1, kc1, K4  
key\_c3, kc3, K5  
key\_cancel, kcan, @2  
key\_catab, ktbc, ka  
key\_clear, kclr, kC  
key\_close, kclo, @3  
key\_command, kcmd, @4  
key\_copy, kcpy, @5  
key\_create, kcrt, @6  
key\_ctab, kctab, kt

key\_dc, kdch1, kD  
key\_dl, kdl1, kL  
key\_down, kcud1, kd  
key\_eic, krmir, kM  
key\_end, kend, @7  
key\_enter, kent, @8  
key\_eol, kel, kE  
key\_eos,  
ked, kS  
key\_exit, kext, @9  
key\_f0, kf0, k0  
key\_f1, kf1, k1  
key\_f10, kf10, k;  
key\_f11, kf11, F1  
key\_f12, kf12, F2  
key\_f13, kf13, F3  
key\_f14, kf14, F4  
key\_f15, kf15, F5  
key\_f16, kf16, F6  
key\_f17, kf17, F7  
key\_f18, kf18, F8  
key\_f19, kf19, F9  
key\_f2, kf2, k2  
key\_f20, kf20, FA  
key\_f21, kf21, FB  
key\_f22, kf22, FC  
key\_f23, kf23, FD  
key\_f24, kf24, FE  
key\_f25, kf25, FF  
key\_f26, kf26, FG  
key\_f27, kf27, FH  
key\_f28, kf28, FI  
key\_f29, kf29, FJ  
key\_f3, kf3, k3  
key\_f30, kf30, FK  
key\_f31, kf31, FL  
key\_f32, kf32, FM  
key\_f33, kf33, FN  
key\_f34, kf34, FO  
key\_f35, kf35, FP  
key\_f36, kf36, FQ  
key\_f37, kf37, FR  
key\_f38, kf38, FS  
key\_f39, kf39, FT  
key\_f4, kf4, k4  
key\_f40, kf40, FU  
key\_f41, kf41, FV  
key\_f42, kf42, FW

key\_f43, kf43, FX  
key\_f44, kf44, FY  
key\_f45, kf45, FZ  
key\_f46, kf46, Fa  
key\_f47, kf47, Fb  
key\_f48, kf48, Fc  
key\_f49, kf49, Fd  
key\_f5, kf5, k5  
key\_f50, kf50, Fe  
key\_f51, kf51, Ff  
key\_f52, kf52, Fg  
key\_f53, kf53, Fh  
key\_f54, kf54, Fi  
key\_f55, kf55, Fj  
key\_f56, kf56, Fk  
key\_f57, kf57, Fl  
key\_f58, kf58,  
Fm  
key\_f59, kf59, Fn  
key\_f6, kf6, k6  
key\_f60, kf60, Fo  
key\_f61, kf61, Fp  
key\_f62, kf62, Fq  
key\_f63, kf63, Fr  
key\_f7, kf7, k7  
key\_f8, kf8, k8  
key\_f9, kf9, k9  
key\_find, kfnd, @0  
key\_help, khlp, %1  
key\_home, khome, kh  
key\_ic, kich1, kI  
key\_il, kil1, kA  
key\_left, kcub1, kl  
key\_ll, kll, kH  
key\_mark, kmrk, %2  
key\_message, kmsg, %3  
key\_move, kmov, %4  
key\_next, knxt, %5  
key\_npage, knp, kN  
key\_open, kopn, %6  
key\_options, kopt, %7  
key\_ppage, kpp, kP  
key\_previous, kprv, %8  
key\_print, kpri, %9  
key\_redo, krdo, %0  
key\_reference, kref, &1  
key\_refresh, krfr, &2  
key\_replace, krpl, &3

key\_restart, krst, &4  
key\_resume, kres, &5  
key\_right, kcuf1, kr  
key\_save, ksav, &6  
key\_sbeg, kBEG, &9  
key\_scancel, kCAN, &0  
key\_scommand, kCMD, \*1  
key\_scopy, kCPY, \*2  
key\_screate, kCRT, \*3  
key\_sdc, kDC, \*4  
key\_sdl, kDL, \*5  
key\_select, kslt, \*6  
key\_send, kEND, \*7  
key\_seol, kEOL, \*8  
key\_sexit, kEXT, \*9  
key\_sf, kind, kF  
key\_sfind, kFND, \*0  
key\_shelp, kHLP, #1  
key\_shome, kHOM, #2  
key\_sic, kIC, #3  
key\_sleft, kLFT, #4  
key\_smessage,  
kMSG, %a  
key\_smove, kMOV, %b  
key\_snext, kNXT, %c  
key\_soptions, kOPT, %d  
key\_sprevious, kPRV, %e  
key\_sprint, kPRT, %f  
key\_sr, kri, kR  
key\_sredo, kRDO, %g  
key\_sreplace, kRPL, %h  
key\_sright, kRIT, %i  
key\_sresume, kRES, %j  
key\_ssav, kSAV, !1  
key\_ssuspend, kSPD, !2  
key\_stab, khts, kT  
key\_sundo, kUND, !3  
key\_suspend, kspd, &7  
key\_undo, kund, &8  
key\_up, kcuu1, ku  
keypad\_local, rmkx, ke  
keypad\_xmit, smkx, ks  
lab\_f0, lf0, l0  
lab\_f1, lf1, l1  
lab\_f10, lf10, la  
lab\_f2, lf2, l2  
lab\_f3, lf3, l3  
lab\_f4, lf4, l4



lab\_f5, lf5, l5  
lab\_f6, lf6, l6  
lab\_f7, lf7, l7  
lab\_f8, lf8, l8  
lab\_f9, lf9, l9  
label\_format, fln, Lf  
label\_off, rmln, LF  
label\_on, smln, LO  
meta\_off, rmm, mo  
meta\_on, smm, mm  
micro\_column\_address, mhpa, ZY  
micro\_down, mcud1, ZZ  
micro\_left, mcub1, Za  
micro\_right, mcuf1, Zb  
micro\_row\_address, mvpa, Zc  
micro\_up, mcuu1, Zd  
newline, nel, nw  
order\_of\_pins, porder, Ze  
orig\_colors, oc, oc  
orig\_pair, op, op  
pad\_char, pad, pc  
parm\_dch, dch, DC  
parm\_delete\_line, dl, DL  
parm\_down\_cursor, cud, DO  
parm\_down\_micro,  
mcud, Zf  
parm\_ich, ich, IC  
parm\_index, indn, SF  
parm\_insert\_line, il, AL  
parm\_left\_cursor, cub, LE  
parm\_left\_micro, mcub, Zg  
parm\_right\_cursor, cuf, RI  
parm\_right\_micro, mcuf, Zh  
parm\_rindex, rin, SR  
parm\_up\_cursor, cuu, UP  
parm\_up\_micro, mcuu, Zi  
pkey\_key, pfkey, pk  
pkey\_local, pfloc, pl  
pkey\_xmit, pfx, px  
plab\_norm, pln, pn  
print\_screen, mc0, ps  
prtr\_non, mc5p, pO  
prtr\_off, mc4, pf  
prtr\_on, mc5, po  
pulse, pulse, PU  
quick\_dial, qdial, QD  
remove\_clock, rmclk, RC  
repeat\_char, rep, rp

req\_for\_input, rfi, RF  
reset\_1string, rs1, r1  
reset\_2string, rs2, r2  
reset\_3string, rs3, r3  
reset\_file, rf, rf  
restore\_cursor, rc, rc  
row\_address, vpa, cv  
save\_cursor, sc, sc  
scroll\_forward, ind, sf  
scroll\_reverse, ri, sr  
select\_char\_set, scs, Zj  
set\_attributes, sgr, sa  
set\_background, setb, Sb  
set\_bottom\_margin, smgb, Zk  
set\_bottom\_margin\_parm, smgbp, Zl  
set\_clock, sclk, SC  
set\_color\_pair, scp, sp  
set\_foreground, setf, Sf  
set\_left\_margin, smgl, ML  
set\_left\_margin\_parm, smglp, Zm  
set\_right\_margin,  
smgr, MR  
set\_right\_margin\_parm, smgrp, Zn  
set\_tab, hts, st  
set\_top\_margin, smgt, Zo  
set\_top\_margin\_parm, smgtp, Zp  
set\_window, wind, wi  
start\_bit\_image, sbim, Zq  
start\_char\_set\_def, scsd, Zr  
stop\_bit\_image, rbim, Zs  
stop\_char\_set\_def, rcsd, Zt  
subscript\_characters, subcs, Zu  
superscript\_characters, supcs, Zv  
tab, ht, ta  
these\_cause\_cr, docr, Zw  
to\_status\_line, tsl, ts  
tone, tone, TO  
underline\_char, uc, uc  
up\_half\_line, hu, hu  
user0, u0, u0  
user1, u1, u1  
user2, u2, u2  
user3, u3, u3  
user4, u4, u4  
user5, u5, u5  
user6, u6, u6  
user7, u7, u7  
user8, u8, u8

user9, u9, u9  
wait\_tone, wait, WA  
xoff\_character, xoffc, XF  
xon\_character, xonc, XN  
zero\_motion, zerom, Zx  
alt\_scancode\_esc, scesa, S8  
bit\_image\_carriage\_return, bicr, Yv  
bit\_image\_newline, binel, Zz  
bit\_image\_repeat, birep, Xy  
char\_set\_names, csnm, Zy  
code\_set\_init, csin, ci  
color\_names, colorm, Yw  
define\_bit\_image\_region, defbi, Yx  
device\_type, devt, dv  
display\_pc\_char, disp, S1  
end\_bit\_image\_region, endbi, Yy  
enter\_pc\_charset\_mode,  
smpch, S2  
enter\_scancode\_mode, smsc, S4  
exit\_pc\_charset\_mode, rmpch, S3  
exit\_scancode\_mode, rmc, S5  
get\_mouse, getm, Gm  
key\_mouse, kmous, Km  
mouse\_info, minfo, Mi  
pc\_term\_options, pctrm, S6  
pkey\_plab, pfxl, xl  
req\_mouse\_pos, reqmp, RQ  
scancode\_escape, scesc, S7  
set0\_des\_seq, s0ds, s0  
set1\_des\_seq, s1ds, s1  
set2\_des\_seq, s2ds, s2  
set3\_des\_seq, s3ds, s3  
set\_a\_background, setab, AB  
set\_a\_foreground, setaf, AF  
set\_color\_band, setcolor, Yz  
set\_lr\_margin, smglr, ML  
set\_page\_length, slines, YZ  
set\_tb\_margin, smgtb, MT  
enter\_horizontal\_hl\_mode, ehhl, Xh  
enter\_left\_hl\_mode, elhl, Xl  
enter\_low\_hl\_mode, elohl, Xo  
enter\_right\_hl\_mode, erhl, Xr  
enter\_top\_hl\_mode, ethl, Xt  
enter\_vertical\_hl\_mode, evhl, Xv  
set\_a\_attributes, sgr1, sA  
set\_pglen\_inch, slength, sL

Found in path(s):

\* /jline-3-22-0-sources-8-jar/org/jline/utils/capabilities.txt

No license file was found, but licenses were detected in source scan.

#

# Copyright (c) 2002-2018, the original author or authors.

#

# This software is distributable under the BSD license. See the terms of the

# BSD license in the documentation provided with this software.

#

# <https://opensource.org/licenses/BSD-3-Clause>

#

black

maroon

green

olive

navy

purple

teal

silver

grey

red

lime

yellow

blue

fuchsia

aqua

white

grey0

navyblue

darkblue

blue3

blue3a

blue1

darkgreen

deepskyblue4

deepskyblue4a

deepskyblue4b

dodgerblue3

dodgerblue2

green4

springgreen4

turquoise4

deepskyblue3

deepskyblue3a

dodgerblue1

green3

springgreen3

darkcyan  
lightseagreen  
deepskyblue2  
deepskyblue1  
green3a  
springgreen3a  
springgreen2  
cyan3  
darkturquoise  
turquoise2  
green1  
springgreen2a  
springgreen1  
mediumspringgreen  
cyan2  
cyan1  
darkred  
deeppink4  
purple4  
purple4a  
purple3  
blueviolet  
orange4  
grey37  
mediumpurple4  
slateblue3  
slateblue3a  
royalblue1  
chartreuse4  
darkseagreen4  
paleturquoise4  
steelblue  
steelblue3  
cornflowerblue  
chartreuse3  
darkseagreen4a  
cadetblue  
cadetbluea  
skyblue3  
steelblue1  
chartreuse3a  
palegreen3  
seagreen3  
aquamarine3  
mediumturquoise  
steelblue1a  
chartreuse2  
seagreen2

seagreen1  
seagreen1a  
aquamarine1  
darkslategray2  
darkreda  
deeppink4a  
darkmagenta  
darkmagentaa  
darkviolet  
purplea  
orange4a  
lightpink4  
plum4  
mediumpurple3  
mediumpurple3a  
slateblue1  
yellow4  
wheat4  
grey53  
lightslategrey  
mediumpurple  
lightslateblue  
yellow4a  
darkolivegreen3  
darkseagreen  
lightskyblue3  
lightskyblue3a  
skyblue2  
chartreuse2a  
darkolivegreen3a  
palegreen3a  
darkseagreen3  
darkslategray3  
skyblue1  
chartreuse1  
lightgreen  
lightgreena  
palegreen1  
aquamarine1a  
darkslategray1  
red3  
deeppink4b  
mediumvioletred  
magenta3  
darkvioleta  
purpleb  
darkorange3  
indianred

hotpink3  
mediumorchid3  
mediumorchid  
mediumpurple2  
darkgoldenrod  
lightsalmon3  
rosybrown  
grey63  
mediumpurple2a  
mediumpurple1  
gold3  
darkkhaki  
navajowhite3  
grey69  
lightsteelblue3  
lightsteelblue  
yellow3  
darkolivegreen3b  
darkseagreen3a  
darkseagreen2  
lightcyan3  
lightskyblue1  
greenyellow  
darkolivegreen2  
palegreen1a  
darkseagreen2a  
darkseagreen1  
paleturquoise1  
red3a  
deeppink3  
deeppink3a  
magenta3a  
magenta3b  
magenta2  
darkorange3a  
indianred  
hotpink3a  
hotpink2  
orchid  
mediumorchid1  
orange3  
lightsalmon3a  
lightpink3  
pink3  
plum3  
violet  
gold3a  
lightgoldenrod3

tan  
mistyrose3  
thistle3  
plum2  
yellow3a  
khaki3  
lightgoldenrod2  
lightyellow3  
grey84  
lightsteelblue1  
yellow2  
darkolivegreen1  
darkolivegreen1a  
darkseagreen1a  
honeydew2  
lightcyan1  
red1  
deeppink2  
deeppink1  
deeppink1a  
magenta2a  
magenta1  
orangered1  
indianred1  
indianred1a  
hotpink  
hotpinka  
mediumorchid1a  
darkorange  
salmon1  
lightcoral  
palevioletred1  
orchid2  
orchid1  
orange1  
sandybrown  
lightsalmon1  
lightpink1  
pink1  
plum1  
gold1  
lightgoldenrod2a  
lightgoldenrod2b  
navajowhite1  
mistyrose1  
thistle1  
yellow1  
lightgoldenrod1



khaki1  
wheat1  
cornsilk1  
grey100  
grey3  
grey7  
grey11  
grey15  
grey19  
grey23  
grey27  
grey30  
grey35  
grey39  
grey42  
grey46  
grey50  
grey54  
grey58  
grey62  
grey66  
grey70  
grey74  
grey78  
grey82  
grey85  
grey89  
grey93

Found

in path(s):

\* /jline-3-22-0-sources-8-jar/org/jline/utils/colors.txt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2022, the original author or authors.

\*

\* This software is distributable under the BSD license. See the terms of the

\* BSD license in the documentation provided with this software.

\*

\* <https://opensource.org/licenses/BSD-3-Clause>

\*/

Found in path(s):

\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/exec/ExecTerminalProvider.java

\* /jline-3-22-0-sources-8-jar/org/jline/terminal/spi/TerminalProvider.java

\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/Diag.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2002-2016, the original author or authors.
 *
 * This software is distributable under the BSD license. See the terms of the
 * BSD license in the documentation provided with this software.
 *
 * https://opensource.org/licenses/BSD-3-Clause
 */
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
 * either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
 * Based on http://antony.lesuisse.org/software/ajaxterm/
 * Public Domain License
 */
```

Found in path(s):

\* /jline-3-22-0-sources-8-jar/org/jline/builtins/ScreenTerminal.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2002-2020, the original author or authors.
 *
 * This software is distributable under the BSD license. See the terms of the
 * BSD license in the documentation provided with this software.
 *
 * https://opensource.org/licenses/BSD-3-Clause
 */
/*
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
```

\* regarding copyright ownership. The ASF licenses this file  
 \* to you under the Apache License, Version 2.0 (the  
 \* "License"); you may not use this file except in compliance  
 \* with the License. You may obtain a copy of the License at  
 \*  
 \* <http://www.apache.org/licenses/LICENSE-2.0>  
 \*  
 \* Unless required by applicable law or agreed to in writing,  
 \* software distributed under the License is distributed on an  
 \* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
 \* KIND,  
 \* either express or implied. See the License for the  
 \* specific language governing permissions and limitations  
 \* under the License.  
 \*/

Found in path(s):

\* /jline-3-22-0-sources-8-jar/org/jline/builtins/Options.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2002-2017, the original author or authors.

\*

\* This software is distributable under the BSD license. See the terms of the

\* BSD license in the documentation provided with this software.

\*

\* <https://opensource.org/licenses/BSD-3-Clause>

\*/

/\*

\* Java TelnetD library (embeddable telnet daemon)

\* Copyright (c) 2000-2005 Dieter Wimberger

\* All rights reserved.

\* <p/>

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions are

\* met:

\* Redistributions of source code must retain the above copyright notice,

\* this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice,

\* this list of conditions and the following disclaimer in the documentation

\* and/or other materials provided with the distribution.

\* <p/>

\* Neither the name of the author

nor the names of its contributors

\* may be used to endorse or promote products derived from this software

\* without specific prior written permission.

\* <p/>

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS ``AS

\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,  
\* THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE  
\* POSSIBILITY OF SUCH DAMAGE.

\*\*\*/\*

Found in path(s):

\* /jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/ConnectionFilter.java

\*

/jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/ConnectionListener.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2002-2020, the original author or authors.

\*

\* This software is distributable under the BSD license. See the terms of the

\* BSD license in the documentation provided with this software.

\*

\* <https://opensource.org/licenses/BSD-3-Clause>

\*/

Found in path(s):

\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/osx/OsXNativePty.java

\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/JansiTerminalProvider.java

\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/JansiNativePty.java

\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/JnaTerminalProvider.java

\* /jline-3-22-0-sources-8-jar/org/jline/console/CommandMethods.java

\* /jline-3-22-0-sources-8-jar/org/jline/console/ScriptEngine.java

\* /jline-3-22-0-sources-8-jar/org/jline/reader/CompletionMatcher.java

\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/JansiNativePty.java

\* /jline-3-22-0-sources-8-jar/org/jline/console/CmdDesc.java

\*

/jline-3-22-0-sources-8-jar/org/jline/console/impl/AbstractCommandRegistry.java

\* /jline-3-22-0-sources-8-jar/org/jline/widget/Widgets.java

\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/solaris/SolarisNativePty.java

\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/freebsd/CLibrary.java

\* /jline-3-22-0-sources-8-jar/org/jline/console/CmdLine.java

\* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/JansiNativePty.java

\* /jline-3-22-0-sources-8-jar/org/jline/widget/AutosuggestionWidgets.java

\* /jline-3-22-0-sources-8-jar/org/jline/console/impl/JlineCommandRegistry.java

\* /jline-3-22-0-sources-8-jar/org/jline/console/CommandRegistry.java

\* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/ReaderUtils.java

```

* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/JnaNativePty.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/EndOfFileException.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/solaris/CLibrary.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/linux/CLibrary.java
*
/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/win/JnaWinSysTerminal.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/Signals.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/win/JansiWinSysTerminal.java
* /jline-3-22-0-sources-8-jar/org/jline/widget/AutopairWidgets.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/linux/LinuxNativePty.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/LineReaderBuilder.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/DefaultParser.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/freebsd/FreeBsdNativePty.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/osx/CLibrary.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/ColorPalette.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/SystemCompleter.java
* /jline-3-22-0-sources-8-jar/org/jline/console/CommandInput.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (c) 2002-2018, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

```

Found in path(s):

```

* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/KillRing.java
* /jline-3-22-0-sources-8-jar/org/jline/style/StyleExpression.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/NonBlockingInputStream.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/NonBlocking.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/Curses.java
* /jline-3-22-0-sources-8-jar/org/jline/keymap/BindingReader.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/NonBlockingReaderImpl.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/ExternalTerminal.java
* /jline-3-22-0-sources-8-jar/org/jline/style/StyleSource.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/StyleResolver.java
*
/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/win/Kernel32.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/PosixSysTerminal.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/PosixPtyTerminal.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/AttributedStringBuilder.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/Completer.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/MaskingCallback.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/NonBlockingReader.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/CompletingParsedLine.java

```

```
* /jline-3-22-0-sources-8-jar/org/jline/builtins/InputRC.java
* /jline-3-22-0-sources-8-jar/org/jline/Utils/Colors.java
* /jline-3-22-0-sources-8-jar/org/jline/Utils/NonBlockingInputStreamImpl.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/Size.java
* /jline-3-22-0-sources-8-jar/org/jline/style/StyleFactory.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/FileNameCompleter.java
*
/jline-3-22-0-sources-8-jar/org/jline/Utils/Timeout.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/ParsedLine.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/terminal/terminal.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/LineDisciplineTerminal.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/History.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/DumbTerminal.java
* /jline-3-22-0-sources-8-jar/org/jline/style/Style.java
* /jline-3-22-0-sources-8-jar/org/jline/builtins/NfaMatcher.java
No license file was found, but licenses were detected in source scan.
```

```
#
Copyright (C) 2022 the original author(s).
#
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
#
class = org.jline.terminal.impl.exec.ExecTerminalProvider
```

Found in path(s):

```
* /jline-3-22-0-sources-8-jar/META-INF/services/org/jline/terminal/provider/exec
No license file was found, but licenses were detected in source scan.
```

```
#
Copyright (C) 2022 the original author(s).
#
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
```

```
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

class = org.jline.terminal.impl.jansi.JansiTerminalProvider
```

Found in path(s):

```
* /jline-3-22-0-sources-8-jar/META-INF/services/org/jline/terminal/provider/jansi
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (c) 2002-2017, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/
```

Found in path(s):

```
* /jline-3-22-0-sources-8-jar/org/jline/style/NopStyleSource.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/solaris/SolarisNativePty.java
* /jline-3-22-0-sources-8-jar/org/jline/style/StyleResolver.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/AbstractWindowsConsoleWriter.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/NonBlockingPumpReader.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/BufferImpl.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/freebsd/FreeBsdNativePty.java
* /jline-3-22-0-sources-8-jar/org/jline/style/InterpolationHelper.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/SimpleMaskingCallback.java
*
/jline-3-22-0-sources-8-jar/org/jline/builtins/ssh/Ssh.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/linux/LinuxNativePty.java
* /jline-3-22-0-sources-8-jar/org/jline/style/StyledWriter.java
* /jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/Telnet.java
* /jline-3-22-0-sources-8-jar/org/jline/style/MemoryStyleSource.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/osx/OsXNativePty.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/Buffer.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/win/JnaWinConsoleWriter.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java
```

\* /jline-3-22-0-sources-8-jar/org/jline/style/StyleBundleInvocationHandler.java

No license file was found, but licenses were detected in source scan.

#

# Copyright (C) 2022 the original author(s).

#

# Licensed under the Apache License, Version 2.0 (the "License");

# you may not use this file except in compliance with the License.

# You may obtain a copy of the License at

#

# <http://www.apache.org/licenses/LICENSE-2.0>

#

# Unless required by applicable law or agreed to in writing, software

# distributed under the License is distributed on an "AS IS" BASIS,

# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

# See the License for the specific language governing permissions and

# limitations under the License.

#

class = org.jline.terminal.impl.jna.JnaTerminalProvider

Found in path(s):

\* /jline-3-22-0-sources-8-jar/META-INF/services/org/jline/terminal/provider/jna

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2002-2021, the original author or authors.

\*

\* This software is distributable under the BSD license. See the terms of the

\* BSD license in the documentation provided with this software.

\*

\* <https://opensource.org/licenses/BSD-3-Clause>

\*/

Found in path(s):

\* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/CompletionMatcherImpl.java

\* /jline-3-22-0-sources-8-jar/org/jline/builtins/ConsoleOptionGetter.java

\* /jline-3-22-0-sources-8-jar/org/jline/builtins/Completers.java

\* /jline-3-22-0-sources-8-jar/org/jline/builtins/Nano.java

\* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/DefaultHighlighter.java

\* /jline-3-22-0-sources-8-jar/org/jline/widget/TailTipWidgets.java

\* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/history/DefaultHistory.java

\* /jline-3-22-0-sources-8-jar/org/jline/reader/PrintAboveWriter.java

\* /jline-3-22-0-sources-8-jar/org/jline/builtins/TTop.java

\* /jline-3-22-0-sources-8-jar/org/jline/builtins/Styles.java

\*

/jline-3-22-0-sources-8-jar/org/jline/console/impl/ConsoleEngineImpl.java

\* /jline-3-22-0-sources-8-jar/org/jline/utils/AttributedStyle.java

\* /jline-3-22-0-sources-8-jar/org/jline/reader/LineReader.java



- \* /jline-3-22-0-sources-8-jar/org/jline/console/ConsoleEngine.java
- \* /jline-3-22-0-sources-8-jar/org/jline/reader/Parser.java
- \* /jline-3-22-0-sources-8-jar/org/jline/terminal/TerminalBuilder.java
- \* /jline-3-22-0-sources-8-jar/org/jline/console/SystemRegistry.java
- \* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/AbstractTerminal.java
- \* /jline-3-22-0-sources-8-jar/org/jline/console/ArgDesc.java
- \* /jline-3-22-0-sources-8-jar/org/jline/utils/AttributedCharSequence.java
- \* /jline-3-22-0-sources-8-jar/org/jline/reader/Highlighter.java

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2002-2020, the original author or authors.

This software is distributable under the BSD license. See the terms of the BSD license in the documentation provided with this software.

<https://opensource.org/licenses/BSD-3-Clause>

-->

Found in path(s):

- \* /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-terminal-jansi/pom.xml
- \* /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-remote-ssh/pom.xml
- \* /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-remote-telnet/pom.xml
- \* /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-reader/pom.xml
- \* /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-terminal-jna/pom.xml
- \* /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-terminal/pom.xml
- \* /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-builtins/pom.xml
- \* /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-style/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009-2018 the original author(s).

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/win/WindowsAnsiWriter.java
- \* /jline-3-22-0-sources-8-jar/org/jline/utils/AnsiWriter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2002-2019, the original author or authors.

\*

\* This software is distributable under the BSD license. See the terms of the

\* BSD license in the documentation provided with this software.

\*

\* <https://opensource.org/licenses/BSD-3-Clause>

\*/

Found in path(s):

- \* /jline-3-22-0-sources-8-jar/org/jline/builtins/Tmux.java
- \* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/AbstractPty.java
- \* /jline-3-22-0-sources-8-jar/org/jline/reader/Editor.java
- \* /jline-3-22-0-sources-8-jar/org/jline/reader/Candidate.java
- \* /jline-3-22-0-sources-8-jar/org/jline/builtins/ConfigurationPath.java
- \* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/ArgumentCompleter.java
- \* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/AbstractWindowsTerminal.java
- \* /jline-3-22-0-sources-8-jar/org/jline/utils/InfoCmp.java
- \* /jline-3-22-0-sources-8-jar/org/jline/utils/Status.java
- \* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/StringsCompleter.java

## 1.249 event-stream 1.0.1

### 1.249.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

- \* /event-stream-1-0-1-sources-jar/META-INF/maven/com.github.malkomich/event-stream/pom.xml

## 1.250 aws-crt 0.30.0

### 1.250.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

- \* /aws-crt-0-30-0-jar/META-INF/maven/software.amazon.awssdk.crt/aws-crt/pom.xml

# 1.251 guava 30.1-jre

## 1.251.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
/*
 * This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
 * and released to the public domain, as explained at
 * http://creativecommons.org/licenses/publicdomain
 *
 * As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's
 * java.util.HashMap
 * class.
 */
```

Found in path(s):

`/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Striped.java`

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2007 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
```

```

*/
/*
 * This following method is a modified version of one found in
 * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30
 * which contained the following notice:
 *
 * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to
 *
 the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/
 *
 * Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.
 */

```

Found in path(s):

`/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/MoreExecutors.java`

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright (C) 2013 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */

```

Found in path(s):

```

* /guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeVisitor.java
* /guava-30-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java
* /guava-30-1-jre-sources-1-jar/com/google/common/hash/HashingInputStream.java
* /guava-30-1-jre-sources-1-jar/com/google/common/base/VerifyException.java
*
/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberExceptionHandler.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractTable.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Runnables.java
* /guava-30-1-jre-sources-1-jar/com/google/common/base/Verify.java
* /guava-30-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberExceptionContext.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredMultimapValues.java
* /guava-30-1-jre-sources-1-jar/com/google/common/io/CharSequenceReader.java
* /guava-30-1-jre-sources-1-jar/com/google/common/base/Utf8.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java

```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
/guava-30-1-jre-sources-1-jar/com/google/common/collect/GwtTransient.java
/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicLongMap.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2007 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

/**
 * Returns an array containing all of the elements in the specified collection. This method
 * returns the elements in the order they are returned by the collection's iterator. The returned
 * array is "safe" in that no references to it are maintained by the collection. The caller is
 * thus free to modify the returned
array.
 *
 * <p>This method assumes that the collection size doesn't change while the method is running.
 *
 * <p>TODO(kevinb): support concurrently modified collections?
 */
```

\*  
\* @param c the collection for which to return an array of elements  
\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ObjectArrays.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ServiceManagerBridge.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/Java8Usage.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you

\* may not use this file except in compliance with the License. You may

\* obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

\* implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Streams.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2018 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/guava-30-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableMap.java
*/guava-30-1-jre-sources-1-jar/com/google/common/collect/BaseImmutableMultimap.java
*/guava-30-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableBiMap.java
*/guava-30-1-jre-sources-1-jar/com/google/common/collect/IndexedImmutableSet.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2020 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

```
/**
```

```
 * Holder for web specializations of methods of {@code Floats}. Intended to be empty for regular
 * version.
 */
```

Found in path(s):

```
*/guava-30-1-jre-sources-1-jar/com/google/common/primitives/FloatsMethodsForWeb.java
```

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright (C) 2009 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */

```

Found in path(s):

```

* /guava-30-1-jre-sources-1-jar/com/google/common/collect/DenseImmutableTable.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFuture.java
* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedBytes.java
* /guava-30-1-jre-sources-1-jar/com/google/common/net/HostSpecifier.java
*
/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/JdkFutureAdapters.java
* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/SignedBytes.java
* /guava-30-1-jre-sources-1-jar/com/google/common/annotations/GwtIncompatible.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/SparseImmutableTable.java
* /guava-30-1-jre-sources-1-jar/com/google/common/net/UrlEscapers.java
* /guava-30-1-jre-sources-1-jar/com/google/common/cache/ReferenceEntry.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/MapMakerInternalMap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeResolver.java
* /guava-30-1-jre-sources-1-jar/com/google/common/escape/Platform.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/MapMaker.java
* /guava-30-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java
* /guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheBuilder.java
*
/guava-30-1-jre-sources-1-jar/com/google/common/collect/Cut.java
* /guava-30-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataInput.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SettableFuture.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Callables.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Service.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractIdleService.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java
* /guava-30-1-jre-sources-1-jar/com/google/common/base/Platform.java
* /guava-30-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataOutput.java
* /guava-30-1-jre-sources-1-jar/com/google/common/html/HtmlEscapers.java
* /guava-30-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedEscaperMap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/io/LineProcessor.java
*

```



/guava-30-1-jre-sources-1-jar/com/google/common/xml/XmlEscapers.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableTable.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/annotations/GwtCompatible.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/io/ByteProcessor.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedCharEscaper.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/net/InternetDomainName.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractService.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/base/Splitter.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/cache/LocalCache.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/escape/Escapers.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2016 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/MutableValueGraph.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractGraph.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/MoreCollectors.java  
\*  
/guava-30-1-jre-sources-1-jar/com/google/common/graph/ImmutableValueGraph.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/ElementOrder.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/ValueGraphBuilder.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/NetworkConnections.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Comparators.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphConstants.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/ForwardingGraph.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractNetwork.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/EdgesConnecting.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphBuilder.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/EndpointPairIterator.java

```

*
/guava-30-1-jre-sources-1-jar/com/google/common/graph/ForwardingValueGraph.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractValueGraph.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/EndpointPair.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/DirectedNetworkConnections.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardMutableNetwork.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/UndirectedNetworkConnections.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/ValueGraph.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardMutableValueGraph.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/UndirectedGraphConnections.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/ForwardingNetwork.java
*
/guava-30-1-jre-sources-1-jar/com/google/common/graph/MultiEdgesConnecting.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/RangeGwtSerializationDependencies.java
* /guava-30-1-jre-sources-1-
jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardValueGraph.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/DirectedGraphConnections.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardNetwork.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/CollectCollectors.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/MapRetrievalCache.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/DirectedMultiNetworkConnections.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphConnections.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractGraphBuilder.java
*
/guava-30-1-jre-sources-1-jar/com/google/common/graph/NetworkBuilder.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/MapIteratorCache.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardMutableGraph.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableEntry.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Tables.java
- \* /guava-30-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Serialization.java
- \*
- /guava-30-1-jre-sources-1-jar/com/google/common/collect/StandardTable.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableListMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/PeekingIterator.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultiset.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableBiMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableBiMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedSet.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapValues.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Collections2.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapEntrySet.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableCollection.java
- \*
- /guava-30-1-jre-sources-1-jar/com/google/common/collect/Table.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/EmptyImmutableListMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/CollectPreconditions.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/HashBasedTable.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Platform.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeBasedTable.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/StandardRowSortedTable.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Range.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableIterator.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapKeySet.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2005 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/reflect/Reflection.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2006 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/io/AppendableWriter.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeToken.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FluentFuture.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFuture.java

\*

/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/TimeLimiter.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractTransformFuture.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedTimeoutException.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FakeTimeLimiter.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FuturesGetChecked.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Futures.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/CollectionFuture.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/CaseFormat.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/escape/CharEscaper.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/io/PatternFilenameFilter.java

\*

/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/escape/CharEscaperBuilder.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/TimeoutFuture.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ImmediateFuture.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SimpleTimeLimiter.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/annotations/VisibleForTesting.java

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the
 * License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
 * either
 * express or implied. See the License for the specific language governing permissions and
 * limitations under the License.
 */

```

Found in path(s):

```

* /guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSortedMultiset.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/GeneralRange.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedMultiset.java
*
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedIterable.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/RangeSet.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractRangeSet.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Count.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedIterables.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMultiset.java

```

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright 2019 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */

```

Found in path(s):

```

* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/IgnoreJRERequirement.java

```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2018 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableMultiset.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableSet.java
* /guava-30-1-jre-sources-1-jar/com/google/common/hash/ImmutableSupplier.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionSequencer.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2020 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

```
/**
 * Holder for web specializations of methods of {@code Doubles}. Intended to be empty for regular
 * version.
 */
```

Found in path(s):

```
* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/DoublesMethodsForWeb.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2012 The Guava Authors
 *
```

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredKeySetMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredKeyListMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AllEqualOrdering.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/TransformedListIterator.java
- \*
- /guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredEntrySetMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMultisetBridge.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactLinkedHashSet.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactLinkedHashMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredSetMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactHashMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableSortedMultiset.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableList.java
- \*
- /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingBlockingDeque.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingDeque.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/TransformedIterator.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeTraverser.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactHashSet.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/DescendingMultiset.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredEntryMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/RangeMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingNavigableSet.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeRangeMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/DescendingImmutableSortedSet.java
- \*
- /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableAsList.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/EvictingQueue.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingNavigableMap.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableSet.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractNavigableMap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/ImmutableDoubleArray.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/ImmutableIntArray.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingLock.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractHashFunction.java

\*

/guava-30-1-jre-sources-1-jar/com/google/common/primitives/ImmutableLongArray.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingCondition.java

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicDoubleArray.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/hash/LongAdder.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/cache/LongAdder.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/cache/Striped64.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/hash/Striped64.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");



- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /guava-30-1-jre-sources-1-jar/com/google/common/graph/IncidentEdgeSet.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactHashing.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/CollectSpliterators.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/graph/package-info.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 */
```

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/TopKSelector.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/ImmutableGraph.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/SuccessorsFunction.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/MutableNetwork.java  
\*  
/guava-30-1-jre-sources-1-jar/com/google/common/graph/ImmutableNetwork.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/Graphs.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/io/InsecureRecursiveDeleteException.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/Graph.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/io/RecursiveDeleteOption.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/PredecessorsFunction.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/MutableGraph.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/graph/Network.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSet.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMultiset.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMapEntry.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractIterator.java  
\*  
/guava-30-1-jre-sources-1-jar/com/google/common/collect/Sets.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultiset.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Multimaps.java

- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/BiMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Multisets.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingQueue.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingConcurrentMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ReverseNaturalOrdering.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedSetMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/NullsFirstOrdering.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableSet.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/EnumHashBiMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Multiset.java
- \*
- /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingListIterator.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Ordering.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/LinkedListMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedSetMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ConcurrentHashMultiset.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/HashMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSetMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableList.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/NullsLastOrdering.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractBiMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractListMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Multimap.java
- \*
- /guava-30-1-jre-sources-1-jar/com/google/common/collect/Iterators.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Interner.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Synchronized.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ComparatorOrdering.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/CompoundOrdering.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSet.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMapBasedMultimap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingIterator.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/package-info.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMap.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/MutableClassToInstanceMap.java
- \*
- /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMapBasedMultiset.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/UsingToStringOrdering.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Iterables.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeMultiset.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/NaturalOrdering.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Lists.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ExplicitOrdering.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSet.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultiset.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ArrayListMultimap.java

```

* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingList.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ByFunctionOrdering.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultimap.java
*
/guava-30-1-jre-sources-1-jar/com/google/common/collect/ListMultimap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ReverseOrdering.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/SetMultimap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMapEntry.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/LexicographicalOrdering.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultimap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/HashMultiset.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingCollection.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ClassToInstanceMap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Maps.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSet.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingObject.java
*
/guava-30-1-jre-sources-1-jar/com/google/common/collect/MapDifference.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/EnumBiMap.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

```

Found in path(s):

```

* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedInts.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/WrappingExecutorService.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractScheduledService.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedExecutionException.java
*
/guava-30-1-jre-sources-1-jar/com/google/common/cache/Weigher.java
* /guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheStats.java
* /guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractCompositeHashFunction.java
* /guava-30-1-jre-sources-1-jar/com/google/common/hash/Hashing.java
* /guava-30-1-jre-sources-1-jar/com/google/common/cache/AbstractLoadingCache.java
* /guava-30-1-jre-sources-1-jar/com/google/common/cache/package-info.java

```

- \* /guava-30-1-jre-sources-1-jar/com/google/common/cache/ForwardingLoadingCache.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheBuilderSpec.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/base/Optional.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/DescendingImmutableSortedMultiset.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/base/Ticker.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/base/Present.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedInteger.java
- \*
- /guava-30-1-jre-sources-1-jar/com/google/common/hash/Murmur3\_32HashFunction.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/hash/PrimitiveSink.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/BoundType.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractHasher.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/cache/RemovalListeners.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedLong.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/reflect/Types.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeParameter.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableMultiset.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingExecutorService.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/base/PairwiseEquivalence.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java
- \*
- /guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeRangeSet.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularContiguousSet.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/base/Absent.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/cache/RemovalNotification.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/hash/Hasher.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/hash/HashCode.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/net/MediaType.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractStreamingHasher.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/hash/Crc32cHashFunction.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Uninterruptibles.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/net/HostAndPort.java
- \*
- /guava-30-1-jre-sources-1-jar/com/google/common/hash/Murmur3\_128HashFunction.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/base/Enums.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/math/MathPreconditions.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/hash/MessageDigestHashFunction.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedLongs.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/cache/RemovalListener.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/net/HttpHeaders.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/cache/RemovalCause.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/math/package-info.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/base/FunctionalEquivalence.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AsyncFunction.java
- \*

```

/guava-30-1-jre-sources-1-jar/com/google/common/cache/Cache.java
* /guava-30-1-jre-sources-1-jar/com/google/common/hash/BloomFilterStrategies.java
* /guava-30-1-jre-sources-1-jar/com/google/common/math/BigIntegerMath.java
* /guava-30-1-jre-sources-1-jar/com/google/common/cache/AbstractCache.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionError.java
* /guava-30-1-jre-sources-1-jar/com/google/common/math/IntMath.java
* /guava-30-1-jre-sources-1-jar/com/google/common/hash/HashingOutputStream.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/EmptyContiguousSet.java
* /guava-30-1-jre-sources-1-jar/com/google/common/math/DoubleMath.java
* /guava-30-1-jre-sources-1-jar/com/google/common/hash/Funnels.java
* /guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheLoader.java
* /guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java
* /guava-30-1-jre-sources-1-jar/com/google/common/hash/Funnel.java
*

```

```

/guava-30-1-jre-sources-1-jar/com/google/common/cache/ForwardingCache.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Queues.java
* /guava-30-1-jre-sources-1-jar/com/google/common/math/LongMath.java
* /guava-30-1-jre-sources-1-jar/com/google/common/math/DoubleUtils.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedMultiset.java
* /guava-30-1-jre-sources-1-jar/com/google/common/cache/LoadingCache.java
* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/ParseRequest.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FutureCallback.java
* /guava-30-1-jre-sources-1-jar/com/google/common/hash/BloomFilter.java
* /guava-30-1-jre-sources-1-jar/com/google/common/hash/HashFunction.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.

```

```

*/
/**
* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain
* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available
* under GWT but with a slightly different signature.
*
* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler
wouldn't recognize
* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT

```

\* compiler to autostrip the normal server method in order to expose the special, inherited GWT  
\* version.  
\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Partially.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/io/Java8Compatibility.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/math/ToDoubleRunder.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/math/BigDecimalMath.java

\*

/guava-30-1-jre-sources-1-jar/com/google/common/hash/Java8Compatibility.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

```
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ComputationException.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/DiscreteDomain.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableClassToInstanceMap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
*
/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableTable.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableAsList.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ArrayTable.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingTable.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/TableCollectors.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumSet.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSortedSet.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableList.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableTable.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSetMultimap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ComparisonChain.java
*
/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableList.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractIndexedListAdapter.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/EmptyImmutableSetMultimap.java
No license file was found, but licenses were detected in source scan.
```

/\*

```
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedAsList.java
No license file was found, but licenses were detected in source scan.
```

/\*

```
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```



```

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for extra methods of {@code Objects} only in web. Intended to be empty for regular
* version.
*/

```

Found in path(s):

```

* /guava-30-1-jre-sources-1-jar/com/google/common/base/ExtraObjectsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (C) 2011 The Guava Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

```

Found in path(s):

```

* /guava-30-1-jre-sources-1-jar/com/google/common/hash/package-info.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

```

```

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* This method was rewritten in Java from an intermediate step of the Murmur hash function in
* http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
* following header:
*
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
* hereby
disclaims copyright to this source code.
*/

```

Found in path(s):

```

* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Hashing.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSetMultimap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/MinMaxPriorityQueue.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSequentialIterator.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingListMultimap.java
*
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/RowSortedTable.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSetMultimap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableCollection.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableListIterator.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMapDifference.java
No license file was found, but licenses were detected in source scan.

```

```

/*

```

```

* Copyright (C) 2017 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractBaseGraph.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/BaseGraph.java
* /guava-30-1-jre-sources-1-jar/com/google/common/graph/Traverser.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ClosingFuture.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (C) 2019 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

```

Found in path(s):

```

* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/Platform.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Internal.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*

```

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/io/Resources.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/Predicates.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/Function.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/Throwables.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/eventbus/AsyncEventBus.java

\*

/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Primitives.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/FinalizableWeakReference.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionList.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/eventbus/DeadEvent.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/io/Files.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/eventbus/package-info.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/package-info.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/io/LineReader.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractFuture.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/Predicate.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/package-info.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/Preconditions.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/FinalizableSoftReference.java

\*

/guava-30-1-jre-sources-1-jar/com/google/common/base/FinalizableReferenceQueue.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/Objects.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/Charsets.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/eventbus/Subscribe.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/io/MultiInputStream.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/io/Flushables.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/Supplier.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/FinalizableReference.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/Interners.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/io/Closeables.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/eventbus/EventBus.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/FinalizablePhantomReference.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/io/LineBuffer.java

\*

/guava-30-1-jre-sources-1-jar/com/google/common/base/Suppliers.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/io/package-info.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/DirectExecutor.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/EnumMultiset.java

```

* /guava-30-1-jre-sources-1-jar/com/google/common/collect/HashBiMap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/eventbus/AllowConcurrentEvents.java
* /guava-30-1-jre-sources-1-jar/com/google/common/io/LittleEndianDataInputStream.java
* /guava-30-1-jre-sources-1-jar/com/google/common/base/Defaults.java
* /guava-30-1-jre-sources-1-jar/com/google/common/io/CountingOutputStream.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFuture.java
* /guava-30-1-jre-sources-1-jar/com/google/common/base/AbstractIterator.java
* /guava-30-1-jre-sources-1-jar/com/google/common/base/Functions.java
* /guava-30-1-jre-sources-1-jar/com/google/common/io/CountingInputStream.java

```

```

*

```

```

/guava-30-1-jre-sources-1-jar/com/google/common/io/LittleEndianDataOutputStream.java
* /guava-30-1-jre-sources-1-jar/com/google/common/io/CharStreams.java
* /guava-30-1-jre-sources-1-jar/com/google/common/io/ByteStreams.java

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

* Copyright (C) 2014 The Guava Authors

```

```

*

```

```

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

```

```

*

```

```

* http://www.apache.org/licenses/LICENSE-2.0

```

```

*

```

```

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

```

```

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

```

```

*/

```

Found in path(s):

```

* /guava-30-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberRegistry.java
* /guava-30-1-jre-sources-1-jar/com/google/common/eventbus/Dispatcher.java
* /guava-30-1-jre-sources-1-jar/com/google/common/base/MoreObjects.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenerCallQueue.java

```

```

*

```

```

/guava-30-1-jre-sources-1-jar/com/google/common/math/Quantiles.java
* /guava-30-1-jre-sources-1-jar/com/google/common/eventbus/Subscriber.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

* Copyright (C) 2016 The Guava Authors

```

```

*

```

```

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

```

```

*

```

```

* http://www.apache.org/licenses/LICENSE-2.0

```

\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/PatternCompiler.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/base/CommonMatcher.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/base/CommonPattern.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/base/JdkPattern.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2015 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/hash/LittleEndianByteArray.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AsyncCallable.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/hash/FarmHashFingerprint64.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/io/ReaderInputStream.java  
\*  
\* /guava-30-1-jre-sources-1-jar/com/google/common/hash/MacHashFunction.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ConsumingQueueIterator.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/CombinedFuture.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Platform.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/InterruptibleTask.java  
\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFutureState.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2020 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at  
 \*  
 \* <http://www.apache.org/licenses/LICENSE-2.0>  
 \*  
 \* Unless required by applicable law or agreed to in writing, software distributed under the License  
 \* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
 express  
 \* or implied. See the License for the specific language governing permissions and limitations under  
 \* the License.  
 \*/  
 /\*\*  
 \* Holder for web specializations of methods of {@code Ints}. Intended to be empty for regular  
 \* version.  
 \*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/IntsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*  
 \* Copyright (C) 2020 The Guava Authors  
 \*  
 \* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
 \* in compliance with the License. You may obtain a copy of the License at  
 \*  
 \* <http://www.apache.org/licenses/LICENSE-2.0>  
 \*  
 \* Unless required by applicable law or agreed to in writing, software distributed under the License  
 \* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
 express  
 \* or implied. See the License for the specific language governing permissions and limitations under  
 \* the License.  
 \*/  
 /\*\*  
 \* Holder for web specializations of methods of {@code Shorts}. Intended to be empty for regular  
 \* version.  
 \*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*  
 \* Copyright (C) 2008 The Guava Authors  
 \*  
 \* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
 \* in compliance with the License. You may obtain a copy of the License at  
 \*

- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software distributed under the License
- \* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
- \* or implied. See the License for the specific language governing permissions and limitations under
- \* the License.
- \*/

Found in path(s):

- \* /guava-30-1-jre-sources-1-jar/com/google/common/io/FileBackedOutputStream.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/Shorts.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/Doubles.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SequentialExecutor.java
- \*
- /guava-30-1-jre-sources-1-jar/com/google/common/base/CharMatcher.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/FluentIterable.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/Booleans.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/Chars.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/net/PercentEscaper.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/base/Joiner.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/Floats.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFutureTask.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/escape/UnicodeEscaper.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/Bytes.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/io/MultiReader.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/base/Stopwatch.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/base/Converter.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/Longs.java
- \*
- /guava-30-1-jre-sources-1-jar/com/google/common/primitives/Ints.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/base/internal/Finalizer.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/net/InetAddresses.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/escape/Escaper.java
- \* /guava-30-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/TrieParser.java

No license file was found, but licenses were detected in source scan.

- /\*
- \* Copyright (C) 2009 The Guava Authors
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,



```

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
 * Not supported. You are attempting to create a map that may contain a non-{@code Comparable}
 * key. Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
 * version.
 *
 * @throws UnsupportedOperationException always
 * @deprecated Pass a key of type {@code Comparable}
 * to use {@link
 * ImmutableSortedMap#of(Comparable, Object)}.
 */

```

Found in path(s):

```

* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
No license file was found, but licenses were detected in source scan.

```

```

/*
 * Copyright (C) 2012 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
/*
 * This method was rewritten in Java from an intermediate step of the Murmur hash function in
 * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
 * following header:
 *
 * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
 * hereby disclaims
 * copyright to this source code.
 */

```

Found in path(s):

```

* /guava-30-1-jre-sources-1-jar/com/google/common/base/SmallCharMatcher.java
No license file was found, but licenses were detected in source scan.

```

```

/*

```

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ContiguousSet.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Monitor.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/net/package-info.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedLists.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java

\*

/guava-30-1-jre-sources-1-jar/com/google/common/base/Ascii.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/Strings.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/annotations/package-info.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/primitives/package-info.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Atomics.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/base/Equivalence.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/annotations/Beta.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningExecutorService.java

\* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not

\* use this file except in compliance with the License. You may obtain a copy of

\* the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMultiset.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMultisets.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapEntry.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/MultimapBuilder.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/io/MoreFiles.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

- \* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableRangeSet.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/math/LinearTransformation.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/io/CharSink.java
- \* /guava-30-1-jre-sources-1-jar/com/google/common/hash/LongAddable.java

```

* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SmoothRateLimiter.java
*
/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredKeyMultimap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/reflect/Parameter.java
* /guava-30-1-jre-sources-1-jar/com/google/common/io/ByteSink.java
* /guava-30-1-jre-sources-1-jar/com/google/common/io/Closer.java
* /guava-30-1-jre-sources-1-jar/com/google/common/math/Stats.java
* /guava-30-1-jre-sources-1-jar/com/google/common/html/package-info.java
* /guava-30-1-jre-sources-1-jar/com/google/common/math/PairedStatsAccumulator.java
* /guava-30-1-jre-sources-1-jar/com/google/common/reflect/Element.java
* /guava-30-1-jre-sources-1-jar/com/google/common/io/CharSource.java
* /guava-30-1-jre-sources-1-jar/com/google/common/reflect/package-info.java
* /guava-30-1-jre-sources-1-jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/math/StatsAccumulator.java
* /guava-30-1-jre-sources-1-jar/com/google/common/escape/package-info.java
*
/guava-30-1-jre-sources-1-jar/com/google/common/reflect/MutableTypeToInstanceMap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/hash/SipHashFunction.java
* /guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeCapture.java
* /guava-30-1-jre-sources-1-jar/com/google/common/cache/LongAddable.java
* /guava-30-1-jre-sources-1-jar/com/google/common/io/ByteSource.java
* /guava-30-1-jre-sources-1-jar/com/google/common/hash/ChecksumHashFunction.java
* /guava-30-1-jre-sources-1-jar/com/google/common/reflect/Invokable.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/RateLimiter.java
* /guava-30-1-jre-sources-1-jar/com/google/common/base/StandardSystemProperty.java
* /guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractByteHasher.java
* /guava-30-1-jre-sources-1-jar/com/google/common/reflect/AbstractInvocationHandler.java
* /guava-30-1-jre-sources-1-jar/com/google/common/io/BaseEncoding.java
* /guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeToInstanceMap.java
*
/guava-30-1-jre-sources-1-jar/com/google/common/math/PairedStats.java
* /guava-30-1-jre-sources-1-jar/com/google/common/cache/LongAddables.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableScheduledFuture.java
* /guava-30-1-jre-sources-1-jar/com/google/common/hash/LongAddables.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/CartesianList.java
* /guava-30-1-jre-sources-1-jar/com/google/common/io/FileWriteMode.java
* /guava-30-1-jre-sources-1-jar/com/google/common/reflect/ClassPath.java
* /guava-30-1-jre-sources-1-jar/com/google/common/xml/package-info.java
* /guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableRangeMap.java
* /guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ServiceManager.java

```

## 1.252 jnr-posix 3.0.8

### 1.252.1 Available under license :

Found license 'GNU Lesser General Public License' in 'License Version 1.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of Software distributed under the License is distributed on an "AS Alternatively, the contents of this file may be used under the terms of either of the GNU

General Public License Version 2 or later (the "GPL"), or the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), use your version of this file under the terms of the CPL, indicate your'  
Found license 'GNU Lesser General Public License' in 'License Version 1.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of Software distributed under the License is distributed on an "AS Copyright (C) 2008 Google Inc. All Rights Reserved. Alternatively, the contents of this file may be used under the terms of either of the GNU General Public License Version 2 or later (the "GPL"), or the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), use your version of this file under the terms of the CPL, indicate your'

## 1.253 slf4j-jcl 1.7.5

### 1.253.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN
 * NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

```
* /slf4j-jcl-1-7-5-sources-1-jar/org/slf4j/impl/StaticLoggerBinder.java
* /slf4j-jcl-1-7-5-sources-1-jar/org/slf4j/impl/StaticMarkerBinder.java
* /slf4j-jcl-1-7-5-sources-1-jar/org/slf4j/impl/StaticMDCBinder.java
* /slf4j-jcl-1-7-5-sources-1-jar/org/slf4j/impl/JCLLoggerAdapter.java
* /slf4j-jcl-1-7-5-sources-1-jar/org/slf4j/impl/JCLLoggerFactory.java
```

# 1.254 tomcat-dbcp 9.0.83

## 1.254.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with



the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.255 tomcat-websocket 9.0.83

## 1.255.1 Available under license :

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.256 dom4j 1.6.1

### 1.256.1 Available under license :

/\*

- \* Redistribution and use of this software and associated documentation
- \* ("Software"), with or without modification, are permitted provided that the
- \* following conditions are met:
- \*
- \* 1. Redistributions of source code must retain copyright statements and
- \* notices. Redistributions must also contain a copy of this document.
- \*
- \* 2. Redistributions in binary form must reproduce the above copyright notice,
- \* this list of conditions and the following disclaimer in the documentation
- \* and/or other materials provided with the distribution.
- \*
- \* 3. The name "DOM4J" must not be used to endorse or promote products derived
- \* from this Software without prior written permission of MetaStuff, Ltd. For
- \* written permission, please contact dom4j-info@metastuff.com.
- \*
- \* 4. Products derived from this Software may not be called "DOM4J" nor may
- \* "DOM4J" appear in their names without prior written permission of MetaStuff,
- \* Ltd. DOM4J is a registered trademark of MetaStuff, Ltd.
- \*
- \*
- \* 5. Due credit should be given to the DOM4J Project - <http://www.dom4j.org>
- \*
- \* THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS ``AS IS" AND
- \* ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL METASTUFF, LTD. OR ITS CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
- \* POSSIBILITY OF SUCH DAMAGE.

\*  
\* Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.  
\*/

## 1.257 txw2 2.3.0.1

### 1.257.1 Available under license :

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in 'Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License // This class is in the Public Domain. NO WARRANTY! \* Public Domain, and comes with <strong>NO WARRANTY</strong>.</em>'

Found license 'General Public License 2.0' in '\* Copyright (c) 2005-2017 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License // NO WARRANTY! This class is in the public domain.'

## 1.258 log4j-appserver 2.20.0

### 1.258.1 Available under license :

Apache Log4j App Server Support  
Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).



## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.259 commons-digester 1.7

### 1.259.1 Available under license :

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache License

Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If

You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or,  
within a display generated by  
the Derivative Works, if and  
wherever such third-party notices normally appear. The contents  
of the NOTICE file are for informational purposes only and  
do not modify the License. You may add Your own attribution  
notices within Derivative Works that You distribute, alongside  
or as an addendum to the NOTICE text from the Work, provided  
that such additional attribution notices cannot be construed  
as modifying the License.

You may add Your own copyright statement to Your modifications and  
may provide additional or different license terms and conditions  
for use, reproduction, or distribution of Your modifications, or  
for any such Derivative Works as a whole, provided Your use,  
reproduction, and distribution of the Work otherwise complies with  
the conditions stated in this License.

#### 5. Submission

of Contributions. Unless You explicitly state otherwise,  
any Contribution intentionally submitted for inclusion in the Work  
by You to the Licensor shall be under the terms and conditions of  
this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify  
the terms of any separate license agreement you may have executed  
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade  
names, trademarks, service marks, or product names of the Licensor,  
except as required for reasonable and customary use in describing the  
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or  
agreed to in writing, Licensor provides the Work (and each  
Contributor  
provides its Contributions) on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
implied, including, without limitation, any warranties or conditions  
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
PARTICULAR PURPOSE. You are solely responsible for determining the  
appropriateness of using or redistributing the Work and assume any  
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,  
whether in tort (including negligence), contract, or otherwise,  
unless required by applicable law (such as deliberate and grossly  
negligent acts) or agreed to in writing, shall any Contributor be  
liable to You for damages, including any direct, indirect, special,



incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not  
use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.260 crt-core 2.20.128

## 1.260.1 Available under license :

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020

The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

# 1.261 activemq-protobuf 1.1

## 1.261.1 Available under license :

```
=====
== Apache Notice ==
=====
```

Apache ActiveMQ  
Copyright 2005-2008 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

```
=====
== Protocol Buffers Notice ==
=====
```

This product includes software developed by the Protocol Buffers  
project (<http://code.google.com/apis/protocolbuffers/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of



this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.262 activemq-openwire-legacy 5.15.11

## 1.262.1 Available under license :

ActiveMQ :: Openwire Legacy Support  
Copyright 2005-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.263 payloadoffloading-common 2.1.2

## 1.263.1 Available under license :

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by



the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## 1.264 commons-logging 1.2

### 1.264.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2005 The Apache Software Foundation.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/ServletContextCleaner.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2001-2006 The Apache Software Foundation.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2001-2004,2006 The Apache Software Foundation.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/AvalonLogger.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2004 The Apache Software Foundation.

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/WeakHashtable.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2004 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

- \* /commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogConfigurationException.java
- \* /commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Log4JLogger.java
- \* /commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/LogFactoryImpl.java
- \* /commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Jdk13LumberjackLogger.java
- \*

```
/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/SimpleLog.java
* /commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Jdk14Logger.java
* /commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogSource.java
* /commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/NoOpLog.java
* /commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/LogKitLogger.java
* /commons-logging-1-1-sources-9-jar/org/apache/commons/logging/Log.java
```

No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Found in path(s):

- \* /commons-logging-1-1-sources-9-jar/org/apache/commons/logging/package.html
- \* /commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/package.html

## 1.265 lcms 2.15

### 1.265.1 Available under license :

Little CMS

Copyright (c) 1998-2020 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining  
a copy of this software and associated documentation files (the  
"Software"), to deal in the Software without restriction, including  
without limitation the rights to use, copy, modify, merge, publish,  
distribute, sublicense, and/or sell copies of the Software, and to  
permit persons to whom the Software is furnished to do so, subject  
to the following conditions:

The above copyright notice and this permission notice shall be  
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY  
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,  
TORT OR OTHERWISE, ARISING FROM, OUT OF  
OR IN CONNECTION WITH THE  
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

THIS LICENSE APPLIES ONLY TO iccjpeg.c file

-----

In plain English:

1. We don't promise that this software works. (But if you find any bugs, please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a program, you must acknowledge somewhere in your documentation that you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-2013, Thomas G. Lane, Guido Vollbeding. All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1)

If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.



The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltmain.sh). Another support script, install-sh, is copyright by X Consortium but is also freely distributable.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that

"The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have

certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you

with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user

actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions



apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does

not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

## 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or

modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that

contain the covered work, unless you entered into that arrangement,  
or  
that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting  
any implied license or other defenses to infringement that may  
otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or  
otherwise) that contradict the conditions of this License, they do not  
excuse you from the conditions of this License. If you cannot convey a  
covered work so as to satisfy simultaneously your obligations under this  
License and any other pertinent obligations, then as a consequence you may  
not convey it at all. For example, if you agree to terms that obligate you  
to collect a royalty for further conveying from those to whom you convey  
the Program, the only way you could satisfy both those terms and this  
License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have  
permission to link or combine any covered work with a work licensed  
under version 3 of the GNU Affero General Public License into a single  
combined work, and to convey the resulting work. The terms of this  
License will continue to apply to the part which is the covered work,  
but the special requirements of the GNU Affero General Public License,  
section 13, concerning interaction through a network will apply to the  
combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of  
the GNU General Public License from time to time. Such new versions will  
be similar in spirit to the present version, but may differ in detail to  
address new problems or concerns.

Each version is given a distinguishing version number. If the  
Program specifies that a certain numbered version of the GNU General  
Public License "or any later version" applies to it, you  
have the  
option of following the terms and conditions either of that numbered  
version or of any later version published by the Free Software  
Foundation. If the Program does not specify a version number of the  
GNU General Public License, you may choose any version ever published  
by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2025 Cisco Systems, Inc. All rights reserved.